The Industry's Fastest Source for RF & Microwave Components

Catalog 2011C

PE PASTERNACK®

www.pasternack.com

866-727-8376

© 2011 PASTERNACK ENTERPRISES, INC. ALL RIGHTS RESERVED, PRINTED IN USA

CATALOG SECTION INDEX

Use this Catalog Section Index to find product categories quickly. Turn the page to the Table of Contents to find individual products, or use the Part Number Index on Pages 264-272 to find the product page for each Part Number.

New Products.....3

Formable Precision Cable Assemblies; Bandpass Filters; Antennas;

Test & Measurment 5

N Type & 3.5mm VNA Calibration Kits; VNA Cable Assemblies; 3-Port Field Calibration Tools

(Test & Precision Cable Assemblies, see the front of the Cable Assemblies Section. Starts on Page 12.)

Coaxial & Twinax Cable Assemblies.....9

Precision Cable Assemblies; Flexible Assemblies; Semi-Rigid & Re-Shapeable Assemblies; High Definition (HD) Broadcast Cable Assemblies; HDMI Cables; Single Wire Patch Cords; Breakouts; Twinax; 3/4”-20 Twinax; BNC Twinax

Coax Cable.....103

Bulk Coaxial Cable

Coaxial Connectors.....107

1.0/2.3 Snap On; 1.6/5.6; 1.85mm; 2.4mm; 2.92mm; 3.5mm; 7/16 DIN; 10-32; BNC; BNC-75 Ohm; BNC-Reverse Polarity; Banana Plugs; C; D-Subminiature; F; FAKRA; FME; GR874; HN; LC; MC-Card; MCX; MCX-75 Ohm; MCX-Reverse Polarity; MMCX; N; N-75 Ohm; N-Reverse Polarity; Positive Snap; QMA; QN; SC; SHV; SMA; SMA-Field Replaceable; SMA-Reverse Polarity; SMA-Reverse Thread; SMB; SMB-75 Ohm; Mini-75 Ohm SMB; SMC; SMC-75 Ohm; SMP; MINI SMP; SSMA; SSMB; TNC; TNC-75 Ohm; UHF; Mini UHF; UMCX; Connector Accessories-Page 250

Adapters.....160

Adapter Locator (Part Number Identifier); Adapters to all Connectors above

Attenuators / RF Components.....201

Attenuators (Programmable, Fixed, Rotary, Pushbutton, Toggle, & Continuously Variable); Impedance Matching Pads; Terminations; Directional Couplers (Octave, Broadband, Dual, 90° Hybrid & High Power); Power Dividers; Ferrite Isolators & Circulators; Phase Shifters; Phase Trimmers; DC Blocks; Bias “Tee”; Caps & Shorts; Surge Protectors; Coaxial Relay & Transfer Switches; Noise Generators; Amplifiers (In-line, LNA & Power); Schottky Diode Detectors & Limiters; Double Balanced Mixers; Frequency Doublers; Standard Gain Horns; Waveguide-to-Coax Adapters; Waveguide Terminations

Antennas.....231

Rubber Duck; Omni Vertical; Cellular / PCS; High Performance; GPS; Panel & Patch; Dome; Yagi; Land Mobile Radio; Standard Gain Horns; Antenna Mounts & Cable Assemblies

Fiber Optics.....242

Mode Conditioning Cable Assemblies; Fiber Optic Cable Assemblies; Optical Audio Cable Assemblies; Adapters; Loopbacks; Attenuators

Connector Accessories & Tools.....250

SMA Field Replaceable Accessories; Screws; Nuts; Cable Cutting Tools ; Preset Torque Wrenches; Coax Compression Tool; BNC Insertion/Extraction Tool; Coax Crimping Tools

Appendix.....253

Connector Identifier; Mounting Holes; Mailing List Changes; Placing Your Order; RoHS Compliance Program; Credit Application; Terms & Conditions; Part Number Index

TABLE OF CONTENTS

90º Hybrid....214

Adapters....167

Adapter Locator....160

Amplifiers....224

Antennas

- Rubber Duck....232 NEW
- Omni Vertical....233 NEW
- Cellular / PCS....234 NEW
- High Performance....235 NEW
- Active GPS....235 NEW
- Panel & Patch....236 NEW
- Dome....237 NEW
- Yagi....238 NEW
- Land Mobile Radio....238 NEW
- Standard Gain Horns....239 NEW
- Mounts....240
- Mount Cable Assemblies....240

Attenuators

- Continuously Variable....209
- Fixed....203
- Programmable & Pushbutton....211
- Rotary....210
- Toggle....211

Bias "Tee's"....219

Bandpass Filters....220 NEW

Breakouts....101

Cable Assemblies

- Cable Locator....10
- Test & Precision....12 NEW
- Standard....28
- Twinax....98

Calibration Kits....6

Calibration Tools....7

Caps....221

Circulators, Ferrite....218

Coaxial Cable (Bulk)....104 NEW

Coaxial Connectors

- 1.0/2.3 Snap On....141
- 1.6/5.6, 75 Ohm....153
- 1.85mm....119
- 2.4mm....119
- 2.92mm....118
- 3.5mm....118
- 7/16 DIN....127 NEW
- 3/4"-20 Twinax....158
- 10-32....131
- BNC
  - 50 Ohm....143 NEW
  - 75 Ohm....156 NEW
  - HD 75 Ohm....156
  - Twinax....159
- Banana Plugs....159
- C....148
- D Subminiature....141
- F
  - 75 Ohm....152
  - High Definition....152
- FAKRA....140 NEW
- FME....129
- GR874....143
- HN....132
- LC....132
- MC-Card....141
- MCX
  - 50 Ohm....136 NEW
  - 75 Ohm....153
- MHV....146
- Mini UHF....129
- MMCX....135 NEW
- N
  - 50 Ohm....121 NEW
  - 75 Ohm....149
- QMA....133 NEW
- QN....134
- RCA....158
- Reverse Polarity
  - BNC....144
  - MCX....136
  - N....123
  - SMA....113 NEW
  - TNC....125 NEW
- Reverse Thread SMA....113
- SC....132
- SHV....147
- SMA
  - 50 Ohms....111 NEW
  - Field Replaceable....117
- SMB
  - 50 Ohms....137
  - 75 Ohms....154
  - 75 Ohm Positive Snap....154
  - High Definition Mini 75 Ohm....155
  - Mini 75 Ohm....155
- SMC
  - 50 Ohm....129
  - 75 Ohm....150
- SMP
  - 50 Ohm....134 NEW
  - Mini SMP....135
- SSMA....120
- SSMB....139
- TNC
  - 50 Ohm....124 NEW
  - 75 Ohm....150
- UHF....128
- UMCX....135

Connector Accessories....250

Connector Locator....107

D.C. Blocks....220

Detectors

- BNC....225
- Log....225
- Schottky....225 NEW

Directional Couplers

- Broadband....215 NEW
- Octave....216
- Dual....217
- High Power....217 NEW

Fiber Optic

- Adapters....248 NEW
- Attenuators....249
- Cable Assemblies....243 NEW
- Optical Audio Cable Assemblies....247
- Loopbacks....249 NEW
- Mode Conditioning Cable Assy....243 NEW

Field Replaceable Contact, Gasket.250

Frequency Double....227

Impedance Matching Pads....212

Isolators, Ferrite....218

Limiters....226

Mixers, Double Balanced....227

Noise Generators....224

Nuts & (Fasteners)....251

Phase Trimmers....219

Phase Shifters....219

Power Dividers....218 NEW

Screws & Nuts....251

Shorts....221

Single Wire Patch Cords....100

Standard Gain Horns....228

Surge Protectors....221

Switches, Coaxial....222

Terminations

- 50 & 75 Ohm Precision....213
- Feedthru....213
- High Power....212 NEW
- Resistor....214

Test & Measurment....5

Tools

- BNC Insertion & Extraction....251
- Cable Cutting....251
- Compression....251
- Crimping....252
- Preset Torque Wrenches....251

VNA Cable Assemblies....7

Waveguide Components

- Coax Adapters....229
- Terminations....227

HELPFUL RESOURCES

Connector Identifier....253	Mounting Hole Layout....259
How to Place your Order....260	ROHS Compliance Program....261
Mailing List Changes....260	Terms & Conditions....263
Part Number Index....264	Credit Application....262

© 2011 Pasternack Enterprises, Inc. All Rights Reserved, Printed in USA

NEW PRODUCTS

Formable Precision Cable Assemblies

Pasternack's Formable Precision Cable Assemblies are 100% RF tested to the maximum recommended frequency for each configuration. The SMA straight to SMA straight assembly is tested to 18 GHz, while the Type N to Right Angle TNC version is tested to 6 GHz. There are 24 different connector combinations with four available cable choices. These precision cable assemblies are available in RG402 and RG405 type formable cable and can be ordered with or without a Black FEP Jacket material. The shield construction is a tinned conductive braid, allowing the cable to be formed by hand to its final shape. In many cases, this eliminates the need for precision drawings and tooling used on rigid cable assemblies, thus reducing time and cost while providing a custom fit. All of the options come in standard lengths from 6 to 24 inches and are available for same-day shipment. Custom length cables are also available upon request by contacting Pasternack Customer Service, directly, or through our website at www.pasternack.com.

Other standard features include:

- SMA Stainless Steel Coupling Nut Ni/Au-Plated Brass Body
- SMA Male Anti-Torque Nut to prevent the cable assembly from spinning during attachment
- ROHS compliant – Note: Tin Lead Solder available by request
- 100% RF Tested to Max Frequency
- 100% Hi-Pot & Continuity Tested

See Page 22 for Formable Precision Cable Assemblies

BANDPASS FILTERS

Pasternack introduces its new line of Bandpass Filters. Our Bandpass Filters cover a frequency range from 824 MHz to 5.9 GHz, and the Combline design results in Low Insertion Loss performance. Suitable for the following bands:

- ISM
- RFID
- WiFi
- Bluetooth
- Zigbee
- GPS
- GSM
- PCS
- UMTS
- AWS
- WIMAX

See Page 220 for Bandpass Filters

NEW PRODUCTS

Antennas

Pasternack antennas offer a broad selection of wireless options for mobile and fixed applications. The mobile antenna line comes in rubber duck, whip and a robust environment designs. Directional antennas are perfect for SCADA, WiFi, WiMAX and PCS applications. A line of GPS antennas can be used for fixed and mobile applications. Finally, our line of standard gain horns offer 3 gains and are perfect for test range applications from 1.7 GHz to 40 GHz.

See Page 232 for Antenna Products

RUBBER DUCK ANTENNAS

Rubber Duck Style Antennas are useful in multiple wireless applications where small size, high performance, and rugged construction are design imperatives. These antennas are useful in both indoor and portable wireless applications.

OMNI VERTICAL ANTENNAS

Outdoor Omni, high gain performance Antennas with UV resistant radomes and rugged construction suitable for base station and other applications.

CELLULAR / PCS ANTENNAS

Popular Cellular and PCS Antennas in convenient radome styles and connector configurations.

HIGH PERFORMANCE ANTENNAS

Industry leading performance antennas for a multitude of critical wireless applications, where highest performance and durability is required.

GPS ANTENNAS

Commercial and Military Frequency GPS Antennas in both active and passive styles.

PANEL & PATCH ANTENNAS

Pasternack carries a wide range of high gain directional single and multi band panel antennas for popular ISM frequency coverage.

DOME ANTENNAS

Pasternack's wide selection of Dome Antennas are commonly used where visual asthetics and low impact demands are essential.

YAGI ANTENNAS

High gain directional antennas in popular frequency bands suitable for outdoor SCADA installations.

LAND MOBILE RADIO ANTENNAS

A wide selection of popular gains and styles for Land Mobile Radio applications.

STANDARD GAIN HORNS



Standard Gain horns from 1.7 GHz to 40 GHz & gains of 10, 15 & 20 dB.

INDEX GUIDE TO
TEST & MEASUREMENT PRODUCTS

N Type VNA Calibration Kits.....6

The N Type Standard Calibration Kit is designed for use with a broad range of vector network analyzers (VNAs) that utilize a Short-Open-Load calibration technique. With this kit, you can make error-corrected measurements of devices supplied with N-Type connectors from DC to 18 GHz. This kit contains both Male (Plug) and Female (Jack) connector interfaces to perform full Two-Port error corrections.

3.5mm VNA Calibration Kits.....6

The 3.5mm Standard Calibration Kit is designed for use with a broad range of vector network analyzers (VNAs) that utilize a Short-Open-Load calibration technique. With this kit, you can make error-corrected measurements of devices supplied with either 3.5mm or SMA connectors from DC to 26.5 GHz. This kit contains both Male (Plug) and Female (Jack) connector interfaces to perform full Two-Port error corrections.

VNA Cable Assemblies.....7

Microwave test cables for Agilent® and Anritsu® VNA's and additional test equipment with 3.5mm NMD connector ports. These highly flexible test cables have excellent electrical characteristics with outstanding phase and amplitude stability. The unique interchangeable connector head can be configured for DUT applications that require Precision 7mm (PC-7), N, 3.5mm, SMA or 2.92mm connectors.

3-Port Field Calibration Tools.....7

With these 3-Port Field Calibration Tools, you can make error-corrected measurements of devices supplied with 3.5mm, N-Type, or 7/16 DIN connectors. Also called "Bones", these tools are very effective when needing to make field calibrations as they are lightweight and portable. Each tool has either Male (Plug) or Female (Jack) connector interfaces to perform Short, Open, and Load measurements on the cable assembly, antenna, or other device you are evaluating. RoHS Compliant.

Test & Precision Cable Assemblies.....12

Test & Precision Cable Assemblies, see the front of the Cable Assemblies Section. Starts on Page 12.

*Agilent is a registered trademark of Agilent Technologies, Inc.
*Anritsu is a registered trademark of Anritsu Corporation.

VNA Cable Assemblies PE310-Kit

3 Port Field Calibration Tool PE5510

N Type VNA Calibration Kit PE5501-Kit

3.5mm VNA Calibration Kit PE5500-Kit

3 Port Field Calibration Tool PE5512

3 Port Field Calibration Tool PE5513

N TYPE VNA CALIBRATION KITS

The N Type Standard Calibration Kit is designed for use with a broad range of vector network analyzers (VNAs) that utilize a Short-Open-Load calibration technique. With this kit, you can make error-corrected measurements of devices supplied with N-Type connectors from DC to 18 GHz. This kit contains both Male (Plug) and Female (Jack) connector interfaces to perform full Two-Port error corrections.

FEATURES:

- Broad VNA Coverage
- Open, Short, Fixed Broadband Load Configurations
- DC to 18 GHz

Specifications	Units	Value	Description
Impedance	Ohms	50	
Frequency	GHz	18	DC to 18 GHz
Open Return Loss(1)	dB	≤ 0.10	≤ 4 GHz
	dB	≤ 0.20	> 4GHz to ≤ 18 GHz
Short Return Loss(1)	dB	≤ 0.10	≤ 4 GHz
	dB	≤ 0.15	> 4GHz and ≤ 18 GHz
Load Return Loss(1)	dB	≥ 40	≤ 4 GHz
	dB	≥ 30	> 4GHz and ≤ 18 GHz
Open Phase Deviation(1)	degs.	≤ 1.2°	≤ 4 GHz
	degs.	≤ 3.0°	> 4GHz and ≤ 18 GHz
Short Phase Deviation(1)	degs.	≤ 1.2°	≤ 4 GHz
	degs.	≤ 2.5°	> 4GHz and ≤ 18 GHz
Load Resistance	Ohms	50 ± 0.25	
Load Power Handling	Watts	≤ 0.5	At 18 GHz, 0°-50° C

(1) Specifications are for both Male (Plug) and Female (Jack) components.

Model No.	Description	PRICE
PE5501-KIT	N-Type Standard Calibration Kit	$4813.20
PE5501-1	Open Circuit, Male (Plug)	636.90
PE5501-2	Open Circuit, Female (Jack)	636.90
PE5501-3	Short Circuit, Male (Plug)	583.80
PE5501-4	Short Circuit, Female (Jack)	583.80
PE5501-5	Broadband Load, Male (Plug)	1273.80
PE5501-6	Broadband Load, Female (Jack)	1273.80
PE5011-7	Type N Torque Wrench	221.80

3.5mm VNA CALIBRATION KITS

The 3.5mm Standard Calibration Kit is designed for use with a broad range of vector network analyzers (VNAs) that utilize a Short-Open-Load calibration technique. With this kit, you can make error-corrected measurements of devices supplied with either 3.5mm or SMA connectors from DC to 26.5 GHz. This kit contains both Male (Plug) and Female (Jack) connector interfaces to perform full Two-Port error corrections.

FEATURES:

- Broad VNA Coverage
- Open, Short, Fixed Broadband Load Configurations
- DC To 26.5 GHz
- In-Series Phase Matched Adapters Available

Specifications	Units	Value	Description
Connector Type	mm	3.5	Male and Female
Max Frequency	GHz	26.5	DC to 26.5 GHz
Open Return Loss	dB	<0.2	At 26.5 GHz
Open Phase Deviation	degrees	<3.5°	Nominal @ 26.5 GHz
Short Return Loss	dB	<0.15	At 26.5 GHz
Short Phase Deviation	degrees	<3.0°	Nominal @ 26.5 GHz
Load Return Loss	dB	>30	At 26.5 GHz
Load Impedance	Ohms	50.0 ± 0.5	At DC
Load Power Handling	Watts	0.5	At 26.5 GHz

Model No.	Description	PRICE
PE5500-KIT	3.5mm Standard Calibration Kit	$3821.40
PE5500-1	Open Circuit, Male	580.95
PE5500-2	Open Circuit, Female	580.95
PE5500-3	Short Circuit, Male	580.95
PE5500-4	Short Circuit, Female	580.95
PE5500-5	Broadband Load, Male	1539.60
PE5500-6	Broadband Load, Female	1539.60
PE5011-1	3.5mm/SMA Preset Torque Wrench	163.90

VNA CABLE ASSEMBLIES

Microwave test cables for Agilent® and Anritsu® VNA's and additional test equipment with 3.5mm NMD connector ports. These highly flexible test cables have excellent electrical characteristics with outstanding phase and amplitude stability. The unique interchangeable connector head can be configured for DUT applications that require Precision 7mm (PC-7), N, 3.5mm, SMA or 2.92mm connectors.

Specifications	Units	Value	Description
Impedance	Ohms	50Ω	
Frequency	GHz	26.5	DC to 26.5 GHz
Insertion Loss	dB	<1.5	At 26.5 GHz
Amplitude Stability	dB	<0.05	At 26.5 GHz
Phase stability	degree	≤3.0°	At 26.5 GHz, after 90° degree bend
Return Loss	dB	>20dB	At 26.5 GHz
Return Loss Stability	dB	>40 dB	At 26.5 GHz
Cable Length	cm	60	
Minimum bend radius	mm	25	
Connector A		3.5mm NMD	VNA compatible
Connector B		Interchangeable	
Oper. Temperature	Celsius	-40° to +85°	

Test & Measurment

Model No.	Description	PRICE	
		1-9	10 +
PE310-KIT	VNA Test Cable Set in a protective wood box. Two cables in set. Note: Must order companion Connector for each cable (see below)	$4174.45	$3882.24
PE44484	One Precision 7mm (PC-7) Connector for PE310 VNA Test Cable	307.80	286.25
PE44485	One N Male Connector for PE310 VNA Test Cable	307.80	286.25
PE44486	One N Female Connector for PE310 VNA Test Cable	307.80	286.25
PE44487	One 3.5mm Male Connector for PE310 VNA Test Cable	307.80	286.25
PE44488	One 3.5mm Female Connector for PE310 VNA Test Cable	307.80	286.25

3-PORT FIELD CALIBRATION TOOLS

With these 3-Port Field Calibration Tools, you can make error-corrected measurements of devices supplied with 3.5mm, N-Type, or 7/16 DIN connectors. Also called "Bones", these tools are very effective when needing to make field calibrations as they are lightweight and portable. Each tool has either Male (Plug) or Female (Jack) connector interfaces to perform Short, Open, and Load measurements on the cable assembly, antenna, or other device you are evaluating. RoHS Compliant.

PE5510- FEMALE

PE5512- FEMALE



PE5514- FEMALE



PE5511- MALE



PE5513- MALE



PE5515- DIN MALE

Data	3.5mm Tool	N Type Tool	7/16 DIN Tool
Impedance	50Ω ± 0.5Ω	50Ω	50Ω
Frequency	DC – 26.5 GHz	DC – 6 GHz	DC – 6 GHz
Open Return Loss	≤ 0.15 dB, DC – 4 GHz ≤ 0.30 dB, 4 GHz – 26.5 GHz	≤ 0.1 dB, DC – 6 GHz	≤ 0.15 dB, DC – 6 GHz
Short Return Loss	≤ 0.10 dB, DC – 4 GHz ≤ 0.20 dB, 4 GHz – 26.5 GHz	≤ 0.1 dB, DC – 6 GHz	≤ 0.15 dB, DC – 6 GHz
Load Return Loss	≤ 40.0 dB, DC – 4 GHz ≤ 30.0 dB, 4 GHz – 26.5 GHz	≥ 42 dB to 2.5 GHz ≥ 38 dB 2.5 GHz – 6 GHz	≥ 40 dB to 2.5 GHz ≥ 38 dB 2.5 GHz – 6 GHz
Power Handling	0.5 W	1.0 W	1.0 W
Temp Range	-40°C to +70°C	-40°C to +85°C	-65°C to +85°C
Price (1-9 pcs)	$1056.25	$661.60	$772.85

CONNECTOR FREQUENCY RANGE CHART



Notes:

1: BNC-75 Ohm connectors operate up to 1 GHz
2: SMB-75 Ohm & Mini SMB-75 Ohm connectors operate up to 4 GHz
3: MCX-75 Ohm connectors operate up to 6 GHz
4: SMC-75 Ohm connectors operate up to 10 GHz
5: N-75 Ohm connectors operate up to 1.5 GHz
6: TNC-75 Ohm connectors operate up to 1 GHz

Coaxial Cable Assemblies Selection Guide

All Pasternack coaxial cable assembly part number indicate the length of the assembly (in inches) following the hyphen.
Example: PE300-24 and PE300-26.5 are 24 inches and 26.5 inches in length respectively

3 Easy Ways to Find your Product.....

1. Search by PE Part Number

If you know the PE part number you are searching for, please reference our Part Number Index on Page 264.

2. Quick Reference Guide

(Page number refers to first appearence of product in the Cable Assembly Section)

Cable Connector	Page
Precision Cable Assembly	
1.85mm	21
2.4mm	21
2.92mm	15
3.5mm	14
MCX	23
MMCX	23
N	13
SMA	13
TNC	13
Standard Cable Assembly	
Alligator Clips	70
1.6/5.6	98
1.85mm	45
10-32	64

Cable Connector	Page
2.4mm	32
2.92mm	45
3.5mm	44
3/4"-20 Twinax	98
7/16 DIN	35
BANANA PLUG	70
BNC-50 Ohm	36
BNC-75 Ohm	92
BNC Twinax	98
Breakouts	101
C	91
F	93
FAKRA	82
FME	61

Cable Connector	Page
GR874	70
HDMI	99
HN	65
LC	65
MC-Card	38
MCX	76
MHV	73
Miniature Alligator Clips	71
Miniature Stacking Banana Plugs	71
Mini SMB-75 Ohm	93
Mini UHF	36
MMCX	37
N-50 Ohm	32

Cable Connector	Page
N-75 Ohm	94
QMA	37
QN	53
RCA	96
RP SMA	38
RP TNC	39
RT SMA	39
Safety Hooks	71
SC	64
SHV	73
Single Wire Patch Cords	100
SMA	28
SMB-50 Ohm	38

Cable Connector	Page
SMB-75 Ohm	93
SMC-50 Ohm	36
SMC-75 Ohm	94
SMP	37
SSMA	32
SSMB	77
Stacking Tip Plugs	71
Standard Stacking Banana Plugs	71
TNC-50 Ohm	34
TNC-75 Ohm	94
UHF	59
UMCX	76
Unterminated Wires	71

3. Cable Assembly Locator

(Cable Assembly Locator on Page 10-11 to locate the Cable Assembly you need by either connector end.)

SMA Female Bulkhead to MCX Plug Right Angle
PE39421-12

SMA FEMALE BULKHEAD TO:

MCX PLUG RIGHT ANGLE.....23
MMCX PLUG RIGHT ANGLE 23
SMA FEMALE BULKHEAD 43
SMA MALE 17,23,31,32
SMA MALE RIGHT ANGLE 17,23,40,41
UMCX PLUG 76

MCX PLUG RIGHT ANGLE TO:

MCX PLUG 78
MCX PLUG RIGHT ANGLE 79
N FEMALE BULKHEAD 25
SMA FEMALE BULKHEAD.....23
TNC FEMALE BULKHEAD 27
UMCX PLUG 76

The Cable Assembly Locator example above includes Between-Series Cable Assembly part numbers in two configurations: ***Connector 1 to Connector 2 as well as Connector 2 to Connector 1 will be found in the same location.***

Products can only be found under the first instance of the series combination. As an example, PE39421-12 above will be found in only one location in the Cable Assembly Section.

NOTE: All cable assemblies have a length tolerance of 1.5% or ± 3/8", whichever is greater.

Cable Assembly Locator

1.6/5.6 PLUG TO: Page

1.6/5.6 PLUG 98
75 OHM BNC MALE 94

1.85mm MALE TO:

1.85mm MALE 21,46
2.4mm MALE 21
2.92mm MALE 21,45

2.4mm FEMALE TO:

2.4mm MALE 46

2.4mm MALE TO:

1.85mm MALE 21
2.4mm FEMALE 46
2.4mm MALE 21,46
2.92mm MALE 21,45
SMA MALE 32

2.92mm FEMALE BULKHEAD TO:

2.92mm MALE 45

2.92mm FEMALE TO:

2.92mm MALE 15

2.92mm MALE TO:

1.85mm MALE 21,45
2.4mm MALE 21,45
2.92mm FEMALE 15
2.92mm FEMALE BULKHEAD 45
2.92mm MALE 15,21,45

3.5mm FEMALE BULKHEAD TO:

3.5mm MALE 44

3.5mm FEMALE TO:

3.5mm MALE 14,44

3.5mm MALE TO:

3.5mm FEMALE 14,44
3.5mm FEMALE BULKHEAD 44
3.5mm MALE 14,44

3/4"-20 TWINAXIAL MALE TO:

3/4"-20 TWINAXIAL MALE 98

7/16 DIN FEMALE TO:

7/16 DIN MALE 59

7/16 DIN MALE RIGHT ANGLE TO:

7/16 DIN MALE 59

7/16 DIN MALE TO:

7/16 DIN FEMALE 59
7/16 DIN MALE 58,59
7/16 DIN MALE RIGHT ANGLE 59
N MALE 51,52
SMA MALE 35

10-32 MALE RIGHT ANGLE TO:

10-32 MALE 64
10-32 MALE RIGHT ANGLE 64

10-32 MALE TO:

10-32 MALE 64
10-32 MALE RIGHT ANGLE 64
BNC MALE 64

75 OHM BNC FEMALE BULKHEAD TO:

75 OHM BNC MALE 93

75 OHM BNC FEMALE TO:

75 OHM BNC FEMALE 95
75 OHM BNC MALE 92

75 OHM BNC MALE RIGHT ANGLE TO:

75 OHM BNC MALE 92
75 OHM BNC MALE RIGHT ANGLE 95

75 OHM BNC MALE TO:

1.6/5.6 PLUG 94
75 OHM BNC FEMALE 92
75 OHM BNC FEMALE BULKHEAD 93
75 OHM BNC MALE 92
75 OHM BNC MALE RIGHT ANGLE 92
75 OHM N MALE 94
75 OHM SMB PLUG 93
75 OHM SMC PLUG 94
75 OHM TNC MALE 94
F MALE 93
MINI 75 OHM SMB PLUG 93

75 OHM N MALE TO: Page

75 OHM BNC MALE 94
75 OHM N MALE 97

75 OHM SMB PLUG TO:

75 OHM BNC MALE 93
75 OHM SMB PLUG 96

75 OHM SMC PLUG TO:

75 OHM BNC MALE 94
75 OHM SMC PLUG 98

75 OHM TNC MALE TO:

75 OHM BNC MALE 94
75 OHM TNC MALE 98

ALLIGATOR CLIPS TO:

BANANA PLUG 99
BNC MALE 70

BANANA PLUG TO:

ALLIGATOR CLIPS 99
BANANA PLUG 99
BNC MALE 70

BNC FEMALE BULKHEAD TO:

BNC MALE 68,69

BNC FEMALE TO:

BNC FEMALE 72,73
BNC MALE 68

BNC MALE RIGHT ANGLE TO:

BNC MALE 67
BNC MALE RIGHT ANGLE 72

BNC MALE TO:

10-32 MALE 64
ALLIGATOR CLIPS 70
BANANA PLUG 70
BNC FEMALE 68
BNC FEMALE BULKHEAD 68,69
BNC MALE 66,67
BNC MALE RIGHT ANGLE 67
FME JACK 61
FME PLUG 61
GR874 70
MINIATURE ALLIGATOR CLIPS 71
MINIATURE STACKING BANANA PLUGS 71
N MALE 52,53
REVERSE POLARITY SMA MALE 69
REVERSE POLARITY TNC MALE 70
SAFETY HOOKS 71
SMA MALE 36,37
SMA MALE RIGHT ANGLE 41
SMB PLUG 69
SMC PLUG 63
STACKING TIP PLUGS 71
STANDARD STACKING BANANA PLUGS 71
TNC MALE 57,58
UHF MALE 60
UNTERMINATED WIRES 71

BNC TWINAX MALE TO:

BNC TWINAX MALE 98

C MALE TO:

C MALE 91

F FEMALE BULKHEAD TO:

F MALE 96

F MALE RIGHT ANGLE TO:

F MALE 95

F MALE TO:

75 OHM BNC MALE 93
F FEMALE BULKHEAD 96
F MALE 95
F MALE RIGHT ANGLE 95

FAKRA JACK TO:

FAKRA PLUG 83,84
FAKRA JACK 84,85
SMA FEMALE 90,91
SMA MALE 89,90

FAKRA JACK RIGHT ANGLE TO:

FAKRA PLUG 85,86

FAKRA PLUG TO: Page

FAKRA PLUG 82,83
FAKRA JACK 83,84
FAKRA JACK RIGHT ANGLE 85,86
SMA FEMALE 87,88
SMA MALE 86,87

FME JACK BULKHEAD TO:

UMCX PLUG 77

FME JACK BULKHEAD, REAR MOUNT TO:

UMCX PLUG 77

FME JACK TO:

BNC MALE 61
FME JACK 61

FME PLUG TO:

BNC MALE 61
FME PLUG 61

GR874 TO:

BNC MALE 70
GR874 99

HN MALE TO:

HN MALE 65

LC MALE TO:

LC MALE 65

MC-CARD PLUG TO:

SMA MALE 38

MCX JACK BULKHEAD TO:

UMCX PLUG 76

MCX PLUG RIGHT ANGLE TO:

MCX PLUG 78
MCX PLUG RIGHT ANGLE 79
N FEMALE BULKHEAD 25
SMA FEMALE BULKHEAD 23
TNC FEMALE BULKHEAD 27
UMCX PLUG 76

MCX PLUG TO:

MCX PLUG 78
MCX PLUG RIGHT ANGLE 78
UMCX PLUG 76

MHV MALE TO:

MHV MALE 73
SHV PLUG 73

MINI 75 OHM SMB JACK TO:

MINI 75 OHM SMB PLUG 97

MINI 75 OHM SMB PLUG RIGHT ANGLE TO:

MINI 75 OHM SMB PLUG 97
MINI 75 OHM SMB PLUG RIGHT ANGLE ... 97

MINI 75 OHM SMB PLUG TO:

75 OHM BNC MALE 93
MINI 75 OHM SMB JACK 97
MINI 75 OHM SMB PLUG 96
MINI 75 OHM SMB PLUG RT ANGLE... ... 97

MINI UHF MALE TO:

MINI UHF MALE 61
N MALE 52
SMA MALE 36

MINIATURE ALLIGATOR CLIPS TO:

BNC MALE 71

MINIATURE STACKING BANANA PLUGS TO:

BNC MALE 71

MMCX PLUG RIGHT ANGLE TO:

MMCX PLUG 78
N FEMALE BULKHEAD 25
SMA FEMALE BULKHEAD 23
TNC FEMALE BULKHEAD 27
UMCX PLUG 76

MMCX PLUG TO:

MMCX PLUG 78
MMCX PLUG RIGHT ANGLE 78
SMA MALE 37

Cable Assembly Locator (CONT'D)

N FEMALE BULKHEAD TO: Page

MCX PLUG RIGHT ANGLE 25
MMCX PLUG RIGHT ANGLE 25
N MALE 17,19,50
N MALE RIGHT ANGLE 55
SMA MALE 17,19,25,34
SMA MALE RIGHT ANGLE 25

N FEMALE TO:

N MALE 25,49,50
QN MALE 55,56
QN MALE RIGHT ANGLE 56

N MALE RIGHT ANGLE TO:

N FEMALE BULKHEAD 55
N MALE 13,25,48,49
N MALE RIGHT ANGLE 25,54,55

N MALE TO:

7/16 DIN MALE 51,52
BNC MALE 52,53
MINI UHF MALE 52
N FEMALE 25,49,50
N FEMALE BULKHEAD 17,19,50
N MALE 13,17,19,24,47,48
N MALE RIGHT ANGLE 13,25,48,49
QN MALE 53
QN MALE RIGHT ANGLE 53
REVERSE POLARITY SMA MALE 53,54
REVERSE POLARITY TNC MALE 54
SMA FEMALE 13
SMA MALE 13,17,19,32,33
TNC MALE 51
UMCX PLUG 77

QMA MALE TO:

QMA MALE 74
SMA FEMALE 42
SMA MALE 37

QN MALE TO:

N FEMALE 55,56
N MALE 53
QN MALE 74
QN MALE RIGHT ANGLE 75

QN MALE RIGHT ANGLE TO:

N FEMALE 56
N MALE 53
QN MALE 75

REVERSE POLARITY MCX JACK BULKHEAD TO:

UMCX PLUG 77

REVERSE POLARITY SMA FEMALE BULKHEAD TO:

UMCX PLUG 77

REVERSE POLARITY SMA MALE TO:

BNC MALE 69
N MALE 53,54
SMA MALE 38,39
TNC MALE 58

REVERSE POLARITY TNC FEMALE BULLKHEAD TO:

UMCX PLUG 77

REVERSE POLARITY TNC MALE TO:

BNC MALE 70
N MALE 54
SMA MALE 39
TNC MALE 58

REVERSE THREAD SMA FEMALE BULKHEAD TO:

UMCX PLUG 77

REVERSE THREAD SMA MALE TO:

REVERSE THREAD SMA MALE 98
SMA MALE 39

RCA FEMALE BULKHEAD TO:

RCA MALE 96

RCA MALE RIGHT ANGLE TO:

RCA MALE 96

RCA MALE TO:

RCA FEMALE BULKHEAD 96
RCA MALE 96
RCA MALE RIGHT ANGLE 96

SAFETY HOOKS TO:

BNC MALE 71

SC MALE TO: Page

SC MALE 64,65

SHV PLUG TO:

MHV MALE 73
SHV PLUG 74

SMA FEMALE 2 HOLE PANEL MOUNT TO:

SMA FEMALE 2 HOLE PANEL MOUNT 43

SMA FEMALE 4 HOLE PANEL MOUNT TO:

SMA FEMALE 4 HOLE PANEL MOUNT 44

SMA FEMALE BULKHEAD TO:

MCX PLUG RIGHT ANGLE 23
MMCX PLUG RIGHT ANGLE 23
SMA FEMALE BULKHEAD 43
SMA MALE 17,23,31,32
SMA MALE RIGHT ANGLE 17,23,40,41
UMCX PLUG 76

SMA FEMALE TO:

FAKRA JACK 90,91
FAKRA PLUG 87,88
N MALE 13
QMA MALE 42
SMA FEMALE 41,42
SMA MALE 23,30,31

SMA MALE RIGHT ANGLE TO:

BNC MALE 41
N FEMALE BULKHEAD 25
SMA FEMALE BULKHEAD 17,23,40
SMA MALE 13,17,19,23,29,30
SMA MALE RIGHT ANGLE ... 17,19,23,39,40
TNC FEMALE BULKHEAD 27

SMA MALE TO:

2.4mm MALE 32
7/16 DIN MALE 35
BNC MALE 36,37
FAKRA JACK 89,90
FAKRA PLUG 86,87
MC-CARD PLUG 38
MINI UHF MALE 36
MMCX PLUG 37
N FEMALE BULKHEAD 17,19,25,34
N MALE 13,17,19,32,33
QMA MALE 37
REVERSE POLARITY SMA MALE 38,39
REVERSE POLARITY TNC MALE 39
REVERSE THREAD SMA MALE 39
SMA FEMALE 23,30,31
SMA FEMALE BULKHEAD 17,23,31,32
SMA MALE 13,17,19,22,28,29
SMA MALE, PUSH ON 13
SMA MALE, QUICK DISCONNECT 13
SMA MALE RIGHT ANGLE 13,17,19,23,29,30
SMB PLUG 38
SMC PLUG 36
SMP FEMALE 37
SSMA MALE 32
TNC FEMALE BULKHEAD 23
TNC MALE 13,17,34,35
TNC MALE RIGHT ANGLE 13
UMCX PLUG 76

SMB JACK BULKHEAD TO:

SMB PLUG 80
SMB PLUG RIGHT ANGLE 81

SMB PLUG RIGHT ANGLE TO:

SMB JACK BULKHEAD 81
SMB PLUG 79,80
SMB PLUG RIGHT ANGLE 80,81

SMB PLUG TO:

BNC MALE 69
SMA MALE 38
SMB JACK BULKHEAD 80
SMB PLUG 79
SMB PLUG RIGHT ANGLE 79,80

SMC JACK BULKHEAD TO:

SMC PLUG 62
SMC PLUG RIGHT ANGLE 63
UMCX PLUG 77

SMC PLUG RIGHT ANGLE TO:

SMC JACK BULKHEAD 63
SMC PLUG 62
SMC PLUG RIGHT ANGLE 63

SMC PLUG TO: Page

BNC MALE 63
SMA MALE 36
SMC JACK BULKHEAD 62
SMC PLUG 61,62
SMC PLUG RIGHT ANGLE 62

SMP FEMALE RIGHT ANGLE TO:

SMP FEMALE 75

SMP FEMALE TO:

SMA MALE 37
SMP FEMALE 75
SMP FEMALE RIGHT ANGLE 75

SSMA MALE TO:

SMA MALE 32
SSMA MALE 46

SSMB PLUG RIGHT ANGLE TO:

SSMB PLUG RIGHT ANGLE 91

SSMB PLUG TO:

UMCX PLUG 77

STACKING TIP PLUGS TO:

BNC MALE 71

STANDARD STACKING BANANA PLUGS TO:

BNC MALE 71

TNC FEMALE BULKHEAD TO:

MCX PLUG RIGHT ANGLE 27
MMCX PLUG RIGHT ANGLE 27
SMA MALE 27
SMA MALE RIGHT ANGLE 27
UMCX PLUG 77

TNC FEMALE TO:

TNC MALE 27

TNC MALE RIGHT ANGLE TO:

SMA MALE 13
TNC MALE 27
TNC MALE RIGHT ANGLE 27

TNC MALE TO:

BNC MALE 57,58
N MALE 51
REVERSE POLARITY SMA MALE 58
REVERSE POLARITY TNC MALE 58
SMA MALE 13,17,34,35
TNC FEMALE 27
TNC MALE 17,26,56,57
TNC MALE RIGHT ANGLE 27

UHF MALE TO:

BNC MALE 60
UHF MALE 59,60

UMCX PLUG TO:

FME JACK BULKHEAD 77
FME JACK BULKHEAD, REAR MOUNT 77
MCX JACK BULKHEAD 76
MCX PLUG 76
MCX PLUG RIGHT ANGLE 76
MMCX PLUG RIGHT ANGLE 76
N MALE 77
PIGTAIL 76
REV. POLARITY MCX JACK BULKHEAD 77
REV. POLARITY SMA FEMALE BULKHEAD .. 77
REV. POLARITY TNC FEMALE BULKHEAD .. 77
REV. THREAD SMA FEMALE BULKHEAD 77
SMA FEMALE BULKHEAD 76
SMA MALE 76
SMC JACK BULKHEAD 77
SSMB PLUG 77
TNC FEMALE BULKHEAD 77
UMCX PLUG 76

UNTERMINATED WIRES TO:

BNC MALE 71

BREAKOUTS 101

SINGLE WIRE PATCH CORD 100

18 GHZ TEST CABLE ASSEMBLIES

Product Features

- Stainless Steel Connectors
- Reinforced Connector Back Shell
- Molded Strain Relief Boot
- Triple Shield Cable
- RoHS Compliant





Description

The 18 GHz test cable series offers a reinforced cable/ connector interface with a molded, heavy-duty strain relief boot to minimize interface stress in demanding test environments. Its triple-shield cable design ensures excellent RF shielding of >100dB. The Right Angle connector designs utilize a swept coaxial transition for improved high frequency performance.

Electrical Specifications [1]

Parameter	Units	Value	Description
Impedance	ohms	50Ω	
Frequency	GHz	18	
*Maximum VSWR	GHz	DC-2, 2-8, 8-18	DC-2 GHz, 1:06:1 / 2-8 GHz, 1.09:1 / 8-18 GHz, 1.30:1
Insertion Loss (Typ.)	dB/100ft	58	58 dB per 100 ft @ 18 GHz
Max Operating Voltage	V	1000	RMS
Nominal Capacitance	pF / ft.	29.4	
Velocity of Propagation	%	70	
RF Shielding	dB	<-110	Triple shield design

*See Website for detailed VSWR Specifications for each PE Part Number.

Mechanical Specifications [1]

Parameter	Units	Value	Description
Connector A		Stainless Steel	N, SMA, TNC
Connector B		Stainless Steel	N, SMA, TNC
Minimum Bend Radius	in. [cm]	0.75 [1.91]	
Operating Temperature	C	-55° to +125°	
Inner Conductor Diameter	in. [cm]	0.037 [.09]	Solid Silver plated Cu Clad Steel
Dielectric Diameter	in. [cm]	0.117 [.29]	Solid PTFE
Jacket Diameter	in. [cm]	0.163 [.41]	FEP

(1) Pasternack reserves the right to change specifications or information without notice.

Test & Precision Cable Assemblies Ship Same Day!

18 GHZ TEST CABLE ASSEMBLIES

PE300 - SMA Male to SMA Male

PE301 - SMA Male to SMA Male Right Angle

PE312 - SMA Male to QD SMA Male

PE308 - SMA Male to TNC Male

PE304 - SMA Male to N Male

PE311 - SMA Male to Push on SMA Male

PE306 - SMA Female to N Male

PE302 - N Male to N Male

PE309 - SMA Male to TNC Male Right Angle

PE303 - N Male to N Male Right Angle

Standard Length Pricing

P/N	Connector 1	Connector 2	Price Breaks	Length (in.) -12	-24	-36	-48	-60	-72	-120
PE300	SMA Male	SMA Male	1-9	$87.40	$90.00	$93.95	$97.75	$101.30	$103.00	$150.55
			10-24	81.28	83.70	87.37	90.91	94.21	95.79	140.01
			25 +	75.16	77.40	80.80	84.07	87.12	88.58	129.47
PE301	SMA Male	SMA Male Right Angle	1-9	109.25	112.50	120.90	122.10	125.30	128.55	188.05
			10-24	101.60	104.63	112.44	113.55	116.53	119.55	174.89
			25 +	93.96	96.75	103.97	105.01	107.76	110.55	161.72
PE302	N Male	N Male	1-9	123.20	126.90	131.30	135.60	140.85	143.35	160.20
			10-24	114.58	118.02	122.11	126.11	130.99	133.32	148.99
			25 +	105.95	109.13	112.92	116.62	121.13	123.28	137.77
PE303	N Male	N Male Right Angle	1-9	136.05	139.30	143.25	147.40	150.15	152.90	175.75
			10-24	126.53	129.55	133.22	137.08	139.64	142.20	163.45
			25 +	117.00	119.80	123.20	126.76	129.13	131.49	151.15
PE304	SMA Male	N Male	1-9	117.85	123.80	126.35	135.10	140.00	145.00	153.25
			10-24	109.60	115.13	117.51	125.64	130.20	134.85	142.52
			25 +	101.35	106.47	108.66	116.19	120.40	124.70	131.80
PE306	SMA Female	N Male	1-9	139.30	148.95	150.70	162.70	169.95	174.80	192.85
			10-24	129.55	138.52	140.15	151.31	158.05	162.56	179.35
			25 +	119.80	128.10	129.60	139.92	146.16	150.33	165.85
PE308	SMA Male	TNC Male	1-9	123.20	126.95	130.65	134.30	136.75	139.25	155.50
			10-24	114.58	118.06	121.50	124.90	127.18	129.50	144.62
			25 +	105.95	109.18	112.36	115.50	117.61	119.76	133.73
PE309	SMA Male	TNC Male Right Angle	1-9	140.35	144.65	148.85	153.10	155.85	158.75	182.55
			10-24	130.53	134.52	138.43	142.38	144.94	147.64	169.77
			25 +	120.70	124.40	128.01	131.67	134.03	136.53	156.99
PE311	SMA Male	Push on SMA Male	1-9	103.40	109.45	110.85	117.05	118.35	122.10	137.15
			10-24	96.16	101.79	103.09	108.86	110.07	113.55	127.55
			25 +	88.92	94.13	95.33	100.66	101.78	105.01	117.95
PE312	SMA Male	QD SMA Male	1-9	103.40	107.10	110.85	114.65	118.35	122.10	137.15
			10-24	96.16	99.60	103.09	106.62	110.07	113.55	127.55
			25 +	88.92	92.11	95.33	98.60	101.78	105.01	117.95

For Custom Lengths or Configuration, Please call (949) 261-1920 or visit www.Pasternack.com for Pricing.

See Our Website For Current Stock Availability!

26.5 GHZ ARMORED TEST CABLE ASSEMBLIES

Product Features

- Rugged Armored Jacket
- 1.38 Inch [3.5cm] Bend Radius
- RoHS Compliant





Cable Assemblies

Description

The 26.5 GHz Test Cables are highly suitable for severe test environments where rugged construction is necessary, or in any location where higher phase stability is needed. Their low-loss PTFE dielectric and solid center conductor ensure low insertion loss and outstanding phase & amplitude stability. Durable Passivated Stainless Steel connectors ensure repeated secure matings, while external armoring prevents bending the cable beyond it's minimum bend radius.

Electrical Specifications (1)

Parameter	Units	Value	Description
Frequency Range	GHz	DC-26.5	
Impedance	Ohms	50Ω	
*Maximum VSWR	GHz	DC-10, 10-18, 18-26.5	DC-10 GHz, 1:15:1 / 10-18 GHz, 1.20:1 / 18-26.5 GHz, 1.35:1
Velocity of Propagation	%	77.0	
Max Operating Voltage	V	1000	RMS
Phase Stability	Degs	1500 PPM (Max)	from 0° C to 60° C
RF Shielding (at 1 GHz)	dB	<-100	
Power Rating (CW)	Watts	286	@ 10 GHz

*See Website for detailed VSWR Specifications for each PE Part Number.

Mechanical Specifications (1)

Parameter	Units	Value	Description
Minimum Bend Radius	in. [cm]	1.38 [3.51]	
Temperature Range	C	-55° to +165°	
Flex Life Bending		10,000	Min
Mating Torque	in.-lbs. [N-M]	8 [.90]	
Jacket Diameter	in. [cm]	0.47 [1.19]	Armored

PE315 - 3.5mm Male to 3.5mm Male

PE317 - 3.5mm Male to 3.5mm Female

Standard Length Pricing

P/N	Connector 1	Connector 2	Price Breaks	Length (in.) -24	-36	-72
PE315	3.5mm Male	3.5mm Male	1-9	$651.45	$760.90	$1089.30
			10-24	605.85	707.64	1013.05
			25 +	560.25	654.37	936.80
PE317	3.5mm Male	3.5mm Female	1-9	691.30	798.45	1120.00
			10-24	642.91	742.56	1041.60
			25 +	594.52	686.67	963.20

Visit our website at www.Pasternack.com to see our wide selection of RF products.

(1) Pasternack reserves the right to change specifications or information without notice.

Test & Precision Cable Assemblies Ship Same Day!

40 GHZ ARMORED TEST CABLE ASSEMBLIES

Product Features

- Rugged Armored Jacket
- 1.38 Inch [3.5cm] Bend Radius
- RoHS Compliant





Description

The 40 GHz Test Cables are highly suitable for severe test environments where rugged construction is necessary, or in any location where higher phase stability is needed. Their low-loss PTFE dielectric and solid center conductor ensure low insertion loss and outstanding phase & amplitude stability. Durable Passivated Stainless Steel connectors ensure repeated secure matings, while external armoring prevents bending the cable beyond it's minimum bend radius.

Electrical Specifications (1)

Parameter	Units	Value	Description
Frequency Range	GHz	DC-40	
Impedance	Ohms	50Ω	
*Maximum VSWR	GHz	DC-18, 18-26, 26-40	DC-18 GHz, 1:20:1 / 18-26 GHz, 1.25:1 / 26-40 GHz, 1.35:1
Velocity of Propagation	%	77.0	
Max Operating Voltage	V	1000	RMS
Phase Stability	Degs	1500 PPM (Max)	from 0° C to 60° C
RF Shielding (at 1 GHz)	dB	<-100	
Power Rating (CW)	Watts	150	@ 10 GHz

*See Website for detailed VSWR Specifications for each PE Part Number.

Mechanical Specifications (1)

Parameter	Units	Value	Description
Minimum Bend Radius	in. [cm]	1.38 [3.51]	
Temperature Range	C	-55° to +165°	
Flex Life Bending		10,000	Min
Mating Torque	in.-lbs. [N-M]	8 [.90]	
Jacket Diameter	in. [cm]	0.36 [0.91]	Armored

PE319 - 2.92mm Male to 2.92mm Male

PE321 - 2.92mm Male to 2.92mm Female

Standard Length Pricing

P/N	Connector 1	Connector 2	Price Breaks	Length (in.) -24	-36	-72
PE319	2.92mm Male	2.92mm Male	1-9	$798.45	$948.50	$1398.65
			10-24	742.56	882.11	1300.74
			25 +	686.67	815.71	1202.84
PE321	2.92mm Male	2.92mm Female	1-9	852.05	1002.10	1452.25
			10-24	792.41	931.95	1350.59
			25 +	732.76	861.81	1248.94

Visit our website at www.Pasternack.com to see our wide selection of RF products.

(1) Pasternack reserves the right to change specifications or information without notice.

See Our Website For Current Stock Availability!

150 SERIES CABLE ASSEMBLIES

Product Features

- 18 GHz N & TNC, 26.5 GHz SMA
- Reinforced Coaxial Interface
- 1 Inch [2.5cm] Bend Radius
- Single Shielded Coax Cable

Description

The 26.5 GHz Flexible Cable Assembly series offer precision N & TNC connectors that operate to 18 GHz, and an SMA connector with excellent performance to 26.5 GHz. The coax provides excellent isolation and low loss performance to 26.5 GHz.





Electrical Specifications [1]

Parameter	Units	Value	Description
Impedance	ohms	50Ω	
Frequency	GHz	DC to 18, 26.5	TNC & N Connector to 18 GHz, SMA to 26.5 GHz
*Maximum VSWR	GHz	DC to 12, 12-26	DC-12 GHz, 1:20:1 / 12-26 GHz, 1.30:1
Cutoff Frequency	GHz	35	
Max Operating Voltage	V	1900	RMS
Nominal Capacitance	pF / ft.	29.4	
Velocity of Propagation	%	69.5	
RF Shielding	dB	>90	

*See Website for detailed VSWR Specifications for each PE Part Number.

Mechanical Specifications [1]

Parameter	Units	Value	Description
Minimum Bend Radius	in. [cm]	1.0 [2.5]	
Operating Temperature	C	-50° to +205°	
Inner Conductor Diameter	in. [cm]	0.036 [.09]	Silver plated Cu Clad Steel
Dielectric Diameter	in. [cm]	0.116 [.29]	PTFE
Jacket Diameter	in. [cm]	0.150 [.38]	FEP

(1) Pasternack reserves the right to change specifications or information without notice.

Test & Precision Cable Assemblies Ship Same Day!

150 SERIES CABLE ASSEMBLIES

See Page 259 for Mounting Holes

PE34286 - SMA Male to SMA Male

PE35418 - SMA Male to SMA Male R/A



Mounting Hole B02

PE35475 -SMA Male to SMA Female Bulkhead

PE33231 - SMA Male to N Male

Mounting Hole G01

PE35954 - SMA Male to N Female Bulkhead

PE35419 - SMA Male to TNC Male

PE35422 - SMA Male Right Angle to SMA Male Right Angle

Mounting Hole B02

PE35421 - SMA Male Right Angle to SMA Female Bulkhead

PE33232 - N Male to N Male



Mounting Hole G01

PE35952 - N Male to N Female Bulkhead

PE35423 - TNC Male to TNC Male

For Custom lengths or Configuration, Please call (949) 261-1920 or Visit www.pasternack.com

Cable Assemblies

Standard Length Pricing

P/N	Connector 1	Connector 2	Freq GHz	Price Breaks	Length (in.) -6	-12	-18	-24	-30	-36	-48	-60	-72
PE34286	SMA Male	SMA Male	26.5	1-24	$60.50	$63.55	$66.45	$69.50	$72.70	$75.55	$81.65	$87.70	$93.65
				25-49	56.27	59.10	61.80	64.64	67.61	70.26	75.93	81.56	87.09
				50-99	52.03	54.65	57.15	59.77	62.52	64.97	70.22	75.42	80.54
PE35418	SMA Male	SMA Male Right Angle	26.5	1-24	105.35	108.85	112.40	115.90	119.50	122.95	129.90	141.10	144.00
				25-49	97.98	101.23	104.53	107.79	111.14	114.34	120.81	131.22	133.92
				50-99	90.60	93.61	96.66	99.67	102.77	105.74	111.71	121.35	123.84
PE35475	SMA Male	SMA Female Bulkhead	26.5	1-24	78.45	81.30	84.10	86.90	89.75	92.65	98.30	104.00	109.65
				25-49	72.96	75.61	78.21	80.82	83.47	86.16	91.42	96.72	101.97
				50-99	67.47	69.92	72.33	74.73	77.19	79.68	84.54	89.44	94.30
PE33231	SMA Male	N Male	18	1-24	78.45	81.30	84.10	86.90	89.75	92.65	98.30	104.00	109.65
				25-49	72.96	75.61	78.21	80.82	83.47	86.16	91.42	96.72	101.97
				50-99	67.47	69.92	72.33	74.73	77.19	79.68	84.54	89.44	94.30
PE35954	SMA Male	N Female Bulkhead	18	1-24	90.25	93.00	95.80	98.60	101.25	104.00	109.55	115.15	120.70
				25-49	83.93	86.49	89.09	91.70	94.16	96.72	101.88	107.09	112.25
				50-99	77.62	79.98	82.39	84.80	87.08	89.44	94.21	99.03	103.80
PE35419	SMA Male	TNC Male	18	1-24	94.75	98.00	101.15	104.30	107.50	110.60	116.85	123.35	129.55
				25-49	88.12	91.14	94.07	97.00	99.98	102.86	108.67	114.72	120.48
				50-99	81.49	84.28	86.99	89.70	92.45	95.12	100.49	106.08	111.41
PE35422	SMA Male Right Angle	SMA Male Right Angle	26.5	1-24	140.05	143.70	147.15	150.70	154.20	157.75	164.70	171.65	178.65
				25-49	130.25	133.64	136.85	140.15	143.41	146.71	153.17	159.63	166.14
				50-99	120.44	123.58	126.55	129.60	132.61	135.67	141.64	147.62	153.64
PE35421	SMA Male Right Angle	SMA Female Bulkhead	26.5	1-24	106.80	109.90	112.80	115.90	119.05	122.00	128.15	134.25	140.35
				25-49	99.32	102.21	104.90	107.79	110.72	113.46	119.18	124.85	130.53
				50-99	91.85	94.51	97.01	99.67	102.38	104.92	110.21	115.46	120.70
PE33232	N Male	N Male	18	1-24	89.55	92.55	95.50	98.55	101.50	104.45	110.40	116.40	122.30
				25-49	83.28	86.07	88.82	91.65	94.40	97.14	102.67	108.25	113.74
				50-99	77.01	79.59	82.13	84.75	87.29	89.83	94.94	100.10	105.18
PE35952	N Male	N Female Bulkhead	18	1-24	101.50	104.35	107.25	110.20	112.95	115.85	121.80	127.55	133.35
				25-49	94.40	97.05	99.74	102.49	105.04	107.74	113.27	118.62	124.02
				50-99	87.29	89.74	92.24	94.77	97.14	99.63	104.75	109.69	114.68
PE35423	TNC Male	TNC Male	18	1-24	106.80	109.90	112.80	115.90	119.00	122.00	128.15	134.25	140.35
				25-49	99.32	102.21	104.90	107.79	110.67	113.46	119.18	124.85	130.53
				50-99	91.85	94.51	97.01	99.67	102.34	104.92	110.21	115.46	120.70

For Custom Lengths or Configuration, Please call (949) 261-1920 or visit www.Pasternack.com for Pricing.

See Our Website For Current Stock Availability!

165 SERIES NON-MAGNETIC CABLE ASSEMBLIES

Product Features

- 18 GHz N & 26.5 GHz SMA
- Reinforced Coaxial Interface
- 1 Inch [2.5cm] Bend Radius
- Triple Shielded Coax Cable

Description

The 26.5 GHz Flexible Cable Assembly series offer precision N connectors that operate to 18 GHz, and an SMA connector with excellent performance to 26.5 GHz. The coax provides excellent isolation and low loss performance to 26.5 GHz. These cable assemblies are constructed using non-magnetic materials.





Electrical Specifications [1]

Parameter	Units	Value	Description
Impedance	ohms	50Ω	
Frequency	GHz	DC to 18, 26.5	N Connector to 18 GHz, SMA to 26.5
*Maximum VSWR	GHz	DC-18, 18-26.5	DC-18 GHz, 1:15:1 / 18-26.5 GHz, 1.25:1
Cutoff Frequency	GHz	35	
Max Operating Voltage	V	1900	RMS
Nominal Capacitance	pF / ft.	29.4	
Velocity of Propagation	%	69.5	
RF Shielding	dB	>90	

*See Website for detailed VSWR Specifications for each PE Part Number.

Mechanical Specifications [1]

Parameter	Units	Value	Description
Minimum Bend Radius	in. [cm]	1.0 [2.5]	
Operating Temperature	C	-50° to +205°	
Inner Conductor Diameter	in. [cm]	0.036 [.09]	Silver plated Beryllium Cu
Dielectric Diameter	in. [cm]	0.116 [.29]	PTFE
Jacket Diameter	in. [cm]	0.165 [.42]	FEP

(1) Pasternack reserves the right to change specifications or information without notice.

Test & Precision Cable Assemblies Ship Same Day!

165 SERIES NON-MAGNETIC CABLE ASSEMBLIES

See Page 259 for Mounting Holes

PE3790 - SMA Male to SMA Male



PE35420 - SMA Male to SMA Male Right Angle

PE33233 - SMA Male to N Male



PE35958 - SMA Male to N Female Bulkhead

PE35424 - SMA Male Right Angle to SMA Male Right Angle

PE35028 - N Male to N Male



PE35956 - N Male to N Female Bulkhead

For Custom lengths or Configuration,
Please call (949) 261-1920 or
Visit www.pasternack.com

Standard Length Pricing

P/N	Connector 1	Connector 2	Freq GHz	Price Breaks	Length (in.) -6	-12	-18	-24	-30	-36	-48	-60	-72
PE3790	SMA Male	SMA Male	26.5	1-24	$88.50	$93.65	$99.00	$104.30	$109.55	$115.05	$125.60	$136.15	$146.80
				25-49	82.31	87.09	92.07	97.00	101.88	107.00	116.81	126.62	136.52
				50-99	76.11	80.54	85.14	89.70	94.21	98.94	108.02	117.09	126.25
PE35420	SMA Male	SMA Male Right Angle	26.5	1-24	135.50	140.55	145.65	150.70	155.80	160.85	171.15	179.70	191.40
				25-49	126.02	130.71	135.45	140.15	144.89	149.59	159.17	167.12	178.00
				50-99	116.53	120.87	125.26	129.60	133.99	138.33	147.19	154.54	164.60
PE33233	SMA Male	N Male	18	1-24	105.80	111.05	116.40	121.75	128.80	135.85	142.85	155.20	163.95
				25-49	98.39	103.28	108.25	113.23	119.78	126.34	132.85	144.34	152.47
				50-99	90.99	95.50	100.10	104.71	110.77	116.83	122.85	133.47	141.00
PE35958	SMA Male	N Female Bulkhead	18	1-24	112.20	115.30	118.45	121.75	124.95	128.15	134.50	140.95	147.45
				25-49	104.35	107.23	110.16	113.23	116.20	119.18	125.09	131.08	137.13
				50-99	96.49	99.16	101.87	104.71	107.46	110.21	115.67	121.22	126.81
PE35424	SMA Male Right Angle	SMA Male Right Angle	26.5	1-24	170.30	175.50	180.35	185.55	190.60	195.50	205.60	215.65	225.60
				25-49	158.38	163.22	167.73	172.56	177.26	181.82	191.21	200.55	209.81
				50-99	146.46	150.93	155.10	159.57	163.92	168.13	176.82	185.46	194.02
PE35028	N Male	N Male	18	1-24	117.20	122.55	127.95	133.35	138.75	144.25	155.00	167.45	183.60
				25-49	109.00	113.97	118.99	124.02	129.04	134.15	144.15	155.73	170.75
				50-99	100.79	105.39	110.04	114.68	119.33	124.06	133.30	144.01	157.90
PE35956	N Male	N Female Bulkhead	18	1-24	134.10	137.60	141.25	144.90	148.45	152.05	159.20	166.35	173.45
				25-49	124.71	127.97	131.36	134.76	138.06	141.41	148.06	154.71	161.31
				50-99	115.33	118.34	121.48	124.61	127.67	130.76	136.91	143.06	149.17

For Custom Lengths or Configuration, Please call (949) 261-1920 or visit www.Pasternack.com for Pricing.

See Our Website For Current Stock Availability!

095 SERIES CABLE ASSEMBLIES

Product Features

- Operation to 65 GHz using 1.85mm connectors
- Double shielding construction for high isolation
- Flexible .095 inch [0.24cm] coaxial diameter
- A bend radius of 0.5 inches [1.77cm]

Description

A miniature and flexible cable with frequency of operation to 65 GHz is designed with a silver plated ribbon and braid for excellent isolation. Its flexibility is great for routing within communications hardware. The cable assemblies are offered in a combination of 2.92mm, 2.4mm and 1.85mm connectors to meet a wide variety of millimeter wave applications.





Electrical Specifications [1]

Parameter	Units	Value	Description
Impedance	ohms	50Ω	
Frequency	GHz	DC to 40, 50, 65	2.92mm-40 GHz, 2.4mm-50 GHz, 1.85mm-65 GHz
*Maximum VSWR	GHz	DC-6, 6-18, 27-65	DC-6 GHz, 1:10:1 / 6-18 GHz, 1.15:1 / 27-65 GHz, 1.20:1
Cutoff Frequency	GHz	60	
Max Operating Voltage	V	1200	RMS
Nominal Capacitance	pF / ft.	29.4	
Velocity of Propagation	%	69.5	
RF Shielding	dB	>90	

*See Website for detailed VSWR Specifications for each PE Part Number.

Mechanical Specifications [1]

Parameter	Units	Value	Description
Minimum Bend Radius	in. [cm]	0.5 [1.27]	
Operating Temperature	C	-50° to +205°	
Inner Conductor Diameter	in. [cm]	0.020 [.05]	Silver plated Cu Clad Steel
Dielectric Diameter	in. [cm]	0.066 [.17]	PTFE
Jacket Diameter	in. [cm]	0.095 [.24]	FEP

(1) Pasternack reserves the right to change specifications or information without notice.

Test & Precision Cable Assemblies Ship Same Day!

095 SERIES CABLE ASSEMBLIES

PE35591 - 2.92mm Male to 2.92mm Male

PE35606 - 2.92mm Male to 2.4mm Male

PE36674 - 2.92mm Male to 1.85mm Male

PE35611 - 2.4mm Male to 2.4mm Male

PE36676 - 2.4mm Male to 1.85mm Male

PE36678 - 1.85mm Male to 1.85mm Male

For Custom lengths or Configuration,
Please call (949) 261-1920 or
Visit www.pasternack.com

Cable Assemblies

See Our Website For Current Stock Availability!

Standard Length Pricing

P/N	Connector 1	Connector 2	Freq GHz	Price Breaks	Length (in.)								
					-6	-12	-18	-24	-30	-36	-48	-60	-72
PE35591	2.92mm Male	2.92mm Male	40	1-24	$113.00	$116.70	$120.60	$121.75	$128.05	$131.85	$139.35	$143.90	$151.15
				25-49	105.09	108.53	112.16	113.23	119.09	122.62	129.60	133.83	140.57
				50-99	97.18	100.36	103.72	104.71	110.12	113.39	119.84	123.75	129.99
PE35606	2.92mm Male	2.4mm Male	40	1-24	116.85	120.45	123.95	127.50	134.50	138.15	141.60	148.75	155.90
				25-49	108.67	112.02	115.27	118.58	125.09	128.48	131.69	138.34	144.99
				50-99	100.49	103.59	106.60	109.65	115.67	118.81	121.78	127.93	134.07
PE36674	2.92mm Male	1.85mm MALE	40	1-24	122.80	126.30	129.75	133.35	136.90	140.35	147.45	154.30	161.40
				25-49	114.20	117.46	120.67	124.02	127.32	130.53	137.13	143.50	150.10
				50-99	105.61	108.62	111.59	114.68	117.73	120.70	126.81	132.70	138.80
PE35611	2.4mm Male	2.4mm Male	50	1-24	122.80	126.30	132.55	136.20	139.50	148.75	150.65	154.30	161.40
				25-49	114.20	117.46	123.27	126.67	129.74	138.34	140.10	143.50	150.10
				50-99	105.61	108.62	113.99	117.13	119.97	127.93	129.56	132.70	138.80
PE36676	2.4mm Male	1.85mm Male	50	1-24	128.75	132.15	135.70	139.15	142.55	146.15	153.15	160.10	166.90
				25-49	119.74	122.90	126.20	129.41	132.57	135.92	142.43	148.89	155.22
				50-99	110.73	113.65	116.70	119.67	122.59	125.69	131.71	137.69	143.53
PE36678	1.85mm Male	1.85mm Male	65	1-24	139.85	143.35	147.05	150.70	154.25	157.85	165.00	172.20	179.40
				25-49	130.06	133.32	136.76	140.15	143.45	146.80	153.45	160.15	166.84
				50-99	120.27	123.28	126.46	129.60	132.66	135.75	141.90	148.09	154.28

For Custom Lengths or Configuration, Please call (949) 261-1920 or visit www.Pasternack.com for Pricing.

NEW SMA FORMABLE PRECISION CABLE ASSEMBLIES

Pasternack's Formable Precision Cable Assemblies are 100% RF tested. These precision cable assemblies are available in 086 type and 141 type formable cable and can be ordered with or without a Black FEP Jacket material. Standard lengths from 6 to 24 inches are available for same day shipment. Custom length cables are also available upon request by contacting Pasternack Customer Service, directly, or through our website at www.pasternack.com.

Product Features

- 100% VSWR Tested to Max Frequency
- 100% Hi-Pot & Continuity Tested
- Stainless Steel coupling nut Ni/Au-plated brass body
- Anti Torque Straight SMA connectors
- Hand formable flexible semirigid
- ROHS Compliant





Typical Plot for PE39423-12

Electrical Specifications (1)

Parameter	Units	SMA Straight	SMA Right Angle	MCX/ MMCX
Frequency	GHz	DC to 18 GHz	DC to 10 GHz	DC to 6 GHz
Maximum VSWR		1.35:1	1.35:1	1.35:1
Impedance	Ohms	50		
Velocity of Propagation	%	69.5		
RF Shielding	dB	>100 dB		
Max Operating Voltage	Volts	335 VRMS	335 VRMS	170 VRMS

Mechanical Specifications (1)

Parameter	Units	086 Tin Braid	086 Jacketed	141 Tin Braid	141 Jacketed
Jacket Diameter	Inches	0.086	0.100	0.141	0.161
Outer Conductor Dia.	Inches	0.086		0.141	
Dielectric Diameter	Inches	0.065		0.116	
Inner Conductor Dia.	Inches	0.020		0.036	
Min Bend Radius	Inches	0.37		0.75	
Jacket Material		Tinned Braid	Black FEP	Tinned Braid	Black FEP
Operating Temperature	Deg C	-65° to +125°			

(1) Pasternack reserves the right to change specifications or information without notice.

See Page 259 for Mounting Holes



For Custom lengths or Configuration, Please call (949) 261-1920 or Visit www.pasternack.com

Connector 1	Connector 2	Freq GHz	Cable Dia.	Jacketed	P/N	Price Breaks	Length (in.) -6	-9	-12	-18	-24
SMA Male	SMA Male	18	.100"	X	PE39429	1-24	$36.75	$39.00	$41.25	$45.75	$50.25
						25-49	34.18	36.27	38.36	42.55	46.73
						50-99	31.61	33.54	35.48	39.35	43.22
			.086"		PE39415	1-24	$35.00	$37.25	$39.50	$44.00	$48.50
						25-49	32.55	34.64	36.74	40.92	45.11
						50-99	30.10	32.04	33.97	37.84	41.71
			.161"	X	PE39437	1-24	$36.75	$38.85	$40.95	$45.15	$49.35
						25-49	34.18	36.13	38.08	41.99	45.90
						50-99	31.61	33.41	35.22	38.83	42.44
			.141"		PE39423	1-24	$35.00	$37.10	$39.20	$43.40	$47.60
						25-49	32.55	34.50	36.46	40.36	44.27
						50-99	30.10	31.91	33.71	37.32	40.94

Connector 1	Connector 2	Freq GHz	Cable Dia.	Jacketed	P/N	Price Breaks	Length (in.) -6	-9	-12	-18	-24
SMA Male	SMA Male Right Angle	10	.100"	X	PE39431	1-24	$39.25	$41.50	$43.75	$48.25	$52.75
						25-49	36.50	38.60	40.69	44.87	49.06
						50-99	33.76	35.69	37.63	41.50	45.37
			.086"		PE39417	1-24	$37.50	$39.75	$42.00	$46.50	$51.00
						25-49	34.88	36.97	39.06	43.25	47.43
						50-99	32.25	34.19	36.12	39.99	43.86
			.161"	X	PE39439	1-24	$39.25	$41.35	$43.45	$47.65	$51.85
						25-49	36.50	38.46	40.41	44.31	48.22
						50-99	33.76	35.56	37.37	40.98	44.59
			.141"		PE39425	1-24	$37.50	$39.60	$41.70	$45.90	$50.10
						25-49	34.88	36.83	38.78	42.69	46.59
						50-99	32.25	34.06	35.86	39.47	43.09
SMA Male Right Angle	SMA Male Right Angle	10	.100"	X	PE39430	1-24	$41.75	$44.00	$46.25	$50.75	$55.25
						25-49	38.83	40.92	43.01	47.20	51.38
						50-99	35.91	37.84	39.78	43.65	47.52
			.086"		PE39416	1-24	$40.00	$42.25	$44.50	$49.00	$53.50
						25-49	37.20	39.29	41.39	45.57	49.76
						50-99	34.40	36.34	38.27	42.14	46.01
			.161"	X	PE39438	1-24	$41.75	$43.85	$45.95	$50.15	$54.35
						25-49	38.83	40.78	42.73	46.64	50.55
						50-99	35.91	37.71	39.52	43.13	46.74
			.141"		PE39424	1-24	$40.00	$42.10	$44.20	$48.40	$52.60
						25-49	37.20	39.15	41.11	45.01	48.92
						50-99	34.40	36.21	38.01	41.62	45.24
SMA Male	SMA Female	18	.100"	X	PE39432	1-24	$41.75	$44.00	$46.25	$50.75	$55.25
						25-49	38.83	40.92	43.01	47.20	51.38
						50-99	35.91	37.84	39.78	43.65	47.52
			.086"		PE39418	1-24	$40.00	$42.25	$44.50	$49.00	$53.50
						25-49	37.20	39.29	41.39	45.57	49.76
						50-99	34.40	36.34	38.27	42.14	46.01
			.161"	X	PE39440	1-24	$41.75	$43.85	$45.95	$50.15	$54.35
						25-49	38.83	40.78	42.73	46.64	50.55
						50-99	35.91	37.71	39.52	43.13	46.74
			.141"		PE39426	1-24	$40.00	$42.10	$44.20	$48.40	$48.40
						25-49	37.20	39.15	41.11	45.01	45.01
						50-99	34.40	36.21	38.01	41.62	41.62
SMA Male	SMA Female Bulkhead	18	.100"	X	PE39433	1-24	$41.75	$44.00	$46.25	$50.75	$55.25
						25-49	38.83	40.92	43.01	47.20	51.38
						50-99	35.91	37.84	39.78	43.65	47.52
			.086"		PE39419	1-24	$40.00	$42.25	$44.50	$49.00	$53.50
						25-49	37.20	39.29	41.39	45.57	49.76
						50-99	34.40	36.34	38.27	42.14	46.01
			.161"	X	PE39441	1-24	$41.75	$43.85	$45.95	$50.15	$54.35
						25-49	38.83	40.78	42.73	46.64	50.55
						50-99	35.91	37.71	39.52	43.13	46.74
			.141"		PE39427	1-24	$40.00	$42.10	$44.20	$48.40	$52.60
						25-49	37.20	39.15	41.11	45.01	48.92
						50-99	34.40	36.21	38.01	41.62	45.24
SMA Male Right Angle	SMA Female Bulkhead	10	.100"	X	PE39434	1-24	$42.75	$45.00	$47.25	$51.75	$56.25
						25-49	39.76	41.85	43.94	48.13	52.31
						50-99	36.77	38.70	40.64	44.51	48.38
			.086"		PE39420	1-24	$41.00	$43.25	$45.50	$50.00	$54.50
						25-49	38.13	40.22	42.32	46.50	50.69
						50-99	35.26	37.20	39.13	43.00	46.87
			.161"	X	PE39442	1-24	$42.75	$44.85	$46.95	$51.15	$55.35
						25-49	39.76	41.71	43.66	47.57	51.48
						50-99	36.77	38.57	40.38	43.99	47.60
			.141"		PE39428	1-24	$41.00	$43.10	$45.20	$49.40	$53.60
						25-49	38.13	40.08	42.04	45.94	49.85
						50-99	35.26	37.07	38.87	42.48	46.10
SMA Female Bulkhead	MMCX Plug Right Angle	6	.100"	X	PE39436	1-24	$42.75	$45.00	$47.25	$51.75	$56.25
						25-49	39.76	41.85	43.94	48.13	52.31
						50-99	36.77	38.70	40.64	44.51	48.38
			.086"		PE39422	1-24	$41.00	$43.25	$45.50	$50.00	$54.50
						25-49	38.13	40.22	42.32	46.50	50.69
						50-99	35.26	37.20	39.13	43.00	46.87
SMA Female Bulkhead	MCX Plug Right Angle	6	.100"	X	PE39435	1-24	$41.00	$43.25	$45.50	$50.00	$54.50
						25-49	38.13	40.22	42.32	46.50	50.69
						50-99	35.26	37.20	39.13	43.00	46.87
			.086"		PE39421	1-24	$39.00	$41.25	$43.50	$48.00	$52.50
						25-49	36.27	38.36	40.46	44.64	48.83
						50-99	33.54	35.48	37.41	41.28	45.15

NEW N FORMABLE PRECISION CABLE ASSEMBLIES

Pasternack's Formable Precision Cable Assemblies are 100% RF tested. These precision cable assemblies are available in 086 type and 141 type formable cable and can be ordered with or without a Black FEP Jacket material. Standard lengths from 6 to 24 inches are available for same day shipment. Custom length cables are also available upon request by contacting Pasternack Customer Service, directly, or through our website at www.pasternack.com.

Product Features

- 100% VSWR Tested to Max Frequency
- 100% Hi-Pot & Continuity Tested
- Ni plated brass coupling nut and brass body
- Hand formable flexible semirigid
- ROHS Compliant



Typical Plot for PE39451-12

Cable Assemblies

Electrical Specifications (1)

Parameter	Units	N Straight	N Right Angle	MCX/ MMCX
Frequency	GHz	DC to 11 GHz	DC to 11 GHz	DC to 6 GHz
Maximum VSWR		1.35:1 (Male) / 1.50:1 (Female)	1.50:1	1.35:1
Impedance	Ohms	50		
Velocity of Propagation	%	69.5		
RF Shielding	dB	>100 dB		
Max Operating Voltage	Volts	350 VRMS	350 VRMS	170 VRMS

Mechanical Specifications (1)

Parameter	Units	086 Tin Braid	086 Jacketed	141 Tin Braid	141 Jacketed
Jacket Diameter	Inches	0.086	0.100	0.141	0.161
Outer Conductor Dia.	Inches	0.086		0.141	
Dielectric Diameter	Inches	0.065		0.116	
Inner Conductor Dia.	Inches	0.020		0.036	
Min Bend Radius	Inches	0.37		0.75	
Jacket Material		Tinned Braid	Black FEP	Tinned Braid	Black FEP
Operating Temperature	Deg C	-65° to +125°			

(1) Pasternack reserves the right to change specifications or information without notice.

See Page 259 for Mounting Holes



For Custom lengths or Configuration, Please call (949) 261-1920 or Visit www.pasternack.com

Connector 1	Connector 2	Freq GHz	Cable Dia.	Jacketed	P/N	Price Breaks	Length (in.) -6	-9	-12	-18	-24
N Male	N Male	11	.100"	X	PE39457	1-24	$48.75	$51.00	$53.25	$57.75	$62.25
						25-49	45.34	47.43	49.52	53.71	57.89
						50-99	41.93	43.86	45.80	49.67	53.54
			.086"		PE39443	1-24	$47.25	$49.50	$51.75	$56.25	$60.75
						25-49	43.94	46.04	48.13	52.31	56.50
						50-99	40.64	42.57	44.51	48.38	52.25
			.161"	X	PE39465	1-24	$48.75	$50.85	$52.95	$57.15	$61.35
						25-49	45.34	47.29	49.24	53.15	57.06
						50-99	41.93	43.73	45.54	49.15	52.76
			.141"		PE39451	1-24	$47.25	$49.35	$51.45	$55.65	$59.85
						25-49	43.94	45.90	47.85	51.75	55.66
						50-99	40.64	42.44	44.25	47.86	51.47

Test & Precision Cable Assemblies Ship Same Day!

Connector 1	Connector 2	Freq GHz	Cable Dia.	Jacketed	P/N	Price Breaks	Length (in.) -6	-9	-12	-18	-24
N Male	N Male Right Angle	11	.100"	X	PE39459	1-24	$53.75	$56.00	$58.25	$62.75	$67.25
						25-49	49.99	52.08	54.17	58.36	62.54
						50-99	46.23	48.16	50.10	53.97	57.84
			.086"		PE39445	1-24	$52.25	$54.50	$56.75	$61.25	$65.75
						25-49	48.59	50.69	52.78	56.96	61.15
						50-99	44.94	46.87	48.81	52.68	56.55
			.161"	X	PE39467	1-24	$53.75	$55.85	$57.95	$62.15	$66.35
						25-49	49.99	51.94	53.89	57.80	61.71
						50-99	46.23	48.03	49.84	53.45	57.06
			.141"		PE39453	1-24	$52.25	$54.35	$56.45	$60.65	$64.85
						25-49	48.59	50.55	52.50	56.40	60.31
						50-99	44.94	46.74	48.55	52.16	55.77
N Male Right Angle	N Male Right Angle	11	.100"	X	PE39458	1-24	$59.25	$61.50	$63.75	$68.25	$72.75
						25-49	55.10	57.20	59.29	63.47	67.66
						50-99	50.96	52.89	54.83	58.70	62.57
			.086"		PE39444	1-24	$57.50	$59.75	$62.00	$66.50	$71.00
						25-49	53.48	55.57	57.66	61.85	66.03
						50-99	49.45	51.39	53.32	57.19	61.06
			.161"	X	PE39466	1-24	$59.25	$61.35	$63.45	$67.65	$71.85
						25-49	55.10	57.06	59.01	62.91	66.82
						50-99	50.96	52.76	54.57	58.18	61.79
			.141"		PE39452	1-24	$57.50	$59.60	$61.70	$65.90	$70.10
						25-49	53.48	55.43	57.38	61.29	65.19
						50-99	49.45	51.26	53.06	56.67	60.29
N Male	N Female	11	.100"	X	PE39460	1-24	$49.50	$51.75	$54.00	$58.50	$63.00
						25-49	46.04	48.13	50.22	54.41	58.59
						50-99	42.57	44.51	46.44	50.31	54.18
			.086"		PE39446	1-24	$48.00	$50.25	$52.50	$57.00	$61.50
						25-49	44.64	46.73	48.83	53.01	57.20
						50-99	41.28	43.22	45.15	49.02	52.89
			.161"	X	PE39468	1-24	$49.50	$51.60	$53.70	$57.90	$62.10
						25-49	46.04	47.99	49.94	53.85	57.75
						50-99	42.57	44.38	46.18	49.79	53.41
			.141"		PE39454	1-24	$48.00	$50.10	$52.20	$56.40	$60.60
						25-49	44.64	46.59	48.55	52.45	56.36
						50-99	41.28	43.09	44.89	48.50	52.12
N Female Bulkhead	SMA Male	11	.100"	X	PE39461	1-24	$53.75	$56.00	$58.25	$62.75	$67.25
						25-49	49.99	52.08	54.17	58.36	62.54
						50-99	46.23	48.16	50.10	53.97	57.84
			.086"		PE39447	1-24	$52.25	$54.50	$56.75	$61.25	$65.75
						25-49	48.59	50.69	52.78	56.96	61.15
						50-99	44.94	46.87	48.81	52.68	56.55
			.161"	X	PE39469	1-24	$53.75	$55.85	$57.95	$62.15	$66.35
						25-49	49.99	51.94	53.89	57.80	61.71
						50-99	46.23	48.03	49.84	53.45	57.06
			.141"		PE39455	1-24	$52.25	$54.35	$56.45	$60.65	$64.85
						25-49	48.59	50.55	52.50	56.40	60.31
						50-99	44.94	46.74	48.55	52.16	55.77
N Female Bulkhead	SMA Male Right Angle	10	.100"	X	PE39462	1-24	$48.75	$51.00	$53.25	$57.75	$62.25
						25-49	45.34	47.43	49.52	53.71	57.89
						50-99	41.93	43.86	45.80	49.67	53.54
			.086"		PE39448	1-24	$47.25	$49.50	$51.75	$56.25	$60.75
						25-49	43.94	46.04	48.13	52.31	56.50
						50-99	40.64	42.57	44.51	48.38	52.25
			.161"	X	PE39470	1-24	$48.75	$50.85	$52.95	$57.15	$61.35
						25-49	45.34	47.29	49.24	53.15	57.06
						50-99	41.93	43.73	45.54	49.15	52.76
			.141"		PE39456	1-24	$47.25	$49.35	$51.45	$55.65	$59.85
						25-49	43.94	45.90	47.85	51.75	55.66
						50-99	40.64	42.44	44.25	47.86	51.47
N Female Bulkhead	MMCX Plug Right Angle	6	.100"	X	PE39464	1-24	$48.75	$51.00	$53.25	$57.75	$62.25
						25-49	45.34	47.43	49.52	53.71	57.89
						50-99	41.93	43.86	45.80	49.67	53.54
			.086"		PE39450	1-24	$47.25	$49.50	$51.75	$56.25	$60.75
						25-49	43.94	46.04	48.13	52.31	56.50
						50-99	40.64	42.57	44.51	48.38	52.25
N Female Bulkhead	MCX Plug Right Angle	6	.100"	X	PE39463	1-24	$47.25	$49.50	$51.75	$56.25	$60.75
						25-49	43.94	46.04	48.13	52.31	56.50
						50-99	40.64	42.57	44.51	48.38	52.25
			.086"		PE39449	1-24	$45.50	$47.75	$50.00	$54.50	$59.00
						25-49	42.32	44.41	46.50	50.69	54.87
						50-99	39.13	41.07	43.00	46.87	50.74

NEW TNC FORMABLE PRECISION CABLE ASSEMBLIES

Pasternack's Formable Precision Cable Assemblies are 100% RF tested. These precision cable assemblies are available in 086 type and 141 type formable cable and can be ordered with or without a Black FEP Jacket material. Standard lengths from 6 to 24 inches are available for same day shipment. Custom length cables are also available upon request by contacting Pasternack Customer Service, directly, or through our website at www.pasternack.com.

Product Features

- 100% VSWR Tested to Max Frequency
- 100% Hi-Pot & Continuity Tested
- Ni plated brass coupling nut and brass body
- Hand formable flexible semirigid
- ROHS Compliant





Typical Plot for PE39479-12

Electrical Specifications (1)

Parameter	Units	TNC Straight	TNC Right Angle	MCX/ MMCX
Frequency	GHz	DC to 6 GHz	DC to 6 GHz	DC to 6 GHz
Maximum VSWR		1.35:1	1.50:1	1.35:1
Impedance	Ohms	50		
Velocity of Propagation	%	69.5		
RF Shielding	dB	>100 dB		
Max Operating Voltage	Volts	500 VRMS	500 VRMS	170 VRMS

Mechanical Specifications (1)

Parameter	Units	086 Tin Braid	086 Jacketed	141 Tin Braid	141 Jacketed
Jacket Diameter	Inches	0.086	0.100	0.141	0.161
Outer Conductor Dia.	Inches	0.086		0.141	
Dielectric Diameter	Inches	0.065		0.116	
Inner Conductor Dia.	Inches	0.020		0.036	
Min Bend Radius	Inches	0.37		0.75	
Jacket Material		Tinned Braid	Black FEP	Tinned Braid	Black FEP
Operating Temperature	Deg C	-65° to +125°			

(1) Pasternack reserves the right to change specifications or information without notice.

See Page 259 for Mounting Holes

TNC Male to TNC Male

TNC Male to TNC Male R/A

TNC Male R/A to TNC Male R/A

TNC Male to TNC Female

TNC Female Bulkhead to SMA Male

TNC Female Bulkhead to SMA Male R/A

TNC Female Bulkhead to MMCX Plug R/A

TNC Female Bulkhead to MCX Plug R/A

For Custom lengths or Configuration, Please call (949) 261-1920 or Visit www.pasternack.com

Connector 1	Connector 2	Freq GHz	Cable Dia.	Jacketed	P/N	Price Breaks	Length (in.) -6	-9	-12	-18	-24
TNC Male	TNC Male	6	.100"	X	PE39485	1-24	$40.25	$42.50	$44.75	$49.25	$53.75
						25-49	37.43	39.53	41.62	45.80	49.99
						50-99	34.62	36.55	38.49	42.36	46.23
			.086"		PE39471	1-24	$38.75	$41.00	$43.25	$47.75	$52.25
						25-49	36.04	38.13	40.22	44.41	48.59
						50-99	33.33	35.26	37.20	41.07	44.94
			.161"	X	PE39493	1-24	$40.25	$42.35	$44.45	$48.65	$52.85
						25-49	37.43	39.39	41.34	45.24	49.15
						50-99	34.62	36.42	38.23	41.84	45.45
			.141"		PE39479	1-24	$38.75	$40.85	$42.95	$47.15	$51.35
						25-49	36.04	37.99	39.94	43.85	47.76
						50-99	33.33	35.13	36.94	40.55	44.16

Connector 1	Connector 2	Freq GHz	Cable Dia.	Jacketed	P/N	Price Breaks	Length (in.) -6	-9	-12	-18	-24
TNC Male	TNC Male Right Angle	6	.100"	X	PE39487	1-24	$42.75	$45.00	$47.25	$51.75	$56.25
						25-49	39.76	41.85	43.94	48.13	52.31
						50-99	36.77	38.70	40.64	44.51	48.38
			.086"		PE39473	1-24	$41.25	$43.50	$45.75	$50.25	$54.75
						25-49	38.36	40.46	42.55	46.73	50.92
						50-99	35.48	37.41	39.35	43.22	47.09
			.161"	X	PE39495	1-24	$42.75	$44.85	$46.95	$51.15	$55.35
						25-49	39.76	41.71	43.66	47.57	51.48
						50-99	36.77	38.57	40.38	43.99	47.60
			.141"		PE39481	1-24	$41.25	$43.35	$45.45	$49.65	$53.85
						25-49	38.36	40.32	42.27	46.17	50.08
						50-99	35.48	37.28	39.09	42.70	46.31
TNC Male Right Angle	TNC Male Right Angle	6	.100"	X	PE39486	1-24	$45.25	$47.50	$49.75	$54.25	$58.75
						25-49	42.08	44.18	46.27	50.45	54.64
						50-99	38.92	40.85	42.79	46.66	50.53
			.086"		PE39472	1-24	$43.75	$46.00	$48.25	$52.75	$57.25
						25-49	40.69	42.78	44.87	49.06	53.24
						50-99	37.63	39.56	41.50	45.37	49.24
			.161"	X	PE39494	1-24	$45.25	$47.35	$49.45	$53.65	$57.85
						25-49	42.08	44.04	45.99	49.89	53.80
						50-99	38.92	40.72	42.53	46.14	49.75
			.141"		PE39480	1-24	$43.75	$45.85	$47.95	$52.15	$56.35
						25-49	40.69	42.64	44.59	48.50	52.41
						50-99	37.63	39.43	41.24	44.85	48.46
TNC Male	TNC Female	6	.100"	X	PE39488	1-24	$40.25	$42.50	$44.75	$49.25	$53.75
						25-49	37.43	39.53	41.62	45.80	49.99
						50-99	34.62	36.55	38.49	42.36	46.23
			.086"		PE39474	1-24	$38.75	$41.00	$43.25	$47.75	$52.25
						25-49	36.04	38.13	40.22	44.41	48.59
						50-99	33.33	35.26	37.20	41.07	44.94
			.161"	X	PE39496	1-24	$40.25	$42.35	$44.45	$48.65	$52.85
						25-49	37.43	39.39	41.34	45.24	49.15
						50-99	34.62	36.42	38.23	41.84	45.45
			.141"		PE39482	1-24	$38.75	$40.85	$42.95	$47.15	$51.35
						25-49	36.04	37.99	39.94	43.85	47.76
						50-99	33.33	35.13	36.94	40.55	44.16
TNC Female Bulkhead	SMA Male	6	.100"	X	PE39489	1-24	$47.25	$49.50	$51.75	$56.25	$60.75
						25-49	43.94	46.04	48.13	52.31	56.50
						50-99	40.64	42.57	44.51	48.38	52.25
			.086"		PE39475	1-24	$45.50	$47.75	$50.00	$54.50	$59.00
						25-49	42.32	44.41	46.50	50.69	54.87
						50-99	39.13	41.07	43.00	46.87	50.74
			.161"	X	PE39497	1-24	$47.25	$49.35	$51.45	$55.65	$59.85
						25-49	43.94	45.90	47.85	51.75	55.66
						50-99	40.64	42.44	44.25	47.86	51.47
			.141"		PE39483	1-24	$45.50	$47.60	$49.70	$53.90	$58.10
						25-49	42.32	44.27	46.22	50.13	54.03
						50-99	39.13	40.94	42.74	46.35	49.97
TNC Female Bulkhead	SMA Male Right Angle	6	.100"	X	PE39490	1-24	$46.25	$48.50	$50.75	$55.25	$59.75
						25-49	43.01	45.11	47.20	51.38	55.57
						50-99	39.78	41.71	43.65	47.52	51.39
			.086"		PE39476	1-24	$44.50	$46.75	$49.00	$53.50	$58.00
						25-49	41.39	43.48	45.57	49.76	53.94
						50-99	38.27	40.21	42.14	46.01	49.88
			.161"	X	PE39498	1-24	$46.25	$48.35	$50.45	$54.65	$58.85
						25-49	43.01	44.97	46.92	50.82	54.73
						50-99	39.78	41.58	43.39	47.00	50.61
			.141"		PE39484	1-24	$44.50	$46.60	$48.70	$52.90	$57.10
						25-49	41.39	43.34	45.29	49.20	53.10
						50-99	38.27	40.08	41.88	45.49	49.11
TNC Female Bulkhead	MMCX Plug Right Angle	6	.100"	X	PE39492	1-24	$46.25	$48.50	$50.75	$55.25	$59.75
						25-49	43.01	45.11	47.20	51.38	55.57
						50-99	39.78	41.71	43.65	47.52	51.39
			.086"		PE39478	1-24	$44.50	$46.75	$49.00	$53.50	$58.00
						25-49	41.39	43.48	45.57	49.76	53.94
						50-99	38.27	40.21	42.14	46.01	49.88
TNC Female Bulkhead	MCX Plug Right Angle	6	.100"	X	PE39491	1-24	$44.50	$46.75	$49.00	$53.50	$58.00
						25-49	41.39	43.48	45.57	49.76	53.94
						50-99	38.27	40.21	42.14	46.01	49.88
			.086"		PE39477	1-24	$43.00	$45.25	$47.50	$52.00	$56.50
						25-49	39.99	42.08	44.18	48.36	52.55
						50-99	36.98	38.92	40.85	44.72	48.59

SMA MALE TO SMA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8X COAX Coax Performance: Attenuation* 13.5 dB; Power Handling** 60 W; Cable Diameter .242"	12"	PE39087-12	$49.65	$46.17	$42.70
	24"	PE39087-24	52.00	48.36	44.72
	36"	PE39087-36	54.35	50.55	46.74
	48"	PE39087-48	56.70	52.73	48.76
	60"	PE39087-60	59.00	54.87	50.74
	Any	PE39087-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .206"	12"	PE3572-12	$35.85	$33.34	$30.83
	24"	PE3572-24	36.65	34.08	31.52
	36"	PE3572-36	37.40	34.78	32.16
	48"	PE3572-48	38.15	35.48	32.81
	60"	PE3572-60	38.90	36.18	33.45
	Any	PE3572-XX	See Website for Pricing		
50 OHM, RG58C/U COAX Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3369-12	$37.15	$34.55	$31.95
	24"	PE3369-24	37.50	34.88	32.25
	36"	PE3369-36	37.90	35.25	32.59
	48"	PE3369-48	38.35	35.67	32.98
	60"	PE3369-60	38.85	36.13	33.41
	Any	PE3369-XX	See Website for Pricing		
75 OHM, RG59B/U COAX Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3814-12	$49.10	$45.66	$42.23
	24"	PE3814-24	49.80	46.31	42.83
	36"	PE3814-36	50.50	46.97	43.43
	48"	PE3814-48	51.20	47.62	44.03
	60"	PE3814-60	51.90	48.27	44.63
	Any	PE3814-XX	See Website for Pricing		
93 OHM, RG62A/U COAX Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3899-12	$52.10	$48.45	$44.81
	24"	PE3899-24	52.50	48.83	45.15
	36"	PE3899-36	52.95	49.24	45.54
	48"	PE3899-48	53.35	49.62	45.88
	60"	PE3899-60	53.85	50.08	46.31
	Any	PE3899-XX	See Website for Pricing		
93 OHM, RG71B/U COAX Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .250"	12"	PE34134-12	$60.20	$55.99	$51.77
	24"	PE34134-24	63.15	58.73	54.31
	36"	PE34134-36	66.10	61.47	56.85
	48"	PE34134-48	69.05	64.22	59.38
	60"	PE34134-60	72.00	66.96	61.92
	Any	PE34134-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3385-12	$41.00	$38.13	$35.26
	24"	PE3385-24	43.70	40.64	37.58
	36"	PE3385-36	46.45	43.20	39.95
	48"	PE3385-48	49.15	45.71	42.27
	60"	PE3385-60	51.90	48.27	44.63
	Any	PE3385-XX	See Website for Pricing		
50 OHM, RG174A/U COAX Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE3353-12	$37.85	$35.20	$32.55
	24"	PE3353-24	38.25	35.57	32.90
	36"	PE3353-36	38.65	35.94	33.24
	48"	PE3353-48	39.05	36.32	33.58
	60"	PE3353-60	39.45	36.69	33.93
	Any	PE3353-XX	See Website for Pricing		
75 OHM, RG179B/U COAX Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"	12"	PE3739-12	$39.20	$36.46	$33.71
	24"	PE3739-24	41.00	38.13	35.26
	36"	PE3739-36	42.80	39.80	36.81
	48"	PE3739-48	44.60	41.48	38.36
	60"	PE3739-60	46.35	43.11	39.86
	Any	PE3739-XX	See Website for Pricing		
50 OHM, RG178B/U COAX Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075"	12"	PE3574-12	$52.40	$48.73	$45.06
	24"	PE3574-24	53.35	49.62	45.88
	36"	PE3574-36	54.40	50.59	46.78
	48"	PE3574-48	55.40	51.52	47.64
	60"	PE3574-60	56.30	52.36	48.42
	Any	PE3574-XX	See Website for Pricing		
95 OHM, RG180B/U COAX Coax Performance: Attenuation* 16.5 dB; Power Handling** 250 W; Cable Diameter .145"	12"	PE3245-12	$46.60	$43.34	$40.08
	24"	PE3245-24	49.60	46.13	42.66
	36"	PE3245-36	52.65	48.96	45.28
	48"	PE3245-48	55.65	51.75	47.86
	60"	PE3245-60	58.65	54.54	50.44
	Any	PE3245-XX	See Website for Pricing		
75 OHM, RG187A/U COAX Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110"	12"	PE38059-12	$40.00	$37.20	$34.40
	24"	PE38059-24	42.55	39.57	36.59
	36"	PE38059-36	45.10	41.94	38.79
	48"	PE38059-48	47.65	44.31	40.98
	60"	PE38059-60	50.20	46.69	43.17
	Any	PE38059-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188A/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110"	12"	PE3361-12	$39.10	$36.36	$33.63
	24"	PE3361-24	40.75	37.90	35.05
	36"	PE3361-36	42.40	39.43	36.46
	48"	PE3361-48	44.05	40.97	37.88
	60"	PE3361-60	45.75	42.55	39.35
	Any	PE3361-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122"	12"	PE3778-12	$38.50	$35.81	$33.11
	24"	PE3778-24	41.05	38.18	35.30
	36"	PE3778-36	43.60	40.55	37.50
	48"	PE3778-48	46.15	42.92	39.69
	60"	PE3778-60	48.70	45.29	41.88
	Any	PE3778-XX	See Website for Pricing		
50 OHM, RG213/U COAX Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE35571-12	$140.05	$130.25	$120.44
	24"	PE35571-24	141.30	131.41	121.52
	36"	PE35571-36	142.50	132.53	122.55
	48"	PE35571-48	143.75	133.69	123.63
	60"	PE35571-60	144.95	134.80	124.66
	Any	PE35571-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425"	12"	PE3121-12	$144.35	$134.25	$124.14
	24"	PE3121-24	149.80	139.31	128.83
	36"	PE3121-36	155.30	144.43	133.56
	48"	PE3121-48	160.80	149.54	138.29
	60"	PE3121-60	166.25	154.61	142.98
	Any	PE3121-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3377-12	$37.55	$34.92	$32.29
	24"	PE3377-24	38.95	36.22	33.50
	36"	PE3377-36	40.25	37.43	34.62
	48"	PE3377-48	41.60	38.69	35.78
	60"	PE3377-60	43.00	39.99	36.98
	Any	PE3377-XX	See Website for Pricing		
50 OHM, RG316/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3573-12	$39.70	$36.92	$34.14
	24"	PE3573-24	42.00	39.06	36.12
	36"	PE3573-36	44.25	41.15	38.06
	48"	PE3573-48	46.55	43.29	40.03
	60"	PE3573-60	48.85	45.43	42.01
	Any	PE3573-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE3704-12	$38.10	$35.43	$32.77
	24"	PE3704-24	40.25	37.43	34.62
	36"	PE3704-36	42.45	39.48	36.51
	48"	PE3704-48	44.60	41.48	38.36
	60"	PE3704-60	46.80	43.52	40.25
	Any	PE3704-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3500-12	$41.00	$38.13	$35.26
	24"	PE3500-24	43.70	40.64	37.58
	36"	PE3500-36	48.25	44.87	41.50
	48"	PE3500-48	53.45	49.71	45.97
	60"	PE3500-60	58.60	54.50	50.40
	Any	PE3500-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3138-12	$56.50	$52.55	$48.59
	24"	PE3138-24	60.20	55.99	51.77
	36"	PE3138-36	63.85	59.38	54.91
	48"	PE3138-48	67.65	62.91	58.18
	60"	PE3138-60	71.40	66.40	61.40
	Any	PE3138-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 23.5 dB; Power Handling** 45 W; Cable Diameter .110"	12"	PE37908-12	$34.70	$32.27	$29.84
	24"	PE37908-24	36.35	33.81	31.26
	36"	PE37908-36	38.05	35.39	32.72
	48"	PE37908-48	39.70	36.92	34.14
	60"	PE37908-60	41.40	38.50	35.60
	Any	PE37908-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195"	12"	PE35784-12	$27.55	$25.62	$23.69
	24"	PE35784-24	28.65	26.64	24.64
	36"	PE35784-36	29.75	27.67	25.59
	48"	PE35784-48	30.85	28.69	26.53
	60"	PE35784-60	32.00	29.76	27.52
	Any	PE35784-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240"	12"	PE38628-12	$40.85	$37.99	$35.13
	24"	PE38628-24	43.20	40.18	37.15
	36"	PE38628-36	45.55	42.36	39.17
	48"	PE38628-48	47.85	44.50	41.15
	60"	PE38628-60	50.20	46.69	43.17
	Any	PE38628-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE3492-12	$35.25	$32.78	$30.32
	24"	PE3492-24	40.05	37.25	34.44
	36"	PE3492-36	45.15	41.99	38.83
	48"	PE3492-48	50.05	46.55	43.04
	60"	PE3492-60	54.95	51.10	47.26
	Any	PE3492-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE34180-12	$38.80	$36.08	$33.37
	24"	PE34180-24	43.90	40.83	37.75
	36"	PE34180-36	48.90	45.48	42.05
	48"	PE34180-48	53.70	49.94	46.18
	60"	PE34180-60	58.70	54.59	50.48
	Any	PE34180-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3818-12	$35.60	$33.11	$30.62
	24"	PE3818-24	40.80	37.94	35.09
	36"	PE3818-36	45.95	42.73	39.52
	48"	PE3818-48	51.15	47.57	43.99
	60"	PE3818-60	56.30	52.36	48.42
	Any	PE3818-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) Coax Performance: Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE34182-12	$36.95	$34.36	$31.78
	24"	PE34182-24	43.45	40.41	37.37
	36"	PE34182-36	49.95	46.45	42.96
	48"	PE34182-48	56.50	52.55	48.59
	60"	PE34182-60	63.00	58.59	54.18
	Any	PE34182-XX	See Website for Pricing		

Continued on Next Page

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

SMA MALE TO SMA MALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE3481-12	$37.80	$35.15	$32.51
	24"	PE3481-24	43.60	40.55	37.50
	36"	PE3481-36	48.90	45.48	42.05
	48"	PE3481-48	53.70	49.94	46.18
	60"	PE3481-60	58.70	54.59	50.48
	Any	PE3481-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE3656-12	$62.45	$58.08	$53.71
	24"	PE3656-24	67.30	62.59	57.88
	36"	PE3656-36	72.45	67.38	62.31
	48"	PE3656-48	77.20	71.80	66.39
	60"	PE3656-60	82.50	76.73	70.95
	Any	PE3656-XX	See Website for Pricing		
50 OHM, PE-SR047AL (.047" TINNED ALUMINUM) Coax Performance: Attenuation* 41.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE3387-12	$63.00	$58.59	$54.18
	24"	PE3387-24	69.80	64.91	60.03
	36"	PE3387-36	76.65	71.28	65.92
	48"	PE3387-48	82.70	76.91	71.12
	60"	PE3387-60	87.75	81.61	75.47
	Any	PE3387-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE34186-12	$61.70	$57.38	$53.06
	24"	PE34186-24	67.25	62.54	57.84
	36"	PE34186-36	72.85	67.75	62.65
	48"	PE34186-48	78.40	72.91	67.42
	60"	PE34186-60	83.95	78.07	72.20
	Any	PE34186-XX	See Website for Pricing		
50 OHM, PE-020SR (.020" BARE COPPER) Coax Performance: Attenuation* 85.0 dB; Power Handling** 2.9 W; Cable Diameter .020"	12"	PE34191-12	$113.00	$105.09	$97.18
	24"	PE34191-24	120.40	111.97	103.54
	36"	PE34191-36	127.95	118.99	110.04
	48"	PE34191-48	139.80	130.01	120.23
	60"	PE34191-60	153.50	142.76	132.01
	Any	PE34191-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3867-12	$38.50	$35.81	$33.11
	24"	PE3867-24	46.55	43.29	40.03
	36"	PE3867-36	52.35	48.69	45.02
	48"	PE3867-48	57.35	53.34	49.32
	60"	PE3867-60	62.20	57.85	53.49
	Any	PE3867-XX	See Website for Pricing		
50 OHM, RG401/U (.250" BARE COPPER) Coax Performance: Attenuation* 9.7 dB; Power Handling** 870 W; Cable Diameter .250"	12"	PE33003-12	$113.00	$105.09	$97.18
	24"	PE33003-24	124.80	116.06	107.33
	36"	PE33003-36	141.40	131.50	121.60
	48"	PE33003-48	157.95	146.89	135.84
	60"	PE33003-60	174.55	162.33	150.11
	Any	PE33003-XX	See Website for Pricing		
50 OHM, PE-SR401AL (.250" TINNED ALUMINUM) Coax Performance: Attenuation* 8.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34184-12	$121.20	$112.72	$104.23
	24"	PE34184-24	128.60	119.60	110.60
	36"	PE34184-36	136.00	126.48	116.96
	48"	PE34184-48	146.40	136.15	125.90
	60"	PE34184-60	160.10	148.89	137.69
	Any	PE34184-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34188-12	$121.20	$112.72	$104.23
	24"	PE34188-24	128.60	119.60	110.60
	36"	PE34188-36	136.00	126.48	116.96
	48"	PE34188-48	143.60	133.55	123.50
	60"	PE34188-60	150.95	140.38	129.82
	Any	PE34188-XX	See Website for Pricing		
50 OHM, PE-034SR (.034" BARE COPPER) Coax Performance: Attenuation* 60.0 dB; Power Handling** 10 W; Cable Diameter .034"	12"	PE34193-12	$105.60	$98.21	$90.82
	24"	PE34193-24	115.20	107.14	99.07
	36"	PE34193-36	121.45	112.95	104.45
	48"	PE34193-48	126.40	117.55	108.70
	60"	PE34193-60	131.45	122.25	113.05
	Any	PE34193-XX	See Website for Pricing		

SMA MALE TO SMA MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3319-12	$43.95	$40.87	$37.80
	24"	PE3319-24	44.40	41.29	38.18
	36"	PE3319-36	44.75	41.62	38.49
	48"	PE3319-48	45.15	41.99	38.83
	60"	PE3319-60	45.60	42.41	39.22
	Any	PE3319-XX	See Website for Pricing		
75 OHM, RG59B/U COAX Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3137-12	$53.55	$49.80	$46.05
	24"	PE3137-24	54.25	50.45	46.66
	36"	PE3137-36	54.95	51.10	47.26
	48"	PE3137-48	55.65	51.75	47.86
	60"	PE3137-60	56.35	52.41	48.46
	Any	PE3137-XX	See Website for Pricing		
93 OHM, RG62A/U COAX Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3411-12	$53.85	$50.08	$46.31
	24"	PE3411-24	54.85	51.01	47.17
	36"	PE3411-36	55.85	51.94	48.03
	48"	PE3411-48	56.85	52.87	48.89
	60"	PE3411-60	57.80	53.75	49.71
	Any	PE3411-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3512-12	$47.75	$44.41	$41.07
	24"	PE3512-24	50.50	46.97	43.43
	36"	PE3512-36	53.25	49.52	45.80
	48"	PE3512-48	56.00	52.08	48.16
	60"	PE3512-60	58.70	54.59	50.48
	Any	PE3512-XX	See Website for Pricing		
50 OHM, RG174A/U COAX Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE3420-12	$44.65	$41.52	$38.40
	24"	PE3420-24	45.05	41.90	38.74
	36"	PE3420-36	45.45	42.27	39.09
	48"	PE3420-48	45.85	42.64	39.43
	60"	PE3420-60	46.25	43.01	39.78
	Any	PE3420-XX	See Website for Pricing		
50 OHM, RG178B/U COAX Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075"	12"	PE3865-12	$60.60	$56.36	$52.12
	24"	PE3865-24	61.55	57.24	52.93
	36"	PE3865-36	62.60	58.22	53.84
	48"	PE3865-48	63.50	59.06	54.61
	60"	PE3865-60	64.60	60.08	55.56
	Any	PE3865-XX	See Website for Pricing		
75 OHM, RG179B/U COAX Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"	12"	PE3459-12	$46.00	$42.78	$39.56
	24"	PE3459-24	47.80	44.45	41.11
	36"	PE3459-36	49.60	46.13	42.66
	48"	PE3459-48	51.40	47.80	44.20
	60"	PE3459-60	53.20	49.48	45.75
	Any	PE3459-XX	See Website for Pricing		
95 OHM, RG180B/U COAX Coax Performance: Attenuation* 16.5 dB; Power Handling** 250 W; Cable Diameter .145"	12"	PE3352-12	$47.35	$44.04	$40.72
	24"	PE3352-24	50.35	46.83	43.30
	36"	PE3352-36	53.40	49.66	45.92
	48"	PE3352-48	56.40	52.45	48.50
	60"	PE3352-60	59.40	55.24	51.08
	Any	PE3352-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188A/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110"	12"	PE3510-12	$45.90	$42.69	$39.47
	24"	PE3510-24	47.55	44.22	40.89
	36"	PE3510-36	49.20	45.76	42.31
	48"	PE3510-48	50.90	47.34	43.77
	60"	PE3510-60	52.55	48.87	45.19
	Any	PE3510-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122"	12"	PE3779-12	$47.65	$44.31	$40.98
	24"	PE3779-24	50.15	46.64	43.13
	36"	PE3779-36	52.60	48.92	45.24
	48"	PE3779-48	55.15	51.29	47.43
	60"	PE3779-60	57.60	53.57	49.54
	Any	PE3779-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3429-12	$44.45	$41.34	$38.23
	24"	PE3429-24	45.75	42.55	39.35
	36"	PE3429-36	47.05	43.76	40.46
	48"	PE3429-48	48.45	45.06	41.67
	60"	PE3429-60	49.90	46.41	42.91
	Any	PE3429-XX	See Website for Pricing		
50 OHM, RG316/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3513-12	$46.50	$43.25	$39.99
	24"	PE3513-24	48.80	45.38	41.97
	36"	PE3513-36	51.10	47.52	43.95
	48"	PE3513-48	53.35	49.62	45.88
	60"	PE3513-60	55.65	51.75	47.86
	Any	PE3513-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE3344-12	$47.65	$44.31	$40.98
	24"	PE3344-24	50.15	46.64	43.13
	36"	PE3344-36	52.60	48.92	45.24
	48"	PE3344-48	55.15	51.29	47.43
	60"	PE3344-60	57.60	53.57	49.54
	Any	PE3344-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3003-12	$47.75	$44.41	$41.07
	24"	PE3003-24	52.25	48.59	44.94
	36"	PE3003-36	57.40	53.38	49.36
	48"	PE3003-48	62.60	58.22	53.84
	60"	PE3003-60	67.75	63.01	58.27
	Any	PE3003-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195"	12"	PE36475-12	$33.10	$30.78	$28.47
	24"	PE36475-24	34.20	31.81	29.41
	36"	PE36475-36	35.30	32.83	30.36
	48"	PE36475-48	36.40	33.85	31.30
	60"	PE36475-60	37.55	34.92	32.29
	Any	PE36475-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240"	12"	PE38624-12	$49.30	$45.85	$42.40
	24"	PE38624-24	51.65	48.03	44.42
	36"	PE38624-36	54.00	50.22	46.44
	48"	PE38624-48	56.30	52.36	48.42
	60"	PE38624-60	58.65	54.54	50.44
	Any	PE38624-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

SMA MALE TO SMA MALE RIGHT ANGLE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE3821-12	$46.10	$42.87	$39.65
	24"	PE3821-24	51.15	47.57	43.99
	36"	PE3821-36	56.05	52.13	48.20
	48"	PE3821-48	60.90	56.64	52.37
	60"	PE3821-60	65.95	61.33	56.72
	Any	PE3821-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE34195-12	$51.60	$47.99	$44.38
	24"	PE34195-24	56.50	52.55	48.59
	36"	PE34195-36	61.60	57.29	52.98
	48"	PE34195-48	66.50	61.85	57.19
	60"	PE34195-60	71.40	66.40	61.40
	Any	PE34195-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE3483-12	$51.25	$47.66	$44.08
	24"	PE3483-24	56.50	52.55	48.59
	36"	PE3483-36	61.60	57.29	52.98
	48"	PE3483-48	66.50	61.85	57.19
	60"	PE3483-60	71.40	66.40	61.40
	Any	PE3483-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3822-12	$47.90	$44.55	$41.19
	24"	PE3822-24	52.80	49.10	45.41
	36"	PE3822-36	57.85	53.80	49.75
	48"	PE3822-48	62.75	58.36	53.97
	60"	PE3822-60	67.65	62.91	58.18
	Any	PE3822-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3958-12	$53.35	$49.62	$45.88
	24"	PE3958-24	58.45	54.36	50.27
	36"	PE3958-36	63.25	58.82	54.40
	48"	PE3958-48	68.30	63.52	58.74
	60"	PE3958-60	73.20	68.08	62.95
	Any	PE3958-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34202-12	$109.70	$102.02	$94.34
	24"	PE34202-24	121.35	112.86	104.36
	36"	PE34202-36	133.00	123.69	114.38
	48"	PE34202-48	144.60	134.48	124.36
	60"	PE34202-60	156.25	145.31	134.38
	Any	PE34202-XX	See Website for Pricing		

SMA MALE TO SMA FEMALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3078-12	$43.95	$40.87	$37.80
	24"	PE3078-24	44.40	41.29	38.18
	36"	PE3078-36	44.75	41.62	38.49
	48"	PE3078-48	45.15	41.99	38.83
	60"	PE3078-60	45.60	42.41	39.22
	Any	PE3078-XX	See Website for Pricing		
93 OHM, RG62A/U COAX Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3405-12	$50.90	$47.34	$43.77
	24"	PE3405-24	51.90	48.27	44.63
	36"	PE3405-36	52.90	49.20	45.49
	48"	PE3405-48	53.90	50.13	46.35
	60"	PE3405-60	54.85	51.01	47.17
	Any	PE3405-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3611-12	$47.75	$44.41	$41.07
	24"	PE3611-24	50.50	46.97	43.43
	36"	PE3611-36	53.25	49.52	45.80
	48"	PE3611-48	56.00	52.08	48.16
	60"	PE3611-60	58.70	54.59	50.48
	Any	PE3611-XX	See Website for Pricing		
50 OHM, RG174A/U COAX Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE3715-12	$43.90	$40.83	$37.75
	24"	PE3715-24	44.15	41.06	37.97
	36"	PE3715-36	44.45	41.34	38.23
	48"	PE3715-48	44.65	41.52	38.40
	60"	PE3715-60	44.90	41.76	38.61
	Any	PE3715-XX	See Website for Pricing		
50 OHM, RG178B/U COAX Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075"	12"	PE3056-12	$60.60	$56.36	$52.12
	24"	PE3056-24	61.55	57.24	52.93
	36"	PE3056-36	62.60	58.22	53.84
	48"	PE3056-48	63.50	59.06	54.61
	60"	PE3056-60	64.60	60.08	55.56
	Any	PE3056-XX	See Website for Pricing		
75 OHM, RG179B/U COAX Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"	12"	PE3102-12	$42.25	$39.29	$36.34
	24"	PE3102-24	44.05	40.97	37.88
	36"	PE3102-36	45.85	42.64	39.43
	48"	PE3102-48	47.65	44.31	40.98
	60"	PE3102-60	49.40	45.94	42.48
	Any	PE3102-XX	See Website for Pricing		
50 OHM, RG188A/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110"	12"	PE3706-12	$44.25	$41.15	$38.06
	24"	PE3706-24	45.15	41.99	38.83
	36"	PE3706-36	46.25	43.01	39.78
	48"	PE3706-48	47.10	43.80	40.51
	60"	PE3706-60	48.80	45.38	41.97
	Any	PE3706-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3697-12	$44.45	$41.34	$38.23
	24"	PE3697-24	45.75	42.55	39.35
	36"	PE3697-36	47.05	43.76	40.46
	48"	PE3697-48	48.45	45.06	41.67
	60"	PE3697-60	49.90	46.41	42.91
	Any	PE3697-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3832-12	$44.25	$41.15	$38.06
	24"	PE3832-24	45.15	41.99	38.83
	36"	PE3832-36	47.30	43.99	40.68
	48"	PE3832-48	49.60	46.13	42.66
	60"	PE3832-60	51.90	48.27	44.63
	Any	PE3832-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE3171-12	$47.65	$44.31	$40.98
	24"	PE3171-24	50.15	46.64	43.13
	36"	PE3171-36	52.60	48.92	45.24
	48"	PE3171-48	55.15	51.29	47.43
	60"	PE3171-60	57.60	53.57	49.54
	Any	PE3171-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3864-12	$47.75	$44.41	$41.07
	24"	PE3864-24	50.50	46.97	43.43
	36"	PE3864-36	53.25	49.52	45.80
	48"	PE3864-48	56.00	52.08	48.16
	60"	PE3864-60	60.85	56.59	52.33
	Any	PE3864-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3160-12	$61.95	$57.61	$53.28
	24"	PE3160-24	65.65	61.05	56.46
	36"	PE3160-36	69.30	64.45	59.60
	48"	PE3160-48	73.15	68.03	62.91
	60"	PE3160-60	76.85	71.47	66.09
	Any	PE3160-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 23.5 dB; Power Handling** 45 W; Cable Diameter .110"	12"	PE37995-12	$37.75	$35.11	$32.47
	24"	PE37995-24	39.40	36.64	33.88
	36"	PE37995-36	41.10	38.22	35.35
	48"	PE37995-48	42.75	39.76	36.77
	60"	PE37995-60	44.45	41.34	38.23
	Any	PE37995-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195"	12"	PE36201-12	$33.50	$31.16	$28.81
	24"	PE36201-24	34.60	32.18	29.76
	36"	PE36201-36	35.70	33.20	30.70
	48"	PE36201-48	36.80	34.22	31.65
	60"	PE36201-60	37.95	35.29	32.64
	Any	PE36201-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240"	12"	PE38638-12	$42.90	$39.90	$36.89
	24"	PE38638-24	45.25	42.08	38.92
	36"	PE38638-36	47.60	44.27	40.94
	48"	PE38638-48	49.90	46.41	42.91
	60"	PE38638-60	52.25	48.59	44.94
	Any	PE38638-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405"	12"	PE39148-12	$75.70	$70.40	$65.10
	24"	PE39148-24	79.70	74.12	68.54
	36"	PE39148-36	83.70	77.84	71.98
	48"	PE39148-48	87.70	81.56	75.42
	60"	PE39148-60	91.70	85.28	78.86
	Any	PE39148-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE3823-12	$40.60	$37.76	$34.92
	24"	PE3823-24	45.55	42.36	39.17
	36"	PE3823-36	50.55	47.01	43.47
	48"	PE3823-48	55.45	51.57	47.69
	60"	PE3823-60	60.40	56.17	51.94
	Any	PE3823-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3824-12	$42.45	$39.48	$36.51
	24"	PE3824-24	47.50	44.18	40.85
	36"	PE3824-36	52.35	48.69	45.02
	48"	PE3824-48	57.35	53.34	49.32
	60"	PE3824-60	62.20	57.85	53.49
	Any	PE3824-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

SMA MALE TO SMA FEMALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) *Coax Performance* Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE34235-12	$42.20	$39.25	$36.29
	24"	PE34235-24	49.25	45.80	42.36
	36"	PE34235-36	56.35	52.41	48.46
	48"	PE34235-48	63.45	59.01	54.57
	60"	PE34235-60	70.55	65.61	60.67
	Any	PE34235-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) *Coax Performance* Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE3443-12	$40.95	$38.08	$35.22
	24"	PE3443-24	46.75	43.48	40.21
	36"	PE3443-36	52.60	48.92	45.24
	48"	PE3443-48	58.45	54.36	50.27
	60"	PE3443-60	64.30	59.80	55.30
	Any	PE3443-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) *Coax Performance* Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE3188-12	$71.00	$66.03	$61.06
	24"	PE3188-24	76.55	71.19	65.83
	36"	PE3188-36	81.40	75.70	70.00
	48"	PE3188-48	86.45	80.40	74.35
	60"	PE3188-60	91.40	85.00	78.60
	Any	PE3188-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) *Coax Performance* Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE34228-12	$68.85	$64.03	$59.21
	24"	PE34228-24	74.40	69.19	63.98
	36"	PE34228-36	80.00	74.40	68.80
	48"	PE34228-48	85.55	79.56	73.57
	60"	PE34228-60	91.10	84.72	78.35
	Any	PE34228-XX	See Website for Pricing		
50 OHM, PE-020SR (.020" BARE COPPER) *Coax Performance* Attenuation* 85.0 dB; Power Handling** 2.9 W; Cable Diameter .020"	12"	PE34224-12	$111.90	$104.07	$96.23
	24"	PE34224-24	125.55	116.76	107.97
	36"	PE34224-36	139.25	129.50	119.76
	48"	PE34224-48	152.95	142.24	131.54
	60"	PE34224-60	166.65	154.98	143.32
	Any	PE34224-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) *Coax Performance* Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE34237-12	$47.50	$44.18	$40.85
	24"	PE34237-24	54.00	50.22	46.44
	36"	PE34237-36	60.50	56.27	52.03
	48"	PE34237-48	67.05	62.36	57.66
	60"	PE34237-60	73.55	68.40	63.25
	Any	PE34237-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) *Coax Performance* Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3651-12	$47.90	$44.55	$41.19
	24"	PE3651-24	52.80	49.10	45.41
	36"	PE3651-36	57.85	53.80	49.75
	48"	PE3651-48	62.75	58.36	53.97
	60"	PE3651-60	67.65	62.91	58.18
	Any	PE3651-XX	See Website for Pricing		
50 OHM, PE-SR401AL (.250" TINNED ALUMINUM) *Coax Performance* Attenuation* 8.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34230-12	$90.80	$84.44	$78.09
	24"	PE34230-24	104.45	97.14	89.83
	36"	PE34230-36	118.15	109.88	101.61
	48"	PE34230-48	131.85	122.62	113.39
	60"	PE34230-60	145.55	135.36	125.17
	Any	PE34230-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) *Coax Performance* Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34233-12	$88.70	$82.49	$76.28
	24"	PE34233-24	100.35	93.33	86.30
	36"	PE34233-36	112.00	104.16	96.32
	48"	PE34233-48	123.60	114.95	106.30
	60"	PE34233-60	135.25	125.78	116.32
	Any	PE34233-XX	See Website for Pricing		
50 OHM, PE-034SR (.034" BARE COPPER) *Coax Performance* Attenuation* 60.0 dB; Power Handling** 10 W; Cable Diameter .034"	12"	PE34226-12	$107.00	$99.51	$92.02
	24"	PE34226-24	116.60	108.44	100.28
	36"	PE34226-36	126.15	117.32	108.49
	48"	PE34226-48	135.70	126.20	116.70
	60"	PE34226-60	145.30	135.13	124.96
	Any	PE34226-XX	See Website for Pricing		

SMA MALE TO SMA FEMALE BULKHEAD

USE MOUNTING HOLE B02 ON 259

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX *Coax Performance* Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3956-12	$46.65	$43.38	$40.12
	24"	PE3956-24	47.00	43.71	40.42
	36"	PE3956-36	47.50	44.18	40.85
	48"	PE3956-48	47.95	44.59	41.24
	60"	PE3956-60	48.35	44.97	41.58
	Any	PE3956-XX	See Website for Pricing		
75 OHM, RG59B/U COAX *Coax Performance* Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3871-12	$49.80	$46.31	$42.83
	24"	PE3871-24	50.50	46.97	43.43
	36"	PE3871-36	51.20	47.62	44.03
	48"	PE3871-48	51.90	48.27	44.63
	60"	PE3871-60	52.60	48.92	45.24
	Any	PE3871-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3494-12	$50.50	$46.97	$43.43
	24"	PE3494-24	53.25	49.52	45.80
	36"	PE3494-36	56.00	52.08	48.16
	48"	PE3494-48	58.70	54.59	50.48
	60"	PE3494-60	61.45	57.15	52.85
	Any	PE3494-XX	See Website for Pricing		
50 OHM, RG174A/U COAX *Coax Performance* Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE3184-12	$46.55	$43.29	$40.03
	24"	PE3184-24	46.80	43.52	40.25
	36"	PE3184-36	47.05	43.76	40.46
	48"	PE3184-48	47.40	44.08	40.76
	60"	PE3184-60	47.65	44.31	40.98
	Any	PE3184-XX	See Website for Pricing		
50 OHM, RG178B/U COAX *Coax Performance* Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075"	12"	PE3959-12	$64.70	$60.17	$55.64
	24"	PE3959-24	65.65	61.05	56.46
	36"	PE3959-36	66.65	61.98	57.32
	48"	PE3959-48	67.65	62.91	58.18
	60"	PE3959-60	68.65	63.84	59.04
	Any	PE3959-XX	See Website for Pricing		
75 OHM, RG179B/U COAX *Coax Performance* Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"	12"	PE3967-12	$46.90	$43.62	$40.33
	24"	PE3967-24	47.95	44.59	41.24
	36"	PE3967-36	48.90	45.48	42.05
	48"	PE3967-48	49.95	46.45	42.96
	60"	PE3967-60	50.85	47.29	43.73
	Any	PE3967-XX	See Website for Pricing		
50 OHM, RG188A/U COAX *Coax Performance* Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110"	12"	PE3051-12	$46.90	$43.62	$40.33
	24"	PE3051-24	47.95	44.59	41.24
	36"	PE3051-36	48.90	45.48	42.05
	48"	PE3051-48	49.95	46.45	42.96
	60"	PE3051-60	50.85	47.29	43.73
	Any	PE3051-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3553-12	$47.05	$43.76	$40.46
	24"	PE3553-24	48.45	45.06	41.67
	36"	PE3553-36	49.90	46.41	42.91
	48"	PE3553-48	51.25	47.66	44.08
	60"	PE3553-60	52.55	48.87	45.19
	Any	PE3553-XX	See Website for Pricing		
50 OHM, RG316/U COAX *Coax Performance* Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3835-12	$46.90	$43.62	$40.33
	24"	PE3835-24	47.95	44.59	41.24
	36"	PE3835-36	48.90	45.48	42.05
	48"	PE3835-48	49.95	46.45	42.96
	60"	PE3835-60	51.75	48.13	44.51
	Any	PE3835-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE3973-12	$50.40	$46.87	$43.34
	24"	PE3973-24	52.85	49.15	45.45
	36"	PE3973-36	55.40	51.52	47.64
	48"	PE3973-48	57.85	53.80	49.75
	60"	PE3973-60	60.30	56.08	51.86
	Any	PE3973-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3924-12	$50.50	$46.97	$43.43
	24"	PE3924-24	53.25	49.52	45.80
	36"	PE3924-36	56.00	52.08	48.16
	48"	PE3924-48	58.70	54.59	50.48
	60"	PE3924-60	63.65	59.19	54.74
	Any	PE3924-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 23.5 dB; Power Handling** 45 W; Cable Diameter .110"	12"	PE38240-12	$37.60	$34.97	$32.34
	24"	PE38240-24	39.25	36.50	33.76
	36"	PE38240-36	40.95	38.08	35.22
	48"	PE38240-48	42.60	39.62	36.64
	60"	PE38240-60	44.30	41.20	38.10
	Any	PE38240-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195"	12"	PE36417-12	$33.10	$30.78	$28.47
	24"	PE36417-24	34.20	31.81	29.41
	36"	PE36417-36	35.30	32.83	30.36
	48"	PE36417-48	36.40	33.85	31.30
	60"	PE36417-60	37.55	34.92	32.29
	Any	PE36417-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX *Coax Performance* Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3799-12	$45.55	$42.36	$39.17
	24"	PE3799-24	52.25	48.59	44.94
	36"	PE3799-36	58.90	54.78	50.65
	48"	PE3799-48	65.60	61.01	56.42
	60"	PE3799-60	72.25	67.19	62.14
	Any	PE3799-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

SMA MALE TO SMA FEMALE BULKHEAD

USE MOUNTING HOLE B02 ON 259

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE3825-12	$41.25	$38.36	$35.48
	24"	PE3825-24	46.75	43.48	40.21
	36"	PE3825-36	52.25	48.59	44.94
	48"	PE3825-48	57.75	53.71	49.67
	60"	PE3825-60	63.25	58.82	54.40
	Any	PE3825-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE34252-12	$42.85	$39.85	$36.85
	24"	PE34252-24	49.90	46.41	42.91
	36"	PE34252-36	57.00	53.01	49.02
	48"	PE34252-48	64.10	59.61	55.13
	60"	PE34252-60	71.20	66.22	61.23
	Any	PE34252-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE3468-12	$41.60	$38.69	$35.78
	24"	PE3468-24	47.40	44.08	40.76
	36"	PE3468-36	53.25	49.52	45.80
	48"	PE3468-48	59.10	54.96	50.83
	60"	PE3468-60	64.95	60.40	55.86
	Any	PE3468-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE3531-12	$80.95	$75.28	$69.62
	24"	PE3531-24	88.70	82.49	76.28
	36"	PE3531-36	96.45	89.70	82.95
	48"	PE3531-48	104.15	96.86	89.57
	60"	PE3531-60	111.90	104.07	96.23
	Any	PE3531-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE34245-12	$78.80	$73.28	$67.77
	24"	PE34245-24	84.35	78.45	72.54
	36"	PE34245-36	89.95	83.65	77.36
	48"	PE34245-48	95.50	88.82	82.13
	60"	PE34245-60	101.05	93.98	86.90
	Any	PE34245-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3826-12	$43.10	$40.08	$37.07
	24"	PE3826-24	48.30	44.92	41.54
	36"	PE3826-36	53.45	49.71	45.97
	48"	PE3826-48	58.65	54.54	50.44
	60"	PE3826-60	63.80	59.33	54.87
	Any	PE3826-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) Coax Performance: Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE34254-12	$44.45	$41.34	$38.23
	24"	PE34254-24	50.95	47.38	43.82
	36"	PE34254-36	57.45	53.43	49.41
	48"	PE34254-48	64.00	59.52	55.04
	60"	PE34254-60	70.50	65.57	60.63
	Any	PE34254-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3961-12	$46.00	$42.78	$39.56
	24"	PE3961-24	54.05	50.27	46.48
	36"	PE3961-36	62.15	57.80	53.45
	48"	PE3961-48	70.20	65.29	60.37
	60"	PE3961-60	76.85	71.47	66.09
	Any	PE3961-XX	See Website for Pricing		
50 OHM, RG401/U (.250" BARE COPPER) Coax Performance: Attenuation* 9.7 dB; Power Handling** 870 W; Cable Diameter .250"	12"	PE34256-12	$100.95	$93.88	$86.82
	24"	PE34256-24	117.55	109.32	101.09
	36"	PE34256-36	134.15	124.76	115.37
	48"	PE34256-48	150.70	140.15	129.60
	60"	PE34256-60	167.30	155.59	143.88
	Any	PE34256-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34249-12	$96.00	$89.28	$82.56
	24"	PE34249-24	107.65	100.11	92.58
	36"	PE34249-36	119.30	110.95	102.60
	48"	PE34249-48	130.90	121.74	112.57
	60"	PE34249-60	142.55	132.57	122.59
	Any	PE34249-XX	See Website for Pricing		

SMA MALE TO 2.4mm MALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE35666-12	$80.15	$74.54	$68.93
	24"	PE35666-24	85.20	79.24	73.27
	36"	PE35666-36	90.25	83.93	77.62
	48"	PE35666-48	95.30	88.63	81.96
	60"	PE35666-60	100.40	93.37	86.34
	Any	PE35666-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) Coax Performance: Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE35668-12	$88.80	$82.58	$76.37
	24"	PE35668-24	95.35	88.68	82.00
	36"	PE35668-36	101.85	94.72	87.59
	48"	PE35668-48	108.35	100.77	93.18
	60"	PE35668-60	114.85	106.81	98.77
	Any	PE35668-XX	See Website for Pricing		

SMA MALE TO SSMA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE35430-12	$54.75	$50.92	$47.09
	24"	PE35430-24	55.10	51.24	47.39
	36"	PE35430-36	55.35	51.48	47.60
	48"	PE35430-48	55.60	51.71	47.82
	60"	PE35430-60	55.85	51.94	48.03
	Any	PE35430-XX	See Website for Pricing		
50 OHM, RG178B/U COAX Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075"	12"	PE3058-12	$60.10	$55.89	$51.69
	24"	PE3058-24	61.10	56.82	52.55
	36"	PE3058-36	62.05	57.71	53.36
	48"	PE3058-48	63.05	58.64	54.22
	60"	PE3058-60	63.95	59.47	55.00
	Any	PE3058-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3669-12	$55.15	$51.29	$47.43
	24"	PE3669-24	56.10	52.17	48.25
	36"	PE3669-36	57.10	53.10	49.11
	48"	PE3669-48	58.05	53.99	49.92
	60"	PE3669-60	59.15	55.01	50.87
	Any	PE3669-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE37401-12	$44.70	$41.57	$38.44
	24"	PE37401-24	46.85	43.57	40.29
	36"	PE37401-36	49.05	45.62	42.18
	48"	PE37401-48	51.20	47.62	44.03
	60"	PE37401-60	53.40	49.66	45.92
	Any	PE37401-XX	See Website for Pricing		

SMA MALE TO N MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE3323-12	$90.70	$84.35	$78.00
	24"	PE3323-24	92.85	86.35	79.85
	36"	PE3323-36	95.05	88.40	81.74
	48"	PE3323-48	97.20	90.40	83.59
	60"	PE3323-60	99.40	92.44	85.48
	Any	PE3323-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .206"	12"	PE3654-12	$31.70	$29.48	$27.26
	24"	PE3654-24	33.40	31.06	28.72
	36"	PE3654-36	35.10	32.64	30.19
	48"	PE3654-48	36.85	34.27	31.69
	60"	PE3654-60	38.55	35.85	33.15
	Any	PE3654-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3234-12	$40.20	$37.39	$34.57
	24"	PE3234-24	42.50	39.53	36.55
	36"	PE3234-36	44.75	41.62	38.49
	48"	PE3234-48	47.05	43.76	40.46
	60"	PE3234-60	49.35	45.90	42.44
	Any	PE3234-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE3957-12	$42.35	$39.39	$36.42
	24"	PE3957-24	44.80	41.66	38.53
	36"	PE3957-36	47.25	43.94	40.64
	48"	PE3957-48	49.80	46.31	42.83
	60"	PE3957-60	52.25	48.59	44.94
	Any	PE3957-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

SMA MALE TO N MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX *Coax Performance* Attenuation* 20.0 dB Power Handling** 44 W Cable Diameter .195"	12"	PE3662-12	$33.35	$31.02	$28.68
	24"	PE3662-24	33.85	31.48	29.11
	36"	PE3662-36	34.40	31.99	29.58
	48"	PE3662-48	34.90	32.46	30.01
	60"	PE3662-60	35.45	32.97	30.49
	Any	PE3662-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .195"	12"	PE3568-12	$33.90	$31.53	$29.15
	24"	PE3568-24	37.85	35.20	32.55
	36"	PE3568-36	41.80	38.87	35.95
	48"	PE3568-48	45.75	42.55	39.35
	60"	PE3568-60	49.70	46.22	42.74
	Any	PE3568-XX	See Website for Pricing		
50 OHM, RG174A/U COAX *Coax Performance* Attenuation* 31.0 dB Power Handling** 16 W Cable Diameter .100"	12"	PE3291-12	$38.35	$35.67	$32.98
	24"	PE3291-24	38.75	36.04	33.33
	36"	PE3291-36	39.15	36.41	33.67
	48"	PE3291-48	39.55	36.78	34.01
	60"	PE3291-60	39.95	37.15	34.36
	Any	PE3291-XX	See Website for Pricing		
50 OHM, RG178B/U COAX *Coax Performance* Attenuation* 45.0 dB Power Handling** 78 W Cable Diameter .075"	12"	PE3321-12	$49.15	$45.71	$42.27
	24"	PE3321-24	50.15	46.64	43.13
	36"	PE3321-36	51.15	47.57	43.99
	48"	PE3321-48	52.10	48.45	44.81
	60"	PE3321-60	53.10	49.38	45.67
	Any	PE3321-XX	See Website for Pricing		
50 OHM, RG188A/U COAX *Coax Performance* Attenuation* 30.0 dB Power Handling** 160 W Cable Diameter .110"	12"	PE3911-12	$39.60	$36.83	$34.06
	24"	PE3911-24	41.25	38.36	35.48
	36"	PE3911-36	42.90	39.90	36.89
	48"	PE3911-48	44.55	41.43	38.31
	60"	PE3911-60	46.25	43.01	39.78
	Any	PE3911-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 9.0 dB Power Handling** 190 W Cable Diameter .425"	12"	PE3422-12	$93.60	$87.05	$80.50
	24"	PE3422-24	99.10	92.16	85.23
	36"	PE3422-36	104.60	97.28	89.96
	48"	PE3422-48	110.10	102.39	94.69
	60"	PE3422-60	115.55	107.46	99.37
	Any	PE3422-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 16.5 dB Power Handling** 53 W Cable Diameter .216"	12"	PE3519-12	$32.75	$30.46	$28.17
	24"	PE3519-24	34.20	31.81	29.41
	36"	PE3519-36	36.30	33.76	31.22
	48"	PE3519-48	38.40	35.71	33.02
	60"	PE3519-60	40.55	37.71	34.87
	Any	PE3519-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG393/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 7.5 dB Power Handling** 1700 W Cable Diameter .390"	12"	PE3302-12	$100.15	$93.14	$86.13
	24"	PE3302-24	112.15	104.30	96.45
	36"	PE3302-36	124.20	115.51	106.81
	48"	PE3302-48	136.20	126.67	117.13
	60"	PE3302-60	148.25	137.87	127.50
	Any	PE3302-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .195"	12"	PE3614-12	$39.55	$36.78	$34.01
	24"	PE3614-24	44.75	41.62	38.49
	36"	PE3614-36	49.90	46.41	42.91
	48"	PE3614-48	54.55	50.73	46.91
	60"	PE3614-60	58.15	54.08	50.01
	Any	PE3614-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 23.5 dB Power Handling** 45 W Cable Diameter .110"	12"	PE38433-12	$35.20	$32.74	$30.27
	24"	PE38433-24	36.85	34.27	31.69
	36"	PE38433-36	38.55	35.85	33.15
	48"	PE38433-48	40.20	37.39	34.57
	60"	PE38433-60	41.90	38.97	36.03
	Any	PE38433-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 11.5 dB Power Handling** 150 W Cable Diameter .195"	12"	PE35981-12	$29.55	$27.48	$25.41
	24"	PE35981-24	30.65	28.50	26.36
	36"	PE35981-36	31.75	29.53	27.31
	48"	PE35981-48	32.85	30.55	28.25
	60"	PE35981-60	34.00	31.62	29.24
	Any	PE35981-XX	See Website for Pricing		
50 OHM, PE-C200 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 11.0 dB Power Handling** 170 W Cable Diameter .195"	12"	PE36200-12	$32.70	$30.41	$28.12
	24"	PE36200-24	36.25	33.71	31.18
	36"	PE36200-36	39.75	36.97	34.19
	48"	PE36200-48	43.25	40.22	37.20
	60"	PE36200-60	46.75	43.48	40.21
	Any	PE36200-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 8.0 dB Power Handling** 250 W Cable Diameter .240"	12"	PE38645-12	$42.35	$39.39	$36.42
	24"	PE38645-24	44.70	41.57	38.44
	36"	PE38645-36	47.05	43.76	40.46
	48"	PE38645-48	49.35	45.90	42.44
	60"	PE38645-60	51.70	48.08	44.46
	Any	PE38645-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX *Coax Performance* Attenuation* 12.5 dB Power Handling** 650 W Cable Diameter .195"	12"	PE3318-12	$54.60	$50.78	$46.96
	24"	PE3318-24	58.30	54.22	50.14
	36"	PE3318-36	62.05	57.71	53.36
	48"	PE3318-48	65.75	61.15	56.55
	60"	PE3318-60	69.45	64.59	59.73
	Any	PE3318-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG401/U (.250" BARE COPPER) *Coax Performance* Attenuation* 9.7 dB Power Handling** 870 W Cable Diameter .250"	12"	PE33001-12	$104.90	$97.56	$90.21
	24"	PE33001-24	121.50	113.00	104.49
	36"	PE33001-36	138.10	128.43	118.77
	48"	PE33001-48	154.65	143.82	133.00
	60"	PE33001-60	171.25	159.26	147.28
	Any	PE33001-XX	See Website for Pricing		
50 OHM, RG402/U (.141" BARE COPPER) *Coax Performance* Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .141"	12"	PE3887-12	$48.45	$45.06	$41.67
	24"	PE3887-24	53.95	50.17	46.40
	36"	PE3887-36	59.45	55.29	51.13
	48"	PE3887-48	64.95	60.40	55.86
	60"	PE3887-60	70.45	65.52	60.59
	Any	PE3887-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) *Coax Performance* Attenuation* 13.0 dB Power Handling** 450 W Cable Diameter .141"	12"	PE34265-12	$52.40	$48.73	$45.06
	24"	PE34265-24	57.10	53.10	49.11
	36"	PE34265-36	64.20	59.71	55.21
	48"	PE34265-48	71.30	66.31	61.32
	60"	PE34265-60	78.40	72.91	67.42
	Any	PE34265-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) *Coax Performance* Attenuation* 12.0 dB Power Handling** 450 W Cable Diameter .141"	12"	PE3448-12	$52.40	$48.73	$45.06
	24"	PE3448-24	56.10	52.17	48.25
	36"	PE3448-36	60.45	56.22	51.99
	48"	PE3448-48	66.30	61.66	57.02
	60"	PE3448-60	72.15	67.10	62.05
	Any	PE3448-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) *Coax Performance* Attenuation* 40.0 dB Power Handling** 32 W Cable Diameter .047"	12"	PE34257-12	$69.00	$64.17	$59.34
	24"	PE34257-24	76.75	71.38	66.01
	36"	PE34257-36	84.50	78.59	72.67
	48"	PE34257-48	92.20	85.75	79.29
	60"	PE34257-60	99.95	92.95	85.96
	Any	PE34257-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) *Coax Performance* Attenuation* 40.0 dB Power Handling** 32 W Cable Diameter .047"	12"	PE34268-12	$66.85	$62.17	$57.49
	24"	PE34268-24	72.40	67.33	62.26
	36"	PE34268-36	78.00	72.54	67.08
	48"	PE34268-48	83.55	77.70	71.85
	60"	PE34268-60	89.10	82.86	76.63
	Any	PE34268-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) *Coax Performance* Attenuation* 22.0 dB Power Handling** 130 W Cable Diameter .085"	12"	PE3828-12	$57.05	$53.06	$49.06
	24"	PE3828-24	62.25	57.89	53.54
	36"	PE3828-36	67.40	62.68	57.96
	48"	PE3828-48	72.60	67.52	62.44
	60"	PE3828-60	77.75	72.31	66.87
	Any	PE3828-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) *Coax Performance* Attenuation* 23.0 dB Power Handling** 130 W Cable Diameter .085"	12"	PE34270-12	$58.40	$54.31	$50.22
	24"	PE34270-24	64.90	60.36	55.81
	36"	PE34270-36	71.40	66.40	61.40
	48"	PE34270-48	77.95	72.49	67.04
	60"	PE34270-60	84.45	78.54	72.63
	Any	PE34270-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) *Coax Performance* Attenuation* 22.0 dB Power Handling** 130 W Cable Diameter .085"	12"	PE3657-12	$59.95	$55.75	$51.56
	24"	PE3657-24	68.00	63.24	58.48
	36"	PE3657-36	76.10	70.77	65.45
	48"	PE3657-48	84.15	78.26	72.37
	60"	PE3657-60	92.25	85.79	79.34
	Any	PE3657-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) *Coax Performance* Attenuation* 7.0 dB Power Handling** 1400 W Cable Diameter .250"	12"	PE34263-12	$99.95	$92.95	$85.96
	24"	PE34263-24	111.60	103.79	95.98
	36"	PE34263-36	123.25	114.62	106.00
	48"	PE34263-48	134.70	125.27	115.84
	60"	PE34263-60	144.50	134.39	124.27
	Any	PE34263-XX	See Website for Pricing		

SMA MALE TO N FEMALE BULKHEAD

USE MOUNTING HOLE G01 ON PAGE 259

Type	Length	Model No.	1-24	25-49	50-99
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED	12"	PE34169-12	$34.50	$32.09	$29.67
Coax Performance	24"	PE34169-24	36.20	33.67	31.13
Attenuation* 16.5 dB	36"	PE34169-36	37.90	35.25	32.59
Power Handling** 53 W	48"	PE34169-48	39.65	36.87	34.10
Cable Diameter .206"	60"	PE34169-60	41.35	38.46	35.56
	Any	PE34169-XX	See Website for Pricing		
50 OHM, RG58C/U COAX	12"	PE3013-12	$46.65	$43.38	$40.12
Coax Performance	24"	PE3013-24	47.00	43.71	40.42
Attenuation* 20.0 dB	36"	PE3013-36	47.50	44.18	40.85
Power Handling** 44 W	48"	PE3013-48	47.95	44.59	41.24
Cable Diameter .195"	60"	PE3013-60	48.35	44.97	41.58
	Any	PE3013-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED	12"	PE3345-12	$50.50	$46.97	$43.43
Coax Performance	24"	PE3345-24	53.25	49.52	45.80
Attenuation* 13.0 dB	36"	PE3345-36	56.00	52.08	48.16
Power Handling** 650 W	48"	PE3345-48	58.70	54.59	50.48
Cable Diameter .195"	60"	PE3345-60	61.45	57.15	52.85
	Any	PE3345-XX	See Website for Pricing		
50 OHM, RG174A/U COAX	12"	PE34171-12	$46.55	$43.29	$40.03
Coax Performance	24"	PE34171-24	46.80	43.52	40.25
Attenuation* 31.0 dB	36"	PE34171-36	47.05	43.76	40.46
Power Handling** 16 W	48"	PE34171-48	47.40	44.08	40.76
Cable Diameter .100"	60"	PE34171-60	47.65	44.31	40.98
	Any	PE34171-XX	See Website for Pricing		
50 OHM, RG178B/U COAX	12"	PE34174-12	$49.35	$45.90	$42.44
Coax Performance	24"	PE34174-24	50.10	46.59	43.09
Attenuation* 45.0 dB	36"	PE34174-36	50.80	47.24	43.69
Power Handling** 78 W	48"	PE34174-48	51.55	47.94	44.33
Cable Diameter .075"	60"	PE34174-60	52.25	48.59	44.94
	Any	PE34174-XX	See Website for Pricing		
50 OHM, RG213/U COAX	12"	PE34185-12	$100.00	$93.00	$86.00
Coax Performance	24"	PE34185-24	101.25	94.16	87.08
Attenuation* 9.0 dB	36"	PE34185-36	102.45	95.28	88.11
Power Handling** 190 W	48"	PE34185-48	103.70	96.44	89.18
Cable Diameter .405"	60"	PE34185-60	104.90	97.56	90.21
	Any	PE34185-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED	12"	PE33481-12	$84.20	$78.31	$72.41
Coax Performance	24"	PE33481-24	89.25	83.00	76.76
Attenuation* 9.0 dB	36"	PE33481-36	94.20	87.61	81.01
Power Handling** 190 W	48"	PE33481-48	99.05	92.12	85.18
Cable Diameter .425"	60"	PE33481-60	104.05	96.77	89.48
	Any	PE33481-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE3193-12	$47.05	$43.76	$40.46
Coax Performance	24"	PE3193-24	48.45	45.06	41.67
Attenuation* 16.5 dB	36"	PE3193-36	49.90	46.41	42.91
Power Handling** 53 W	48"	PE3193-48	51.25	47.66	44.08
Cable Diameter .216"	60"	PE3193-60	52.55	48.87	45.19
	Any	PE3193-XX	See Website for Pricing		
50 OHM, RG316/U COAX	12"	PE33555-12	$47.45	$44.13	$40.81
Coax Performance	24"	PE33555-24	49.75	46.27	42.79
Attenuation* 30.0 dB	36"	PE33555-36	52.00	48.36	44.72
Power Handling** 160 W	48"	PE33555-48	54.30	50.50	46.70
Cable Diameter .102"	60"	PE33555-60	56.60	52.64	48.68
	Any	PE33555-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED	12"	PE33929-12	$50.40	$46.87	$43.34
Coax Performance	24"	PE33929-24	52.85	49.15	45.45
Attenuation* 30.0 dB	36"	PE33929-36	55.40	51.52	47.64
Power Handling** 160 W	48"	PE33929-48	57.85	53.80	49.75
Cable Diameter .114"	60"	PE33929-60	60.30	56.08	51.86
	Any	PE33929-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED	12"	PE33117-12	$50.50	$46.97	$43.43
Coax Performance	24"	PE33117-24	53.25	49.52	45.80
Attenuation* 13.0 dB	36"	PE33117-36	56.00	52.08	48.16
Power Handling** 650 W	48"	PE33117-48	58.70	54.59	50.48
Cable Diameter .195"	60"	PE33117-60	63.05	58.64	54.22
	Any	PE33117-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX	12"	PE34178-12	$66.05	$61.43	$56.80
Coax Performance	24"	PE34178-24	69.85	64.96	60.07
Attenuation* 12.5 dB	36"	PE34178-36	73.55	68.40	63.25
Power Handling** 650 W	48"	PE34178-48	77.25	71.84	66.44
Cable Diameter .195"	60"	PE34178-60	80.95	75.28	69.62
	Any	PE34178-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER)	12"	PE3769-12	$83.80	$77.93	$72.07
Coax Performance	24"	PE3769-24	87.55	81.42	75.29
Attenuation* 13.0 dB	36"	PE3769-36	91.25	84.86	78.48
Power Handling** 650 W	48"	PE3769-48	94.95	88.30	81.66
Cable Diameter .141"	60"	PE3769-60	98.80	91.88	84.97
	Any	PE3769-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE)	12"	PE33996-12	$87.90	$81.75	$75.59
Coax Performance	24"	PE33996-24	91.60	85.19	78.78
Attenuation* 12.0 dB	36"	PE33996-36	95.35	88.68	82.00
Power Handling** 450 W	48"	PE33996-48	99.10	92.16	85.23
Cable Diameter .141"	60"	PE33996-60	102.75	95.56	88.37
	Any	PE33996-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER)	12"	PE3367-12	$85.15	$79.19	$73.23
Coax Performance	24"	PE3367-24	88.90	82.68	76.45
Attenuation* 22.0 dB	36"	PE3367-36	92.55	86.07	79.59
Power Handling** 130 W	48"	PE3367-48	96.35	89.61	82.86
Cable Diameter .085"	60"	PE3367-60	100.10	93.09	86.09
	Any	PE3367-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE)	12"	PE33844-12	$57.60	$53.57	$49.54
Coax Performance	24"	PE33844-24	65.65	61.05	56.46
Attenuation* 22.0 dB	36"	PE33844-36	73.75	68.59	63.43
Power Handling** 130 W	48"	PE33844-48	81.80	76.07	70.35
Cable Diameter .085"	60"	PE33844-60	89.90	83.61	77.31
	Any	PE33844-XX	See Website for Pricing		
50 OHM, RG401/U (.250" BARE COPPER)	12"	PE34157-12	$92.50	$86.03	$79.55
Coax Performance	24"	PE34157-24	109.10	101.46	93.83
Attenuation* 9.7 dB	36"	PE34157-36	125.70	116.90	108.10
Power Handling** 870 W	48"	PE34157-48	142.25	132.29	122.34
Cable Diameter .250"	60"	PE34157-60	158.85	147.73	136.61
	Any	PE34157-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE)	12"	PE34163-12	$92.45	$85.98	$79.51
Coax Performance	24"	PE34163-24	99.90	92.91	85.91
Attenuation* 7.0 dB	36"	PE34163-36	110.85	103.09	95.33
Power Handling** 1400 W	48"	PE34163-48	122.45	113.88	105.31
Cable Diameter .250"	60"	PE34163-60	134.10	124.71	115.33
	Any	PE34163-XX	See Website for Pricing		

SMA MALE TO TNC MALE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX	12"	PE33669-12	$92.55	$86.07	$79.59
Coax Performance	24"	PE33669-24	94.70	88.07	81.44
Attenuation* 9.0 dB	36"	PE33669-36	96.90	90.12	83.33
Power Handling** 190 W	48"	PE33669-48	99.05	92.12	85.18
Cable Diameter .405"	60"	PE33669-60	101.25	94.16	87.08
	Any	PE33669-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED	12"	PE34250-12	$30.00	$27.90	$25.80
Coax Performance	24"	PE34250-24	31.70	29.48	27.26
Attenuation* 16.5 dB	36"	PE34250-36	33.40	31.06	28.72
Power Handling** 53 W	48"	PE34250-48	35.15	32.69	30.23
Cable Diameter .206"	60"	PE34250-60	36.85	34.27	31.69
	Any	PE34250-XX	See Website for Pricing		
50 OHM, RG58C/U COAX	12"	PE3154-12	$32.75	$30.46	$28.17
Coax Performance	24"	PE3154-24	33.20	30.88	28.55
Attenuation* 20.0 dB	36"	PE3154-36	33.65	31.29	28.94
Power Handling** 44 W	48"	PE3154-48	34.05	31.67	29.28
Cable Diameter .195"	60"	PE3154-60	34.45	32.04	29.63
	Any	PE3154-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED	12"	PE3176-12	$101.15	$94.07	$86.99
Coax Performance	24"	PE3176-24	106.65	99.18	91.72
Attenuation* 9.0 dB	36"	PE3176-36	112.15	104.30	96.45
Power Handling** 190 W	48"	PE3176-48	117.65	109.41	101.18
Cable Diameter .425"	60"	PE3176-60	123.10	114.48	105.87
	Any	PE3176-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE3535-12	$32.75	$30.46	$28.17
Coax Performance	24"	PE3535-24	34.15	31.76	29.37
Attenuation* 16.5 dB	36"	PE3535-36	35.55	33.06	30.57
Power Handling** 53 W	48"	PE3535-48	36.85	34.27	31.69
Cable Diameter .216"	60"	PE3535-60	38.85	36.13	33.41
	Any	PE3535-XX	See Website for Pricing		
50 OHM, RG316/U COAX	12"	PE3174-12	$42.60	$39.62	$36.64
Coax Performance	24"	PE3174-24	44.90	41.76	38.61
Attenuation* 30.0 dB	36"	PE3174-36	47.15	43.85	40.55
Power Handling** 160 W	48"	PE3174-48	49.45	45.99	42.53
Cable Diameter .102"	60"	PE3174-60	51.75	48.13	44.51
	Any	PE3174-XX	See Website for Pricing		

Continued on Next Page

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

SMA MALE TO TNC MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE36848-12	$37.80	$35.15	$32.51
Coax Performance	24"	PE36848-24	38.50	35.81	33.11
Attenuation* 11.5 dB	36"	PE36848-36	39.20	36.46	33.71
Power Handling** 77 W	48"	PE36848-48	39.90	37.11	34.31
Cable Diameter .242"	60"	PE36848-60	40.60	37.76	34.92
	Any	PE36848-XX	See Website for Pricing		
50 OHM, RG141A/U COAX	12"	PE37580-12	$39.65	$36.87	$34.10
Coax Performance	24"	PE37580-24	44.50	41.39	38.27
Attenuation* 13.0 dB	36"	PE37580-36	49.35	45.90	42.44
Power Handling** 650 W	48"	PE37580-48	54.20	50.41	46.61
Cable Diameter .190"	60"	PE37580-60	59.05	54.92	50.78
	Any	PE37580-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED	12"	PE3664-12	$32.75	$30.46	$28.17
Coax Performance	24"	PE3664-24	36.15	33.62	31.09
Attenuation* 13.0 dB	36"	PE3664-36	40.10	37.29	34.49
Power Handling** 650 W	48"	PE3664-48	44.05	40.97	37.88
Cable Diameter .195"	60"	PE3664-60	48.00	44.64	41.28
	Any	PE3664-XX	See Website for Pricing		
50 OHM, RG174A/U COAX	12"	PE3178-12	$40.75	$37.90	$35.05
Coax Performance	24"	PE3178-24	41.15	38.27	35.39
Attenuation* 31.0 dB	36"	PE3178-36	41.55	38.64	35.73
Power Handling** 16 W	48"	PE3178-48	41.95	39.01	36.08
Cable Diameter .100"	60"	PE3178-60	42.35	39.39	36.42
	Any	PE3178-XX	See Website for Pricing		
50 OHM, RG188A/U COAX	12"	PE33361-12	$42.00	$39.06	$36.12
Coax Performance	24"	PE33361-24	43.65	40.59	37.54
Attenuation* 30.0 dB	36"	PE33361-36	45.30	42.13	38.96
Power Handling** 160 W	48"	PE33361-48	46.95	43.66	40.38
Cable Diameter .110"	60"	PE33361-60	48.65	45.24	41.84
	Any	PE33361-XX	See Website for Pricing		
50 OHM, RG213/U COAX	12"	PE33673-12	$91.60	$85.19	$78.78
Coax Performance	24"	PE33673-24	92.85	86.35	79.85
Attenuation* 9.0 dB	36"	PE33673-36	94.05	87.47	80.88
Power Handling** 190 W	48"	PE33673-48	95.30	88.63	81.96
Cable Diameter .405"	60"	PE33673-60	96.50	89.75	82.99
	Any	PE33673-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316-DS COAX, DOUBLE SHIELDED	12"	PE34246-12	$41.75	$38.83	$35.91
Coax Performance	24"	PE34246-24	43.90	40.83	37.75
Attenuation* 30.0 dB	36"	PE34246-36	46.10	42.87	39.65
Power Handling** 160 W	48"	PE34246-48	48.25	44.87	41.50
Cable Diameter .114"	60"	PE34246-60	50.45	46.92	43.39
	Any	PE34246-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED	12"	PE34253-12	$107.70	$100.16	$92.62
Coax Performance	24"	PE34253-24	119.70	111.32	102.94
Attenuation* 7.5 dB	36"	PE34253-36	131.75	122.53	113.31
Power Handling** 1700 W	48"	PE34253-48	143.75	133.69	123.63
Cable Diameter .390"	60"	PE34253-60	155.80	144.89	133.99
	Any	PE34253-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED	12"	PE33948-12	$37.85	$35.20	$32.55
Coax Performance	24"	PE33948-24	43.05	40.04	37.02
Attenuation* 13.0 dB	36"	PE33948-36	48.20	44.83	41.45
Power Handling** 650 W	48"	PE33948-48	53.40	49.66	45.92
Cable Diameter .195"	60"	PE33948-60	58.15	54.08	50.01
	Any	PE33948-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED	12"	PE36058-12	$27.10	$25.20	$23.31
Coax Performance	24"	PE36058-24	28.20	26.23	24.25
Attenuation* 11.5 dB	36"	PE36058-36	29.30	27.25	25.20
Power Handling** 150 W	48"	PE36058-48	30.40	28.27	26.14
Cable Diameter .195"	60"	PE36058-60	31.55	29.34	27.13
	Any	PE36058-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED	12"	PE38642-12	$36.60	$34.04	$31.48
Coax Performance	24"	PE38642-24	38.95	36.22	33.50
Attenuation* 8.0 dB	36"	PE38642-36	41.30	38.41	35.52
Power Handling** 250 W	48"	PE38642-48	43.60	40.55	37.50
Cable Diameter .240"	60"	PE38642-60	45.95	42.73	39.52
	Any	PE38642-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX	12"	PE33396-12	$37.05	$34.46	$31.86
Coax Performance	24"	PE33396-24	43.75	40.69	37.63
Attenuation* 12.5 dB	36"	PE33396-36	50.40	46.87	43.34
Power Handling** 650 W	48"	PE33396-48	57.10	53.10	49.11
Cable Diameter .195"	60"	PE33396-60	63.75	59.29	54.83
	Any	PE33396-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER)	12"	PE3089-12	$51.50	$47.90	$44.29
Coax Performance	24"	PE3089-24	57.00	53.01	49.02
Attenuation* 13.0 dB	36"	PE3089-36	62.50	58.13	53.75
Power Handling** 650 W	48"	PE3089-48	68.00	63.24	58.48
Cable Diameter .141"	60"	PE3089-60	73.50	68.36	63.21
	Any	PE3089-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM)	12"	PE34406-12	$53.10	$49.38	$45.67
Coax Performance	24"	PE34406-24	60.15	55.94	51.73
Attenuation* 13.0 dB	36"	PE34406-36	67.25	62.54	57.84
Power Handling** 450 W	48"	PE34406-48	74.35	69.15	63.94
Cable Diameter .141"	60"	PE34406-60	81.45	75.75	70.05
	Any	PE34406-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE)	12"	PE33928-12	$56.50	$52.55	$48.59
Coax Performance	24"	PE33928-24	60.20	55.99	51.77
Attenuation* 12.0 dB	36"	PE33928-36	63.85	59.38	54.91
Power Handling** 450 W	48"	PE33928-48	69.35	64.50	59.64
Cable Diameter .141"	60"	PE33928-60	75.20	69.94	64.67
	Any	PE33928-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE)	12"	PE34412-12	$62.95	$58.54	$54.14
Coax Performance	24"	PE34412-24	68.50	63.71	58.91
Attenuation* 40.0 dB	36"	PE34412-36	74.10	68.91	63.73
Power Handling** 32 W	48"	PE34412-48	79.65	74.07	68.50
Cable Diameter .047"	60"	PE34412-60	85.20	79.24	73.27
	Any	PE34412-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER)	12"	PE33420-12	$49.80	$46.31	$42.83
Coax Performance	24"	PE33420-24	55.00	51.15	47.30
Attenuation* 22.0 dB	36"	PE33420-36	60.15	55.94	51.73
Power Handling** 130 W	48"	PE33420-48	65.35	60.78	56.20
Cable Diameter .085"	60"	PE33420-60	70.50	65.57	60.63
	Any	PE33420-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM)	12"	PE34414-12	$51.15	$47.57	$43.99
Coax Performance	24"	PE34414-24	57.65	53.61	49.58
Attenuation* 23.0 dB	36"	PE34414-36	64.15	59.66	55.17
Power Handling** 130 W	48"	PE34414-48	70.70	65.75	60.80
Cable Diameter .085"	60"	PE34414-60	77.20	71.80	66.39
	Any	PE34414-XX	See Website for Pricing		
50 OHM, RG401/U (.250" BARE COPPER)	12"	PE34418-12	$117.65	$109.41	$101.18
Coax Performance	24"	PE34418-24	134.25	124.85	115.46
Attenuation* 9.7 dB	36"	PE34418-36	150.85	140.29	129.73
Power Handling** 870 W	48"	PE34418-48	167.40	155.68	143.96
Cable Diameter .250"	60"	PE34418-60	184.00	171.12	158.24
	Any	PE34418-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE)	12"	PE34422-12	$112.70	$104.81	$96.92
Coax Performance	24"	PE34422-24	124.35	115.65	106.94
Attenuation* 7.0 dB	36"	PE34422-36	136.00	126.48	116.96
Power Handling** 1400 W	48"	PE34422-48	147.60	137.27	126.94
Cable Diameter .250"	60"	PE34422-60	159.25	148.10	136.96
	Any	PE34422-XX	See Website for Pricing		

SMA MALE TO 7/16 DIN MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE36161-12	$104.15	$96.86	$89.57
Coax Performance	24"	PE36161-24	106.25	98.81	91.38
Attenuation* 16.5 dB	36"	PE36161-36	108.35	100.77	93.18
Power Handling** 53 W	48"	PE36161-48	110.45	102.72	94.99
Cable Diameter .216"	60"	PE36161-60	112.60	104.72	96.84
	Any	PE36161-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG400/U COAX, DOUBLE SHIELDED	12"	PE36165-12	$131.00	$121.83	$112.66
Coax Performance	24"	PE36165-24	136.20	126.67	117.13
Attenuation* 13.0 dB	36"	PE36165-36	141.35	131.46	121.56
Power Handling** 650 W	48"	PE36165-48	146.55	136.29	126.03
Cable Diameter .195"	60"	PE36165-60	151.70	141.08	130.46
	Any	PE36165-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER)	12"	PE36171-12	$137.20	$127.60	$117.99
Coax Performance	24"	PE36171-24	142.70	132.71	122.72
Attenuation* 13.0 dB	36"	PE36171-36	148.20	137.83	127.45
Power Handling** 650 W	48"	PE36171-48	153.70	142.94	132.18
Cable Diameter .141"	60"	PE36171-60	159.25	148.10	136.96
	Any	PE36171-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE)	12"	PE36173-12	$137.55	$127.92	$118.29
Coax Performance	24"	PE36173-24	143.40	133.36	123.32
Attenuation* 12.0 dB	36"	PE36173-36	149.20	138.76	128.31
Power Handling** 450 W	48"	PE36173-48	155.05	144.20	133.34
Cable Diameter .141"	60"	PE36173-60	160.90	149.64	138.37
	Any	PE36173-XX	See Website for Pricing		

Continued from Previous Page

SMA MALE TO MINI UHF MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3273-12	$27.45	$25.53	$23.61
	24"	PE3273-24	27.95	25.99	24.04
	36"	PE3273-36	28.50	26.51	24.51
	48"	PE3273-48	29.00	26.97	24.94
	60"	PE3273-60	29.55	27.48	25.41
	Any	PE3273-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3271-12	$25.50	$23.72	$21.93
	24"	PE3271-24	27.60	25.67	23.74
	36"	PE3271-36	29.70	27.62	25.54
	48"	PE3271-48	31.80	29.57	27.35
	60"	PE3271-60	33.95	31.57	29.20
	Any	PE3271-XX	See Website for Pricing		

SMA MALE TO SMC PLUG

THESE 50 OHM SMC CONNECTORS DO NOT MATE TO 75 OHM SMC TYPE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3210-12	$39.95	$37.15	$34.36
	24"	PE3210-24	40.45	37.62	34.79
	36"	PE3210-36	41.00	38.13	35.26
	48"	PE3210-48	41.50	38.60	35.69
	60"	PE3210-60	42.05	39.11	36.16
	Any	PE3210-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3944-12	$37.10	$34.50	$31.91
	24"	PE3944-24	37.30	34.69	32.08
	36"	PE3944-36	37.55	34.92	32.29
	48"	PE3944-48	37.80	35.15	32.51
	60"	PE3944-60	38.15	35.48	32.81
	Any	PE3944-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE3561-12	$40.60	$37.76	$34.92
	24"	PE3561-24	41.30	38.41	35.52
	36"	PE3561-36	42.05	39.11	36.16
	48"	PE3561-48	42.75	39.76	36.77
	60"	PE3561-60	43.50	40.46	37.41
	Any	PE3561-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3736-12	$35.85	$33.34	$30.83
	24"	PE3736-24	37.50	34.88	32.25
	36"	PE3736-36	39.15	36.41	33.67
	48"	PE3736-48	40.80	37.94	35.09
	60"	PE3736-60	42.50	39.53	36.55
	Any	PE3736-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE34458-12	$36.00	$33.48	$30.96
	24"	PE34458-24	38.55	35.85	33.15
	36"	PE34458-36	41.10	38.22	35.35
	48"	PE34458-48	43.65	40.59	37.54
	60"	PE34458-60	46.20	42.97	39.73
	Any	PE34458-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3809-12	$37.40	$34.78	$32.16
	24"	PE3809-24	38.75	36.04	33.33
	36"	PE3809-36	41.00	38.13	35.26
	48"	PE3809-48	43.30	40.27	37.24
	60"	PE3809-60	45.60	42.41	39.22
	Any	PE3809-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34456-12	$40.90	$38.04	$35.17
	24"	PE34456-24	43.35	40.32	37.28
	36"	PE34456-36	45.80	42.59	39.39
	48"	PE34456-48	48.30	44.92	41.54
	60"	PE34456-60	50.75	47.20	43.65
	Any	PE34456-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34454-12	$45.15	$41.99	$38.83
	24"	PE34454-24	50.35	46.83	43.30
	36"	PE34454-36	55.50	51.62	47.73
	48"	PE34454-48	60.70	56.45	52.20
	60"	PE34454-60	65.85	61.24	56.63
	Any	PE34454-XX	See Website for Pricing		

SMA MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .206")	12"	PE3479-12	$32.75	$30.46	$28.17
	24"	PE3479-24	33.55	31.20	28.85
	36"	PE3479-36	34.25	31.85	29.46
	48"	PE3479-48	34.95	32.50	30.06
	60"	PE3479-60	35.75	33.25	30.75
	Any	PE3479-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3615-12	$27.65	$25.71	$23.78
	24"	PE3615-24	28.15	26.18	24.21
	36"	PE3615-36	28.70	26.69	24.68
	48"	PE3615-48	29.20	27.16	25.11
	60"	PE3615-60	29.75	27.67	25.59
	Any	PE3615-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3539-12	$38.25	$35.57	$32.90
	24"	PE3539-24	38.70	35.99	33.28
	36"	PE3539-36	39.10	36.36	33.63
	48"	PE3539-48	39.50	36.74	33.97
	60"	PE3539-60	39.85	37.06	34.27
	Any	PE3539-XX	See Website for Pricing		
93 OHM, RG71B/U COAX (Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .250")	12"	PE38700-12	$45.35	$42.18	$39.00
	24"	PE38700-24	48.30	44.92	41.54
	36"	PE38700-36	51.25	47.66	44.08
	48"	PE38700-48	54.20	50.41	46.61
	60"	PE38700-60	57.15	53.15	49.15
	Any	PE38700-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3696-12	$32.75	$30.46	$28.17
	24"	PE3696-24	35.55	33.06	30.57
	36"	PE3696-36	38.25	35.57	32.90
	48"	PE3696-48	41.00	38.13	35.26
	60"	PE3696-60	43.70	40.64	37.58
	Any	PE3696-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3745-12	$33.25	$30.92	$28.60
	24"	PE3745-24	33.65	31.29	28.94
	36"	PE3745-36	34.05	31.67	29.28
	48"	PE3745-48	34.45	32.04	29.63
	60"	PE3745-60	34.85	32.41	29.97
	Any	PE3745-XX	See Website for Pricing		
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE33523-12	$53.25	$49.52	$45.80
	24"	PE33523-24	54.30	50.50	46.70
	36"	PE33523-36	55.25	51.38	47.52
	48"	PE33523-48	56.20	52.27	48.33
	60"	PE33523-60	57.25	53.24	49.24
	Any	PE33523-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE36661-12	$95.45	$88.77	$82.09
	24"	PE36661-24	96.70	89.93	83.16
	36"	PE36661-36	97.90	91.05	84.19
	48"	PE36661-48	99.15	92.21	85.27
	60"	PE36661-60	100.35	93.33	86.30
	Any	PE36661-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE33519-12	$72.65	$67.56	$62.48
	24"	PE33519-24	77.55	72.12	66.69
	36"	PE33519-36	82.60	76.82	71.04
	48"	PE33519-48	87.55	81.42	75.29
	60"	PE33519-60	92.40	85.93	79.46
	Any	PE33519-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3562-12	$31.40	$29.20	$27.00
	24"	PE3562-24	32.75	30.46	28.17
	36"	PE3562-36	34.15	31.76	29.37
	48"	PE3562-48	35.55	33.06	30.57
	60"	PE3562-60	36.85	34.27	31.69
	Any	PE3562-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3658-12	$35.10	$32.64	$30.19
	24"	PE3658-24	37.40	34.78	32.16
	36"	PE3658-36	39.65	36.87	34.10
	48"	PE3658-48	41.95	39.01	36.08
	60"	PE3658-60	44.25	41.15	38.06
	Any	PE3658-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE3359-12	$34.25	$31.85	$29.46
	24"	PE3359-24	36.40	33.85	31.30
	36"	PE3359-36	38.60	35.90	33.20
	48"	PE3359-48	40.75	37.90	35.05
	60"	PE3359-60	42.95	39.94	36.94
	Any	PE3359-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

SMA MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33258-12	$53.25	$49.52	$45.80
	24"	PE33258-24	54.30	50.50	46.70
	36"	PE33258-36	55.25	51.38	47.52
	48"	PE33258-48	56.20	52.27	48.33
	60"	PE33258-60	57.25	53.24	49.24
	Any	PE33258-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3626-12	$34.60	$32.18	$29.76
	24"	PE3626-24	36.40	33.85	31.30
	36"	PE3626-36	38.20	35.53	32.85
	48"	PE3626-48	40.00	37.20	34.40
	60"	PE3626-60	41.75	38.83	35.91
	Any	PE3626-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3885-12	$34.50	$32.09	$29.67
	24"	PE3885-24	36.15	33.62	31.09
	36"	PE3885-36	37.80	35.15	32.51
	48"	PE3885-48	39.45	36.69	33.93
	60"	PE3885-60	41.15	38.27	35.39
	Any	PE3885-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE33521-12	$90.85	$84.49	$78.13
	24"	PE33521-24	102.40	95.23	88.06
	36"	PE33521-36	113.95	105.97	98.00
	48"	PE33521-48	125.55	116.76	107.97
	60"	PE33521-60	137.10	127.50	117.91
	Any	PE33521-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3613-12	$33.05	$30.74	$28.42
	24"	PE3613-24	38.25	35.57	32.90
	36"	PE3613-36	43.40	40.36	37.32
	48"	PE3613-48	48.60	45.20	41.80
	60"	PE3613-60	53.75	49.99	46.23
	Any	PE3613-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33989-12	$35.65	$33.15	$30.66
	24"	PE33989-24	42.35	39.39	36.42
	36"	PE33989-36	49.00	45.57	42.14
	48"	PE33989-48	55.70	51.80	47.90
	60"	PE33989-60	62.35	57.99	53.62
	Any	PE33989-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE34008-12	$48.80	$45.38	$41.97
	24"	PE34008-24	54.60	50.78	46.96
	36"	PE34008-36	60.45	56.22	51.99
	48"	PE34008-48	66.30	61.66	57.02
	60"	PE34008-60	72.15	67.10	62.05
	Any	PE34008-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE35109-12	$50.25	$46.73	$43.22
	24"	PE35109-24	58.30	54.22	50.14
	36"	PE35109-36	66.40	61.75	57.10
	48"	PE35109-48	74.45	69.24	64.03
	60"	PE35109-60	82.55	76.77	70.99
	Any	PE35109-XX	See Website for Pricing		

SMA MALE TO QMA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE38273-12	$42.40	$39.43	$36.46
	24"	PE38273-24	44.70	41.57	38.44
	36"	PE38273-36	46.95	43.66	40.38
	48"	PE38273-48	49.25	45.80	42.36
	60"	PE38273-60	51.55	47.94	44.33
	Any	PE38273-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE38275-12	$36.45	$33.90	$31.35
	24"	PE38275-24	36.95	34.36	31.78
	36"	PE38275-36	37.50	34.88	32.25
	48"	PE38275-48	38.00	35.34	32.68
	60"	PE38275-60	38.55	35.85	33.15
	Any	PE38275-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE38274-12	$41.55	$38.64	$35.73
	24"	PE38274-24	43.70	40.64	37.58
	36"	PE38274-36	45.90	42.69	39.47
	48"	PE38274-48	48.05	44.69	41.32
	60"	PE38274-60	50.25	46.73	43.22
	Any	PE38274-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38116-12	$39.85	$37.06	$34.27
	24"	PE38116-24	41.95	39.01	36.08
	36"	PE38116-36	44.10	41.01	37.93
	48"	PE38116-48	46.20	42.97	39.73
	60"	PE38116-60	48.25	44.87	41.50
	Any	PE38116-XX	See Website for Pricing		

SMA MALE TO SMP FEMALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-047SR (.047" BARE COPPER) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE36162-12	$66.75	$62.08	$57.41
	24"	PE36162-24	73.60	68.45	63.30
	36"	PE36162-36	78.50	73.01	67.51
	48"	PE36162-48	83.50	77.66	71.81
	60"	PE36162-60	88.45	82.26	76.07
	Any	PE36162-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE36164-12	$64.60	$60.08	$55.56
	24"	PE36164-24	70.15	65.24	60.33
	36"	PE36164-36	75.75	70.45	65.15
	48"	PE36164-48	81.30	75.61	69.92
	60"	PE36164-60	86.85	80.77	74.69
	Any	PE36164-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE36166-12	$56.55	$52.59	$48.63
	24"	PE36166-24	61.75	57.43	53.11
	36"	PE36166-36	66.90	62.22	57.53
	48"	PE36166-48	72.10	67.05	62.01
	60"	PE36166-60	77.25	71.84	66.44
	Any	PE36166-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE36168-12	$59.45	$55.29	$51.13
	24"	PE36168-24	67.50	62.78	58.05
	36"	PE36168-36	75.60	70.31	65.02
	48"	PE36168-48	83.65	77.79	71.94
	60"	PE36168-60	91.70	85.28	78.86
	Any	PE36168-XX	See Website for Pricing		

SMA MALE TO MMCX PLUG

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34069-12	$37.75	$35.11	$32.47
	24"	PE34069-24	38.15	35.48	32.81
	36"	PE34069-36	38.55	35.85	33.15
	48"	PE34069-48	38.95	36.22	33.50
	60"	PE34069-60	39.35	36.60	33.84
	Any	PE34069-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE34374-12	$40.00	$37.20	$34.40
	24"	PE34374-24	40.70	37.85	35.00
	36"	PE34374-36	41.45	38.55	35.65
	48"	PE34374-48	42.15	39.20	36.25
	60"	PE34374-60	42.90	39.90	36.89
	Any	PE34374-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE34887-12	$39.00	$36.27	$33.54
	24"	PE34887-24	40.65	37.80	34.96
	36"	PE34887-36	42.30	39.34	36.38
	48"	PE34887-48	43.95	40.87	37.80
	60"	PE34887-60	45.65	42.45	39.26
	Any	PE34887-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE34122-12	$39.60	$36.83	$34.06
	24"	PE34122-24	41.90	38.97	36.03
	36"	PE34122-36	44.15	41.06	37.97
	48"	PE34122-48	46.45	43.20	39.95
	60"	PE34122-60	48.75	45.34	41.93
	Any	PE34122-XX	See Website for Pricing		

SMA MALE TO MC-CARD PLUG

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE36112-12	$34.70	$32.27	$29.84
	24"	PE36112-24	35.10	32.64	30.19
	36"	PE36112-36	35.50	33.02	30.53
	48"	PE36112-48	35.90	33.39	30.87
	60"	PE36112-60	36.30	33.76	31.22
	Any	PE36112-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE36108-12	$36.55	$33.99	$31.43
	24"	PE36108-24	38.85	36.13	33.41
	36"	PE36108-36	41.10	38.22	35.35
	48"	PE36108-48	43.40	40.36	37.32
	60"	PE36108-60	45.70	42.50	39.30
	Any	PE36108-XX	See Website for Pricing		

SMA MALE TO SMB PLUG

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3172-12	$37.15	$34.55	$31.95
	24"	PE3172-24	37.50	34.88	32.25
	36"	PE3172-36	37.90	35.25	32.59
	48"	PE3172-48	38.35	35.67	32.98
	60"	PE3172-60	38.85	36.13	33.41
	Any	PE3172-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3181-12	$41.00	$38.13	$35.26
	24"	PE3181-24	43.70	40.64	37.58
	36"	PE3181-36	46.45	43.20	39.95
	48"	PE3181-48	49.15	45.71	42.27
	60"	PE3181-60	51.90	48.27	44.63
	Any	PE3181-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3908-12	$37.10	$34.50	$31.91
	24"	PE3908-24	37.30	34.69	32.08
	36"	PE3908-36	37.55	34.92	32.29
	48"	PE3908-48	37.80	35.15	32.51
	60"	PE3908-60	38.15	35.48	32.81
	Any	PE3908-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE3548-12	$52.40	$48.73	$45.06
	24"	PE3548-24	53.35	49.62	45.88
	36"	PE3548-36	54.40	50.59	46.78
	48"	PE3548-48	55.40	51.52	47.64
	60"	PE3548-60	56.30	52.36	48.42
	Any	PE3548-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3755-12	$37.40	$34.78	$32.16
	24"	PE3755-24	38.40	35.71	33.02
	36"	PE3755-36	39.35	36.60	33.84
	48"	PE3755-48	40.95	38.08	35.22
	60"	PE3755-60	42.65	39.66	36.68
	Any	PE3755-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE3722-12	$40.90	$38.04	$35.17
	24"	PE3722-24	43.35	40.32	37.28
	36"	PE3722-36	45.80	42.59	39.39
	48"	PE3722-48	48.30	44.92	41.54
	60"	PE3722-60	50.75	47.20	43.65
	Any	PE3722-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3187-12	$37.55	$34.92	$32.29
	24"	PE3187-24	38.95	36.22	33.50
	36"	PE3187-36	40.25	37.43	34.62
	48"	PE3187-48	41.60	38.69	35.78
	60"	PE3187-60	43.00	39.99	36.98
	Any	PE3187-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3810-12	$37.40	$34.78	$32.16
	24"	PE3810-24	38.90	36.18	33.45
	36"	PE3810-36	41.15	38.27	35.39
	48"	PE3810-48	43.45	40.41	37.37
	60"	PE3810-60	45.75	42.55	39.35
	Any	PE3810-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE33657-12	$40.90	$38.04	$35.17
	24"	PE33657-24	43.35	40.32	37.28
	36"	PE33657-36	45.80	42.59	39.39
	48"	PE33657-48	48.30	44.92	41.54
	60"	PE33657-60	50.75	47.20	43.65
	Any	PE33657-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34452-12	$41.30	$38.41	$35.52
	24"	PE34452-24	46.50	43.25	39.99
	36"	PE34452-36	51.65	48.03	44.42
	48"	PE34452-48	56.85	52.87	48.89
	60"	PE34452-60	62.00	57.66	53.32
	Any	PE34452-XX	See Website for Pricing		
50 OHM, LOW NOISE, PE-B100 COAX (Coax Performance: Attenuation* N/A; Power Handling** N/A; Cable Diameter .101")	12"	PE34455-12	$39.80	$37.01	$34.23
	24"	PE34455-24	45.25	42.08	38.92
	36"	PE34455-36	50.70	47.15	43.60
	48"	PE34455-48	56.15	52.22	48.29
	60"	PE34455-60	61.60	57.29	52.98
	Any	PE34455-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE35527-12	$40.00	$37.20	$34.40
	24"	PE35527-24	45.20	42.04	38.87
	36"	PE35527-36	50.35	46.83	43.30
	48"	PE35527-48	55.55	51.66	47.77
	60"	PE35527-60	60.70	56.45	52.20
	Any	PE35527-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE34764-12	$42.90	$39.90	$36.89
	24"	PE34764-24	50.95	47.38	43.82
	36"	PE34764-36	59.05	54.92	50.78
	48"	PE34764-48	67.10	62.40	57.71
	60"	PE34764-60	75.20	69.94	64.67
	Any	PE34764-XX	See Website for Pricing		

SMA MALE TO REVERSE POLARITY SMA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34116-12	$39.70	$36.92	$34.14
	24"	PE34116-24	40.10	37.29	34.49
	36"	PE34116-36	40.60	37.76	34.92
	48"	PE34116-48	41.10	38.22	35.35
	60"	PE34116-60	41.65	38.73	35.82
	Any	PE34116-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34614-12	$42.25	$39.29	$36.34
	24"	PE34614-24	44.90	41.76	38.61
	36"	PE34614-36	47.65	44.31	40.98
	48"	PE34614-48	50.40	46.87	43.34
	60"	PE34614-60	53.10	49.38	45.67
	Any	PE34614-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34331-12	$41.00	$38.13	$35.26
	24"	PE34331-24	41.25	38.36	35.48
	36"	PE34331-36	41.50	38.60	35.69
	48"	PE34331-48	41.70	38.78	35.86
	60"	PE34331-60	42.00	39.06	36.12
	Any	PE34331-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE34398-12	$35.35	$32.88	$30.40
	24"	PE34398-24	37.45	34.83	32.21
	36"	PE34398-36	39.55	36.78	34.01
	48"	PE34398-48	41.65	38.73	35.82
	60"	PE34398-60	43.80	40.73	37.67
	Any	PE34398-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE35212-12	$41.50	$38.60	$35.69
	24"	PE35212-24	43.80	40.73	37.67
	36"	PE35212-36	46.05	42.83	39.60
	48"	PE35212-48	48.35	44.97	41.58
	60"	PE35212-60	50.65	47.10	43.56
	Any	PE35212-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE36963-12	$40.65	$37.80	$34.96
	24"	PE36963-24	42.80	39.80	36.81
	36"	PE36963-36	45.00	41.85	38.70
	48"	PE36963-48	47.15	43.85	40.55
	60"	PE36963-60	49.35	45.90	42.44
	Any	PE36963-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

SMA MALE TO REVERSE POLARITY SMA MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE35210-12	$40.90	$38.04	$35.17
	24"	PE35210-24	42.55	39.57	36.59
	36"	PE35210-36	44.20	41.11	38.01
	48"	PE35210-48	45.85	42.64	39.43
	60"	PE35210-60	47.55	44.22	40.89
	Any	PE35210-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 23.5 dB; Power Handling** 45 W; Cable Diameter .110")	12"	PE37900-12	$36.50	$33.95	$31.39
	24"	PE37900-24	38.15	35.48	32.81
	36"	PE37900-36	39.85	37.06	34.27
	48"	PE37900-48	41.50	38.60	35.69
	60"	PE37900-60	43.20	40.18	37.15
	Any	PE37900-XX	See Website for Pricing		

SMA MALE TO REVERSE THREAD SMA MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE35351-12	$39.55	$36.78	$34.01
	24"	PE35351-24	40.05	37.25	34.44
	36"	PE35351-36	40.60	37.76	34.92
	48"	PE35351-48	41.10	38.22	35.35
	60"	PE35351-60	41.65	38.73	35.82
	Any	PE35351-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE35355-12	$40.85	$37.99	$35.13
	24"	PE35355-24	44.80	41.66	38.53
	36"	PE35355-36	48.75	45.34	41.93
	48"	PE35355-48	52.70	49.01	45.32
	60"	PE35355-60	56.65	52.68	48.72
	Any	PE35355-XX	See Website for Pricing		

SMA MALE TO REVERSE POLARITY TNC MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34853-12	$32.15	$29.90	$27.65
	24"	PE34853-24	32.65	30.36	28.08
	36"	PE34853-36	33.20	30.88	28.55
	48"	PE34853-48	33.70	31.34	28.98
	60"	PE34853-60	34.25	31.85	29.46
	Any	PE34853-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE37120-12	$28.35	$26.37	$24.38
	24"	PE37120-24	29.45	27.39	25.33
	36"	PE37120-36	30.55	28.41	26.27
	48"	PE37120-48	31.65	29.43	27.22
	60"	PE37120-60	32.80	30.50	28.21
	Any	PE37120-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34854-12	$36.00	$33.48	$30.96
	24"	PE34854-24	38.75	36.04	33.33
	36"	PE34854-36	41.45	38.55	35.65
	48"	PE34854-48	44.25	41.15	38.06
	60"	PE34854-60	48.10	44.73	41.37
	Any	PE34854-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE34397-12	$36.00	$33.48	$30.96
	24"	PE34397-24	37.40	34.78	32.16
	36"	PE34397-36	38.75	36.04	33.33
	48"	PE34397-48	40.05	37.25	34.44
	60"	PE34397-60	41.45	38.55	35.65
	Any	PE34397-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE34396-12	$44.55	$41.43	$38.31
	24"	PE34396-24	46.85	43.57	40.29
	36"	PE34396-36	49.10	45.66	42.23
	48"	PE34396-48	51.40	47.80	44.20
	60"	PE34396-60	53.70	49.94	46.18
	Any	PE34396-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE35246-12	$37.95	$35.29	$32.64
	24"	PE35246-24	43.15	40.13	37.11
	36"	PE35246-36	48.30	44.92	41.54
	48"	PE35246-48	53.50	49.76	46.01
	60"	PE35246-60	58.65	54.54	50.44
	Any	PE35246-XX	See Website for Pricing		

SMA MALE RIGHT ANGLE TO SMA MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3655-12	$46.65	$43.38	$40.12
	24"	PE3655-24	47.00	43.71	40.42
	36"	PE3655-36	47.50	44.18	40.85
	48"	PE3655-48	47.95	44.59	41.24
	60"	PE3655-60	48.35	44.97	41.58
	Any	PE3655-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3380-12	$62.45	$58.08	$53.71
	24"	PE3380-24	63.15	58.73	54.31
	36"	PE3380-36	63.85	59.38	54.91
	48"	PE3380-48	64.55	60.03	55.51
	60"	PE3380-60	65.25	60.68	56.12
	Any	PE3380-XX	See Website for Pricing		
93 OHM, RG62A/U COAX (Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3444-12	$62.70	$58.31	$53.92
	24"	PE3444-24	63.70	59.24	54.78
	36"	PE3444-36	64.70	60.17	55.64
	48"	PE3444-48	65.70	61.10	56.50
	60"	PE3444-60	66.70	62.03	57.36
	Any	PE3444-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3514-12	$50.50	$46.97	$43.43
	24"	PE3514-24	53.25	49.52	45.80
	36"	PE3514-36	56.00	52.08	48.16
	48"	PE3514-48	58.70	54.59	50.48
	60"	PE3514-60	62.00	57.66	53.32
	Any	PE3514-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3775-12	$47.05	$43.76	$40.46
	24"	PE3775-24	47.45	44.13	40.81
	36"	PE3775-36	47.85	44.50	41.15
	48"	PE3775-48	48.25	44.87	41.50
	60"	PE3775-60	48.65	45.24	41.84
	Any	PE3775-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3511-12	$48.30	$44.92	$41.54
	24"	PE3511-24	49.95	46.45	42.96
	36"	PE3511-36	51.60	47.99	44.38
	48"	PE3511-48	53.30	49.57	45.84
	60"	PE3511-60	54.95	51.10	47.26
	Any	PE3511-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE3347-12	$50.40	$46.87	$43.34
	24"	PE3347-24	52.85	49.15	45.45
	36"	PE3347-36	55.40	51.52	47.64
	48"	PE3347-48	57.85	53.80	49.75
	60"	PE3347-60	60.30	56.08	51.86
	Any	PE3347-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3428-12	$47.05	$43.76	$40.46
	24"	PE3428-24	48.45	45.06	41.67
	36"	PE3428-36	49.90	46.41	42.91
	48"	PE3428-48	51.25	47.66	44.08
	60"	PE3428-60	52.80	49.10	45.41
	Any	PE3428-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3515-12	$48.90	$45.48	$42.05
	24"	PE3515-24	51.20	47.62	44.03
	36"	PE3515-36	53.50	49.76	46.01
	48"	PE3515-48	55.75	51.85	47.95
	60"	PE3515-60	58.05	53.99	49.92
	Any	PE3515-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE3987-12	$50.40	$46.87	$43.34
	24"	PE3987-24	52.85	49.15	45.45
	36"	PE3987-36	55.40	51.52	47.64
	48"	PE3987-48	57.85	53.80	49.75
	60"	PE3987-60	60.30	56.08	51.86
	Any	PE3987-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

SMA MALE RIGHT ANGLE TO SMA MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE3876-12	$64.70	$60.17	$55.64
	24"	PE3876-24	65.65	61.05	56.46
	36"	PE3876-36	66.65	61.98	57.32
	48"	PE3876-48	67.65	62.91	58.18
	60"	PE3876-60	68.65	63.84	59.04
	Any	PE3876-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3858-12	$48.40	$45.01	$41.62
	24"	PE3858-24	50.20	46.69	43.17
	36"	PE3858-36	52.00	48.36	44.72
	48"	PE3858-48	53.80	50.03	46.27
	60"	PE3858-60	55.60	51.71	47.82
	Any	PE3858-XX	See Website for Pricing		
95 OHM, RG180B/U COAX (Coax Performance: Attenuation* 16.5 dB; Power Handling** 250 W; Cable Diameter .145")	12"	PE3141-12	$48.40	$45.01	$41.62
	24"	PE3141-24	51.10	47.52	43.95
	36"	PE3141-36	54.15	50.36	46.57
	48"	PE3141-48	57.15	53.15	49.15
	60"	PE3141-60	60.15	55.94	51.73
	Any	PE3141-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3713-12	$51.80	$48.17	$44.55
	24"	PE3713-24	57.00	53.01	49.02
	36"	PE3713-36	62.15	57.80	53.45
	48"	PE3713-48	67.35	62.64	57.92
	60"	PE3713-60	72.50	67.43	62.35
	Any	PE3713-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE35347-12	$38.65	$35.94	$33.24
	24"	PE35347-24	39.75	36.97	34.19
	36"	PE35347-36	40.85	37.99	35.13
	48"	PE35347-48	41.95	39.01	36.08
	60"	PE35347-60	43.10	40.08	37.07
	Any	PE35347-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240")	12"	PE38920-12	$62.15	$57.80	$53.45
	24"	PE38920-24	64.50	59.99	55.47
	36"	PE38920-36	66.85	62.17	57.49
	48"	PE38920-48	69.15	64.31	59.47
	60"	PE38920-60	71.50	66.50	61.49
	Any	PE38920-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141")	12"	PE3819-12	$67.75	$63.01	$58.27
	24"	PE3819-24	72.80	67.70	62.61
	36"	PE3819-36	77.75	72.31	66.87
	48"	PE3819-48	82.70	76.91	71.12
	60"	PE3819-60	87.75	81.61	75.47
	Any	PE3819-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE34208-12	$70.35	$65.43	$60.50
	24"	PE34208-24	77.45	72.03	66.61
	36"	PE34208-36	84.55	78.63	72.71
	48"	PE34208-48	91.60	85.19	78.78
	60"	PE34208-60	98.70	91.79	84.88
	Any	PE34208-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE3417-12	$69.10	$64.26	$59.43
	24"	PE3417-24	74.95	69.70	64.46
	36"	PE3417-36	80.75	75.10	69.45
	48"	PE3417-48	86.45	80.40	74.35
	60"	PE3417-60	91.40	85.00	78.60
	Any	PE3417-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE34209-12	$112.70	$104.81	$96.92
	24"	PE34209-24	118.25	109.97	101.70
	36"	PE34209-36	123.85	115.18	106.51
	48"	PE34209-48	129.40	120.34	111.28
	60"	PE34209-60	134.95	125.50	116.06
	Any	PE34209-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-020SR (.020" BARE COPPER) (Coax Performance: Attenuation* 85.0 dB; Power Handling** 2.9 W; Cable Diameter .020")	12"	PE34211-12	$126.65	$117.78	$108.92
	24"	PE34211-24	140.30	130.48	120.66
	36"	PE34211-36	154.00	143.22	132.44
	48"	PE34211-48	167.70	155.96	144.22
	60"	PE34211-60	181.40	168.70	156.00
	Any	PE34211-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE3820-12	$69.75	$64.87	$59.99
	24"	PE3820-24	74.60	69.38	64.16
	36"	PE3820-36	79.65	74.07	68.50
	48"	PE3820-48	84.60	78.68	72.76
	60"	PE3820-60	89.50	83.24	76.97
	Any	PE3820-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) (Coax Performance: Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE34213-12	$72.25	$67.19	$62.14
	24"	PE34213-24	78.75	73.24	67.73
	36"	PE34213-36	85.25	79.28	73.32
	48"	PE34213-48	91.80	85.37	78.95
	60"	PE34213-60	98.30	91.42	84.54
	Any	PE34213-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE3646-12	$73.80	$68.63	$63.47
	24"	PE3646-24	80.10	74.49	68.89
	36"	PE3646-36	85.05	79.10	73.14
	48"	PE3646-48	90.10	83.79	77.49
	60"	PE3646-60	95.00	88.35	81.70
	Any	PE3646-XX	See Website for Pricing		

SMA MALE RIGHT ANGLE TO SMA FEMALE BULKHEAD

USE MOUNTING HOLE B02 ON PAGE 259

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3156-12	$46.65	$43.38	$40.12
	24"	PE3156-24	47.00	43.71	40.42
	36"	PE3156-36	47.50	44.18	40.85
	48"	PE3156-48	47.95	44.59	41.24
	60"	PE3156-60	48.35	44.97	41.58
	Any	PE3156-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3759-12	$50.50	$46.97	$43.43
	24"	PE3759-24	53.25	49.52	45.80
	36"	PE3759-36	56.00	52.08	48.16
	48"	PE3759-48	58.70	54.59	50.48
	60"	PE3759-60	61.45	57.15	52.85
	Any	PE3759-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3149-12	$47.55	$44.22	$40.89
	24"	PE3149-24	47.95	44.59	41.24
	36"	PE3149-36	48.35	44.97	41.58
	48"	PE3149-48	48.75	45.34	41.93
	60"	PE3149-60	49.15	45.71	42.27
	Any	PE3149-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE3152-12	$64.70	$60.17	$55.64
	24"	PE3152-24	65.65	61.05	56.46
	36"	PE3152-36	66.65	61.98	57.32
	48"	PE3152-48	67.65	62.91	58.18
	60"	PE3152-60	68.65	63.84	59.04
	Any	PE3152-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3050-12	$48.80	$45.38	$41.97
	24"	PE3050-24	50.45	46.92	43.39
	36"	PE3050-36	52.10	48.45	44.81
	48"	PE3050-48	53.80	50.03	46.27
	60"	PE3050-60	55.45	51.57	47.69
	Any	PE3050-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE34141-12	$59.10	$54.96	$50.83
	24"	PE34141-24	60.15	55.94	51.73
	36"	PE34141-36	61.15	56.87	52.59
	48"	PE34141-48	62.20	57.85	53.49
	60"	PE34141-60	63.20	58.78	54.35
	Any	PE34141-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3800-12	$47.05	$43.76	$40.46
	24"	PE3800-24	48.45	45.06	41.67
	36"	PE3800-36	49.90	46.41	42.91
	48"	PE3800-48	51.25	47.66	44.08
	60"	PE3800-60	52.55	48.87	45.19
	Any	PE3800-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3836-12	$49.40	$45.94	$42.48
	24"	PE3836-24	51.70	48.08	44.46
	36"	PE3836-36	54.00	50.22	46.44
	48"	PE3836-48	56.25	52.31	48.38
	60"	PE3836-60	58.55	54.45	50.35
	Any	PE3836-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34061-12	$50.40	$46.87	$43.34
	24"	PE34061-24	52.85	49.15	45.45
	36"	PE34061-36	55.40	51.52	47.64
	48"	PE34061-48	57.85	53.80	49.75
	60"	PE34061-60	60.30	56.08	51.86
	Any	PE34061-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34192-12	$52.10	$48.45	$44.81
	24"	PE34192-24	57.30	53.29	49.28
	36"	PE34192-36	62.45	58.08	53.71
	48"	PE34192-48	67.65	62.91	58.18
	60"	PE34192-60	72.80	67.70	62.61
	Any	PE34192-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

SMA MALE RIGHT ANGLE TO SMA FEMALE BULKHEAD

USE MOUNTING HOLE B02 ON PAGE 259

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE34179-12	$50.40	$46.87	$43.34
	24"	PE34179-24	52.85	49.15	45.45
	36"	PE34179-36	55.40	51.52	47.64
	48"	PE34179-48	57.85	53.80	49.75
	60"	PE34179-60	60.30	56.08	51.86
	Any	PE34179-XX	See Website for Pricing		
50 OHM, RG402/U (.141" BARE COPPER) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141")	12"	PE3679-12	$54.70	$50.87	$47.04
	24"	PE3679-24	60.20	55.99	51.77
	36"	PE3679-36	65.70	61.10	56.50
	48"	PE3679-48	71.20	66.22	61.23
	60"	PE3679-60	76.70	71.33	65.96
	Any	PE3679-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE34297-12	$56.30	$52.36	$48.42
	24"	PE34297-24	63.35	58.92	54.48
	36"	PE34297-36	70.45	65.52	60.59
	48"	PE34297-48	77.55	72.12	66.69
	60"	PE34297-60	84.65	78.72	72.80
	Any	PE34297-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE34299-12	$55.05	$51.20	$47.34
	24"	PE34299-24	60.85	56.59	52.33
	36"	PE34299-36	66.70	62.03	57.36
	48"	PE34299-48	72.55	67.47	62.39
	60"	PE34299-60	78.40	72.91	67.42
	Any	PE34299-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 23.5 dB; Power Handling** 45 W; Cable Diameter .110")	12"	PE38574-12	$40.00	$37.20	$34.40
	24"	PE38574-24	41.65	38.73	35.82
	36"	PE38574-36	43.35	40.32	37.28
	48"	PE38574-48	45.00	41.85	38.70
	60"	PE38574-60	46.70	43.43	40.16
	Any	PE38574-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE34303-12	$106.45	$99.00	$91.55
	24"	PE34303-24	114.20	106.21	98.21
	36"	PE34303-36	121.95	113.41	104.88
	48"	PE34303-48	129.65	120.57	111.50
	60"	PE34303-60	137.40	127.78	118.16
	Any	PE34303-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) (Coax Performance: Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE34311-12	$59.90	$55.71	$51.51
	24"	PE34311-24	66.40	61.75	57.10
	36"	PE34311-36	72.90	67.80	62.69
	48"	PE34311-48	79.45	73.89	68.33
	60"	PE34311-60	85.95	79.93	73.92
	Any	PE34311-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE34313-12	$61.45	$57.15	$52.85
	24"	PE34313-24	69.50	64.64	59.77
	36"	PE34313-36	77.60	72.17	66.74
	48"	PE34313-48	85.65	79.65	73.66
	60"	PE34313-60	93.75	87.19	80.63
	Any	PE34313-XX	See Website for Pricing		

SMA MALE RIGHT ANGLE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3850-12	$42.60	$39.62	$36.64
	24"	PE3850-24	42.95	39.94	36.94
	36"	PE3850-36	43.40	40.36	37.32
	48"	PE3850-48	43.85	40.78	37.71
	60"	PE3850-60	44.30	41.20	38.10
	Any	PE3850-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3780-12	$45.05	$41.90	$38.74
	24"	PE3780-24	47.75	44.41	41.07
	36"	PE3780-36	50.50	46.97	43.43
	48"	PE3780-48	53.25	49.52	45.80
	60"	PE3780-60	56.00	52.08	48.16
	Any	PE3780-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3886-12	$42.50	$39.53	$36.55
	24"	PE3886-24	42.75	39.76	36.77
	36"	PE3886-36	43.00	39.99	36.98
	48"	PE3886-48	43.25	40.22	37.20
	60"	PE3886-60	43.55	40.50	37.45
	Any	PE3886-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33257-12	$55.15	$51.29	$47.43
	24"	PE33257-24	55.90	51.99	48.07
	36"	PE33257-36	56.60	52.64	48.68
	48"	PE33257-48	57.35	53.34	49.32
	60"	PE33257-60	58.05	53.99	49.92
	Any	PE33257-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3756-12	$41.45	$38.55	$35.65
	24"	PE3756-24	42.95	39.94	36.94
	36"	PE3756-36	44.60	41.48	38.36
	48"	PE3756-48	46.30	43.06	39.82
	60"	PE3756-60	47.95	44.59	41.24
	Any	PE3756-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3733-12	$44.45	$41.34	$38.23
	24"	PE3733-24	45.75	42.55	39.35
	36"	PE3733-36	47.05	43.76	40.46
	48"	PE3733-48	48.45	45.06	41.67
	60"	PE3733-60	49.90	46.41	42.91
	Any	PE3733-XX	See Website for Pricing		
50 OHM, RG303/U COAX (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .170")	12"	PE39138-12	$32.65	$30.36	$28.08
	24"	PE39138-24	37.05	34.46	31.86
	36"	PE39138-36	41.45	38.55	35.65
	48"	PE39138-48	45.85	42.64	39.43
	60"	PE39138-60	50.25	46.73	43.22
	Any	PE39138-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3811-12	$41.90	$38.97	$36.03
	24"	PE3811-24	44.20	41.11	38.01
	36"	PE3811-36	46.50	43.25	39.99
	48"	PE3811-48	48.75	45.34	41.93
	60"	PE3811-60	51.05	47.48	43.90
	Any	PE3811-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE33600-12	$39.65	$36.87	$34.10
	24"	PE33600-24	41.80	38.87	35.95
	36"	PE33600-36	44.00	40.92	37.84
	48"	PE33600-48	46.15	42.92	39.69
	60"	PE33600-60	48.35	44.97	41.58
	Any	PE33600-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3642-12	$45.05	$41.90	$38.74
	24"	PE3642-24	47.75	44.41	41.07
	36"	PE3642-36	52.55	48.87	45.19
	48"	PE3642-48	57.75	53.71	49.67
	60"	PE3642-60	62.90	58.50	54.09
	Any	PE3642-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38093-12	$29.40	$27.34	$25.28
	24"	PE38093-24	30.50	28.37	26.23
	36"	PE38093-36	31.60	29.39	27.18
	48"	PE38093-48	32.70	30.41	28.12
	60"	PE38093-60	33.85	31.48	29.11
	Any	PE38093-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33889-12	$39.35	$36.60	$33.84
	24"	PE33889-24	46.05	42.83	39.60
	36"	PE33889-36	52.70	49.01	45.32
	48"	PE33889-48	59.40	55.24	51.08
	60"	PE33889-60	66.05	61.43	56.80
	Any	PE33889-XX	See Website for Pricing		

SMA FEMALE TO SMA FEMALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE33547-12	$43.25	$40.22	$37.20
	24"	PE33547-24	43.75	40.69	37.63
	36"	PE33547-36	44.30	41.20	38.10
	48"	PE33547-48	44.80	41.66	38.53
	60"	PE33547-60	45.35	42.18	39.00
	Any	PE33547-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE33120-12	$43.95	$40.87	$37.80
	24"	PE33120-24	44.35	41.25	38.14
	36"	PE33120-36	44.75	41.62	38.49
	48"	PE33120-48	45.15	41.99	38.83
	60"	PE33120-60	45.55	42.36	39.17
	Any	PE33120-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

SMA FEMALE TO SMA FEMALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
93 OHM, RG62A/U COAX (Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3424-12	$52.40	$48.73	$45.06
	24"	PE3424-24	53.40	49.66	45.92
	36"	PE3424-36	54.40	50.59	46.78
	48"	PE3424-48	55.40	51.52	47.64
	60"	PE3424-60	56.35	52.41	48.46
	Any	PE3424-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3578-12	$36.75	$34.18	$31.61
	24"	PE3578-24	40.70	37.85	35.00
	36"	PE3578-36	44.65	41.52	38.40
	48"	PE3578-48	48.60	45.20	41.80
	60"	PE3578-60	52.55	48.87	45.19
	Any	PE3578-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE33254-12	$34.95	$32.50	$30.06
	24"	PE33254-24	37.05	34.46	31.86
	36"	PE33254-36	39.15	36.41	33.67
	48"	PE33254-48	41.25	38.36	35.48
	60"	PE33254-60	43.40	40.36	37.32
	Any	PE33254-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE33047-12	$45.80	$42.59	$39.39
	24"	PE33047-24	48.10	44.73	41.37
	36"	PE33047-36	50.35	46.83	43.30
	48"	PE33047-48	52.65	48.96	45.28
	60"	PE33047-60	54.95	51.10	47.26
	Any	PE33047-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141")	12"	PE3931-12	$42.20	$39.25	$36.29
	24"	PE3931-24	47.10	43.80	40.51
	36"	PE3931-36	52.10	48.45	44.81
	48"	PE3931-48	57.05	53.06	49.06
	60"	PE3931-60	61.95	57.61	53.28
	Any	PE3931-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE34836-12	$45.35	$42.18	$39.00
	24"	PE34836-24	52.40	48.73	45.06
	36"	PE34836-36	59.50	55.34	51.17
	48"	PE34836-48	66.60	61.94	57.28
	60"	PE34836-60	73.70	68.54	63.38
	Any	PE34836-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE33964-12	$44.10	$41.01	$37.93
	24"	PE33964-24	49.90	46.41	42.91
	36"	PE33964-36	55.75	51.85	47.95
	48"	PE33964-48	61.60	57.29	52.98
	60"	PE33964-60	67.30	62.59	57.88
	Any	PE33964-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE3758-12	$75.20	$69.94	$64.67
	24"	PE3758-24	80.10	74.49	68.89
	36"	PE3758-36	85.05	79.10	73.14
	48"	PE3758-48	90.10	83.79	77.49
	60"	PE3758-60	109.10	101.46	93.83
	Any	PE3758-XX	See Website for Pricing		
50 OHM, PE-SR047AL (.047" TINNED ALUMINUM) (Coax Performance: Attenuation* 41.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE34835-12	$77.30	$71.89	$66.48
	24"	PE34835-24	83.70	77.84	71.98
	36"	PE34835-36	88.75	82.54	76.33
	48"	PE34835-48	93.70	87.14	80.58
	60"	PE34835-60	98.60	91.70	84.80
	Any	PE34835-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE34833-12	$76.00	$70.68	$65.36
	24"	PE34833-24	81.55	75.84	70.13
	36"	PE34833-36	87.15	81.05	74.95
	48"	PE34833-48	92.70	86.21	79.72
	60"	PE34833-60	98.25	91.37	84.50
	Any	PE34833-XX	See Website for Pricing		
50 OHM, PE-020SR (.020" BARE COPPER) (Coax Performance: Attenuation* 85.0 dB; Power Handling** 2.9 W; Cable Diameter .020")	12"	PE34917-12	$127.95	$118.99	$110.04
	24"	PE34917-24	138.70	128.99	119.28
	36"	PE34917-36	152.40	141.73	131.06
	48"	PE34917-48	166.10	154.47	142.85
	60"	PE34917-60	179.80	167.21	154.63
	Any	PE34917-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE3109-12	$43.90	$40.83	$37.75
	24"	PE3109-24	48.90	45.48	42.05
	36"	PE3109-36	53.70	49.94	46.18
	48"	PE3109-48	58.70	54.59	50.48
	60"	PE3109-60	63.55	59.10	54.65
	Any	PE3109-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) (Coax Performance: Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE34834-12	$49.35	$45.90	$42.44
	24"	PE34834-24	54.20	50.41	46.61
	36"	PE34834-36	59.20	55.06	50.91
	48"	PE34834-48	64.20	59.71	55.21
	60"	PE34834-60	69.05	64.22	59.38
	Any	PE34834-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE34292-12	$49.35	$45.90	$42.44
	24"	PE34292-24	54.20	50.41	46.61
	36"	PE34292-36	59.20	55.06	50.91
	48"	PE34292-48	64.20	59.71	55.21
	60"	PE34292-60	69.05	64.22	59.38
	Any	PE34292-XX	See Website for Pricing		
50 OHM, RG401/U (.250" BARE COPPER) (Coax Performance: Attenuation* 9.7 dB; Power Handling** 870 W; Cable Diameter .250")	12"	PE3521-12	$140.30	$130.48	$120.66
	24"	PE3521-24	147.75	137.41	127.07
	36"	PE3521-36	155.20	144.34	133.47
	48"	PE3521-48	162.65	151.26	139.88
	60"	PE3521-60	170.10	158.19	146.29
	Any	PE3521-XX	See Website for Pricing		
50 OHM, PE-SR401AL (.250" TINNED ALUMINUM) (Coax Performance: Attenuation* 8.0 dB; Power Handling** 1400 W; Cable Diameter .250")	12"	PE3524-12	$76.25	$70.91	$65.58
	24"	PE3524-24	89.90	83.61	77.31
	36"	PE3524-36	103.60	96.35	89.10
	48"	PE3524-48	117.30	109.09	100.88
	60"	PE3524-60	131.00	121.83	112.66
	Any	PE3524-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) (Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250")	12"	PE3534-12	$74.15	$68.96	$63.77
	24"	PE3534-24	85.80	79.79	73.79
	36"	PE3534-36	97.45	90.63	83.81
	48"	PE3534-48	109.05	101.42	93.78
	60"	PE3534-60	120.70	112.25	103.80
	Any	PE3534-XX	See Website for Pricing		
50 OHM, PE-034SR (.034" BARE COPPER) (Coax Performance: Attenuation* 60.0 dB; Power Handling** 10 W; Cable Diameter .034")	12"	PE34405-12	$108.40	$100.81	$93.22
	24"	PE34405-24	118.00	109.74	101.48
	36"	PE34405-36	127.55	118.62	109.69
	48"	PE34405-48	137.10	127.50	117.91
	60"	PE34405-60	146.70	136.43	126.16
	Any	PE34405-XX	See Website for Pricing		

SMA FEMALE TO QMA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE38276-12	$45.45	$42.27	$39.09
	24"	PE38276-24	47.75	44.41	41.07
	36"	PE38276-36	50.00	46.50	43.00
	48"	PE38276-48	52.30	48.64	44.98
	60"	PE38276-60	54.60	50.78	46.96
	Any	PE38276-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE38277-12	$42.40	$39.43	$36.46
	24"	PE38277-24	42.90	39.90	36.89
	36"	PE38277-36	43.45	40.41	37.37
	48"	PE38277-48	43.95	40.87	37.80
	60"	PE38277-60	44.50	41.39	38.27
	Any	PE38277-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE38052-12	$44.95	$41.80	$38.66
	24"	PE38052-24	47.10	43.80	40.51
	36"	PE38052-36	49.30	45.85	42.40
	48"	PE38052-48	51.45	47.85	44.25
	60"	PE38052-60	53.65	49.89	46.14
	Any	PE38052-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38278-12	$38.60	$35.90	$33.20
	24"	PE38278-24	39.70	36.92	34.14
	36"	PE38278-36	40.80	37.94	35.09
	48"	PE38278-48	41.90	38.97	36.03
	60"	PE38278-60	43.05	40.04	37.02
	Any	PE38278-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

SMA FEMALE BULKHEAD TO SMA FEMALE BULKHEAD

USE MOUNTING HOLE B02 ON PAGE 259

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE35404-12	$42.45	$39.48	$36.51
	24"	PE35404-24	42.95	39.94	36.94
	36"	PE35404-36	43.50	40.46	37.41
	48"	PE35404-48	44.00	40.92	37.84
	60"	PE35404-60	44.55	41.43	38.31
	Any	PE35404-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE33382-12	$43.65	$40.59	$37.54
	24"	PE33382-24	44.05	40.97	37.88
	36"	PE33382-36	44.45	41.34	38.23
	48"	PE33382-48	44.85	41.71	38.57
	60"	PE33382-60	45.25	42.08	38.92
	Any	PE33382-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33084-12	$55.15	$51.29	$47.43
	24"	PE33084-24	55.85	51.94	48.03
	36"	PE33084-36	56.60	52.64	48.68
	48"	PE33084-48	57.30	53.29	49.28
	60"	PE33084-60	58.05	53.99	49.92
	Any	PE33084-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE33158-12	$45.50	$42.32	$39.13
	24"	PE33158-24	47.80	44.45	41.11
	36"	PE33158-36	50.05	46.55	43.04
	48"	PE33158-48	52.35	48.69	45.02
	60"	PE33158-60	54.65	50.82	47.00
	Any	PE33158-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE38184-12	$49.50	$46.04	$42.57
	24"	PE38184-24	51.65	48.03	44.42
	36"	PE38184-36	53.85	50.08	46.31
	48"	PE38184-48	56.00	52.08	48.16
	60"	PE38184-60	58.20	54.13	50.05
	Any	PE38184-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE36228-12	$48.00	$44.64	$41.28
	24"	PE36228-24	53.20	49.48	45.75
	36"	PE36228-36	58.35	54.27	50.18
	48"	PE36228-48	63.55	59.10	54.65
	60"	PE36228-60	68.70	63.89	59.08
	Any	PE36228-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141")	12"	PE33518-12	$45.05	$41.90	$38.74
	24"	PE33518-24	50.55	47.01	43.47
	36"	PE33518-36	56.05	52.13	48.20
	48"	PE33518-48	61.55	57.24	52.93
	60"	PE33518-60	67.05	62.36	57.66
	Any	PE33518-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE33864-12	$45.55	$42.36	$39.17
	24"	PE33864-24	51.20	47.62	44.03
	36"	PE33864-36	57.05	53.06	49.06
	48"	PE33864-48	62.90	58.50	54.09
	60"	PE33864-60	68.75	63.94	59.13
	Any	PE33864-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE33789-12	$98.05	$91.19	$84.32
	24"	PE33789-24	105.80	98.39	90.99
	36"	PE33789-36	111.50	103.70	95.89
	48"	PE33789-48	116.55	108.39	100.23
	60"	PE33789-60	121.55	113.04	104.53
	Any	PE33789-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE34709-12	$95.90	$89.19	$82.47
	24"	PE34709-24	101.45	94.35	87.25
	36"	PE34709-36	107.05	99.56	92.06
	48"	PE34709-48	112.60	104.72	96.84
	60"	PE34709-60	118.15	109.88	101.61
	Any	PE34709-XX	See Website for Pricing		
50 OHM, PE-020SR (.020" BARE COPPER) (Coax Performance: Attenuation* 85.0 dB; Power Handling** 2.9 W; Cable Diameter .020")	12"	PE3932-12	$125.65	$116.85	$108.06
	24"	PE3932-24	139.30	129.55	119.80
	36"	PE3932-36	153.00	142.29	131.58
	48"	PE3932-48	166.70	155.03	143.36
	60"	PE3932-60	180.40	167.77	155.14
	Any	PE3932-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE33176-12	$50.60	$47.06	$43.52
	24"	PE33176-24	55.80	51.89	47.99
	36"	PE33176-36	60.95	56.68	52.42
	48"	PE33176-48	66.15	61.52	56.89
	60"	PE33176-60	71.30	66.31	61.32
	Any	PE33176-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) (Coax Performance: Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE34071-12	$51.95	$48.31	$44.68
	24"	PE34071-24	58.45	54.36	50.27
	36"	PE34071-36	64.95	60.40	55.86
	48"	PE34071-48	71.50	66.50	61.49
	60"	PE34071-60	78.00	72.54	67.08
	Any	PE34071-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE34070-12	$53.50	$49.76	$46.01
	24"	PE34070-24	61.55	57.24	52.93
	36"	PE34070-36	69.65	64.77	59.90
	48"	PE34070-48	77.70	72.26	66.82
	60"	PE34070-60	85.45	79.47	73.49
	Any	PE34070-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) (Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250")	12"	PE3794-12	$88.75	$82.54	$76.33
	24"	PE3794-24	100.40	93.37	86.34
	36"	PE3794-36	112.05	104.21	96.36
	48"	PE3794-48	123.65	114.99	106.34
	60"	PE3794-60	135.30	125.83	116.36
	Any	PE3794-XX	See Website for Pricing		
50 OHM, PE-034SR (.034" BARE COPPER) (Coax Performance: Attenuation* 60.0 dB; Power Handling** 10 W; Cable Diameter .034")	12"	PE3520-12	$120.70	$112.25	$103.80
	24"	PE3520-24	130.30	121.18	112.06
	36"	PE3520-36	139.85	130.06	120.27
	48"	PE3520-48	149.40	138.94	128.48
	60"	PE3520-60	159.00	147.87	136.74
	Any	PE3520-XX	See Website for Pricing		

SMA FEMALE 2 HOLE PANEL MOUNT TO SMA FEMALE 2 HOLE PANEL MOUNT

USE MOUNTING HOLE C01 ON PAGE 259

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141")	12"	PE3525-12	$59.85	$55.66	$51.47
	24"	PE3525-24	65.35	60.78	56.20
	36"	PE3525-36	70.85	65.89	60.93
	48"	PE3525-48	76.35	71.01	65.66
	60"	PE3525-60	81.85	76.12	70.39
	Any	PE3525-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE35108-12	$60.20	$55.99	$51.77
	24"	PE35108-24	66.00	61.38	56.76
	36"	PE35108-36	71.85	66.82	61.79
	48"	PE35108-48	77.70	72.26	66.82
	60"	PE35108-60	83.55	77.70	71.85
	Any	PE35108-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE33191-12	$57.60	$53.57	$49.54
	24"	PE33191-24	62.80	58.40	54.01
	36"	PE33191-36	67.95	63.19	58.44
	48"	PE33191-48	73.15	68.03	62.91
	60"	PE33191-60	78.30	72.82	67.34
	Any	PE33191-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE35114-12	$60.50	$56.27	$52.03
	24"	PE35114-24	68.55	63.75	58.95
	36"	PE35114-36	76.65	71.28	65.92
	48"	PE35114-48	84.70	78.77	72.84
	60"	PE35114-60	92.80	86.30	79.81
	Any	PE35114-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE35064-12	$76.30	$70.96	$65.62
	24"	PE35064-24	80.05	74.45	68.84
	36"	PE35064-36	83.80	77.93	72.07
	48"	PE35064-48	88.15	81.98	75.81
	60"	PE35064-60	95.90	89.19	82.47
	Any	PE35064-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE35154-12	$62.80	$58.40	$54.01
	24"	PE35154-24	68.35	63.57	58.78
	36"	PE35154-36	73.95	68.77	63.60
	48"	PE35154-48	79.50	73.94	68.37
	60"	PE35154-60	85.05	79.10	73.14
	Any	PE35154-XX	See Website for Pricing		

SMA FEMALE 4 HOLE PANEL MOUNT TO SMA FEMALE 4 HOLE PANEL MOUNT

USE MOUNTING HOLE A01 ON PAGE 259

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE33502-12	$71.75	$66.73	$61.71
	24"	PE33502-24	77.25	71.84	66.44
	36"	PE33502-36	82.75	76.96	71.17
	48"	PE33502-48	88.25	82.07	75.90
	60"	PE33502-60	93.75	87.19	80.63
	Any	PE33502-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) *Coax Performance* Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE35110-12	$68.90	$64.08	$59.25
	24"	PE35110-24	73.90	68.73	63.55
	36"	PE35110-36	78.85	73.33	67.81
	48"	PE35110-48	83.70	77.84	71.98
	60"	PE35110-60	88.75	82.54	76.33
	Any	PE35110-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) *Coax Performance* Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3223-12	$65.60	$61.01	$56.42
	24"	PE3223-24	70.80	65.84	60.89
	36"	PE3223-36	75.95	70.63	65.32
	48"	PE3223-48	81.15	75.47	69.79
	60"	PE3223-60	86.30	80.26	74.22
	Any	PE3223-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) *Coax Performance* Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE35116-12	$68.50	$63.71	$58.91
	24"	PE35116-24	76.55	71.19	65.83
	36"	PE35116-36	83.90	78.03	72.15
	48"	PE35116-48	88.95	82.72	76.50
	60"	PE35116-60	93.90	87.33	80.75
	Any	PE35116-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) *Coax Performance* Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE35118-12	$86.25	$80.21	$74.18
	24"	PE35118-24	89.95	83.65	77.36
	36"	PE35118-36	97.55	90.72	83.89
	48"	PE35118-48	105.25	97.88	90.52
	60"	PE35118-60	113.00	105.09	97.18
	Any	PE35118-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) *Coax Performance* Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE35112-12	$79.90	$74.31	$68.71
	24"	PE35112-24	85.45	79.47	73.49
	36"	PE35112-36	91.05	84.68	78.30
	48"	PE35112-48	96.60	89.84	83.08
	60"	PE35112-60	102.15	95.00	87.85
	Any	PE35112-XX	See Website for Pricing		

3.5mm MALE TO 3.5mm MALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE34570-12	$169.30	$157.45	$145.60
	24"	PE34570-24	175.05	162.80	150.54
	36"	PE34570-36	180.85	168.19	155.53
	48"	PE34570-48	186.60	173.54	160.48
	60"	PE34570-60	192.40	178.93	165.46
	Any	PE34570-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) *Coax Performance* Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE34572-12	$171.00	$159.03	$147.06
	24"	PE34572-24	178.50	166.01	153.51
	36"	PE34572-36	185.95	172.93	159.92
	48"	PE34572-48	193.45	179.91	166.37
	60"	PE34572-60	200.90	186.84	172.77
	Any	PE34572-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) *Coax Performance* Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE34574-12	$176.70	$164.33	$151.96
	24"	PE34574-24	181.80	169.07	156.35
	36"	PE34574-36	186.85	173.77	160.69
	48"	PE34574-48	191.90	178.47	165.03
	60"	PE34574-60	196.95	183.16	169.38
	Any	PE34574-XX	See Website for Pricing		
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) *Coax Performance* Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE34576-12	$178.55	$166.05	$153.55
	24"	PE34576-24	185.40	172.42	159.44
	36"	PE34576-36	192.30	178.84	165.38
	48"	PE34576-48	199.15	185.21	171.27
	60"	PE34576-60	206.05	191.63	177.20
	Any	PE34576-XX	See Website for Pricing		

3.5mm MALE TO 3.5mm FEMALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE34578-12	$173.35	$161.22	$149.08
	24"	PE34578-24	179.15	166.61	154.07
	36"	PE34578-36	184.90	171.96	159.01
	48"	PE34578-48	190.70	177.35	164.00
	60"	PE34578-60	196.45	182.70	168.95
	Any	PE34578-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) *Coax Performance* Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE34580-12	$175.05	$162.80	$150.54
	24"	PE34580-24	182.55	169.77	156.99
	36"	PE34580-36	190.05	176.75	163.44
	48"	PE34580-48	197.50	183.68	169.85
	60"	PE34580-60	205.00	190.65	176.30
	Any	PE34580-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) *Coax Performance* Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE35121-12	$173.75	$161.59	$149.43
	24"	PE35121-24	179.90	167.31	154.71
	36"	PE35121-36	187.50	174.38	161.25
	48"	PE35121-48	193.35	179.82	166.28
	60"	PE35121-60	198.40	184.51	170.62
	Any	PE35121-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) *Coax Performance* Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE34582-12	$235.25	$218.78	$202.32
	24"	PE34582-24	240.45	223.62	206.79
	36"	PE34582-36	245.60	228.41	211.22
	48"	PE34582-48	250.80	233.24	215.69
	60"	PE34582-60	255.95	238.03	220.12
	Any	PE34582-XX	See Website for Pricing		

3.5mm MALE TO 3.5mm FEMALE BULKHEAD

USE MOUNTING HOLE B02 ON PAGE 259

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE34586-12	$327.80	$304.85	$281.91
	24"	PE34586-24	333.30	309.97	286.64
	36"	PE34586-36	338.80	315.08	291.37
	48"	PE34586-48	344.30	320.20	296.10
	60"	PE34586-60	349.80	325.31	300.83
	Any	PE34586-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) *Coax Performance* Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE34590-12	$205.45	$191.07	$176.69
	24"	PE34590-24	210.65	195.90	181.16
	36"	PE34590-36	215.80	200.69	185.59
	48"	PE34590-48	221.00	205.53	190.06
	60"	PE34590-60	226.15	210.32	194.49
	Any	PE34590-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

2.92mm MALE TO 2.92mm MALE

SEMI-RIGID & RE-SHAPEABLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER)	12"	PE34729-12	$100.45	$93.42	$86.39
	24"	PE34729-24	106.20	98.77	91.33
	36"	PE34729-36	112.00	104.16	96.32
	48"	PE34729-48	117.75	109.51	101.27
	60"	PE34729-60	123.55	114.90	106.25
	Any	PE34729-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM)	12"	PE34731-12	$102.15	$95.00	$87.85
	24"	PE34731-24	109.60	101.93	94.26
	36"	PE34731-36	117.10	108.90	100.71
	48"	PE34731-48	124.60	115.88	107.16
	60"	PE34731-60	132.05	122.81	113.56
	Any	PE34731-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE)	12"	PE34733-12	$100.80	$93.74	$86.69
	24"	PE34733-24	107.00	99.51	92.02
	36"	PE34733-36	113.15	105.23	97.31
	48"	PE34733-48	119.35	111.00	102.64
	60"	PE34733-60	125.55	116.76	107.97
	Any	PE34733-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER)	12"	PE34735-12	$78.65	$73.14	$67.64
	24"	PE34735-24	83.30	77.47	71.64
	36"	PE34735-36	95.00	88.35	81.70
	48"	PE34735-48	99.95	92.95	85.96
	60"	PE34735-60	105.00	97.65	90.30
	Any	PE34735-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE)	12"	PE34737-12	$81.80	$76.07	$70.35
	24"	PE34737-24	93.35	86.82	80.28
	36"	PE34737-36	98.35	91.47	84.58
	48"	PE34737-48	103.35	96.12	88.88
	60"	PE34737-60	108.25	100.67	93.10
	Any	PE34737-XX	See Website for Pricing		
50 OHM, PE-118SR (.118" BARE COPPER)	12"	PE34739-12	$107.40	$99.88	$92.36
	24"	PE34739-24	123.90	115.23	106.55
	36"	PE34739-36	140.55	130.71	120.87
	48"	PE34739-48	156.85	145.87	134.89
	60"	PE34739-60	173.55	161.40	149.25
	Any	PE34739-XX	See Website for Pricing		

	Coax Performance
Attenuation*	13.0 dB
Power Handling**	650 W
Cable Diameter	.141"

	Coax Performance
Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

	Coax Performance
Attenuation*	13.0 dB
Power Handling**	450 W
Cable Diameter	.141"

	Coax Performance
Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

	Coax Performance
Attenuation*	12.0 dB
Power Handling**	450 W
Cable Diameter	.141"

	Coax Performance
Attenuation*	12.2 dB
Power Handling**	500 W
Cable Diameter	.118"

2.92mm MALE TO 2.92mm FEMALE BULKHEAD

USE MOUNTING HOLE B02 ON PAGE 259

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER)	12"	PE34741-12	$182.85	$170.05	$157.25
	24"	PE34741-24	188.35	175.17	161.98
	36"	PE34741-36	193.85	180.28	166.71
	48"	PE34741-48	199.35	185.40	171.44
	60"	PE34741-60	204.85	190.51	176.17
	Any	PE34741-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM)	12"	PE34743-12	$184.45	$171.54	$158.63
	24"	PE34743-24	191.50	178.10	164.69
	36"	PE34743-36	198.60	184.70	170.80
	48"	PE34743-48	205.70	191.30	176.90
	60"	PE34743-60	212.80	197.90	183.01
	Any	PE34743-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE)	12"	PE34745-12	$105.00	$97.65	$90.30
	24"	PE34745-24	109.90	102.21	94.51
	36"	PE34745-36	114.85	106.81	98.77
	48"	PE34745-48	119.75	111.37	102.99
	60"	PE34745-60	124.75	116.02	107.29
	Any	PE34745-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER)	12"	PE34747-12	$105.00	$97.65	$90.30
	24"	PE34747-24	109.90	102.21	94.51
	36"	PE34747-36	114.85	106.81	98.77
	48"	PE34747-48	119.75	111.37	102.99
	60"	PE34747-60	124.75	116.02	107.29
	Any	PE34747-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE)	12"	PE34749-12	$189.50	$176.24	$162.97
	24"	PE34749-24	197.95	184.09	170.24
	36"	PE34749-36	206.40	191.95	177.50
	48"	PE34749-48	214.90	199.86	184.81
	60"	PE34749-60	223.35	207.72	192.08
	Any	PE34749-XX	See Website for Pricing		
50 OHM, PE-118SR (.118" BARE COPPER	12"	PE34751-12	$234.60	$218.18	$201.76
	24"	PE34751-24	262.55	244.17	225.79
	36"	PE34751-36	290.50	270.17	249.83
	48"	PE34751-48	318.45	296.16	273.87
	60"	PE34751-60	346.40	322.15	297.90
	Any	PE34751-XX	See Website for Pricing		

	Coax Performance
Attenuation*	13.0 dB
Power Handling**	650 W
Cable Diameter	.141"

	Coax Performance
Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

	Coax Performance
Attenuation*	13.0 dB
Power Handling**	450 W
Cable Diameter	.141"

	Coax Performance
Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

	Coax Performance
Attenuation*	12.0 dB
Power Handling**	450 W
Cable Diameter	.141"

	Coax Performance
Attenuation*	12.2 dB
Power Handling**	500 W
Cable Diameter	.118"

2.92mm MALE TO 2.4mm MALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER)	12"	PE35660-12	$129.10	$120.06	$111.03
	24"	PE35660-24	134.30	124.90	115.50
	36"	PE35660-36	139.45	129.69	119.93
	48"	PE35660-48	144.65	134.52	124.40
	60"	PE35660-60	149.80	139.31	128.83
	Any	PE35660-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE)	12"	PE35664-12	$113.60	$105.65	$97.70
	24"	PE35664-24	122.05	113.51	104.96
	36"	PE35664-36	130.50	121.37	112.23
	48"	PE35664-48	139.00	129.27	119.54
	60"	PE35664-60	147.45	137.13	126.81
	Any	PE35664-XX	See Website for Pricing		

	Coax Performance
Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

	Coax Performance
Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

2.92mm MALE TO 1.85mm MALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER)	12"	PE36531-12	$194.80	$181.16	$167.53
	24"	PE36531-24	200.00	186.00	172.00
	36"	PE36531-36	205.15	190.79	176.43
	48"	PE36531-48	210.35	195.63	180.90
	60"	PE36531-60	215.50	200.42	185.33
	Any	PE36531-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE)	12"	PE36533-12	$197.70	$183.86	$170.02
	24"	PE36533-24	205.75	191.35	176.95
	36"	PE36533-36	213.85	198.88	183.91
	48"	PE36533-48	221.90	206.37	190.83
	60"	PE36533-60	230.00	213.90	197.80
	Any	PE36533-XX	See Website for Pricing		

	Coax Performance
Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

	Coax Performance
Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

2.4mm MALE TO 2.4mm MALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) — Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE35639-12	$87.85	$81.70	$75.55
	24"	PE35639-24	92.40	85.93	79.46
	36"	PE35639-36	97.10	90.30	83.51
	48"	PE35639-48	101.60	94.49	87.38
	60"	PE35639-60	106.20	98.77	91.33
	Any	PE35639-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) — Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE35652-12	$98.35	$91.47	$84.58
	24"	PE35652-24	103.35	96.12	88.88
	36"	PE35652-36	108.25	100.67	93.10
	48"	PE35652-48	113.15	105.23	97.31
	60"	PE35652-60	118.15	109.88	101.61
	Any	PE35652-XX	See Website for Pricing		

2.4mm MALE TO 2.4mm FEMALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) — Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE35654-12	$213.75	$198.79	$183.83
	24"	PE35654-24	218.80	203.48	188.17
	36"	PE35654-36	223.85	208.18	192.51
	48"	PE35654-48	228.90	212.88	196.85
	60"	PE35654-60	233.95	217.57	201.20
	Any	PE35654-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) — Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE35658-12	$217.15	$201.95	$186.75
	24"	PE35658-24	225.60	209.81	194.02
	36"	PE35658-36	234.10	217.71	201.33
	48"	PE35658-48	242.55	225.57	208.59
	60"	PE35658-60	251.00	233.43	215.86
	Any	PE35658-XX	See Website for Pricing		

1.85mm MALE TO 1.85mm MALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-047SR (.047" BARE COPPER) — Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE36519-12	$297.90	$277.05	$256.19
	24"	PE36519-24	305.65	284.25	262.86
	36"	PE36519-36	313.40	291.46	269.52
	48"	PE36519-48	321.10	298.62	276.15
	60"	PE36519-60	328.85	305.83	282.81
	Any	PE36519-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) — Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE36521-12	$295.75	$275.05	$254.35
	24"	PE36521-24	301.30	280.21	259.12
	36"	PE36521-36	306.90	285.42	263.93
	48"	PE36521-48	312.45	290.58	268.71
	60"	PE36521-60	318.00	295.74	273.48
	Any	PE36521-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) — Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE36523-12	$264.05	$245.57	$227.08
	24"	PE36523-24	269.10	250.26	231.43
	36"	PE36523-36	274.20	255.01	235.81
	48"	PE36523-48	279.25	259.70	240.16
	60"	PE36523-60	284.30	264.40	244.50
	Any	PE36523-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) — Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE36525-12	$273.65	$254.49	$235.34
	24"	PE36525-24	281.70	261.98	242.26
	36"	PE36525-36	289.80	269.51	249.23
	48"	PE36525-48	297.85	277.00	256.15
	60"	PE36525-60	305.95	284.53	263.12
	Any	PE36525-XX	See Website for Pricing		

SSMA MALE TO SSMA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX — Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE3673-12	$48.35	$44.97	$41.58
	24"	PE3673-24	48.75	45.34	41.93
	36"	PE3673-36	49.15	45.71	42.27
	48"	PE3673-48	49.55	46.08	42.61
	60"	PE3673-60	49.95	46.45	42.96
	Any	PE3673-XX	See Website for Pricing		
50 OHM, RG178B/U COAX — Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075"	12"	PE33762-12	$53.35	$49.62	$45.88
	24"	PE33762-24	54.05	50.27	46.48
	36"	PE33762-36	54.80	50.96	47.13
	48"	PE33762-48	55.50	51.62	47.73
	60"	PE33762-60	56.25	52.31	48.38
	Any	PE33762-XX	See Website for Pricing		
50 OHM, RG188A/U COAX — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110"	12"	PE33700-12	$49.60	$46.13	$42.66
	24"	PE33700-24	51.25	47.66	44.08
	36"	PE33700-36	52.90	49.20	45.49
	48"	PE33700-48	54.55	50.73	46.91
	60"	PE33700-60	56.25	52.31	48.38
	Any	PE33700-XX	See Website for Pricing		
50 OHM, RG316/U COAX — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE33071-12	$50.20	$46.69	$43.17
	24"	PE33071-24	52.50	48.83	45.15
	36"	PE33071-36	54.75	50.92	47.09
	48"	PE33071-48	57.05	53.06	49.06
	60"	PE33071-60	59.35	55.20	51.04
	Any	PE33071-XX	See Website for Pricing		

SSMA MALE RIGHT ANGLE TO SSMA MALE RIGHT ANGLE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE36574-12	$57.20	$53.20	$49.19
	24"	PE36574-24	59.50	55.34	51.17
	36"	PE36574-36	61.75	57.43	53.11
	48"	PE36574-48	64.05	59.57	55.08
	60"	PE36574-60	66.35	61.71	57.06
	Any	PE36574-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE38407-12	$57.10	$53.10	$49.11
	24"	PE38407-24	59.25	55.10	50.96
	36"	PE38407-36	61.45	57.15	52.85
	48"	PE38407-48	63.60	59.15	54.70
	60"	PE38407-60	65.80	61.19	56.59
	Any	PE38407-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

N MALE TO N MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX Coax Performance Attenuation* 9.0 dB Power Handling** 190 W Cable Diameter .405"	12"	PE3570-12	$44.80	$41.66	$38.53
	24"	PE3570-24	46.95	43.66	40.38
	36"	PE3570-36	49.15	45.71	42.27
	48"	PE3570-48	51.30	47.71	44.12
	60"	PE3570-60	52.75	49.06	45.37
	Any	PE3570-XX	See Website for Pricing		
52 OHM, RG8X COAX Coax Performance Attenuation* 13.5 dB Power Handling** 60 W Cable Diameter .242"	12"	PE33720-12	$52.65	$48.96	$45.28
	24"	PE33720-24	55.00	51.15	47.30
	36"	PE33720-36	57.35	53.34	49.32
	48"	PE33720-48	59.70	55.52	51.34
	60"	PE33720-60	62.00	57.66	53.32
	Any	PE33720-XX	See Website for Pricing		
75 OHM, RG11A/U COAX Coax Performance Attenuation* 9.0 dB Power Handling** 150 W Cable Diameter .405"	12"	PE33479-12	$45.10	$41.94	$38.79
	24"	PE33479-24	46.35	43.11	39.86
	36"	PE33479-36	47.60	44.27	40.94
	48"	PE33479-48	48.85	45.43	42.01
	60"	PE33479-60	50.05	46.55	43.04
	Any	PE33479-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED Coax Performance Attenuation* 16.5 dB Power Handling** 53 W Cable Diameter .206"	12"	PE3499-12	$33.35	$31.02	$28.68
	24"	PE3499-24	35.05	32.60	30.14
	36"	PE3499-36	36.75	34.18	31.61
	48"	PE3499-48	38.50	35.81	33.11
	60"	PE3499-60	40.20	37.39	34.57
	Any	PE3499-XX	See Website for Pricing		
50 OHM, RG58C/U COAX Coax Performance Attenuation* 20.0 dB Power Handling** 44 W Cable Diameter .195"	12"	PE3441-12	$32.75	$30.46	$28.17
	24"	PE3441-24	33.20	30.88	28.55
	36"	PE3441-36	33.95	31.57	29.20
	48"	PE3441-48	34.45	32.04	29.63
	60"	PE3441-60	35.10	32.64	30.19
	Any	PE3441-XX	See Website for Pricing		
93 OHM, RG62A/U COAX Coax Performance Attenuation* 8.5 dB Power Handling** 77 W Cable Diameter .242"	12"	PE36181-12	$31.50	$29.30	$27.09
	24"	PE36181-24	32.50	30.23	27.95
	36"	PE36181-36	33.50	31.16	28.81
	48"	PE36181-48	34.50	32.09	29.67
	60"	PE36181-60	35.45	32.97	30.49
	Any	PE36181-XX	See Website for Pricing		
50 OHM, RG141A/U COAX Coax Performance Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .190"	12"	PE36589-12	$44.10	$41.01	$37.93
	24"	PE36589-24	48.95	45.52	42.10
	36"	PE36589-36	53.80	50.03	46.27
	48"	PE36589-48	58.65	54.54	50.44
	60"	PE36589-60	63.50	59.06	54.61
	Any	PE36589-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED Coax Performance Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .195"	12"	PE3455-12	$35.55	$33.06	$30.57
	24"	PE3455-24	39.50	36.74	33.97
	36"	PE3455-36	43.45	40.41	37.37
	48"	PE3455-48	47.40	44.08	40.76
	60"	PE3455-60	51.35	47.76	44.16
	Any	PE3455-XX	See Website for Pricing		
50 OHM, RG174A/U COAX Coax Performance Attenuation* 31.0 dB Power Handling** 16 W Cable Diameter .100"	12"	PE36273-12	$38.85	$36.13	$33.41
	24"	PE36273-24	39.25	36.50	33.76
	36"	PE36273-36	39.65	36.87	34.10
	48"	PE36273-48	40.05	37.25	34.44
	60"	PE36273-60	40.45	37.62	34.79
	Any	PE36273-XX	See Website for Pricing		
50 OHM, RG178B/U COAX Coax Performance Attenuation* 45.0 dB Power Handling** 78 W Cable Diameter .075"	12"	PE33527-12	$55.65	$51.75	$47.86
	24"	PE33527-24	56.35	52.41	48.46
	36"	PE33527-36	57.10	53.10	49.11
	48"	PE33527-48	57.80	53.75	49.71
	60"	PE33527-60	58.55	54.45	50.35
	Any	PE33527-XX	See Website for Pricing		
50 OHM, RG188A/U COAX Coax Performance Attenuation* 30.0 dB Power Handling** 160 W Cable Diameter .110"	12"	PE33525-12	$40.10	$37.29	$34.49
	24"	PE33525-24	41.75	38.83	35.91
	36"	PE33525-36	43.40	40.36	37.32
	48"	PE33525-48	45.05	41.90	38.74
	60"	PE33525-60	46.75	43.48	40.21
	Any	PE33525-XX	See Website for Pricing		
50 OHM, RG213/U COAX Coax Performance Attenuation* 9.0 dB Power Handling** 190 W Cable Diameter .405"	12"	PE3496-12	$43.85	$40.78	$37.71
	24"	PE3496-24	45.10	41.94	38.79
	36"	PE3496-36	46.30	43.06	39.82
	48"	PE3496-48	47.55	44.22	40.89
	60"	PE3496-60	48.75	45.34	41.93
	Any	PE3496-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED Coax Performance Attenuation* 9.0 dB Power Handling** 190 W Cable Diameter .425"	12"	PE3062-12	$47.30	$43.99	$40.68
	24"	PE3062-24	52.80	49.10	45.41
	36"	PE3062-36	58.30	54.22	50.14
	48"	PE3062-48	63.80	59.33	54.87
	60"	PE3062-60	69.25	64.40	59.56
	Any	PE3062-XX	See Website for Pricing		
50 OHM, RG217/U COAX, DOUBLE SHIELDED Coax Performance Attenuation* 5.8 dB Power Handling** 260 W Cable Diameter .545"	12"	PE3997-12	$76.50	$71.15	$65.79
	24"	PE3997-24	79.00	73.47	67.94
	36"	PE3997-36	81.40	75.70	70.00
	48"	PE3997-48	83.95	78.07	72.20
	60"	PE3997-60	86.40	80.35	74.30
	Any	PE3997-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED Coax Performance Attenuation* 16.5 dB Power Handling** 53 W Cable Diameter .216"	12"	PE3447-12	$33.75	$31.39	$29.03
	24"	PE3447-24	35.85	33.34	30.83
	36"	PE3447-36	37.95	35.29	32.64
	48"	PE3447-48	40.05	37.25	34.44
	60"	PE3447-60	42.20	39.25	36.29
	Any	PE3447-XX	See Website for Pricing		
50 OHM, RG316/U COAX Coax Performance Attenuation* 30.0 dB Power Handling** 160 W Cable Diameter .102"	12"	PE3487-12	$40.70	$37.85	$35.00
	24"	PE3487-24	43.00	39.99	36.98
	36"	PE3487-36	45.25	42.08	38.92
	48"	PE3487-48	47.55	44.22	40.89
	60"	PE3487-60	49.85	46.36	42.87
	Any	PE3487-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED Coax Performance Attenuation* 30.0 dB Power Handling** 160 W Cable Diameter .114"	12"	PE33288-12	$40.60	$37.76	$34.92
	24"	PE33288-24	42.75	39.76	36.77
	36"	PE33288-36	44.95	41.80	38.66
	48"	PE33288-48	47.10	43.80	40.51
	60"	PE33288-60	49.30	45.85	42.40
	Any	PE33288-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED Coax Performance Attenuation* 7.5 dB Power Handling** 1700 W Cable Diameter .390"	12"	PE3607-12	$53.85	$50.08	$46.31
	24"	PE3607-24	65.85	61.24	56.63
	36"	PE3607-36	77.55	72.12	66.69
	48"	PE3607-48	89.25	83.00	76.76
	60"	PE3607-60	100.80	93.74	86.69
	Any	PE3607-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED Coax Performance Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .195"	12"	PE3653-12	$41.20	$38.32	$35.43
	24"	PE3653-24	45.45	42.27	39.09
	36"	PE3653-36	49.10	45.66	42.23
	48"	PE3653-48	52.60	48.92	45.24
	60"	PE3653-60	56.30	52.36	48.42
	Any	PE3653-XX	See Website for Pricing		
50 OHM, PE-B405, VERY LOW LOSS COAX Coax Performance Attenuation* 4.5 dB Power Handling** 344 W Cable Diameter .405"	12"	PE3279-12	$46.45	$43.20	$39.95
	24"	PE3279-24	47.40	44.08	40.76
	36"	PE3279-36	48.40	45.01	41.62
	48"	PE3279-48	49.45	45.99	42.53
	60"	PE3279-60	50.50	46.97	43.43
	Any	PE3279-XX	See Website for Pricing		
50 OHM, PE-B400 COAX, DOUBLE SHIELDED Coax Performance Attenuation* 6.0 dB Power Handling** 190 W Cable Diameter .403"	12"	PE3629-12	$41.55	$38.64	$35.73
	24"	PE3629-24	42.80	39.80	36.81
	36"	PE3629-36	44.00	40.92	37.84
	48"	PE3629-48	45.25	42.08	38.92
	60"	PE3629-60	46.45	43.20	39.95
	Any	PE3629-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED Coax Performance Attenuation* 11.5 dB Power Handling** 150 W Cable Diameter .195"	36"	PE37940-36	$34.35	$31.95	$29.54
	48"	PE37940-48	35.45	32.97	30.49
	60"	PE37940-60	36.60	34.04	31.48
	72"	PE37940-72	37.70	35.06	32.42
	120"	PE37940-120	42.15	39.20	36.25
	Any	PE37940-XXX	See Website for Pricing		
50 OHM, PE-C200 COAX, DOUBLE SHIELDED Coax Performance Attenuation* 11.0 dB Power Handling** 170 W Cable Diameter .195"	12"	PE34693-12	$35.50	$33.02	$30.53
	24"	PE34693-24	39.05	36.32	33.58
	36"	PE34693-36	42.55	39.57	36.59
	48"	PE34693-48	46.05	42.83	39.60
	60"	PE34693-60	49.55	46.08	42.61
	Any	PE34693-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED Coax Performance Attenuation* 8.0 dB Power Handling** 250 W Cable Diameter .240"	36"	PE37941-36	$38.15	$35.48	$32.81
	48"	PE37941-48	40.35	37.53	34.70
	60"	PE37941-60	42.70	39.71	36.72
	72"	PE37941-72	45.05	41.90	38.74
	120"	PE37941-120	54.40	50.59	46.78
	Any	PE37941-XXX	See Website for Pricing		
50 OHM, PE-C300 COAX, DOUBLE SHIELDED Coax Performance Attenuation* 6.5 dB Power Handling** 350 W Cable Diameter .300"	12"	PE36634-12	$47.30	$43.99	$40.68
	24"	PE36634-24	49.45	45.99	42.53
	36"	PE36634-36	51.65	48.03	44.42
	48"	PE36634-48	53.80	50.03	46.27
	60"	PE36634-60	56.00	52.08	48.16
	Any	PE36634-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED Coax Performance Attenuation* 4.5 dB Power Handling** 550 W Cable Diameter .405"	36"	PE37942-36	$53.65	$49.89	$46.14
	48"	PE37942-48	57.65	53.61	49.58
	60"	PE37942-60	61.65	57.33	53.02
	72"	PE37942-72	65.65	61.05	56.46
	120"	PE37942-120	78.25	72.77	67.30
	Any	PE37942-XXX	See Website for Pricing		
50 OHM, PE-C500 COAX, DOUBLE SHIELDED Coax Performance Attenuation* 3.5 dB Power Handling** 720 W Cable Diameter .500"	12"	PE35522-12	$74.20	$69.01	$63.81
	24"	PE35522-24	77.50	72.08	66.65
	36"	PE35522-36	80.85	75.19	69.53
	48"	PE35522-48	84.20	78.31	72.41
	60"	PE35522-60	87.55	81.42	75.29
	Any	PE35522-XX	See Website for Pricing		
50 OHM, PE-C600 COAX, DOUBLE SHIELDED Coax Performance Attenuation* 3.0 dB Power Handling** 900 W Cable Diameter .590"	36"	PE37943-36	$76.70	$71.33	$65.96
	48"	PE37943-48	81.60	75.89	70.18
	60"	PE37943-60	86.50	80.45	74.39
	72"	PE37943-72	91.40	85.00	78.60
	120"	PE37943-120	111.00	103.23	95.46
	Any	PE37943-XXX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

N MALE TO N MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG218/U COAX (Coax Performance: Attenuation* 3.8 dB; Power Handling** 560 W; Cable Diameter .870")	12"	PE33236-12	$155.20	$144.34	$133.47
	24"	PE33236-24	159.15	148.01	136.87
	36"	PE33236-36	160.55	149.31	138.07
	48"	PE33236-48	163.50	152.06	140.61
	60"	PE33236-60	171.90	159.87	147.83
	Any	PE33236-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430")	12"	PE33269-12	$67.20	$62.50	$57.79
	24"	PE33269-24	92.60	86.12	79.64
	36"	PE33269-36	117.95	109.69	101.44
	48"	PE33269-48	143.35	133.32	123.28
	60"	PE33269-60	168.70	156.89	145.08
	Any	PE33269-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33377-12	$41.50	$38.60	$35.69
	24"	PE33377-24	48.20	44.83	41.45
	36"	PE33377-36	54.85	51.01	47.17
	48"	PE33377-48	61.55	57.24	52.93
	60"	PE33377-60	68.20	63.43	58.65
	Any	PE33377-XX	See Website for Pricing		
50 OHM, 1/2" HELICAL FLEX (Coax Performance: Attenuation* 3.41 dB; Power Handling** 770 W; Cable Diameter .500")	36"	PE37968-36	$87.40	$81.28	$75.16
	72"	PE37968-72	109.25	101.60	93.96
	For Additional Lengths, Please Contact Technical Support				

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141")	12"	PE3827-12	$59.45	$55.29	$51.13
	24"	PE3827-24	64.95	60.40	55.86
	36"	PE3827-36	70.45	65.52	60.59
	48"	PE3827-48	75.95	70.63	65.32
	60"	PE3827-60	81.45	75.75	70.05
	Any	PE3827-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE34138-12	$61.05	$56.78	$52.50
	24"	PE34138-24	68.10	63.33	58.57
	36"	PE34138-36	75.20	69.94	64.67
	48"	PE34138-48	82.30	76.54	70.78
	60"	PE34138-60	89.40	83.14	76.88
	Any	PE34138-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE3472-12	$59.80	$55.61	$51.43
	24"	PE3472-24	65.60	61.01	56.42
	36"	PE3472-36	71.45	66.45	61.45
	48"	PE3472-48	77.30	71.89	66.48
	60"	PE3472-60	83.15	77.33	71.51
	Any	PE3472-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE34142-12	$74.15	$68.96	$63.77
	24"	PE34142-24	81.90	76.17	70.43
	36"	PE34142-36	89.65	83.37	77.10
	48"	PE34142-48	97.35	90.54	83.72
	60"	PE34142-60	105.10	97.74	90.39
	Any	PE34142-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE3920-12	$78.50	$73.01	$67.51
	24"	PE3920-24	83.70	77.84	71.98
	36"	PE3920-36	88.85	82.63	76.41
	48"	PE3920-48	94.05	87.47	80.88
	60"	PE3920-60	99.20	92.26	85.31
	Any	PE3920-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE3963-12	$81.40	$75.70	$70.00
	24"	PE3963-24	89.45	83.19	76.93
	36"	PE3963-36	97.55	90.72	83.89
	48"	PE3963-48	105.60	98.21	90.82
	60"	PE3963-60	113.70	105.74	97.78
	Any	PE3963-XX	See Website for Pricing		
50 OHM, RG401/U (.250" BARE COPPER) (Coax Performance: Attenuation* 9.7 dB; Power Handling** 870 W; Cable Diameter .250")	12"	PE3782-12	$101.60	$94.49	$87.38
	24"	PE3782-24	118.20	109.93	101.65
	36"	PE3782-36	134.80	125.36	115.93
	48"	PE3782-48	151.35	140.76	130.16
	60"	PE3782-60	167.95	156.19	144.44
	Any	PE3782-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) (Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250")	12"	PE34149-12	$96.65	$89.88	$83.12
	24"	PE34149-24	108.30	100.72	93.14
	36"	PE34149-36	119.95	111.55	103.16
	48"	PE34149-48	131.55	122.34	113.13
	60"	PE34149-60	143.20	133.18	123.15
	Any	PE34149-XX	See Website for Pricing		

N MALE TO N MALE RIGHT ANGLE



FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3699-12	$59.95	$55.75	$51.56
	24"	PE3699-24	62.10	57.75	53.41
	36"	PE3699-36	64.30	59.80	55.30
	48"	PE3699-48	66.45	61.80	57.15
	60"	PE3699-60	68.65	63.84	59.04
	Any	PE3699-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3143-12	$47.75	$44.41	$41.07
	24"	PE3143-24	48.25	44.87	41.50
	36"	PE3143-36	48.65	45.24	41.84
	48"	PE3143-48	49.10	45.66	42.23
	60"	PE3143-60	49.50	46.04	42.57
	Any	PE3143-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3726-12	$47.75	$44.41	$41.07
	24"	PE3726-24	50.50	46.97	43.43
	36"	PE3726-36	53.60	49.85	46.10
	48"	PE3726-48	57.55	53.52	49.49
	60"	PE3726-60	61.50	57.20	52.89
	Any	PE3726-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34205-12	$46.40	$43.15	$39.90
	24"	PE34205-24	46.80	43.52	40.25
	36"	PE34205-36	47.20	43.90	40.59
	48"	PE34205-48	47.60	44.27	40.94
	60"	PE34205-60	48.00	44.64	41.28
	Any	PE34205-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3797-12	$59.00	$54.87	$50.74
	24"	PE3797-24	60.25	56.03	51.82
	36"	PE3797-36	61.45	57.15	52.85
	48"	PE3797-48	62.70	58.31	53.92
	60"	PE3797-60	63.90	59.43	54.95
	Any	PE3797-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3071-12	$65.15	$60.59	$56.03
	24"	PE3071-24	70.65	65.70	60.76
	36"	PE3071-36	76.15	70.82	65.49
	48"	PE3071-48	81.65	75.93	70.22
	60"	PE3071-60	87.10	81.00	74.91
	Any	PE3071-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE3255-12	$69.40	$64.54	$59.68
	24"	PE3255-24	81.40	75.70	70.00
	36"	PE3255-36	93.45	86.91	80.37
	48"	PE3255-48	105.45	98.07	90.69
	60"	PE3255-60	117.50	109.28	101.05
	Any	PE3255-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33321-12	$51.35	$47.76	$44.16
	24"	PE33321-24	56.55	52.59	48.63
	36"	PE33321-36	61.70	57.38	53.06
	48"	PE33321-48	66.90	62.22	57.53
	60"	PE33321-60	72.05	67.01	61.96
	Any	PE33321-XX	See Website for Pricing		
50 OHM, PE-B405, VERY LOW LOSS COAX (Coax Performance: Attenuation* 4.5 dB; Power Handling** 344 W; Cable Diameter .405")	12"	PE3962-12	$63.45	$59.01	$54.57
	24"	PE3962-24	65.50	60.92	56.33
	36"	PE3962-36	67.55	62.82	58.09
	48"	PE3962-48	69.60	64.73	59.86
	60"	PE3962-60	71.60	66.59	61.58
	Any	PE3962-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 23.5 dB; Power Handling** 45 W; Cable Diameter .110")	12"	PE38934-12	$43.25	$40.22	$37.20
	24"	PE38934-24	44.90	41.76	38.61
	36"	PE38934-36	46.60	43.34	40.08
	48"	PE38934-48	48.25	44.87	41.50
	60"	PE38934-60	49.95	46.45	42.96
	Any	PE38934-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	36"	PE37944-36	$44.35	$41.25	$38.14
	48"	PE37944-48	45.45	42.27	39.09
	60"	PE37944-60	46.60	43.34	40.08
	72"	PE37944-72	47.70	44.36	41.02
	120"	PE37944-120	52.15	48.50	44.85
	Any	PE37944-XXX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240")	36"	PE37945-36	$50.45	$46.92	$43.39
	48"	PE37945-48	52.75	49.06	45.37
	60"	PE37945-60	55.10	51.24	47.39
	72"	PE37945-72	57.45	53.43	49.41
	120"	PE37945-120	66.80	62.12	57.45
	Any	PE37945-XXX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

N MALE TO N MALE RIGHT ANGLE



FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE3168-12	$47.75	$44.41	$41.07
	24"	PE3168-24	49.15	45.71	42.27
	36"	PE3168-36	50.50	46.97	43.43
	48"	PE3168-48	51.90	48.27	44.63
	60"	PE3168-60	53.25	49.52	45.80
	Any	PE3168-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED	12"	PE34203-12	$85.05	$79.10	$73.14
	24"	PE34203-24	110.45	102.72	94.99
	36"	PE34203-36	135.80	126.29	116.79
	48"	PE34203-48	161.20	149.92	138.63
	60"	PE34203-60	186.55	173.49	160.43
	Any	PE34203-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED	12"	PE34207-12	$48.15	$44.78	$41.41
	24"	PE34207-24	50.30	46.78	43.26
	36"	PE34207-36	52.50	48.83	45.15
	48"	PE34207-48	54.65	50.82	47.00
	60"	PE34207-60	56.85	52.87	48.89
	Any	PE34207-XX	See Website for Pricing		

Coax Performance

Attenuation*	16.5 dB
Power Handling**	53 W
Cable Diameter	.216"

Coax Performance

Attenuation*	7.5 dB
Power Handling**	1700 W
Cable Diameter	.430"

Coax Performance

Attenuation*	30.0 dB
Power Handling**	160 W
Cable Diameter	.114"

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-C400 COAX, DOUBLE SHIELDED	36"	PE37946-36	$69.40	$64.54	$59.68
	48"	PE37946-48	73.40	68.26	63.12
	60"	PE37946-60	77.40	71.98	66.56
	72"	PE37946-72	81.40	75.70	70.00
	120"	PE37946-120	93.80	87.23	80.67
	Any	PE37946-XXX	See Website for Pricing		
50 OHM, PE-C600 COAX, DOUBLE SHIELDED	36"	PE37947-36	$84.80	$78.86	$72.93
	48"	PE37947-48	88.00	81.84	75.68
	60"	PE37947-60	91.20	84.82	78.43
	72"	PE37947-72	94.35	87.75	81.14
	120"	PE37947-120	107.10	99.60	92.11
	Any	PE37947-XXX	See Website for Pricing		
50 OHM, 1/2" HELICAL FLEX	36"	PE37970-36	$109.25	$101.60	$93.96
	72"	PE37970-72	131.10	121.92	112.75

Coax Performance

Attenuation*	4.5 dB
Power Handling**	550 W
Cable Diameter	.405"

Coax Performance

Attenuation*	3.0 dB
Power Handling**	900 W
Cable Diameter	.590"

Coax Performance

Attenuation*	3.41 dB
Power Handling**	770 W
Cable Diameter	.500"

For Additional Lengths, Please Contact Technical Support

N MALE TO N FEMALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE3714-12	$36.45	$33.90	$31.35
	24"	PE3714-24	36.95	34.36	31.78
	36"	PE3714-36	37.50	34.88	32.25
	48"	PE3714-48	38.00	35.34	32.68
	60"	PE3714-60	38.55	35.85	33.15
	Any	PE3714-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED	12"	PE3996-12	$36.30	$33.76	$31.22
	24"	PE3996-24	40.25	37.43	34.62
	36"	PE3996-36	44.20	41.11	38.01
	48"	PE3996-48	48.15	44.78	41.41
	60"	PE3996-60	52.10	48.45	44.81
	Any	PE3996-XX	See Website for Pricing		
50 OHM, RG188A/U COAX	12"	PE34283-12	$43.25	$40.22	$37.20
	24"	PE34283-24	44.90	41.76	38.61
	36"	PE34283-36	46.55	43.29	40.03
	48"	PE34283-48	48.20	44.83	41.45
	60"	PE34283-60	49.90	46.41	42.91
	Any	PE34283-XX	See Website for Pricing		
50 OHM, RG213/U COAX	12"	PE3232-12	$43.25	$40.22	$37.20
	24"	PE3232-24	44.50	41.39	38.27
	36"	PE3232-36	45.70	42.50	39.30
	48"	PE3232-48	46.95	43.66	40.38
	60"	PE3232-60	48.15	44.78	41.41
	Any	PE3232-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED	12"	PE3650-12	$48.10	$44.73	$41.37
	24"	PE3650-24	53.60	49.85	46.10
	36"	PE3650-36	59.10	54.96	50.83
	48"	PE3650-48	64.60	60.08	55.56
	60"	PE3650-60	70.05	65.15	60.24
	Any	PE3650-XX	See Website for Pricing		
50 OHM, RG217/U COAX, DOUBLE SHIELDED	12"	PE34274-12	$91.50	$85.10	$78.69
	24"	PE34274-24	94.95	88.30	81.66
	36"	PE34274-36	98.40	91.51	84.62
	48"	PE34274-48	101.85	94.72	87.59
	60"	PE34274-60	105.30	97.93	90.56
	Any	PE34274-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE3667-12	$34.50	$32.09	$29.67
	24"	PE3667-24	36.60	34.04	31.48
	36"	PE3667-36	38.70	35.99	33.28
	48"	PE3667-48	40.80	37.94	35.09
	60"	PE3667-60	42.95	39.94	36.94
	Any	PE3667-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED	12"	PE33728-12	$68.00	$63.24	$58.48
	24"	PE33728-24	93.40	86.86	80.32
	36"	PE33728-36	118.75	110.44	102.13
	48"	PE33728-48	144.15	134.06	123.97
	60"	PE33728-60	169.50	157.64	145.77
	Any	PE33728-XX	See Website for Pricing		

Coax Performance

Attenuation*	20.0 dB
Power Handling**	44 W
Cable Diameter	.195"

Coax Performance

Attenuation*	13.0 dB
Power Handling**	650 W
Cable Diameter	.195"

Coax Performance

Attenuation*	30.0 dB
Power Handling**	160 W
Cable Diameter	.110"

Coax Performance

Attenuation*	9.0 dB
Power Handling**	190 W
Cable Diameter	.405"

Coax Performance

Attenuation*	9.0 dB
Power Handling**	190 W
Cable Diameter	.425"

Coax Performance

Attenuation*	5.8 dB
Power Handling**	260 W
Cable Diameter	.545"

Coax Performance

Attenuation*	16.5 dB
Power Handling**	53 W
Cable Diameter	.216"

Coax Performance

Attenuation*	7.5 dB
Power Handling**	1700 W
Cable Diameter	.430"

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316-DS COAX, DOUBLE SHIELDED	12"	PE34281-12	$43.75	$40.69	$37.63
	24"	PE34281-24	45.90	42.69	39.47
	36"	PE34281-36	48.10	44.73	41.37
	48"	PE34281-48	50.25	46.73	43.22
	60"	PE34281-60	52.45	48.78	45.11
	Any	PE34281-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED	12"	PE3977-12	$54.65	$50.82	$47.00
	24"	PE3977-24	66.65	61.98	57.32
	36"	PE3977-36	78.70	73.19	67.68
	48"	PE3977-48	90.70	84.35	78.00
	60"	PE3977-60	102.75	95.56	88.37
	Any	PE3977-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED	12"	PE3617-12	$39.95	$37.15	$34.36
	24"	PE3617-24	43.60	40.55	37.50
	36"	PE3617-36	47.30	43.99	40.68
	48"	PE3617-48	50.95	47.38	43.82
	60"	PE3617-60	54.55	50.73	46.91
	Any	PE3617-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED	36"	PE37948-36	$37.30	$34.69	$32.08
	48"	PE37948-48	38.40	35.71	33.02
	60"	PE37948-60	39.55	36.78	34.01
	72"	PE37948-72	40.65	37.80	34.96
	120"	PE37948-120	45.10	41.94	38.79
	Any	PE37948-XXX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED	36"	PE37949-36	$41.00	$38.13	$35.26
	48"	PE37949-48	43.30	40.27	37.24
	60"	PE37949-60	45.65	42.45	39.26
	72"	PE37949-72	48.00	44.64	41.28
	120"	PE37949-120	57.35	53.34	49.32
	Any	PE37949-XXX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED	36"	PE37950-36	$59.30	$55.15	$51.00
	48"	PE37950-48	63.30	58.87	54.44
	60"	PE37950-60	67.30	62.59	57.88
	72"	PE37950-72	71.30	66.31	61.32
	120"	PE37950-120	87.30	81.19	75.08
	Any	PE37950-XXX	See Website for Pricing		
50 OHM, PE-C600 COAX, DOUBLE SHIELDED	36"	PE37951-36	$89.80	$83.51	$77.23
	48"	PE37951-48	94.70	88.07	81.44
	60"	PE37951-60	99.60	92.63	85.66
	72"	PE37951-72	104.50	97.19	89.87
	120"	PE37951-120	124.10	115.41	106.73
	Any	PE37951-XXX	See Website for Pricing		
50 OHM, 1/2" HELICAL FLEX	36"	PE37969-36	$98.30	$91.42	$84.54
	72"	PE37969-72	120.20	111.79	103.37

Coax Performance

Attenuation*	30.0 dB
Power Handling**	160 W
Cable Diameter	.114"

Coax Performance

Attenuation*	7.5 dB
Power Handling**	1700 W
Cable Diameter	.390"

Coax Performance

Attenuation*	13.0 dB
Power Handling**	650 W
Cable Diameter	.195"

Coax Performance

Attenuation*	11.5 dB
Power Handling**	150 W
Cable Diameter	.195"

Coax Performance

Attenuation*	8.0 dB
Power Handling**	250 W
Cable Diameter	.240"

Coax Performance

Attenuation*	4.5 dB
Power Handling**	550 W
Cable Diameter	.405"

Coax Performance

Attenuation*	3.0 dB
Power Handling**	900 W
Cable Diameter	.590"

Coax Performance

Attenuation*	3.41 dB
Power Handling**	770 W
Cable Diameter	.500"

For Additional Lengths, Please Contact Technical Support

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM)	12"	PE34289-12	$66.10	$61.47	$56.85
	24"	PE34289-24	73.15	68.03	62.91
	36"	PE34289-36	80.25	74.63	69.02
	48"	PE34289-48	87.35	81.24	75.12
	60"	PE34289-60	94.45	87.84	81.23
	Any	PE34289-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER)	12"	PE3921-12	$70.65	$65.70	$60.76
	24"	PE3921-24	75.85	70.54	65.23
	36"	PE3921-36	81.00	75.33	69.66
	48"	PE3921-48	86.20	80.17	74.13
	60"	PE3921-60	91.35	84.96	78.56
	Any	PE3921-XX	See Website for Pricing		

Coax Performance

Attenuation*	13.0 dB
Power Handling**	450 W
Cable Diameter	.141"

Coax Performance

Attenuation*	22.0 dB
Power Handling**	130 W
Cable Diameter	.085"

Continued on Next Page

Continued from Previous Page

N MALE TO N FEMALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE3485-12	$66.05	$61.43	$56.80
	24"	PE3485-24	70.65	65.70	60.76
	36"	PE3485-36	76.50	71.15	65.79
	48"	PE3485-48	82.35	76.59	70.82
	60"	PE3485-60	88.20	82.03	75.85
	Any	PE3485-XX	See Website for Pricing		
50 OHM, PE-047SR (.047" BARE COPPER) Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE34287-12	$103.45	$96.21	$88.97
	24"	PE34287-24	111.15	103.37	95.59
	36"	PE34287-36	118.90	110.58	102.25
	48"	PE34287-48	126.65	117.78	108.92
	60"	PE34287-60	134.35	124.95	115.54
	Any	PE34287-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047"	12"	PE34291-12	$101.25	$94.16	$87.08
	24"	PE34291-24	106.80	99.32	91.85
	36"	PE34291-36	112.40	104.53	96.66
	48"	PE34291-48	117.95	109.69	101.44
	60"	PE34291-60	123.50	114.86	106.21
	Any	PE34291-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG401/U (.250" BARE COPPER) Coax Performance: Attenuation* 9.7 dB; Power Handling** 870 W; Cable Diameter .250"	12"	PE3979-12	$88.05	$81.89	$75.72
	24"	PE3979-24	104.65	97.32	90.00
	36"	PE3979-36	121.25	112.76	104.28
	48"	PE3979-48	137.80	128.15	118.51
	60"	PE3979-60	154.40	143.59	132.78
	Any	PE3979-XX	See Website for Pricing		
50 OHM, PE-SR401AL (.250" TINNED ALUMINUM) Coax Performance: Attenuation* 8.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE3988-12	$85.20	$79.24	$73.27
	24"	PE3988-24	98.85	91.93	85.01
	36"	PE3988-36	112.55	104.67	96.79
	48"	PE3988-48	126.25	117.41	108.58
	60"	PE3988-60	139.95	130.15	120.36
	Any	PE3988-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34293-12	$83.10	$77.28	$71.47
	24"	PE34293-24	94.75	88.12	81.49
	36"	PE34293-36	106.40	98.95	91.50
	48"	PE34293-48	118.00	109.74	101.48
	60"	PE34293-60	129.65	120.57	111.50
	Any	PE34293-XX	See Website for Pricing		

N MALE TO N FEMALE BULKHEAD

USE MOUNTING HOLE G01 ON PAGE 259

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE3966-12	$55.05	$51.20	$47.34
	24"	PE3966-24	57.20	53.20	49.19
	36"	PE3966-36	59.40	55.24	51.08
	48"	PE3966-48	61.55	57.24	52.93
	60"	PE3966-60	63.75	59.29	54.83
	Any	PE3966-XX	See Website for Pricing		
50 OHM, RG58C/U COAX Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3320-12	$46.45	$43.20	$39.95
	24"	PE3320-24	46.80	43.52	40.25
	36"	PE3320-36	47.25	43.94	40.64
	48"	PE3320-48	47.65	44.31	40.98
	60"	PE3320-60	48.15	44.78	41.41
	Any	PE3320-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3034-12	$46.45	$43.20	$39.95
	24"	PE3034-24	49.15	45.71	42.27
	36"	PE3034-36	51.90	48.27	44.63
	48"	PE3034-48	54.60	50.78	46.96
	60"	PE3034-60	57.35	53.34	49.32
	Any	PE3034-XX	See Website for Pricing		
50 OHM, RG178B/U COAX Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075"	12"	PE34201-12	$53.40	$49.66	$45.92
	24"	PE34201-24	54.15	50.36	46.57
	36"	PE34201-36	54.85	51.01	47.17
	48"	PE34201-48	55.60	51.71	47.82
	60"	PE34201-60	56.30	52.36	48.42
	Any	PE34201-XX	See Website for Pricing		
50 OHM, RG188A/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110"	12"	PE34181-12	$47.35	$44.04	$40.72
	24"	PE34181-24	49.00	45.57	42.14
	36"	PE34181-36	50.65	47.10	43.56
	48"	PE34181-48	52.30	48.64	44.98
	60"	PE34181-60	54.00	50.22	46.44
	Any	PE34181-XX	See Website for Pricing		
50 OHM, RG213/U COAX Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE33543-12	$56.00	$52.08	$48.16
	24"	PE33543-24	57.05	53.06	49.06
	36"	PE33543-36	58.05	53.99	49.92
	48"	PE33543-48	59.15	55.01	50.87
	60"	PE33543-60	60.15	55.94	51.73
	Any	PE33543-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425"	12"	PE3217-12	$57.85	$53.80	$49.75
	24"	PE3217-24	63.35	58.92	54.48
	36"	PE3217-36	68.85	64.03	59.21
	48"	PE3217-48	74.35	69.15	63.94
	60"	PE3217-60	79.80	74.21	68.63
	Any	PE3217-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3686-12	$46.45	$43.20	$39.95
	24"	PE3686-24	47.75	44.41	41.07
	36"	PE3686-36	49.15	45.71	42.27
	48"	PE3686-48	50.50	46.97	43.43
	60"	PE3686-60	51.90	48.27	44.63
	Any	PE3686-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430"	12"	PE34194-12	$77.75	$72.31	$66.87
	24"	PE34194-24	103.15	95.93	88.71
	36"	PE34194-36	128.50	119.51	110.51
	48"	PE34194-48	153.90	143.13	132.35
	60"	PE34194-60	179.25	166.70	154.16
	Any	PE34194-XX	See Website for Pricing		
50 OHM, RG316/U COAX Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE33534-12	$56.00	$52.08	$48.16
	24"	PE33534-24	57.00	53.01	49.02
	36"	PE33534-36	57.95	53.89	49.84
	48"	PE33534-48	58.95	54.82	50.70
	60"	PE33534-60	59.95	55.75	51.56
	Any	PE33534-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE34198-12	$47.85	$44.50	$41.15
	24"	PE34198-24	50.00	46.50	43.00
	36"	PE34198-36	52.20	48.55	44.89
	48"	PE34198-48	54.35	50.55	46.74
	60"	PE34198-60	56.55	52.59	48.63
	Any	PE34198-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3227-12	$46.45	$43.20	$39.95
	24"	PE3227-24	49.20	45.76	42.31
	36"	PE3227-36	54.35	50.55	46.74
	48"	PE3227-48	59.55	55.38	51.21
	60"	PE3227-60	64.70	60.17	55.64
	Any	PE3227-XX	See Website for Pricing		
50 OHM, PE-B405, VERY LOW LOSS COAX Coax Performance: Attenuation* 4.5 dB; Power Handling** 344 W; Cable Diameter .405"	12"	PE34196-12	$53.75	$49.99	$46.23
	24"	PE34196-24	55.80	51.89	47.99
	36"	PE34196-36	57.85	53.80	49.75
	48"	PE34196-48	59.90	55.71	51.51
	60"	PE34196-60	61.90	57.57	53.23
	Any	PE34196-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240"	36"	PE38672-36	$39.10	$36.36	$33.63
	48"	PE38672-48	41.40	38.50	35.60
	60"	PE38672-60	43.75	40.69	37.63
	72"	PE38672-72	46.10	42.87	39.65
	120"	PE38672-120	55.45	51.57	47.69
	Any	PE38672-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG401/U (.250" BARE COPPER) Coax Performance: Attenuation* 9.7 dB; Power Handling** 870 W; Cable Diameter .250"	12"	PE3983-12	$89.20	$82.96	$76.71
	24"	PE3983-24	105.80	98.39	90.99
	36"	PE3983-36	122.40	113.83	105.26
	48"	PE3983-48	138.95	129.22	119.50
	60"	PE3983-60	155.55	144.66	133.77
	Any	PE3983-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34150-12	$92.45	$85.98	$79.51
	24"	PE34150-24	99.90	92.91	85.91
	36"	PE34150-36	107.55	100.02	92.49
	48"	PE34150-48	119.15	110.81	102.47
	60"	PE34150-60	130.80	121.64	112.49
	Any	PE34150-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE3830-12	$83.80	$77.93	$72.07
	24"	PE3830-24	87.55	81.42	75.29
	36"	PE3830-36	91.25	84.86	78.48
	48"	PE3830-48	94.95	88.30	81.66
	60"	PE3830-60	98.80	91.88	84.97
	Any	PE3830-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE3488-12	$87.90	$81.75	$75.59
	24"	PE3488-24	91.60	85.19	78.78
	36"	PE3488-36	95.35	88.68	82.00
	48"	PE3488-48	99.10	92.16	85.23
	60"	PE3488-60	102.75	95.56	88.37
	Any	PE3488-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

N MALE TO TNC MALE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX *Coax Performance* Attenuation* 9.0 dB Power Handling** 190 W Cable Diameter .405"	12"	PE33615-12	$46.65	$43.38	$40.12
	24"	PE33615-24	48.80	45.38	41.97
	36"	PE33615-36	51.00	47.43	43.86
	48"	PE33615-48	53.15	49.43	45.71
	60"	PE33615-60	55.35	51.48	47.60
	Any	PE33615-XX	See Website for Pricing		
52 OHM, RG8X COAX *Coax Performance* Attenuation* 13.5 dB Power Handling** 60 W Cable Diameter .242"	12"	PE37357-12	$49.55	$46.08	$42.61
	24"	PE37357-24	51.90	48.27	44.63
	36"	PE37357-36	54.25	50.45	46.66
	48"	PE37357-48	56.60	52.64	48.68
	60"	PE37357-60	58.90	54.78	50.65
	Any	PE37357-XX	See Website for Pricing		
50 OHM, RG58C/U COAX *Coax Performance* Attenuation* 20.0 dB Power Handling** 44 W Cable Diameter .195"	12"	PE3661-12	$32.90	$30.60	$28.29
	24"	PE3661-24	33.40	31.06	28.72
	36"	PE3661-36	33.95	31.57	29.20
	48"	PE3661-48	34.45	32.04	29.63
	60"	PE3661-60	35.00	32.55	30.10
	Any	PE3661-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .195"	12"	PE3652-12	$33.85	$31.48	$29.11
	24"	PE3652-24	37.80	35.15	32.51
	36"	PE3652-36	41.75	38.83	35.91
	48"	PE3652-48	45.70	42.50	39.30
	60"	PE3652-60	49.65	46.17	42.70
	Any	PE3652-XX	See Website for Pricing		
50 OHM, RG174A/U COAX *Coax Performance* Attenuation* 31.0 dB Power Handling** 16 W Cable Diameter .100"	12"	PE34272-12	$41.25	$38.36	$35.48
	24"	PE34272-24	41.65	38.73	35.82
	36"	PE34272-36	42.05	39.11	36.16
	48"	PE34272-48	42.45	39.48	36.51
	60"	PE34272-60	42.85	39.85	36.85
	Any	PE34272-XX	See Website for Pricing		
50 OHM, RG178B/U COAX *Coax Performance* Attenuation* 45.0 dB Power Handling** 78 W Cable Diameter .075"	12"	PE33455-12	$53.55	$49.80	$46.05
	24"	PE33455-24	54.30	50.50	46.70
	36"	PE33455-36	55.00	51.15	47.30
	48"	PE33455-48	55.75	51.85	47.95
	60"	PE33455-60	56.45	52.50	48.55
	Any	PE33455-XX	See Website for Pricing		
50 OHM, RG213/U COAX *Coax Performance* Attenuation* 9.0 dB Power Handling** 190 W Cable Diameter .405"	12"	PE3644-12	$45.70	$42.50	$39.30
	24"	PE3644-24	46.95	43.66	40.38
	36"	PE3644-36	48.15	44.78	41.41
	48"	PE3644-48	49.40	45.94	42.48
	60"	PE3644-60	50.60	47.06	43.52
	Any	PE3644-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 9.0 dB Power Handling** 190 W Cable Diameter .425"	12"	PE3991-12	$54.85	$51.01	$47.17
	24"	PE3991-24	60.35	56.13	51.90
	36"	PE3991-36	65.85	61.24	56.63
	48"	PE3991-48	71.35	66.36	61.36
	60"	PE3991-60	76.80	71.42	66.05
	Any	PE3991-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 16.5 dB Power Handling** 53 W Cable Diameter .216"	12"	PE3665-12	$32.05	$29.81	$27.56
	24"	PE3665-24	34.15	31.76	29.37
	36"	PE3665-36	36.25	33.71	31.18
	48"	PE3665-48	38.35	35.67	32.98
	60"	PE3665-60	40.50	37.67	34.83
	Any	PE3665-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX *Coax Performance* Attenuation* 30.0 dB Power Handling** 160 W Cable Diameter .102"	12"	PE3989-12	$45.05	$41.90	$38.74
	24"	PE3989-24	46.10	42.87	39.65
	36"	PE3989-36	47.65	44.31	40.98
	48"	PE3989-48	49.95	46.45	42.96
	60"	PE3989-60	52.25	48.59	44.94
	Any	PE3989-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 30.0 dB Power Handling** 160 W Cable Diameter .114"	12"	PE34266-12	$43.00	$39.99	$36.98
	24"	PE34266-24	45.15	41.99	38.83
	36"	PE34266-36	47.35	44.04	40.72
	48"	PE34266-48	49.50	46.04	42.57
	60"	PE34266-60	51.70	48.08	44.46
	Any	PE34266-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 7.5 dB Power Handling** 1700 W Cable Diameter .390"	12"	PE3982-12	$60.00	$55.80	$51.60
	24"	PE3982-24	71.50	66.50	61.49
	36"	PE3982-36	83.20	77.38	71.55
	48"	PE3982-48	94.70	88.07	81.44
	60"	PE3982-60	106.10	98.67	91.25
	Any	PE3982-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .195"	12"	PE3666-12	$39.50	$36.74	$33.97
	24"	PE3666-24	43.60	40.55	37.50
	36"	PE3666-36	47.30	43.99	40.68
	48"	PE3666-48	50.95	47.38	43.82
	60"	PE3666-60	54.55	50.73	46.91
	Any	PE3666-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 11.5 dB Power Handling** 150 W Cable Diameter .195"	12"	PE35785-12	$29.10	$27.06	$25.03
	24"	PE35785-24	30.20	28.09	25.97
	36"	PE35785-36	31.30	29.11	26.92
	48"	PE35785-48	32.40	30.13	27.86
	60"	PE35785-60	33.55	31.20	28.85
	Any	PE35785-XX	See Website for Pricing		
50 OHM, PE-C200 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 11.0 dB Power Handling** 170 W Cable Diameter .195"	12"	PE36067-12	$41.80	$38.87	$35.95
	24"	PE36067-24	45.30	42.13	38.96
	36"	PE36067-36	48.80	45.38	41.97
	48"	PE36067-48	52.30	48.64	44.98
	60"	PE36067-60	55.80	51.89	47.99
	Any	PE36067-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 8.0 dB Power Handling** 250 W Cable Diameter .240"	12"	PE36958-12	$38.10	$35.43	$32.77
	24"	PE36958-24	40.45	37.62	34.79
	36"	PE36958-36	42.80	39.80	36.81
	48"	PE36958-48	45.10	41.94	38.79
	60"	PE36958-60	47.45	44.13	40.81
	Any	PE36958-XX	See Website for Pricing		
50 OHM, PE-C300 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 6.5 dB Power Handling** 350 W Cable Diameter .300"	12"	PE37980-12	$45.70	$42.50	$39.30
	24"	PE37980-24	47.85	44.50	41.15
	36"	PE37980-36	50.05	46.55	43.04
	48"	PE37980-48	52.20	48.55	44.89
	60"	PE37980-60	54.40	50.59	46.78
	Any	PE37980-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 4.5 dB Power Handling** 550 W Cable Diameter .405"	12"	PE34801-12	$55.85	$51.94	$48.03
	24"	PE34801-24	59.85	55.66	51.47
	36"	PE34801-36	63.85	59.38	54.91
	48"	PE34801-48	67.85	63.10	58.35
	60"	PE34801-60	71.85	66.82	61.79
	Any	PE34801-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) *Coax Performance* Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .141"	12"	PE3080-12	$62.50	$58.13	$53.75
	24"	PE3080-24	68.00	63.24	58.48
	36"	PE3080-36	73.50	68.36	63.21
	48"	PE3080-48	79.00	73.47	67.94
	60"	PE3080-60	84.50	78.59	72.67
	Any	PE3080-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) *Coax Performance* Attenuation* 12.0 dB Power Handling** 450 W Cable Diameter .141"	12"	PE33927-12	$62.85	$58.45	$54.05
	24"	PE33927-24	68.65	63.84	59.04
	36"	PE33927-36	74.50	69.29	64.07
	48"	PE33927-48	80.35	74.73	69.10
	60"	PE33927-60	86.20	80.17	74.13
	Any	PE33927-XX	See Website for Pricing		

N MALE TO 7/16 DIN MALE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX *Coax Performance* Attenuation* 9.0 dB Power Handling** 190 W Cable Diameter .405"	12"	PE35284-12	$47.05	$43.76	$40.46
	24"	PE35284-24	47.75	44.41	41.07
	36"	PE35284-36	48.45	45.06	41.67
	48"	PE35284-48	49.15	45.71	42.27
	60"	PE35284-60	49.90	46.41	42.91
	Any	PE35284-XX	See Website for Pricing		
50 OHM, RG58C/U COAX *Coax Performance* Attenuation* 20.0 dB Power Handling** 44 W Cable Diameter .195"	12"	PE3207-12	$106.30	$98.86	$91.42
	24"	PE3207-24	106.80	99.32	91.85
	36"	PE3207-36	107.35	99.84	92.32
	48"	PE3207-48	107.85	100.30	92.75
	60"	PE3207-60	108.40	100.81	93.22
	Any	PE3207-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG393/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 7.5 dB Power Handling** 1700 W Cable Diameter .390"	12"	PE34357-12	$123.90	$115.23	$106.55
	24"	PE34357-24	135.45	125.97	116.49
	36"	PE34357-36	147.00	136.71	126.42
	48"	PE34357-48	158.50	147.41	136.31
	60"	PE34357-60	170.25	158.33	146.42
	Any	PE34357-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB Power Handling** 650 W Cable Diameter .195"	12"	PE34359-12	$113.25	$105.32	$97.40
	24"	PE34359-24	118.45	110.16	101.87
	36"	PE34359-36	123.60	114.95	106.30
	48"	PE34359-48	128.80	119.78	110.77
	60"	PE34359-60	133.95	124.57	115.20
	Any	PE34359-XX	See Website for Pricing		

Continued on Next Page

Cable Assemblies

Continued from Previous Page

N MALE TO 7/16 DIN MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED	12"	PE3218-12	$120.40	$111.97	$103.54
Coax Performance	24"	PE3218-24	125.90	117.09	108.27
Attenuation* 9.0 dB	36"	PE3218-36	131.40	122.20	113.00
Power Handling** 190 W	48"	PE3218-48	136.90	127.32	117.73
Cable Diameter .425"	60"	PE3218-60	142.35	132.39	122.42
	Any	PE3218-XX	See Website for Pricing		
50 OHM, RG217/U COAX, DOUBLE SHIELDED	12"	PE36170-12	$153.15	$142.43	$131.71
Coax Performance	24"	PE36170-24	156.60	145.64	134.68
Attenuation* 5.8 dB	36"	PE36170-36	160.05	148.85	137.64
Power Handling** 260 W	48"	PE36170-48	163.50	152.06	140.61
Cable Diameter .545"	60"	PE36170-60	166.95	155.26	143.58
	Any	PE36170-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-C195 COAX, DOUBLE SHIELDED	12"	PE39143-12	$102.50	$95.33	$88.15
Coax Performance	24"	PE39143-24	103.60	96.35	89.10
Attenuation* 11.5 dB	36"	PE39143-36	104.70	97.37	90.04
Power Handling** 150 W	48"	PE39143-48	105.80	98.39	90.99
Cable Diameter .195"	60"	PE39143-60	106.95	99.46	91.98
	Any	PE39143-XX	See Website for Pricing		
50 OHM, PE-C600 COAX, DOUBLE SHIELDED	36"	PE38436-36	$101.60	$94.49	$87.38
Coax Performance	48"	PE38436-48	106.50	99.05	91.59
Attenuation* 3.0 dB	60"	PE38436-60	111.40	103.60	95.80
Power Handling** 900 W	72"	PE38436-72	116.30	108.16	100.02
Cable Diameter .590"	120"	PE38436-120	135.90	126.39	116.87
	Any	PE38436-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE)	12"	PE36178-12	$167.65	$155.91	$144.18
Coax Performance	24"	PE36178-24	179.30	166.75	154.20
Attenuation* 7.0 dB	36"	PE36178-36	190.95	177.58	164.22
Power Handling** 1400 W	48"	PE36178-48	202.55	188.37	174.19
Cable Diameter .250"	60"	PE36178-60	214.20	199.21	184.21
	Any	PE36178-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER)	12"	PE35963-12	$148.20	$137.83	$127.45
Coax Performance	24"	PE35963-24	153.70	142.94	132.18
Attenuation* 13.0 dB	36"	PE35963-36	159.20	148.06	136.91
Power Handling** 650 W	48"	PE35963-48	164.70	153.17	141.64
Cable Diameter .141"	60"	PE35963-60	170.25	158.33	146.42
	Any	PE35963-XX	See Website for Pricing		

N MALE TO MINI UHF MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE3282-12	$29.45	$27.39	$25.33
Coax Performance	24"	PE3282-24	29.95	27.85	25.76
Attenuation* 20.0 dB	36"	PE3282-36	30.50	28.37	26.23
Power Handling** 44 W	48"	PE3282-48	31.00	28.83	26.66
Cable Diameter .195"	60"	PE3282-60	31.55	29.34	27.13
	Any	PE3282-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED	12"	PE3285-12	$28.95	$26.92	$24.90
Coax Performance	24"	PE3285-24	32.90	30.60	28.29
Attenuation* 13.0 dB	36"	PE3285-36	36.85	34.27	31.69
Power Handling** 650 W	48"	PE3285-48	40.80	37.94	35.09
Cable Diameter .195"	60"	PE3285-60	44.75	41.62	38.49
	Any	PE3285-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE3280-12	$27.15	$25.25	$23.35
Coax Performance	24"	PE3280-24	29.25	27.20	25.16
Attenuation* 16.5 dB	36"	PE3280-36	31.35	29.16	26.96
Power Handling** 53 W	48"	PE3280-48	33.45	31.11	28.77
Cable Diameter .216"	60"	PE3280-60	35.60	33.11	30.62
	Any	PE3280-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED	12"	PE3288-12	$34.60	$32.18	$29.76
Coax Performance	24"	PE3288-24	39.80	37.01	34.23
Attenuation* 13.0 dB	36"	PE3288-36	44.95	41.80	38.66
Power Handling** 650 W	48"	PE3288-48	49.10	45.66	42.23
Cable Diameter .195"	60"	PE3288-60	52.60	48.92	45.24
	Any	PE3288-XX	See Website for Pricing		

N MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX	12"	PE3252-12	$50.50	$46.97	$43.43
Coax Performance	24"	PE3252-24	52.65	48.96	45.28
Attenuation* 9.0 dB	36"	PE3252-36	54.85	51.01	47.17
Power Handling** 190 W	48"	PE3252-48	57.00	53.01	49.02
Cable Diameter .405"	60"	PE3252-60	59.20	55.06	50.91
	Any	PE3252-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED	12"	PE3477-12	$27.30	$25.39	$23.48
Coax Performance	24"	PE3477-24	28.55	26.55	24.55
Attenuation* 16.5 dB	36"	PE3477-36	30.25	28.13	26.02
Power Handling** 53 W	48"	PE3477-48	32.00	29.76	27.52
Cable Diameter .206"	60"	PE3477-60	33.70	31.34	28.98
	Any	PE3477-XX	See Website for Pricing		
50 OHM, RG58C/U COAX	12"	PE3042-12	$29.05	$27.02	$24.98
Coax Performance	24"	PE3042-24	29.65	27.57	25.50
Attenuation* 20.0 dB	36"	PE3042-36	30.25	28.13	26.02
Power Handling** 44 W	48"	PE3042-48	30.75	28.60	26.45
Cable Diameter .195"	60"	PE3042-60	31.35	29.16	26.96
	Any	PE3042-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED	12"	PE3061-12	$29.05	$27.02	$24.98
Coax Performance	24"	PE3061-24	33.00	30.69	28.38
Attenuation* 13.0 dB	36"	PE3061-36	36.95	34.36	31.78
Power Handling** 650 W	48"	PE3061-48	40.90	38.04	35.17
Cable Diameter .195"	60"	PE3061-60	44.85	41.71	38.57
	Any	PE3061-XX	See Website for Pricing		
50 OHM, RG174A/U COAX	12"	PE3246-12	$35.65	$33.15	$30.66
Coax Performance	24"	PE3246-24	35.90	33.39	30.87
Attenuation* 31.0 dB	36"	PE3246-36	36.15	33.62	31.09
Power Handling** 16 W	48"	PE3246-48	36.45	33.90	31.35
Cable Diameter .100"	60"	PE3246-60	36.75	34.18	31.61
	Any	PE3246-XX	See Website for Pricing		
50 OHM, RG188A/U COAX	12"	PE3248-12	$35.00	$32.55	$30.10
Coax Performance	24"	PE3248-24	36.65	34.08	31.52
Attenuation* 30.0 dB	36"	PE3248-36	38.30	35.62	32.94
Power Handling** 160 W	48"	PE3248-48	39.95	37.15	34.36
Cable Diameter .110"	60"	PE3248-60	41.65	38.73	35.82
	Any	PE3248-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE3476-12	$27.25	$25.34	$23.44
Coax Performance	24"	PE3476-24	29.35	27.30	25.24
Attenuation* 16.5 dB	36"	PE3476-36	31.45	29.25	27.05
Power Handling** 53 W	48"	PE3476-48	33.55	31.20	28.85
Cable Diameter .216"	60"	PE3476-60	35.70	33.20	30.70
	Any	PE3476-XX	See Website for Pricing		
50 OHM, RG316/U COAX	12"	PE3250-12	$36.85	$34.27	$31.69
Coax Performance	24"	PE3250-24	37.90	35.25	32.59
Attenuation* 30.0 dB	36"	PE3250-36	40.15	37.34	34.53
Power Handling** 160 W	48"	PE3250-48	42.45	39.48	36.51
Cable Diameter .102"	60"	PE3250-60	44.75	41.62	38.49
	Any	PE3250-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED	12"	PE3261-12	$35.50	$33.02	$30.53
Coax Performance	24"	PE3261-24	37.65	35.01	32.38
Attenuation* 30.0 dB	36"	PE3261-36	39.85	37.06	34.27
Power Handling** 160 W	48"	PE3261-48	42.00	39.06	36.12
Cable Diameter .114"	60"	PE3261-60	44.20	41.11	38.01
	Any	PE3261-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED	12"	PE3254-12	$57.75	$53.71	$49.67
Coax Performance	24"	PE3254-24	69.75	64.87	59.99
Attenuation* 7.5 dB	36"	PE3254-36	81.80	76.07	70.35
Power Handling** 1700 W	48"	PE3254-48	93.80	87.23	80.67
Cable Diameter .390"	60"	PE3254-60	105.85	98.44	91.03
	Any	PE3254-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED	12"	PE3874-12	$34.70	$32.27	$29.84
Coax Performance	24"	PE3874-24	39.90	37.11	34.31
Attenuation* 13.0 dB	36"	PE3874-36	45.05	41.90	38.74
Power Handling** 650 W	48"	PE3874-48	49.10	45.66	42.23
Cable Diameter .195"	60"	PE3874-60	52.60	48.92	45.24
	Any	PE3874-XX	See Website for Pricing		
50 OHM, PE-B405, VERY LOW LOSS COAX	12"	PE3256-12	$52.60	$48.92	$45.24
Coax Performance	24"	PE3256-24	53.95	50.17	46.40
Attenuation* 4.5 dB	36"	PE3256-36	55.30	51.43	47.56
Power Handling** 344 W	48"	PE3256-48	56.70	52.73	48.76
Cable Diameter .405"	60"	PE3256-60	57.95	53.89	49.84
	Any	PE3256-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

N MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3750-12	$49.55	$46.08	$42.61
	24"	PE3750-24	50.80	47.24	43.69
	36"	PE3750-36	52.00	48.36	44.72
	48"	PE3750-48	53.25	49.52	45.80
	60"	PE3750-60	54.45	50.64	46.83
	Any	PE3750-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3097-12	$51.20	$47.62	$44.03
	24"	PE3097-24	56.70	52.73	48.76
	36"	PE3097-36	62.20	57.85	53.49
	48"	PE3097-48	67.70	62.96	58.22
	60"	PE3097-60	73.15	68.03	62.91
	Any	PE3097-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE36065-12	$25.85	$24.04	$22.23
	24"	PE36065-24	26.95	25.06	23.18
	36"	PE36065-36	28.05	26.09	24.12
	48"	PE36065-48	29.15	27.11	25.07
	60"	PE36065-60	30.30	28.18	26.06
	Any	PE36065-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240")	12"	PE35269-12	$38.10	$35.43	$32.77
	24"	PE35269-24	40.45	37.62	34.79
	36"	PE35269-36	42.80	39.80	36.81
	48"	PE35269-48	45.10	41.94	38.79
	60"	PE35269-60	47.45	44.13	40.81
	Any	PE35269-XX	See Website for Pricing		

N MALE TO QN MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE38452-12	$48.05	$44.69	$41.32
	24"	PE38452-24	48.55	45.15	41.75
	36"	PE38452-36	49.10	45.66	42.23
	48"	PE38452-48	49.60	46.13	42.66
	60"	PE38452-60	50.15	46.64	43.13
	72"	PE38452-72	50.65	47.10	43.56
	120"	PE38452-120	52.75	49.06	45.37
	Any	PE38452-XXX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE38450-12	$63.80	$59.33	$54.87
	24"	PE38450-24	64.95	60.40	55.86
	36"	PE38450-36	66.10	61.47	56.85
	48"	PE38450-48	67.25	62.54	57.84
	60"	PE38450-60	68.40	63.61	58.82
	72"	PE38450-72	69.55	64.68	59.81
	120"	PE38450-120	74.15	68.96	63.77
	Any	PE38450-XXX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE38451-12	$45.85	$42.64	$39.43
	24"	PE38451-24	47.95	44.59	41.24
	36"	PE38451-36	50.05	46.55	43.04
	48"	PE38451-48	52.15	48.50	44.85
	60"	PE38451-60	54.30	50.50	46.70
	72"	PE38451-72	56.40	52.45	48.50
	120"	PE38451-120	64.85	60.31	55.77
	Any	PE38451-XXX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38453-12	$44.85	$41.71	$38.57
	24"	PE38453-24	45.95	42.73	39.52
	36"	PE38453-36	47.05	43.76	40.46
	48"	PE38453-48	48.15	44.78	41.41
	60"	PE38453-60	49.30	45.85	42.40
	72"	PE38453-72	50.40	46.87	43.34
	120"	PE38453-120	54.85	51.01	47.17
	Any	PE38453-XXX	See Website for Pricing		

N MALE TO QN MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE38489-12	$58.35	$54.27	$50.18
	24"	PE38489-24	58.90	54.78	50.65
	36"	PE38489-36	59.40	55.24	51.08
	48"	PE38489-48	59.95	55.75	51.56
	60"	PE38489-60	60.45	56.22	51.99
	72"	PE38489-72	60.95	56.68	52.42
	120"	PE38489-120	63.05	58.64	54.22
	Any	PE38489-XXX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE38491-12	$70.15	$65.24	$60.33
	24"	PE38491-24	71.40	66.40	61.40
	36"	PE38491-36	72.60	67.52	62.44
	48"	PE38491-48	73.85	68.68	63.51
	60"	PE38491-60	75.05	69.80	64.54
	72"	PE38491-72	76.30	70.96	65.62
	120"	PE38491-120	81.20	75.52	69.83
	Any	PE38491-XXX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE38492-12	$51.75	$48.13	$44.51
	24"	PE38492-24	53.85	50.08	46.31
	36"	PE38492-36	55.95	52.03	48.12
	48"	PE38492-48	58.05	53.99	49.92
	60"	PE38492-60	60.20	55.99	51.77
	72"	PE38492-72	62.30	57.94	53.58
	120"	PE38492-120	70.75	65.80	60.85
	Any	PE38492-XXX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38490-12	$50.15	$46.64	$43.13
	24"	PE38490-24	51.25	47.66	44.08
	36"	PE38490-36	52.35	48.69	45.02
	48"	PE38490-48	53.45	49.71	45.97
	60"	PE38490-60	54.60	50.78	46.96
	72"	PE38490-72	55.70	51.80	47.90
	120"	PE38490-120	60.15	55.94	51.73
	Any	PE38490-XXX	See Website for Pricing		

N MALE TO REVERSE POLARITY SMA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34727-12	$41.55	$38.64	$35.73
	24"	PE34727-24	42.05	39.11	36.16
	36"	PE34727-36	42.60	39.62	36.64
	48"	PE34727-48	43.10	40.08	37.07
	60"	PE34727-60	43.65	40.59	37.54
	Any	PE34727-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34361-12	$38.80	$36.08	$33.37
	24"	PE34361-24	42.75	39.76	36.77
	36"	PE34361-36	46.70	43.43	40.16
	48"	PE34361-48	50.65	47.10	43.56
	60"	PE34361-60	54.60	50.78	46.96
	Any	PE34361-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE35221-12	$41.00	$38.13	$35.26
	24"	PE35221-24	41.25	38.36	35.48
	36"	PE35221-36	41.50	38.60	35.69
	48"	PE35221-48	41.70	38.78	35.86
	60"	PE35221-60	42.00	39.06	36.12
	Any	PE35221-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE35227-12	$37.00	$34.41	$31.82
	24"	PE35227-24	39.10	36.36	33.63
	36"	PE35227-36	41.20	38.32	35.43
	48"	PE35227-48	43.30	40.27	37.24
	60"	PE35227-60	45.45	42.27	39.09
	Any	PE35227-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34323-12	$44.45	$41.34	$38.23
	24"	PE34323-24	49.65	46.17	42.70
	36"	PE34323-36	54.80	50.96	47.13
	48"	PE34323-48	60.00	55.80	51.60
	60"	PE34323-60	65.15	60.59	56.03
	Any	PE34323-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE36072-12	$37.75	$35.11	$32.47
	24"	PE36072-24	38.85	36.13	33.41
	36"	PE36072-36	39.95	37.15	34.36
	48"	PE36072-48	41.05	38.18	35.30
	60"	PE36072-60	42.20	39.25	36.29
	Any	PE36072-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

N MALE TO REVERSE POLARITY SMA MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE35223-12	$56.85	$52.87	$48.89
	24"	PE35223-24	57.55	53.52	49.49
	36"	PE35223-36	58.30	54.22	50.14
	48"	PE35223-48	59.00	54.87	50.74
	60"	PE35223-60	59.75	55.57	51.39
	Any	PE35223-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE35508-12	$47.70	$44.36	$41.02
	24"	PE35508-24	54.40	50.59	46.78
	36"	PE35508-36	61.05	56.78	52.50
	48"	PE35508-48	67.75	63.01	58.27
	60"	PE35508-60	74.40	69.19	63.98
	Any	PE35508-XX	See Website for Pricing		

N MALE TO REVERSE POLARITY TNC MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34554-12	$34.15	$31.76	$29.37
	24"	PE34554-24	34.65	32.22	29.80
	36"	PE34554-36	35.20	32.74	30.27
	48"	PE34554-48	35.70	33.20	30.70
	60"	PE34554-60	36.25	33.71	31.18
	Any	PE34554-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34573-12	$33.95	$31.57	$29.20
	24"	PE34573-24	37.90	35.25	32.59
	36"	PE34573-36	41.85	38.92	35.99
	48"	PE34573-48	45.80	42.59	39.39
	60"	PE34573-60	49.75	46.27	42.79
	Any	PE34573-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE35241-12	$55.95	$52.03	$48.12
	24"	PE35241-24	56.70	52.73	48.76
	36"	PE35241-36	57.40	53.38	49.36
	48"	PE35241-48	58.15	54.08	50.01
	60"	PE35241-60	58.85	54.73	50.61
	Any	PE35241-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE35245-12	$33.55	$31.20	$28.85
	24"	PE35245-24	34.85	32.41	29.97
	36"	PE35245-36	36.35	33.81	31.26
	48"	PE35245-48	38.45	35.76	33.07
	60"	PE35245-60	40.60	37.76	34.92
	Any	PE35245-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE35247-12	$45.05	$41.90	$38.74
	24"	PE35247-24	47.35	44.04	40.72
	36"	PE35247-36	49.60	46.13	42.66
	48"	PE35247-48	51.90	48.27	44.63
	60"	PE35247-60	54.20	50.41	46.61
	Any	PE35247-XX	See Website for Pricing		
50 OHM, PE-B405, VERY LOW LOSS COAX (Coax Performance: Attenuation* 4.5 dB; Power Handling** 344 W; Cable Diameter .405")	12"	PE35249-12	$49.15	$45.71	$42.27
	24"	PE35249-24	51.20	47.62	44.03
	36"	PE35249-36	53.25	49.52	45.80
	48"	PE35249-48	55.30	51.43	47.56
	60"	PE35249-60	57.30	53.29	49.28
	Any	PE35249-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE36362-12	$30.35	$28.23	$26.10
	24"	PE36362-24	31.45	29.25	27.05
	36"	PE36362-36	32.55	30.27	27.99
	48"	PE36362-48	33.65	31.29	28.94
	60"	PE36362-60	34.80	32.36	29.93
	Any	PE36362-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405")	12"	PE34966-12	$51.15	$47.57	$43.99
	24"	PE34966-24	55.15	51.29	47.43
	36"	PE34966-36	59.15	55.01	50.87
	48"	PE34966-48	63.15	58.73	54.31
	60"	PE34966-60	67.15	62.45	57.75
	Any	PE34966-XX	See Website for Pricing		

N MALE RIGHT ANGLE TO N MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE33974-12	$75.10	$69.84	$64.59
	24"	PE33974-24	77.25	71.84	66.44
	36"	PE33974-36	79.45	73.89	68.33
	48"	PE33974-48	81.60	75.89	70.18
	60"	PE33974-60	83.80	77.93	72.07
	Any	PE33974-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3698-12	$54.65	$50.82	$47.00
	24"	PE3698-24	55.15	51.29	47.43
	36"	PE3698-36	55.70	51.80	47.90
	48"	PE3698-48	56.20	52.27	48.33
	60"	PE3698-60	56.75	52.78	48.81
	Any	PE3698-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3693-12	$55.85	$51.94	$48.03
	24"	PE3693-24	59.80	55.61	51.43
	36"	PE3693-36	63.75	59.29	54.83
	48"	PE3693-48	67.70	62.96	58.22
	60"	PE3693-60	71.65	66.63	61.62
	Any	PE3693-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34231-12	$53.95	$50.17	$46.40
	24"	PE34231-24	54.35	50.55	46.74
	36"	PE34231-36	54.75	50.92	47.09
	48"	PE34231-48	55.15	51.29	47.43
	60"	PE34231-60	55.60	51.71	47.82
	Any	PE34231-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3272-12	$74.15	$68.96	$63.77
	24"	PE3272-24	75.40	70.12	64.84
	36"	PE3272-36	76.60	71.24	65.88
	48"	PE3272-48	77.85	72.40	66.95
	60"	PE3272-60	79.05	73.52	67.98
	Any	PE3272-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3781-12	$83.00	$77.19	$71.38
	24"	PE3781-24	88.50	82.31	76.11
	36"	PE3781-36	94.00	87.42	80.84
	48"	PE3781-48	99.50	92.54	85.57
	60"	PE3781-60	104.95	97.60	90.26
	Any	PE3781-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE34236-12	$62.85	$58.45	$54.05
	24"	PE34236-24	63.75	59.29	54.83
	36"	PE34236-36	64.85	60.31	55.77
	48"	PE34236-48	65.75	61.15	56.55
	60"	PE34236-60	66.80	62.12	57.45
	Any	PE34236-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34234-12	$55.70	$51.80	$47.90
	24"	PE34234-24	57.90	53.85	49.79
	36"	PE34234-36	60.05	55.85	51.64
	48"	PE34234-48	62.20	57.85	53.49
	60"	PE34234-60	64.40	59.89	55.38
	Any	PE34234-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE3268-12	$84.95	$79.00	$73.06
	24"	PE3268-24	96.95	90.16	83.38
	36"	PE3268-36	109.00	101.37	93.74
	48"	PE3268-48	121.00	112.53	104.06
	60"	PE3268-60	133.05	123.74	114.42
	Any	PE3268-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3412-12	$61.50	$57.20	$52.89
	24"	PE3412-24	66.70	62.03	57.36
	36"	PE3412-36	71.85	66.82	61.79
	48"	PE3412-48	77.05	71.66	66.26
	60"	PE3412-60	82.20	76.45	70.69
	Any	PE3412-XX	See Website for Pricing		
50 OHM, PE-B405, VERY LOW LOSS COAX (Coax Performance: Attenuation* 4.5 dB; Power Handling** 344 W; Cable Diameter .405")	12"	PE33168-12	$78.15	$72.68	$67.21
	24"	PE33168-24	79.50	73.94	68.37
	36"	PE33168-36	80.85	75.19	69.53
	48"	PE33168-48	82.10	76.35	70.61
	60"	PE33168-60	83.50	77.66	71.81
	Any	PE33168-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE36910-12	$50.85	$47.29	$43.73
	24"	PE36910-24	51.95	48.31	44.68
	36"	PE36910-36	53.05	49.34	45.62
	48"	PE36910-48	54.15	50.36	46.57
	60"	PE36910-60	55.30	51.43	47.56
	Any	PE36910-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

N MALE RIGHT ANGLE TO N MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3882-12	$54.60	$50.78	$46.96
	24"	PE3882-24	56.15	52.22	48.29
	36"	PE3882-36	58.25	54.17	50.10
	48"	PE3882-48	60.35	56.13	51.90
	60"	PE3882-60	62.50	58.13	53.75
	Any	PE3882-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430")	12"	PE34222-12	$102.90	$95.70	$88.49
	24"	PE34222-24	128.30	119.32	110.34
	36"	PE34222-36	153.65	142.89	132.14
	48"	PE34222-48	179.05	166.52	153.98
	60"	PE34222-60	204.40	190.09	175.78
	Any	PE34222-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-C240 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240")	36"	PE38699-36	$67.25	$62.54	$57.84
	48"	PE38699-48	69.55	64.68	59.81
	60"	PE38699-60	71.90	66.87	61.83
	72"	PE38699-72	74.25	69.05	63.86
	120"	PE38699-120	83.60	77.75	71.90
	Any	PE38699-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405")	36"	PE38194-36	$85.15	$79.19	$73.23
	48"	PE38194-48	89.15	82.91	76.67
	60"	PE38194-60	93.15	86.63	80.11
	72"	PE38194-72	97.15	90.35	83.55
	120"	PE38194-120	113.15	105.23	97.31
	Any	PE38194-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) (Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250")	12"	PE34680-12	$83.60	$77.75	$71.90
	24"	PE34680-24	95.20	88.54	81.87
	36"	PE34680-36	106.85	99.37	91.89
	48"	PE34680-48	118.45	110.16	101.87
	60"	PE34680-60	130.10	120.99	111.89
	Any	PE34680-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE33977-12	$59.40	$55.24	$51.08
	24"	PE33977-24	65.20	60.64	56.07
	36"	PE33977-36	71.05	66.08	61.10
	48"	PE33977-48	76.90	71.52	66.13
	60"	PE33977-60	82.75	76.96	71.17
	Any	PE33977-XX	See Website for Pricing		

N MALE RIGHT ANGLE TO N FEMALE BULKHEAD

USE MOUNTING HOLE G01 ON PAGE 259

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3407-12	$54.60	$50.78	$46.96
	24"	PE3407-24	55.10	51.24	47.39
	36"	PE3407-36	55.45	51.57	47.69
	48"	PE3407-48	55.90	51.99	48.07
	60"	PE3407-60	56.25	52.31	48.38
	Any	PE3407-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33021-12	$54.60	$50.78	$46.96
	24"	PE33021-24	57.35	53.34	49.32
	36"	PE33021-36	60.10	55.89	51.69
	48"	PE33021-48	62.85	58.45	54.05
	60"	PE33021-60	65.55	60.96	56.37
	Any	PE33021-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34229-12	$53.65	$49.89	$46.14
	24"	PE34229-24	54.05	50.27	46.48
	36"	PE34229-36	54.45	50.64	46.83
	48"	PE34229-48	54.85	51.01	47.17
	60"	PE34229-60	55.25	51.38	47.52
	Any	PE34229-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE34218-12	$54.90	$51.06	$47.21
	24"	PE34218-24	56.55	52.59	48.63
	36"	PE34218-36	58.20	54.13	50.05
	48"	PE34218-48	59.90	55.71	51.51
	60"	PE34218-60	61.55	57.24	52.93
	Any	PE34218-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE33545-12	$69.25	$64.40	$59.56
	24"	PE33545-24	70.50	65.57	60.63
	36"	PE33545-36	71.70	66.68	61.66
	48"	PE33545-48	72.95	67.84	62.74
	60"	PE33545-60	74.15	68.96	63.77
	Any	PE33545-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE33178-12	$75.70	$70.40	$65.10
	24"	PE33178-24	81.20	75.52	69.83
	36"	PE33178-36	86.70	80.63	74.56
	48"	PE33178-48	92.20	85.75	79.29
	60"	PE33178-60	97.65	90.81	83.98
	Any	PE33178-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE33536-12	$54.60	$50.78	$46.96
	24"	PE33536-24	56.00	52.08	48.16
	36"	PE33536-36	57.35	53.34	49.32
	48"	PE33536-48	58.70	54.59	50.48
	60"	PE33536-60	60.10	55.89	51.69
	Any	PE33536-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34227-12	$65.55	$60.96	$56.37
	24"	PE34227-24	68.10	63.33	58.57
	36"	PE34227-36	70.55	65.61	60.67
	48"	PE34227-48	73.00	67.89	62.78
	60"	PE34227-60	75.50	70.22	64.93
	Any	PE34227-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE33532-12	$79.95	$74.35	$68.76
	24"	PE33532-24	91.95	85.51	79.08
	36"	PE33532-36	104.00	96.72	89.44
	48"	PE33532-48	116.00	107.88	99.76
	60"	PE33532-60	128.05	119.09	110.12
	Any	PE33532-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33528-12	$54.60	$50.78	$46.96
	24"	PE33528-24	59.35	55.20	51.04
	36"	PE33528-36	64.50	59.99	55.47
	48"	PE33528-48	69.70	64.82	59.94
	60"	PE33528-60	74.85	69.61	64.37
	Any	PE33528-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) (Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250")	12"	PE39082-12	$79.95	$74.35	$68.76
	24"	PE39082-24	91.55	85.14	78.73
	36"	PE39082-36	103.20	95.98	88.75
	48"	PE39082-48	114.80	106.76	98.73
	60"	PE39082-60	126.45	117.60	108.75
	Any	PE39082-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE38670-12	$65.70	$61.10	$56.50
	24"	PE38670-24	71.50	66.50	61.49
	36"	PE38670-36	77.35	71.94	66.52
	48"	PE38670-48	83.20	77.38	71.55
	60"	PE38670-60	89.05	82.82	76.58
	Any	PE38670-XX	See Website for Pricing		

N FEMALE TO QN MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE38456-12	$49.15	$45.71	$42.27
	24"	PE38456-24	49.65	46.17	42.70
	36"	PE38456-36	50.20	46.69	43.17
	48"	PE38456-48	50.70	47.15	43.60
	60"	PE38456-60	51.25	47.66	44.08
	72"	PE38456-72	51.75	48.13	44.51
	120"	PE38456-120	53.85	50.08	46.31
	Any	PE38456-XXX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE38454-12	$64.35	$59.85	$55.34
	24"	PE38454-24	65.60	61.01	56.42
	36"	PE38454-36	66.80	62.12	57.45
	48"	PE38454-48	68.05	63.29	58.52
	60"	PE38454-60	69.25	64.40	59.56
	72"	PE38454-72	70.50	65.57	60.63
	120"	PE38454-120	75.40	70.12	64.84
	Any	PE38454-XXX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

N FEMALE TO QN MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-C195 COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195"	12"	PE38457-12	$45.60	$42.41	$39.22
	24"	PE38457-24	46.70	43.43	40.16
	36"	PE38457-36	47.80	44.45	41.11
	48"	PE38457-48	48.90	45.48	42.05
	60"	PE38457-60	50.05	46.55	43.04
	72"	PE38457-72	51.15	47.57	43.99
	120"	PE38457-120	55.60	51.71	47.82
	Any	PE38457-XXX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE38455-12	$46.60	$43.34	$40.08
	24"	PE38455-24	48.70	45.29	41.88
	36"	PE38455-36	50.80	47.24	43.69
	48"	PE38455-48	52.90	49.20	45.49
	60"	PE38455-60	55.05	51.20	47.34
	72"	PE38455-72	57.15	53.15	49.15
	120"	PE38455-120	65.60	61.01	56.42
	Any	PE38455-XXX	See Website for Pricing		

N FEMALE TO QN MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX — Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE38493-12	$59.45	$55.29	$51.13
	24"	PE38493-24	60.00	55.80	51.60
	36"	PE38493-36	60.50	56.27	52.03
	48"	PE38493-48	61.05	56.78	52.50
	60"	PE38493-60	61.55	57.24	52.93
	72"	PE38493-72	62.05	57.71	53.36
	120"	PE38493-120	64.15	59.66	55.17
	Any	PE38493-XXX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE38496-12	$52.50	$48.83	$45.15
	24"	PE38496-24	54.60	50.78	46.96
	36"	PE38496-36	56.70	52.73	48.76
	48"	PE38496-48	58.80	54.68	50.57
	60"	PE38496-60	60.95	56.68	52.42
	72"	PE38496-72	63.05	58.64	54.22
	120"	PE38496-120	71.50	66.50	61.49
	Any	PE38496-XXX	See Website for Pricing		
50 OHM, RG213/U COAX — Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE38495-12	$69.55	$64.68	$59.81
	24"	PE38495-24	70.80	65.84	60.89
	36"	PE38495-36	72.00	66.96	61.92
	48"	PE38495-48	73.25	68.12	63.00
	60"	PE38495-60	74.45	69.24	64.03
	72"	PE38495-72	75.70	70.40	65.10
	120"	PE38495-120	80.60	74.96	69.32
	Any	PE38495-XXX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195"	12"	PE38494-12	$51.25	$47.66	$44.08
	24"	PE38494-24	52.35	48.69	45.02
	36"	PE38494-36	53.45	49.71	45.97
	48"	PE38494-48	54.55	50.73	46.91
	60"	PE38494-60	55.70	51.80	47.90
	72"	PE38494-72	56.80	52.82	48.85
	120"	PE38494-120	61.25	56.96	52.68
	Any	PE38494-XXX	See Website for Pricing		

TNC MALE TO TNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX — Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE3418-12	$53.25	$49.52	$45.80
	24"	PE3418-24	54.30	50.50	46.70
	36"	PE3418-36	55.25	51.38	47.52
	48"	PE3418-48	56.20	52.27	48.33
	60"	PE3418-60	57.25	53.24	49.24
	Any	PE3418-XX	See Website for Pricing		
52 OHM, RG8X COAX — Coax Performance: Attenuation* 13.5 dB; Power Handling** 60 W; Cable Diameter .242"	12"	PE35671-12	$50.90	$47.34	$43.77
	24"	PE35671-24	53.20	49.48	45.75
	36"	PE35671-36	55.55	51.66	47.77
	48"	PE35671-48	57.90	53.85	49.79
	60"	PE35671-60	60.25	56.03	51.82
	Any	PE35671-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .206"	12"	PE3504-12	$29.95	$27.85	$25.76
	24"	PE3504-24	31.65	29.43	27.22
	36"	PE3504-36	33.35	31.02	28.68
	48"	PE3504-48	35.10	32.64	30.19
	60"	PE3504-60	36.80	34.22	31.65
	Any	PE3504-XX	See Website for Pricing		
50 OHM, RG58C/U COAX — Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3394-12	$30.45	$28.32	$26.19
	24"	PE3394-24	30.95	28.78	26.62
	36"	PE3394-36	31.50	29.30	27.09
	48"	PE3394-48	32.00	29.76	27.52
	60"	PE3394-60	32.55	30.27	27.99
	Any	PE3394-XX	See Website for Pricing		
75 OHM, RG59B/U COAX — Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3402-12	$26.50	$24.65	$22.79
	24"	PE3402-24	27.20	25.30	23.39
	36"	PE3402-36	27.90	25.95	23.99
	48"	PE3402-48	28.60	26.60	24.60
	60"	PE3402-60	29.30	27.25	25.20
	Any	PE3402-XX	See Website for Pricing		
50 OHM, RG141A/U COAX — Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .190"	12"	PE33753-12	$39.20	$36.46	$33.71
	24"	PE33753-24	44.05	40.97	37.88
	36"	PE33753-36	48.90	45.48	42.05
	48"	PE33753-48	53.75	49.99	46.23
	60"	PE33753-60	58.60	54.50	50.40
	Any	PE33753-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3544-12	$32.15	$29.90	$27.65
	24"	PE3544-24	36.10	33.57	31.05
	36"	PE3544-36	40.05	37.25	34.44
	48"	PE3544-48	44.00	40.92	37.84
	60"	PE3544-60	47.95	44.59	41.24
	Any	PE3544-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3414-12	$30.35	$28.23	$26.10
	24"	PE3414-24	32.45	30.18	27.91
	36"	PE3414-36	34.55	32.13	29.71
	48"	PE3414-48	36.65	34.08	31.52
	60"	PE3414-60	38.80	36.08	33.37
	Any	PE3414-XX	See Website for Pricing		
50 OHM, RG303/U COAX — Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .170"	12"	PE33013-12	$29.90	$27.81	$25.71
	24"	PE33013-24	34.30	31.90	29.50
	36"	PE33013-36	38.70	35.99	33.28
	48"	PE33013-48	43.10	40.08	37.07
	60"	PE33013-60	47.50	44.18	40.85
	Any	PE33013-XX	See Website for Pricing		
50 OHM, RG316/U COAX — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3747-12	$38.15	$35.48	$32.81
	24"	PE3747-24	39.45	36.69	33.93
	36"	PE3747-36	40.90	38.04	35.17
	48"	PE3747-48	42.20	39.25	36.29
	60"	PE3747-60	43.50	40.46	37.41
	Any	PE3747-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE34316-12	$45.40	$42.22	$39.04
	24"	PE34316-24	47.55	44.22	40.89
	36"	PE34316-36	49.75	46.27	42.79
	48"	PE34316-48	51.90	48.27	44.63
	60"	PE34316-60	54.10	50.31	46.53
	Any	PE34316-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390"	12"	PE33185-12	$68.95	$64.12	$59.30
	24"	PE33185-24	80.95	75.28	69.62
	36"	PE33185-36	93.00	86.49	79.98
	48"	PE33185-48	105.00	97.65	90.30
	60"	PE33185-60	117.05	108.86	100.66
	Any	PE33185-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3608-12	$36.30	$33.76	$31.22
	24"	PE3608-24	39.95	37.15	34.36
	36"	PE3608-36	43.60	40.55	37.50
	48"	PE3608-48	47.30	43.99	40.68
	60"	PE3608-60	50.95	47.38	43.82
	Any	PE3608-XX	See Website for Pricing		
50 OHM, LOW NOISE, PE-B100 COAX — Coax Performance: Attenuation* N/A; Power Handling** N/A; Cable Diameter .101"	12"	PE38830-12	$48.70	$45.29	$41.88
	24"	PE38830-24	54.15	50.36	46.57
	36"	PE38830-36	59.60	55.43	51.26
	48"	PE38830-48	65.05	60.50	55.94
	60"	PE38830-60	70.50	65.57	60.63
	Any	PE38830-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

TNC MALE TO TNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3425-12	$30.85	$28.69	$26.53
	24"	PE3425-24	31.30	29.11	26.92
	36"	PE3425-36	31.55	29.34	27.13
	48"	PE3425-48	31.90	29.67	27.43
	60"	PE3425-60	32.40	30.13	27.86
	Any	PE3425-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3430-12	$38.15	$35.48	$32.81
	24"	PE3430-24	39.45	36.69	33.93
	36"	PE3430-36	40.90	38.04	35.17
	48"	PE3430-48	42.20	39.25	36.29
	60"	PE3430-60	43.50	40.46	37.41
	Any	PE3430-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3434-12	$38.15	$35.48	$32.81
	24"	PE3434-24	39.45	36.69	33.93
	36"	PE3434-36	40.90	38.04	35.17
	48"	PE3434-48	42.20	39.25	36.29
	60"	PE3434-60	43.50	40.46	37.41
	Any	PE3434-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3421-12	$53.25	$49.52	$45.80
	24"	PE3421-24	54.30	50.50	46.70
	36"	PE3421-36	55.25	51.38	47.52
	48"	PE3421-48	56.20	52.27	48.33
	60"	PE3421-60	57.25	53.24	49.24
	Any	PE3421-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3435-12	$62.40	$58.03	$53.66
	24"	PE3435-24	67.90	63.15	58.39
	36"	PE3435-36	73.40	68.26	63.12
	48"	PE3435-48	78.90	73.38	67.85
	60"	PE3435-60	84.35	78.45	72.54
	Any	PE3435-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE36555-12	$26.65	$24.78	$22.92
	24"	PE36555-24	27.75	25.81	23.87
	36"	PE36555-36	28.85	26.83	24.81
	48"	PE36555-48	29.95	27.85	25.76
	60"	PE36555-60	31.10	28.92	26.75
	Any	PE36555-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240")	12"	PE35997-12	$32.35	$30.09	$27.82
	24"	PE35997-24	34.70	32.27	29.84
	36"	PE35997-36	37.05	34.46	31.86
	48"	PE35997-48	39.35	36.60	33.84
	60"	PE35997-60	41.70	38.78	35.86
	Any	PE35997-XX	See Website for Pricing		
50 OHM, PE-C300 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 6.5 dB; Power Handling** 350 W; Cable Diameter .300")	12"	PE35100-12	$44.10	$41.01	$37.93
	24"	PE35100-24	46.25	43.01	39.78
	36"	PE35100-36	48.45	45.06	41.67
	48"	PE35100-48	50.60	47.06	43.52
	60"	PE35100-60	52.80	49.10	45.41
	Any	PE35100-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405")	12"	PE35886-12	$67.35	$62.64	$57.92
	24"	PE35886-24	71.35	66.36	61.36
	36"	PE35886-36	75.35	70.08	64.80
	48"	PE35886-48	79.35	73.80	68.24
	60"	PE35886-60	83.35	77.52	71.68
	Any	PE35886-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE35711-12	$39.30	$36.55	$33.80
	24"	PE35711-24	46.00	42.78	39.56
	36"	PE35711-36	52.65	48.96	45.28
	48"	PE35711-48	59.35	55.20	51.04
	60"	PE35711-60	66.00	61.38	56.76
	Any	PE35711-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141")	12"	PE3074-12	$65.55	$60.96	$56.37
	24"	PE3074-24	71.05	66.08	61.10
	36"	PE3074-36	76.55	71.19	65.83
	48"	PE3074-48	82.05	76.31	70.56
	60"	PE3074-60	87.55	81.42	75.29
	Any	PE3074-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE34279-12	$67.15	$62.45	$57.75
	24"	PE34279-24	74.20	69.01	63.81
	36"	PE34279-36	81.30	75.61	69.92
	48"	PE34279-48	88.40	82.21	76.02
	60"	PE34279-60	95.50	88.82	82.13
	Any	PE34279-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE3466-12	$65.90	$61.29	$56.67
	24"	PE3466-24	71.70	66.68	61.66
	36"	PE3466-36	77.55	72.12	66.69
	48"	PE3466-48	83.40	77.56	71.72
	60"	PE3466-60	89.25	83.00	76.76
	Any	PE3466-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE33391-12	$64.00	$59.52	$55.04
	24"	PE33391-24	69.20	64.36	59.51
	36"	PE33391-36	74.35	69.15	63.94
	48"	PE33391-48	79.55	73.98	68.41
	60"	PE33391-60	84.70	78.77	72.84
	Any	PE33391-XX	See Website for Pricing		
50 OHM, RG401/U (.250" BARE COPPER) (Coax Performance: Attenuation* 9.7 dB; Power Handling** 870 W; Cable Diameter .250")	12"	PE34271-12	$129.50	$120.44	$111.37
	24"	PE34271-24	146.10	135.87	125.65
	36"	PE34271-36	162.70	151.31	139.92
	48"	PE34271-48	179.25	166.70	154.16
	60"	PE34271-60	195.85	182.14	168.43
	Any	PE34271-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) (Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250")	12"	PE34282-12	$124.55	$115.83	$107.11
	24"	PE34282-24	136.20	126.67	117.13
	36"	PE34282-36	147.85	137.50	127.15
	48"	PE34282-48	159.45	148.29	137.13
	60"	PE34282-60	171.10	159.12	147.15
	Any	PE34282-XX	See Website for Pricing		

TNC MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3497-12	$27.20	$25.30	$23.39
	24"	PE3497-24	27.70	25.76	23.82
	36"	PE3497-36	28.25	26.27	24.30
	48"	PE3497-48	28.75	26.74	24.73
	60"	PE3497-60	29.30	27.25	25.20
	Any	PE3497-XX	See Website for Pricing		
50 OHM, RG58-P COAX PLENUM (Coax Performance: Attenuation* 14.0 dB; Power Handling** 632 W; Cable Diameter .163")	12"	PE35789-12	$38.95	$36.22	$33.50
	24"	PE35789-24	42.70	39.71	36.72
	36"	PE35789-36	46.45	43.20	39.95
	48"	PE35789-48	50.20	46.69	43.17
	60"	PE35789-60	54.00	50.22	46.44
	Any	PE35789-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3551-12	$27.35	$25.44	$23.52
	24"	PE3551-24	31.30	29.11	26.92
	36"	PE3551-36	35.25	32.78	30.32
	48"	PE3551-48	39.20	36.46	33.71
	60"	PE3551-60	43.15	40.13	37.11
	Any	PE3551-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34506-12	$30.85	$28.69	$26.53
	24"	PE34506-24	31.30	29.11	26.92
	36"	PE34506-36	31.55	29.34	27.13
	48"	PE34506-48	31.90	29.67	27.43
	60"	PE34506-60	32.40	30.13	27.86
	Any	PE34506-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE33383-12	$38.00	$35.34	$32.68
	24"	PE33383-24	39.45	36.69	33.93
	36"	PE33383-36	40.90	38.04	35.17
	48"	PE33383-48	42.20	39.25	36.29
	60"	PE33383-60	43.50	40.46	37.41
	Any	PE33383-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE37859-12	$62.20	$57.85	$53.49
	24"	PE37859-24	74.20	69.01	63.81
	36"	PE37859-36	86.25	80.21	74.18
	48"	PE37859-48	98.25	91.37	84.50
	60"	PE37859-60	110.30	102.58	94.86
	Any	PE37859-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33535-12	$30.85	$28.69	$26.53
	24"	PE33535-24	34.55	32.13	29.71
	36"	PE33535-36	38.15	35.48	32.81
	48"	PE33535-48	41.80	38.87	35.95
	60"	PE33535-60	45.45	42.27	39.09
	Any	PE33535-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE37885-12	$23.40	$21.76	$20.12
	24"	PE37885-24	24.50	22.79	21.07
	36"	PE37885-36	25.60	23.81	22.02
	48"	PE37885-48	26.70	24.83	22.96
	60"	PE37885-60	27.85	25.90	23.95
	Any	PE37885-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

TNC MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE39255-12	$51.00	$47.43	$43.86
	24"	PE39255-24	56.20	52.27	48.33
	36"	PE39255-36	61.35	57.06	52.76
	48"	PE39255-48	66.55	61.89	57.23
	60"	PE39255-60	71.70	66.68	61.66
	Any	PE39255-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE33969-12	$53.25	$49.52	$45.80
	24"	PE33969-24	54.35	50.55	46.74
	36"	PE33969-36	55.35	51.48	47.60
	48"	PE33969-48	56.35	52.41	48.46
	60"	PE33969-60	57.40	53.38	49.36
	Any	PE33969-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE33701-12	$58.75	$54.64	$50.53
	24"	PE33701-24	64.25	59.75	55.26
	36"	PE33701-36	69.75	64.87	59.99
	48"	PE33701-48	75.25	69.98	64.72
	60"	PE33701-60	80.70	75.05	69.40
	Any	PE33701-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3498-12	$25.55	$23.76	$21.97
	24"	PE3498-24	27.65	25.71	23.78
	36"	PE3498-36	29.75	27.67	25.59
	48"	PE3498-48	31.85	29.62	27.39
	60"	PE3498-60	34.00	31.62	29.24
	Any	PE3498-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-C200 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.0 dB; Power Handling** 170 W; Cable Diameter .195")	12"	PE36068-12	$37.35	$34.74	$32.12
	24"	PE36068-24	40.90	38.04	35.17
	36"	PE36068-36	44.40	41.29	38.18
	48"	PE36068-48	47.90	44.55	41.19
	60"	PE36068-60	51.40	47.80	44.20
	Any	PE36068-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240")	12"	PE37594-12	$32.35	$30.09	$27.82
	24"	PE37594-24	34.70	32.27	29.84
	36"	PE37594-36	37.05	34.46	31.86
	48"	PE37594-48	39.35	36.60	33.84
	60"	PE37594-60	41.70	38.78	35.86
	Any	PE37594-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405")	12"	PE37563-12	$66.55	$61.89	$57.23
	24"	PE37563-24	70.55	65.61	60.67
	36"	PE37563-36	74.55	69.33	64.11
	48"	PE37563-48	78.55	73.05	67.55
	60"	PE37563-60	82.55	76.77	70.99
	Any	PE37563-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE37478-12	$33.35	$31.02	$28.68
	24"	PE37478-24	40.05	37.25	34.44
	36"	PE37478-36	46.70	43.43	40.16
	48"	PE37478-48	53.40	49.66	45.92
	60"	PE37478-60	60.05	55.85	51.64
	Any	PE37478-XX	See Website for Pricing		

TNC MALE TO REVERSE POLARITY SMA MALE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE35214-12	$39.10	$36.36	$33.63
	24"	PE35214-24	39.60	36.83	34.06
	36"	PE35214-36	40.15	37.34	34.53
	48"	PE35214-48	40.65	37.80	34.96
	60"	PE35214-60	41.20	38.32	35.43
	Any	PE35214-XX	See Website for Pricing		

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE35216-12	$37.10	$34.50	$31.91
	24"	PE35216-24	41.05	38.18	35.30
	36"	PE35216-36	45.00	41.85	38.70
	48"	PE35216-48	48.95	45.52	42.10
	60"	PE35216-60	52.90	49.20	45.49
	Any	PE35216-XX	See Website for Pricing		

TNC MALE TO REVERSE POLARITY TNC MALE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE35228-12	$31.70	$29.48	$27.26
	24"	PE35228-24	32.20	29.95	27.69
	36"	PE35228-36	32.75	30.46	28.17
	48"	PE35228-48	33.25	30.92	28.60
	60"	PE35228-60	33.80	31.43	29.07
	Any	PE35228-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE35230-12	$32.25	$29.99	$27.74
	24"	PE35230-24	36.20	33.67	31.13
	36"	PE35230-36	40.15	37.34	34.53
	48"	PE35230-48	44.10	41.01	37.93
	60"	PE35230-60	48.05	44.69	41.32
	Any	PE35230-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE35232-12	$51.15	$47.57	$43.99
	24"	PE35232-24	52.40	48.73	45.06
	36"	PE35232-36	53.60	49.85	46.10
	48"	PE35232-48	54.85	51.01	47.17
	60"	PE35232-60	56.05	52.13	48.20
	Any	PE35232-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE35236-12	$30.45	$28.32	$26.19
	24"	PE35236-24	32.55	30.27	27.99
	36"	PE35236-36	34.65	32.22	29.80
	48"	PE35236-48	36.75	34.18	31.61
	60"	PE35236-60	38.90	36.18	33.45
	Any	PE35236-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE35238-12	$47.45	$44.13	$40.81
	24"	PE35238-24	49.75	46.27	42.79
	36"	PE35238-36	52.00	48.36	44.72
	48"	PE35238-48	54.30	50.50	46.70
	60"	PE35238-60	56.60	52.64	48.68
	Any	PE35238-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE37137-12	$27.90	$25.95	$23.99
	24"	PE37137-24	29.00	26.97	24.94
	36"	PE37137-36	30.10	27.99	25.89
	48"	PE37137-48	31.20	29.02	26.83
	60"	PE37137-60	32.35	30.09	27.82
	Any	PE37137-XX	See Website for Pricing		

7/16 DIN MALE TO 7/16 DIN MALE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE35283-12	$197.40	$183.58	$169.76
	24"	PE35283-24	192.80	179.30	165.81
	36"	PE35283-36	201.75	187.63	173.51
	48"	PE35283-48	203.90	189.63	175.35
	60"	PE35283-60	206.10	191.67	177.25
	Any	PE35283-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3183-12	$177.25	$164.84	$152.44
	24"	PE3183-24	177.75	165.31	152.87
	36"	PE3183-36	178.30	165.82	153.34
	48"	PE3183-48	178.80	166.28	153.77
	60"	PE3183-60	179.35	166.80	154.24
	Any	PE3183-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE3205-12	$200.05	$186.05	$172.04
	24"	PE3205-24	212.05	197.21	182.36
	36"	PE3205-36	224.10	208.41	192.73
	48"	PE3205-48	236.10	219.57	203.05
	60"	PE3205-60	248.15	230.78	213.41
	Any	PE3205-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	36"	PE37952-36	$82.75	$76.96	$71.17
	48"	PE37952-48	83.85	77.98	72.11
	60"	PE37952-60	85.00	79.05	73.10
	72"	PE37952-72	86.10	80.07	74.05
	120"	PE37952-120	90.55	84.21	77.87
	Any	PE37952-XXX	See Website for Pricing		

Continued on Next Page

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

7/16 DIN MALE TO 7/16 DIN MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG217/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 5.8 dB; Power Handling** 260 W; Cable Diameter .545")	12"	PE36134-12	$234.70	$218.27	$201.84
	24"	PE36134-24	238.15	221.48	204.81
	36"	PE36134-36	241.60	224.69	207.78
	48"	PE36134-48	245.05	227.90	210.74
	60"	PE36134-60	248.50	231.11	213.71
	Any	PE36134-XX	See Website for Pricing		
50 OHM, RG218/U COAX (Coax Performance: Attenuation* 3.8 dB; Power Handling** 560 W; Cable Diameter .870")	12"	PE35900-12	$255.90	$237.99	$220.07
	24"	PE35900-24	264.60	246.08	227.56
	36"	PE35900-36	273.30	254.17	235.04
	48"	PE35900-48	281.95	262.21	242.48
	60"	PE35900-60	290.65	270.30	249.96
	Any	PE35900-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430")	12"	PE36136-12	$213.40	$198.46	$183.52
	24"	PE36136-24	238.80	222.08	205.37
	36"	PE36136-36	264.15	245.66	227.17
	48"	PE36136-48	289.55	269.28	249.01
	60"	PE36136-60	314.90	292.86	270.81
	Any	PE36136-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-C400 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405")	36"	PE37954-36	$113.85	$105.88	$97.91
	48"	PE37954-48	117.85	109.60	101.35
	60"	PE37954-60	121.85	113.32	104.79
	72"	PE37954-72	125.85	117.04	108.23
	120"	PE37954-120	141.85	131.92	121.99
	Any	PE37954-XXX	See Website for Pricing		
50 OHM, PE-C600 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 3.0 dB; Power Handling** 900 W; Cable Diameter .590")	36"	PE37955-36	$126.50	$117.65	$108.79
	48"	PE37955-48	131.40	122.20	113.00
	60"	PE37955-60	136.30	126.76	117.22
	72"	PE37955-72	141.20	131.32	121.43
	120"	PE37955-120	160.80	149.54	138.29
	Any	PE37955-XXX	See Website for Pricing		
50 OHM, 1/2" HELICAL FLEX (Coax Performance: Attenuation* 3.41 dB; Power Handling** 770 W; Cable Diameter .500")	36"	PE37971-36	$109.25	$101.60	$93.96
	72"	PE37971-72	131.10	121.92	112.75
	For Additional Lengths, Please Contact Technical Support				

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141")	12"	PE36142-12	$232.55	$216.27	$199.99
	24"	PE36142-24	238.05	221.39	204.72
	36"	PE36142-36	243.55	226.50	209.45
	48"	PE36142-48	249.05	231.62	214.18
	60"	PE36142-60	254.60	236.78	218.96
	Any	PE36142-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) (Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141")	12"	PE36144-12	$232.90	$216.60	$200.29
	24"	PE36144-24	238.75	222.04	205.33
	36"	PE36144-36	244.55	227.43	210.31
	48"	PE36144-48	250.40	232.87	215.34
	60"	PE36144-60	256.25	238.31	220.38
	Any	PE36144-XX	See Website for Pricing		

7/16 DIN MALE TO 7/16 DIN MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE38584-12	$221.60	$206.09	$190.58
	24"	PE38584-24	227.10	211.20	195.31
	36"	PE38584-36	232.60	216.32	200.04
	48"	PE38584-48	238.10	221.43	204.77
	60"	PE38584-60	243.55	226.50	209.45
	Any	PE38584-XX	See Website for Pricing		
50 OHM, RG217/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 5.8 dB; Power Handling** 260 W; Cable Diameter .545")	12"	PE37600-12	$277.80	$258.35	$238.91
	24"	PE37600-24	281.25	261.56	241.88
	36"	PE37600-36	284.70	264.77	244.84
	48"	PE37600-48	288.15	267.98	247.81
	60"	PE37600-60	291.60	271.19	250.78
	Any	PE37600-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE36657-12	$228.15	$212.18	$196.21
	24"	PE36657-24	240.15	223.34	206.53
	36"	PE36657-36	252.20	234.55	216.89
	48"	PE36657-48	264.20	245.71	227.21
	60"	PE36657-60	276.25	256.91	237.58
	Any	PE36657-XX	See Website for Pricing		
50 OHM, 1/2" HELICAL FLEX (Coax Performance: Attenuation* 3.41 dB; Power Handling** 770 W; Cable Diameter .500")	36"	PE37973-36	$131.10	$121.92	$112.75
	72"	PE37973-72	153.05	142.34	131.62
	For Additional Lengths, Please Contact Technical Support				

7/16 DIN MALE TO 7/16 DIN FEMALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE37450-12	$219.40	$204.04	$188.68
	24"	PE37450-24	231.40	215.20	199.00
	36"	PE37450-36	243.45	226.41	209.37
	48"	PE37450-48	255.45	237.57	219.69
	60"	PE37450-60	267.50	248.78	230.05
	Any	PE37450-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405")	36"	PE37962-36	$124.70	$115.97	$107.24
	48"	PE37962-48	128.70	119.69	110.68
	60"	PE37962-60	132.70	123.41	114.12
	72"	PE37962-72	136.70	127.13	117.56
	120"	PE37962-120	152.70	142.01	131.32
	Any	PE37962-XXX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-C600 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 3.0 dB; Power Handling** 900 W; Cable Diameter .590")	36"	PE37963-36	$138.25	$128.57	$118.90
	48"	PE37963-48	143.15	133.13	123.11
	60"	PE37963-60	148.05	137.69	127.32
	72"	PE37963-72	152.95	142.24	131.54
	120"	PE37963-120	172.55	160.47	148.39
	Any	PE37963-XXX	See Website for Pricing		
50 OHM, 1/2" HELICAL FLEX (Coax Performance: Attenuation* 3.41 dB; Power Handling** 770 W; Cable Diameter .500")	36"	PE37972-36	$120.20	$111.79	$103.37
	72"	PE37972-72	142.10	132.15	122.21
	For Additional Lengths, Please Contact Technical Support				

UHF MALE TO UHF MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3623-12	$41.20	$38.32	$35.43
	24"	PE3623-24	43.35	40.32	37.28
	36"	PE3623-36	45.55	42.36	39.17
	48"	PE3623-48	47.70	44.36	41.02
	60"	PE3623-60	49.15	45.71	42.27
	Any	PE3623-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3845-12	$23.20	$21.58	$19.95
	24"	PE3845-24	24.55	22.83	21.11
	36"	PE3845-36	25.95	24.13	22.32
	48"	PE3845-48	27.35	25.44	23.52
	60"	PE3845-60	29.50	27.44	25.37
	Any	PE3845-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

UHF MALE TO UHF MALE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8X COAX (Coax Performance: Attenuation* 13.5 dB; Power Handling** 60 W; Cable Diameter .242")	12"	PE33293-12	$31.40	$29.20	$27.00
	24"	PE33293-24	33.75	31.39	29.03
	36"	PE33293-36	36.10	33.57	31.05
	48"	PE33293-48	38.45	35.76	33.07
	60"	PE33293-60	40.75	37.90	35.05
	Any	PE33293-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3015-12	$23.85	$22.18	$20.51
	24"	PE3015-24	24.35	22.65	20.94
	36"	PE3015-36	24.90	23.16	21.41
	48"	PE3015-48	25.40	23.62	21.84
	60"	PE3015-60	25.95	24.13	22.32
	Any	PE3015-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3580-12	$21.00	$19.53	$18.06
	24"	PE3580-24	21.70	20.18	18.66
	36"	PE3580-36	22.40	20.83	19.26
	48"	PE3580-48	23.10	21.48	19.87
	60"	PE3580-60	23.80	22.13	20.47
	Any	PE3580-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33053-12	$26.35	$24.51	$22.66
	24"	PE33053-24	30.30	28.18	26.06
	36"	PE33053-36	34.25	31.85	29.46
	48"	PE33053-48	38.20	35.53	32.85
	60"	PE33053-60	42.15	39.20	36.25
	Any	PE33053-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3635-12	$40.25	$37.43	$34.62
	24"	PE3635-24	41.50	38.60	35.69
	36"	PE3635-36	42.70	39.71	36.72
	48"	PE3635-48	43.95	40.87	37.80
	60"	PE3635-60	45.15	41.99	38.83
	Any	PE3635-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3796-12	$44.50	$41.39	$38.27
	24"	PE3796-24	50.00	46.50	43.00
	36"	PE3796-36	55.50	51.62	47.73
	48"	PE3796-48	61.00	56.73	52.46
	60"	PE3796-60	66.45	61.80	57.15
	Any	PE3796-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE33267-12	$48.85	$45.43	$42.01
	24"	PE33267-24	60.85	56.59	52.33
	36"	PE33267-36	72.90	67.80	62.69
	48"	PE33267-48	84.90	78.96	73.01
	60"	PE33267-60	96.95	90.16	83.38
	Any	PE33267-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3743-12	$32.00	$29.76	$27.52
	24"	PE3743-24	37.20	34.60	31.99
	36"	PE3743-36	42.35	39.39	36.42
	48"	PE3743-48	47.55	44.22	40.89
	60"	PE3743-60	52.70	49.01	45.32
	Any	PE3743-XX	See Website for Pricing		
50 OHM, PE-B405, VERY LOW LOSS COAX (Coax Performance: Attenuation* 4.5 dB; Power Handling** 344 W; Cable Diameter .405")	12"	PE3159-12	$37.55	$34.92	$32.29
	24"	PE3159-24	39.60	36.83	34.06
	36"	PE3159-36	41.65	38.73	35.82
	48"	PE3159-48	43.70	40.64	37.58
	60"	PE3159-60	45.70	42.50	39.30
	Any	PE3159-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38632-12	$20.05	$18.65	$17.24
	24"	PE38632-24	21.15	19.67	18.19
	36"	PE38632-36	22.25	20.69	19.14
	48"	PE38632-48	23.35	21.72	20.08
	60"	PE38632-60	24.50	22.79	21.07
	Any	PE38632-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240")	12"	PE38157-12	$22.60	$21.02	$19.44
	24"	PE38157-24	24.95	23.20	21.46
	36"	PE38157-36	27.30	25.39	23.48
	48"	PE38157-48	29.60	27.53	25.46
	60"	PE38157-60	31.95	29.71	27.48
	Any	PE38157-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405")	12"	PE35021-12	$39.55	$36.78	$34.01
	24"	PE35021-24	43.55	40.50	37.45
	36"	PE35021-36	47.55	44.22	40.89
	48"	PE35021-48	51.55	47.94	44.33
	60"	PE35021-60	55.55	51.66	47.77
	Any	PE35021-XX	See Website for Pricing		

UHF MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE34581-12	$36.30	$33.76	$31.22
	24"	PE34581-24	37.85	35.20	32.55
	36"	PE34581-36	39.10	36.36	33.63
	48"	PE34581-48	40.55	37.71	34.87
	60"	PE34581-60	41.85	38.92	35.99
	Any	PE34581-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3057-12	$23.90	$22.23	$20.55
	24"	PE3057-24	24.40	22.69	20.98
	36"	PE3057-36	24.95	23.20	21.46
	48"	PE3057-48	25.45	23.67	21.89
	60"	PE3057-60	26.00	24.18	22.36
	Any	PE3057-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3543-12	$21.85	$20.32	$18.79
	24"	PE3543-24	22.25	20.69	19.14
	36"	PE3543-36	22.70	21.11	19.52
	48"	PE3543-48	23.10	21.48	19.87
	60"	PE3543-60	23.55	21.90	20.25
	Any	PE3543-XX	See Website for Pricing		
93 OHM, RG62A/U COAX (Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE34587-12	$20.50	$19.07	$17.63
	24"	PE34587-24	21.50	20.00	18.49
	36"	PE34587-36	22.50	20.93	19.35
	48"	PE34587-48	23.50	21.86	20.21
	60"	PE34587-60	24.45	22.74	21.03
	Any	PE34587-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3898-12	$30.00	$27.90	$25.80
	24"	PE3898-24	32.75	30.46	28.17
	36"	PE3898-36	35.55	33.06	30.57
	48"	PE3898-48	38.25	35.57	32.90
	60"	PE3898-60	41.00	38.13	35.26
	Any	PE3898-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE34583-12	$36.30	$33.76	$31.22
	24"	PE34583-24	37.85	35.20	32.55
	36"	PE34583-36	39.10	36.36	33.63
	48"	PE34583-48	40.55	37.71	34.87
	60"	PE34583-60	41.85	38.92	35.99
	Any	PE34583-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE33438-12	$49.80	$46.31	$42.83
	24"	PE33438-24	55.30	51.43	47.56
	36"	PE33438-36	60.80	56.54	52.29
	48"	PE33438-48	66.30	61.66	57.02
	60"	PE33438-60	71.75	66.73	61.71
	Any	PE33438-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3803-12	$23.20	$21.58	$19.95
	24"	PE3803-24	24.75	23.02	21.29
	36"	PE3803-36	26.85	24.97	23.09
	48"	PE3803-48	28.95	26.92	24.90
	60"	PE3803-60	31.10	28.92	26.75
	Any	PE3803-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430")	12"	PE34589-12	$68.60	$63.80	$59.00
	24"	PE34589-24	94.00	87.42	80.84
	36"	PE34589-36	119.35	111.00	102.64
	48"	PE34589-48	144.75	134.62	124.49
	60"	PE34589-60	170.10	158.19	146.29
	Any	PE34589-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3231-12	$30.10	$27.99	$25.89
	24"	PE3231-24	35.30	32.83	30.36
	36"	PE3231-36	40.45	37.62	34.79
	48"	PE3231-48	45.65	42.45	39.26
	60"	PE3231-60	50.80	47.24	43.69
	Any	PE3231-XX	See Website for Pricing		
50 OHM, PE-B405, VERY LOW LOSS CABLE (Coax Performance: Attenuation* 4.5 dB; Power Handling** 344 W; Cable Diameter .405")	12"	PE34577-12	$50.65	$47.10	$43.56
	24"	PE34577-24	52.70	49.01	45.32
	36"	PE34577-36	54.75	50.92	47.09
	48"	PE34577-48	56.80	52.82	48.85
	60"	PE34577-60	58.80	54.68	50.57
	Any	PE34577-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38674-12	$20.10	$18.69	$17.29
	24"	PE38674-24	21.20	19.72	18.23
	36"	PE38674-36	22.30	20.74	19.18
	48"	PE38674-48	23.40	21.76	20.12
	60"	PE38674-60	24.55	22.83	21.11
	Any	PE38674-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

MINI UHF MALE TO MINI UHF MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3258-12	$21.80	$20.27	$18.75
	24"	PE3258-24	22.35	20.79	19.22
	36"	PE3258-36	23.00	21.39	19.78
	48"	PE3258-48	23.55	21.90	20.25
	60"	PE3258-60	24.15	22.46	20.77
	Any	PE3258-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3263-12	$22.35	$20.79	$19.22
	24"	PE3263-24	26.30	24.46	22.62
	36"	PE3263-36	30.25	28.13	26.02
	48"	PE3263-48	34.20	31.81	29.41
	60"	PE3263-60	38.15	35.48	32.81
	Any	PE3263-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3265-12	$20.55	$19.11	$17.67
	24"	PE3265-24	22.65	21.06	19.48
	36"	PE3265-36	24.75	23.02	21.29
	48"	PE3265-48	26.85	24.97	23.09
	60"	PE3265-60	29.00	26.97	24.94
	Any	PE3265-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3269-12	$28.00	$26.04	$24.08
	24"	PE3269-24	33.20	30.88	28.55
	36"	PE3269-36	38.35	35.67	32.98
	48"	PE3269-48	43.55	40.50	37.45
	60"	PE3269-60	48.70	45.29	41.88
	Any	PE3269-XX	See Website for Pricing		

FME PLUG TO FME PLUG

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE35957-12	$30.55	$28.41	$26.27
	24"	PE35957-24	30.95	28.78	26.62
	36"	PE35957-36	31.35	29.16	26.96
	48"	PE35957-48	31.75	29.53	27.31
	60"	PE35957-60	32.15	29.90	27.65
	Any	PE35957-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38719-12	$27.85	$25.90	$23.95
	24"	PE38719-24	28.95	26.92	24.90
	36"	PE38719-36	30.05	27.95	25.84
	48"	PE38719-48	31.15	28.97	26.79
	60"	PE38719-60	32.30	30.04	27.78
	Any	PE38719-XX	See Website for Pricing		

FME PLUG TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE35959-12	$27.80	$25.85	$23.91
	24"	PE35959-24	28.30	26.32	24.34
	36"	PE35959-36	28.85	26.83	24.81
	48"	PE35959-48	29.35	27.30	25.24
	60"	PE35959-60	29.90	27.81	25.71
	Any	PE35959-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE35965-12	$148.55	$138.15	$127.75
	24"	PE35965-24	154.40	143.59	132.78
	36"	PE35965-36	160.20	148.99	137.77
	48"	PE35965-48	166.05	154.43	142.80
	60"	PE35965-60	171.90	159.87	147.83
	Any	PE35965-XX	See Website for Pricing		

FME JACK TO FME JACK

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34856-12	$19.90	$18.51	$17.11
	24"	PE34856-24	20.40	18.97	17.54
	36"	PE34856-36	20.95	19.48	18.02
	48"	PE34856-48	21.55	20.04	18.53
	60"	PE34856-60	22.10	20.55	19.01
	Any	PE34856-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34860-12	$30.75	$28.60	$26.45
	24"	PE34860-24	31.15	28.97	26.79
	36"	PE34860-36	31.55	29.34	27.13
	48"	PE34860-48	31.95	29.71	27.48
	60"	PE34860-60	32.35	30.09	27.82
	Any	PE34860-XX	See Website for Pricing		

FME JACK TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34862-12	$24.95	$23.20	$21.46
	24"	PE34862-24	25.45	23.67	21.89
	36"	PE34862-36	26.00	24.18	22.36
	48"	PE34862-48	26.50	24.65	22.79
	60"	PE34862-60	27.05	25.16	23.26
	Any	PE34862-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34866-12	$29.70	$27.62	$25.54
	24"	PE34866-24	30.10	27.99	25.89
	36"	PE34866-36	30.50	28.37	26.23
	48"	PE34866-48	30.90	28.74	26.57
	60"	PE34866-60	31.30	29.11	26.92
	Any	PE34866-XX	See Website for Pricing		

SMC PLUG TO SMC PLUG

THESE 50 OHM SMC CONNECTORS DO NOT MATE TO 75 OHM SMC TYPE CONNECTORS

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE33641-12	$48.55	$45.15	$41.75
	24"	PE33641-24	49.05	45.62	42.18
	36"	PE33641-36	49.60	46.13	42.66
	48"	PE33641-48	50.10	46.59	43.09
	60"	PE33641-60	50.65	47.10	43.56
	Any	PE33641-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE33154-12	$33.50	$31.16	$28.81
	24"	PE33154-24	36.05	33.53	31.00
	36"	PE33154-36	38.60	35.90	33.20
	48"	PE33154-48	41.15	38.27	35.39
	60"	PE33154-60	43.70	40.64	37.58
	Any	PE33154-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

SMC PLUG TO SMC PLUG

THESE 50 OHM SMC CONNECTORS DO NOT MATE TO 75 OHM SMC TYPE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3883-12	$31.35	$29.16	$26.96
	24"	PE3883-24	31.75	29.53	27.31
	36"	PE3883-36	32.15	29.90	27.65
	48"	PE3883-48	32.55	30.27	27.99
	60"	PE3883-60	32.95	30.64	28.34
	Any	PE3883-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE3902-12	$38.15	$35.48	$32.81
	24"	PE3902-24	39.25	36.50	33.76
	36"	PE3902-36	40.00	37.20	34.40
	48"	PE3902-48	40.70	37.85	35.00
	60"	PE3902-60	41.45	38.55	35.65
	Any	PE3902-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3595-12	$32.60	$30.32	$28.04
	24"	PE3595-24	34.25	31.85	29.46
	36"	PE3595-36	35.90	33.39	30.87
	48"	PE3595-48	37.55	34.92	32.29
	60"	PE3595-60	39.25	36.50	33.76
	Any	PE3595-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3596-12	$38.15	$35.48	$32.81
	24"	PE3596-24	39.45	36.69	33.93
	36"	PE3596-36	40.90	38.04	35.17
	48"	PE3596-48	41.90	38.97	36.03
	60"	PE3596-60	42.95	39.94	36.94
	Any	PE3596-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3808-12	$33.20	$30.88	$28.55
	24"	PE3808-24	35.50	33.02	30.53
	36"	PE3808-36	37.75	35.11	32.47
	48"	PE3808-48	40.05	37.25	34.44
	60"	PE3808-60	41.65	38.73	35.82
	Any	PE3808-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34721-12	$33.10	$30.78	$28.47
	24"	PE34721-24	35.25	32.78	30.32
	36"	PE34721-36	37.45	34.83	32.21
	48"	PE34721-48	39.60	36.83	34.06
	60"	PE34721-60	41.80	38.87	35.95
	Any	PE34721-XX	See Website for Pricing		

SMC PLUG TO SMC PLUG RIGHT ANGLE

THESE 50 OHM SMC CONNECTORS DO NOT MATE TO 75 OHM SMC TYPE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE33658-12	$51.30	$47.71	$44.12
	24"	PE33658-24	51.85	48.22	44.59
	36"	PE33658-36	52.35	48.69	45.02
	48"	PE33658-48	52.90	49.20	45.49
	60"	PE33658-60	53.40	49.66	45.92
	Any	PE33658-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE33556-12	$39.20	$36.46	$33.71
	24"	PE33556-24	39.60	36.83	34.06
	36"	PE33556-36	40.00	37.20	34.40
	48"	PE33556-48	40.40	37.57	34.74
	60"	PE33556-60	40.80	37.94	35.09
	Any	PE33556-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE34492-12	$42.70	$39.71	$36.72
	24"	PE34492-24	43.45	40.41	37.37
	36"	PE34492-36	44.15	41.06	37.97
	48"	PE34492-48	44.90	41.76	38.61
	60"	PE34492-60	45.60	42.41	39.22
	Any	PE34492-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3600-12	$40.45	$37.62	$34.79
	24"	PE3600-24	42.10	39.15	36.21
	36"	PE3600-36	43.75	40.69	37.63
	48"	PE3600-48	45.45	42.27	39.09
	60"	PE3600-60	47.10	43.80	40.51
	Any	PE3600-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3601-12	$43.00	$39.99	$36.98
	24"	PE3601-24	44.05	40.97	37.88
	36"	PE3601-36	45.05	41.90	38.74
	48"	PE3601-48	46.10	42.87	39.65
	60"	PE3601-60	47.10	43.80	40.51
	Any	PE3601-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE33363-12	$41.05	$38.18	$35.30
	24"	PE33363-24	43.35	40.32	37.28
	36"	PE33363-36	45.65	42.45	39.26
	48"	PE33363-48	47.90	44.55	41.19
	60"	PE33363-60	50.20	46.69	43.17
	Any	PE33363-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34518-12	$40.95	$38.08	$35.22
	24"	PE34518-24	43.10	40.08	37.07
	36"	PE34518-36	45.30	42.13	38.96
	48"	PE34518-48	47.45	44.13	40.81
	60"	PE34518-60	49.65	46.17	42.70
	Any	PE34518-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34496-12	$55.40	$51.52	$47.64
	24"	PE34496-24	60.60	56.36	52.12
	36"	PE34496-36	65.75	61.15	56.55
	48"	PE34496-48	70.95	65.98	61.02
	60"	PE34496-60	76.10	70.77	65.45
	Any	PE34496-XX	See Website for Pricing		

SMC PLUG TO SMC JACK BULKHEAD

THESE 50 OHM SMC CONNECTORS DO NOT MATE TO 75 OHM SMC TYPE CONNECTORS

USE MOUNTING HOLE B01 ON PAGE 259

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34503-12	$51.65	$48.03	$44.42
	24"	PE34503-24	52.15	48.50	44.85
	36"	PE34503-36	52.70	49.01	45.32
	48"	PE34503-48	53.20	49.48	45.75
	60"	PE34503-60	53.75	49.99	46.23
	Any	PE34503-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34505-12	$50.60	$47.06	$43.52
	24"	PE34505-24	54.55	50.73	46.91
	36"	PE34505-36	58.50	54.41	50.31
	48"	PE34505-48	62.45	58.08	53.71
	60"	PE34505-60	66.40	61.75	57.10
	Any	PE34505-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE33580-12	$34.05	$31.67	$29.28
	24"	PE33580-24	34.45	32.04	29.63
	36"	PE33580-36	34.85	32.41	29.97
	48"	PE33580-48	35.25	32.78	30.32
	60"	PE33580-60	35.65	33.15	30.66
	Any	PE33580-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33352-12	$49.60	$46.13	$42.66
	24"	PE33352-24	50.30	46.78	43.26
	36"	PE33352-36	51.05	47.48	43.90
	48"	PE33352-48	51.75	48.13	44.51
	60"	PE33352-60	52.50	48.83	45.15
	Any	PE33352-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE34500-12	$36.20	$33.67	$31.13
	24"	PE34500-24	38.75	36.04	33.33
	36"	PE34500-36	41.30	38.41	35.52
	48"	PE34500-48	43.85	40.78	37.71
	60"	PE34500-60	46.40	43.15	39.90
	Any	PE34500-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE33690-12	$35.90	$33.39	$30.87
	24"	PE33690-24	38.20	35.53	32.85
	36"	PE33690-36	40.45	37.62	34.79
	48"	PE33690-48	42.75	39.76	36.77
	60"	PE33690-60	45.05	41.90	38.74
	Any	PE33690-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34511-12	$35.80	$33.29	$30.79
	24"	PE34511-24	37.95	35.29	32.64
	36"	PE34511-36	40.15	37.34	34.53
	48"	PE34511-48	42.30	39.34	36.38
	60"	PE34511-60	44.50	41.39	38.27
	Any	PE34511-XX	See Website for Pricing		
50 OHM, LOW NOISE, PE-B100 COAX (Coax Performance: Attenuation* N/A; Power Handling** N/A; Cable Diameter .101")	12"	PE34509-12	$39.10	$36.36	$33.63
	24"	PE34509-24	44.55	41.43	38.31
	36"	PE34509-36	50.00	46.50	43.00
	48"	PE34509-48	55.45	51.57	47.69
	60"	PE34509-60	60.90	56.64	52.37
	Any	PE34509-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

SMC PLUG TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS.
THESE 50 OHM SMC CONNECTORS DO NOT MATE TO 75 OHM SMC TYPE CONNECTORS.

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3244-12	$36.25	$33.71	$31.18
	24"	PE3244-24	36.75	34.18	31.61
	36"	PE3244-36	37.30	34.69	32.08
	48"	PE3244-48	37.80	35.15	32.51
	60"	PE3244-60	38.35	35.67	32.98
	Any	PE3244-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3660-12	$30.00	$27.90	$25.80
	24"	PE3660-24	30.40	28.27	26.14
	36"	PE3660-36	30.80	28.64	26.49
	48"	PE3660-48	31.20	29.02	26.83
	60"	PE3660-60	31.60	29.39	27.18
	Any	PE3660-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3641-12	$31.25	$29.06	$26.88
	24"	PE3641-24	32.90	30.60	28.29
	36"	PE3641-36	34.55	32.13	29.71
	48"	PE3641-48	36.20	33.67	31.13
	60"	PE3641-60	37.90	35.25	32.59
	Any	PE3641-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3238-12	$35.55	$33.06	$30.57
	24"	PE3238-24	36.85	34.27	31.69
	36"	PE3238-36	38.25	35.57	32.90
	48"	PE3238-48	39.55	36.78	34.01
	60"	PE3238-60	41.30	38.41	35.52
	Any	PE3238-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3240-12	$34.65	$32.22	$29.80
	24"	PE3240-24	38.60	35.90	33.20
	36"	PE3240-36	42.55	39.57	36.59
	48"	PE3240-48	46.50	43.25	39.99
	60"	PE3240-60	50.45	46.92	43.39
	Any	PE3240-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3849-12	$31.85	$29.62	$27.39
	24"	PE3849-24	34.15	31.76	29.37
	36"	PE3849-36	36.40	33.85	31.30
	48"	PE3849-48	38.55	35.85	33.15
	60"	PE3849-60	39.75	36.97	34.19
	Any	PE3849-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE3437-12	$42.35	$39.39	$36.42
	24"	PE3437-24	44.80	41.66	38.53
	36"	PE3437-36	47.25	43.94	40.64
	48"	PE3437-48	49.80	46.31	42.83
	60"	PE3437-60	52.25	48.59	44.94
	Any	PE3437-XX	See Website for Pricing		

SMC PLUG RIGHT ANGLE TO SMC PLUG RIGHT ANGLE

THESE 50 OHM SMC CONNECTORS DO NOT MATE TO 75 OHM SMC TYPE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE33643-12	$49.65	$46.17	$42.70
	24"	PE33643-24	50.20	46.69	43.17
	36"	PE33643-36	50.70	47.15	43.60
	48"	PE33643-48	51.25	47.66	44.08
	60"	PE33643-60	51.75	48.13	44.51
	Any	PE33643-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33645-12	$48.40	$45.01	$41.62
	24"	PE33645-24	52.35	48.69	45.02
	36"	PE33645-36	56.30	52.36	48.42
	48"	PE33645-48	60.25	56.03	51.82
	60"	PE33645-60	64.20	59.71	55.21
	Any	PE33645-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3918-12	$42.65	$39.66	$36.68
	24"	PE3918-24	43.05	40.04	37.02
	36"	PE3918-36	43.45	40.41	37.37
	48"	PE3918-48	43.85	40.78	37.71
	60"	PE3918-60	44.25	41.15	38.06
	Any	PE3918-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE3765-12	$42.45	$39.48	$36.51
	24"	PE3765-24	43.20	40.18	37.15
	36"	PE3765-36	43.90	40.83	37.75
	48"	PE3765-48	44.65	41.52	38.40
	60"	PE3765-60	45.35	42.18	39.00
	Any	PE3765-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3597-12	$43.90	$40.83	$37.75
	24"	PE3597-24	45.55	42.36	39.17
	36"	PE3597-36	47.20	43.90	40.59
	48"	PE3597-48	48.90	45.48	42.05
	60"	PE3597-60	50.55	47.01	43.47
	Any	PE3597-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE33649-12	$46.55	$43.29	$40.03
	24"	PE33649-24	48.65	45.24	41.84
	36"	PE33649-36	50.75	47.20	43.65
	48"	PE33649-48	52.90	49.20	45.49
	60"	PE33649-60	55.00	51.15	47.30
	Any	PE33649-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3919-12	$44.50	$41.39	$38.27
	24"	PE3919-24	46.80	43.52	40.25
	36"	PE3919-36	49.10	45.66	42.23
	48"	PE3919-48	51.35	47.76	44.16
	60"	PE3919-60	53.65	49.89	46.14
	Any	PE3919-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34462-12	$44.40	$41.29	$38.18
	24"	PE34462-24	46.55	43.29	40.03
	36"	PE34462-36	48.75	45.34	41.93
	48"	PE34462-48	50.90	47.34	43.77
	60"	PE34462-60	53.10	49.38	45.67
	Any	PE34462-XX	See Website for Pricing		

SMC PLUG RIGHT ANGLE TO SMC JACK BULKHEAD

THESE 50 OHM SMC CONNECTORS DO NOT MATE TO 75 OHM SMC TYPE CONNECTORS

USE MOUNTING HOLE B01 ON PAGE 259

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34476-12	$54.40	$50.59	$46.78
	24"	PE34476-24	54.95	51.10	47.26
	36"	PE34476-36	55.45	51.57	47.69
	48"	PE34476-48	56.00	52.08	48.16
	60"	PE34476-60	56.50	52.55	48.59
	Any	PE34476-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34078-12	$41.90	$38.97	$36.03
	24"	PE34078-24	42.30	39.34	36.38
	36"	PE34078-36	42.70	39.71	36.72
	48"	PE34078-48	43.10	40.08	37.07
	60"	PE34078-60	43.50	40.46	37.41
	Any	PE34078-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE33692-12	$54.05	$50.27	$46.48
	24"	PE33692-24	55.10	51.24	47.39
	36"	PE33692-36	56.10	52.17	48.25
	48"	PE33692-48	57.15	53.15	49.15
	60"	PE33692-60	58.15	54.08	50.01
	Any	PE33692-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE34472-12	$43.75	$40.69	$37.63
	24"	PE34472-24	46.05	42.83	39.60
	36"	PE34472-36	48.35	44.97	41.58
	48"	PE34472-48	50.60	47.06	43.52
	60"	PE34472-60	52.90	49.20	45.49
	Any	PE34472-XX	See Website for Pricing		

10-32 MALE TO 10-32 MALE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE36520-12	$46.35	$43.11	$39.86
	24"	PE36520-24	46.75	43.48	40.21
	36"	PE36520-36	47.15	43.85	40.55
	48"	PE36520-48	47.55	44.22	40.89
	60"	PE36520-60	47.95	44.59	41.24
	Any	PE36520-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE36522-12	$62.05	$57.71	$53.36
	24"	PE36522-24	62.75	58.36	53.97
	36"	PE36522-36	63.55	59.10	54.65
	48"	PE36522-48	64.25	59.75	55.26
	60"	PE36522-60	64.95	60.40	55.86
	Any	PE36522-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE36524-12	$48.20	$44.83	$41.45
	24"	PE36524-24	50.50	46.97	43.43
	36"	PE36524-36	52.75	49.06	45.37
	48"	PE36524-48	55.05	51.20	47.34
	60"	PE36524-60	57.35	53.34	49.32
	Any	PE36524-XX	See Website for Pricing		

10-32 MALE TO 10-32 MALE RIGHT ANGLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE36526-12	$48.50	$45.11	$41.71
	24"	PE36526-24	48.90	45.48	42.05
	36"	PE36526-36	49.30	45.85	42.40
	48"	PE36526-48	49.70	46.22	42.74
	60"	PE36526-60	50.10	46.59	43.09
	Any	PE36526-XX	See Website for Pricing		

FLEXIBLE

10-32 MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE36538-12	$41.95	$39.01	$36.08
	24"	PE36538-24	42.25	39.29	36.34
	36"	PE36538-36	42.55	39.57	36.59
	48"	PE36538-48	42.80	39.80	36.81
	60"	PE36538-60	43.05	40.04	37.02
	Any	PE36538-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE36540-12	$56.45	$52.50	$48.55
	24"	PE36540-24	57.15	53.15	49.15
	36"	PE36540-36	57.90	53.85	49.79
	48"	PE36540-48	58.60	54.50	50.40
	60"	PE36540-60	59.35	55.20	51.04
	Any	PE36540-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE36542-12	$41.95	$39.01	$36.08
	24"	PE36542-24	42.95	39.94	36.94
	36"	PE36542-36	44.00	40.92	37.84
	48"	PE36542-48	46.20	42.97	39.73
	60"	PE36542-60	48.50	45.11	41.71
	Any	PE36542-XX	See Website for Pricing		

10-32 MALE RIGHT ANGLE TO 10-32 MALE RIGHT ANGLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE36532-12	$50.65	$47.10	$43.56
	24"	PE36532-24	51.05	47.48	43.90
	36"	PE36532-36	51.45	47.85	44.25
	48"	PE36532-48	51.85	48.22	44.59
	60"	PE36532-60	52.25	48.59	44.94
	Any	PE36532-XX	See Website for Pricing		

FLEXIBLE

SC MALE TO SC MALE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3104-12	$186.05	$173.03	$160.00
	24"	PE3104-24	186.55	173.49	160.43
	36"	PE3104-36	187.10	174.00	160.91
	48"	PE3104-48	187.60	174.47	161.34
	60"	PE3104-60	188.15	174.98	161.81
	Any	PE3104-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3409-12	$115.50	$107.42	$99.33
	24"	PE3409-24	121.00	112.53	104.06
	36"	PE3409-36	126.50	117.65	108.79
	48"	PE3409-48	132.00	122.76	113.52
	60"	PE3409-60	137.45	127.83	118.21
	Any	PE3409-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG218/U COAX (Coax Performance: Attenuation* 3.8 dB; Power Handling** 560 W; Cable Diameter .870")	12"	PE34451-12	$239.80	$223.01	$206.23
	24"	PE34451-24	248.50	231.11	213.71
	36"	PE34451-36	257.20	239.20	221.19
	48"	PE34451-48	265.85	247.24	228.63
	60"	PE34451-60	274.55	255.33	236.11
	Any	PE34451-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430")	12"	PE34447-12	$135.40	$125.92	$116.44
	24"	PE34447-24	160.80	149.54	138.29
	36"	PE34447-36	186.15	173.12	160.09
	48"	PE34447-48	211.55	196.74	181.93
	60"	PE34447-60	236.90	220.32	203.73
	Any	PE34447-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

SC MALE TO SC MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG217/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 5.8 dB; Power Handling** 260 W; Cable Diameter .545")	12"	PE34445-12	$234.60	$218.18	$201.76
	24"	PE34445-24	238.05	221.39	204.72
	36"	PE34445-36	241.50	224.60	207.69
	48"	PE34445-48	244.95	227.80	210.66
	60"	PE34445-60	248.40	231.01	213.62
	Any	PE34445-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE3416-12	$122.05	$113.51	$104.96
	24"	PE3416-24	134.05	124.67	115.28
	36"	PE3416-36	146.10	135.87	125.65
	48"	PE3416-48	158.10	147.03	135.97
	60"	PE3416-60	170.15	158.24	146.33
	Any	PE3416-XX	See Website for Pricing		

LC MALE TO LC MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	60"	PE33541-60	$303.90	$282.63	$261.35
	72"	PE33541-72	307.85	286.30	264.75
	84"	PE33541-84	311.80	289.97	268.15
	96"	PE33541-96	315.75	293.65	271.55
	108"	PE33541-108	319.70	297.32	274.94
	Any	PE33541-XXX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	60"	PE33491-60	$275.75	$256.45	$237.15
	72"	PE33491-72	281.25	261.56	241.88
	84"	PE33491-84	286.75	266.68	246.61
	96"	PE33491-96	292.25	271.79	251.34
	108"	PE33491-108	297.70	276.86	256.02
	Any	PE33491-XXX	See Website for Pricing		
50 OHM, RG217/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 5.8 dB; Power Handling** 260 W; Cable Diameter .545")	60"	PE33537-60	$295.10	$274.44	$253.79
	72"	PE33537-72	298.55	277.65	256.75
	84"	PE33537-84	302.00	280.86	259.72
	96"	PE33537-96	305.45	284.07	262.69
	108"	PE33537-108	308.90	287.28	265.65
	Any	PE33537-XXX	See Website for Pricing		
50 OHM, RG218/U COAX (Coax Performance: Attenuation* 3.8 dB; Power Handling** 560 W; Cable Diameter .870")	60"	PE3960-60	$367.45	$341.73	$316.01
	72"	PE3960-72	376.15	349.82	323.49
	84"	PE3960-84	384.80	357.86	330.93
	96"	PE3960-96	393.50	365.96	338.41
	108"	PE3960-108	402.15	374.00	345.85
	Any	PE3960-XXX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430")	60"	PE34538-60	$375.20	$348.94	$322.67
	72"	PE34538-72	400.60	372.56	344.52
	84"	PE34538-84	425.95	396.13	366.32
	96"	PE34538-96	451.35	419.76	388.16
	108"	PE34538-108	476.70	443.33	409.96
	Any	PE34538-XXX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	60"	PE33539-60	$310.35	$288.63	$266.90
	72"	PE33539-72	320.45	298.02	275.59
	84"	PE33539-84	332.50	309.23	285.95
	96"	PE33539-96	344.50	320.39	296.27
	108"	PE33539-108	356.50	331.55	306.59
	Any	PE33539-XXX	See Website for Pricing		

HN MALE TO HN MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE33304-12	$82.20	$76.45	$70.69
	24"	PE33304-24	84.35	78.45	72.54
	36"	PE33304-36	86.55	80.49	74.43
	48"	PE33304-48	88.70	82.49	76.28
	60"	PE33304-60	90.90	84.54	78.17
	Any	PE33304-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3852-12	$64.15	$59.66	$55.17
	24"	PE3852-24	64.65	60.12	55.60
	36"	PE3852-36	65.20	60.64	56.07
	48"	PE3852-48	65.70	61.10	56.50
	60"	PE3852-60	66.25	61.61	56.98
	Any	PE3852-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE34436-12	$83.55	$77.70	$71.85
	24"	PE34436-24	84.25	78.35	72.46
	36"	PE34436-36	84.95	79.00	73.06
	48"	PE34436-48	85.65	79.65	73.66
	60"	PE34436-60	86.35	80.31	74.26
	Any	PE34436-XX	See Website for Pricing		
93 OHM, RG62A/U COAX (Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE34438-12	$83.80	$77.93	$72.07
	24"	PE34438-24	84.80	78.86	72.93
	36"	PE34438-36	85.80	79.79	73.79
	48"	PE34438-48	86.80	80.72	74.65
	60"	PE34438-60	87.80	81.65	75.51
	Any	PE34438-XX	See Website for Pricing		
50 OHM, RG141A/U COAX (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .190")	12"	PE34434-12	$72.90	$67.80	$62.69
	24"	PE34434-24	77.75	72.31	66.87
	36"	PE34434-36	82.60	76.82	71.04
	48"	PE34434-48	87.45	81.33	75.21
	60"	PE34434-60	92.30	85.84	79.38
	Any	PE34434-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3083-12	$65.95	$61.33	$56.72
	24"	PE3083-24	69.90	65.01	60.11
	36"	PE3083-36	73.85	68.68	63.51
	48"	PE3083-48	77.80	72.35	66.91
	60"	PE3083-60	81.75	76.03	70.31
	Any	PE3083-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3038-12	$81.25	$75.56	$69.88
	24"	PE3038-24	82.50	76.73	70.95
	36"	PE3038-36	83.70	77.84	71.98
	48"	PE3038-48	84.95	79.00	73.06
	60"	PE3038-60	86.15	80.12	74.09
	Any	PE3038-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3095-12	$86.30	$80.26	$74.22
	24"	PE3095-24	91.80	85.37	78.95
	36"	PE3095-36	97.30	90.49	83.68
	48"	PE3095-48	102.80	95.60	88.41
	60"	PE3095-60	108.25	100.67	93.10
	Any	PE3095-XX	See Website for Pricing		
50 OHM, RG217/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 5.8 dB; Power Handling** 260 W; Cable Diameter .545")	12"	PE33370-12	$109.30	$101.65	$94.00
	24"	PE33370-24	111.75	103.93	96.11
	36"	PE33370-36	114.10	106.11	98.13
	48"	PE33370-48	116.70	108.53	100.36
	60"	PE33370-60	119.10	110.76	102.43
	Any	PE33370-XX	See Website for Pricing		
50 OHM, RG218/U COAX (Coax Performance: Attenuation* 3.8 dB; Power Handling** 560 W; Cable Diameter .870")	12"	PE33583-12	$217.50	$202.28	$187.05
	24"	PE33583-24	226.20	210.37	194.53
	36"	PE33583-36	234.90	218.46	202.01
	48"	PE33583-48	243.55	226.50	209.45
	60"	PE33583-60	252.25	234.59	216.94
	Any	PE33583-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3357-12	$64.15	$59.66	$55.17
	24"	PE3357-24	66.25	61.61	56.98
	36"	PE3357-36	68.35	63.57	58.78
	48"	PE3357-48	70.45	65.52	60.59
	60"	PE3357-60	72.60	67.52	62.44
	Any	PE3357-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430")	12"	PE33778-12	$106.20	$98.77	$91.33
	24"	PE33778-24	131.60	122.39	113.18
	36"	PE33778-36	156.95	145.96	134.98
	48"	PE33778-48	182.35	169.59	156.82
	60"	PE33778-60	207.70	193.16	178.62
	Any	PE33778-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE3340-12	$90.85	$84.49	$78.13
	24"	PE3340-24	102.40	95.23	88.06
	36"	PE3340-36	113.95	105.97	98.00
	48"	PE3340-48	125.55	116.76	107.97
	60"	PE3340-60	137.10	127.50	117.91
	Any	PE3340-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33938-12	$71.60	$66.59	$61.58
	24"	PE33938-24	76.80	71.42	66.05
	36"	PE33938-36	81.95	76.21	70.48
	48"	PE33938-48	87.15	81.05	74.95
	60"	PE33938-60	92.30	85.84	79.38
	Any	PE33938-XX	See Website for Pricing		

BNC MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3807-12	$47.30	$43.99	$40.68
	24"	PE3807-24	48.50	45.11	41.71
	36"	PE3807-36	50.05	46.55	43.04
	48"	PE3807-48	51.45	47.85	44.25
	60"	PE3807-60	52.75	49.06	45.37
	Any	PE3807-XX	See Website for Pricing		
52 OHM, RG8X COAX (Coax Performance: Attenuation* 13.5 dB; Power Handling** 60 W; Cable Diameter .242")	12"	PE3264-12	$50.00	$46.50	$43.00
	24"	PE3264-24	52.30	48.64	44.98
	36"	PE3264-36	54.65	50.82	47.00
	48"	PE3264-48	57.00	53.01	49.02
	60"	PE3264-60	59.35	55.20	51.04
	Any	PE3264-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .206")	12"	PE3583-12	$21.85	$20.32	$18.79
	24"	PE3583-24	22.60	21.02	19.44
	36"	PE3583-36	23.75	22.09	20.43
	48"	PE3583-48	25.50	23.72	21.93
	60"	PE3583-60	27.20	25.30	23.39
	Any	PE3583-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3067-12	$21.80	$20.27	$18.75
	24"	PE3067-24	22.35	20.79	19.22
	36"	PE3067-36	23.00	21.39	19.78
	48"	PE3067-48	23.55	21.90	20.25
	60"	PE3067-60	24.15	22.46	20.77
	Any	PE3067-XX	See Website for Pricing		
50 OHM, RG58-P COAX PLENUM (Coax Performance: Attenuation* 14.0 dB; Power Handling** 632 W; Cable Diameter .163")	12"	PE3999-12	$35.30	$32.83	$30.36
	24"	PE3999-24	39.05	36.32	33.58
	36"	PE3999-36	42.80	39.80	36.81
	48"	PE3999-48	46.55	43.29	40.03
	60"	PE3999-60	50.35	46.83	43.30
	Any	PE3999-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3075-12	$19.40	$18.04	$16.68
	24"	PE3075-24	20.10	18.69	17.29
	36"	PE3075-36	20.80	19.34	17.89
	48"	PE3075-48	21.50	20.00	18.49
	60"	PE3075-60	22.20	20.65	19.09
	Any	PE3075-XX	See Website for Pricing		
93 OHM, RG62A/U COAX (Coax Performance: Attenuation* 8.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3081-12	$20.50	$19.07	$17.63
	24"	PE3081-24	20.90	19.44	17.97
	36"	PE3081-36	21.70	20.18	18.66
	48"	PE3081-48	22.70	21.11	19.52
	60"	PE3081-60	23.65	21.99	20.34
	Any	PE3081-XX	See Website for Pricing		
50 OHM, RG141A/U COAX (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .190")	12"	PE35148-12	$32.70	$30.41	$28.12
	24"	PE35148-24	37.55	34.92	32.29
	36"	PE35148-36	42.40	39.43	36.46
	48"	PE35148-48	47.25	43.94	40.64
	60"	PE35148-60	52.10	48.45	44.81
	Any	PE35148-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3495-12	$22.55	$20.97	$19.39
	24"	PE3495-24	26.50	24.65	22.79
	36"	PE3495-36	30.45	28.32	26.19
	48"	PE3495-48	34.40	31.99	29.58
	60"	PE3495-60	38.35	35.67	32.98
	Any	PE3495-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3538-12	$28.65	$26.64	$24.64
	24"	PE3538-24	29.05	27.02	24.98
	36"	PE3538-36	29.45	27.39	25.33
	48"	PE3538-48	29.85	27.76	25.67
	60"	PE3538-60	30.25	28.13	26.02
	Any	PE3538-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33130-12	$47.85	$44.50	$41.15
	24"	PE33130-24	48.55	45.15	41.75
	36"	PE33130-36	49.30	45.85	42.40
	48"	PE33130-48	50.00	46.50	43.00
	60"	PE33130-60	50.75	47.20	43.65
	Any	PE33130-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3705-12	$29.05	$27.02	$24.98
	24"	PE3705-24	30.40	28.27	26.14
	36"	PE3705-36	31.65	29.43	27.22
	48"	PE3705-48	32.95	30.64	28.34
	60"	PE3705-60	34.45	32.04	29.63
	Any	PE3705-XX	See Website for Pricing		
95 OHM, RG180B/U COAX (Coax Performance: Attenuation* 16.5 dB; Power Handling** 250 W; Cable Diameter .145")	12"	PE33574-12	$30.70	$28.55	$26.40
	24"	PE33574-24	33.70	31.34	28.98
	36"	PE33574-36	36.75	34.18	31.61
	48"	PE33574-48	39.75	36.97	34.19
	60"	PE33574-60	42.75	39.76	36.77
	Any	PE33574-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3470-12	$29.05	$27.02	$24.98
	24"	PE3470-24	30.40	28.27	26.14
	36"	PE3470-36	31.65	29.43	27.22
	48"	PE3470-48	32.95	30.64	28.34
	60"	PE3470-60	34.45	32.04	29.63
	Any	PE3470-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE34388-12	$30.80	$28.64	$26.49
	24"	PE34388-24	33.35	31.02	28.68
	36"	PE34388-36	35.90	33.39	30.87
	48"	PE34388-48	38.45	35.76	33.07
	60"	PE34388-60	41.00	38.13	35.26
	Any	PE34388-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3749-12	$47.30	$43.99	$40.68
	24"	PE3749-24	48.50	45.11	41.71
	36"	PE3749-36	50.05	46.55	43.04
	48"	PE3749-48	51.45	47.85	44.25
	60"	PE3749-60	52.75	49.06	45.37
	Any	PE3749-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3906-12	$52.60	$48.92	$45.24
	24"	PE3906-24	57.70	53.66	49.62
	36"	PE3906-36	62.65	58.26	53.88
	48"	PE3906-48	67.50	62.78	58.05
	60"	PE3906-60	72.55	67.47	62.39
	Any	PE3906-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3087-12	$21.85	$20.32	$18.79
	24"	PE3087-24	23.20	21.58	19.95
	36"	PE3087-36	24.95	23.20	21.46
	48"	PE3087-48	27.05	25.16	23.26
	60"	PE3087-60	29.20	27.16	25.11
	Any	PE3087-XX	See Website for Pricing		
75 OHM, RG302/U COAX (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .206")	12"	PE33123-12	$23.15	$21.53	$19.91
	24"	PE33123-24	27.55	25.62	23.69
	36"	PE33123-36	31.95	29.71	27.48
	48"	PE33123-48	36.20	33.67	31.13
	60"	PE33123-60	40.20	37.39	34.57
	Any	PE33123-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3584-12	$29.05	$27.02	$24.98
	24"	PE3584-24	30.40	28.27	26.14
	36"	PE3584-36	31.65	29.43	27.22
	48"	PE3584-48	32.95	30.64	28.34
	60"	PE3584-60	34.45	32.04	29.63
	Any	PE3584-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE3163-12	$30.40	$28.27	$26.14
	24"	PE3163-24	32.55	30.27	27.99
	36"	PE3163-36	34.75	32.32	29.89
	48"	PE3163-48	36.90	34.32	31.73
	60"	PE3163-60	39.10	36.36	33.63
	Any	PE3163-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3582-12	$28.20	$26.23	$24.25
	24"	PE3582-24	32.75	30.46	28.17
	36"	PE3582-36	36.30	33.76	31.22
	48"	PE3582-48	39.95	37.15	34.36
	60"	PE3582-60	43.60	40.55	37.50
	Any	PE3582-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE36066-12	$20.15	$18.74	$17.33
	24"	PE36066-24	21.25	19.76	18.28
	36"	PE36066-36	22.35	20.79	19.22
	48"	PE36066-48	23.45	21.81	20.17
	60"	PE36066-60	24.60	22.88	21.16
	Any	PE36066-XX	See Website for Pricing		
50 OHM, PE-C200 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.0 dB; Power Handling** 170 W; Cable Diameter .195")	12"	PE35256-12	$36.10	$33.57	$31.05
	24"	PE35256-24	39.65	36.87	34.10
	36"	PE35256-36	43.15	40.13	37.11
	48"	PE35256-48	46.65	43.38	40.12
	60"	PE35256-60	50.15	46.64	43.13
	Any	PE35256-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240")	12"	PE36219-12	$41.15	$38.27	$35.39
	24"	PE36219-24	43.50	40.46	37.41
	36"	PE36219-36	45.85	42.64	39.43
	48"	PE36219-48	48.15	44.78	41.41
	60"	PE36219-60	50.50	46.97	43.43
	Any	PE36219-XX	See Website for Pricing		
50 OHM, PE-C300 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 6.5 dB; Power Handling** 350 W; Cable Diameter .300")	12"	PE35729-12	$39.20	$36.46	$33.71
	24"	PE35729-24	41.35	38.46	35.56
	36"	PE35729-36	43.55	40.50	37.45
	48"	PE35729-48	45.70	42.50	39.30
	60"	PE35729-60	47.90	44.55	41.19
	Any	PE35729-XX	See Website for Pricing		
50 OHM, PE-C400 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 4.5 dB; Power Handling** 550 W; Cable Diameter .405")	12"	PE35874-12	$65.75	$61.15	$56.55
	24"	PE35874-24	69.75	64.87	59.99
	36"	PE35874-36	73.75	68.59	63.43
	48"	PE35874-48	77.75	72.31	66.87
	60"	PE35874-60	81.75	76.03	70.31
	Any	PE35874-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34035-12	$29.70	$27.62	$25.54
	24"	PE34035-24	36.40	33.85	31.30
	36"	PE34035-36	43.05	40.04	37.02
	48"	PE34035-48	49.75	46.27	42.79
	60"	PE34035-60	56.40	52.45	48.50
	Any	PE34035-XX	See Website for Pricing		

Continued on Next Page

Cable Assemblies

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

BNC MALE TO BNC MALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) — Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE3445-12	$59.45	$55.29	$51.13
	24"	PE3445-24	64.95	60.40	55.86
	36"	PE3445-36	70.45	65.52	60.59
	48"	PE3445-48	75.95	70.63	65.32
	60"	PE3445-60	81.45	75.75	70.05
	Any	PE3445-XX	See Website for Pricing		
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) — Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE34164-12	$61.05	$56.78	$52.50
	24"	PE34164-24	68.10	63.33	58.57
	36"	PE34164-36	75.20	69.94	64.67
	48"	PE34164-48	82.30	76.54	70.78
	60"	PE34164-60	89.40	83.14	76.88
	Any	PE34164-XX	See Website for Pricing		
50 OHM, PE-SR402FL (.141" RE-SHAPEABLE) — Coax Performance: Attenuation* 12.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE3462-12	$59.80	$55.61	$51.43
	24"	PE3462-24	65.60	61.01	56.42
	36"	PE3462-36	71.45	66.45	61.45
	48"	PE3462-48	77.30	71.89	66.48
	60"	PE3462-60	83.15	77.33	71.51
	Any	PE3462-XX	See Website for Pricing		
50 OHM, RG405/U (.085" BARE COPPER) — Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3678-12	$59.10	$54.96	$50.83
	24"	PE3678-24	64.30	59.80	55.30
	36"	PE3678-36	69.45	64.59	59.73
	48"	PE3678-48	74.65	69.42	64.20
	60"	PE3678-60	79.80	74.21	68.63
	Any	PE3678-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR405AL (.085" TINNED ALUMINUM) — Coax Performance: Attenuation* 23.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE34162-12	$60.45	$56.22	$51.99
	24"	PE34162-24	66.95	62.26	57.58
	36"	PE34162-36	73.45	68.31	63.17
	48"	PE34162-48	80.00	74.40	68.80
	60"	PE34162-60	86.50	80.45	74.39
	Any	PE34162-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) — Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085"	12"	PE3776-12	$62.00	$57.66	$53.32
	24"	PE3776-24	70.05	65.15	60.24
	36"	PE3776-36	78.15	72.68	67.21
	48"	PE3776-48	86.20	80.17	74.13
	60"	PE3776-60	94.30	87.70	81.10
	Any	PE3776-XX	See Website for Pricing		
50 OHM, RG401/U (.250" BARE COPPER) — Coax Performance: Attenuation* 9.7 dB; Power Handling** 870 W; Cable Diameter .250"	12"	PE34170-12	$110.30	$102.58	$94.86
	24"	PE34170-24	126.90	118.02	109.13
	36"	PE34170-36	143.50	133.46	123.41
	48"	PE34170-48	160.05	148.85	137.64
	60"	PE34170-60	176.65	164.28	151.92
	Any	PE34170-XX	See Website for Pricing		
50 OHM, PE-SR401FL (.250" RE-SHAPEABLE) — Coax Performance: Attenuation* 7.0 dB; Power Handling** 1400 W; Cable Diameter .250"	12"	PE34166-12	$105.35	$97.98	$90.60
	24"	PE34166-24	117.00	108.81	100.62
	36"	PE34166-36	128.65	119.64	110.64
	48"	PE34166-48	140.25	130.43	120.62
	60"	PE34166-60	151.90	141.27	130.63
	Any	PE34166-XX	See Website for Pricing		

BNC MALE TO BNC MALE RIGHT ANGLE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX — Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3020-12	$34.55	$32.13	$29.71
	24"	PE3020-24	35.15	32.69	30.23
	36"	PE3020-36	35.65	33.15	30.66
	48"	PE3020-48	36.15	33.62	31.09
	60"	PE3020-60	36.85	34.27	31.69
	Any	PE3020-XX	See Website for Pricing		
75 OHM, RG59B/U COAX — Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3508-12	$31.85	$29.62	$27.39
	24"	PE3508-24	32.55	30.27	27.99
	36"	PE3508-36	33.25	30.92	28.60
	48"	PE3508-48	33.95	31.57	29.20
	60"	PE3508-60	34.65	32.22	29.80
	Any	PE3508-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3082-12	$34.15	$31.76	$29.37
	24"	PE3082-24	37.20	34.60	31.99
	36"	PE3082-36	41.15	38.27	35.39
	48"	PE3082-48	45.10	41.94	38.79
	60"	PE3082-60	49.05	45.62	42.18
	Any	PE3082-XX	See Website for Pricing		
50 OHM, RG174A/U COAX — Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE3460-12	$39.55	$36.78	$34.01
	24"	PE3460-24	39.95	37.15	34.36
	36"	PE3460-36	40.35	37.53	34.70
	48"	PE3460-48	40.75	37.90	35.05
	60"	PE3460-60	41.15	38.27	35.39
	Any	PE3460-XX	See Website for Pricing		
75 OHM, RG179B/U COAX — Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"	12"	PE3054-12	$40.90	$38.04	$35.17
	24"	PE3054-24	42.70	39.71	36.72
	36"	PE3054-36	44.50	41.39	38.27
	48"	PE3054-48	46.30	43.06	39.82
	60"	PE3054-60	48.05	44.69	41.32
	Any	PE3054-XX	See Website for Pricing		
50 OHM, RG188A/U COAX — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110"	12"	PE3113-12	$40.80	$37.94	$35.09
	24"	PE3113-24	42.45	39.48	36.51
	36"	PE3113-36	44.10	41.01	37.93
	48"	PE3113-48	45.75	42.55	39.35
	60"	PE3113-60	47.45	44.13	40.81
	Any	PE3113-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122"	12"	PE3330-12	$46.45	$43.20	$39.95
	24"	PE3330-24	48.90	45.48	42.05
	36"	PE3330-36	51.45	47.85	44.25
	48"	PE3330-48	53.90	50.13	46.35
	60"	PE3330-60	56.30	52.36	48.42
	Any	PE3330-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG213/U COAX — Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE3355-12	$62.55	$58.17	$53.79
	24"	PE3355-24	63.80	59.33	54.87
	36"	PE3355-36	65.00	60.45	55.90
	48"	PE3355-48	66.25	61.61	56.98
	60"	PE3355-60	67.45	62.73	58.01
	Any	PE3355-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425"	12"	PE3325-12	$64.60	$60.08	$55.56
	24"	PE3325-24	70.10	65.19	60.29
	36"	PE3325-36	75.60	70.31	65.02
	48"	PE3325-48	81.10	75.42	69.75
	60"	PE3325-60	86.55	80.49	74.43
	Any	PE3325-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3689-12	$32.75	$30.46	$28.17
	24"	PE3689-24	34.15	31.76	29.37
	36"	PE3689-36	35.65	33.15	30.66
	48"	PE3689-48	37.75	35.11	32.47
	60"	PE3689-60	39.90	37.11	34.31
	Any	PE3689-XX	See Website for Pricing		
50 OHM, RG316/U COAX — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3332-12	$41.40	$38.50	$35.60
	24"	PE3332-24	43.70	40.64	37.58
	36"	PE3332-36	45.95	42.73	39.52
	48"	PE3332-48	48.25	44.87	41.50
	60"	PE3332-60	50.55	47.01	43.47
	Any	PE3332-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE3358-12	$46.45	$43.20	$39.95
	24"	PE3358-24	48.90	45.48	42.05
	36"	PE3358-36	51.45	47.85	44.25
	48"	PE3358-48	53.90	50.13	46.35
	60"	PE3358-60	56.30	52.36	48.42
	Any	PE3358-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3116-12	$43.30	$40.27	$37.24
	24"	PE3116-24	48.50	45.11	41.71
	36"	PE3116-36	52.60	48.92	45.24
	48"	PE3116-48	56.30	52.36	48.42
	60"	PE3116-60	60.00	55.80	51.60
	Any	PE3116-XX	See Website for Pricing		
50 OHM, PE-C240 COAX, DOUBLE SHIELDED — Coax Performance: Attenuation* 8.0 dB; Power Handling** 250 W; Cable Diameter .240"	12"	PE38997-12	$40.75	$37.90	$35.05
	24"	PE38997-24	43.10	40.08	37.07
	36"	PE38997-36	45.45	42.27	39.09
	48"	PE38997-48	47.75	44.41	41.07
	60"	PE38997-60	50.10	46.59	43.09
	Any	PE38997-XX	See Website for Pricing		

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG402/U (.141" BARE COPPER) — Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .141"	12"	PE39108-12	$66.80	$62.12	$57.45
	24"	PE39108-24	72.30	67.24	62.18
	36"	PE39108-36	77.80	72.35	66.91
	48"	PE39108-48	83.30	77.47	71.64
	60"	PE39108-60	88.80	82.58	76.37
	Any	PE39108-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-SR402AL (.141" TINNED ALUMINUM) — Coax Performance: Attenuation* 13.0 dB; Power Handling** 450 W; Cable Diameter .141"	12"	PE35580-12	$67.15	$62.45	$57.75
	24"	PE35580-24	72.95	67.84	62.74
	36"	PE35580-36	78.80	73.28	67.77
	48"	PE35580-48	84.65	78.72	72.80
	60"	PE35580-60	90.50	84.17	77.83
	Any	PE35580-XX	See Website for Pricing		

BNC MALE TO BNC FEMALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX *Coax Performance* Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE3360-12	$50.95	$47.38	$43.82
	24"	PE3360-24	52.25	48.59	44.94
	36"	PE3360-36	53.65	49.89	46.14
	48"	PE3360-48	55.00	51.15	47.30
	60"	PE3360-60	56.45	52.50	48.55
	Any	PE3360-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .206"	12"	PE3375-12	$23.35	$21.72	$20.08
	24"	PE3375-24	25.05	23.30	21.54
	36"	PE3375-36	26.75	24.88	23.01
	48"	PE3375-48	28.50	26.51	24.51
	60"	PE3375-60	30.20	28.09	25.97
	Any	PE3375-XX	See Website for Pricing		
50 OHM, RG58C/U COAX *Coax Performance* Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3047-12	$25.20	$23.44	$21.67
	24"	PE3047-24	25.70	23.90	22.10
	36"	PE3047-36	26.25	24.41	22.58
	48"	PE3047-48	26.75	24.88	23.01
	60"	PE3047-60	27.30	25.39	23.48
	Any	PE3047-XX	See Website for Pricing		
75 OHM, RG59B/U COAX *Coax Performance* Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3792-12	$23.90	$22.23	$20.55
	24"	PE3792-24	24.60	22.88	21.16
	36"	PE3792-36	25.30	23.53	21.76
	48"	PE3792-48	26.00	24.18	22.36
	60"	PE3792-60	26.70	24.83	22.96
	Any	PE3792-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3777-12	$27.30	$25.39	$23.48
	24"	PE3777-24	30.00	27.90	25.80
	36"	PE3777-36	33.45	31.11	28.77
	48"	PE3777-48	37.40	34.78	32.16
	60"	PE3777-60	41.35	38.46	35.56
	Any	PE3777-XX	See Website for Pricing		
50 OHM, RG174A/U COAX *Coax Performance* Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE3674-12	$32.10	$29.85	$27.61
	24"	PE3674-24	32.50	30.23	27.95
	36"	PE3674-36	32.90	30.60	28.29
	48"	PE3674-48	33.30	30.97	28.64
	60"	PE3674-60	33.70	31.34	28.98
	Any	PE3674-XX	See Website for Pricing		
75 OHM, RG179B/U COAX *Coax Performance* Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"	12"	PE3354-12	$33.45	$31.11	$28.77
	24"	PE3354-24	35.25	32.78	30.32
	36"	PE3354-36	37.05	34.46	31.86
	48"	PE3354-48	38.85	36.13	33.41
	60"	PE3354-60	40.60	37.76	34.92
	Any	PE3354-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG213/U COAX *Coax Performance* Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE3949-12	$68.55	$63.75	$58.95
	24"	PE3949-24	69.80	64.91	60.03
	36"	PE3949-36	71.00	66.03	61.06
	48"	PE3949-48	72.25	67.19	62.14
	60"	PE3949-60	73.45	68.31	63.17
	Any	PE3949-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425"	12"	PE3371-12	$58.15	$54.08	$50.01
	24"	PE3371-24	63.05	58.64	54.22
	36"	PE3371-36	68.15	63.38	58.61
	48"	PE3371-48	73.05	67.94	62.82
	60"	PE3371-60	78.00	72.54	67.08
	Any	PE3371-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3606-12	$24.55	$22.83	$21.11
	24"	PE3606-24	25.95	24.13	22.32
	36"	PE3606-36	27.95	25.99	24.04
	48"	PE3606-48	30.05	27.95	25.84
	60"	PE3606-60	32.20	29.95	27.69
	Any	PE3606-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE37782-12	$33.85	$31.48	$29.11
	24"	PE37782-24	36.00	33.48	30.96
	36"	PE37782-36	38.20	35.53	32.85
	48"	PE37782-48	40.35	37.53	34.70
	60"	PE37782-60	42.55	39.57	36.59
	Any	PE37782-XX	See Website for Pricing		
50 OHM, RG316/U COAX *Coax Performance* Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3079-12	$33.95	$31.57	$29.20
	24"	PE3079-24	36.25	33.71	31.18
	36"	PE3079-36	38.50	35.81	33.11
	48"	PE3079-48	40.25	37.43	34.62
	60"	PE3079-60	41.65	38.73	35.82
	Any	PE3079-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3627-12	$31.20	$29.02	$26.83
	24"	PE3627-24	36.40	33.85	31.30
	36"	PE3627-36	41.55	38.64	35.73
	48"	PE3627-48	46.75	43.48	40.21
	60"	PE3627-60	51.90	48.27	44.63
	Any	PE3627-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195"	12"	PE38344-12	$21.40	$19.90	$18.40
	24"	PE38344-24	22.50	20.93	19.35
	36"	PE38344-36	23.60	21.95	20.30
	48"	PE38344-48	24.70	22.97	21.24
	60"	PE38344-60	25.85	24.04	22.23
	Any	PE38344-XX	See Website for Pricing		

BNC MALE TO BNC FEMALE BULKHEAD

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

USE MOUNTING HOLE B06 ON PAGE 259

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX *Coax Performance* Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE3440-12	$72.65	$67.56	$62.48
	24"	PE3440-24	74.80	69.56	64.33
	36"	PE3440-36	77.00	71.61	66.22
	48"	PE3440-48	79.15	73.61	68.07
	60"	PE3440-60	81.35	75.66	69.96
	Any	PE3440-XX	See Website for Pricing		
50 OHM, RG58C/U COAX *Coax Performance* Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195"	12"	PE3649-12	$29.05	$27.02	$24.98
	24"	PE3649-24	29.55	27.48	25.41
	36"	PE3649-36	30.10	27.99	25.89
	48"	PE3649-48	30.60	28.46	26.32
	60"	PE3649-60	31.15	28.97	26.79
	Any	PE3649-XX	See Website for Pricing		
75 OHM, RG59B/U COAX *Coax Performance* Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"	12"	PE3103-12	$27.50	$25.58	$23.65
	24"	PE3103-24	28.20	26.23	24.25
	36"	PE3103-36	28.90	26.88	24.85
	48"	PE3103-48	29.60	27.53	25.46
	60"	PE3103-60	30.30	28.18	26.06
	Any	PE3103-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195"	12"	PE3436-12	$31.60	$29.39	$27.18
	24"	PE3436-24	35.55	33.06	30.57
	36"	PE3436-36	39.50	36.74	33.97
	48"	PE3436-48	43.45	40.41	37.37
	60"	PE3436-60	47.40	44.08	40.76
	Any	PE3436-XX	See Website for Pricing		
50 OHM, RG174A/U COAX *Coax Performance* Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100"	12"	PE3431-12	$35.55	$33.06	$30.57
	24"	PE3431-24	35.80	33.29	30.79
	36"	PE3431-36	36.05	33.53	31.00
	48"	PE3431-48	36.30	33.76	31.22
	60"	PE3431-60	36.60	34.04	31.48
	Any	PE3431-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188-DS COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122"	12"	PE3446-12	$37.65	$35.01	$32.38
	24"	PE3446-24	40.20	37.39	34.57
	36"	PE3446-36	42.75	39.76	36.77
	48"	PE3446-48	45.30	42.13	38.96
	60"	PE3446-60	47.85	44.50	41.15
	Any	PE3446-XX	See Website for Pricing		
50 OHM, RG213/U COAX *Coax Performance* Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405"	12"	PE3450-12	$71.70	$66.68	$61.66
	24"	PE3450-24	72.95	67.84	62.74
	36"	PE3450-36	74.15	68.96	63.77
	48"	PE3450-48	75.40	70.12	64.84
	60"	PE3450-60	76.60	71.24	65.88
	Any	PE3450-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216"	12"	PE3557-12	$31.40	$29.20	$27.00
	24"	PE3557-24	32.75	30.46	28.17
	36"	PE3557-36	34.15	31.76	29.37
	48"	PE3557-48	36.10	33.57	31.05
	60"	PE3557-60	38.25	35.57	32.90
	Any	PE3557-XX	See Website for Pricing		
50 OHM, RG316/U COAX *Coax Performance* Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102"	12"	PE3854-12	$35.55	$33.06	$30.57
	24"	PE3854-24	37.10	34.50	31.91
	36"	PE3854-36	39.35	36.60	33.84
	48"	PE3854-48	41.65	38.73	35.82
	60"	PE3854-60	43.95	40.87	37.80
	Any	PE3854-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED *Coax Performance* Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114"	12"	PE3454-12	$34.70	$32.27	$29.84
	24"	PE3454-24	36.85	34.27	31.69
	36"	PE3454-36	39.05	36.32	33.58
	48"	PE3454-48	41.20	38.32	35.43
	60"	PE3454-60	43.40	40.36	37.32
	Any	PE3454-XX	See Website for Pricing		

Continued on Next Page

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

BNC MALE TO BNC FEMALE BULKHEAD

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

USE MOUNTING HOLE B06 ON PAGE 259

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3413-12	$35.55	$33.06	$30.57
	24"	PE3413-24	36.50	33.95	31.39
	36"	PE3413-36	37.90	35.25	32.59
	48"	PE3413-48	39.70	36.92	34.14
	60"	PE3413-60	41.45	38.55	35.65
	Any	PE3413-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3442-12	$35.55	$33.06	$30.57
	24"	PE3442-24	36.50	33.95	31.39
	36"	PE3442-36	37.50	34.88	32.25
	48"	PE3442-48	39.15	36.41	33.67
	60"	PE3442-60	40.85	37.99	35.13
	Any	PE3442-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3423-12	$37.25	$34.64	$32.04
	24"	PE3423-24	42.45	39.48	36.51
	36"	PE3423-36	47.60	44.27	40.94
	48"	PE3423-48	52.80	49.10	45.41
	60"	PE3423-60	57.95	53.89	49.84
	Any	PE3423-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, SOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38804-12	$25.25	$23.48	$21.72
	24"	PE38804-24	26.35	24.51	22.66
	36"	PE38804-36	27.45	25.53	23.61
	48"	PE38804-48	28.55	26.55	24.55
	60"	PE38804-60	29.70	27.62	25.54
	Any	PE38804-XX	See Website for Pricing		

BNC MALE TO SMB PLUG

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS.

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS.

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3242-12	$35.55	$33.06	$30.57
	24"	PE3242-24	35.90	33.39	30.87
	36"	PE3242-36	36.35	33.81	31.26
	48"	PE3242-48	36.75	34.18	31.61
	60"	PE3242-60	37.25	34.64	32.04
	Any	PE3242-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3349-12	$34.15	$31.76	$29.37
	24"	PE3349-24	36.85	34.27	31.69
	36"	PE3349-36	39.55	36.78	34.01
	48"	PE3349-48	42.65	39.66	36.68
	60"	PE3349-60	46.60	43.34	40.08
	Any	PE3349-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3672-12	$30.15	$28.04	$25.93
	24"	PE3672-24	30.55	28.41	26.27
	36"	PE3672-36	30.95	28.78	26.62
	48"	PE3672-48	31.35	29.16	26.96
	60"	PE3672-60	31.75	29.53	27.31
	Any	PE3672-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33825-12	$42.90	$39.90	$36.89
	24"	PE33825-24	43.60	40.55	37.50
	36"	PE33825-36	44.35	41.25	38.14
	48"	PE33825-48	45.05	41.90	38.74
	60"	PE33825-60	45.80	42.59	39.39
	Any	PE33825-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3671-12	$31.40	$29.20	$27.00
	24"	PE3671-24	33.05	30.74	28.42
	36"	PE3671-36	34.70	32.27	29.84
	48"	PE3671-48	36.35	33.81	31.26
	60"	PE3671-60	38.05	35.39	32.72
	Any	PE3671-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3236-12	$35.55	$33.06	$30.57
	24"	PE3236-24	36.85	34.27	31.69
	36"	PE3236-36	38.25	35.57	32.90
	48"	PE3236-48	39.55	36.78	34.01
	60"	PE3236-60	41.00	38.13	35.26
	Any	PE3236-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3746-12	$32.00	$29.76	$27.52
	24"	PE3746-24	34.30	31.90	29.50
	36"	PE3746-36	36.55	33.99	31.43
	48"	PE3746-48	38.55	35.85	33.15
	60"	PE3746-60	39.75	36.97	34.19
	Any	PE3746-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE3530-12	$42.35	$39.39	$36.42
	24"	PE3530-24	44.80	41.66	38.53
	36"	PE3530-36	47.25	43.94	40.64
	48"	PE3530-48	49.80	46.31	42.83
	60"	PE3530-60	52.25	48.59	44.94
	Any	PE3530-XX	See Website for Pricing		
50 OHM, LOW NOISE, PE-B100 COAX (Coax Performance: Attenuation* N/A; Power Handling** N/A; Cable Diameter .101")	12"	PE37536-12	$35.20	$32.74	$30.27
	24"	PE37536-24	40.65	37.80	34.96
	36"	PE37536-36	46.10	42.87	39.65
	48"	PE37536-48	51.55	47.94	44.33
	60"	PE37536-60	57.00	53.01	49.02
	Any	PE37536-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE37250-12	$37.95	$35.29	$32.64
	24"	PE37250-24	44.65	41.52	38.40
	36"	PE37250-36	51.30	47.71	44.12
	48"	PE37250-48	58.00	53.94	49.88
	60"	PE37250-60	64.65	60.12	55.60
	Any	PE37250-XX	See Website for Pricing		

BNC MALE TO REVERSE POLARITY SMA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE35207-12	$35.85	$33.34	$30.83
	24"	PE35207-24	36.35	33.81	31.26
	36"	PE35207-36	36.90	34.32	31.73
	48"	PE35207-48	37.40	34.78	32.16
	60"	PE35207-60	37.95	35.29	32.64
	Any	PE35207-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE35209-12	$32.30	$30.04	$27.78
	24"	PE35209-24	36.25	33.71	31.18
	36"	PE35209-36	40.20	37.39	34.57
	48"	PE35209-48	44.15	41.06	37.97
	60"	PE35209-60	48.10	44.73	41.37
	Any	PE35209-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE35211-12	$35.05	$32.60	$30.14
	24"	PE35211-24	35.45	32.97	30.49
	36"	PE35211-36	35.85	33.34	30.83
	48"	PE35211-48	36.25	33.71	31.18
	60"	PE35211-60	36.65	34.08	31.52
	Any	PE35211-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE35213-12	$52.95	$49.24	$45.54
	24"	PE35213-24	53.65	49.89	46.14
	36"	PE35213-36	54.40	50.59	46.78
	48"	PE35213-48	55.10	51.24	47.39
	60"	PE35213-60	55.85	51.94	48.03
	Any	PE35213-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE35217-12	$30.50	$28.37	$26.23
	24"	PE35217-24	32.60	30.32	28.04
	36"	PE35217-36	34.70	32.27	29.84
	48"	PE35217-48	36.80	34.22	31.65
	60"	PE35217-60	38.95	36.22	33.50
	Any	PE35217-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE35219-12	$36.90	$34.32	$31.73
	24"	PE35219-24	39.20	36.46	33.71
	36"	PE35219-36	41.45	38.55	35.65
	48"	PE35219-48	43.75	40.69	37.63
	60"	PE35219-60	46.05	42.83	39.60
	Any	PE35219-XX	See Website for Pricing		

BNC MALE TO REVERSE POLARITY TNC MALE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE35229-12	$28.45	$26.46	$24.47
	24"	PE35229-24	28.95	26.92	24.90
	36"	PE35229-36	29.50	27.44	25.37
	48"	PE35229-48	30.00	27.90	25.80
	60"	PE35229-60	30.55	28.41	26.27
	Any	PE35229-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE34520-12	$58.25	$54.17	$50.10
	24"	PE34520-24	63.75	59.29	54.83
	36"	PE34520-36	69.25	64.40	59.56
	48"	PE34520-48	74.75	69.52	64.29
	60"	PE34520-60	80.20	74.59	68.97
	Any	PE34520-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE35235-12	$25.65	$23.85	$22.06
	24"	PE35235-24	27.75	25.81	23.87
	36"	PE35235-36	29.85	27.76	25.67
	48"	PE35235-48	31.95	29.71	27.48
	60"	PE35235-60	34.10	31.71	29.33
	Any	PE35235-XX	See Website for Pricing		

FLEXIBLE CABLE

BNC MALE TO GR874

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3145-12	$107.25	$99.74	$92.24
	24"	PE3145-24	112.75	104.86	96.97
	36"	PE3145-36	118.25	109.97	101.70
	48"	PE3145-48	123.75	115.09	106.43
	60"	PE3145-60	129.20	120.16	111.11
	Any	PE3145-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3182-12	$109.30	$101.65	$94.00
	24"	PE3182-24	110.60	102.86	95.12
	36"	PE3182-36	111.95	104.11	96.28
	48"	PE3182-48	113.35	105.42	97.48
	60"	PE3182-60	114.75	106.72	98.69
	Any	PE3182-XX	See Website for Pricing		

FLEXIBLE

BNC MALE TO ALLIGATOR CLIPS

CABLE LENGTH IS LENGTH STATED PLUS APPROXIMATELY 6" OF BLACK & RED TEST LEAD

Type	Length	Model No.	1-24	25-49	50-99
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .206")	12"	PE34536-12	$28.60	$26.60	$24.60
	24"	PE34536-24	30.30	28.18	26.06
	36"	PE34536-36	32.00	29.76	27.52
	48"	PE34536-48	33.75	31.39	29.03
	60"	PE34536-60	35.45	32.97	30.49
	Any	PE34536-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3501-12	$27.30	$25.39	$23.48
	24"	PE3501-24	27.75	25.81	23.87
	36"	PE3501-36	28.45	26.46	24.47
	48"	PE3501-48	28.95	26.92	24.90
	60"	PE3501-60	29.50	27.44	25.37
	Any	PE3501-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3954-12	$27.60	$25.67	$23.74
	24"	PE3954-24	28.30	26.32	24.34
	36"	PE3954-36	29.00	26.97	24.94
	48"	PE3954-48	29.70	27.62	25.54
	60"	PE3954-60	30.40	28.27	26.14
	Any	PE3954-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3571-12	$27.30	$25.39	$23.48
	24"	PE3571-24	30.85	28.69	26.53
	36"	PE3571-36	34.55	32.13	29.71
	48"	PE3571-48	38.15	35.48	32.81
	60"	PE3571-60	41.80	38.87	35.95
	Any	PE3571-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3346-12	$27.30	$25.39	$23.48
	24"	PE3346-24	29.05	27.02	24.98
	36"	PE3346-36	30.85	28.69	26.53
	48"	PE3346-48	32.75	30.46	28.17
	60"	PE3346-60	34.55	32.13	29.71
	Any	PE3346-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34534-12	$27.30	$25.39	$23.48
	24"	PE34534-24	30.85	28.69	26.53
	36"	PE34534-36	34.55	32.13	29.71
	48"	PE34534-48	38.15	35.48	32.81
	60"	PE34534-60	41.80	38.87	35.95
	Any	PE34534-XX	See Website for Pricing		

FLEXIBLE CABLE

BNC MALE TO BANANA PLUG

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3000-12	$25.05	$23.30	$21.54
	24"	PE3000-24	25.55	23.76	21.97
	36"	PE3000-36	26.10	24.27	22.45
	48"	PE3000-48	26.60	24.74	22.88
	60"	PE3000-60	27.15	25.25	23.35
	Any	PE3000-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33440-12	$25.55	$23.76	$21.97
	24"	PE33440-24	29.50	27.44	25.37
	36"	PE33440-36	33.45	31.11	28.77
	48"	PE33440-48	37.40	34.78	32.16
	60"	PE33440-60	41.35	38.46	35.56
	Any	PE33440-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34593-12	$29.05	$27.02	$24.98
	24"	PE34593-24	29.30	27.25	25.20
	36"	PE34593-36	29.80	27.71	25.63
	48"	PE34593-48	30.25	28.13	26.02
	60"	PE34593-60	30.55	28.41	26.27
	Any	PE34593-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE33442-12	$23.75	$22.09	$20.43
	24"	PE33442-24	25.85	24.04	22.23
	36"	PE33442-36	27.95	25.99	24.04
	48"	PE33442-48	30.05	27.95	25.84
	60"	PE33442-60	32.20	29.95	27.69
	Any	PE33442-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE34597-12	$34.05	$31.67	$29.28
	24"	PE34597-24	36.35	33.81	31.26
	36"	PE34597-36	38.60	35.90	33.20
	48"	PE34597-48	40.90	38.04	35.17
	60"	PE34597-60	43.20	40.18	37.15
	Any	PE34597-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34602-12	$33.95	$31.57	$29.20
	24"	PE34602-24	36.10	33.57	31.05
	36"	PE34602-36	38.30	35.62	32.94
	48"	PE34602-48	40.45	37.62	34.79
	60"	PE34602-60	42.65	39.66	36.68
	Any	PE34602-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33444-12	$31.20	$29.02	$26.83
	24"	PE33444-24	36.40	33.85	31.30
	36"	PE33444-36	41.55	38.64	35.73
	48"	PE33444-48	46.75	43.48	40.21
	60"	PE33444-60	51.90	48.27	44.63
	Any	PE33444-XX	See Website for Pricing		

FLEXIBLE CABLE

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

BNC MALE TO MINIATURE ALLIGATOR CLIPS

LENGTH STATED PLUS APPROXIMATELY 6" OF RED & BLACK TEST LEAD



Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE33546-12	$30.75	$28.60	$26.45
	24"	PE33546-24	31.25	29.06	26.88
	36"	PE33546-36	31.80	29.57	27.35
	48"	PE33546-48	32.30	30.04	27.78
	60"	PE33546-60	32.85	30.55	28.25
	Any	PE33546-XX	See Website for Pricing		

Coax Performance
Attenuation* 20.0 dB
Power Handling** 44 W
Cable Diameter .195"

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE33548-12	$27.60	$25.67	$23.74
	24"	PE33548-24	28.30	26.32	24.34
	36"	PE33548-36	29.00	26.97	24.94
	48"	PE33548-48	29.70	27.62	25.54
	60"	PE33548-60	30.40	28.27	26.14
	Any	PE33548-XX	See Website for Pricing		

Coax Performance
Attenuation* 11.5 dB
Power Handling** 77 W
Cable Diameter .242"

BNC MALE TO MINIATURE STACKING BANANA PLUGS

LENGTH STATED PLUS APPROXIMATELY 6" OF RED & BLACK TEST LEAD

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE33557-12	$33.20	$30.88	$28.55
	24"	PE33557-24	33.70	31.34	28.98
	36"	PE33557-36	34.25	31.85	29.46
	48"	PE33557-48	34.75	32.32	29.89
	60"	PE33557-60	35.30	32.83	30.36
	Any	PE33557-XX	See Website for Pricing		

Coax Performance
Attenuation* 20.0 dB
Power Handling** 44 W
Cable Diameter .195"

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE33559-12	$30.05	$27.95	$25.84
	24"	PE33559-24	30.75	28.60	26.45
	36"	PE33559-36	31.45	29.25	27.05
	48"	PE33559-48	32.15	29.90	27.65
	60"	PE33559-60	32.85	30.55	28.25
	Any	PE33559-XX	See Website for Pricing		

Coax Performance
Attenuation* 11.5 dB
Power Handling** 77 W
Cable Diameter .242"

BNC MALE TO SAFETY HOOKS

LENGTH STATED PLUS APPROXIMATELY 6" OF RED & BLACK TEST LEAD

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE33561-12	$32.00	$29.76	$27.52
	24"	PE33561-24	32.50	30.23	27.95
	36"	PE33561-36	33.05	30.74	28.42
	48"	PE33561-48	33.55	31.20	28.85
	60"	PE33561-60	34.10	31.71	29.33
	Any	PE33561-XX	See Website for Pricing		

Coax Performance
Attenuation* 20.0 dB
Power Handling** 44 W
Cable Diameter .195"

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE33563-12	$28.80	$26.78	$24.77
	24"	PE33563-24	29.50	27.44	25.37
	36"	PE33563-36	30.20	28.09	25.97
	48"	PE33563-48	30.90	28.74	26.57
	60"	PE33563-60	31.60	29.39	27.18
	Any	PE33563-XX	See Website for Pricing		

Coax Performance
Attenuation* 11.5 dB
Power Handling** 77 W
Cable Diameter .242"

BNC MALE TO STACKING TIP PLUGS

LENGTH STATED PLUS APPROXIMATELY 6" OF RED & BLACK TEST LEAD



Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE33009-12	$33.20	$30.88	$28.55
	24"	PE33009-24	33.70	31.34	28.98
	36"	PE33009-36	34.25	31.85	29.46
	48"	PE33009-48	34.75	32.32	29.89
	60"	PE33009-60	35.30	32.83	30.36
	Any	PE33009-XX	See Website for Pricing		

Coax Performance
Attenuation* 20.0 dB
Power Handling** 44 W
Cable Diameter .195"

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE33550-12	$30.05	$27.95	$25.84
	24"	PE33550-24	30.75	28.60	26.45
	36"	PE33550-36	31.45	29.25	27.05
	48"	PE33550-48	32.15	29.90	27.65
	60"	PE33550-60	32.85	30.55	28.25
	Any	PE33550-XX	See Website for Pricing		

Coax Performance
Attenuation* 11.5 dB
Power Handling** 77 W
Cable Diameter .242"

BNC MALE TO STANDARD STACKING BANANA PLUGS

LENGTH STATED PLUS APPROXIMATELY 6" OF RED & BLACK TEST LEAD



Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE33552-12	$32.00	$29.76	$27.52
	24"	PE33552-24	32.50	30.23	27.95
	36"	PE33552-36	33.05	30.74	28.42
	48"	PE33552-48	33.55	31.20	28.85
	60"	PE33552-60	34.10	31.71	29.33
	Any	PE33552-XX	See Website for Pricing		

Coax Performance
Attenuation* 20.0 dB
Power Handling** 44 W
Cable Diameter .195"

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE33554-12	$28.80	$26.78	$24.77
	24"	PE33554-24	29.50	27.44	25.37
	36"	PE33554-36	30.20	28.09	25.97
	48"	PE33554-48	30.90	28.74	26.57
	60"	PE33554-60	31.60	29.39	27.18
	Any	PE33554-XX	See Website for Pricing		

Coax Performance
Attenuation* 11.5 dB
Power Handling** 77 W
Cable Diameter .242"

BNC MALE TO UNTERMINATED WIRES

LENGTH STATED PLUS APPROXIMATELY 6" OF RED & BLACK TEST LEAD

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE33565-12	$27.50	$25.58	$23.65
	24"	PE33565-24	28.00	26.04	24.08
	36"	PE33565-36	28.55	26.55	24.55
	48"	PE33565-48	29.05	27.02	24.98
	60"	PE33565-60	29.60	27.53	25.46
	Any	PE33565-XX	See Website for Pricing		

Coax Performance
Attenuation* 20.0 dB
Power Handling** 44 W
Cable Diameter .195"

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE33567-12	$25.40	$23.62	$21.84
	24"	PE33567-24	25.80	23.99	22.19
	36"	PE33567-36	26.20	24.37	22.53
	48"	PE33567-48	26.55	24.69	22.83
	60"	PE33567-60	27.05	25.16	23.26
	Any	PE33567-XX	See Website for Pricing		

Coax Performance
Attenuation* 11.5 dB
Power Handling** 77 W
Cable Diameter .242"

BNC MALE RIGHT ANGLE TO BNC MALE RIGHT ANGLE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3378-12	$75.20	$69.94	$64.67
	24"	PE3378-24	77.40	71.98	66.56
	36"	PE3378-36	79.55	73.98	68.41
	48"	PE3378-48	81.70	75.98	70.26
	60"	PE3378-60	83.90	78.03	72.15
	Any	PE3378-XX	See Website for Pricing		
53.5 OHM, RG55B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .206")	12"	PE38506-12	$46.15	$42.92	$39.69
	24"	PE38506-24	47.85	44.50	41.15
	36"	PE38506-36	49.55	46.08	42.61
	48"	PE38506-48	51.30	47.71	44.12
	60"	PE38506-60	53.00	49.29	45.58
	Any	PE38506-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3025-12	$47.30	$43.99	$40.68
	24"	PE3025-24	47.80	44.45	41.11
	36"	PE3025-36	48.35	44.97	41.58
	48"	PE3025-48	49.00	45.57	42.14
	60"	PE3025-60	49.55	46.08	42.61
	Any	PE3025-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3935-12	$48.75	$45.34	$41.93
	24"	PE3935-24	49.45	45.99	42.53
	36"	PE3935-36	50.15	46.64	43.13
	48"	PE3935-48	50.85	47.29	43.73
	60"	PE3935-60	51.55	47.94	44.33
	Any	PE3935-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3044-12	$48.40	$45.01	$41.62
	24"	PE3044-24	52.35	48.69	45.02
	36"	PE3044-36	56.30	52.36	48.42
	48"	PE3044-48	60.25	56.03	51.82
	60"	PE3044-60	64.20	59.71	55.21
	Any	PE3044-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3373-12	$50.45	$46.92	$43.39
	24"	PE3373-24	50.85	47.29	43.73
	36"	PE3373-36	51.25	47.66	44.08
	48"	PE3373-48	51.65	48.03	44.42
	60"	PE3373-60	52.05	48.41	44.76
	Any	PE3373-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3366-12	$51.80	$48.17	$44.55
	24"	PE3366-24	53.60	49.85	46.10
	36"	PE3366-36	55.40	51.52	47.64
	48"	PE3366-48	57.20	53.20	49.19
	60"	PE3366-60	58.95	54.82	50.70
	Any	PE3366-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3351-12	$51.70	$48.08	$44.46
	24"	PE3351-24	53.35	49.62	45.88
	36"	PE3351-36	55.00	51.15	47.30
	48"	PE3351-48	56.65	52.68	48.72
	60"	PE3351-60	58.35	54.27	50.18
	Any	PE3351-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE3381-12	$52.60	$48.92	$45.24
	24"	PE3381-24	55.15	51.29	47.43
	36"	PE3381-36	57.70	53.66	49.62
	48"	PE3381-48	60.25	56.03	51.82
	60"	PE3381-60	62.80	58.40	54.01
	Any	PE3381-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3384-12	$74.25	$69.05	$63.86
	24"	PE3384-24	75.50	70.22	64.93
	36"	PE3384-36	76.70	71.33	65.96
	48"	PE3384-48	77.95	72.49	67.04
	60"	PE3384-60	79.15	73.61	68.07
	Any	PE3384-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3370-12	$72.65	$67.56	$62.48
	24"	PE3370-24	77.55	72.12	66.69
	36"	PE3370-36	82.60	76.82	71.04
	48"	PE3370-48	87.55	81.42	75.29
	60"	PE3370-60	92.40	85.93	79.46
	Any	PE3370-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3816-12	$46.55	$43.29	$40.03
	24"	PE3816-24	48.65	45.24	41.84
	36"	PE3816-36	50.75	47.20	43.65
	48"	PE3816-48	52.90	49.20	45.49
	60"	PE3816-60	55.00	51.15	47.30
	Any	PE3816-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3842-12	$52.30	$48.64	$44.98
	24"	PE3842-24	54.60	50.78	46.96
	36"	PE3842-36	56.85	52.87	48.89
	48"	PE3842-48	59.15	55.01	50.87
	60"	PE3842-60	61.45	57.15	52.85
	Any	PE3842-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE3389-12	$52.20	$48.55	$44.89
	24"	PE3389-24	54.35	50.55	46.74
	36"	PE3389-36	56.55	52.59	48.63
	48"	PE3389-48	58.70	54.59	50.48
	60"	PE3389-60	60.90	56.64	52.37
	Any	PE3389-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3458-12	$54.00	$50.22	$46.44
	24"	PE3458-24	59.20	55.06	50.91
	36"	PE3458-36	64.35	59.85	55.34
	48"	PE3458-48	69.55	64.68	59.81
	60"	PE3458-60	74.70	69.47	64.24
	Any	PE3458-XX	See Website for Pricing		
50 OHM, LOW NOISE, PE-B100 COAX (Coax Performance: Attenuation* N/A; Power Handling** N/A; Cable Diameter .101")	12"	PE38249-12	$55.50	$51.62	$47.73
	24"	PE38249-24	60.95	56.68	52.42
	36"	PE38249-36	66.40	61.75	57.10
	48"	PE38249-48	71.85	66.82	61.79
	60"	PE38249-60	77.30	71.89	66.48
	Any	PE38249-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 23.5 dB; Power Handling** 45 W; Cable Diameter .110")	12"	PE39185-12	$47.30	$43.99	$40.68
	24"	PE39185-24	48.95	45.52	42.10
	36"	PE39185-36	50.65	47.10	43.56
	48"	PE39185-48	52.30	48.64	44.98
	60"	PE39185-60	54.00	50.22	46.44
	Any	PE39185-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX (Coax Performance: Attenuation* 12.5 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE37640-12	$51.20	$47.62	$44.03
	24"	PE37640-24	57.90	53.85	49.79
	36"	PE37640-36	64.55	60.03	55.51
	48"	PE37640-48	71.25	66.26	61.28
	60"	PE37640-60	77.90	72.45	66.99
	Any	PE37640-XX	See Website for Pricing		

BNC FEMALE TO BNC FEMALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE36345-12	$87.20	$81.10	$74.99
	24"	PE36345-24	89.40	83.14	76.88
	36"	PE36345-36	91.55	85.14	78.73
	48"	PE36345-48	93.70	87.14	80.58
	60"	PE36345-60	95.90	89.19	82.47
	Any	PE36345-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3052-12	$26.45	$24.60	$22.75
	24"	PE3052-24	26.95	25.06	23.18
	36"	PE3052-36	27.50	25.58	23.65
	48"	PE3052-48	28.00	26.04	24.08
	60"	PE3052-60	28.55	26.55	24.55
	Any	PE3052-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3088-12	$28.55	$26.55	$24.55
	24"	PE3088-24	32.50	30.23	27.95
	36"	PE3088-36	36.45	33.90	31.35
	48"	PE3088-48	40.40	37.57	34.74
	60"	PE3088-60	44.35	41.25	38.14
	Any	PE3088-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE36455-12	$51.45	$47.85	$44.25
	24"	PE36455-24	52.20	48.55	44.89
	36"	PE36455-36	52.90	49.20	45.49
	48"	PE36455-48	53.65	49.89	46.14
	60"	PE36455-60	54.35	50.55	46.74
	Any	PE36455-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3953-12	$90.55	$84.21	$77.87
	24"	PE3953-24	96.00	89.28	82.56
	36"	PE3953-36	101.50	94.40	87.29
	48"	PE3953-48	107.00	99.51	92.02
	60"	PE3953-60	112.45	104.58	96.71
	Any	PE3953-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3364-12	$28.70	$26.69	$24.68
	24"	PE3364-24	30.00	27.90	25.80
	36"	PE3364-36	31.40	29.20	27.00
	48"	PE3364-48	33.05	30.74	28.42
	60"	PE3364-60	35.20	32.74	30.27
	Any	PE3364-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

BNC FEMALE TO BNC FEMALE

THESE CABLE ASSEMBLIES USE STANDARD 50 OHM INTERFACE CONNECTORS

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3604-12	$35.55	$33.06	$30.57
	24"	PE3604-24	35.95	33.43	30.92
	36"	PE3604-36	36.35	33.81	31.26
	48"	PE3604-48	36.75	34.18	31.61
	60"	PE3604-60	37.15	34.55	31.95
	Any	PE3604-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3505-12	$37.40	$34.78	$32.16
	24"	PE3505-24	39.70	36.92	34.14
	36"	PE3505-36	41.95	39.01	36.08
	48"	PE3505-48	44.00	40.92	37.84
	60"	PE3505-60	45.25	42.08	38.92
	Any	PE3505-XX	See Website for Pricing		

MHV MALE TO MHV MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3098-12	$68.30	$63.52	$58.74
	24"	PE3098-24	69.95	65.05	60.16
	36"	PE3098-36	72.15	67.10	62.05
	48"	PE3098-48	74.30	69.10	63.90
	60"	PE3098-60	76.50	71.15	65.79
	Any	PE3098-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3516-12	$51.95	$48.31	$44.68
	24"	PE3516-24	52.40	48.73	45.06
	36"	PE3516-36	53.00	49.29	45.58
	48"	PE3516-48	53.50	49.76	46.01
	60"	PE3516-60	54.05	50.27	46.48
	Any	PE3516-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3914-12	$42.25	$39.29	$36.34
	24"	PE3914-24	46.20	42.97	39.73
	36"	PE3914-36	50.15	46.64	43.13
	48"	PE3914-48	54.10	50.31	46.53
	60"	PE3914-60	58.05	53.99	49.92
	Any	PE3914-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34427-12	$58.15	$54.08	$50.01
	24"	PE34427-24	58.60	54.50	50.40
	36"	PE34427-36	58.90	54.78	50.65
	48"	PE34427-48	59.30	55.15	51.00
	60"	PE34427-60	59.70	55.52	51.34
	Any	PE34427-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE34431-12	$72.90	$67.80	$62.69
	24"	PE34431-24	74.55	69.33	64.11
	36"	PE34431-36	76.20	70.87	65.53
	48"	PE34431-48	77.85	72.40	66.95
	60"	PE34431-60	79.55	73.98	68.41
	Any	PE34431-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3735-12	$71.60	$66.59	$61.58
	24"	PE3735-24	77.10	71.70	66.31
	36"	PE3735-36	82.60	76.82	71.04
	48"	PE3735-48	88.10	81.93	75.77
	60"	PE3735-60	93.55	87.00	80.45
	Any	PE3735-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3694-12	$41.00	$38.13	$35.26
	24"	PE3694-24	42.55	39.57	36.59
	36"	PE3694-36	44.65	41.52	38.40
	48"	PE3694-48	46.75	43.48	40.21
	60"	PE3694-60	48.90	45.48	42.05
	Any	PE3694-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE34433-12	$73.50	$68.36	$63.21
	24"	PE34433-24	75.80	70.49	65.19
	36"	PE34433-36	78.05	72.59	67.12
	48"	PE34433-48	80.35	74.73	69.10
	60"	PE34433-60	82.65	76.86	71.08
	Any	PE34433-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE3577-12	$78.15	$72.68	$67.21
	24"	PE3577-24	90.15	83.84	77.53
	36"	PE3577-36	102.20	95.05	87.89
	48"	PE3577-48	114.20	106.21	98.21
	60"	PE3577-60	126.25	117.41	108.58
	Any	PE3577-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34425-12	$47.90	$44.55	$41.19
	24"	PE34425-24	53.10	49.38	45.67
	36"	PE34425-36	58.25	54.17	50.10
	48"	PE34425-48	63.45	59.01	54.57
	60"	PE34425-60	68.60	63.80	59.00
	Any	PE34425-XX	See Website for Pricing		

MHV MALE TO SHV PLUG

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3365-12	$95.55	$88.86	$82.17
	24"	PE3365-24	96.65	89.88	83.12
	36"	PE3365-36	97.65	90.81	83.98
	48"	PE3365-48	98.80	91.88	84.97
	60"	PE3365-60	99.75	92.77	85.79
	Any	PE3365-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3950-12	$81.95	$76.21	$70.48
	24"	PE3950-24	82.35	76.59	70.82
	36"	PE3950-36	82.85	77.05	71.25
	48"	PE3950-48	83.20	77.38	71.55
	60"	PE3950-60	83.65	77.79	71.94
	Any	PE3950-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3085-12	$81.95	$76.21	$70.48
	24"	PE3085-24	84.65	78.72	72.80
	36"	PE3085-36	87.40	81.28	75.16
	48"	PE3085-48	90.15	83.84	77.53
	60"	PE3085-60	92.90	86.40	79.89
	Any	PE3085-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34419-12	$81.95	$76.21	$70.48
	24"	PE34419-24	82.20	76.45	70.69
	36"	PE34419-36	82.45	76.68	70.91
	48"	PE34419-48	82.80	77.00	71.21
	60"	PE34419-60	83.05	77.24	71.42
	Any	PE34419-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE33516-12	$74.10	$68.91	$63.73
	24"	PE33516-24	79.60	74.03	68.46
	36"	PE33516-36	85.10	79.14	73.19
	48"	PE33516-48	90.60	84.26	77.92
	60"	PE33516-60	96.05	89.33	82.60
	Any	PE33516-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE34411-12	$52.15	$48.50	$44.85
	24"	PE34411-24	54.25	50.45	46.66
	36"	PE34411-36	56.35	52.41	48.46
	48"	PE34411-48	58.45	54.36	50.27
	60"	PE34411-60	60.60	56.36	52.12
	Any	PE34411-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE33984-12	$80.40	$74.77	$69.14
	24"	PE33984-24	92.40	85.93	79.46
	36"	PE33984-36	104.45	97.14	89.83
	48"	PE33984-48	116.45	108.30	100.15
	60"	PE33984-60	128.50	119.51	110.51
	Any	PE33984-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34409-12	$59.60	$55.43	$51.26
	24"	PE34409-24	64.80	60.26	55.73
	36"	PE34409-36	69.95	65.05	60.16
	48"	PE34409-48	75.15	69.89	64.63
	60"	PE34409-60	80.30	74.68	69.06
	Any	PE34409-XX	See Website for Pricing		

SHV PLUG TO SHV PLUG

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX	12"	PE33068-12	$95.55	$88.86	$82.17
Coax Performance	24"	PE33068-24	96.65	89.88	83.12
Attenuation* 9.0 dB	36"	PE33068-36	97.65	90.81	83.98
Power Handling** 190 W	48"	PE33068-48	98.80	91.88	84.97
Cable Diameter .405"	60"	PE33068-60	99.75	92.77	85.79
	Any	PE33068-XX	See Website for Pricing		
50 OHM, RG58C/U COAX	12"	PE3815-12	$81.95	$76.21	$70.48
Coax Performance	24"	PE3815-24	82.35	76.59	70.82
Attenuation* 20.0 dB	36"	PE3815-36	82.85	77.05	71.25
Power Handling** 44 W	48"	PE3815-48	83.20	77.38	71.55
Cable Diameter .195"	60"	PE3815-60	83.65	77.79	71.94
	Any	PE3815-XX	See Website for Pricing		
50 OHM, RG141A/U COAX	12"	PE34428-12	$76.90	$71.52	$66.13
Coax Performance	24"	PE34428-24	81.75	76.03	70.31
Attenuation* 13.0 dB	36"	PE34428-36	86.60	80.54	74.48
Power Handling** 650 W	48"	PE34428-48	91.45	85.05	78.65
Cable Diameter .190"	60"	PE34428-60	96.30	89.56	82.82
	Any	PE34428-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED	12"	PE3843-12	$81.95	$76.21	$70.48
Coax Performance	24"	PE3843-24	84.65	78.72	72.80
Attenuation* 13.0 dB	36"	PE3843-36	87.40	81.28	75.16
Power Handling** 650 W	48"	PE3843-48	90.15	83.84	77.53
Cable Diameter .195"	60"	PE3843-60	92.90	86.40	79.89
	Any	PE3843-XX	See Website for Pricing		
50 OHM, RG174A/U COAX	12"	PE33706-12	$81.95	$76.21	$70.48
Coax Performance	24"	PE33706-24	82.20	76.45	70.69
Attenuation* 31.0 dB	36"	PE33706-36	82.45	76.68	70.91
Power Handling** 16 W	48"	PE33706-48	82.80	77.00	71.21
Cable Diameter .100"	60"	PE33706-60	83.05	77.24	71.42
	Any	PE33706-XX	See Website for Pricing		
50 OHM, RG188A/U COAX	12"	PE34430-12	$76.60	$71.24	$65.88
Coax Performance	24"	PE34430-24	78.25	72.77	67.30
Attenuation* 30.0 dB	36"	PE34430-36	79.95	74.35	68.76
Power Handling** 160 W	48"	PE34430-48	81.60	75.89	70.18
Cable Diameter .110"	60"	PE34430-60	83.25	77.42	71.60
	Any	PE34430-XX	See Website for Pricing		
50 OHM, RG213/U COAX	12"	PE35384-12	$71.75	$66.73	$61.71
Coax Performance	24"	PE35384-24	73.00	67.89	62.78
Attenuation* 9.0 dB	36"	PE35384-36	74.20	69.01	63.81
Power Handling** 190 W	48"	PE35384-48	75.45	70.17	64.89
Cable Diameter .405"	60"	PE35384-60	76.65	71.28	65.92
	Any	PE35384-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED	12"	PE3117-12	$102.45	$95.28	$88.11
Coax Performance	24"	PE3117-24	106.15	98.72	91.29
Attenuation* 9.0 dB	36"	PE3117-36	109.90	102.21	94.51
Power Handling** 190 W	48"	PE3117-48	113.55	105.60	97.65
Cable Diameter .425"	60"	PE3117-60	117.30	109.09	100.88
	Any	PE3117-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE3992-12	$81.95	$76.21	$70.48
Coax Performance	24"	PE3992-24	83.35	77.52	71.68
Attenuation* 16.5 dB	36"	PE3992-36	84.65	78.72	72.80
Power Handling** 53 W	48"	PE3992-48	86.00	79.98	73.96
Cable Diameter .216"	60"	PE3992-60	87.40	81.28	75.16
	Any	PE3992-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED	12"	PE34421-12	$96.50	$89.75	$82.99
Coax Performance	24"	PE34421-24	121.90	113.37	104.83
Attenuation* 7.5 dB	36"	PE34421-36	147.25	136.94	126.64
Power Handling** 1700 W	48"	PE34421-48	172.65	160.56	148.48
Cable Diameter .430"	60"	PE34421-60	198.00	184.14	170.28
	Any	PE34421-XX	See Website for Pricing		
50 OHM, RG316/U COAX	12"	PE34432-12	$83.35	$77.52	$71.68
Coax Performance	24"	PE34432-24	84.25	78.35	72.46
Attenuation* 30.0 dB	36"	PE34432-36	85.25	79.28	73.32
Power Handling** 160 W	48"	PE34432-48	86.25	80.21	74.18
Cable Diameter .102"	60"	PE34432-60	87.30	81.19	75.08
	Any	PE34432-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED	12"	PE3338-12	$102.45	$95.28	$88.11
Coax Performance	24"	PE3338-24	111.15	103.37	95.59
Attenuation* 7.5 dB	36"	PE3338-36	119.75	111.37	102.99
Power Handling** 1700 W	48"	PE3338-48	128.50	119.51	110.51
Cable Diameter .390"	60"	PE3338-60	137.15	127.55	117.95
	Any	PE3338-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED	12"	PE34424-12	$81.95	$76.21	$70.48
Coax Performance	24"	PE34424-24	84.65	78.72	72.80
Attenuation* 13.0 dB	36"	PE34424-36	87.40	81.28	75.16
Power Handling** 650 W	48"	PE34424-48	90.15	83.84	77.53
Cable Diameter .195"	60"	PE34424-60	92.90	86.40	79.89
	Any	PE34424-XX	See Website for Pricing		
50 OHM, PE-P195, LOW LOSS, DBL-SHLD COAX	12"	PE39229-12	$51.00	$47.43	$43.86
Coax Performance	24"	PE39229-24	56.20	52.27	48.33
Attenuation* 12.5 dB	36"	PE39229-36	61.35	57.06	52.76
Power Handling** 650 W	48"	PE39229-48	66.55	61.89	57.23
Cable Diameter .195"	60"	PE39229-60	71.70	66.68	61.66
	Any	PE39229-XX	See Website for Pricing		

QMA MALE TO QMA MALE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX	12"	PE38270-12	$45.10	$41.94	$38.79
Coax Performance	24"	PE38270-24	47.40	44.08	40.76
Attenuation* 30.0 dB	36"	PE38270-36	49.65	46.17	42.70
Power Handling** 160 W	48"	PE38270-48	51.95	48.31	44.68
Cable Diameter .102"	60"	PE38270-60	54.25	50.45	46.66
	Any	PE38270-XX	See Website for Pricing		
50 OHM, RG58C/U COAX	12"	PE38271-12	$41.55	$38.64	$35.73
Coax Performance	24"	PE38271-24	42.05	39.11	36.16
Attenuation* 20.0 dB	36"	PE38271-36	42.60	39.62	36.64
Power Handling** 44 W	48"	PE38271-48	43.10	40.08	37.07
Cable Diameter .195"	60"	PE38271-60	43.65	40.59	37.54
	Any	PE38271-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316-DS COAX, DOUBLE SHIELDED	12"	PE38161-12	$45.00	$41.85	$38.70
Coax Performance	24"	PE38161-24	47.15	43.85	40.55
Attenuation* 30.0 dB	36"	PE38161-36	49.35	45.90	42.44
Power Handling** 160 W	48"	PE38161-48	51.50	47.90	44.29
Cable Diameter .114"	60"	PE38161-60	53.70	49.94	46.18
	Any	PE38161-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED	12"	PE38272-12	$37.75	$35.11	$32.47
Coax Performance	24"	PE38272-24	38.85	36.13	33.41
Attenuation* 11.5 dB	36"	PE38272-36	39.95	37.15	34.36
Power Handling** 150 W	48"	PE38272-48	41.05	38.18	35.30
Cable Diameter .195"	60"	PE38272-60	42.20	39.25	36.29
	Any	PE38272-XX	See Website for Pricing		

QN MALE TO QN MALE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX	12"	PE38448-12	$60.75	$56.50	$52.25
Coax Performance	24"	PE38448-24	61.25	56.96	52.68
Attenuation* 20.0 dB	36"	PE38448-36	61.80	57.47	53.15
Power Handling** 44 W	48"	PE38448-48	62.30	57.94	53.58
Cable Diameter .195"	60"	PE38448-60	62.85	58.45	54.05
	72"	PE38448-72	63.35	58.92	54.48
	120"	PE38448-120	65.45	60.87	56.29
	Any	PE38448-XXX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED	12"	PE38449-12	$56.95	$52.96	$48.98
Coax Performance	24"	PE38449-24	58.05	53.99	49.92
Attenuation* 11.5 dB	36"	PE38449-36	59.15	55.01	50.87
Power Handling** 150 W	48"	PE38449-48	60.25	56.03	51.82
Cable Diameter .195"	60"	PE38449-60	61.40	57.10	52.80
	72"	PE38449-72	62.50	58.13	53.75
	120"	PE38449-120	66.95	62.26	57.58
	Any	PE38449-XXX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG213/U COAX	12"	PE38446-12	$86.05	$80.03	$74.00
Coax Performance	24"	PE38446-24	87.30	81.19	75.08
Attenuation* 9.0 dB	36"	PE38446-36	88.50	82.31	76.11
Power Handling** 190 W	48"	PE38446-48	89.75	83.47	77.19
Cable Diameter .405"	60"	PE38446-60	90.95	84.58	78.22
	72"	PE38446-72	92.20	85.75	79.29
	120"	PE38446-120	97.10	90.30	83.51
	Any	PE38446-XXX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED	12"	PE38447-12	$57.95	$53.89	$49.84
Coax Performance	24"	PE38447-24	60.05	55.85	51.64
Attenuation* 16.5 dB	36"	PE38447-36	62.15	57.80	53.45
Power Handling** 53 W	48"	PE38447-48	64.25	59.75	55.26
Cable Diameter .216"	60"	PE38447-60	66.40	61.75	57.10
	72"	PE38447-72	68.50	63.71	58.91
	120"	PE38447-120	76.95	71.56	66.18
	Any	PE38447-XXX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

QN MALE TO QN MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE38485-12	$71.05	$66.08	$61.10
	24"	PE38485-24	71.60	66.59	61.58
	36"	PE38485-36	72.10	67.05	62.01
	48"	PE38485-48	72.65	67.56	62.48
	60"	PE38485-60	73.15	68.03	62.91
	72"	PE38485-72	73.65	68.49	63.34
	120"	PE38485-120	75.75	70.45	65.15
	Any	PE38485-XXX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE38486-12	$62.85	$58.45	$54.05
	24"	PE38486-24	63.95	59.47	55.00
	36"	PE38486-36	65.05	60.50	55.94
	48"	PE38486-48	66.15	61.52	56.89
	60"	PE38486-60	67.30	62.59	57.88
	72"	PE38486-72	68.40	63.61	58.82
	120"	PE38486-120	72.85	67.75	62.65
	Any	PE38486-XXX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE38487-12	$91.25	$84.86	$78.48
	24"	PE38487-24	92.50	86.03	79.55
	36"	PE38487-36	93.70	87.14	80.58
	48"	PE38487-48	94.95	88.30	81.66
	60"	PE38487-60	96.15	89.42	82.69
	72"	PE38487-72	97.40	90.58	83.76
	120"	PE38487-120	102.30	95.14	87.98
	Any	PE38487-XXX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE38488-12	$63.85	$59.38	$54.91
	24"	PE38488-24	65.95	61.33	56.72
	36"	PE38488-36	68.05	63.29	58.52
	48"	PE38488-48	70.15	65.24	60.33
	60"	PE38488-60	72.30	67.24	62.18
	72"	PE38488-72	74.40	69.19	63.98
	120"	PE38488-120	82.85	77.05	71.25
	Any	PE38488-XXX	See Website for Pricing		

SMP FEMALE TO SMP FEMALE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-047SR (.047" BARE COPPER) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE36146-12	$76.50	$71.15	$65.79
	24"	PE36146-24	82.95	77.14	71.34
	36"	PE36146-36	89.45	83.19	76.93
	48"	PE36146-48	96.00	89.28	82.56
	60"	PE36146-60	102.50	95.33	88.15
	Any	PE36146-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE36148-12	$67.50	$62.78	$58.05
	24"	PE36148-24	73.05	67.94	62.82
	36"	PE36148-36	78.65	73.14	67.64
	48"	PE36148-48	84.20	78.31	72.41
	60"	PE36148-60	89.75	83.47	77.19
	Any	PE36148-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE36150-12	$77.50	$72.08	$66.65
	24"	PE36150-24	82.70	76.91	71.12
	36"	PE36150-36	87.85	81.70	75.55
	48"	PE36150-48	93.05	86.54	80.02
	60"	PE36150-60	98.20	91.33	84.45
	Any	PE36150-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE36152-12	$80.40	$74.77	$69.14
	24"	PE36152-24	88.45	82.26	76.07
	36"	PE36152-36	96.55	89.79	83.03
	48"	PE36152-48	104.60	97.28	89.96
	60"	PE36152-60	112.70	104.81	96.92
	Any	PE36152-XX	See Website for Pricing		

SMP FEMALE TO SMP FEMALE RIGHT ANGLE

SEMI-RIGID & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, PE-047SR (.047" BARE COPPER) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE36154-12	$76.90	$71.52	$66.13
	24"	PE36154-24	84.65	78.72	72.80
	36"	PE36154-36	92.40	85.93	79.46
	48"	PE36154-48	100.10	93.09	86.09
	60"	PE36154-60	107.85	100.30	92.75
	Any	PE36154-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE36156-12	$74.75	$69.52	$64.29
	24"	PE36156-24	80.30	74.68	69.06
	36"	PE36156-36	85.90	79.89	73.87
	48"	PE36156-48	91.45	85.05	78.65
	60"	PE36156-60	97.00	90.21	83.42
	Any	PE36156-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG405/U (.085" BARE COPPER) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE36158-12	$73.00	$67.89	$62.78
	24"	PE36158-24	78.20	72.73	67.25
	36"	PE36158-36	83.35	77.52	71.68
	48"	PE36158-48	88.55	82.35	76.15
	60"	PE36158-60	93.70	87.14	80.58
	Any	PE36158-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE36160-12	$75.90	$70.59	$65.27
	24"	PE36160-24	83.95	78.07	72.20
	36"	PE36160-36	92.05	85.61	79.16
	48"	PE36160-48	100.10	93.09	86.09
	60"	PE36160-60	108.20	100.63	93.05
	Any	PE36160-XX	See Website for Pricing		

NOTES

UMCX CABLE ASSEMBLIES

SEE PAGE 259 FOR MOUNTING HOLES

Pasternack introduces our New line of UMCX connectors and cable assemblies. These miniature RF Coaxial connectors operate up to 6 GHz at 50 Ohms. The cable assemblies use 1.13mm coax or RG178B/U coax cables as indicated.

UMCX PLUG TO UMCX PLUG

1.13mm COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38295-3	$5.30	$4.93	$4.56
6"	PE38295-6	5.85	5.44	5.03
12"	PE38295-12	6.40	5.95	5.50

FLEXIBLE

UMCX PLUG TO SMA MALE

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38881-3	$46.95	$43.66	$40.38
6"	PE38881-6	48.05	44.69	41.32
9"	PE38881-9	49.15	45.71	42.27
12"	PE38881-12	50.25	46.73	43.22
18"	PE38881-18	52.45	48.78	45.11
24"	PE38881-24	54.65	50.82	47.00
Any	PE38881-XX*	See Website for Pricing		

UMCX PLUG TO SMA FEMALE BULKHEAD

1.13mm COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
6"	PE38297-6	$16.50	$15.35	$14.19
12"	PE38297-12	17.15	15.95	14.75
18"	PE38297-18	18.15	16.88	15.61
MOUNTING HOLE B02				

FLEXIBLE

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38299-3	$52.05	$48.41	$44.76
6"	PE38299-6	53.15	49.43	45.71
9"	PE38299-9	54.25	50.45	46.66
12"	PE38299-12	55.35	51.48	47.60
18"	PE38299-18	57.55	53.52	49.49
24"	PE38299-24	59.75	55.57	51.39
Any	PE38299-XX*	See Website for Pricing		

UMCX PLUG TO MCX PLUG

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38890-3	$41.80	$38.87	$35.95
6"	PE38890-6	42.90	39.90	36.89
9"	PE38890-9	44.00	40.92	37.84
12"	PE38890-12	45.10	41.94	38.79
18"	PE38890-18	47.30	43.99	40.68
24"	PE38890-24	49.50	46.04	42.57
Any	PE38890-XX*	See Website for Pricing		

FLEXIBLE

UMCX PLUG TO MCX PLUG RIGHT ANGLE

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38502-3	$43.50	$40.46	$37.41
6"	PE38502-6	44.60	41.48	38.36
9"	PE38502-9	45.70	42.50	39.30
12"	PE38502-12	46.80	43.52	40.25
18"	PE38502-18	49.00	45.57	42.14
24"	PE38502-24	51.20	47.62	44.03
Any	PE38502-XX*	See Website for Pricing		

UMCX PLUG TO MCX JACK BULKHEAD

1.13mm COAX

Coax Performance

Attenuation*	79.0 dB
Power Handling**	N/A
Cable Diameter	.044"

Length	Model No.	1-24	25-49	50-99
6"	PE38298-6	$16.00	$14.88	$13.76
12"	PE38298-12	17.15	15.95	14.75
18"	PE38298-18	18.15	16.88	15.61
MOUNTING HOLE B01				

FLEXIBLE

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38889-3	$54.80	$50.96	$47.13
6"	PE38889-6	55.90	51.99	48.07
9"	PE38889-9	57.00	53.01	49.02
12"	PE38889-12	58.10	54.03	49.97
18"	PE38889-18	60.30	56.08	51.86
24"	PE38889-24	62.50	58.13	53.75
Any	PE38889-XX*	See Website for Pricing		
MOUNTING HOLE B01				

UMCX PLUG TO MMCX PLUG RIGHT ANGLE

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE39078-3	$48.90	$45.48	$42.05
6"	PE39078-6	50.00	46.50	43.00
9"	PE39078-9	51.10	47.52	43.95
12"	PE39078-12	52.20	48.55	44.89
18"	PE39078-18	54.40	50.59	46.78
24"	PE39078-24	56.60	52.64	48.68
Any	PE39078-XX*	See Website for Pricing		

FLEXIBLE

UMCX PLUG PIGTAIL

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38296-3	$18.20	$16.93	$15.65
6"	PE38296-6	19.30	17.95	16.60
9"	PE38296-9	20.40	18.97	17.54
12"	PE38296-12	21.50	20.00	18.49
18"	PE38296-18	23.70	22.04	20.38
24"	PE38296-24	25.90	24.09	22.27
Any	PE38296-XX*	See Website for Pricing		

*Note: 24 Inch Maximum Cable Length

Continued on Next Page

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

UMCX CABLE ASSEMBLIES

SEE PAGE 259 FOR MOUNTING HOLES

UMCX PLUG TO FME JACK BULKHEAD

1.13mm COAX

Coax Performance

Attenuation*	79.0 dB
Power Handling**	N/A
Cable Diameter	.044"

Length	Model No.	1-24	25-49	50-99
6"	PE38857-6	$22.50	$20.93	$19.35
12"	PE38857-12	23.00	21.39	19.78
18"	PE38857-18	23.50	21.86	20.21

MOUNTING HOLE B04

FLEXIBLE

UMCX PLUG TO FME JACK BULKHEAD, REAR MOUNT



1.13mm COAX

Coax Performance

Attenuation*	79.0 dB
Power Handling**	N/A
Cable Diameter	.044"

Length	Model No.	1-24	25-49	50-99
6"	PE38858-6	$22.50	$20.93	$19.35
12"	PE38858-12	23.00	21.39	19.78
18"	PE38858-18	23.50	21.86	20.21

MOUNTING HOLE F12

UMCX PLUG TO REVERSE THREAD SMA FEMALE BULKHEAD

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38301-3	$45.60	$42.41	$39.22
6"	PE38301-6	46.20	42.97	39.73
9"	PE38301-9	46.90	43.62	40.33
12"	PE38301-12	47.50	44.18	40.85
18"	PE38301-18	48.15	44.78	41.41
24"	PE38301-24	48.75	45.34	41.93
Any	PE38301-XX*	See Website for Pricing		

MOUNTING HOLE B02

FLEXIBLE

UMCX PLUG TO REVERSE POLARITY SMA FEMALE BULKHEAD

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38300-3	$38.60	$35.90	$33.20
6"	PE38300-6	39.20	36.46	33.71
9"	PE38300-9	39.80	37.01	34.23
12"	PE38300-12	40.45	37.62	34.79
18"	PE38300-18	41.70	38.78	35.86
24"	PE38300-24	42.95	39.94	36.94
Any	PE38300-XX*	See Website for Pricing		

MOUNTING HOLE B02

UMCX PLUG TO REVERSE POLARITY TNC FEMALE BULKHEAD



50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38303-3	$38.60	$35.90	$33.20
6"	PE38303-6	39.20	36.46	33.71
9"	PE38303-9	39.80	37.01	34.23
12"	PE38303-12	40.45	37.62	34.79
18"	PE38303-18	41.70	38.78	35.86
24"	PE38303-24	42.95	39.94	36.94
Any	PE38303-XX*	See Website for Pricing		

MOUNTING HOLE B06

FLEXIBLE

UMCX PLUG TO REVERSE POLARITY MCX JACK BULKHEAD

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38302-3	$52.60	$48.92	$45.24
6"	PE38302-6	53.70	49.94	46.18
9"	PE38302-9	54.80	50.96	47.13
12"	PE38302-12	55.90	51.99	48.07
18"	PE38302-18	58.10	54.03	49.97
24"	PE38302-24	60.30	56.08	51.86
Any	PE38302-XX*	See Website for Pricing		

MOUNTING HOLE B01

UMCX PLUG TO TNC FEMALE BULKHEAD



50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38304-3	$38.60	$35.90	$33.20
6"	PE38304-6	39.20	36.46	33.71
9"	PE38304-9	39.80	37.01	34.23
12"	PE38304-12	40.45	37.62	34.79
18"	PE38304-18	41.70	38.78	35.86
24"	PE38304-24	42.95	39.94	36.94
Any	PE38304-XX*	See Website for Pricing		

MOUNTING HOLE B06

FLEXIBLE

UMCX PLUG TO SSMB PLUG

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38930-3	$58.05	$53.99	$49.92
6"	PE38930-6	62.90	58.50	54.09
9"	PE38930-9	67.75	63.01	58.27
12"	PE38930-12	72.60	67.52	62.44
18"	PE38930-18	82.25	76.49	70.74
24"	PE38930-24	91.90	85.47	79.03
Any	PE38930-XX*	See Website for Pricing		

UMCX PLUG TO SMC JACK BULKHEAD

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE39035-3	$55.95	$52.03	$48.12
6"	PE39035-6	57.05	53.06	49.06
9"	PE39035-9	58.15	54.08	50.01
12"	PE39035-12	59.25	55.10	50.96
18"	PE39035-18	61.35	57.06	52.76
24"	PE39035-24	63.55	59.10	54.65
Any	PE39035-XX*	See Website for Pricing		

FLEXIBLE

UMCX PLUG TO N MALE

50 OHM, RG178B/U COAX

Coax Performance

Attenuation*	45.0 dB
Power Handling**	78 W
Cable Diameter	.075"

Length	Model No.	1-24	25-49	50-99
3"	PE38813-3	$53.45	$49.71	$45.97
6"	PE38813-6	54.55	50.73	46.91
9"	PE38813-9	55.65	51.75	47.86
12"	PE38813-12	56.75	52.78	48.81
18"	PE38813-18	58.95	54.82	50.70
24"	PE38813-24	61.05	56.78	52.50
Any	PE38813-XX*	See Website for Pricing		

*Note: 24 Inch Maximum Cable Length

MMCX PLUG TO MMCX PLUG

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34879-12	$36.30	$33.76	$31.22
	24"	PE34879-24	36.80	34.22	31.65
	36"	PE34879-36	37.05	34.46	31.86
	48"	PE34879-48	37.45	34.83	32.21
	60"	PE34879-60	37.90	35.25	32.59
	Any	PE34879-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE34598-12	$37.35	$34.74	$32.12
	24"	PE34598-24	38.05	35.39	32.72
	36"	PE34598-36	38.80	36.08	33.37
	48"	PE34598-48	39.50	36.74	33.97
	60"	PE34598-60	40.25	37.43	34.62
	Any	PE34598-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE34885-12	$38.90	$36.18	$33.45
	24"	PE34885-24	40.55	37.71	34.87
	36"	PE34885-36	42.20	39.25	36.29
	48"	PE34885-48	43.85	40.78	37.71
	60"	PE34885-60	45.55	42.36	39.17
	Any	PE34885-XX	See Website for Pricing		
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE34891-12	$37.65	$35.01	$32.38
	24"	PE34891-24	38.65	35.94	33.24
	36"	PE34891-36	39.70	36.92	34.14
	48"	PE34891-48	40.70	37.85	35.00
	60"	PE34891-60	41.75	38.83	35.91
	Any	PE34891-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE34240-12	$36.30	$33.76	$31.22
	24"	PE34240-24	37.70	35.06	32.42
	36"	PE34240-36	38.95	36.22	33.50
	48"	PE34240-48	40.25	37.43	34.62
	60"	PE34240-60	41.65	38.73	35.82
	Any	PE34240-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE38679-12	$39.40	$36.64	$33.88
	24"	PE38679-24	41.55	38.64	35.73
	36"	PE38679-36	43.75	40.69	37.63
	48"	PE38679-48	45.90	42.69	39.47
	60"	PE38679-60	48.10	44.73	41.37
	Any	PE38679-XX	See Website for Pricing		

MMCX PLUG TO MMCX PLUG RIGHT ANGLE

FLEXIBLE & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE34881-12	$45.05	$41.90	$38.74
	24"	PE34881-24	45.45	42.27	39.09
	36"	PE34881-36	45.85	42.64	39.43
	48"	PE34881-48	46.25	43.01	39.78
	60"	PE34881-60	46.65	43.38	40.12
	Any	PE34881-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE34883-12	$43.10	$40.08	$37.07
	24"	PE34883-24	43.85	40.78	37.71
	36"	PE34883-36	44.55	41.43	38.31
	48"	PE34883-48	45.30	42.13	38.96
	60"	PE34883-60	46.00	42.78	39.56
	Any	PE34883-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE34889-12	$46.30	$43.06	$39.82
	24"	PE34889-24	47.95	44.59	41.24
	36"	PE34889-36	49.60	46.13	42.66
	48"	PE34889-48	51.30	47.71	44.12
	60"	PE34889-60	52.95	49.24	45.54
	Any	PE34889-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE34895-12	$46.30	$43.06	$39.82
	24"	PE34895-24	47.65	44.31	40.98
	36"	PE34895-36	49.00	45.57	42.14
	48"	PE34895-48	50.20	46.69	43.17
	60"	PE34895-60	51.60	47.99	44.38
	Any	PE34895-XX	See Website for Pricing		
50 OHM, PE-C100 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 23.5 dB; Power Handling** 45 W; Cable Diameter .110")	12"	PE38231-12	$37.50	$34.88	$32.25
	24"	PE38231-24	39.15	36.41	33.67
	36"	PE38231-36	40.85	37.99	35.13
	48"	PE38231-48	42.50	39.53	36.55
	60"	PE38231-60	44.20	41.11	38.01
	Any	PE38231-XX	See Website for Pricing		
50 OHM, PE-SR047FL (.047" RE-SHAPEABLE) (Coax Performance: Attenuation* 40.0 dB; Power Handling** 32 W; Cable Diameter .047")	12"	PE38322-12	$60.50	$56.27	$52.03
	24"	PE38322-24	66.05	61.43	56.80
	36"	PE38322-36	71.65	66.63	61.62
	48"	PE38322-48	77.20	71.80	66.39
	60"	PE38322-60	82.75	76.96	71.17
	Any	PE38322-XX	See Website for Pricing		

MCX PLUG TO MCX PLUG

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3295-12	$32.85	$30.55	$28.25
	24"	PE3295-24	33.25	30.92	28.60
	36"	PE3295-36	33.65	31.29	28.94
	48"	PE3295-48	34.05	31.67	29.28
	60"	PE3295-60	34.45	32.04	29.63
	Any	PE3295-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3290-12	$34.10	$31.71	$29.33
	24"	PE3290-24	35.75	33.25	30.75
	36"	PE3290-36	37.15	34.55	31.95
	48"	PE3290-48	38.55	35.85	33.15
	60"	PE3290-60	39.75	36.97	34.19
	Any	PE3290-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3297-12	$34.55	$32.13	$29.71
	24"	PE3297-24	35.85	33.34	30.83
	36"	PE3297-36	37.15	34.55	31.95
	48"	PE3297-48	38.55	35.85	33.15
	60"	PE3297-60	39.75	36.97	34.19
	Any	PE3297-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE36799-12	$34.60	$32.18	$29.76
	24"	PE36799-24	36.75	34.18	31.61
	36"	PE36799-36	38.95	36.22	33.50
	48"	PE36799-48	41.10	38.22	35.35
	60"	PE36799-60	43.30	40.27	37.24
	Any	PE36799-XX	See Website for Pricing		

MCX PLUG TO MCX PLUG RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3314-12	$35.25	$32.78	$30.32
	24"	PE3314-24	35.65	33.15	30.66
	36"	PE3314-36	36.05	33.53	31.00
	48"	PE3314-48	36.45	33.90	31.35
	60"	PE3314-60	36.85	34.27	31.69
	Any	PE3314-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3309-12	$36.50	$33.95	$31.39
	24"	PE3309-24	38.15	35.48	32.81
	36"	PE3309-36	39.80	37.01	34.23
	48"	PE3309-48	41.45	38.55	35.65
	60"	PE3309-60	43.15	40.13	37.11
	Any	PE3309-XX	See Website for Pricing		
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3311-12	$38.85	$36.13	$33.41
	24"	PE3311-24	39.85	37.06	34.27
	36"	PE3311-36	40.90	38.04	35.17
	48"	PE3311-48	41.90	38.97	36.03
	60"	PE3311-60	42.95	39.94	36.94
	Any	PE3311-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3316-12	$37.10	$34.50	$31.91
	24"	PE3316-24	39.40	36.64	33.88
	36"	PE3316-36	41.65	38.73	35.82
	48"	PE3316-48	43.95	40.87	37.80
	60"	PE3316-60	46.25	43.01	39.78
	Any	PE3316-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

MCX PLUG RIGHT ANGLE TO MCX PLUG RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3304-12	$37.65	$35.01	$32.38
	24"	PE3304-24	38.05	35.39	32.72
	36"	PE3304-36	38.45	35.76	33.07
	48"	PE3304-48	38.85	36.13	33.41
	60"	PE3304-60	39.25	36.50	33.76
	Any	PE3304-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3299-12	$38.90	$36.18	$33.45
	24"	PE3299-24	40.55	37.71	34.87
	36"	PE3299-36	42.20	39.25	36.29
	48"	PE3299-48	43.85	40.78	37.71
	60"	PE3299-60	45.55	42.36	39.17
	Any	PE3299-XX	See Website for Pricing		
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3301-12	$38.35	$35.67	$32.98
	24"	PE3301-24	39.35	36.60	33.84
	36"	PE3301-36	40.40	37.57	34.74
	48"	PE3301-48	41.40	38.50	35.60
	60"	PE3301-60	42.45	39.48	36.51
	Any	PE3301-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3306-12	$39.50	$36.74	$33.97
	24"	PE3306-24	41.80	38.87	35.95
	36"	PE3306-36	44.05	40.97	37.88
	48"	PE3306-48	46.35	43.11	39.86
	60"	PE3306-60	48.65	45.24	41.84
	Any	PE3306-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE37099-12	$43.60	$40.55	$37.50
	24"	PE37099-24	45.75	42.55	39.35
	36"	PE37099-36	47.95	44.59	41.24
	48"	PE37099-48	50.10	46.59	43.09
	60"	PE37099-60	52.30	48.64	44.98
	Any	PE37099-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE35463-12	$49.10	$45.66	$42.23
	24"	PE35463-24	54.30	50.50	46.70
	36"	PE35463-36	59.45	55.29	51.13
	48"	PE35463-48	64.65	60.12	55.60
	60"	PE35463-60	69.80	64.91	60.03
	Any	PE35463-XX	See Website for Pricing		

SMB PLUG TO SMB PLUG

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS

FLEXIBLE & RE-SHAPEABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE33650-12	$40.55	$37.71	$34.87
	24"	PE33650-24	41.05	38.18	35.30
	36"	PE33650-36	41.60	38.69	35.78
	48"	PE33650-48	42.10	39.15	36.21
	60"	PE33650-60	42.65	39.66	36.68
	Any	PE33650-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33652-12	$39.05	$36.32	$33.58
	24"	PE33652-24	43.00	39.99	36.98
	36"	PE33652-36	46.95	43.66	40.38
	48"	PE33652-48	50.90	47.34	43.77
	60"	PE33652-60	54.85	51.01	47.17
	Any	PE33652-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3853-12	$31.65	$29.43	$27.22
	24"	PE3853-24	32.05	29.81	27.56
	36"	PE3853-36	32.45	30.18	27.91
	48"	PE3853-48	32.85	30.55	28.25
	60"	PE3853-60	33.25	30.92	28.60
	Any	PE3853-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33165-12	$37.95	$35.29	$32.64
	24"	PE33165-24	38.65	35.94	33.24
	36"	PE33165-36	39.40	36.64	33.88
	48"	PE33165-48	40.10	37.29	34.49
	60"	PE33165-60	40.85	37.99	35.13
	Any	PE33165-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3587-12	$32.90	$30.60	$28.29
	24"	PE3587-24	34.55	32.13	29.71
	36"	PE3587-36	36.20	33.67	31.13
	48"	PE3587-48	37.85	35.20	32.55
	60"	PE3587-60	39.55	36.78	34.01
	Any	PE3587-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE3721-12	$33.80	$31.43	$29.07
	24"	PE3721-24	36.35	33.81	31.26
	36"	PE3721-36	38.90	36.18	33.45
	48"	PE3721-48	41.45	38.55	35.65
	60"	PE3721-60	44.00	40.92	37.84
	Any	PE3721-XX	See Website for Pricing		
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3588-12	$38.25	$35.57	$32.90
	24"	PE3588-24	39.25	36.50	33.76
	36"	PE3588-36	40.30	37.48	34.66
	48"	PE3588-48	41.30	38.41	35.52
	60"	PE3588-60	42.35	39.39	36.42
	Any	PE3588-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3166-12	$37.25	$34.64	$32.04
	24"	PE3166-24	39.35	36.60	33.84
	36"	PE3166-36	41.45	38.55	35.65
	48"	PE3166-48	43.55	40.50	37.45
	60"	PE3166-60	45.70	42.50	39.30
	Any	PE3166-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3915-12	$33.50	$31.16	$28.81
	24"	PE3915-24	35.80	33.29	30.79
	36"	PE3915-36	38.05	35.39	32.72
	48"	PE3915-48	40.25	37.43	34.62
	60"	PE3915-60	41.65	38.73	35.82
	Any	PE3915-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE33704-12	$33.40	$31.06	$28.72
	24"	PE33704-24	35.55	33.06	30.57
	36"	PE33704-36	37.75	35.11	32.47
	48"	PE33704-48	39.90	37.11	34.31
	60"	PE33704-60	42.10	39.15	36.21
	Any	PE33704-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34269-12	$44.70	$41.57	$38.44
	24"	PE34269-24	49.90	46.41	42.91
	36"	PE34269-36	55.05	51.20	47.34
	48"	PE34269-48	60.25	56.03	51.82
	60"	PE34269-60	65.40	60.82	56.24
	Any	PE34269-XX	See Website for Pricing		
50 OHM, PE-SR405FL (.085" RE-SHAPEABLE) (Coax Performance: Attenuation* 22.0 dB; Power Handling** 130 W; Cable Diameter .085")	12"	PE33837-12	$47.30	$43.99	$40.68
	24"	PE33837-24	55.35	51.48	47.60
	36"	PE33837-36	63.45	59.01	54.57
	48"	PE33837-48	71.50	66.50	61.49
	60"	PE33837-60	79.60	74.03	68.46
	Any	PE33837-XX	See Website for Pricing		

SMB PLUG TO SMB PLUG RIGHT ANGLE

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE33666-12	$42.90	$39.90	$36.89
	24"	PE33666-24	43.40	40.36	37.32
	36"	PE33666-36	43.95	40.87	37.80
	48"	PE33666-48	44.45	41.34	38.23
	60"	PE33666-60	45.00	41.85	38.70
	Any	PE33666-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33668-12	$41.50	$38.60	$35.69
	24"	PE33668-24	45.45	42.27	39.09
	36"	PE33668-36	49.40	45.94	42.48
	48"	PE33668-48	53.35	49.62	45.88
	60"	PE33668-60	57.30	53.29	49.28
	Any	PE33668-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE33143-12	$41.30	$38.41	$35.52
	24"	PE33143-24	43.85	40.78	37.71
	36"	PE33143-36	46.40	43.15	39.90
	48"	PE33143-48	48.95	45.52	42.10
	60"	PE33143-60	51.55	47.94	44.33
	Any	PE33143-XX	See Website for Pricing		
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3593-12	$42.70	$39.71	$36.72
	24"	PE3593-24	43.75	40.69	37.63
	36"	PE3593-36	44.75	41.62	38.49
	48"	PE3593-48	45.80	42.59	39.39
	60"	PE3593-60	46.80	43.52	40.25
	Any	PE3593-XX	See Website for Pricing		

Continued on Next Page

Standard & Custom Cable Assemblies Ship Same Day!

Continued from Previous Page

SMB PLUG TO SMB PLUG RIGHT ANGLE

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE33175-12	$39.15	$36.41	$33.67
	24"	PE33175-24	39.55	36.78	34.01
	36"	PE33175-36	39.95	37.15	34.36
	48"	PE33175-48	40.35	37.53	34.70
	60"	PE33175-60	40.75	37.90	35.05
	Any	PE33175-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33356-12	$42.40	$39.43	$36.46
	24"	PE33356-24	43.15	40.13	37.11
	36"	PE33356-36	43.85	40.78	37.71
	48"	PE33356-48	44.60	41.48	38.36
	60"	PE33356-60	45.30	42.13	38.96
	Any	PE33356-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3592-12	$40.40	$37.57	$34.74
	24"	PE3592-24	42.05	39.11	36.16
	36"	PE3592-36	43.70	40.64	37.58
	48"	PE3592-48	45.40	42.22	39.04
	60"	PE3592-60	47.05	43.76	40.46
	Any	PE3592-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE33670-12	$39.70	$36.92	$34.14
	24"	PE33670-24	41.80	38.87	35.95
	36"	PE33670-36	43.90	40.83	37.75
	48"	PE33670-48	46.00	42.78	39.56
	60"	PE33670-60	48.15	44.78	41.41
	Any	PE33670-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE33672-12	$41.00	$38.13	$35.26
	24"	PE33672-24	43.30	40.27	37.24
	36"	PE33672-36	45.60	42.41	39.22
	48"	PE33672-48	47.85	44.50	41.15
	60"	PE33672-60	50.15	46.64	43.13
	Any	PE33672-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34485-12	$40.90	$38.04	$35.17
	24"	PE34485-24	43.05	40.04	37.02
	36"	PE34485-36	45.25	42.08	38.92
	48"	PE34485-48	47.40	44.08	40.76
	60"	PE34485-60	49.60	46.13	42.66
	Any	PE34485-XX	See Website for Pricing		

SMB PLUG TO SMB JACK BULKHEAD

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS

USE MOUNTING HOLE B01 ON PAGE 259

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE34493-12	$48.40	$45.01	$41.62
	24"	PE34493-24	48.90	45.48	42.05
	36"	PE34493-36	49.45	45.99	42.53
	48"	PE34493-48	49.95	46.45	42.96
	60"	PE34493-60	50.50	46.97	43.43
	Any	PE34493-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34495-12	$49.10	$45.66	$42.23
	24"	PE34495-24	53.05	49.34	45.62
	36"	PE34495-36	57.00	53.01	49.02
	48"	PE34495-48	60.95	56.68	52.42
	60"	PE34495-60	64.90	60.36	55.81
	Any	PE34495-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE33674-12	$36.85	$34.27	$31.69
	24"	PE33674-24	37.20	34.60	31.99
	36"	PE33674-36	37.45	34.83	32.21
	48"	PE33674-48	37.70	35.06	32.42
	60"	PE33674-60	37.90	35.25	32.59
	Any	PE33674-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33676-12	$37.10	$34.50	$31.91
	24"	PE33676-24	37.80	35.15	32.51
	36"	PE33676-36	38.55	35.85	33.15
	48"	PE33676-48	39.25	36.50	33.76
	60"	PE33676-60	40.00	37.20	34.40
	Any	PE33676-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3591-12	$35.05	$32.60	$30.14
	24"	PE3591-24	36.70	34.13	31.56
	36"	PE3591-36	38.35	35.67	32.98
	48"	PE3591-48	40.00	37.20	34.40
	60"	PE3591-60	41.70	38.78	35.86
	Any	PE3591-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE34489-12	$35.95	$33.43	$30.92
	24"	PE34489-24	38.50	35.81	33.11
	36"	PE34489-36	41.05	38.18	35.30
	48"	PE34489-48	43.60	40.55	37.50
	60"	PE34489-60	46.15	42.92	39.69
	Any	PE34489-XX	See Website for Pricing		
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3130-12	$38.25	$35.57	$32.90
	24"	PE3130-24	39.25	36.50	33.76
	36"	PE3130-36	40.20	37.39	34.57
	48"	PE3130-48	41.20	38.32	35.43
	60"	PE3130-60	42.25	39.29	36.34
	Any	PE3130-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE33680-12	$35.65	$33.15	$30.66
	24"	PE33680-24	37.95	35.29	32.64
	36"	PE33680-36	40.20	37.39	34.57
	48"	PE33680-48	42.50	39.53	36.55
	60"	PE33680-60	44.80	41.66	38.53
	Any	PE33680-XX	See Website for Pricing		
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE34487-12	$36.85	$34.27	$31.69
	24"	PE34487-24	39.35	36.60	33.84
	36"	PE34487-36	41.80	38.87	35.95
	48"	PE34487-48	44.35	41.25	38.14
	60"	PE34487-60	46.75	43.48	40.21
	Any	PE34487-XX	See Website for Pricing		
50 OHM, LOW NOISE, PE-B100 COAX (Coax Performance: Attenuation* N/A; Power Handling** N/A; Cable Diameter .101")	12"	PE34491-12	$38.85	$36.13	$33.41
	24"	PE34491-24	44.30	41.20	38.10
	36"	PE34491-36	49.75	46.27	42.79
	48"	PE34491-48	55.20	51.34	47.47
	60"	PE34491-60	60.65	56.40	52.16
	Any	PE34491-XX	See Website for Pricing		

SMB PLUG RIGHT ANGLE TO SMB PLUG RIGHT ANGLE

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE33654-12	$45.25	$42.08	$38.92
	24"	PE33654-24	45.75	42.55	39.35
	36"	PE33654-36	46.30	43.06	39.82
	48"	PE33654-48	46.80	43.52	40.25
	60"	PE33654-60	47.35	44.04	40.72
	Any	PE33654-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33656-12	$48.40	$45.01	$41.62
	24"	PE33656-24	52.35	48.69	45.02
	36"	PE33656-36	56.30	52.36	48.42
	48"	PE33656-48	60.25	56.03	51.82
	60"	PE33656-60	64.20	59.71	55.21
	Any	PE33656-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE3916-12	$42.25	$39.29	$36.34
	24"	PE3916-24	42.65	39.66	36.68
	36"	PE3916-36	43.05	40.04	37.02
	48"	PE3916-48	43.45	40.41	37.37
	60"	PE3916-60	43.85	40.78	37.71
	Any	PE3916-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3590-12	$42.75	$39.76	$36.77
	24"	PE3590-24	43.80	40.73	37.67
	36"	PE3590-36	44.80	41.66	38.53
	48"	PE3590-48	45.85	42.64	39.43
	60"	PE3590-60	46.85	43.57	40.29
	Any	PE3590-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE33121-12	$46.55	$43.29	$40.03
	24"	PE33121-24	48.65	45.24	41.84
	36"	PE33121-36	50.75	47.20	43.65
	48"	PE33121-48	52.90	49.20	45.49
	60"	PE33121-60	55.00	51.15	47.30
	Any	PE33121-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3917-12	$44.10	$41.01	$37.93
	24"	PE3917-24	46.40	43.15	39.90
	36"	PE3917-36	48.70	45.29	41.88
	48"	PE3917-48	50.95	47.38	43.82
	60"	PE3917-60	53.25	49.52	45.80
	Any	PE3917-XX	See Website for Pricing		

Continued on Next Page

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

SMB PLUG RIGHT ANGLE TO SMB PLUG RIGHT ANGLE

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE33350-12	$42.45	$39.48	$36.51
	24"	PE33350-24	43.20	40.18	37.15
	36"	PE33350-36	43.90	40.83	37.75
	48"	PE33350-48	44.65	41.52	38.40
	60"	PE33350-60	45.35	42.18	39.00
	Any	PE33350-XX	See Website for Pricing		
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3589-12	$43.50	$40.46	$37.41
	24"	PE3589-24	45.15	41.99	38.83
	36"	PE3589-36	46.80	43.52	40.25
	48"	PE3589-48	48.50	45.11	41.71
	60"	PE3589-60	50.15	46.64	43.13
	Any	PE3589-XX	See Website for Pricing		
50 OHM, RG188-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .122")	12"	PE34463-12	$44.40	$41.29	$38.18
	24"	PE34463-24	46.95	43.66	40.38
	36"	PE34463-36	49.50	46.04	42.57
	48"	PE34463-48	52.05	48.41	44.76
	60"	PE34463-60	54.65	50.82	47.00
	Any	PE34463-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316-DS COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .114")	12"	PE33476-12	$44.00	$40.92	$37.84
	24"	PE33476-24	46.15	42.92	39.69
	36"	PE33476-36	48.35	44.97	41.58
	48"	PE33476-48	50.50	46.97	43.43
	60"	PE33476-60	52.70	49.01	45.32
	Any	PE33476-XX	See Website for Pricing		
50 OHM, LOW NOISE, PE-B100 COAX (Coax Performance: Attenuation* N/A; Power Handling** N/A; Cable Diameter .101")	12"	PE34465-12	$42.90	$39.90	$36.89
	24"	PE34465-24	48.35	44.97	41.58
	36"	PE34465-36	53.80	50.03	46.27
	48"	PE34465-48	59.25	55.10	50.96
	60"	PE34465-60	64.70	60.17	55.64
	Any	PE34465-XX	See Website for Pricing		
50 OHM, PE-C195 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 11.5 dB; Power Handling** 150 W; Cable Diameter .195")	12"	PE39120-12	$41.45	$38.55	$35.65
	24"	PE39120-24	42.55	39.57	36.59
	36"	PE39120-36	43.65	40.59	37.54
	48"	PE39120-48	44.75	41.62	38.49
	60"	PE39120-60	45.90	42.69	39.47
	Any	PE39120-XX	See Website for Pricing		

SMB PLUG RIGHT ANGLE TO SMB JACK BULKHEAD

THESE 50 OHM SMB CONNECTORS DO NOT MATE TO 75 OHM SMB TYPE CONNECTORS

USE MOUNTING HOLE B01 ON PAGE 259

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE34471-12	$51.55	$47.94	$44.33
	24"	PE34471-24	55.50	51.62	47.73
	36"	PE34471-36	59.45	55.29	51.13
	48"	PE34471-48	63.40	58.96	54.52
	60"	PE34471-60	67.35	62.64	57.92
	Any	PE34471-XX	See Website for Pricing		
50 OHM, RG174A/U COAX (Coax Performance: Attenuation* 31.0 dB; Power Handling** 16 W; Cable Diameter .100")	12"	PE33261-12	$41.30	$38.41	$35.52
	24"	PE33261-24	41.70	38.78	35.86
	36"	PE33261-36	42.10	39.15	36.21
	48"	PE33261-48	42.50	39.53	36.55
	60"	PE33261-60	42.90	39.90	36.89
	Any	PE33261-XX	See Website for Pricing		
50 OHM, RG178B/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .075")	12"	PE34467-12	$41.55	$38.64	$35.73
	24"	PE34467-24	42.30	39.34	36.38
	36"	PE34467-36	43.00	39.99	36.98
	48"	PE34467-48	43.75	40.69	37.63
	60"	PE34467-60	44.45	41.34	38.23
	Any	PE34467-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG188A/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .110")	12"	PE3594-12	$42.55	$39.57	$36.59
	24"	PE3594-24	44.20	41.11	38.01
	36"	PE3594-36	45.85	42.64	39.43
	48"	PE3594-48	47.55	44.22	40.89
	60"	PE3594-60	49.20	45.76	42.31
	Any	PE3594-XX	See Website for Pricing		
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE33682-12	$41.85	$38.92	$35.99
	24"	PE33682-24	42.90	39.90	36.89
	36"	PE33682-36	43.90	40.83	37.75
	48"	PE33682-48	44.95	41.80	38.66
	60"	PE33682-60	45.95	42.73	39.52
	Any	PE33682-XX	See Website for Pricing		
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE33675-12	$43.15	$40.13	$37.11
	24"	PE33675-24	45.45	42.27	39.09
	36"	PE33675-36	47.75	44.41	41.07
	48"	PE33675-48	50.00	46.50	43.00
	60"	PE33675-60	52.30	48.64	44.98
	Any	PE33675-XX	See Website for Pricing		

NOTES

FAKRA CABLE ASSEMBLIES

To keep RF interconnection costs low and ensure high levels of electrical and mechanical performance for telematic applications, the German and American automotive industries have standardized high-performing, cost-effective RF connectors based on the FAKRA and USCAR standards. Pasternack introduces its new line of FAKRA connectors and cable assemblies to support the wide-array of applications that benefit from the demanding mechanical and environmental automotive requirements that FAKRA connectors meet. Using a standard metal SMB connector embedded within a plastic housing that is designed with multiple color-codes for easy identification, FAKRA connectors are designed to perform up to 4GHz at 50 Ω

CODING	JACK	PLUG	COLOR	APPLICATION
A			BLACK	RADIO WITH PHANTOM SUPPLY
B			WHITE	RADIO WITHOUT PHANTOM SUPPLY
C			BLUE	GPS: TELEMATICS OR NAVIGATION

CODING	JACK	PLUG	COLOR	APPLICATION
D			BORDEAUX	GSM: CELLULAR PHONE
H			VIOLET	GPS: TELEMATICS AND NAVIGATION
I			BEIGE	BLUETOOTH

CODING	JACK	PLUG	COLOR	APPLICATION
K			CURRY	RADIO WITH I.F. OUTPUT (ANTENNA DIVERSITY)
Z			WATER BLUE	NEUTRAL CODING

NEW FAKRA PLUG TO FAKRA PLUG PE-C100 COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38747A-12	$18.90	$17.58	$16.25
	24"	PE38747A-24	20.55	19.11	17.67
	36"	PE38747A-36	22.25	20.69	19.14
	48"	PE38747A-48	23.90	22.23	20.55
	60"	PE38747A-60	25.60	23.81	22.02
	Any	PE38747A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38747B-12	$18.90	$17.58	$16.25
	24"	PE38747B-24	20.55	19.11	17.67
	36"	PE38747B-36	22.25	20.69	19.14
	48"	PE38747B-48	23.90	22.23	20.55
	60"	PE38747B-60	25.60	23.81	22.02
	Any	PE38747B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38747C-12	$18.90	$17.58	$16.25
	24"	PE38747C-24	20.55	19.11	17.67
	36"	PE38747C-36	22.25	20.69	19.14
	48"	PE38747C-48	23.90	22.23	20.55
	60"	PE38747C-60	25.60	23.81	22.02
	Any	PE38747C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38747D-12	$18.90	$17.58	$16.25
	24"	PE38747D-24	20.55	19.11	17.67
	36"	PE38747D-36	22.25	20.69	19.14
	48"	PE38747D-48	23.90	22.23	20.55
	60"	PE38747D-60	25.60	23.81	22.02
	Any	PE38747D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38747H-12	$18.90	$17.58	$16.25
	24"	PE38747H-24	20.55	19.11	17.67
	36"	PE38747H-36	22.25	20.69	19.14
	48"	PE38747H-48	23.90	22.23	20.55
	60"	PE38747H-60	25.60	23.81	22.02
	Any	PE38747H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38747I-12	$18.90	$17.58	$16.25
	24"	PE38747I-24	20.55	19.11	17.67
	36"	PE38747I-36	22.25	20.69	19.14
	48"	PE38747I-48	23.90	22.23	20.55
	60"	PE38747I-60	25.60	23.81	22.02
	Any	PE38747I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38747K-12	$18.90	$17.58	$16.25
	24"	PE38747K-24	20.55	19.11	17.67
	36"	PE38747K-36	22.25	20.69	19.14
	48"	PE38747K-48	23.90	22.23	20.55
	60"	PE38747K-60	25.60	23.81	22.02
	Any	PE38747K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38747Z-12	$18.90	$17.58	$16.25
	24"	PE38747Z-24	20.55	19.11	17.67
	36"	PE38747Z-36	22.25	20.69	19.14
	48"	PE38747Z-48	23.90	22.23	20.55
	60"	PE38747Z-60	25.60	23.81	22.02
	Any	PE38747Z-XX	See Website for Pricing		

NEW FAKRA PLUG TO FAKRA PLUG RG174A/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38751A-12	$22.05	$20.51	$18.96
	24"	PE38751A-24	22.45	20.88	19.31
	36"	PE38751A-36	22.85	21.25	19.65
	48"	PE38751A-48	23.25	21.62	20.00
	60"	PE38751A-60	23.65	21.99	20.34
	Any	PE38751A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38751B-12	$22.05	$20.51	$18.96
	24"	PE38751B-24	22.45	20.88	19.31
	36"	PE38751B-36	22.85	21.25	19.65
	48"	PE38751B-48	23.25	21.62	20.00
	60"	PE38751B-60	23.65	21.99	20.34
	Any	PE38751B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38751C-12	$22.05	$20.51	$18.96
	24"	PE38751C-24	22.45	20.88	19.31
	36"	PE38751C-36	22.85	21.25	19.65
	48"	PE38751C-48	23.25	21.62	20.00
	60"	PE38751C-60	23.65	21.99	20.34
	Any	PE38751C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38751D-12	$22.05	$20.51	$18.96
	24"	PE38751D-24	22.45	20.88	19.31
	36"	PE38751D-36	22.85	21.25	19.65
	48"	PE38751D-48	23.25	21.62	20.00
	60"	PE38751D-60	23.65	21.99	20.34
	Any	PE38751D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38751H-12	$22.05	$20.51	$18.96
	24"	PE38751H-24	22.45	20.88	19.31
	36"	PE38751H-36	22.85	21.25	19.65
	48"	PE38751H-48	23.25	21.62	20.00
	60"	PE38751H-60	23.65	21.99	20.34
	Any	PE38751H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38751I-12	$22.05	$20.51	$18.96
	24"	PE38751I-24	22.45	20.88	19.31
	36"	PE38751I-36	22.85	21.25	19.65
	48"	PE38751I-48	23.25	21.62	20.00
	60"	PE38751I-60	23.65	21.99	20.34
	Any	PE38751I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38751K-12	$22.05	$20.51	$18.96
	24"	PE38751K-24	22.45	20.88	19.31
	36"	PE38751K-36	22.85	21.25	19.65
	48"	PE38751K-48	23.25	21.62	20.00
	60"	PE38751K-60	23.65	21.99	20.34
	Any	PE38751K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38751Z-12	$22.05	$20.51	$18.96
	24"	PE38751Z-24	22.45	20.88	19.31
	36"	PE38751Z-36	22.85	21.25	19.65
	48"	PE38751Z-48	23.25	21.62	20.00
	60"	PE38751Z-60	23.65	21.99	20.34
	Any	PE38751Z-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

NEW FAKRA PLUG TO FAKRA PLUG RG316/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38755A-12	$23.90	$22.23	$20.55
	24"	PE38755A-24	26.20	24.37	22.53
	36"	PE38755A-36	28.45	26.46	24.47
	48"	PE38755A-48	30.75	28.60	26.45
	60"	PE38755A-60	33.05	30.74	28.42
	Any	PE38755A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38755B-12	$23.90	$22.23	$20.55
	24"	PE38755B-24	26.20	24.37	22.53
	36"	PE38755B-36	28.45	26.46	24.47
	48"	PE38755B-48	30.75	28.60	26.45
	60"	PE38755B-60	33.05	30.74	28.42
	Any	PE38755B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38755C-12	$23.90	$22.23	$20.55
	24"	PE38755C-24	26.20	24.37	22.53
	36"	PE38755C-36	28.45	26.46	24.47
	48"	PE38755C-48	30.75	28.60	26.45
	60"	PE38755C-60	33.05	30.74	28.42
	Any	PE38755C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38755D-12	$23.90	$22.23	$20.55
	24"	PE38755D-24	26.20	24.37	22.53
	36"	PE38755D-36	28.45	26.46	24.47
	48"	PE38755D-48	30.75	28.60	26.45
	60"	PE38755D-60	33.05	30.74	28.42
	Any	PE38755D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38755H-12	$23.90	$22.23	$20.55
	24"	PE38755H-24	26.20	24.37	22.53
	36"	PE38755H-36	28.45	26.46	24.47
	48"	PE38755H-48	30.75	28.60	26.45
	60"	PE38755H-60	33.05	30.74	28.42
	Any	PE38755H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38755I-12	$23.90	$22.23	$20.55
	24"	PE38755I-24	26.20	24.37	22.53
	36"	PE38755I-36	28.45	26.46	24.47
	48"	PE38755I-48	30.75	28.60	26.45
	60"	PE38755I-60	33.05	30.74	28.42
	Any	PE38755I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38755K-12	$23.90	$22.23	$20.55
	24"	PE38755K-24	26.20	24.37	22.53
	36"	PE38755K-36	28.45	26.46	24.47
	48"	PE38755K-48	30.75	28.60	26.45
	60"	PE38755K-60	33.05	30.74	28.42
	Any	PE38755K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38755Z-12	$23.90	$22.23	$20.55
	24"	PE38755Z-24	26.20	24.37	22.53
	36"	PE38755Z-36	28.45	26.46	24.47
	48"	PE38755Z-48	30.75	28.60	26.45
	60"	PE38755Z-60	33.05	30.74	28.42
	Any	PE38755Z-XX	See Website for Pricing		

NEW FAKRA JACK TO FAKRA PLUG PE-C100 COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38748A-12	$18.90	$17.58	$16.25
	24"	PE38748A-24	20.55	19.11	17.67
	36"	PE38748A-36	22.25	20.69	19.14
	48"	PE38748A-48	23.90	22.23	20.55
	60"	PE38748A-60	25.60	23.81	22.02
	Any	PE38748A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38748B-12	$18.90	$17.58	$16.25
	24"	PE38748B-24	20.55	19.11	17.67
	36"	PE38748B-36	22.25	20.69	19.14
	48"	PE38748B-48	23.90	22.23	20.55
	60"	PE38748B-60	25.60	23.81	22.02
	Any	PE38748B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38748C-12	$18.90	$17.58	$16.25
	24"	PE38748C-24	20.55	19.11	17.67
	36"	PE38748C-36	22.25	20.69	19.14
	48"	PE38748C-48	23.90	22.23	20.55
	60"	PE38748C-60	25.60	23.81	22.02
	Any	PE38748C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38748D-12	$18.90	$17.58	$16.25
	24"	PE38748D-24	20.55	19.11	17.67
	36"	PE38748D-36	22.25	20.69	19.14
	48"	PE38748D-48	23.90	22.23	20.55
	60"	PE38748D-60	25.60	23.81	22.02
	Any	PE38748D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38748H-12	$18.90	$17.58	$16.25
	24"	PE38748H-24	20.55	19.11	17.67
	36"	PE38748H-36	22.25	20.69	19.14
	48"	PE38748H-48	23.90	22.23	20.55
	60"	PE38748H-60	25.60	23.81	22.02
	Any	PE38748H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38748I-12	$18.90	$17.58	$16.25
	24"	PE38748I-24	20.55	19.11	17.67
	36"	PE38748I-36	22.25	20.69	19.14
	48"	PE38748I-48	23.90	22.23	20.55
	60"	PE38748I-60	25.60	23.81	22.02
	Any	PE38748I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38748K-12	$18.90	$17.58	$16.25
	24"	PE38748K-24	20.55	19.11	17.67
	36"	PE38748K-36	22.25	20.69	19.14
	48"	PE38748K-48	23.90	22.23	20.55
	60"	PE38748K-60	25.60	23.81	22.02
	Any	PE38748K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38748Z-12	$18.90	$17.58	$16.25
	24"	PE38748Z-24	20.55	19.11	17.67
	36"	PE38748Z-36	22.25	20.69	19.14
	48"	PE38748Z-48	23.90	22.23	20.55
	60"	PE38748Z-60	25.60	23.81	22.02
	Any	PE38748Z-XX	See Website for Pricing		

NEW FAKRA JACK TO FAKRA PLUG RG174A/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38752A-12	$22.05	$20.51	$18.96
	24"	PE38752A-24	22.45	20.88	19.31
	36"	PE38752A-36	22.85	21.25	19.65
	48"	PE38752A-48	23.25	21.62	20.00
	60"	PE38752A-60	23.65	21.99	20.34
	Any	PE38752A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38752B-12	$22.05	$20.51	$18.96
	24"	PE38752B-24	22.45	20.88	19.31
	36"	PE38752B-36	22.85	21.25	19.65
	48"	PE38752B-48	23.25	21.62	20.00
	60"	PE38752B-60	23.65	21.99	20.34
	Any	PE38752B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38752C-12	$22.05	$20.51	$18.96
	24"	PE38752C-24	22.45	20.88	19.31
	36"	PE38752C-36	22.85	21.25	19.65
	48"	PE38752C-48	23.25	21.62	20.00
	60"	PE38752C-60	23.65	21.99	20.34
	Any	PE38752C-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38752H-12	$22.05	$20.51	$18.96
	24"	PE38752H-24	22.45	20.88	19.31
	36"	PE38752H-36	22.85	21.25	19.65
	48"	PE38752H-48	23.25	21.62	20.00
	60"	PE38752H-60	23.65	21.99	20.34
	Any	PE38752H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38752I-12	$22.05	$20.51	$18.96
	24"	PE38752I-24	22.45	20.88	19.31
	36"	PE38752I-36	22.85	21.25	19.65
	48"	PE38752I-48	23.25	21.62	20.00
	60"	PE38752I-60	23.65	21.99	20.34
	Any	PE38752I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38752K-12	$22.05	$20.51	$18.96
	24"	PE38752K-24	22.45	20.88	19.31
	36"	PE38752K-36	22.85	21.25	19.65
	48"	PE38752K-48	23.25	21.62	20.00
	60"	PE38752K-60	23.65	21.99	20.34
	Any	PE38752K-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

NEW FAKRA JACK TO FAKRA PLUG RG174A/U COAX

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE D COLOR: BORDEAUX	12"	PE38752D-12	$22.05	$20.51	$18.96
	24"	PE38752D-24	22.45	20.88	19.31
	36"	PE38752D-36	22.85	21.25	19.65
	48"	PE38752D-48	23.25	21.62	20.00
	60"	PE38752D-60	23.65	21.99	20.34
	Any	PE38752D-XX	See Website for Pricing		

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE Z COLOR: WATER BLUE	12"	PE38752Z-12	$22.05	$20.51	$18.96
	24"	PE38752Z-24	22.45	20.88	19.31
	36"	PE38752Z-36	22.85	21.25	19.65
	48"	PE38752Z-48	23.25	21.62	20.00
	60"	PE38752Z-60	23.65	21.99	20.34
	Any	PE38752Z-XX	See Website for Pricing		

NEW FAKRA JACK TO FAKRA PLUG RG316/U COAX

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38756A-12	$23.90	$22.23	$20.55
	24"	PE38756A-24	26.20	24.37	22.53
	36"	PE38756A-36	28.45	26.46	24.47
	48"	PE38756A-48	30.75	28.60	26.45
	60"	PE38756A-60	33.05	30.74	28.42
	Any	PE38756A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38756B-12	$23.90	$22.23	$20.55
	24"	PE38756B-24	26.20	24.37	22.53
	36"	PE38756B-36	28.45	26.46	24.47
	48"	PE38756B-48	30.75	28.60	26.45
	60"	PE38756B-60	33.05	30.74	28.42
	Any	PE38756B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38756C-12	$23.90	$22.23	$20.55
	24"	PE38756C-24	26.20	24.37	22.53
	36"	PE38756C-36	28.45	26.46	24.47
	48"	PE38756C-48	30.75	28.60	26.45
	60"	PE38756C-60	33.05	30.74	28.42
	Any	PE38756C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38756D-12	$23.90	$22.23	$20.55
	24"	PE38756D-24	26.20	24.37	22.53
	36"	PE38756D-36	28.45	26.46	24.47
	48"	PE38756D-48	30.75	28.60	26.45
	60"	PE38756D-60	33.05	30.74	28.42
	Any	PE38756D-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38756H-12	$23.90	$22.23	$20.55
	24"	PE38756H-24	26.20	24.37	22.53
	36"	PE38756H-36	28.45	26.46	24.47
	48"	PE38756H-48	30.75	28.60	26.45
	60"	PE38756H-60	33.05	30.74	28.42
	Any	PE38756H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38756I-12	$23.90	$22.23	$20.55
	24"	PE38756I-24	26.20	24.37	22.53
	36"	PE38756I-36	28.45	26.46	24.47
	48"	PE38756I-48	30.75	28.60	26.45
	60"	PE38756I-60	33.05	30.74	28.42
	Any	PE38756I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38756K-12	$23.90	$22.23	$20.55
	24"	PE38756K-24	26.20	24.37	22.53
	36"	PE38756K-36	28.45	26.46	24.47
	48"	PE38756K-48	30.75	28.60	26.45
	60"	PE38756K-60	33.05	30.74	28.42
	Any	PE38756K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38756Z-12	$23.90	$22.23	$20.55
	24"	PE38756Z-24	26.20	24.37	22.53
	36"	PE38756Z-36	28.45	26.46	24.47
	48"	PE38756Z-48	30.75	28.60	26.45
	60"	PE38756Z-60	33.05	30.74	28.42
	Any	PE38756Z-XX	See Website for Pricing		

NEW FAKRA JACK TO FAKRA JACK PE-C100 COAX

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38746A-12	$18.90	$17.58	$16.25
	24"	PE38746A-24	20.55	19.11	17.67
	36"	PE38746A-36	22.25	20.69	19.14
	48"	PE38746A-48	23.90	22.23	20.55
	60"	PE38746A-60	25.60	23.81	22.02
	Any	PE38746A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38746B-12	$18.90	$17.58	$16.25
	24"	PE38746B-24	20.55	19.11	17.67
	36"	PE38746B-36	22.25	20.69	19.14
	48"	PE38746B-48	23.90	22.23	20.55
	60"	PE38746B-60	25.60	23.81	22.02
	Any	PE38746B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38746C-12	$18.90	$17.58	$16.25
	24"	PE38746C-24	20.55	19.11	17.67
	36"	PE38746C-36	22.25	20.69	19.14
	48"	PE38746C-48	23.90	22.23	20.55
	60"	PE38746C-60	25.60	23.81	22.02
	Any	PE38746C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38746D-12	$18.90	$17.58	$16.25
	24"	PE38746D-24	20.55	19.11	17.67
	36"	PE38746D-36	22.25	20.69	19.14
	48"	PE38746D-48	23.90	22.23	20.55
	60"	PE38746D-60	25.60	23.81	22.02
	Any	PE38746D-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38746H-12	$18.90	$17.58	$16.25
	24"	PE38746H-24	20.55	19.11	17.67
	36"	PE38746H-36	22.25	20.69	19.14
	48"	PE38746H-48	23.90	22.23	20.55
	60"	PE38746H-60	25.60	23.81	22.02
	Any	PE38746H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38746I-12	$18.90	$17.58	$16.25
	24"	PE38746I-24	20.55	19.11	17.67
	36"	PE38746I-36	22.25	20.69	19.14
	48"	PE38746I-48	23.90	22.23	20.55
	60"	PE38746I-60	25.60	23.81	22.02
	Any	PE38746I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38746K-12	$18.90	$17.58	$16.25
	24"	PE38746K-24	20.55	19.11	17.67
	36"	PE38746K-36	22.25	20.69	19.14
	48"	PE38746K-48	23.90	22.23	20.55
	60"	PE38746K-60	25.60	23.81	22.02
	Any	PE38746K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38746Z-12	$18.90	$17.58	$16.25
	24"	PE38746Z-24	20.55	19.11	17.67
	36"	PE38746Z-36	22.25	20.69	19.14
	48"	PE38746Z-48	23.90	22.23	20.55
	60"	PE38746Z-60	25.60	23.81	22.02
	Any	PE38746Z-XX	See Website for Pricing		

NEW FAKRA JACK TO FAKRA JACK RG174A/U COAX

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38750A-12	$22.05	$20.51	$18.96
	24"	PE38750A-24	22.45	20.88	19.31
	36"	PE38750A-36	22.85	21.25	19.65
	48"	PE38750A-48	23.25	21.62	20.00
	60"	PE38750A-60	23.65	21.99	20.34
	Any	PE38750A-XX	See Website for Pricing		

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38750H-12	$22.05	$20.51	$18.96
	24"	PE38750H-24	22.45	20.88	19.31
	36"	PE38750H-36	22.85	21.25	19.65
	48"	PE38750H-48	23.25	21.62	20.00
	60"	PE38750H-60	23.65	21.99	20.34
	Any	PE38750H-XX	See Website for Pricing		

Continued on Next Page

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

NEW FAKRA JACK TO FAKRA JACK RG174A/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE B COLOR: WHITE	12"	PE38750B-12	$22.05	$20.51	$18.96
	24"	PE38750B-24	22.45	20.88	19.31
	36"	PE38750B-36	22.85	21.25	19.65
	48"	PE38750B-48	23.25	21.62	20.00
	60"	PE38750B-60	23.65	21.99	20.34
	Any	PE38750B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38750C-12	$22.05	$20.51	$18.96
	24"	PE38750C-24	22.45	20.88	19.31
	36"	PE38750C-36	22.85	21.25	19.65
	48"	PE38750C-48	23.25	21.62	20.00
	60"	PE38750C-60	23.65	21.99	20.34
	Any	PE38750C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38750D-12	$22.05	$20.51	$18.96
	24"	PE38750D-24	22.45	20.88	19.31
	36"	PE38750D-36	22.85	21.25	19.65
	48"	PE38750D-48	23.25	21.62	20.00
	60"	PE38750D-60	23.65	21.99	20.34
	Any	PE38750D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE I COLOR: BEIGE	12"	PE38750I-12	$22.05	$20.51	$18.96
	24"	PE38750I-24	22.45	20.88	19.31
	36"	PE38750I-36	22.85	21.25	19.65
	48"	PE38750I-48	23.25	21.62	20.00
	60"	PE38750I-60	23.65	21.99	20.34
	Any	PE38750I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38750K-12	$22.05	$20.51	$18.96
	24"	PE38750K-24	22.45	20.88	19.31
	36"	PE38750K-36	22.85	21.25	19.65
	48"	PE38750K-48	23.25	21.62	20.00
	60"	PE38750K-60	23.65	21.99	20.34
	Any	PE38750K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38750Z-12	$22.05	$20.51	$18.96
	24"	PE38750Z-24	22.45	20.88	19.31
	36"	PE38750Z-36	22.85	21.25	19.65
	48"	PE38750Z-48	23.25	21.62	20.00
	60"	PE38750Z-60	23.65	21.99	20.34
	Any	PE38750Z-XX	See Website for Pricing		

NEW FAKRA JACK TO FAKRA JACK RG316/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38754A-12	$23.90	$22.23	$20.55
	24"	PE38754A-24	26.20	24.37	22.53
	36"	PE38754A-36	28.45	26.46	24.47
	48"	PE38754A-48	30.75	28.60	26.45
	60"	PE38754A-60	33.05	30.74	28.42
	Any	PE38754A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38754B-12	$23.90	$22.23	$20.55
	24"	PE38754B-24	26.20	24.37	22.53
	36"	PE38754B-36	28.45	26.46	24.47
	48"	PE38754B-48	30.75	28.60	26.45
	60"	PE38754B-60	33.05	30.74	28.42
	Any	PE38754B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38754C-12	$23.90	$22.23	$20.55
	24"	PE38754C-24	26.20	24.37	22.53
	36"	PE38754C-36	28.45	26.46	24.47
	48"	PE38754C-48	30.75	28.60	26.45
	60"	PE38754C-60	33.05	30.74	28.42
	Any	PE38754C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38754D-12	$23.90	$22.23	$20.55
	24"	PE38754D-24	26.20	24.37	22.53
	36"	PE38754D-36	28.45	26.46	24.47
	48"	PE38754D-48	30.75	28.60	26.45
	60"	PE38754D-60	33.05	30.74	28.42
	Any	PE38754D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38754H-12	$23.90	$22.23	$20.55
	24"	PE38754H-24	26.20	24.37	22.53
	36"	PE38754H-36	28.45	26.46	24.47
	48"	PE38754H-48	30.75	28.60	26.45
	60"	PE38754H-60	33.05	30.74	28.42
	Any	PE38754H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38754I-12	$23.90	$22.23	$20.55
	24"	PE38754I-24	26.20	24.37	22.53
	36"	PE38754I-36	28.45	26.46	24.47
	48"	PE38754I-48	30.75	28.60	26.45
	60"	PE38754I-60	33.05	30.74	28.42
	Any	PE38754I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38754K-12	$23.90	$22.23	$20.55
	24"	PE38754K-24	26.20	24.37	22.53
	36"	PE38754K-36	28.45	26.46	24.47
	48"	PE38754K-48	30.75	28.60	26.45
	60"	PE38754K-60	33.05	30.74	28.42
	Any	PE38754K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38754Z-12	$23.90	$22.23	$20.55
	24"	PE38754Z-24	26.20	24.37	22.53
	36"	PE38754Z-36	28.45	26.46	24.47
	48"	PE38754Z-48	30.75	28.60	26.45
	60"	PE38754Z-60	33.05	30.74	28.42
	Any	PE38754Z-XX	See Website for Pricing		

NEW FAKRA JACK RIGHT ANGLE TO FAKRA PLUG, PE-C100 COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38749A-12	$19.95	$18.55	$17.16
	24"	PE38749A-24	21.60	20.09	18.58
	36"	PE38749A-36	23.30	21.67	20.04
	48"	PE38749A-48	24.95	23.20	21.46
	60"	PE38749A-60	26.65	24.78	22.92
	Any	PE38749A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38749B-12	$19.95	$18.55	$17.16
	24"	PE38749B-24	21.60	20.09	18.58
	36"	PE38749B-36	23.30	21.67	20.04
	48"	PE38749B-48	24.95	23.20	21.46
	60"	PE38749B-60	26.65	24.78	22.92
	Any	PE38749B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38749C-12	$19.95	$18.55	$17.16
	24"	PE38749C-24	21.60	20.09	18.58
	36"	PE38749C-36	23.30	21.67	20.04
	48"	PE38749C-48	24.95	23.20	21.46
	60"	PE38749C-60	26.65	24.78	22.92
	Any	PE38749C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38749D-12	$19.95	$18.55	$17.16
	24"	PE38749D-24	21.60	20.09	18.58
	36"	PE38749D-36	23.30	21.67	20.04
	48"	PE38749D-48	24.95	23.20	21.46
	60"	PE38749D-60	26.65	24.78	22.92
	Any	PE38749D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38749H-12	$19.95	$18.55	$17.16
	24"	PE38749H-24	21.60	20.09	18.58
	36"	PE38749H-36	23.30	21.67	20.04
	48"	PE38749H-48	24.95	23.20	21.46
	60"	PE38749H-60	26.65	24.78	22.92
	Any	PE38749H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38749I-12	$19.95	$18.55	$17.16
	24"	PE38749I-24	21.60	20.09	18.58
	36"	PE38749I-36	23.30	21.67	20.04
	48"	PE38749I-48	24.95	23.20	21.46
	60"	PE38749I-60	26.65	24.78	22.92
	Any	PE38749I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38749K-12	$19.95	$18.55	$17.16
	24"	PE38749K-24	21.60	20.09	18.58
	36"	PE38749K-36	23.30	21.67	20.04
	48"	PE38749K-48	24.95	23.20	21.46
	60"	PE38749K-60	26.65	24.78	22.92
	Any	PE38749K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38749Z-12	$19.95	$18.55	$17.16
	24"	PE38749Z-24	21.60	20.09	18.58
	36"	PE38749Z-36	23.30	21.67	20.04
	48"	PE38749Z-48	24.95	23.20	21.46
	60"	PE38749Z-60	26.65	24.78	22.92
	Any	PE38749Z-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

NEW FAKRA JACK RIGHT ANGLE TO FAKRA PLUG, RG174A/U COAX

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38753A-12	$27.50	$25.58	$23.65
	24"	PE38753A-24	27.90	25.95	23.99
	36"	PE38753A-36	28.30	26.32	24.34
	48"	PE38753A-48	28.70	26.69	24.68
	60"	PE38753A-60	29.10	27.06	25.03
	Any	PE38753A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38753B-12	$27.50	$25.58	$23.65
	24"	PE38753B-24	27.90	25.95	23.99
	36"	PE38753B-36	28.30	26.32	24.34
	48"	PE38753B-48	28.70	26.69	24.68
	60"	PE38753B-60	29.10	27.06	25.03
	Any	PE38753B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38753C-12	$27.50	$25.58	$23.65
	24"	PE38753C-24	27.90	25.95	23.99
	36"	PE38753C-36	28.30	26.32	24.34
	48"	PE38753C-48	28.70	26.69	24.68
	60"	PE38753C-60	29.10	27.06	25.03
	Any	PE38753C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38753D-12	$27.50	$25.58	$23.65
	24"	PE38753D-24	27.90	25.95	23.99
	36"	PE38753D-36	28.30	26.32	24.34
	48"	PE38753D-48	28.70	26.69	24.68
	60"	PE38753D-60	29.10	27.06	25.03
	Any	PE38753D-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38753H-12	$27.50	$25.58	$23.65
	24"	PE38753H-24	27.90	25.95	23.99
	36"	PE38753H-36	28.30	26.32	24.34
	48"	PE38753H-48	28.70	26.69	24.68
	60"	PE38753H-60	29.10	27.06	25.03
	Any	PE38753H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38753I-12	$27.50	$25.58	$23.65
	24"	PE38753I-24	27.90	25.95	23.99
	36"	PE38753I-36	28.30	26.32	24.34
	48"	PE38753I-48	28.70	26.69	24.68
	60"	PE38753I-60	29.10	27.06	25.03
	Any	PE38753I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38753K-12	$27.50	$25.58	$23.65
	24"	PE38753K-24	27.90	25.95	23.99
	36"	PE38753K-36	28.30	26.32	24.34
	48"	PE38753K-48	28.70	26.69	24.68
	60"	PE38753K-60	29.10	27.06	25.03
	Any	PE38753K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38753Z-12	$27.50	$25.58	$23.65
	24"	PE38753Z-24	27.90	25.95	23.99
	36"	PE38753Z-36	28.30	26.32	24.34
	48"	PE38753Z-48	28.70	26.69	24.68
	60"	PE38753Z-60	29.10	27.06	25.03
	Any	PE38753Z-XX	See Website for Pricing		

NEW FAKRA JACK RIGHT ANGLE TO FAKRA PLUG, RG316/U COAX

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE38757A-12	$29.35	$27.30	$25.24
	24"	PE38757A-24	31.65	29.43	27.22
	36"	PE38757A-36	33.95	31.57	29.20
	48"	PE38757A-48	36.20	33.67	31.13
	60"	PE38757A-60	38.50	35.81	33.11
	Any	PE38757A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE38757B-12	$29.35	$27.30	$25.24
	24"	PE38757B-24	31.65	29.43	27.22
	36"	PE38757B-36	33.95	31.57	29.20
	48"	PE38757B-48	36.20	33.67	31.13
	60"	PE38757B-60	38.50	35.81	33.11
	Any	PE38757B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE38757C-12	$29.35	$27.30	$25.24
	24"	PE38757C-24	31.65	29.43	27.22
	36"	PE38757C-36	33.95	31.57	29.20
	48"	PE38757C-48	36.20	33.67	31.13
	60"	PE38757C-60	38.50	35.81	33.11
	Any	PE38757C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE38757D-12	$29.35	$27.30	$25.24
	24"	PE38757D-24	31.65	29.43	27.22
	36"	PE38757D-36	33.95	31.57	29.20
	48"	PE38757D-48	36.20	33.67	31.13
	60"	PE38757D-60	38.50	35.81	33.11
	Any	PE38757D-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE38757H-12	$29.35	$27.30	$25.24
	24"	PE38757H-24	31.65	29.43	27.22
	36"	PE38757H-36	33.95	31.57	29.20
	48"	PE38757H-48	36.20	33.67	31.13
	60"	PE38757H-60	38.50	35.81	33.11
	Any	PE38757H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE38757I-12	$29.35	$27.30	$25.24
	24"	PE38757I-24	31.65	29.43	27.22
	36"	PE38757I-36	33.95	31.57	29.20
	48"	PE38757I-48	36.20	33.67	31.13
	60"	PE38757I-60	38.50	35.81	33.11
	Any	PE38757I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE38757K-12	$29.35	$27.30	$25.24
	24"	PE38757K-24	31.65	29.43	27.22
	36"	PE38757K-36	33.95	31.57	29.20
	48"	PE38757K-48	36.20	33.67	31.13
	60"	PE38757K-60	38.50	35.81	33.11
	Any	PE38757K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE38757Z-12	$29.35	$27.30	$25.24
	24"	PE38757Z-24	31.65	29.43	27.22
	36"	PE38757Z-36	33.95	31.57	29.20
	48"	PE38757Z-48	36.20	33.67	31.13
	60"	PE38757Z-60	38.50	35.81	33.11
	Any	PE38757Z-XX	See Website for Pricing		

NEW FAKRA PLUG TO SMA MALE, PE-C100 COAX

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39342A-12	$26.80	$24.92	$23.05
	24"	PE39342A-24	28.45	26.46	24.47
	36"	PE39342A-36	30.15	28.04	25.93
	48"	PE39342A-48	31.80	29.57	27.35
	60"	PE39342A-60	33.50	31.16	28.81
	Any	PE39342A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39342B-12	$26.80	$24.92	$23.05
	24"	PE39342B-24	28.45	26.46	24.47
	36"	PE39342B-36	30.15	28.04	25.93
	48"	PE39342B-48	31.80	29.57	27.35
	60"	PE39342B-60	33.50	31.16	28.81
	Any	PE39342B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39342C-12	$26.80	$24.92	$23.05
	24"	PE39342C-24	28.45	26.46	24.47
	36"	PE39342C-36	30.15	28.04	25.93
	48"	PE39342C-48	31.80	29.57	27.35
	60"	PE39342C-60	33.50	31.16	28.81
	Any	PE39342C-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39342H-12	$26.80	$24.92	$23.05
	24"	PE39342H-24	28.45	26.46	24.47
	36"	PE39342H-36	30.15	28.04	25.93
	48"	PE39342H-48	31.80	29.57	27.35
	60"	PE39342H-60	33.50	31.16	28.81
	Any	PE39342H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39342I-12	$26.80	$24.92	$23.05
	24"	PE39342I-24	28.45	26.46	24.47
	36"	PE39342I-36	30.15	28.04	25.93
	48"	PE39342I-48	31.80	29.57	27.35
	60"	PE39342I-60	33.50	31.16	28.81
	Any	PE39342I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39342K-12	$26.80	$24.92	$23.05
	24"	PE39342K-24	28.45	26.46	24.47
	36"	PE39342K-36	30.15	28.04	25.93
	48"	PE39342K-48	31.80	29.57	27.35
	60"	PE39342K-60	33.50	31.16	28.81
	Any	PE39342K-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

NEW FAKRA PLUG TO SMA MALE, PE-C100 COAX

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE D COLOR: BORDEAUX	12"	PE39342D-12	$26.80	$24.92	$23.05
	24"	PE39342D-24	28.45	26.46	24.47
	36"	PE39342D-36	30.15	28.04	25.93
	48"	PE39342D-48	31.80	29.57	27.35
	60"	PE39342D-60	33.50	31.16	28.81
	Any	PE39342D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE Z COLOR: WATER BLUE	12"	PE39342Z-12	$26.80	$24.92	$23.05
	24"	PE39342Z-24	28.45	26.46	24.47
	36"	PE39342Z-36	30.15	28.04	25.93
	48"	PE39342Z-48	31.80	29.57	27.35
	60"	PE39342Z-60	33.50	31.16	28.81
	Any	PE39342Z-XX	See Website for Pricing		

NEW FAKRA PLUG TO SMA MALE, RG174A/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39197A-12	$29.95	$27.85	$25.76
	24"	PE39197A-24	30.35	28.23	26.10
	36"	PE39197A-36	30.75	28.60	26.45
	48"	PE39197A-48	31.15	28.97	26.79
	60"	PE39197A-60	31.55	29.34	27.13
	Any	PE39197A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39197B-12	$29.95	$27.85	$25.76
	24"	PE39197B-24	30.35	28.23	26.10
	36"	PE39197B-36	30.75	28.60	26.45
	48"	PE39197B-48	31.15	28.97	26.79
	60"	PE39197B-60	31.55	29.34	27.13
	Any	PE39197B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39197C-12	$29.95	$27.85	$25.76
	24"	PE39197C-24	30.35	28.23	26.10
	36"	PE39197C-36	30.75	28.60	26.45
	48"	PE39197C-48	31.15	28.97	26.79
	60"	PE39197C-60	31.55	29.34	27.13
	Any	PE39197C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39197D-12	$29.95	$27.85	$25.76
	24"	PE39197D-24	30.35	28.23	26.10
	36"	PE39197D-36	30.75	28.60	26.45
	48"	PE39197D-48	31.15	28.97	26.79
	60"	PE39197D-60	31.55	29.34	27.13
	Any	PE39197D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39197H-12	$29.95	$27.85	$25.76
	24"	PE39197H-24	30.35	28.23	26.10
	36"	PE39197H-36	30.75	28.60	26.45
	48"	PE39197H-48	31.15	28.97	26.79
	60"	PE39197H-60	31.55	29.34	27.13
	Any	PE39197H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39197I-12	$29.95	$27.85	$25.76
	24"	PE39197I-24	30.35	28.23	26.10
	36"	PE39197I-36	30.75	28.60	26.45
	48"	PE39197I-48	31.15	28.97	26.79
	60"	PE39197I-60	31.55	29.34	27.13
	Any	PE39197I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39197K-12	$29.95	$27.85	$25.76
	24"	PE39197K-24	30.35	28.23	26.10
	36"	PE39197K-36	30.75	28.60	26.45
	48"	PE39197K-48	31.15	28.97	26.79
	60"	PE39197K-60	31.55	29.34	27.13
	Any	PE39197K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39197Z-12	$29.95	$27.85	$25.76
	24"	PE39197Z-24	30.35	28.23	26.10
	36"	PE39197Z-36	30.75	28.60	26.45
	48"	PE39197Z-48	31.15	28.97	26.79
	60"	PE39197Z-60	31.55	29.34	27.13
	Any	PE39197Z-XX	See Website for Pricing		

NEW FAKRA PLUG TO SMA MALE, RG316/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39343A-12	$31.80	$29.57	$27.35
	24"	PE39343A-24	34.10	31.71	29.33
	36"	PE39343A-36	33.00	30.69	28.38
	48"	PE39343A-48	38.65	35.94	33.24
	60"	PE39343A-60	40.95	38.08	35.22
	Any	PE39343A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39343B-12	$31.80	$29.57	$27.35
	24"	PE39343B-24	34.10	31.71	29.33
	36"	PE39343B-36	36.35	33.81	31.26
	48"	PE39343B-48	38.65	35.94	33.24
	60"	PE39343B-60	40.95	38.08	35.22
	Any	PE39343B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39343C-12	$31.80	$29.57	$27.35
	24"	PE39343C-24	34.10	31.71	29.33
	36"	PE39343C-36	36.35	33.81	31.26
	48"	PE39343C-48	38.65	35.94	33.24
	60"	PE39343C-60	40.95	38.08	35.22
	Any	PE39343C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39343D-12	$31.00	$28.83	$26.66
	24"	PE39343D-24	34.10	31.71	29.33
	36"	PE39343D-36	36.35	33.81	31.26
	48"	PE39343D-48	38.65	35.94	33.24
	60"	PE39343D-60	40.95	38.08	35.22
	Any	PE39343D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39343H-12	$31.80	$29.57	$27.35
	24"	PE39343H-24	34.10	31.71	29.33
	36"	PE39343H-36	36.35	33.81	31.26
	48"	PE39343H-48	38.65	35.94	33.24
	60"	PE39343H-60	40.95	38.08	35.22
	Any	PE39343H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39343I-12	$31.80	$29.57	$27.35
	24"	PE39343I-24	34.10	31.71	29.33
	36"	PE39343I-36	36.35	33.81	31.26
	48"	PE39343I-48	38.65	35.94	33.24
	60"	PE39343I-60	40.95	38.08	35.22
	Any	PE39343I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39343K-12	$31.80	$29.57	$27.35
	24"	PE39343K-24	34.10	31.71	29.33
	36"	PE39343K-36	36.35	33.81	31.26
	48"	PE39343K-48	38.65	35.94	33.24
	60"	PE39343K-60	40.95	38.08	35.22
	Any	PE39343K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39343Z-12	$31.80	$29.57	$27.35
	24"	PE39343Z-24	34.10	31.71	29.33
	36"	PE39343Z-36	36.35	33.81	31.26
	48"	PE39343Z-48	38.65	35.94	33.24
	60"	PE39343Z-60	40.95	38.08	35.22
	Any	PE39343Z-XX	See Website for Pricing		

NEW FAKRA PLUG TO SMA FEMALE, PE-C100 COAX

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39344A-12	$29.20	$27.16	$25.11
	24"	PE39344A-24	30.85	28.69	26.53
	36"	PE39344A-36	32.55	30.27	27.99
	48"	PE39344A-48	34.20	31.81	29.41
	60"	PE39344A-60	35.90	33.39	30.87
	Any	PE39344A-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39344H-12	$29.20	$27.16	$25.11
	24"	PE39344H-24	30.85	28.69	26.53
	36"	PE39344H-36	32.55	30.27	27.99
	48"	PE39344H-48	34.20	31.81	29.41
	60"	PE39344H-60	35.90	33.39	30.87
	Any	PE39344H-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

NEW FAKRA PLUG TO SMA FEMALE, PE-C100 COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE B COLOR: WHITE	12"	PE39344B-12	$29.20	$27.16	$25.11
	24"	PE39344B-24	30.85	28.69	26.53
	36"	PE39344B-36	32.55	30.27	27.99
	48"	PE39344B-48	34.20	31.81	29.41
	60"	PE39344B-60	35.90	33.39	30.87
	Any	PE39344B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39344C-12	$29.20	$27.16	$25.11
	24"	PE39344C-24	30.85	28.69	26.53
	36"	PE39344C-36	32.55	30.27	27.99
	48"	PE39344C-48	34.20	31.81	29.41
	60"	PE39344C-60	35.90	33.39	30.87
	Any	PE39344C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39344D-12	$29.20	$27.16	$25.11
	24"	PE39344D-24	30.85	28.69	26.53
	36"	PE39344D-36	32.55	30.27	27.99
	48"	PE39344D-48	34.20	31.81	29.41
	60"	PE39344D-60	35.90	33.39	30.87
	Any	PE39344D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE I COLOR: BEIGE	12"	PE39344I-12	$29.20	$27.16	$25.11
	24"	PE39344I-24	30.85	28.69	26.53
	36"	PE39344I-36	32.55	30.27	27.99
	48"	PE39344I-48	34.20	31.81	29.41
	60"	PE39344I-60	35.90	33.39	30.87
	Any	PE39344I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39344K-12	$29.20	$27.16	$25.11
	24"	PE39344K-24	30.85	28.69	26.53
	36"	PE39344K-36	32.55	30.27	27.99
	48"	PE39344K-48	34.20	31.81	29.41
	60"	PE39344K-60	35.90	33.39	30.87
	Any	PE39344K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39344Z-12	$29.20	$27.16	$25.11
	24"	PE39344Z-24	30.85	28.69	26.53
	36"	PE39344Z-36	32.55	30.27	27.99
	48"	PE39344Z-48	34.20	31.81	29.41
	60"	PE39344Z-60	35.90	33.39	30.87
	Any	PE39344Z-XX	See Website for Pricing		

NEW FAKRA PLUG TO SMA FEMALE, RG174A/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39345A-12	$36.75	$34.18	$31.61
	24"	PE39345A-24	37.15	34.55	31.95
	36"	PE39345A-36	37.55	34.92	32.29
	48"	PE39345A-48	37.95	35.29	32.64
	60"	PE39345A-60	38.35	35.67	32.98
	Any	PE39345A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39345B-12	$36.75	$34.18	$31.61
	24"	PE39345B-24	37.15	34.55	31.95
	36"	PE39345B-36	37.55	34.92	32.29
	48"	PE39345B-48	37.95	35.29	32.64
	60"	PE39345B-60	38.35	35.67	32.98
	Any	PE39345B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39345C-12	$36.75	$34.18	$31.61
	24"	PE39345C-24	37.15	34.55	31.95
	36"	PE39345C-36	37.55	34.92	32.29
	48"	PE39345C-48	37.95	35.29	32.64
	60"	PE39345C-60	38.35	35.67	32.98
	Any	PE39345C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39345D-12	$36.75	$34.18	$31.61
	24"	PE39345D-24	37.15	34.55	31.95
	36"	PE39345D-36	37.55	34.92	32.29
	48"	PE39345D-48	37.95	35.29	32.64
	60"	PE39345D-60	38.35	35.67	32.98
	Any	PE39345D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39345H-12	$36.75	$34.18	$31.61
	24"	PE39345H-24	37.15	34.55	31.95
	36"	PE39345H-36	37.55	34.92	32.29
	48"	PE39345H-48	37.95	35.29	32.64
	60"	PE39345H-60	38.35	35.67	32.98
	Any	PE39345H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39345I-12	$36.75	$34.18	$31.61
	24"	PE39345I-24	37.15	34.55	31.95
	36"	PE39345I-36	37.55	34.92	32.29
	48"	PE39345I-48	37.95	35.29	32.64
	60"	PE39345I-60	38.35	35.67	32.98
	Any	PE39345I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39345K-12	$36.75	$34.18	$31.61
	24"	PE39345K-24	37.15	34.55	31.95
	36"	PE39345K-36	37.55	34.92	32.29
	48"	PE39345K-48	37.95	35.29	32.64
	60"	PE39345K-60	38.35	35.67	32.98
	Any	PE39345K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39345Z-12	$36.75	$34.18	$31.61
	24"	PE39345Z-24	37.15	34.55	31.95
	36"	PE39345Z-36	37.55	34.92	32.29
	48"	PE39345Z-48	37.95	35.29	32.64
	60"	PE39345Z-60	38.35	35.67	32.98
	Any	PE39345Z-XX	See Website for Pricing		

NEW FAKRA PLUG TO SMA FEMALE, RG316/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39346A-12	$38.60	$35.90	$33.20
	24"	PE39346A-24	40.90	38.04	35.17
	36"	PE39346A-36	43.20	40.18	37.15
	48"	PE39346A-48	45.45	42.27	39.09
	60"	PE39346A-60	47.75	44.41	41.07
	Any	PE39346A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39346B-12	$38.60	$35.90	$33.20
	24"	PE39346B-24	40.90	38.04	35.17
	36"	PE39346B-36	43.20	40.18	37.15
	48"	PE39346B-48	45.45	42.27	39.09
	60"	PE39346B-60	47.75	44.41	41.07
	Any	PE39346B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39346C-12	$38.60	$35.90	$33.20
	24"	PE39346C-24	40.90	38.04	35.17
	36"	PE39346C-36	43.20	40.18	37.15
	48"	PE39346C-48	45.45	42.27	39.09
	60"	PE39346C-60	47.75	44.41	41.07
	Any	PE39346C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39346D-12	$38.60	$35.90	$33.20
	24"	PE39346D-24	40.90	38.04	35.17
	36"	PE39346D-36	43.20	40.18	37.15
	48"	PE39346D-48	45.45	42.27	39.09
	60"	PE39346D-60	47.75	44.41	41.07
	Any	PE39346D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39346H-12	$38.60	$35.90	$33.20
	24"	PE39346H-24	40.90	38.04	35.17
	36"	PE39346H-36	43.20	40.18	37.15
	48"	PE39346H-48	45.45	42.27	39.09
	60"	PE39346H-60	47.75	44.41	41.07
	Any	PE39346H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39346I-12	$38.60	$35.90	$33.20
	24"	PE39346I-24	40.90	38.04	35.17
	36"	PE39346I-36	43.20	40.18	37.15
	48"	PE39346I-48	45.45	42.27	39.09
	60"	PE39346I-60	47.75	44.41	41.07
	Any	PE39346I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39346K-12	$38.60	$35.90	$33.20
	24"	PE39346K-24	40.90	38.04	35.17
	36"	PE39346K-36	43.20	40.18	37.15
	48"	PE39346K-48	45.45	42.27	39.09
	60"	PE39346K-60	47.75	44.41	41.07
	Any	PE39346K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39346Z-12	$38.60	$35.90	$33.20
	24"	PE39346Z-24	40.90	38.04	35.17
	36"	PE39346Z-36	43.20	40.18	37.15
	48"	PE39346Z-48	45.45	42.27	39.09
	60"	PE39346Z-60	47.75	44.41	41.07
	Any	PE39346Z-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued on Next Page

Continued from Previous Page

NEW FAKRA JACK TO SMA MALE, PE-C100 COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39347A-12	$26.80	$24.92	$23.05
	24"	PE39347A-24	28.45	26.46	24.47
	36"	PE39347A-36	30.15	28.04	25.93
	48"	PE39347A-48	31.80	29.57	27.35
	60"	PE39347A-60	33.50	31.16	28.81
	Any	PE39347A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39347B-12	$26.80	$24.92	$23.05
	24"	PE39347B-24	28.45	26.46	24.47
	36"	PE39347B-36	30.15	28.04	25.93
	48"	PE39347B-48	31.80	29.57	27.35
	60"	PE39347B-60	33.50	31.16	28.81
	Any	PE39347B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39347C-12	$26.80	$24.92	$23.05
	24"	PE39347C-24	28.45	26.46	24.47
	36"	PE39347C-36	30.15	28.04	25.93
	48"	PE39347C-48	31.80	29.57	27.35
	60"	PE39347C-60	33.50	31.16	28.81
	Any	PE39347C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39347D-12	$26.80	$24.92	$23.05
	24"	PE39347D-24	28.45	26.46	24.47
	36"	PE39347D-36	30.15	28.04	25.93
	48"	PE39347D-48	31.80	29.57	27.35
	60"	PE39347D-60	33.50	31.16	28.81
	Any	PE39347D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39347H-12	$26.80	$24.92	$23.05
	24"	PE39347H-24	28.45	26.46	24.47
	36"	PE39347H-36	30.15	28.04	25.93
	48"	PE39347H-48	31.80	29.57	27.35
	60"	PE39347H-60	33.50	31.16	28.81
	Any	PE39347H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39347I-12	$26.80	$24.92	$23.05
	24"	PE39347I-24	28.45	26.46	24.47
	36"	PE39347I-36	30.15	28.04	25.93
	48"	PE39347I-48	31.80	29.57	27.35
	60"	PE39347I-60	33.50	31.16	28.81
	Any	PE39347I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39347K-12	$26.80	$24.92	$23.05
	24"	PE39347K-24	28.45	26.46	24.47
	36"	PE39347K-36	30.15	28.04	25.93
	48"	PE39347K-48	31.80	29.57	27.35
	60"	PE39347K-60	33.50	31.16	28.81
	Any	PE39347K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39347Z-12	$26.80	$24.92	$23.05
	24"	PE39347Z-24	28.45	26.46	24.47
	36"	PE39347Z-36	30.15	28.04	25.93
	48"	PE39347Z-48	31.80	29.57	27.35
	60"	PE39347Z-60	33.50	31.16	28.81
	Any	PE39347Z-XX	See Website for Pricing		

NEW FAKRA JACK TO SMA MALE, RG174A/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39199A-12	$29.95	$27.85	$25.76
	24"	PE39199A-24	30.35	28.23	26.10
	36"	PE39199A-36	30.75	28.60	26.45
	48"	PE39199A-48	31.15	28.97	26.79
	60"	PE39199A-60	31.55	29.34	27.13
	Any	PE39199A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39199B-12	$29.95	$27.85	$25.76
	24"	PE39199B-24	29.50	27.44	25.37
	36"	PE39199B-36	30.75	28.60	26.45
	48"	PE39199B-48	31.15	28.97	26.79
	60"	PE39199B-60	31.55	29.34	27.13
	Any	PE39199B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39199C-12	$29.95	$27.85	$25.76
	24"	PE39199C-24	30.35	28.23	26.10
	36"	PE39199C-36	30.75	28.60	26.45
	48"	PE39199C-48	31.15	28.97	26.79
	60"	PE39199C-60	31.55	29.34	27.13
	Any	PE39199C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39199D-12	$29.95	$27.85	$25.76
	24"	PE39199D-24	30.35	28.23	26.10
	36"	PE39199D-36	30.75	28.60	26.45
	48"	PE39199D-48	31.15	28.97	26.79
	60"	PE39199D-60	31.55	29.34	27.13
	Any	PE39199D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39199H-12	$29.95	$27.85	$25.76
	24"	PE39199H-24	30.35	28.23	26.10
	36"	PE39199H-36	30.75	28.60	26.45
	48"	PE39199H-48	31.15	28.97	26.79
	60"	PE39199H-60	31.55	29.34	27.13
	Any	PE39199H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39199I-12	$29.95	$27.85	$25.76
	24"	PE39199I-24	30.35	28.23	26.10
	36"	PE39199I-36	30.75	28.60	26.45
	48"	PE39199I-48	31.15	28.97	26.79
	60"	PE39199I-60	31.55	29.34	27.13
	Any	PE39199I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39199K-12	$29.95	$27.85	$25.76
	24"	PE39199K-24	30.35	28.23	26.10
	36"	PE39199K-36	30.75	28.60	26.45
	48"	PE39199K-48	31.15	28.97	26.79
	60"	PE39199K-60	31.55	29.34	27.13
	Any	PE39199K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39199Z-12	$29.95	$27.85	$25.76
	24"	PE39199Z-24	30.35	28.23	26.10
	36"	PE39199Z-36	30.75	28.60	26.45
	48"	PE39199Z-48	31.15	28.97	26.79
	60"	PE39199Z-60	31.55	29.34	27.13
	Any	PE39199Z-XX	See Website for Pricing		

NEW FAKRA JACK TO SMA MALE, RG316/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39348A-12	$31.80	$29.57	$27.35
	24"	PE39348A-24	33.00	30.69	28.38
	36"	PE39348A-36	36.35	33.81	31.26
	48"	PE39348A-48	38.65	35.94	33.24
	60"	PE39348A-60	40.95	38.08	35.22
	Any	PE39348A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39348B-12	$31.80	$29.57	$27.35
	24"	PE39348B-24	34.10	31.71	29.33
	36"	PE39348B-36	36.35	33.81	31.26
	48"	PE39348B-48	38.65	35.94	33.24
	60"	PE39348B-60	40.95	38.08	35.22
	Any	PE39348B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39348C-12	$31.80	$29.57	$27.35
	24"	PE39348C-24	34.10	31.71	29.33
	36"	PE39348C-36	36.35	33.81	31.26
	48"	PE39348C-48	38.65	35.94	33.24
	60"	PE39348C-60	40.95	38.08	35.22
	Any	PE39348C-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE H COLOR: VIOLET	12"	PE39348H-12	$31.80	$29.57	$27.35
	24"	PE39348H-24	34.10	31.71	29.33
	36"	PE39348H-36	36.35	33.81	31.26
	48"	PE39348H-48	38.65	35.94	33.24
	60"	PE39348H-60	40.95	38.08	35.22
	Any	PE39348H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39348I-12	$31.80	$29.57	$27.35
	24"	PE39348I-24	34.10	31.71	29.33
	36"	PE39348I-36	36.35	33.81	31.26
	48"	PE39348I-48	38.65	35.94	33.24
	60"	PE39348I-60	40.95	38.08	35.22
	Any	PE39348I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39348K-12	$31.80	$29.57	$27.35
	24"	PE39348K-24	34.10	31.71	29.33
	36"	PE39348K-36	36.35	33.81	31.26
	48"	PE39348K-48	38.65	35.94	33.24
	60"	PE39348K-60	40.95	38.08	35.22
	Any	PE39348K-XX	See Website for Pricing		

Continued on Next Page

Continued from Previous Page

NEW FAKRA JACK TO SMA MALE, RG316/U COAX

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE D COLOR: BORDEAUX	12"	PE39348D-12	$31.80	$29.57	$27.35
	24"	PE39348D-24	34.10	31.71	29.33
	36"	PE39348D-36	36.35	33.81	31.26
	48"	PE39348D-48	38.65	35.94	33.24
	60"	PE39348D-60	40.95	38.08	35.22
	Any	PE39348D-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39348Z-12	$31.80	$29.57	$27.35
	24"	PE39348Z-24	34.10	31.71	29.33
	36"	PE39348Z-36	36.35	33.81	31.26
	48"	PE39348Z-48	38.65	35.94	33.24
	60"	PE39348Z-60	40.95	38.08	35.22
	Any	PE39348Z-XX	See Website for Pricing		

NEW FAKRA JACK TO SMA FEMALE, PE-C100 COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39349A-12	$29.20	$27.16	$25.11
	24"	PE39349A-24	30.85	28.69	26.53
	36"	PE39349A-36	32.55	30.27	27.99
	48"	PE39349A-48	34.20	31.81	29.41
	60"	PE39349A-60	35.90	33.39	30.87
	Any	PE39349A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39349B-12	$29.20	$27.16	$25.11
	24"	PE39349B-24	30.85	28.69	26.53
	36"	PE39349B-36	32.55	30.27	27.99
	48"	PE39349B-48	34.20	31.81	29.41
	60"	PE39349B-60	35.90	33.39	30.87
	Any	PE39349B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39349C-12	$29.20	$27.16	$25.11
	24"	PE39349C-24	30.85	28.69	26.53
	36"	PE39349C-36	32.55	30.27	27.99
	48"	PE39349C-48	34.20	31.81	29.41
	60"	PE39349C-60	35.90	33.39	30.87
	Any	PE39349C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39349D-12	$29.20	$27.16	$25.11
	24"	PE39349D-24	30.85	28.69	26.53
	36"	PE39349D-36	32.55	30.27	27.99
	48"	PE39349D-48	34.20	31.81	29.41
	60"	PE39349D-60	35.90	33.39	30.87
	Any	PE39349D-XX	See Website for Pricing		
KEY CODE H COLOR: VIOLET	12"	PE39349H-12	$29.20	$27.16	$25.11
	24"	PE39349H-24	30.85	28.69	26.53
	36"	PE39349H-36	32.55	30.27	27.99
	48"	PE39349H-48	34.20	31.81	29.41
	60"	PE39349H-60	35.90	33.39	30.87
	Any	PE39349H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39349I-12	$29.20	$27.16	$25.11
	24"	PE39349I-24	30.85	28.69	26.53
	36"	PE39349I-36	32.55	30.27	27.99
	48"	PE39349I-48	34.20	31.81	29.41
	60"	PE39349I-60	35.90	33.39	30.87
	Any	PE39349I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39349K-12	$29.20	$27.16	$25.11
	24"	PE39349K-24	30.85	28.69	26.53
	36"	PE39349K-36	32.55	30.27	27.99
	48"	PE39349K-48	34.20	31.81	29.41
	60"	PE39349K-60	35.90	33.39	30.87
	Any	PE39349K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39349Z-12	$29.20	$27.16	$25.11
	24"	PE39349Z-24	30.85	28.69	26.53
	36"	PE39349Z-36	32.55	30.27	27.99
	48"	PE39349Z-48	34.20	31.81	29.41
	60"	PE39349Z-60	35.90	33.39	30.87
	Any	PE39349Z-XX	See Website for Pricing		

NEW FAKRA JACK TO SMA FEMALE, RG174A/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39350A-12	$36.75	$34.18	$31.61
	24"	PE39350A-24	37.15	34.55	31.95
	36"	PE39350A-36	37.55	34.92	32.29
	48"	PE39350A-48	37.95	35.29	32.64
	60"	PE39350A-60	38.35	35.67	32.98
	Any	PE39350A-XX	See Website for Pricing		
KEY CODE B COLOR: WHITE	12"	PE39350B-12	$36.75	$34.18	$31.61
	24"	PE39350B-24	37.15	34.55	31.95
	36"	PE39350B-36	37.55	34.92	32.29
	48"	PE39350B-48	37.95	35.29	32.64
	60"	PE39350B-60	38.35	35.67	32.98
	Any	PE39350B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39350C-12	$36.75	$34.18	$31.61
	24"	PE39350C-24	37.15	34.55	31.95
	36"	PE39350C-36	37.55	34.92	32.29
	48"	PE39350C-48	37.95	35.29	32.64
	60"	PE39350C-60	38.35	35.67	32.98
	Any	PE39350C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39350D-12	$36.75	$34.18	$31.61
	24"	PE39350D-24	37.15	34.55	31.95
	36"	PE39350D-36	37.55	34.92	32.29
	48"	PE39350D-48	37.95	35.29	32.64
	60"	PE39350D-60	38.35	35.67	32.98
	Any	PE39350D-XX	See Website for Pricing		
KEY CODE H COLOR: VIOLET	12"	PE39350H-12	$36.75	$34.18	$31.61
	24"	PE39350H-24	37.15	34.55	31.95
	36"	PE39350H-36	37.55	34.92	32.29
	48"	PE39350H-48	37.95	35.29	32.64
	60"	PE39350H-60	38.35	35.67	32.98
	Any	PE39350H-XX	See Website for Pricing		
KEY CODE I COLOR: BEIGE	12"	PE39350I-12	$36.75	$34.18	$31.61
	24"	PE39350I-24	37.15	34.55	31.95
	36"	PE39350I-36	37.55	34.92	32.29
	48"	PE39350I-48	37.95	35.29	32.64
	60"	PE39350I-60	38.35	35.67	32.98
	Any	PE39350I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39350K-12	$36.75	$34.18	$31.61
	24"	PE39350K-24	37.15	34.55	31.95
	36"	PE39350K-36	37.55	34.92	32.29
	48"	PE39350K-48	37.95	35.29	32.64
	60"	PE39350K-60	38.35	35.67	32.98
	Any	PE39350K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39350Z-12	$36.75	$34.18	$31.61
	24"	PE39350Z-24	37.15	34.55	31.95
	36"	PE39350Z-36	37.55	34.92	32.29
	48"	PE39350Z-48	37.95	35.29	32.64
	60"	PE39350Z-60	38.35	35.67	32.98
	Any	PE39350Z-XX	See Website for Pricing		

NEW FAKRA JACK TO SMA FEMALE, RG316/U COAX

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE A COLOR: BLACK	12"	PE39351A-12	$38.60	$35.90	$33.20
	24"	PE39351A-24	40.90	38.04	35.17
	36"	PE39351A-36	43.20	40.18	37.15
	48"	PE39351A-48	45.45	42.27	39.09
	60"	PE39351A-60	47.75	44.41	41.07
	Any	PE39351A-XX	See Website for Pricing		
KEY CODE H COLOR: VIOLET	12"	PE39351H-12	$38.60	$35.90	$33.20
	24"	PE39351H-24	40.90	38.04	35.17
	36"	PE39351H-36	43.20	40.18	37.15
	48"	PE39351H-48	45.45	42.27	39.09
	60"	PE39351H-60	47.75	44.41	41.07
	Any	PE39351H-XX	See Website for Pricing		

Continued on Next Page

Cable Assemblies

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

Continued from Previous Page

NEW FAKRA JACK TO SMA FEMALE, RG316/U COAX

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE B COLOR: WHITE	12"	PE39351B-12	$38.60	$35.90	$33.20
	24"	PE39351B-24	40.90	38.04	35.17
	36"	PE39351B-36	43.20	40.18	37.15
	48"	PE39351B-48	45.45	42.27	39.09
	60"	PE39351B-60	47.75	44.41	41.07
	Any	PE39351B-XX	See Website for Pricing		
KEY CODE C COLOR: BLUE	12"	PE39351C-12	$38.60	$35.90	$33.20
	24"	PE39351C-24	40.90	38.04	35.17
	36"	PE39351C-36	43.20	40.18	37.15
	48"	PE39351C-48	45.45	42.27	39.09
	60"	PE39351C-60	47.75	44.41	41.07
	Any	PE39351C-XX	See Website for Pricing		
KEY CODE D COLOR: BORDEAUX	12"	PE39351D-12	$38.60	$35.90	$33.20
	24"	PE39351D-24	40.90	38.04	35.17
	36"	PE39351D-36	43.20	40.18	37.15
	48"	PE39351D-48	45.45	42.27	39.09
	60"	PE39351D-60	47.75	44.41	41.07
	Any	PE39351D-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
KEY CODE I COLOR: BEIGE	12"	PE39351I-12	$38.60	$35.90	$33.20
	24"	PE39351I-24	40.90	38.04	35.17
	36"	PE39351I-36	43.20	40.18	37.15
	48"	PE39351I-48	45.45	42.27	39.09
	60"	PE39351I-60	47.75	44.41	41.07
	Any	PE39351I-XX	See Website for Pricing		
KEY CODE K COLOR: CURRY	12"	PE39351K-12	$38.60	$35.90	$33.20
	24"	PE39351K-24	40.90	38.04	35.17
	36"	PE39351K-36	43.20	40.18	37.15
	48"	PE39351K-48	45.45	42.27	39.09
	60"	PE39351K-60	47.75	44.41	41.07
	Any	PE39351K-XX	See Website for Pricing		
KEY CODE Z COLOR: WATER BLUE	12"	PE39351Z-12	$38.60	$35.90	$33.20
	24"	PE39351Z-24	40.90	38.04	35.17
	36"	PE39351Z-36	43.20	40.18	37.15
	48"	PE39351Z-48	45.45	42.27	39.09
	60"	PE39351Z-60	47.75	44.41	41.07
	Any	PE39351Z-XX	See Website for Pricing		

SSMB PLUG RIGHT ANGLE TO SSMB PLUG RIGHT ANGLE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG196A/U COAX (Coax Performance: Attenuation* 45.0 dB; Power Handling** 78 W; Cable Diameter .080")	12"	PE3134-12	$46.75	$43.48	$40.21
	24"	PE3134-24	47.80	44.45	41.11
	36"	PE3134-36	48.80	45.38	41.97
	48"	PE3134-48	49.85	46.36	42.87
	60"	PE3134-60	50.85	47.29	43.73
	Any	PE3134-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG316/U COAX (Coax Performance: Attenuation* 30.0 dB; Power Handling** 160 W; Cable Diameter .102")	12"	PE3157-12	$59.30	$55.15	$51.00
	24"	PE3157-24	61.60	57.29	52.98
	36"	PE3157-36	63.90	59.43	54.95
	48"	PE3157-48	66.15	61.52	56.89
	60"	PE3157-60	68.45	63.66	58.87
	Any	PE3157-XX	See Website for Pricing		

C MALE TO C MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
52 OHM, RG8A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE33316-12	$72.20	$67.15	$62.09
	24"	PE33316-24	74.35	69.15	63.94
	36"	PE33316-36	76.55	71.19	65.83
	48"	PE33316-48	78.70	73.19	67.68
	60"	PE33316-60	80.90	75.24	69.57
	Any	PE33316-XX	See Website for Pricing		
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3457-12	$66.05	$61.43	$56.80
	24"	PE3457-24	66.55	61.89	57.23
	36"	PE3457-36	67.10	62.40	57.71
	48"	PE3457-48	67.60	62.87	58.14
	60"	PE3457-60	68.15	63.38	58.61
	Any	PE3457-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3518-12	$53.05	$49.34	$45.62
	24"	PE3518-24	57.00	53.01	49.02
	36"	PE3518-36	60.95	56.68	52.42
	48"	PE3518-48	64.90	60.36	55.81
	60"	PE3518-60	68.85	64.03	59.21
	Any	PE3518-XX	See Website for Pricing		
50 OHM, RG213/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .405")	12"	PE3522-12	$71.25	$66.26	$61.28
	24"	PE3522-24	72.50	67.43	62.35
	36"	PE3522-36	73.70	68.54	63.38
	48"	PE3522-48	74.95	69.70	64.46
	60"	PE3522-60	76.15	70.82	65.49
	Any	PE3522-XX	See Website for Pricing		
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3605-12	$64.80	$60.26	$55.73
	24"	PE3605-24	70.30	65.38	60.46
	36"	PE3605-36	75.80	70.49	65.19
	48"	PE3605-48	81.30	75.61	69.92
	60"	PE3605-60	86.75	80.68	74.61
	Any	PE3605-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG217/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 5.8 dB; Power Handling** 260 W; Cable Diameter .545")	12"	PE34437-12	$111.40	$103.60	$95.80
	24"	PE34437-24	114.85	106.81	98.77
	36"	PE34437-36	118.30	110.02	101.74
	48"	PE34437-48	121.75	113.23	104.71
	60"	PE34437-60	125.20	116.44	107.67
	Any	PE34437-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3343-12	$51.25	$47.66	$44.08
	24"	PE3343-24	53.35	49.62	45.88
	36"	PE3343-36	55.45	51.57	47.69
	48"	PE3343-48	57.55	53.52	49.49
	60"	PE3343-60	59.70	55.52	51.34
	Any	PE3343-XX	See Website for Pricing		
50 OHM, RG225/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .430")	12"	PE33098-12	$84.70	$78.77	$72.84
	24"	PE33098-24	110.10	102.39	94.69
	36"	PE33098-36	135.45	125.97	116.49
	48"	PE33098-48	160.85	149.59	138.33
	60"	PE33098-60	186.20	173.17	160.13
	Any	PE33098-XX	See Website for Pricing		
50 OHM, RG393/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 7.5 dB; Power Handling** 1700 W; Cable Diameter .390")	12"	PE3120-12	$71.35	$66.36	$61.36
	24"	PE3120-24	83.35	77.52	71.68
	36"	PE3120-36	95.40	88.72	82.04
	48"	PE3120-48	107.40	99.88	92.36
	60"	PE3120-60	119.45	111.09	102.73
	Any	PE3120-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3545-12	$58.70	$54.59	$50.48
	24"	PE3545-24	63.90	59.43	54.95
	36"	PE3545-36	69.05	64.22	59.38
	48"	PE3545-48	74.25	69.05	63.86
	60"	PE3545-60	79.40	73.84	68.28
	Any	PE3545-XX	See Website for Pricing		

75 OHM BNC MALE TO 75 OHM BNC MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE33197-12	$39.95	$37.15	$34.36
	24"	PE33197-24	41.30	38.41	35.52
	36"	PE33197-36	42.70	39.71	36.72
	48"	PE33197-48	44.00	40.92	37.84
	60"	PE33197-60	45.25	42.08	38.92
	Any	PE33197-XX	See Website for Pricing		
75 OHM, RG6-CATV COAX (Coax Performance: Attenuation* 6.5 dB; Power Handling** 6.5 W; Cable Diameter .275")	12"	PE37808-12	$40.80	$37.94	$35.09
	24"	PE37808-24	41.60	38.69	35.78
	36"	PE37808-36	42.40	39.43	36.46
	48"	PE37808-48	43.20	40.18	37.15
	60"	PE37808-60	43.95	40.87	37.80
	Any	PE37808-XX	See Website for Pricing		
75 OHM, RG11A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .405")	12"	PE33399-12	$45.45	$42.27	$39.09
	24"	PE33399-24	46.65	43.38	40.12
	36"	PE33399-36	48.00	44.64	41.28
	48"	PE33399-48	49.45	45.99	42.53
	60"	PE33399-60	50.75	47.20	43.65
	Any	PE33399-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33188-12	$31.20	$29.02	$26.83
	24"	PE33188-24	31.90	29.67	27.43
	36"	PE33188-36	32.60	30.32	28.04
	48"	PE33188-48	33.30	30.97	28.64
	60"	PE33188-60	34.00	31.62	29.24
	Any	PE33188-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE33401-12	$36.30	$33.76	$31.22
	24"	PE33401-24	37.70	35.06	32.42
	36"	PE33401-36	38.95	36.22	33.50
	48"	PE33401-48	40.25	37.43	34.62
	60"	PE33401-60	41.65	38.73	35.82
	Any	PE33401-XX	See Website for Pricing		
75 OHM, RG216/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .425")	12"	PE33403-12	$45.45	$42.27	$39.09
	24"	PE33403-24	46.65	43.38	40.12
	36"	PE33403-36	48.00	44.64	41.28
	48"	PE33403-48	49.45	45.99	42.53
	60"	PE33403-60	50.75	47.20	43.65
	Any	PE33403-XX	See Website for Pricing		
75 OHM, PE-B150 COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 25 W; Cable Diameter .150")	12"	PE33405-12	$35.00	$32.55	$30.10
	24"	PE33405-24	35.60	33.11	30.62
	36"	PE33405-36	36.20	33.67	31.13
	48"	PE33405-48	36.80	34.22	31.65
	60"	PE33405-60	37.35	34.74	32.12
	Any	PE33405-XX	See Website for Pricing		
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE38130/ZZ-12	$36.70	$34.13	$31.56
	24"	PE38130/ZZ-24	37.95	35.29	32.64
	36"	PE38130/ZZ-36	39.20	36.46	33.71
	48"	PE38130/ZZ-48	40.45	37.62	34.79
	60"	PE38130/ZZ-60	41.70	38.78	35.86
	Any	PE38130/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

75 OHM BNC MALE TO 75 OHM BNC MALE RIGHT ANGLE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE33407-12	$52.30	$48.64	$44.98
	24"	PE33407-24	53.75	49.99	46.23
	36"	PE33407-36	55.20	51.34	47.47
	48"	PE33407-48	56.65	52.68	48.72
	60"	PE33407-60	58.10	54.03	49.97
	Any	PE33407-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33196-12	$45.45	$42.27	$39.09
	24"	PE33196-24	46.15	42.92	39.69
	36"	PE33196-36	46.85	43.57	40.29
	48"	PE33196-48	47.55	44.22	40.89
	60"	PE33196-60	48.25	44.87	41.50
	Any	PE33196-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE33412-12	$45.85	$42.64	$39.43
	24"	PE33412-24	47.65	44.31	40.98
	36"	PE33412-36	49.45	45.99	42.53
	48"	PE33412-48	51.25	47.66	44.08
	60"	PE33412-60	53.00	49.29	45.58
	Any	PE33412-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE33414-12	$46.65	$43.38	$40.12
	24"	PE33414-24	49.20	45.76	42.31
	36"	PE33414-36	51.75	48.13	44.51
	48"	PE33414-48	54.30	50.50	46.70
	60"	PE33414-60	56.85	52.87	48.89
	Any	PE33414-XX	See Website for Pricing		
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE38131/ZZ-12	$40.85	$37.99	$35.13
	24"	PE38131/ZZ-24	42.10	39.15	36.21
	36"	PE38131/ZZ-36	43.35	40.32	37.28
	48"	PE38131/ZZ-48	44.60	41.48	38.36
	60"	PE38131/ZZ-60	45.85	42.64	39.43
	Any	PE38131/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

75 OHM BNC MALE TO 75 OHM BNC FEMALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE33437-12	$62.20	$57.85	$53.49
	24"	PE33437-24	63.65	59.19	54.74
	36"	PE33437-36	65.10	60.54	55.99
	48"	PE33437-48	66.55	61.89	57.23
	60"	PE33437-60	68.00	63.24	58.48
	Any	PE33437-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33441-12	$43.70	$40.64	$37.58
	24"	PE33441-24	44.15	41.06	37.97
	36"	PE33441-36	44.55	41.43	38.31
	48"	PE33441-48	44.95	41.80	38.66
	60"	PE33441-60	45.30	42.13	38.96
	Any	PE33441-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE33443-12	$47.75	$44.41	$41.07
	24"	PE33443-24	48.80	45.38	41.97
	36"	PE33443-36	49.80	46.31	42.83
	48"	PE33443-48	50.75	47.20	43.65
	60"	PE33443-60	51.80	48.17	44.55
	Any	PE33443-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE33445-12	$39.85	$37.06	$34.27
	24"	PE33445-24	42.40	39.43	36.46
	36"	PE33445-36	44.95	41.80	38.66
	48"	PE33445-48	47.50	44.18	40.85
	60"	PE33445-60	50.05	46.55	43.04
	Any	PE33445-XX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

75 OHM BNC MALE TO 75 OHM BNC FEMALE BULKHEAD

USE MOUNTING HOLE B06 ON PAGE 259

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE33417-12	$67.10	$62.40	$57.71
	24"	PE33417-24	68.55	63.75	58.95
	36"	PE33417-36	70.00	65.10	60.20
	48"	PE33417-48	71.45	66.45	61.45
	60"	PE33417-60	72.90	67.80	62.69
	Any	PE33417-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33179-12	$45.05	$41.90	$38.74
	24"	PE33179-24	45.40	42.22	39.04
	36"	PE33179-36	45.90	42.69	39.47
	48"	PE33179-48	46.35	43.11	39.86
	60"	PE33179-60	46.75	43.48	40.21
	Any	PE33179-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE33421-12	$50.50	$46.97	$43.43
	24"	PE33421-24	51.55	47.94	44.33
	36"	PE33421-36	52.50	48.83	45.15
	48"	PE33421-48	53.55	49.80	46.05
	60"	PE33421-60	54.50	50.69	46.87
	Any	PE33421-XX	See Website for Pricing		
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE38132/ZZ-12	$40.85	$37.99	$35.13
	24"	PE38132/ZZ-24	42.10	39.15	36.21
	36"	PE38132/ZZ-36	43.35	40.32	37.28
	48"	PE38132/ZZ-48	44.60	41.48	38.36
	60"	PE38132/ZZ-60	45.85	42.64	39.43
	Any	PE38132/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

75 OHM BNC MALE TO F MALE

THESE CABLE ASSEMBLIES USE STANDARD 75 OHM INTERFACE CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6-CATV COAX (Coax Performance: Attenuation* 6.5 dB; Power Handling** 6.5 W; Cable Diameter .275")	12"	PE36145-12	$20.40	$18.97	$17.54
	24"	PE36145-24	21.75	20.23	18.71
	36"	PE36145-36	23.10	21.48	19.87
	48"	PE36145-48	24.35	22.65	20.94
	60"	PE36145-60	25.65	23.85	22.06
	Any	PE36145-XX	See Website for Pricing		
75 OHM, RG11A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .405")	12"	PE36147-12	$37.25	$34.64	$32.04
	24"	PE36147-24	38.50	35.81	33.11
	36"	PE36147-36	39.70	36.92	34.14
	48"	PE36147-48	40.95	38.08	35.22
	60"	PE36147-60	42.20	39.25	36.29
	Any	PE36147-XX	See Website for Pricing		
75 OHM, RG59B/U COAX, BLACK (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE36149-12	$18.25	$16.97	$15.70
	24"	PE36149-24	19.00	17.67	16.34
	36"	PE36149-36	19.45	18.09	16.73
	48"	PE36149-48	20.15	18.74	17.33
	60"	PE36149-60	20.65	19.20	17.76
	Any	PE36149-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX, WHITE (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE36151-12	$21.20	$19.72	$18.23
	24"	PE36151-24	21.90	20.37	18.83
	36"	PE36151-36	22.60	21.02	19.44
	48"	PE36151-48	23.30	21.67	20.04
	60"	PE36151-60	24.00	22.32	20.64
	Any	PE36151-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE36153-12	$22.00	$20.46	$18.92
	24"	PE36153-24	23.40	21.76	20.12
	36"	PE36153-36	24.70	22.97	21.24
	48"	PE36153-48	26.00	24.18	22.36
	60"	PE36153-60	27.35	25.44	23.52
	Any	PE36153-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE36155-12	$28.80	$26.78	$24.77
	24"	PE36155-24	31.35	29.16	26.96
	36"	PE36155-36	33.90	31.53	29.15
	48"	PE36155-48	36.45	33.90	31.35
	60"	PE36155-60	39.00	36.27	33.54
	Any	PE36155-XX	See Website for Pricing		

75 OHM BNC MALE TO 75 OHM SMB PLUG

THESE 75 OHM SMB CONNECTORS DO NOT MATE TO 50 OHM SMB TYPE CONNECTORS

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33270-12	$41.00	$38.13	$35.26
	24"	PE33270-24	41.35	38.46	35.56
	36"	PE33270-36	41.80	38.87	35.95
	48"	PE33270-48	42.25	39.29	36.34
	60"	PE33270-60	42.70	39.71	36.72
	Any	PE33270-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE33247-12	$41.00	$38.13	$35.26
	24"	PE33247-24	41.95	39.01	36.08
	36"	PE33247-36	42.95	39.94	36.94
	48"	PE33247-48	44.65	41.52	38.40
	60"	PE33247-60	46.40	43.15	39.90
	Any	PE33247-XX	See Website for Pricing		

75 OHM BNC MALE TO MINI 75 OHM SMB PLUG

THESE CONNECTORS WILL NOT MATE TO STANDARD 75 OHM SMB OR ANY 50 OHM SMB CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE34701-12	$36.85	$34.27	$31.69
	24"	PE34701-24	37.35	34.74	32.12
	36"	PE34701-36	37.70	35.06	32.42
	48"	PE34701-48	38.20	35.53	32.85
	60"	PE34701-60	38.55	35.85	33.15
	Any	PE34701-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE34703-12	$37.95	$35.29	$32.64
	24"	PE34703-24	39.75	36.97	34.19
	36"	PE34703-36	41.55	38.64	35.73
	48"	PE34703-48	43.35	40.32	37.28
	60"	PE34703-60	45.10	41.94	38.79
	Any	PE34703-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE34705-12	$38.75	$36.04	$33.33
	24"	PE34705-24	41.30	38.41	35.52
	36"	PE34705-36	43.85	40.78	37.71
	48"	PE34705-48	46.40	43.15	39.90
	60"	PE34705-60	48.95	45.52	42.10
	Any	PE34705-XX	See Website for Pricing		
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE38040/ZZ-12	$46.80	$43.52	$40.25
	24"	PE38040/ZZ-24	48.05	44.69	41.32
	36"	PE38040/ZZ-36	49.30	45.85	42.40
	48"	PE38040/ZZ-48	50.55	47.01	43.47
	60"	PE38040/ZZ-60	51.80	48.17	44.55
	Any	PE38040/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

75 OHM BNC MALE TO 75 OHM N MALE

THESE 75 OHM N CONNECTORS DO NOT MATE WITH STANDARD 50 OHM CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE3341-12	$42.80	$39.80	$36.81
	24"	PE3341-24	44.25	41.15	38.06
	36"	PE3341-36	45.70	42.50	39.30
	48"	PE3341-48	47.15	43.85	40.55
	60"	PE3341-60	48.60	45.20	41.80
	Any	PE3341-XX	See Website for Pricing		
75 OHM, RG11A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .405")	12"	PE3396-12	$50.35	$46.83	$43.30
	24"	PE3396-24	51.60	47.99	44.38
	36"	PE3396-36	52.80	49.10	45.41
	48"	PE3396-48	54.05	50.27	46.48
	60"	PE3396-60	55.30	51.43	47.56
	Any	PE3396-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33605-12	$38.25	$35.57	$32.90
	24"	PE33605-24	38.70	35.99	33.28
	36"	PE33605-36	39.10	36.36	33.63
	48"	PE33605-48	39.50	36.74	33.97
	60"	PE33605-60	40.10	37.29	34.49
	Any	PE33605-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3398-12	$44.15	$41.06	$37.97
	24"	PE3398-24	45.95	42.73	39.52
	36"	PE3398-36	47.75	44.41	41.07
	48"	PE3398-48	49.55	46.08	42.61
	60"	PE3398-60	51.30	47.71	44.12
	Any	PE3398-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE3400-12	$44.95	$41.80	$38.66
	24"	PE3400-24	47.50	44.18	40.85
	36"	PE3400-36	50.05	46.55	43.04
	48"	PE3400-48	52.60	48.92	45.24
	60"	PE3400-60	55.15	51.29	47.43
	Any	PE3400-XX	See Website for Pricing		
75 OHM, RG216/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .425")	12"	PE3404-12	$53.75	$49.99	$46.23
	24"	PE3404-24	58.45	54.36	50.27
	36"	PE3404-36	63.10	58.68	54.27
	48"	PE3404-48	67.80	63.05	58.31
	60"	PE3404-60	72.45	67.38	62.31
	Any	PE3404-XX	See Website for Pricing		

75 OHM BNC MALE TO 75 OHM TNC MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE35350-12	$39.75	$36.97	$34.19
	24"	PE35350-24	41.20	38.32	35.43
	36"	PE35350-36	42.65	39.66	36.68
	48"	PE35350-48	44.10	41.01	37.93
	60"	PE35350-60	45.55	42.36	39.17
	Any	PE35350-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE35358-12	$34.00	$31.62	$29.24
	24"	PE35358-24	34.70	32.27	29.84
	36"	PE35358-36	35.40	32.92	30.44
	48"	PE35358-48	36.10	33.57	31.05
	60"	PE35358-60	36.80	34.22	31.65
	Any	PE35358-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE35362-12	$39.65	$36.87	$34.10
	24"	PE35362-24	41.45	38.55	35.65
	36"	PE35362-36	43.25	40.22	37.20
	48"	PE35362-48	45.05	41.90	38.74
	60"	PE35362-60	46.80	43.52	40.25
	Any	PE35362-XX	See Website for Pricing		
75 OHM, RG216/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .425")	12"	PE35370-12	$46.30	$43.06	$39.82
	24"	PE35370-24	47.65	44.31	40.98
	36"	PE35370-36	49.00	45.57	42.14
	48"	PE35370-48	50.20	46.69	43.17
	60"	PE35370-60	51.60	47.99	44.38
	Any	PE35370-XX	See Website for Pricing		

75 OHM BNC MALE TO 1.6/5.6 PLUG

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE36127-12	$31.20	$29.02	$26.83
	24"	PE36127-24	31.90	29.67	27.43
	36"	PE36127-36	32.60	30.32	28.04
	48"	PE36127-48	33.30	30.97	28.64
	60"	PE36127-60	34.00	31.62	29.24
	Any	PE36127-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE36129-12	$37.45	$34.83	$32.21
	24"	PE36129-24	39.25	36.50	33.76
	36"	PE36129-36	41.05	38.18	35.30
	48"	PE36129-48	42.85	39.85	36.85
	60"	PE36129-60	44.60	41.48	38.36
	Any	PE36129-XX	See Website for Pricing		

75 OHM BNC MALE TO 75 OHM SMC PLUG

THESE 75 OHM SMC CONNECTORS DO NOT MATE TO 50 OHM SMC CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33330-12	$36.30	$33.76	$31.22
	24"	PE33330-24	37.00	34.41	31.82
	36"	PE33330-36	37.70	35.06	32.42
	48"	PE33330-48	38.40	35.71	33.02
	60"	PE33330-60	39.10	36.36	33.63
	Any	PE33330-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE33586-12	$41.10	$38.22	$35.35
	24"	PE33586-24	42.90	39.90	36.89
	36"	PE33586-36	44.70	41.57	38.44
	48"	PE33586-48	46.50	43.25	39.99
	60"	PE33586-60	48.25	44.87	41.50
	Any	PE33586-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, PE-B150 COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 25 W; Cable Diameter .150")	12"	PE33646-12	$41.10	$38.22	$35.35
	24"	PE33646-24	41.70	38.78	35.86
	36"	PE33646-36	42.30	39.34	36.38
	48"	PE33646-48	42.90	39.90	36.89
	60"	PE33646-60	43.45	40.41	37.37
	Any	PE33646-XX	See Website for Pricing		
75 OHM, HD PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE39260/ZZ-12	$38.15	$35.48	$32.81
	24"	PE39260/ZZ-24	39.40	36.64	33.88
	36"	PE39260/ZZ-36	40.65	37.80	34.96
	48"	PE39260/ZZ-48	41.90	38.97	36.03
	60"	PE39260/ZZ-60	43.15	40.13	37.11
	Any	PE39260/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

75 OHM BNC MALE RIGHT ANGLE TO 75 OHM BNC MALE RIGHT ANGLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE33426-12	$58.75	$54.64	$50.53
	24"	PE33426-24	60.20	55.99	51.77
	36"	PE33426-36	61.65	57.33	53.02
	48"	PE33426-48	63.10	58.68	54.27
	60"	PE33426-60	64.55	60.03	55.51
	Any	PE33426-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33430-12	$59.70	$55.52	$51.34
	24"	PE33430-24	60.40	56.17	51.94
	36"	PE33430-36	61.10	56.82	52.55
	48"	PE33430-48	61.80	57.47	53.15
	60"	PE33430-60	62.50	58.13	53.75
	Any	PE33430-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE33432-12	$54.70	$50.87	$47.04
	24"	PE33432-24	56.50	52.55	48.59
	36"	PE33432-36	58.30	54.22	50.14
	48"	PE33432-48	60.10	55.89	51.69
	60"	PE33432-60	61.85	57.52	53.19
	Any	PE33432-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE33434-12	$55.50	$51.62	$47.73
	24"	PE33434-24	58.05	53.99	49.92
	36"	PE33434-36	60.60	56.36	52.12
	48"	PE33434-48	63.15	58.73	54.31
	60"	PE33434-60	65.70	61.10	56.50
	Any	PE33434-XX	See Website for Pricing		

75 OHM BNC FEMALE TO 75 OHM BNC FEMALE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG11A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .405")	12"	PE33450-12	$64.30	$59.80	$55.30
	24"	PE33450-24	65.55	60.96	56.37
	36"	PE33450-36	66.80	62.12	57.45
	48"	PE33450-48	68.05	63.29	58.52
	60"	PE33450-60	69.25	64.40	59.56
	Any	PE33450-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE33452-12	$45.05	$41.90	$38.74
	24"	PE33452-24	45.40	42.22	39.04
	36"	PE33452-36	45.90	42.69	39.47
	48"	PE33452-48	46.35	43.11	39.86
	60"	PE33452-60	46.75	43.48	40.21
	Any	PE33452-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE33451-12	$50.50	$46.97	$43.43
	24"	PE33451-24	51.55	47.94	44.33
	36"	PE33451-36	52.50	48.83	45.15
	48"	PE33451-48	53.55	49.80	46.05
	60"	PE33451-60	54.50	50.69	46.87
	Any	PE33451-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE33456-12	$41.90	$38.97	$36.03
	24"	PE33456-24	44.45	41.34	38.23
	36"	PE33456-36	47.00	43.71	40.42
	48"	PE33456-48	49.55	46.08	42.61
	60"	PE33456-60	52.10	48.45	44.81
	Any	PE33456-XX	See Website for Pricing		

F MALE TO F MALE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE37163-12	$12.15	$11.30	$10.45
	24"	PE37163-24	13.60	12.65	11.70
	36"	PE37163-36	15.05	14.00	12.94
	48"	PE37163-48	16.50	15.35	14.19
	60"	PE37163-60	17.95	16.69	15.44
	Any	PE37163-XX	See Website for Pricing		
75 OHM, RG6-CATV COAX (Coax Performance: Attenuation* 6.5 dB; Power Handling** 6.5 W; Cable Diameter .275")	12"	PE36132-12	$13.85	$12.88	$11.91
	24"	PE36132-24	15.05	14.00	12.94
	36"	PE36132-36	16.45	15.30	14.15
	48"	PE36132-48	17.70	16.46	15.22
	60"	PE36132-60	18.85	17.53	16.21
	Any	PE36132-XX	See Website for Pricing		
75 OHM, RG11A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .405")	12"	PE36135-12	$15.30	$14.23	$13.16
	24"	PE36135-24	16.80	15.62	14.45
	36"	PE36135-36	18.10	16.83	15.57
	48"	PE36135-48	19.40	18.04	16.68
	60"	PE36135-60	20.75	19.30	17.85
	Any	PE36135-XX	See Website for Pricing		
75 OHM, RG59B/U COAX, BLACK (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE36141-12	$11.20	$10.42	$9.63
	24"	PE36141-24	11.90	11.07	10.23
	36"	PE36141-36	12.60	11.72	10.84
	48"	PE36141-48	13.30	12.37	11.44
	60"	PE36141-60	14.00	13.02	12.04
	Any	PE36141-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX, WHITE (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE36143-12	$11.20	$10.42	$9.63
	24"	PE36143-24	11.90	11.07	10.23
	36"	PE36143-36	12.60	11.72	10.84
	48"	PE36143-48	13.30	12.37	11.44
	60"	PE36143-60	14.00	13.02	12.04
	Any	PE36143-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE36137-12	$17.00	$15.81	$14.62
	24"	PE36137-24	18.30	17.02	15.74
	36"	PE36137-36	19.80	18.41	17.03
	48"	PE36137-48	21.05	19.58	18.10
	60"	PE36137-60	22.35	20.79	19.22
	Any	PE36137-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE36139-12	$17.00	$15.81	$14.62
	24"	PE36139-24	18.30	17.02	15.74
	36"	PE36139-36	19.80	18.41	17.03
	48"	PE36139-48	21.05	19.58	18.10
	60"	PE36139-60	22.35	20.79	19.22
	Any	PE36139-XX	See Website for Pricing		
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE38136/ZZ-12	$17.00	$15.81	$14.62
	24"	PE38136/ZZ-24	19.15	17.81	16.47
	36"	PE38136/ZZ-36	21.10	19.62	18.15
	48"	PE38136/ZZ-48	23.20	21.58	19.95
	60"	PE38136/ZZ-60	25.25	23.48	21.72
	Any	PE38136/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

F MALE TO F MALE RIGHT ANGLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE38343-12	$15.60	$14.51	$13.42
	24"	PE38343-24	16.30	15.16	14.02
	36"	PE38343-36	17.00	15.81	14.62
	48"	PE38343-48	17.70	16.46	15.22
	60"	PE38343-60	18.40	17.11	15.82
	Any	PE38343-XX	See Website for Pricing		

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE38137/ZZ-12	$28.15	$26.18	$24.21
	24"	PE38137/ZZ-24	29.40	27.34	25.28
	36"	PE38137/ZZ-36	30.65	28.50	26.36
	48"	PE38137/ZZ-48	31.90	29.67	27.43
	60"	PE38137/ZZ-60	33.15	30.83	28.51
	Any	PE38137/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

F MALE TO F FEMALE BULKHEAD

USE MOUNTING HOLE B06 ON PAGE 259

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX	12"	PE36344-12	$20.05	$18.65	$17.24
	24"	PE36344-24	21.85	20.32	18.79
	36"	PE36344-36	23.65	21.99	20.34
	48"	PE36344-48	25.45	23.67	21.89
	60"	PE36344-60	27.20	25.30	23.39
	Any	PE36344-XX	See Website for Pricing		

Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED	12"	PE38138/ZZ-12	$23.50	$21.86	$20.21
	24"	PE38138/ZZ-24	24.75	23.02	21.29
	36"	PE38138/ZZ-36	26.00	24.18	22.36
	48"	PE38138/ZZ-48	27.25	25.34	23.44
	60"	PE38138/ZZ-60	28.50	26.51	24.51
	Any	PE38138/ZZ-XX	See Website for Pricing		

Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159"

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

RCA MALE TO RCA MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED	12"	PE38133/ZZ-12	$37.90	$35.25	$32.59
	24"	PE38133/ZZ-24	39.15	36.41	33.67
	36"	PE38133/ZZ-36	40.40	37.57	34.74
	48"	PE38133/ZZ-48	41.65	38.73	35.82
	60"	PE38133/ZZ-60	42.90	39.90	36.89
	Any	PE38133/ZZ-XX	See Website for Pricing		

Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159"

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

RCA MALE TO RCA MALE RIGHT ANGLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED	12"	PE38134/ZZ-12	$40.25	$37.43	$34.62
	24"	PE38134/ZZ-24	41.50	38.60	35.69
	36"	PE38134/ZZ-36	42.75	39.76	36.77
	48"	PE38134/ZZ-48	44.00	40.92	37.84
	60"	PE38134/ZZ-60	45.25	42.08	38.92
	Any	PE38134/ZZ-XX	See Website for Pricing		

Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159"

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

RCA MALE TO RCA FEMALE BULKHEAD

USE MOUNTING HOLE B06 ON PAGE 259

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED	12"	PE38135/ZZ-12	$37.90	$35.25	$32.59
	24"	PE38135/ZZ-24	39.15	36.41	33.67
	36"	PE38135/ZZ-36	40.40	37.57	34.74
	48"	PE38135/ZZ-48	41.65	38.73	35.82
	60"	PE38135/ZZ-60	42.90	39.90	36.89
	Any	PE38135/ZZ-XX	See Website for Pricing		

Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159"

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

75 OHM SMB PLUG TO 75 OHM SMB PLUG

WARNING: ALL SMB AND SMC CONNECTORS ON THIS PAGE ARE STANDARD "75 OHM" CONNECTORS. THESE CONNECTORS WILL NOT MATE TO 50 OHM OR "MINI 75 OHM" CONNECTORS.

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE3041-12	$47.75	$44.41	$41.07
	24"	PE3041-24	48.25	44.87	41.50
	36"	PE3041-36	48.65	45.24	41.84
	48"	PE3041-48	49.10	45.66	42.23
	60"	PE3041-60	49.50	46.04	42.57
	Any	PE3041-XX	See Website for Pricing		

Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX	12"	PE3100-12	$47.75	$44.41	$41.07
	24"	PE3100-24	48.80	45.38	41.97
	36"	PE3100-36	49.80	46.31	42.83
	48"	PE3100-48	50.75	47.20	43.65
	60"	PE3100-60	51.80	48.17	44.55
	Any	PE3100-XX	See Website for Pricing		

Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"

MINI 75 OHM SMB PLUG TO MINI 75 OHM SMB PLUG

THESE CONNECTORS WILL NOT MATE TO STANDARD 75 OHM SMB CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX	12"	PE34681-12	$38.50	$35.81	$33.11
	24"	PE34681-24	39.20	36.46	33.71
	36"	PE34681-36	39.90	37.11	34.31
	48"	PE34681-48	40.60	37.76	34.92
	60"	PE34681-60	41.30	38.41	35.52
	Any	PE34681-XX	See Website for Pricing		

Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242"

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX	12"	PE34683-12	$38.90	$36.18	$33.45
	24"	PE34683-24	40.70	37.85	35.00
	36"	PE34683-36	42.50	39.53	36.55
	48"	PE34683-48	44.30	41.20	38.10
	60"	PE34683-60	46.05	42.83	39.60
	Any	PE34683-XX	See Website for Pricing		

Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100"

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG187A/U COAX	12"	PE34685-12	$39.70	$36.92	$34.14
	24"	PE34685-24	42.25	39.29	36.34
	36"	PE34685-36	44.80	41.66	38.53
	48"	PE34685-48	47.35	44.04	40.72
	60"	PE34685-60	49.90	46.41	42.91
	Any	PE34685-XX	See Website for Pricing		

Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110"

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED	12"	PE38139/ZZ-12	$56.90	$52.92	$48.93
	24"	PE38139/ZZ-24	58.15	54.08	50.01
	36"	PE38139/ZZ-36	59.40	55.24	51.08
	48"	PE38139/ZZ-48	60.65	56.40	52.16
	60"	PE38139/ZZ-60	61.90	57.57	53.23
	Any	PE38139/ZZ-XX	See Website for Pricing		

Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159"

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

MINI 75 OHM SMB PLUG TO MINI 75 OHM SMB PLUG RIGHT ANGLE

THESE CONNECTORS WILL NOT MATE TO STANDARD 75 OHM SMB CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE34687-12	$44.85	$41.71	$38.57
	24"	PE34687-24	45.55	42.36	39.17
	36"	PE34687-36	46.25	43.01	39.78
	48"	PE34687-48	46.95	43.66	40.38
	60"	PE34687-60	47.65	44.31	40.98
	Any	PE34687-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE34689-12	$45.60	$42.41	$39.22
	24"	PE34689-24	47.40	44.08	40.76
	36"	PE34689-36	49.20	45.76	42.31
	48"	PE34689-48	51.00	47.43	43.86
	60"	PE34689-60	52.80	49.10	45.41
	Any	PE34689-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE34690-12	$46.40	$43.15	$39.90
	24"	PE34690-24	48.95	45.52	42.10
	36"	PE34690-36	51.50	47.90	44.29
	48"	PE34690-48	54.05	50.27	46.48
	60"	PE34690-60	56.65	52.68	48.72
	Any	PE34690-XX	See Website for Pricing		
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE38140/ZZ-12	$61.55	$57.24	$52.93
	24"	PE38140/ZZ-24	62.80	58.40	54.01
	36"	PE38140/ZZ-36	64.05	59.57	55.08
	48"	PE38140/ZZ-48	65.30	60.73	56.16
	60"	PE38140/ZZ-60	66.55	61.89	57.23
	Any	PE38140/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

MINI 75 OHM SMB PLUG TO MINI 75 OHM SMB JACK

THESE CONNECTORS WILL NOT MATE TO STANDARD 75 OHM SMB CONNECTORS

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, HD, PE-B159 COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 12.5 dB; Power Handling** N/A; Cable Diameter .159")	12"	PE38141/ZZ-12	$55.70	$51.80	$47.90
	24"	PE38141/ZZ-24	56.95	52.96	48.98
	36"	PE38141/ZZ-36	58.20	54.13	50.05
	48"	PE38141/ZZ-48	59.45	55.29	51.13
	60"	PE38141/ZZ-60	60.70	56.45	52.20
	Any	PE38141/ZZ-XX	See Website for Pricing		

COAX COLOR ZZ=BK(BLACK), BL(BLUE), WH(WHITE), RD(RED), GR(GREEN), YW(YELLOW)

MINI 75 OHM SMB PLUG RIGHT ANGLE TO MINI 75 OHM SMB PLUG RIGHT ANGLE

THESE CONNECTORS WILL NOT MATE TO STANDARD 75 OHM SMB CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE34692-12	$55.65	$51.75	$47.86
	24"	PE34692-24	56.35	52.41	48.46
	36"	PE34692-36	57.05	53.06	49.06
	48"	PE34692-48	57.75	53.71	49.67
	60"	PE34692-60	58.45	54.36	50.27
	Any	PE34692-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE34694-12	$47.30	$43.99	$40.68
	24"	PE34694-24	48.50	45.11	41.71
	36"	PE34694-36	49.85	46.36	42.87
	48"	PE34694-48	51.25	47.66	44.08
	60"	PE34694-60	52.45	48.78	45.11
	Any	PE34694-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE34696-12	$48.70	$45.29	$41.88
	24"	PE34696-24	51.25	47.66	44.08
	36"	PE34696-36	53.80	50.03	46.27
	48"	PE34696-48	56.35	52.41	48.46
	60"	PE34696-60	58.95	54.82	50.70
	Any	PE34696-XX	See Website for Pricing		

75 OHM N MALE TO 75 OHM N MALE

THESE 75 OHM N CONNECTORS DO NOT MATE WITH STANDARD 50 OHM CONNECTORS

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE3612-12	$44.15	$41.06	$37.97
	24"	PE3612-24	45.60	42.41	39.22
	36"	PE3612-36	47.05	43.76	40.46
	48"	PE3612-48	48.50	45.11	41.71
	60"	PE3612-60	49.95	46.45	42.96
	Any	PE3612-XX	See Website for Pricing		
75 OHM, RG11A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .405")	12"	PE3616-12	$52.80	$49.10	$45.41
	24"	PE3616-24	54.05	50.27	46.48
	36"	PE3616-36	55.25	51.38	47.52
	48"	PE3616-48	56.50	52.55	48.59
	60"	PE3616-60	57.75	53.71	49.67
	Any	PE3616-XX	See Website for Pricing		
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3528-12	$45.05	$41.90	$38.74
	24"	PE3528-24	45.40	42.22	39.04
	36"	PE3528-36	45.90	42.69	39.47
	48"	PE3528-48	46.35	43.11	39.86
	60"	PE3528-60	46.75	43.48	40.21
	Any	PE3528-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3307-12	$51.30	$47.71	$44.12
	24"	PE3307-24	53.10	49.38	45.67
	36"	PE3307-36	54.90	51.06	47.21
	48"	PE3307-48	56.70	52.73	48.76
	60"	PE3307-60	58.45	54.36	50.27
	Any	PE3307-XX	See Website for Pricing		
75 OHM, RG187A/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .110")	12"	PE3581-12	$52.10	$48.45	$44.81
	24"	PE3581-24	54.65	50.82	47.00
	36"	PE3581-36	57.20	53.20	49.19
	48"	PE3581-48	59.75	55.57	51.39
	60"	PE3581-60	62.30	57.94	53.58
	Any	PE3581-XX	See Website for Pricing		
75 OHM, RG216/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .425")	12"	PE3618-12	$56.20	$52.27	$48.33
	24"	PE3618-24	60.90	56.64	52.37
	36"	PE3618-36	65.10	60.54	55.99
	48"	PE3618-48	66.95	62.26	57.58
	60"	PE3618-60	68.70	63.89	59.08
	Any	PE3618-XX	See Website for Pricing		

75 OHM TNC MALE TO 75 OHM TNC MALE

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG6A/U COAX (Coax Performance: Attenuation* 11.0 dB; Power Handling** 125 W; Cable Diameter .332")	12"	PE35348-12	$38.05	$35.39	$32.72
	24"	PE35348-24	39.50	36.74	33.97
	36"	PE35348-36	40.95	38.08	35.22
	48"	PE35348-48	42.40	39.43	36.46
	60"	PE35348-60	43.85	40.78	37.71
	Any	PE35348-XX	See Website for Pricing		
75 OHM, RG11A/U COAX (Coax Performance: Attenuation* 9.0 dB; Power Handling** 150 W; Cable Diameter .405")	12"	PE35352-12	$68.00	$63.24	$58.48
	24"	PE35352-24	69.25	64.40	59.56
	36"	PE35352-36	70.45	65.52	60.59
	48"	PE35352-48	71.70	66.68	61.66
	60"	PE35352-60	72.95	67.84	62.74
	Any	PE35352-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE35356-12	$36.80	$34.22	$31.65
	24"	PE35356-24	37.50	34.88	32.25
	36"	PE35356-36	38.20	35.53	32.85
	48"	PE35356-48	38.90	36.18	33.45
	60"	PE35356-60	39.60	36.83	34.06
	Any	PE35356-XX	See Website for Pricing		
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE35360-12	$42.30	$39.34	$36.38
	24"	PE35360-24	44.10	41.01	37.93
	36"	PE35360-36	45.90	42.69	39.47
	48"	PE35360-48	47.70	44.36	41.02
	60"	PE35360-60	49.45	45.99	42.53
	Any	PE35360-XX	See Website for Pricing		

1.6/5.6 PLUG TO 1.6/5.6 PLUG

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE36109-12	$31.20	$29.02	$26.83
	24"	PE36109-24	31.90	29.67	27.43
	36"	PE36109-36	32.60	30.32	28.04
	48"	PE36109-48	33.30	30.97	28.64
	60"	PE36109-60	34.00	31.62	29.24
	Any	PE36109-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE36111-12	$37.90	$35.25	$32.59
	24"	PE36111-24	39.70	36.92	34.14
	36"	PE36111-36	41.50	38.60	35.69
	48"	PE36111-48	43.30	40.27	37.24
	60"	PE36111-60	45.05	41.90	38.74
	Any	PE36111-XX	See Website for Pricing		

75 OHM SMC PLUG TO 75 OHM SMC PLUG

THESE 75 OHM SMC CONNECTORS DO NOT MATE TO 50 OHM SMC TYPE CONNECTORS

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG59B/U COAX (Coax Performance: Attenuation* 11.5 dB; Power Handling** 77 W; Cable Diameter .242")	12"	PE3362-12	$41.40	$38.50	$35.60
	24"	PE3362-24	42.10	39.15	36.21
	36"	PE3362-36	42.80	39.80	36.81
	48"	PE3362-48	43.50	40.46	37.41
	60"	PE3362-60	44.20	41.11	38.01
	Any	PE3362-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
75 OHM, RG179B/U COAX (Coax Performance: Attenuation* 25.0 dB; Power Handling** 200 W; Cable Diameter .100")	12"	PE3376-12	$45.20	$42.04	$38.87
	24"	PE3376-24	47.00	43.71	40.42
	36"	PE3376-36	48.80	45.38	41.97
	48"	PE3376-48	50.60	47.06	43.52
	60"	PE3376-60	52.35	48.69	45.02
	Any	PE3376-XX	See Website for Pricing		

REVERSE THREAD SMA MALE TO REVERSE THREAD SMA MALE

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE35349-12	$47.75	$44.41	$41.07
	24"	PE35349-24	48.25	44.87	41.50
	36"	PE35349-36	48.80	45.38	41.97
	48"	PE35349-48	49.30	45.85	42.40
	60"	PE35349-60	49.85	46.36	42.87
	Any	PE35349-XX	See Website for Pricing		

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE35369-12	$47.65	$44.31	$40.98
	24"	PE35369-24	49.75	46.27	42.79
	36"	PE35369-36	51.85	48.22	44.59
	48"	PE35369-48	53.95	50.17	46.40
	60"	PE35369-60	56.10	52.17	48.25
	Any	PE35369-XX	See Website for Pricing		

BNC TWINAX CABLE ASSEMBLIES PLUG TO PLUG

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
78 OHM, RG108A/U TWINAXIAL CABLE (Coax Performance: Attenuation* 26.2 dB; Power Handling** 30 W; Cable Diameter .235")	18"	PE3480-18	$80.70	$75.05	$69.40
	36"	PE3480-36	81.60	75.89	70.18
	60"	PE3480-60	82.90	77.10	71.29
	90"	PE3480-90	84.40	78.49	72.58
	120"	PE3480-120	85.95	79.93	73.92
	180"	PE3480-180	89.10	82.86	76.63
	Any	PE3480-XXX	See Website for Pricing		

3/4"-20 THREADED TWINAX MALE TO MALE

Type	Length	Model No.	1-24	25-49	50-99
100 OHM, PE-S330 TWINAXIAL CABLE (Coax Performance: Attenuation* N/A; Power Handling** N/A; Cable Diameter .330")	18"	PE3930-18	$56.20	$52.27	$48.33
	36"	PE3930-36	58.70	54.59	50.48
	60"	PE3930-60	61.95	57.61	53.28
	90"	PE3930-90	66.10	61.47	56.85
	120"	PE3930-120	70.15	65.24	60.33
	180"	PE3930-180	78.50	73.01	67.51
	Any	PE3930-XXX	See Website for Pricing		

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

BANANA PLUG TO BANANA PLUG

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3005-12	$25.45	$23.67	$21.89
	24"	PE3005-24	26.00	24.18	22.36
	36"	PE3005-36	26.60	24.74	22.88
	48"	PE3005-48	27.15	25.25	23.35
	60"	PE3005-60	27.70	25.76	23.82
	Any	PE3005-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33446-12	$28.55	$26.55	$24.55
	24"	PE33446-24	32.50	30.23	27.95
	36"	PE33446-36	36.45	33.90	31.35
	48"	PE33446-48	40.40	37.57	34.74
	60"	PE33446-60	44.35	41.25	38.14
	Any	PE33446-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE33449-12	$26.75	$24.88	$23.01
	24"	PE33449-24	28.85	26.83	24.81
	36"	PE33449-36	30.95	28.78	26.62
	48"	PE33449-48	33.05	30.74	28.42
	60"	PE33449-60	35.20	32.74	30.27
	Any	PE33449-XX	See Website for Pricing		
50 OHM, RG400/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE33454-12	$34.20	$31.81	$29.41
	24"	PE33454-24	39.40	36.64	33.88
	36"	PE33454-36	44.55	41.43	38.31
	48"	PE33454-48	49.75	46.27	42.79
	60"	PE33454-60	54.90	51.06	47.21
	Any	PE33454-XX	See Website for Pricing		

BANANA PLUG TO ALLIGATOR CLIPS

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3502-12	$33.10	$30.78	$28.47
	24"	PE3502-24	33.60	31.25	28.90
	36"	PE3502-36	34.15	31.76	29.37
	48"	PE3502-48	34.65	32.22	29.80
	60"	PE3502-60	35.20	32.74	30.27
	Any	PE3502-XX	See Website for Pricing		

FLEXIBLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3164-12	$30.30	$28.18	$26.06
	24"	PE3164-24	32.40	30.13	27.86
	36"	PE3164-36	34.50	32.09	29.67
	48"	PE3164-48	36.60	34.04	31.48
	60"	PE3164-60	38.75	36.04	33.33
	Any	PE3164-XX	See Website for Pricing		

GR874 TO GR874

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG58C/U COAX (Coax Performance: Attenuation* 20.0 dB; Power Handling** 44 W; Cable Diameter .195")	12"	PE3211-12	$150.05	$139.55	$129.04
	24"	PE3211-24	150.55	140.01	129.47
	36"	PE3211-36	151.10	140.52	129.95
	48"	PE3211-48	151.60	140.99	130.38
	60"	PE3211-60	152.15	141.50	130.85
	Any	PE3211-XX	See Website for Pricing		
50 OHM, RG142B/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 13.0 dB; Power Handling** 650 W; Cable Diameter .195")	12"	PE3200-12	$149.05	$138.62	$128.18
	24"	PE3200-24	153.00	142.29	131.58
	36"	PE3200-36	156.95	145.96	134.98
	48"	PE3200-48	160.90	149.64	138.37
	60"	PE3200-60	164.85	153.31	141.77
	Any	PE3200-XX	See Website for Pricing		

FLEXIBLE CABLE

Type	Length	Model No.	1-24	25-49	50-99
50 OHM, RG214/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 9.0 dB; Power Handling** 190 W; Cable Diameter .425")	12"	PE3158-12	$159.40	$148.24	$137.08
	24"	PE3158-24	164.90	153.36	141.81
	36"	PE3158-36	170.40	158.47	146.54
	48"	PE3158-48	175.90	163.59	151.27
	60"	PE3158-60	181.35	168.66	155.96
	Any	PE3158-XX	See Website for Pricing		
50 OHM, RG223/U COAX, DOUBLE SHIELDED (Coax Performance: Attenuation* 16.5 dB; Power Handling** 53 W; Cable Diameter .216")	12"	PE3190-12	$147.25	$136.94	$126.64
	24"	PE3190-24	149.35	138.90	128.44
	36"	PE3190-36	151.45	140.85	130.25
	48"	PE3190-48	153.55	142.80	132.05
	60"	PE3190-60	155.70	144.80	133.90
	Any	PE3190-XX	See Website for Pricing		

OPTIMIZED HDMI CABLE ASSEMBLIES

Pasternack Optimized HDMI cables are made with the highest quality cabling, jacket material and gold plating for better connectivity, longevity and signal strength. Optimized HDMI Cables support all HDTV formats including 480p, 720p, 1080i, 1080p and 1440p.

Model No.	Length	1-24	25-49	50-99	100 +
PE300300-1	1m	$32.10	$29.85	$27.61	$25.68
PE300300-2	2m	36.10	33.57	31.05	28.88
PE300300-3	3m	38.55	35.85	33.15	30.84

SINGLE WIRE PATCH CORDS

All of the color coded Patch Cords listed below are rated at 2500 Volts, 5 Amps and +50° C.

BLACK RED

STACKING BANANA PLUG TO STACKING BANANA PLUG

Black Model No.	Red Model No.	LENGTH	PRICE 1-24	25-49	50-99	100 +
PE9930-6-B	PE9930-6-R	6"	$6.20	$5.77	$5.33	$4.96
PE9930-12-B	PE9930-12-R	12"	6.45	6.00	5.55	5.16
PE9930-18-B	PE9930-18-R	18"	6.55	6.09	5.63	5.24
PE9930-24-B	PE9930-24-R	24"	6.65	6.18	5.72	5.32
PE9930-36-B	PE9930-36-R	36"	6.85	6.37	5.89	5.48
PE9930-48-B	PE9930-48-R	48"	7.10	6.60	6.11	5.68
PE9930-60-B	PE9930-60-R	60"	7.30	6.79	6.28	5.84
PE9930-72-B	PE9930-72-R	72"	7.65	7.11	6.58	6.12

ALLIGATOR CLIP TO STACKING BANANA PLUG

Black Model No.	Red Model No.	LENGTH	1-24	25-49	50-99	100 +
PE9931-6-B	PE9931-6-R	6"	$7.20	$6.70	$6.19	$5.76
PE9931-12-B	PE9931-12-R	12"	7.35	6.84	6.32	5.88
PE9931-18-B	PE9931-18-R	18"	7.65	7.11	6.58	6.12
PE9931-24-B	PE9931-24-R	24"	7.75	7.21	6.67	6.20
PE9931-36-B	PE9931-36-R	36"	8.00	7.44	6.88	6.40
PE9931-48-B	PE9931-48-R	48"	8.30	7.72	7.14	6.64
PE9931-60-B	PE9931-60-R	60"	8.55	7.95	7.35	6.84
PE9931-72-B	PE9931-72-R	72"	8.85	8.23	7.61	7.08

ALLIGATOR CLIP TO ALLIGATOR CLIP

Black Model No.	Red Model No.	LENGTH	1-24	25-49	50-99	100 +
PE9932-6-B	PE9932-6-R	6"	$7.20	$6.70	$6.19	$5.76
PE9932-12-B	PE9932-12-R	12"	7.35	6.84	6.32	5.88
PE9932-18-B	PE9932-18-R	18"	7.65	7.11	6.58	6.12
PE9932-24-B	PE9932-24-R	24"	7.75	7.21	6.67	6.20
PE9932-36-B	PE9932-36-R	36"	8.00	7.44	6.88	6.40
PE9932-48-B	PE9932-48-R	48"	8.30	7.72	7.14	6.64
PE9932-60-B	PE9932-60-R	60"	8.55	7.95	7.35	6.84
PE9932-72-B	PE9932-72-R	72"	8.85	8.23	7.61	7.08

MINI ALLIGATOR CLIP TO STACKING BANANA PLUG

Black Model No.	Red Model No.	LENGTH	1-24	25-49	50-99	100 +
PE9933-6-B	PE9933-6-R	6"	$7.20	$6.70	$6.19	$5.76
PE9933-12-B	PE9933-12-R	12"	7.35	6.84	6.32	5.88
PE9933-18-B	PE9933-18-R	18"	7.65	7.11	6.58	6.12
PE9933-24-B	PE9933-24-R	24"	7.75	7.21	6.67	6.20
PE9933-36-B	PE9933-36-R	36"	8.00	7.44	6.88	6.40
PE9933-48-B	PE9933-48-R	48"	8.30	7.72	7.14	6.64
PE9933-60-B	PE9933-60-R	60"	8.55	7.95	7.35	6.84
PE9933-72-B	PE9933-72-R	72"	8.85	8.23	7.61	7.08

MINI ALLIGATOR CLIP TO MINI ALLIGATOR CLIP

Black Model No.	Red Model No.	LENGTH	1-24	25-49	50-99	100 +
PE9934-6-B	PE9934-6-R	6"	$7.20	$6.70	$6.19	$5.76
PE9934-12-B	PE9934-12-R	12"	7.35	6.84	6.32	5.88
PE9934-18-B	PE9934-18-R	18"	7.65	7.11	6.58	6.12
PE9934-24-B	PE9934-24-R	24"	7.75	7.21	6.67	6.20
PE9934-36-B	PE9934-36-R	36"	8.00	7.44	6.88	6.40
PE9934-48-B	PE9934-48-R	48"	8.30	7.72	7.14	6.64
PE9934-60-B	PE9934-60-R	60"	8.55	7.95	7.35	6.84
PE9934-72-B	PE9934-72-R	72"	8.85	8.23	7.61	7.08

INSULATED SPADE LUG TO ALLIGATOR CLIP

Black Model No.	Red Model No.	LENGTH	1-24	25-49	50-99	100 +
PE9935-6-B	PE9935-6-R	6"	$7.20	$6.70	$6.19	$5.76
PE9935-12-B	PE9935-12-R	12"	7.35	6.84	6.32	5.88
PE9935-18-B	PE9935-18-R	18"	7.65	7.11	6.58	6.12
PE9935-24-B	PE9935-24-R	24"	7.75	7.21	6.67	6.20
PE9935-36-B	PE9935-36-R	36"	8.00	7.44	6.88	6.40
PE9935-48-B	PE9935-48-R	48"	8.30	7.72	7.14	6.64
PE9935-60-B	PE9935-60-R	60"	8.55	7.95	7.35	6.84
PE9935-72-B	PE9935-72-R	72"	8.85	8.23	7.61	7.08

INSULATED SPADE LUG TO STACKING BANANA PLUG

Black Model No.	Red Model No.	LENGTH	1-24	25-49	50-99	100 +
PE9936-6-B	PE9936-6-R	6"	$7.20	$6.70	$6.19	$5.76
PE9936-12-B	PE9936-12-R	12"	7.35	6.84	6.32	5.88
PE9936-18-B	PE9936-18-R	18"	7.65	7.11	6.58	6.12
PE9936-24-B	PE9936-24-R	24"	7.75	7.21	6.67	6.20
PE9936-36-B	PE9936-36-R	36"	8.00	7.44	6.88	6.40
PE9936-48-B	PE9936-48-R	48"	8.30	7.72	7.14	6.64
PE9936-60-B	PE9936-60-R	60"	8.55	7.95	7.35	6.84
PE9936-72-B	PE9936-72-R	72"	8.85	8.23	7.61	7.08

NOTES: CABLE ASSEMBLY MAX FREQUENCY MAY BE LOWER THAN CONNECTOR OR COAX MAX FREQUENCY *AT 1 GHZ PER 100FT, **AT 1 GHZ (WATTS)

BREAKOUTS

ALL BREAKOUTS HAVE APPROXIMATELY 6” LONG RED AND BLACK LEADS

	BNC MALE	BNC FEMALE	CRIMP ON FOR RG58	CRIMP ON FOR RG59
STANDARD ALLIGATOR CLIPS	Model No. PE9900 1-24 25-49 50-99 100 + $12.95 $12.04 $11.14 $10.36	Model No. PE9909 1-24 25-49 50-99 100 + $11.70 $10.88 $10.06 $9.36	Model No. PE9950 1-24 25-49 50-99 100 + $13.15 $12.23 $11.31 $10.52	Model No. PE9959 1-24 25-49 50-99 100 + $13.15 $12.23 $11.31 $10.52
MINIATURE ALLIGATOR CLIPS	Model No. PE9901 1-24 25-49 50-99 100 + $12.95 $12.04 $11.14 $10.36	Model No. PE9910 1-24 25-49 50-99 100 + $11.70 $10.88 $10.06 $9.36	Model No. PE9951 1-24 25-49 50-99 100 + $11.90 $11.07 $10.23 $9.52	Model No. PE9960 1-24 25-49 50-99 100 + $13.15 $12.23 $11.31 $10.52
STACKING TIP PLUGS	Model No. PE9902 1-24 25-49 50-99 100 + $15.35 $14.28 $13.20 $12.28	Model No. PE9911 1-24 25-49 50-99 100 + $14.10 $13.11 $12.13 $11.28	Model No. PE9952 1-24 25-49 50-99 100 + $14.35 $13.35 $12.34 $11.48	Model No. PE9961 1-24 25-49 50-99 100 + $15.60 $14.51 $13.42 $12.48
STANDARD STACKING BANANA PLUGS	Model No. PE9903 1-24 25-49 50-99 100 + $14.10 $13.11 $12.13 $11.28	Model No. PE9912 1-24 25-49 50-99 100 + $12.95 $12.04 $11.14 $10.36	Model No. PE9953 1-24 25-49 50-99 100 + $13.15 $12.23 $11.31 $10.52	Model No. PE9962 1-24 25-49 50-99 100 + $14.35 $13.35 $12.34 $11.48
MINIATURE STACKING BANANA PLUGS	Model No. PE9904 1-24 25-49 50-99 100 + $15.35 $14.28 $13.20 $12.28	Model No. PE9913 1-24 25-49 50-99 100 + $14.10 $13.11 $12.13 $11.28	Model No. PE9954 1-24 25-49 50-99 100 + $14.35 $13.35 $12.34 $11.48	Model No. PE9963 1-24 25-49 50-99 100 + $15.60 $14.51 $13.42 $12.48
SAFETY HOOKS	Model No. PE9905 1-24 25-49 50-99 100 + $14.10 $13.11 $12.13 $11.28	Model No. PE9914 1-24 25-49 50-99 100 + $12.95 $12.04 $11.14 $10.36	Model No. PE9955 1-24 25-49 50-99 100 + $13.15 $12.23 $11.31 $10.52	Model No. PE9964 1-24 25-49 50-99 100 + $14.35 $13.35 $12.34 $11.48
#8 SPADE LUGS	Model No. PE9906 1-24 25-49 50-99 100 + $11.70 $10.88 $10.06 $9.36	Model No. PE9915 1-24 25-49 50-99 100 + $10.60 $9.86 $9.12 $8.48	Model No. PE9956 1-24 25-49 50-99 100 + $10.80 $10.04 $9.29 $8.64	Model No. PE9965 1-24 25-49 50-99 100 + $11.70 $10.88 $10.06 $9.36
INSULATED SPADE LUGS	Model No. PE9907 1-24 25-49 50-99 100 + $12.95 $12.04 $11.14 $10.36	Model No. PE9916 1-24 25-49 50-99 100 + $11.70 $10.88 $10.06 $9.36	Model No. PE9957 1-24 25-49 50-99 100 + $11.90 $11.07 $10.23 $9.52	Model No. PE9966 1-24 25-49 50-99 100 + $12.95 $12.04 $11.14 $10.36
UN-TERMINATED #20 AWG LEADS	Model No. PE9908 1-24 25-49 50-99 100 + $9.65 $8.97 $8.30 $7.72	Model No. PE9917 1-24 25-49 50-99 100 + $8.50 $7.91 $7.31 $6.80	Model No. PE9958 1-24 25-49 50-99 100 + $8.65 $8.04 $7.44 $6.92	Model No. PE9967 1-24 25-49 50-99 100 + $9.45 $8.79 $8.13 $7.56

CONNECTOR FREQUENCY RANGE CHART



Notes:

1: BNC-75 Ohm connectors operate up to 1 GHz
2: SMB-75 Ohm & Mini SMB-75 Ohm connectors operate up to 4 GHz
3: MCX-75 Ohm connectors operate up to 6 GHz
4: SMC-75 Ohm connectors operate up to 10 GHz
5: N-75 Ohm connectors operate up to 1.5 GHz
6: TNC-75 Ohm connectors operate up to 1 GHz

COAXIAL CABLE SECTION



Our Coaxial Cable selection is divided into 4 product groupings:

Broadcast *(Page 104)*

- 75 Ohm
- Application specific coax, jacket colors
- PE-B159 are designed for HD applications
- RG versions meet MIL-C-17 performance
- RG6-CATV is a lower loss, smaller diameter version of RG6A/U
- Other specialty broadcast cables are found in this section

Communications *(Page 104)*

- Applications range from High Power Broadcast requirements to Land Mobile Radio
- Low Loss expanded dielectric designs
- Other popular cable sizes designed for communications

MIL–C–17 Compliant *(Page 105)*

- Designed to meet dimensional and electrical specifications of MIL-C-17 cables

Precision, Semi-Rigid & Formable *(Page 106)*

- Precision cable designed for Microwave applications
- Semi Rigid Copper jacket versions
- Pre-Tinned Aluminum Jacket versions
- Hand formable Tinned Braid
- FEP Jacketed Hand Formable versions
- Designs from .020” to .250” diameters
- Low Loss versions of flexible 402 & 405 cable
- RG versions meet MIL-C-17 electrical and dimensional specifications

If you require additional information or specifications on any cable shown in this section, please contact our Technical Support department Toll Free at 866-727-8376, Ext 3.

See Our Website For Current Stock Availability!

COAXIAL CABLE

MEETS OR EXCEEDS MIL-C-17 SPECIFICATIONS WHERE APPLICABLE

MODEL NO.	NOMINAL IMP. NO. OF SHIELDS	MAX. VOLTAGE (V RMS) CONDUCTOR DIAM.(in) [strands]	CAPACITANCE pF / FT. NOMINAL DIELECTRIC DIAM.(in)	VELOCITY FACTOR DIELECTRIC MATERIAL	ATTENUATION AT 1 GHz dB/100FT NOMINAL JACKET DIAM.(in)	ATTENUATION AT 5 GHz dB/100FT JACKET MATERIAL	AVG. POWER HANDLING AT 1 GHZ (WATTS) WEIGHT LBS/FT	AVG. POWER HANDLING AT 5 GHZ (WATTS) OPERATING TEMP. RANGE,°C	PRICE PER FOOT 50-99 FT / 250-499 FT	PRICE PER FOOT 100-249 FT / 500 + FT
Broadcast										
RG6A/U	75Ω 2	2700 0.029	20.6 0.185	65.9% PE (S)	11.0 0.332	30.0 PVC	125 W 0.078	40 W -40 TO +80	$1.45 $1.25	$1.35 $1.16
RG6-CATV	75Ω 3	350 0.040	16.2 0.18	83.0% PE (F)	6.5 0.275	N/A PVC	6.5 W 0.03	N/A -40 TO +80	$0.79 $0.68	$0.73 $0.63
RG11A/U	75Ω 1	5000 .0477 [7]	20.6 0.285	65.9% PE (S)	9.0 0.405	28.0 PVC	150 W 0.093	50 W -40 TO +80	$1.25 $1.08	$1.16 $1.00
RG59B/U	75Ω 1	2300 0.023	20.6 0.146	65.9% PE (S)	11.5 0.242	41.0 PVC	77 W 0.033	27 W -40 TO +80	$0.70 $0.60	$0.65 $0.56
RG59-P (1)	75Ω 1	2300 0.0253 [7]	16.5 0.138	82.0% PTFE (S)	11.0 0.194	32.0 FEP	880 W 0.028	390 W -40 TO +80	$1.56 $1.34	$1.45 $1.25
RG179B/U	75Ω 1	1200 0.012 [7]	23.0 0.063	69.5% PTFE(S)	25.0 0.100	62.5 FEP	200 W 0.011	76 W -55 TO +200	$1.79 $1.54	$1.66 $1.43
RG187A/U	75Ω 1	1200 0.012 [7]	19.5 0.06	69.5% PTFE (S)	25.0 0.110	62.5 PTFE	200 W 0.01	76 W -55 TO +250	$2.56 $2.20	$2.38 $2.05
RG216/U	75Ω 2	5000 0.0477 [7]	20.6 0.285	65.9% PE (S)	9.0 0.425	28.0 PVC	150 W 0.123	50 W -40 TO +80	$4.67 $4.02	$4.34 $3.74
RG302/U	75Ω 1	2300 0.025	19.5 0.146	69.5% PTFE (S)	13.0 0.206	36.0 FEP	650 W 0.038	245 W -55 TO +200	$4.41 $3.79	$4.10 $3.53
PE-B150	75Ω 1	600 0.017 [7]	20.5 0.1	66.0% PE (S)	20.0 0.150	50.0 PVC	25 W 0.018	8 W -40 TO +80	$0.59 $0.51	$0.55 $0.47
PE-B159-BK	75Ω 2	300 0.023	16.3 0.102	82% PE (F)	12.5 0.159	31.0 PVC	N/A 0.017	N/A -30 TO +75	$1.25 $1.08	$1.16 $1.00
PE-B159-BL	75Ω 2	300 0.023	16.3 0.102	82% PE (F)	12.5 0.159	31.0 PVC	N/A 0.017	N/A -30 TO +75	$1.25 $1.08	$1.16 $1.00
PE-B159-GR	75Ω 2	300 0.023	16.3 0.102	82% PE (F)	12.5 0.159	31.0 PVC	N/A 0.017	N/A -30 TO +75	$1.25 $1.08	$1.16 $1.00
PE-B159-RD	75Ω 2	300 0.023	16.3 0.102	82% PE (F)	12.5 0.159	31.0 PVC	N/A 0.017	N/A -30 TO +75	$1.25 $1.08	$1.16 $1.00
PE-B159-WH	75Ω 2	300 0.023	16.3 0.102	82% PE (F)	12.5 0.159	31.0 PVC	N/A 0.017	N/A -30 TO +75	$1.25 $1.08	$1.16 $1.00
PE-B159-YW	75Ω 2	300 0.023	16.3 0.102	82% PE (F)	12.5 0.159	31.0 PVC	N/A 0.017	N/A -30 TO +75	$1.25 $1.08	$1.16 $1.00
PE-B305	75Ω 2	2900 0.031	21.0 0.198	66.0% PE (S)	9.2 0.305	23.0 PVC	52 W 0.068	17 W -40 TO +80	$1.45 $1.25	$1.35 $1.16
Communications										
PE-B400	50Ω 2	600 0.013	26.0 0.285	78.0% PE (F)	6.0 0.403	15.0 PVC	190 W 0.103	60 W -40 TO +80	$1.22 $1.05	$1.13 $0.98
PE-B405	50Ω 2	600 0.108	24.0 0.285	84.0% PE (AS)	4.5 0.405	12.0 PVC	344 W 0.105	113 W -40 TO +80	$2.04 $1.75	$1.90 $1.63
PE-C100	50Ω 2	500 0.018	30.8 0.06	66.0% PE (S)	23.5 0.110	60.0 PVC	45 W 0.009	12 W -40 TO +85	$1.67 $1.44	$1.55 $1.34
PE-C195	50Ω 2	1000 0.037	24.3 0.11	80.0% PE (F)	11.5 0.195	26.5 PE	150 W 0.022	65 W -40 TO +85	$1.11 $0.95	$1.03 $0.89
PE-C200	50Ω 2	1000 0.044	24.5 0.116	83.0% PE (F)	11.0 0.195	19.0 PE	170 W 0.022	75 W -40 TO +85	$3.51 $3.02	$3.26 $2.81
PE-C240	50Ω 2	1500 0.056	24.2 0.15	84.0% PE (F)	8.0 0.240	19.0 PE	250 W 0.034	120 W -40 TO +85	$2.34 $2.01	$2.18 $1.87
PE-C300	50Ω 2	2000 0.070	24.1 0.19	85.0% PE (F)	6.5 0.300	15.5 PE	350 W 0.055	150 W -40 TO +85	$2.17 $1.87	$2.02 $1.74
PE-C400	50Ω 2	2500 0.109	23.9 0.285	85.0% PE (F)	4.5 0.405	10.0 PE	550 W 0.07	240 W -40 TO +85	$4.00 $3.44	$3.72 $3.20
PE-C500	50Ω 2	3000 0.142	23.6 0.37	86.0% PE (F)	3.5 0.500	8.5 PE	720 W 0.1	280 W -40 TO +85	$3.34 $2.87	$3.11 $2.67
PE-C600	50Ω 2	4000 0.176	23.4 0.455	87.0% PE (F)	3.0 0.590	7.0 PE	900 W 0.135	350 W -40 TO +85	$4.90 $4.21	$4.56 $3.92

See Our Website For Current Stock Availability!

COAXIAL CABLE

MEETS OR EXCEEDS MIL-C-17 SPECIFICATIONS WHERE APPLICABLE

MODEL NO.	NOMINAL IMP. / NO. OF SHIELDS	MAX. VOLTAGE (V RMS) / CONDUCTOR DIAM.(in) [strands]	CAPACITANCE pF / FT. / NOMINAL DIELECTRIC DIAM.(in)	VELOCITY FACTOR / DIELECTRIC MATERIAL	ATTENUATION AT 1 GHz dB/100FT / NOMINAL JACKET DIAM.(in)	ATTENUATION AT 5 GHz dB/100FT / JACKET MATERIAL	AVG. POWER HANDLING AT 1 GHZ (WATTS) / WEIGHT LBS/FT	AVG. POWER HANDLING AT 5 GHZ (WATTS) / OPERATING TEMP. RANGE,°C	PRICE PER FOOT 50-99 FT / 250-499 FT	PRICE PER FOOT 100-249 FT / 500 + FT
MIL-C-17 Compliant										
PE-B100	50Ω 2	1100 0.019 [7]	38.0 0.048	62.0% PE	N/A 0.101	N/A PVC	N/A 0.007	N/A -40 TO +60	$5.45 $4.69	$5.07 $4.36
PE-S330 (TWINAX)	100Ω 2	300 2X 0.037[7]	15.5 0.236	66.0% PE (S)	N/A 0.330	N/A PVC	N/A 0.065	N/A -30 TO +75	$2.04 $1.75	$1.90 $1.63
RG8A/U	52Ω 1	5000 0.072 [7]	29.5 0.285	65.9% PE (S)	9.0 0.405	28.0 PVC	190 W 0.105	65 W -40 TO +80	$2.17 $1.87	$2.02 $1.74
RG8X	50Ω 1	2500 .056 [19]	26.0 0.155	80.0% PE (F)	13.5 0.242	35.0 PVC	60 W 0.038	19 W -40 TO +80	$2.34 $2.01	$2.18 $1.87
RG55B/U	53.5Ω 2	1900 0.032	28.5 0.116	65.9% PE (S)	16.5 0.206	51.0 PE	53 W 0.033	20 W -55 TO +80	$1.71 $1.47	$1.59 $1.37
RG58C/U	50Ω 1	1900 .0355 [19]	30.8 0.116	65.9% PE (S)	20.0 0.195	60.0 PVC	44 W 0.025	15 W -40 TO +80	$0.52 $0.45	$0.48 $0.42
RG58-P (1)	50Ω 1	1900 0.032	29.0 0.112	68.0% PTFE (S)	14.0 0.163	39.0 FEP	632 W 0.028	280 W -40 TO +80	$3.76 $3.23	$3.50 $3.01
RG62A/U	93Ω 1	750 0.025	13.5 0.146	84.0% PE (A)	8.5 0.242	29.5 PVC	77 W 0.033	27 W -40 TO +80	$0.99 $0.85	$0.92 $0.79
RG71B/U	93Ω 2	750 0.025	13.5 0.146	84.0% PE (A)	8.5 0.250	29.5 PE	77 W 0.04	27 W -55 TO +80	$2.95 $2.54	$2.74 $2.36
RG108A/U (TWINAX)	78Ω 1	1000 2X 0.0378[7]	19.7 0.079	65.9% PE (S)	26.2 0.235	80.0 PVC	30 W 0.035	10 W -40 TO +80	$1.78 $1.53	$1.66 $1.42
RG122/U	50Ω 1	1900 0.03 [27]	30.8 0.096	65.9% PE (S)	29.2 0.160	89.0 PVC	35 W 0.018	12 W -40 TO +80	$2.14 $1.84	$1.99 $1.71
RG141A/U	50Ω 1	1900 0.039	29.4 0.116	69.5% PE (S)	13.0 0.190	36.0 PTFE (FR)	650 W 0.033	245 W -55 TO +250	$4.86 $4.18	$4.52 $3.89
RG142B/U	50Ω 2	1900 0.039	29.4 0.116	69.2% PTFE(S)	13.0 0.195	36.0 FEP	650 W 0.043	245 W -55 TO +200	$3.95 $3.40	$3.67 $3.16
RG174A/U	50Ω 1	1500 0.0189 [7]	30.8 0.06	69.5% PTFE (S)	31.0 0.100	97.0 PVC	16 W 0.008	5 W -40 TO +80	$0.41 $0.35	$0.38 $0.33
RG178B/U	50Ω 1	1000 0.012 [7]	29.4 0.034	69.5% PE (S)	45.0 0.075	115.0 FEP	78 W 0.005	28 W -55 TO +200	$0.72 $0.62	$0.67 $0.58
RG180B/U	95Ω 1	1500 0.0120	15.4 0.102	69.5% PTFE(S)	16.5 0.145	49.5 FEP	250 W 0.018	93 W -55 TO +200	$3.00 $2.58	$2.79 $2.40
RG188A/U	50Ω 1	1200 0.0201 [7]	29.4 0.06	69.5% PTFE (S)	30.0 0.100	79.0 PTFE	160 W 0.01	57 W -55 TO +250	$1.66 $1.43	$1.54 $1.33
RG188-DS	50Ω 2	1200 0.0201 [7]	29.4 0.06	69.5% PTFE (S)	30.0 0.122	79.0 PTFE	160 W 0.015	57 W -55 TO +250	$2.56 $2.20	$2.38 $2.05
RG196A/U	50Ω 1	1000 0.012 [7]	29.4 0.034	69.5% PTFE (S)	45.0 0.080	115.0 PTFE	78 W 0.005	28 W -55 TO +250	$1.02 $0.88	$0.95 $0.82
RG213/U	50Ω 1	5000 0.0888 [7]	30.8 0.285	65.9% PTFE (S)	9.0 0.405	28.0 PVC	190 W 0.105	65 W -40 TO +80	$1.22 $1.05	$1.13 $0.98
RG214/U	50Ω 2	5000 0.0888 [7]	30.8 0.285	65.9% PTFE (S)	9.0 0.425	28.0 PVC	190 W 0.123	65 W -40 TO +80	$5.49 $4.72	$5.11 $4.39
RG217/U	50Ω 2	7000 0.106	30.8 0.37	65.9% PE (S)	5.8 0.545	19.0 PVC	260 W 0.225	85 W -40 TO +80	$3.45 $2.97	$3.21 $2.76
RG218/U	50Ω 1	11000 0.195	30.8 0.68	65.9% PE (S)	3.8 0.870	13.5 PVC	560 W 0.478	160 W -40 TO +80	$8.68 $7.46	$8.07 $6.94
RG219/U	50Ω 1	11000 0.195	30.8 0.68	65.9% PE (S)	3.8 0.945	13.5 PVC	560 W 0.515	160 W -40 TO +80	$34.28 $29.48	$31.88 $27.42
RG223/U	50Ω 2	1900 0.035	30.8 0.116	65.9% PE (S)	16.5 0.216	51.0 PVC	53 W 0.035	20 W -40 TO +80	$2.11 $1.81	$1.96 $1.69
RG225/U	50Ω 2	5000 0.094 [7]	29.4 0.285	69.0% PTFE (S)	7.5 0.430	21.0 PTFE (FR)	1700 W 0.173	620 W -55 TO +250	$25.37 $21.82	$23.59 $20.30
RG303/U	50Ω 1	1900 0.039	29.4 0.116	69.5% PTFE (S)	13.0 0.170	36.0 FEP	650 W 0.03	245 W -55 TO +200	$4.40 $3.78	$4.09 $3.52
RG316/U	50Ω 1	1200 0.0201 [7]	29.4 0.06	69.5% PTFE (S)	30.0 0.102	79.0 FEP	160 W 0.01	57 W -55 TO +200	$2.28 $1.96	$2.12 $1.82
RG316-DS	50Ω 2	900 0.0201 [7]	29.4 0.06	69.5% PTFE (S)	30.0 0.114	79.0 FEP	160 W 0.015	57 W -55 TO +200	$2.17 $1.87	$2.02 $1.74
RG393/U	50Ω 2	5000 0.0936 [7]	29.4 0.285	69.5% PTFE (S)	7.5 0.390	21.0 FEP	1700 W 0.158	620 W -55 TO +200	$12.02 $10.34	$11.18 $9.62
RG400/U	50Ω 2	1900 0.0385 [18]	29.4 0.116	69.5% PTFE (S)	13.0 0.195	36.0 FEP	650 W 0.043	245 W -55 TO +200	$5.18 $4.45	$4.82 $4.14

See Our Website For Current Stock Availability!

COAXIAL CABLE

MEETS OR EXCEEDS MIL-C-17 SPECIFICATIONS WHERE APPLICABLE (CONTINUED)

MODEL NO.	NOMINAL IMP. / NO. OF SHIELDS	MAX. VOLTAGE (V RMS) / CONDUCTOR DIAM. (in) [strands]	CAPACITANCE pF / FT. / NOMINAL DIELECTRIC DIAM. (in)	VELOCITY FACTOR / DIELECTRIC MATERIAL	ATTENUATION AT 1 GHz dB/100FT / NOMINAL JACKET DIAM. (in)	ATTENUATION AT 5 GHz dB/100FT / JACKET MATERIAL	AVG. POWER HANDLING AT 1 GHZ (WATTS) / WEIGHT LBS/FT	AVG. POWER HANDLING AT 5 GHZ (WATTS) / OPERATING TEMP. RANGE, °C	PRICE PER FOOT 50-99 FT / 250-499 FT	PRICE PER FOOT 100-249 FT / 500 + FT
Precision, SemiRigid & Conformable										
PE-020SR (2,8)	50Ω 1	750 0.004	29.0 0.015	69.5% PTFE (S)	85.0 0.020	175.0 Cu	2.9 W 0.001	1.1 W -55 TO +85	$13.69 $11.77	$12.73 $10.95
PE-034SR (2,8)	50Ω 1	2000 0.008	32.0 0.026	66.0% PTFE (S)	60.0 0.034	120.0 Cu	10 W 0.002	4.5 W -55 TO +100	$9.57 $8.23	$8.90 $7.66
PE-047SR (3,8)	50Ω 1	1000 0.011	32.0 0.037	66.0% PTFE (S)	40.0 0.047	105.0 Cu	32 W 0.005	13 W -55 TO +100	$7.73 $6.65	$7.19 $6.18
PE-118SR (2)	50Ω 1	1000 0.0320	27.0 0.095	77.0% PTFE (LD)	12.2 0.118	28.2 Cu	500 W 0.023	210 W -40 TO +150	$27.95 $24.04	$25.99 $22.36
NEW PE-P047	50Ω 2	N/A 0.0113	29.0 0.0368	70.0% FEP	35 0.056	90 FEP	43 W 0.0035	17 W -65 TO +165	$5.62 $4.83	$5.23 $4.50
NEW PE-P047LL	50Ω 2	N/A 0.0126	23.0 0.032	87.0% AIR/FEP	32 0.056	82 FEP	45 W 0.0037	36 W N/A	$7.73 $6.65	$7.19 $6.18
NEW PE-P086	50Ω 2	N/A 0.0201	29.4 0.064	70.0% PTFE (S)	23 0.104	52 FEP	160 W 0.014	57 W -55 TO +200	$4.12 $3.54	$3.83 $3.30
NEW PE-P086LL	50Ω 2	N/A 0.0253	23.6 0.069	85.0% AIR/FEP	16 0.101	36 FEP	N/A 0.01	N/A N/A	$9.40 $8.08	$8.74 $7.52
NEW PE-P141	50Ω 2	N/A 0.037	29.4 0.117	70.0% PTFE (S)	13 0.163	30 FEP	550 W 0.032	245 W -55 TO +200	$4.73 $4.07	$4.40 $3.78
NEW PE-P141LL	50Ω 2	N/A 0.0453	23.8 0.120	85.0% AIR/FEP	N/A 0.158	10 FEP	23 0.024	N/A N/A	$9.96 $8.57	$9.26 $7.97
PE-P195	50Ω 3	1400 0.037	29.0 0.116	70.0% PTFE (S)	12.5 0.195	31.0 FEP	650 W 0.04	330 W -55 TO +200	$6.68 $5.74	$6.21 $5.34
PE-SR047AL (3,6)	50Ω 1	1000 0.011	32.0 0.037	69.5% PTFE (S)	41.0 0.047	93.0 Al (Tn)	32 W 0.002	13 W -55 TO +100	$6.84 $5.88	$6.36 $5.47
PE-SR047FL (12)	50Ω 1	1000 0.011	27.0 0.037	69.5% PTFE (S)	40.0 0.047	98.0 Cu (Tn)	32 W 0.003	13 W -40 TO +100	$5.56 $4.78	$5.17 $4.45
PE-SR401AL (2,7)	50Ω 1	3000 0.064	29.6 0.209	70.0% PTFE (S)	8.0 0.250	21.0 Al (Tn)	1400 W 0.06	680 W -55 TO +125	$13.69 $11.77	$12.73 $10.95
PE-SR401FL (11)	50Ω 1	5000 0.065	29.6 0.21	70.0% PTFE (S)	7.0 0.250	18.0 Cu (Tn)	1400 W 0.08	680 W -55 TO +200	$11.63 $10.00	$10.82 $9.30
PE-SR402-75 (3,8)	75Ω 1	1500 0.020	19.3 0.118	69.5% PTFE (S)	12.5 0.141	30.5 Cu	280 W 0.031	114 W -55 TO +125	$7.54 $6.48	$7.01 $6.03
PE-SR402AL (3,10)	50Ω 1	2500 0.036	29.9 0.118	69.5% PTFE (S)	13.0 0.141	31.0 Al (Tn)	450 W 0.019	180 W -55 TO +125	$7.10 $6.11	$6.60 $5.68
PE-SR402FL (4)	50Ω 1	1900 0.036	29.0 0.118	69.5% PTFE (S)	12.0 0.141	29.0 Cu (Tn)	450 W 0.025	180 W -40 TO +125	$5.84 $5.02	$5.43 $4.67
PE-SR405AL (3,9)	50Ω 1	2000 0.020	32.0 0.066	69.5% PTFE (S)	23.0 0.085	51.0 Al (Tn)	130 W 0.007	54 W -55 TO +125	$6.51 $5.60	$6.05 $5.21
PE-SR405FL (5)	50Ω 1	1500 0.020	29.0 0.063	69.5% PTFE (S)	22.0 0.085	50.0 Cu (Tn)	130 W 0.013	54 W -40 TO +125	$8.07 $6.94	$7.51 $6.46
RG401/U (2,8)	50Ω 1	3000 0.065	29.4 0.215	69.5% PTFE (S)	9.7 0.250	26.1 Cu	870 W 0.1	330 W -55 TO +125	$16.58 $14.26	$15.42 $13.26
RG402/U (3,8)	50Ω 1	2500 0.036	29.4 0.119	69.5% PTFE (S)	13.0 0.141	36.0 Cu	650 W 0.032	245 W -55 TO +125	$5.51 $4.74	$5.12 $4.41
RG405/U (3,8)	50Ω 1	2000 0.020	32.0 0.066	66.0% PTFE (S)	22.0 0.085	50.0 Cu	130 W 0.014	54 W -55 TO +125	$5.18 $4.45	$4.82 $4.14

NOTES:

(1) P = PLENUM CABLE, NEC 725-2(b) CLASS 2 - REQUIRES SPECIAL CONNECTORS
(2) SEMI-RIGID CABLE, SOLD IN 5 FEET, STRAIGHT PIECES ONLY
(3) SEMI-RIGID CABLE, SOLD IN EITHER 5 FEET, STRAIGHT PIECES OR COILS OF 50 FEET
(4) RE-SHAPEABLE VERSION OF RG402/U
(5) RE-SHAPEABLE VERSION OF RG405/U
(6) TINNED ALUMINUM VERSION OF PE-047SR
(7) TINNED ALUMINUM VERSION OF RG401/U
(8) BARE COPPER JACKET
(9) TINNED ALUMINUM VERSION OF RG405/U
(10) TINNED ALUMINUM VERSION OF RG402/U
(11) RE-SHAPEABLE VERSION OF RG401/U
(12) RE-SHAPEABLE VERSION OF PE-047SR

MATERIALS:

Al (Tn)	TIN PLATED ALUMINUM
Cu	BARE COPPER
Cu (Tn)	TIN PLATED COPPER
FEP	FLUORINATED ETHYLENE PROPYLENE
PE	POLYETHYLENE
PE (A)	AIR-SPACE SOLID PE
PE (AS)	AIR-SPACE SEMI-SOLID PE
PE (F)	FOAM PE
PE (S)	SOLID PE
PTFE	POLYTETRAFLUOROETHYLENE
PTFE (A)	AIR-SPACE SOLID PTFE
PTFE (LD)	LOW-DENSITY PTFE
PTFE (S)	SOLID PTFE
PTFE (FR)	FIBERGLASS REINFORCED PTFE
PVC	POLYVINYLCHLORIDE

See Our Website For Current Stock Availability!

Connector Selection Guide

3 Easy Ways to Find your Product.....

1. Search by PE Part Number

If you know the PE part number you are searching for, please reference our Part Number Index on Page 264.

2. Quick Reference Guide

(Page number refers to first apearence of product in the Connector Section)

Connector Series	Page	Connector Series	Page	Connector Series	Page	Connector Series	Page
1.0/2.3	141	75 Ohm MINI SMB	155	GR874	143	RCA	158
1.85mm	119	75 Ohm N	149	HN	132	SC	132
2.4mm	119	75 Ohm SMB	154	LC	132	SHV	147
2.92mm	118	75 Ohm SMC	150	MC-CARD	141	SMA	111
3.5mm	118	75 Ohm TNC	150	MCX	136	SMB	137
10-32	131	Banana Plug	159	MHV	146	SMC	129
3/4”-20 Twinax	158	BNC	143	MINI SMP	135	SMP	134
7/16 DIN	127	BNC Twinax	159	MINI UHF	129	SSMA	120
75 Ohm 1.6/5.6	153	C	148	MMCX	135	SSMB	139
75 Ohm BNC	156	D-Subminiature	141	N	121	TNC	124
75 Ohm F	152	FAKRA	140	QMA	133	UHF	128
75 Ohm MCX	153	FME	129	QN	134	UMCX	135

3. Connector Locator

Connector Type	Page
1.0/2.3 Jack Connectors	
Bulkhead Mount, PCB Mount	141
Right Angle, Bulkhead Mount, Cable Connectors	141
Right Angle, PCB Mount	141
Straight, Bulkhead Mount, Cable Connectors	141
Straight, PCB Mount	141
1.0/2.3 Plug Connectors	
Right Angle, Cable Connectors	141
Straight, Cable Connectors	141
1.85mm Female Connectors	
Straight, Panel Mount, Field Replaceable	119
Straight, Threaded Mount, Field Replaceable	119
1.85mm Male Connectors	
Straight, Cable Connectors	119
Straight, Threaded Mount, Field Replaceable	119
10-32 Female Connectors	
Right Angle, PCB Mount	131
Straight, Bulkhead Mount, Cable Connectors	131
Straight, Bulkhead Mount, Terminal	131
Straight, Cable Connectors	131
Straight, PCB Mount	131
10-32 Male Connectors	
Right Angle, Cable Connectors	131
Straight, Cable Connectors	131
2.4mm Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	119
Straight, Cable Connectors	119
Straight, Panel Mount, Terminal	119
Straight, Threaded Mount, Field Replaceable	119

Connector Type	Page
2.4mm Male Connectors	
Straight, Cable Connectors	119
Straight, Panel Mount, Terminal	119
Straight, Threaded Mount, Field Replaceable	119
2.92mm Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	118
Straight, Cable Connectors	118
Straight, Panel Mount, Field Replaceable	118
Straight, Threaded Mount, Field Replaceable	118
2.92mm Male Connectors	
Straight, Cable Connectors	118
Straight, Panel Mount, Field Replaceable	118
Straight, Panel Mount, Terminal	118
Straight, Threaded Mount, Field Replaceable	118
3.5mm Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	118
Straight, Cable Connectors	118
3.5mm Male Connectors	
Straight, Cable Connectors	118
3/4”-20 Threaded Twinax Female Connectors	
Straight, Bulkhead Mount, Terminal	158
Straight, Cable Connectors	158
Straight, Panel Mount, Terminal	158
3/4”-20 Threaded Twinax Male Connectors	
Straight, Cable Connectors	158
7/16 DIN Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	128
Straight, Bulkhead Mount, Terminal	128
Straight, Cable Connectors	127
Straight, Panel Mount, Cable Connectors	128
Straight, Panel Mount, Terminal	128

See Our Website For Current Stock Availability!

Connector Locator

Connector Type	Page
7/16 DIN Male Connectors	
Right Angle, Cable Connectors	127
Straight, Cable Connectors	127
75 Ohm 1.6/5.6 Jack Connectors	
Right Angle, Bulkhead Mount, Cable Connectors	153
Right Angle, PCB Mount	153
Straight, Bulkhead Mount, Cable Connectors	153
Straight, Bulkhead Mount, PCB Mount	153
75 Ohm 1.6/5.6 Plug Connectors	
Right Angle, Cable Connectors	153
Straight, Cable Connectors	153
75 Ohm BNC Female Connectors	
Right Angle, Bulkhead Mount, Terminal	157
Right Angle, Panel Mount, Terminal	157
Straight, Bulkhead Mount, Cable Connectors	157
Straight, Bulkhead Mount, PCB Mount	158
Straight, Bulkhead Mount, Terminal	157
Straight, Cable Connectors	157
Straight, Panel Mount, Cable Connectors	157
Straight, Panel Mount, Terminal	157
Straight, PCB Mount	158
75 Ohm BNC Male Connectors	
Right Angle, Cable Connectors	156
Straight, Bulkhead Mount, Terminal	157
Straight, Cable Connectors	156
Straight, Panel Mount, Terminal	157
75 Ohm F Female Connectors	
Right Angle, Bulkhead Mount, PCB Mount	152
Right Angle, PCB Mount	152
Straight, Bulkhead Mount, Cable Connectors	152
Straight, Bulkhead Mount, PCB Mount	152
Straight, Bulkhead Mount, Terminal	152
Straight, Panel Mount, Terminal	152
Straight, PCB Mount	152
75 Ohm F Male Connectors	
Right Angle, Cable Connectors	152
Straight, Cable Connectors	152
75 Ohm MCX Jack Connectors	
Right Angle, PCB Mount	154
Straight, Bulkhead Mount, Cable Connectors	153
Straight, Bulkhead Mount, Terminal	153
Straight, Cable Connectors	153
Straight, PCB Mount	154
75 Ohm MCX Plug Connectors	
Right Angle, Cable Connectors	153
Straight, Cable Connectors	153
Straight, PCB Mount	154
75 Ohm MINI SMB Jack Connectors	
Right Angle, Bulkhead Mount, PCB Mount	156
Right Angle, PCB Mount	156
Straight, Bulkhead Mount, PCB Mount	156
Straight, Cable Connectors	155
Straight, Panel Mount, Terminal	155
Straight, PCB Mount	156
75 Ohm MINI SMB Plug Connectors	
Right Angle, Cable Connectors	155
Straight, Cable Connectors	155
75 Ohm N Female Connectors	
Straight, Bulkhead Mount, Terminal	149
Straight, Cable Connectors	149
Straight, Panel Mount, Terminal	149
75 Ohm N Male Connectors	
Right Angle, Cable Connectors	149
Straight, Cable Connectors	149
Straight, Panel Mount, Terminal	149
75 Ohm SMB Jack Connectors	
Right Angle, Bulkhead Mount, Terminal	155
Right Angle, PCB Mount	155
Straight, Bulkhead Mount, Cable Connectors	154
Straight, Bulkhead Mount, Terminal	155
Straight, Cable Connectors	154
Straight, Terminal	155
75 Ohm SMB Plug Connectors	
Right Angle, Cable Connectors	154
Right Angle, PCB Mount	155
Straight, Bulkhead Mount, Terminal	155
Straight, Cable Connectors	154
Straight, PCB Mount	155
75 Ohm SMC Jack Connectors	
Right Angle, Bulkhead Mount, Terminal	151
Right Angle, PCB Mount	151
Straight, Bulkhead Mount, Cable Connectors	151
Straight, Bulkhead Mount, Terminal	151
Straight, Cable Connectors	150
Straight, PCB Mount	151
75 Ohm SMC Plug Connectors	
Right Angle, Cable Connectors	150
Right Angle, PCB Mount	151
Straight, Bulkhead Mount, Terminal	151
Straight, Cable Connectors	150
Straight, PCB Mount	151
75 Ohm TNC Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	150
Straight, Bulkhead Mount, Terminal	150
Straight, Panel Mount, Terminal	150
75 Ohm TNC Male Connectors	
Right Angle, Cable Connectors	150
Straight, Cable Connectors	150
Banana Plug Connectors	
Straight, Cable Connectors	159
BNC Female Connectors	
Reverse Polarity Right Angle, Bulkhead Mount, Terminal	146
Reverse Polarity Right Angle, Panel Mount, Terminal	146
Reverse Polarity Straight, Bulkhead Mount, Cable Connectors	145
Reverse Polarity Straight, Bulkhead Mount, Terminal	146
Reverse Polarity Straight, Cable Connectors	145
Reverse Polarity Straight, Panel Mount, Cable Connectors	145
Reverse Polarity Straight, Panel Mount, Terminal	146
Right Angle, Bulkhead Mount, Terminal	145
Right Angle, Panel Mount, Terminal	145
Straight, Bulkhead Mount, Cable Connectors	144
Straight, Bulkhead Mount, PCB Mount	146
Straight, Bulkhead Mount, Terminal	145
Straight, Cable Connectors	144
Straight, Panel Mount, Cable Connectors	144
Straight, Panel Mount, Terminal	145
Straight, PCB Mount	146
BNC Male Connectors	
Reverse Polarity Right Angle, Cable Connectors	144
Reverse Polarity Straight, Bulkhead Mount, Terminal	146
Reverse Polarity Straight, Cable Connectors	144
Reverse Polarity Straight, Panel Mount, Terminal	146
Right Angle, Cable Connectors	143
Straight, Bulkhead Mount, Terminal	145
Straight, Cable Connectors	143
Straight, Panel Mount, Terminal	145
BNC Twinax Jack Connectors	
Right Angle, PCB Mount	159
Straight, Bulkhead Mount, Cable Connectors	159
Straight, Bulkhead Mount, Terminal	159
Straight, Cable Connectors	159
Straight, Panel Mount, Terminal	159
Straight, PCB Mount	159
BNC Twinax Plug Connectors	
Straight, Cable Connectors	159
C Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	148
Straight, Bulkhead Mount, Terminal	149
Straight, Cable Connectors	148
Straight, Panel Mount, Cable Connectors	148
Straight, Panel Mount, Terminal	149

See Page 259 for Mounting Hole Dimensions

Connector Locator

Connector Type	Page
C Male Connectors	
Right Angle, Cable Connectors	148
Straight, Bulkhead Mount, Terminal	148
Straight, Cable Connectors	148
Straight, Panel Mount, Terminal	149
D-Subminiature Plug Connectors	
Right Angle, Cable Connectors	142
Right Angle, PCB Mount	142
Straight, Cable Connectors	141
Straight, PCB Mount	142
D-Subminiature Receptacle Connectors	
Receptacle Right Angle, Cable Connectors	142
Receptacle Right Angle, PCB Mount	142
Receptacle Straight, Cable Connectors	142
Receptacle Straight, PCB Mount	142
FAKRA Jack Connectors	
Right Angle, Cable Connectors	140
Right Angle, PCB Mount	140
Straight, Cable Connectors	140
FAKRA Plug Connectors	
Right Angle, PCB Mount	140
Straight, Cable Connectors	140
Straight, PCB Mount	140
FME Jack Connectors	
Straight, Cable Connectors	129
FME Plug Connectors	
Straight, Bulkhead Mount, Terminal	129
Straight, Cable Connectors	129
GR874 Sexless Connectors	
Straight	143
Straight, Cable Connectors	143
HN Female Connectors	
Straight, Bulkhead Mount, Terminal	133
Straight, Cable Connectors	133
Straight, Panel Mount, Terminal	133
HN Male Connectors	
Right Angle, Cable Connectors	133
Straight, Cable Connectors	132
LC Female Connectors	
Straight, Cable Connectors	132
Straight, Panel Mount, Terminal	132
LC Male Connectors	
Right Angle, Cable Connectors	132
Straight, Cable Connectors	132
MC-CARD Plug Connectors	
Right Angle, Cable Connectors	141
Straight, Cable Connectors	141
MCX Jack Connectors	
Reverse Polarity Right Angle, Bulkhead Mount, PCB Mount	137
Reverse Polarity Straight, Bulkhead Mount, Cable Connectors	136
Reverse Polarity Straight, Bulkhead Mount, PCB Mount	137
Reverse Polarity Straight, PCB Mount	137
Right Angle, Bulkhead Mount, Terminal	137
Right Angle, PCB Mount	137
Straight, Bulkhead Mount, Cable Connectors	136
Straight, Bulkhead Mount, Terminal	136
Straight, Cable Connectors	136
Straight, Panel Mount, Terminal	137
Straight, PCB Mount	137
MCX Plug Connectors	
Reverse Polarity Right Angle, Cable Connectors	136
Reverse Polarity Straight, Cable Connectors	136
Right Angle, Cable Connectors	136
Straight, Cable Connectors	136
Straight, PCB Mount	137
MHV Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	147
Straight, Bulkhead Mount, Terminal	147
Straight, Cable Connectors	147
Straight, Panel Mount, Cable Connectors	147
Straight, Panel Mount, Terminal	147
MHV Male Connectors	
Right Angle, Cable Connectors	146
Straight, Cable Connectors	146
MINI SMP Female Connectors	
Right Angle, Cable Connectors	135
Straight, Cable Connectors	135
MINI SMP Male Connectors	
Straight, PCB Mount	135
MINI UHF Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	129
Straight, Bulkhead Mount, PCB Mount	129
Straight, Bulkhead Mount, Terminal	129
Straight, Cable Connectors	129
Straight, Panel Mount, Terminal	129
MINI UHF Male Connectors	
Right Angle, Cable Connectors	129
Straight, Cable Connectors	129
MMCX Jack Connectors	
Right Angle, PCB Mount	136
Straight, Cable Connectors	135
Straight, PCB Mount	136
MMCX Plug Connectors	
Right Angle, Cable Connectors	135
Straight, Cable Connectors	135
Straight, PCB Mount	135
N Female Connectors	
Reverse Polarity Straight, Cable Connectors	123
Right Angle, Bulkhead Mount, PCB Mount	124
Right Angle, Panel Mount, Terminal	124
Straight, Bulkhead Mount, Cable Connectors	122
Straight, Bulkhead Mount, PCB Mount	124
Straight, Bulkhead Mount, Terminal	123
Straight, Cable Connectors	122
Straight, Panel Mount, Cable Connectors	123
Straight, Panel Mount, Terminal	123
Straight, PCB Mount	124
Straight, Press In Mount, Terminal	124
N Male Connectors	
Reverse Polarity Straight, Cable Connectors	123
Right Angle, Cable Connectors	122
Straight, Bulkhead Mount, Terminal	123
Straight, Cable Connectors	121
Straight, Panel Mount, Terminal	123
QMA Female Connectors	
Right Angle, PCB Mount	133
Straight, Bulkhead Mount, Cable Connectors	133
Straight, PCB Mount	133
QMA Male Connectors	
Right Angle, Cable Connectors	133
Straight, Cable Connectors	133
QN Female Connectors	
Straight, Bulkhead Mount, Cable Connectors	134
Straight, Panel Mount, Terminal	134
QN Male Connectors	
Right Angle, Cable Connectors	134
Straight, Cable Connectors	134
RCA Jack Connectors	
Straight, Bulkhead Mount, Cable Connectors	158
RCA Plug Connectors	
Right Angle, Cable Connectors	158
Straight, Cable Connectors	158
SC Female Connectors	
Straight, Bulkhead Mount, Terminal	132
Straight, Panel Mount, Terminal	132
SC Male Connectors	
Right Angle, Cable Connectors	132
Straight, Cable Connectors	132

See Our Website For Current Stock Availability!

Connector Locator

Connector Type	Page
SHV Jack Connectors	
Straight, Bulkhead Mount, Cable Connectors	147
Straight, Bulkhead Mount, Terminal	148
Straight, Panel Mount, Terminal	148
SHV Plug Connectors	
Straight, Bulkhead Mount, Terminal	147
Straight, Cable Connectors	147
SMA Female Connectors	
Reverse Polarity Right Angle, Bulkhead Mount, PCB Mount	117
Reverse Polarity Right Angle, PCB Mount	116
Reverse Polarity Straight, Bulkhead Mount, Cable Connectors	113
Reverse Polarity Straight, Bulkhead Mount, PCB Mount	117
Reverse Polarity Straight, Bulkhead Mount, Terminal	115
Reverse Polarity Straight, Cable Connectors	113
Reverse Polarity Straight, Panel Mount, Terminal	115
Reverse Polarity Straight, PCB Mount	116
Reverse Thread Right Angle, PCB Mount, Terminal	115
Reverse Thread Straight, Bulkhead Mount, Cable Connectors	114
Reverse Thread Straight, Cable Connectors	114
Reverse Thread Straight, Panel Mount, Terminal	116
Reverse Thread Straight, PCB Mount	117
Reverse Thread Straight, PCB Mount, Terminal	115
Right Angle, Bulkhead Mount, PCB Mount	116
Right Angle, Bulkhead Mount, Terminal	114
Right Angle, Panel Mount, Field Replaceable	117
Right Angle, Panel Mount, Terminal	115
Right Angle, PCB Mount	116
Right Angle, PCB Mount, Terminal	114
Straight, Bulkhead Mount, Cable Connectors	112
Straight, Bulkhead Mount, PCB Mount	116
Straight, Bulkhead Mount, Terminal	114
Straight, Cable Connectors	112
Straight, Panel Mount, Cable Connectors	112
Straight, Panel Mount, Field Replaceable	117
Straight, Panel Mount, Terminal	114 115
Straight, PCB Mount	116
Straight, PCB Mount, Terminal	114
Straight, Press In Mount, Terminal	115
SMA Male Connectors	
Reverse Polarity Right Angle, Cable Connectors	113
Reverse Polarity Straight, Cable Connectors	113
Reverse Polarity Straight, PCB Mount	116
Reverse Thread Right Angle, Cable Connectors	114
Reverse Thread Straight, Cable Connectors	113
Right Angle, Cable Connectors	111
Right Angle, PCB Mount	116
Straight, Bulkhead Mount, Terminal	114
Straight, Cable Connectors	111
Straight, Panel Mount, Field Replaceable	117
Straight, Panel Mount, Terminal	114
Straight, PCB Mount	116
SMB Jack Connectors	
Right Angle, Bulkhead Mount, PCB Mount	139
Right Angle, Bulkhead Mount, Terminal	138
Right Angle, PCB Mount	138
Straight, Bulkhead Mount, Cable Connectors	138
Straight, Bulkhead Mount, PCB Mount	139
Straight, Bulkhead Mount, Terminal	138
Straight, Cable Connectors	138
Straight, Panel Mount, Terminal	138
Straight, PCB Mount	138
SMB Plug Connectors	
Right Angle, Cable Connectors	137
Right Angle, PCB Mount	138
Straight, Bulkhead Mount, Terminal	138
Straight, Cable Connectors	137
Straight, PCB Mount	138
SMC Jack Connectors	
Right Angle, Bulkhead Mount, PCB Mount	131
Right Angle, Bulkhead Mount, Terminal	130
Right Angle, PCB Mount	131
Straight, Bulkhead Mount, Cable Connectors	130
Straight, Bulkhead Mount, PCB Mount	131
Straight, Bulkhead Mount, Terminal	130
Straight, Cable Connectors	130
Straight, Panel Mount, Terminal	130
Straight, PCB Mount	130
SMC Plug Connectors	
Right Angle, Cable Connectors	130
Right Angle, PCB Mount	130
Straight, Bulkhead Mount, Terminal	130
Straight, Cable Connectors	129 130
Straight, PCB Mount	130
SMP Female Connectors	
Right Angle, Cable Connectors	134
Straight, Cable Connectors	134
SMP Male Connectors	
Straight, Bulkhead Mount, Cable Connectors	134
Straight, PCB Mount	134
SSMA Female Connectors	
Right Angle, PCB Mount	121
Straight, Bulkhead Mount, Cable Connectors	120
Straight, Bulkhead Mount, Terminal	120
Straight, Cable Connectors	120
Straight, Panel Mount, Cable Connectors	120
Straight, Panel Mount, Terminal	121
Straight, PCB Mount	121
SSMA Male Connectors	
Right Angle, Cable Connectors	120
Straight, Cable Connectors	120
Straight, Panel Mount, Terminal	120
Straight, PCB Mount	121
SSMB Jack Connectors	
Right Angle, PCB Mount	139
Straight, Bulkhead Mount, Cable Connectors	139
Straight, Bulkhead Mount, Terminal	139
Straight, Panel Mount, Terminal	139
Straight, PCB Mount	139
SSMB Plug Connectors	
Right Angle, Cable Connectors	139
Straight, Cable Connectors	139
TNC Female Connectors	
Reverse Polarity Straight, Bulkhead Mount, Cable Connectors	126
Reverse Polarity Straight, Bulkhead Mount, Terminal	127
Reverse Polarity Straight, Cable Connectors	126
Reverse Polarity Straight, Panel Mount, Terminal	127
Right Angle, Bulkhead Mount, Terminal	126
Right Angle, PCB Mount	127
Straight, Bulkhead Mount, Cable Connectors	125
Straight, Bulkhead Mount, Terminal	126
Straight, Cable Connectors	125
Straight, Panel Mount, Cable Connectors	125
Straight, Panel Mount, Terminal	126
TNC Male Connectors	
Reverse Polarity Right Angle, Cable Connectors	126
Reverse Polarity Straight, Cable Connectors	125
Reverse Polarity Straight, Panel Mount, Terminal	126
Right Angle, Cable Connectors	125
Straight, Cable Connectors	124
Straight, Panel Mount, Terminal	126
UHF Female Connectors	
Straight, Bulkhead Mount, Terminal	128
Straight, Cable Connectors	128
Straight, Panel Mount, Terminal	128
UHF Male Connectors	
Straight, Cable Connectors	128
UHF Sexless Connectors	
Straight, Accessories, Cable Connectors	128
UMCX Jack Connectors	
Straight, PCB Mount	135

See Page 259 for Mounting Hole Dimensions

Male Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG8X, PE-C240	**PE44637**	$14.85	$13.81	$12.77	$11.88	1
	RG188-DS, RG316-DS	**PE4401**	$11.35	$10.56	$9.76	$9.08	2
	PE-C400 NEW	**PE44668**	$20.15	$18.74	$17.33	$16.12	3
	PE-P195	**PE44203**	$10.85	$10.09	$9.33	$8.68	4
	RG174, RG316, RG188	**PE4003**	$12.10	$11.25	$10.41	$9.68	5
	RG178, RG196	**PE4398**	$14.35	$13.35	$12.34	$11.48	6
	RG180, RG195	**PE4578**	$17.40	$16.18	$14.96	$13.92	7
	RG58	**PE4215**	$8.80	$8.18	$7.57	$7.04	8
	RG58, RG141, RG303, Quick Disconnect	**PE44460**	$49.25	$45.80	$42.36	$39.40	9
	RG59, RG62	**PE4294**	$19.80	$18.41	$17.03	$15.84	10
	RG55, RG142, RG223, RG400	**PE4008**	$9.75	$9.07	$8.39	$7.80	11
Crimp/Solder (Captive Contact)	RG174, RG316, RG188	**PE4589**	$13.05	$12.14	$11.22	$10.44	12
	RG58	**PE4577**	$16.65	$15.48	$14.32	$13.32	13
	RG55, RG142, RG223, RG400	**PE4576**	$17.75	$16.51	$15.27	$14.20	14
Clamp/Solder	RG188-DS, RG316-DS	**PE4400**	$22.15	$20.60	$19.05	$17.72	15
	PE-P195	**PE4085**	$18.35	$17.07	$15.78	$14.68	16
	PE-SR401AL, PE-SR401FL, RG401, .250” Semi-Rigid	**PE4403**	$33.60	$31.25	$28.90	$26.88	17
	RG174, RG316, RG188	**PE4026**	$19.40	$18.04	$16.68	$15.52	18
	RG178, RG196	**PE4214**	$36.50	$33.95	$31.39	$29.20	19
	RG180, RG195	**PE4399**	$15.95	$14.83	$13.72	$12.76	20
	RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4332**	$58.40	$54.31	$50.22	$46.72	21
	RG58, RG55, RG142, RG223, RG400	**PE4027**	$19.70	$18.32	$16.94	$15.76	22
Solder/Solder	RG188-DS, RG316-DS	**PE4402**	$11.70	$10.88	$10.06	$9.36	23
	PE-020SR, .020” Semi-Rigid	**PE4918**	$31.50	$29.30	$27.09	$25.20	24
	PE-034SR, .034” Semi-Rigid	**PE4917**	$39.20	$36.46	$33.71	$31.36	25
	PE-047SR, PE-SR047AL, PE-SR047FL, .047” Semi-Rigid	**PE4404**	$19.25	$17.90	$16.56	$15.40	26
	PE-SR401AL, PE-SR401FL, RG401, .250” Semi-Rigid	**PE4907**	$34.80	$32.36	$29.93	$27.84	27
	PE-SR402AL, PE-SR402FL, RG402, .141” Semi-Rigid	**PE4112**	$7.15	$6.65	$6.15	$5.72	28
	PE-SR405AL, PE-SR405FL, RG405, .085” Semi-Rigid	**PE4005**	$6.40	$5.95	$5.50	$5.12	29
	RG174, RG316, RG188	**PE4036**	$10.15	$9.44	$8.73	$8.12	30
	RG178, RG196	**PE4213**	$14.10	$13.11	$12.13	$11.28	31
	RG58, RG55, RG142, RG223, RG400	**PE4037**	$12.00	$11.16	$10.32	$9.60	32
Solder (Without Contact)	PE-SR402AL, PE-SR402FL, RG402, .141” Semi-Rigid	**PE4007**	$6.15	$5.72	$5.29	$4.92	33
Solder/Solder (Captive Contact)	RG174, RG316, RG188	**PE4590**	$12.95	$12.04	$11.14	$10.36	34
	RG58, RG55, RG142, RG223, RG400	**PE4587**	$13.65	$12.69	$11.74	$10.92	35

Male Right Angle, Cable Connectors

Crimp/Solder	RG8X, PE-C240	**PE44638**	$23.30	$21.67	$20.04	$18.64	36
	RG188-DS, RG316-DS	**PE4408**	$16.75	$15.58	$14.41	$13.40	37
	RG178, RG196	**PE4296**	$19.85	$18.46	$17.07	$15.88	38
	RG180, RG195	**PE4580**	$18.15	$16.88	$15.61	$14.52	39
	RG316, RG174, RG188	**PE4009**	$14.50	$13.49	$12.47	$11.60	40
	RG58	**PE4405**	$14.35	$13.35	$12.34	$11.48	41
	RG59, RG62	**PE4327**	$24.25	$22.55	$20.86	$19.40	42
	RG55, RG142, RG223, RG400	**PE4002**	$14.50	$13.49	$12.47	$11.60	43
Clamp/Solder	RG188-DS, RG316-DS	**PE4407**	$23.10	$21.48	$19.87	$18.48	44
	RG178, RG196	**PE4108**	$15.40	$14.32	$13.24	$12.32	45
	RG180, RG195	**PE4579**	$19.15	$17.81	$16.47	$15.32	46
	RG316, RG174, RG188	**PE4028**	$23.35	$21.72	$20.08	$18.68	47
	RG58, RG55, RG142, RG223, RG400	**PE4029**	$20.60	$19.16	$17.72	$16.48	48
Solder/Solder	RG188-DS, RG316-DS	**PE4409**	$16.45	$15.30	$14.15	$13.16	49
	PE-020SR, .020” Semi-Rigid	**PE4920**	$45.45	$42.27	$39.09	$36.36	50
	PE-034SR, .034” Semi-Rigid	**PE4919**	$40.60	$37.76	$34.92	$32.48	51
	PE-047SR, PE-SR047AL, PE-SR047FL, .047” Semi-Rigid	**PE4410**	$44.75	$41.62	$38.49	$35.80	52
	PE-SR401AL, PE-SR401FL, RG401, .250” Semi-Rigid	**PE4932**	$41.25	$38.36	$35.48	$33.00	53
	PE-SR402AL, PE-SR402FL, RG402, .141” Semi-Rigid	**PE4083**	$20.60	$19.16	$17.72	$16.48	54
	PE-SR405AL, PE-SR405FL, RG405, .085” Semi-Rigid	**PE4025**	$21.85	$20.32	$18.79	$17.48	55
	RG178, RG196	**PE4406**	$18.80	$17.48	$16.17	$15.04	56
	RG316, RG174, RG188	**PE4038**	$14.10	$13.11	$12.13	$11.28	57
	RG58, RG55, RG142, RG223, RG400	**PE4039**	$14.10	$13.11	$12.13	$11.28	58

See Our Website For Current Stock Availability!

Female Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG8X, PE-C240	**PE44639**	$16.90	$15.72	$14.53	$13.52	1
		RG188-DS, RG316-DS	**PE4416**	$14.75	$13.72	$12.69	$11.80	2
		PE-C400 NEW	**PE44669**	$33.90	$31.53	$29.15	$27.12	3
		RG178, RG196	**PE4325**	$20.40	$18.97	$17.54	$16.32	4
		RG316, RG174, RG188	**PE4414**	$15.15	$14.09	$13.03	$12.12	5
		RG58	**PE4413**	$14.75	$13.72	$12.69	$11.80	6
		RG59, RG62	**PE4326**	$21.30	$19.81	$18.32	$17.04	7
		RG55, RG142, RG223, RG400	**PE4412**	$12.00	$11.16	$10.32	$9.60	8
	Clamp/Solder	RG188-DS, RG316-DS	**PE4415**	$22.05	$20.51	$18.96	$17.64	9
		RG178, RG196	**PE4591**	$22.05	$20.51	$18.96	$17.64	10
		RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4411**	$42.95	$39.94	$36.94	$34.36	11
		RG316, RG174, RG188	**PE4030**	$22.05	$20.51	$18.96	$17.64	12
		RG58, RG55, RG142, RG223, RG400	**PE4031**	$30.70	$28.55	$26.40	$24.56	13
	Solder/Solder	RG188-DS, RG316-DS	**PE4417**	$12.95	$12.04	$11.14	$10.36	14
		PE-020SR, .020" Semi-Rigid	**PE4922**	$44.65	$41.52	$38.40	$35.72	15
		PE-034SR, .034" Semi-Rigid	**PE4921**	$40.60	$37.76	$34.92	$32.48	16
		PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE4418**	$26.40	$24.55	$22.70	$21.12	17
		PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid	**PE4930**	$20.25	$18.83	$17.42	$16.20	18
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4115**	$10.30	$9.58	$8.86	$8.24	19
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4116**	$16.95	$15.76	$14.58	$13.56	20
		RG178, RG196	**PE4592**	$17.65	$16.41	$15.18	$14.12	21
		RG316, RG174, RG188	**PE4040**	$11.70	$10.88	$10.06	$9.36	22
		RG58, RG55, RG142, RG223, RG400	**PE4041**	$11.70	$10.88	$10.06	$9.36	23

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS, B02 Mounting Hole	**PE4425**	$17.05	$15.86	$14.66	$13.64	24
		RG178, RG196, w/o-ring, B02 Mounting Hole NEW	**PE44657**	$12.70	$11.81	$10.92	$10.16	25
		RG178, RG196, B02 Mounting Hole	**PE4422**	$20.60	$19.16	$17.72	$16.48	26
		RG316, RG174, RG188, B02 Mounting Hole	**PE4427**	$15.00	$13.95	$12.90	$12.00	27
		RG58, B02 Mounting Hole	**PE4420**	$14.35	$13.35	$12.34	$11.48	28
		RG59, RG62, B02 Mounting Hole	**PE4914**	$20.50	$19.07	$17.63	$16.40	29
		RG55, RG142, RG223, RG400, B02 Mounting Hole	**PE4419**	$14.80	$13.76	$12.73	$11.84	30
	Crimp/Solder (Captive Contact)	RG316, RG174, RG188, B02 Mounting Hole	**PE4187**	$15.45	$14.37	$13.29	$12.36	31
	Clamp/Solder	RG188-DS, RG316-DS, B02 Mounting Hole	**PE4424**	$31.00	$28.83	$26.66	$24.80	32
		RG178, RG196, B02 Mounting Hole	**PE4421**	$22.00	$20.46	$18.92	$17.60	33
		RG316, RG174, RG188, B02 Mounting Hole	**PE4032**	$24.45	$22.74	$21.03	$19.56	34
		RG58, RG55, RG142, RG223, B02 Mounting Hole	**PE4033**	$26.60	$24.74	$22.88	$21.28	35
	Solder/Solder	RG188-DS, RG316-DS, B02 Mounting Hole	**PE4426**	$15.35	$14.28	$13.20	$12.28	36
		PE-020SR, B02 Mounting Hole, .020" Semi-Rigid	**PE4924**	$44.95	$41.80	$38.66	$35.96	37
		PE-034SR, B02 Mounting Hole, .034" Semi-Rigid	**PE4923**	$46.75	$43.48	$40.21	$37.40	38
		PE-047SR, PE-SR047AL, PE-SR047FL, B02 Mounting Hole, .047" Semi-Rigid	**PE4581**	$36.35	$33.81	$31.26	$29.08	39
		PE-SR401AL, PE-SR401FL, RG401, B02 Mounting Hole, .250" Semi-Rigid	**PE4931**	$27.55	$25.62	$23.69	$22.04	40
		PE-SR402AL, PE-SR402FL, RG402, B02 Mounting Hole, .141" Semi-Rigid	**PE4120**	$10.95	$10.18	$9.42	$8.76	41
		PE-SR405AL, PE-SR405FL, RG405, B02 Mounting Hole, .085" Semi-Rigid	**PE4119**	$13.90	$12.93	$11.95	$11.12	42
		RG178, RG196, B02 Mounting Hole	**PE4423**	$20.05	$18.65	$17.24	$16.04	43
		RG316, RG174, RG188, B02 Mounting Hole	**PE4188**	$14.10	$13.11	$12.13	$11.28	44
		RG58, RG55, RG142, RG223, B02 Mounting Hole	**PE4353**	$14.45	$13.44	$12.43	$11.56	45
	Solder/Solder (Captive Contact)	RG316, RG174, RG188, B02 Mounting Hole	**PE4428**	$15.65	$14.55	$13.46	$12.52	46

Female Straight, Panel Mount, Cable Connectors

	Solder/Solder	2 Hole Flange, PE-047SR, PE-SR047AL, PE-SR047FL, C01 Mounting Hole, .047" Semi-Rigid	**PE4547**	$19.80	$18.41	$17.03	$15.84	47
		2 Hole Flange, PE-SR402AL, PE-SR402FL, RG402, C02 Mounting Hole, .141" Semi-Rigid	**PE4196**	$18.35	$17.07	$15.78	$14.68	48
		2 Hole Flange, PE-SR405AL, PE-SR405FL, RG405, C03 Mounting Hole, .085" Semi-Rigid	**PE4197**	$17.40	$16.18	$14.96	$13.92	49
	Clamp/Solder	4 Hole Flange, RG316, RG174, RG188, A01 Mounting Hole	**PE4034**	$42.95	$39.94	$36.94	$34.36	50
		4 Hole Flange, RG58, RG55, RG141, RG142, RG400, RG223, A01 Mounting Hole	**PE4035**	$42.95	$39.94	$36.94	$34.36	51
	Solder/Solder	4 Hole Flange, PE-047SR, PE-SR047AL, PE-SR047FL, A01 Mounting Hole, .047" Semi-Rigid	**PE4548**	$28.35	$26.37	$24.38	$22.68	52
		4 Hole Flange, PE-SR402AL, PE-SR402FL, RG402, A01 Mounting Hole, .141" Semi-Rigid	**PE4121**	$24.30	$22.60	$20.90	$19.44	53
		4 Hole Flange, PE-SR405AL, PE-SR405FL, RG405, A01 Mounting Hole, .085" Semi-Rigid	**PE4122**	$21.40	$19.90	$18.40	$17.12	54

See Page 259 for Mounting Hole Dimensions

Reverse Polarity Male Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG8X, PE-C240 NEW	PE44664	$19.00	$17.67	$16.34	$15.20	1
	PE-C400 NEW	PE44666	$23.30	$21.67	$20.04	$18.64	2
	RG174, RG316, RG188	PE4771	$13.90	$12.93	$11.95	$11.12	3
	RG178, RG196	PE4774	$22.05	$20.51	$18.96	$17.64	4
	RG180, RG195	PE4777	$23.35	$21.72	$20.08	$18.68	5
	RG58	PE4769	$17.00	$15.81	$14.62	$13.60	6
	RG55, RG141, RG142, RG223, RG400	PE4767	$14.65	$13.62	$12.60	$11.72	7
Clamp/Solder	RG174, RG316, RG188	PE4770	$24.55	$22.83	$21.11	$19.64	8
	RG178, RG196	PE4773	$22.05	$20.51	$18.96	$17.64	9
	RG180, RG195	PE4776	$22.05	$20.51	$18.96	$17.64	10
	RG58, RG55, RG141, RG142, RG223, RG400	PE4766	$24.55	$22.83	$21.11	$19.64	11
Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	PE4778	$18.35	$17.07	$15.78	$14.68	12
	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	PE4779	$18.35	$17.07	$15.78	$14.68	13
	RG174, RG316, RG188	PE4772	$16.65	$15.48	$14.32	$13.32	14
	RG178, RG196	PE4775	$16.35	$15.21	$14.06	$13.08	15
	RG58, RG55, RG141, RG142, RG223, RG400	PE4768	$16.65	$15.48	$14.32	$13.32	16

Reverse Polarity Male Right Angle, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG174, RG316, RG188	PE4785	$30.70	$28.55	$26.40	$24.56	17
	RG178, RG196	PE4788	$30.70	$28.55	$26.40	$24.56	18
	RG58	PE4783	$26.20	$24.37	$22.53	$20.96	19
	RG55, RG141, RG142, RG223, RG400	PE4781	$29.00	$26.97	$24.94	$23.20	20
Clamp/Solder	RG174, RG316, RG188	PE4784	$36.85	$34.27	$31.69	$29.48	21
	RG178, RG196	PE4787	$75.35	$70.08	$64.80	$60.28	22
	RG58, RG55, RG141, RG142, RG223, RG400	PE4780	$30.70	$28.55	$26.40	$24.56	23
Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	PE4790	$30.70	$28.55	$26.40	$24.56	24
	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	PE4791	$30.70	$28.55	$26.40	$24.56	25
	RG174, RG316, RG188	PE4786	$27.90	$25.95	$23.99	$22.32	26
	RG178, RG196	PE4789	$30.70	$28.55	$26.40	$24.56	27
	RG58, RG55, RG141, RG142, RG400, RG223	PE4782	$27.90	$25.95	$23.99	$22.32	28

Reverse Polarity Female Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG8X, PE-C240 NEW	PE44665	$20.15	$18.74	$17.33	$16.12	29
	PE-C400 NEW	PE44667	$24.35	$22.65	$20.94	$19.48	30
	RG174, RG316, RG188	PE4797	$20.85	$19.39	$17.93	$16.68	31
	RG178, RG196	PE4799	$22.05	$20.51	$18.96	$17.64	32
	RG58	PE4795	$20.50	$19.07	$17.63	$16.40	33
	RG55, RG141, RG142, RG223, RG400	PE4793	$23.35	$21.72	$20.08	$18.68	34
Clamp/Solder	RG174, RG316, RG188	PE4796	$24.55	$22.83	$21.11	$19.64	35
	RG178, RG196	PE4850	$24.55	$22.83	$21.11	$19.64	36
	RG58, RG55, RG141, RG142, RG400, RG223	PE4792	$24.55	$22.83	$21.11	$19.64	37
Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	PE4852	$23.35	$21.72	$20.08	$18.68	38
	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	PE4853	$23.35	$21.72	$20.08	$18.68	39
	RG174, RG316, RG188	PE4798	$20.50	$19.07	$17.63	$16.40	40
	RG178, RG196	PE4851	$20.10	$18.69	$17.29	$16.08	41
	RG58, RG55, RG141, RG142, RG400, RG223	PE4794	$20.10	$18.69	$17.29	$16.08	42

Reverse Polarity Female Straight, Bulkhead Mount, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG174, RG316, RG188, B02 Mounting Hole	PE4859	$19.70	$18.32	$16.94	$15.76	43
	RG178, RG196, B02 Mounting Hole	PE4862	$20.85	$19.39	$17.93	$16.68	44
	RG58, B02 Mounting Hole	PE4857	$19.30	$17.95	$16.60	$15.44	45
	RG55, RG141, RG142, RG223, RG400, B02 Mounting Hole	PE4855	$19.70	$18.32	$16.94	$15.76	46
Clamp/Solder	RG174, RG316, RG188, B02 Mounting Hole	PE4858	$30.70	$28.55	$26.40	$24.56	47
	RG178, RG196, B02 Mounting Hole	PE4861	$30.70	$28.55	$26.40	$24.56	48
	RG58, RG55, RG141, RG142, RG400, RG223, B02 Mounting Hole	PE4854	$30.70	$28.55	$26.40	$24.56	49
Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, B02 Mounting Hole, .141" Semi-Rigid	PE4864	$25.80	$23.99	$22.19	$20.64	50
	PE-SR405AL, PE-SR405FL, RG405, B02 Mounting Hole, .085" Semi-Rigid	PE4865	$27.00	$25.11	$23.22	$21.60	51
	RG174, RG316, RG188, B02 Mounting Hole	PE4860	$20.10	$18.69	$17.29	$16.08	52
	RG178, RG196, B02 Mounting Hole	PE4863	$21.20	$19.72	$18.23	$16.96	53
	RG58, RG55, RG141, RG142, RG400, RG223, B02 Mounting Hole	PE4856	$20.10	$18.69	$17.29	$16.08	54

Reverse Thread Male Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG174, RG316, RG188	PE44184	$18.35	$17.07	$15.78	$14.68	55
	RG178, RG196	PE44185	$18.35	$17.07	$15.78	$14.68	56
	RG58	PE44183	$17.00	$15.81	$14.62	$13.60	57
	RG55, RG141, RG142, RG223, RG400	PE44182	$18.35	$17.07	$15.78	$14.68	58

See Our Website For Current Stock Availability!

Reverse Thread Male Right Angle, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG174, RG316, RG188	**PE44188**	$31.95	$29.71	$27.48	$25.56	1
	RG178, RG196	**PE44189**	$31.95	$29.71	$27.48	$25.56	2
	RG58	**PE44187**	$29.55	$27.48	$25.41	$23.64	3
	RG55, RG141, RG142, RG223, RG400	**PE44186**	$31.95	$29.71	$27.48	$25.56	4

Reverse Thread Female Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG174, RG316, RG188	**PE44192**	$20.85	$19.39	$17.93	$16.68	5
	RG178, RG196	**PE44193**	$20.85	$19.39	$17.93	$16.68	6
	RG58	**PE44191**	$20.50	$19.07	$17.63	$16.40	7
	RG55, RG141, RG142, RG223, RG400	**PE44190**	$20.85	$19.39	$17.93	$16.68	8

Reverse Thread Female Straight, Bulkhead Mount, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG174, RG316, RG188, B02 Mounting Hole	**PE44196**	$24.55	$22.83	$21.11	$19.64	9
	RG178, RG196, B02 Mounting Hole	**PE44197**	$24.55	$22.83	$21.11	$19.64	10
	RG58, B02 Mounting Hole	**PE44195**	$22.30	$20.74	$19.18	$17.84	11
	RG55, RG141, RG142, RG223, RG400, B02 Mounting Hole	**PE44194**	$24.55	$22.83	$21.11	$19.64	12

Male Straight, Bulkhead Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	Solder Cup Contact, Front Mount, .125" Max Panel, .380" x .350" Mounting Hole Size, B04 Mounting Hole	**PE4544**	$20.50	$19.07	$17.63	$16.40	13
	Solder Cup Contact, Front Mount, .125" Max Panel, .250" x .235" Mounting Hole Size, B02 Mounting Hole	**PE4354**	$13.95	$12.97	$12.00	$11.16	14
	.020" Dia. Stub Contact, Front Mount, Hermetically Sealed w/o-ring, F01 Mounting Hole	**PE4531**	$28.35	$26.37	$24.38	$22.68	15

Male Straight, Panel Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	2 Hole Flange, .050" Stub Contact, .330" Extended Dielectric, C02 Mounting Hole	**PE4127**	$18.35	$17.07	$15.78	$14.68	16
	2 Hole Flange, Solder Cup Contact, C01 Mounting Hole	**PE4125**	$20.00	$18.60	$17.20	$16.00	17
	4 Hole Flange, .050" Stub Contact, .330" Extended Dielectric, A01 Mounting Hole	**PE4126**	$16.95	$15.76	$14.58	$13.56	18
	4 Hole Flange, Solder Cup Contact, A01 Mounting Hole	**PE4124**	$17.40	$16.18	$14.96	$13.92	19
	4 Hole Flange, .020" Dia Stub Contact, Hermetically Sealed w/o-ring, A01 Mounting Hole	**PE4541**	$36.85	$34.27	$31.69	$29.48	20

Female Straight, PCB Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	Stripline End Launch, 1/16" Ground Plane Spacing, Captive Tab Contact	**PE4534**	$32.70	$30.41	$28.12	$26.16	21
	Stripline End Launch, 1/4" Ground Plane Spacing, Captive Tab Contact	**PE4535**	$45.70	$42.50	$39.30	$36.56	22
	Stripline End Launch, 1/8" Ground Plane Spacing, Captive Tab Contact	**PE4190**	$34.40	$31.99	$29.58	$27.52	23
	.050" Dia. Contact, .155" Leg Length, D01 Mounting Hole	**PE4117**	$12.00	$11.16	$10.32	$9.60	24

Female Right Angle, PCB Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.050" Dia. Contact, .155" Leg Length, D01 Mounting Hole	**PE4118**	$14.55	$13.53	$12.51	$11.64	25

Female Straight, Bulkhead Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.050" Dia. Stub Contact, 27 GHz Precision, Max VSWR 1.20:1, F01 Mounting Hole	**PE44344**	$36.85	$34.27	$31.69	$29.48	26
	.050" Dia. Stub Contact, F01 Mounting Hole	**PE4189**	$10.85	$10.09	$9.33	$8.68	27
	Solder Cup Contact, Front Mount, .250" Max Panel, B04 Mounting Hole	**PE4536**	$47.35	$44.04	$40.72	$37.88	28
	Solder Cup Contact, Rear Mount, w/o-ring, .093" Max Panel, B02 Mounting Hole	**PE4529**	$15.10	$14.04	$12.99	$12.08	29
	Solder Cup Contact, Rear Mount, .160" Max Panel, B02 Mounting Hole	**PE4101**	$10.80	$10.04	$9.29	$8.64	30
	Solder Cup Contact, Front Mount, .125" Max Panel, B02 Mounting Hole	**PE4219**	$9.45	$8.79	$8.13	$7.56	31
	Solder Cup Contact, F01 Mounting Hole	**PE4549**	$15.40	$14.32	$13.24	$12.32	32
	.020" Dia. Stub Contact, Rear Mount, Hermetically Sealed w/o-ring, .125" Max Panel, B02 Mounting Hole	**PE4528**	$24.25	$22.55	$20.86	$19.40	33
	.020" Dia. Stub Contact, Hermetically Sealed, F01 Mounting Hole	**PE4532**	$19.70	$18.32	$16.94	$15.76	34
	.020" Dia. Stub Contact, Front Mount, Hermetically Sealed w/o-ring, F01 Mounting Hole	**PE4530**	$24.35	$22.65	$20.94	$19.48	35

Female Right Angle, Bulkhead Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	Solder Cup Contact, .125" Max Panel, B02 Mounting Hole	**PE4300**	$36.85	$34.27	$31.69	$29.48	36

Female Straight, Panel Mount, Terminal (Continued on Next Page)

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	2 Hole Flange, .010" Stub Contact, .125" Extended Dielectric, C01 Mounting Hole	**PE4001**	$12.75	$11.86	$10.97	$10.20	37
	2 Hole Flange, .050" Stub Contact, .590" Extended Dielectric, 27 GHz Precision, Max VSWR: 1.20:1, C01 Mounting Hole	**PE44343**	$37.15	$34.55	$31.95	$29.72	38

See Page 259 for Mounting Hole Dimensions

Female Straight, Panel Mount, Terminal (Continued from Previous Page)



Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Solder	2 Hole Flange, .050” Stub Contact, .590” Extended Dielectric, .625” Flange Size, C01 Mounting Hole	PE4128	$13.70	$12.74	$11.78	$10.96	1
	2 Hole Flange, Removable Tab Contact, Flush Dielectric, C01 Mounting Hole	PE4370	$18.35	$17.07	$15.78	$14.68	2
	2 Hole Flange, Solder Cup Contact, 27 GHz Precision, Max VSWR 1.20:1, C01 Mounting Hole	PE44341	$36.85	$34.27	$31.69	$29.48	3
	2 Hole Flange, Solder Cup Contact, .625” Flange Size, C01 Mounting Hole	PE4004	$11.20	$10.42	$9.63	$8.96	4
	2 Hole Flange, .010” Stub Contact, .125” Extended Dielectric, 27 GHz Precision, Max VSWR: 1.20:1, C01 Mounting Hole	PE44340	$46.75	$43.48	$40.21	$37.40	5
	4 Hole Flange, .050” Stub Contact, .590” Extended Dielectric, .687” Flange Size, A04 Mounting Hole	PE4533	$18.15	$16.88	$15.61	$14.52	6
	4 Hole Flange, .050” Stub Contact, .590” Extended Dielectric, .500” Flange Size, A01 Mounting Hole	PE4099	$11.95	$11.11	$10.28	$9.56	7
	4 Hole Flange, Removable Tab Contact, Flush Dielectric, .500” x .375” Flange Mount, E01 Mounting Hole	PE4539	$23.35	$21.72	$20.08	$18.68	8
	4 Hole Flange, Removable Tab Contact, Flush Dielectric, 1” Flange Size, A05 Mounting Hole	PE4546	$31.65	$29.43	$27.22	$25.32	9
	4 Hole Flange, Removable Tab Contact, Flush Dielectric, A01 Mounting Hole	PE4186	$11.60	$10.79	$9.98	$9.28	10
	4 Hole Flange, .012” Width Slot in Contact, 1” Flange Size, A05 Mounting Hole	PE4216	$20.85	$19.39	$17.93	$16.68	11
	4 Hole Flange, .050” Stub Contact, .590” Extended Dielectric, .375” x .500” Flange Size, E01 Mounting Hole	PE4538	$30.45	$28.32	$26.19	$24.36	12
	4 Hole Flange, .012” Width Slot in Contact, .500” Flange Size, A01 Mounting Hole	PE4217	$15.10	$14.04	$12.99	$12.08	13
	4 Hole Flange, Solder Cup Contact, .500” Flange Size, A01 Mounting Hole	PE4000	$15.30	$14.23	$13.16	$12.24	14
	4 Hole Flange, Solder Cup Contact, .500” x .375” Flange Size, E01 Mounting Hole	PE4537	$23.35	$21.72	$20.08	$18.68	15
	4 Hole Flange, Solder Cup Contact, 1” Flange Size, A05 Mounting Hole	PE4218	$18.35	$17.07	$15.78	$14.68	16
	4 Hole Flange, Solder Cup Contact, .687” Flange Size, A04 Mounting Hole	PE4527	$18.35	$17.07	$15.78	$14.68	17
	4 Hole Flange, .020” Stub Contact, Hermetically Sealed w/o-ring, A01 Mounting Hole	PE4540	$33.40	$31.06	$28.72	$26.72	18

Female Right Angle, Panel Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	2 Hole Flange, .050” Dia. Stub Contact, .250” Extended Dielectric, 90° Flange Direction, C01 Mounting Hole	PE44593	$34.40	$31.99	$29.58	$27.52	19
	2 Hole Flange, .050” Dia. Stub Contact, .590” Extended Dielectric, -45° Flange Direction, C01 Mounting Hole	PE44239	$34.40	$31.99	$29.58	$27.52	20
	2 Hole Flange, .050” Dia. Stub Contact, .590” Extended Dielectric, +45° Flange Direction, C01 Mounting Hole	PE44238	$34.40	$31.99	$29.58	$27.52	21
	2 Hole Flange, .050” Dia. Stub Contact, .590” Extended Dielectric, 90° Flange Direction, C01 Mounting Hole	PE44237	$41.35	$38.46	$35.56	$33.08	22
	Radius 4 Hole Flange, Solder Cup Contact, .500” Flange Size, A01 Mounting Hole	PE4220	$51.45	$47.85	$44.25	$41.16	23
	4 Hole Flange, .050” Dia. Contact, .590” Extended Dielectric, A01 Mounting Hole	PE44236	$32.45	$30.18	$27.91	$25.96	24
	4 Hole Flange, Solder Cup Contact, A01 Mounting Hole	PE4123	$28.55	$26.55	$24.55	$22.84	25

Female Straight, Press In Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.010” X .020” Tab Contact, F07 Mounting Hole	PE44240	$20.85	$19.39	$17.93	$16.68	26
	.030” Dia Contact, F07 Mounting Hole	PE44241	$20.85	$19.39	$17.93	$16.68	27

Reverse Polarity Female Straight, Bulkhead Mount, Terminal



Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	Solder Cup Contact, Front Mount, .125” Max Panel, B02 Mounting Hole	PE4871	$17.40	$16.18	$14.96	$13.92	28
	Solder Cup Contact, Rear Mount, .150” Max Panel, B02 Mounting Hole	PE4868	$15.95	$14.83	$13.72	$12.76	29

Reverse Polarity Female Straight, Panel Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	2 Hole Flange, Solder Cup Contact, .625” Flange Size, C01 Mounting Hole	PE4867	$19.65	$18.27	$16.90	$15.72	30
	4 Hole Flange, Solder Cup Contact, .500” Flange Size, A01 Mounting Hole	PE4866	$18.35	$17.07	$15.78	$14.68	31

Reverse Thread Female Straight, PCB Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.050” Dia. Contact, .155” Leg Length, D01 Mounting Hole	PE44198	$20.85	$19.39	$17.93	$16.68	32

Reverse Thread Female Right Angle, PCB Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.050” Dia. Contact, .155” Leg Length, D01 Mounting Hole	PE44199	$23.35	$21.72	$20.08	$18.68	33

See Our Website For Current Stock Availability!

Reverse Thread Female Straight, Panel Mount, Terminal

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	4 Hole Flange, Solder Cup Contact, .500” Flange Size, A01 Mounting Hole	**PE44200**	$23.35	$21.72	$20.08	$18.68	1

Male Straight, PCB Mount

	Solder	End Launch, .042” Board Thickness, .020” x .010” Tab Contact	**PE44210**	$24.50	$22.79	$21.07	$19.60	2
		End Launch, .042” Board Thickness, .030” Round Contact	**PE44209**	$22.75	$21.16	$19.57	$18.20	3
		End Launch, .062” Board Thickness, .020” x .010” Tab Contact	**PE4913**	$22.05	$20.51	$18.96	$17.64	4
		End Launch, .062” Board Thickness, .030” Round Contact	**PE4912**	$20.85	$19.39	$17.93	$16.68	5
		.050” Dia. Contact, .155” Leg Length, D01 Mounting Hole	**PE4525**	$16.10	$14.97	$13.85	$12.88	6

Male Right Angle, PCB Mount

	Solder	.050” Dia. Contact, .155” Leg Length, D01 Mounting Hole	**PE4526**	$26.30	$24.46	$22.62	$21.04	7

Female Straight, PCB Mount

	Solder	End Launch, .031” Board Thickness, .030” Round Contact	**PE44206**	$14.15	$13.16	$12.17	$11.32	8
		End Launch, .042” Board Thickness, .020” x .010” Tab Contact	**PE44207**	$18.20	$16.93	$15.65	$14.56	9
		End Launch, .042” Board Thickness, .030” Round Contact	**PE44204**	$17.05	$15.86	$14.66	$13.64	10
		End Launch, .047” Board Thickness, .020” x .010” Tab Contact	**PE44208**	$18.95	$17.62	$16.30	$15.16	11
		End Launch, .047” Board Thickness, .030” Round Contact	**PE44205**	$19.50	$18.14	$16.77	$15.60	12
		End Launch, .062” Board Thickness, .030” Round Contact	**PE4542**	$13.70	$12.74	$11.78	$10.96	13
		End Launch, .062” Board Thickness, .020” x .010” Tab Contact	**PE4543**	$13.40	$12.46	$11.52	$10.72	14
		Surface Mount, .050” Dia. Contact	**PE4910**	$12.55	$11.67	$10.79	$10.04	15
		Surface Mount, End Launch, .030” Dia. Contact	**PE44235**	$15.10	$14.04	$12.99	$12.08	16
		.050” Dia. Contact, .155” Leg Length, 27 GHz Precision, Max VSWR 1.20:1, D01 Mounting Hole	**PE44342**	$40.80	$37.94	$35.09	$32.64	17

Female Right Angle, PCB Mount

	Solder	Surface Mount, .050” Dia. Contact	**PE4911**	$19.15	$17.81	$16.47	$15.32	18

Female Straight, Bulkhead Mount, PCB Mount

	Solder	End Launch, .042” Board Thickness, .030” Round Contact, F01 Mounting Hole	**PE44211**	$18.50	$17.21	$15.91	$14.80	19
		End Launch, .042” Board Thickness, .020” x .010” Tab Contact, F01 Mounting Hole	**PE44213**	$19.65	$18.27	$16.90	$15.72	20
		End Launch, .062” Board Thickness, .020” x .010” Tab Contact, F01 Mounting Hole	**PE44214**	$18.50	$17.21	$15.91	$14.80	21
		End Launch, .062” Board Thickness, .030” Round Contact, F01 Mounting Hole	**PE44212**	$18.50	$17.21	$15.91	$14.80	22
		.050” Dia. Contact, .155” Leg Length, .125” Max Panel, D01 & B02 Mounting Hole	**PE4524**	$13.40	$12.46	$11.52	$10.72	23

Female Right Angle, Bulkhead Mount, PCB Mount

	Solder	.050” Dia. Contact, .155” Leg Length, .125” Max Panel, D01 & B02 Mounting Hole	**PE4545**	$21.95	$20.41	$18.88	$17.56	24

Reverse Polarity Male Straight, PCB Mount

	Solder	.050” Dia. Contact, .155” Leg Length, D01 Mounting Hole	**PE4873**	$18.35	$17.07	$15.78	$14.68	25

Reverse Polarity Female Straight, PCB Mount

	Solder	End Launch, .062” Board Thickness, .030” Round Contact	**PE4874**	$18.35	$17.07	$15.78	$14.68	26
		.050” Dia. Contact, .155” Leg Length, D01 Mounting Hole	**PE4869**	$16.20	$15.07	$13.93	$12.96	27

Reverse Polarity Female Right Angle, PCB Mount

	Solder	.050” Dia. Contact, .155” Leg Length, D01 Mounting Hole	**PE4870**	$24.55	$22.83	$21.11	$19.64	28

See Page 259 for Mounting Hole Dimensions

Reverse Polarity Female Straight, Bulkhead Mount, PCB Mount

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	.050” Dia Contact, .155” Leg Length, .125” Max Panel, D01 & F01 Mounting Hole	**PE4872**	$18.00	$16.74	$15.48	$14.40	1

Reverse Polarity Female Right Angle, Bulkhead Mount, PCB Mount

	Solder	.050” Dia. Contact, .155” Leg Length, .190” Max Panel, D01 & F01 Mounting Hole	**PE4875**	$33.20	$30.88	$28.55	$26.56	2

Reverse Thread Female Straight, PCB Mount

	Solder	End Launch, .062” Board Thickness, .020” x .010” Tab Contact	**PE44202**	$20.85	$19.39	$17.93	$16.68	3
		End Launch, .062” Board Thickness, .030” Round Contact	**PE44201**	$20.85	$19.39	$17.93	$16.68	4

Male Straight, Panel Mount, Field Replaceable

	Mechanical	2 Hole Flange, .640” Flange Size, Accepts .012 Pin Size, Includes EMI/RFI Gasket	**PE44028**	$30.70	$28.55	$26.40	$24.56	5
		2 Hole Flange, .640” Flange Size, Accepts .015 Pin Size, Includes EMI/RFI Gasket	**PE44029**	$30.70	$28.55	$26.40	$24.56	6
		2 Hole Flange, .640” Flange Size, Accepts .018 Pin Size, Includes EMI/RFI Gasket	**PE44030**	$30.70	$28.55	$26.40	$24.56	7
.375” Flange		2 Hole Flange, .640” Flange Size, Accepts .020 Pin Size	**PE44031**	$30.70	$28.55	$26.40	$24.56	8
		2 Hole Flange, .640” Flange Size, Accepts .036 Pin Size	**PE44032**	$30.70	$28.55	$26.40	$24.56	9
		4 Hole Flange, .500” Flange Size, Accepts .012 Pin Size, Includes EMI/RFI Gasket	**PE44018**	$30.70	$28.55	$26.40	$24.56	10
		4 Hole Flange, .375” Flange Size, Accepts .012 Pin Size, Includes EMI/RFI Gasket	**PE44005**	$30.70	$28.55	$26.40	$24.56	11
.500” Flange		4 Hole Flange, .500” Flange Size, Accepts .015 Pin Size, Includes EMI/RFI Gasket	**PE44019**	$30.70	$28.55	$26.40	$24.56	12
		4 Hole Flange, .375” Flange Size, Accepts .015 Pin Size, Includes EMI/RFI Gasket	**PE44006**	$30.70	$28.55	$26.40	$24.56	13
		4 Hole Flange, .375” Flange Size, Accepts .018 Pin Size, Includes EMI/RFI Gasket	**PE44007**	$30.70	$28.55	$26.40	$24.56	14
.640” Flange		4 Hole Flange, .500” Flange Size, Accepts .018 Pin Size, Includes EMI/RFI Gasket	**PE44020**	$30.70	$28.55	$26.40	$24.56	15
		4 Hole Flange, .500” Flange Size, Accepts .020 Pin Size	**PE44021**	$30.70	$28.55	$26.40	$24.56	16
		4 Hole Flange, .375” Flange Size, Accepts .020 Pin Size	**PE44008**	$30.70	$28.55	$26.40	$24.56	17
		4 Hole Flange, .375” Flange Size, Accepts .036 Pin Size	**PE44009**	$30.70	$28.55	$26.40	$24.56	18
		4 Hole Flange, .500” Flange Size, Accepts .036 Pin Size	**PE44022**	$30.70	$28.55	$26.40	$24.56	19

Female Straight, Panel Mount, Field Replaceable

	Mechanical	2 Hole Flange, .640” Flange Size, Accepts .012 Pin Size, Includes EMI/RFI Gasket	**PE44023**	$29.00	$26.97	$24.94	$23.20	20
		2 Hole Flange, .640” Flange Size, Accepts .015 Pin Size, Includes EMI/RFI Gasket	**PE44024**	$24.55	$22.83	$21.11	$19.64	21
		2 Hole Flange, .640” Flange Size, Accepts .018 Pin Size, Includes EMI/RFI Gasket	**PE44025**	$26.65	$24.78	$22.92	$21.32	22
.375” Flange		2 Hole Flange, .640” Flange Size, Accepts .020 Pin Size	**PE44026**	$23.20	$21.58	$19.95	$18.56	23
		2 Hole Flange, .640” Flange Size, Accepts .036 Pin Size	**PE44027**	$24.55	$22.83	$21.11	$19.64	24
		4 Hole Flange, .500” Flange Size, Accepts .012 Pin Size, Includes EMI/RFI Gasket	**PE44010**	$24.55	$22.83	$21.11	$19.64	25
		4 Hole Flange, .375” Flange Size, Accepts .012 Pin Size, Includes EMI/RFI Gasket	**PE44000**	$25.70	$23.90	$22.10	$20.56	26
.500” Flange		4 Hole Flange, .500” Flange Size, Accepts .015 Pin Size, Includes EMI/RFI Gasket	**PE44011**	$24.55	$22.83	$21.11	$19.64	27
		4 Hole Flange, .375” Flange Size, Accepts .015 Pin Size, Includes EMI/RFI Gasket	**PE44001**	$25.70	$23.90	$22.10	$20.56	28
		4 Hole Flange, .500” Flange Size, Accepts .018 Pin Size, Includes EMI/RFI Gasket	**PE44012**	$24.55	$22.83	$21.11	$19.64	29
.640” Flange		4 Hole Flange, .375” Flange Size, Accepts .018 Pin Size, Includes EMI/RFI Gasket	**PE44002**	$25.70	$23.90	$22.10	$20.56	30
		4 Hole Flange, .500” Flange Size, Accepts .020 Pin Size	**PE44013**	$24.55	$22.83	$21.11	$19.64	31
		4 Hole Flange, .375” Flange Size, Accepts .020 Pin Size	**PE44003**	$24.25	$22.55	$20.86	$19.40	32
		4 Hole Flange, .500” Flange Size, Accepts .036 Pin Size	**PE44014**	$24.55	$22.83	$21.11	$19.64	33
		4 Hole Flange, .375” Flange Size, Accepts .036 Pin Size	**PE44004**	$25.70	$23.90	$22.10	$20.56	34

Female Right Angle, Panel Mount, Field Replaceable

	Mechanical	4 Hole Flange, .500” Flange Size, Accepts .012 Pin Size, Includes EMI/RFI Gasket	**PE44015**	$37.65	$35.01	$32.38	$30.12	35
		4 Hole Flange, .500” Flange Size, Accepts .015 Pin Size, Includes EMI/RFI Gasket	**PE44016**	$36.85	$34.27	$31.69	$29.48	36
		4 Hole Flange, .500” Flange Size, Accepts .018 Pin Size, Includes EMI/RFI Gasket	**PE44017**	$46.95	$43.66	$40.38	$37.56	37

See Our Website For Current Stock Availability!

3.5mm Connectors

Male Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4981**	$64.40	$59.89	$55.38	$51.52	1
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4982**	$68.15	$63.38	$58.61	$54.52	2

Female Straight, Cable Connectors

	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4983**	$68.15	$63.38	$58.61	$54.52	3
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4984**	$117.85	$109.60	$101.35	$94.28	4

Female Straight, Bulkhead Mount, Cable Connectors

	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, B02 Mounting Hole, .141" Semi-Rigid	**PE4985**	$213.80	$198.83	$183.87	$171.04	5
		PE-SR405AL, PE-SR405FL, RG405, B02 Mounting Hole, .085" Semi-Rigid	**PE4986**	$88.05	$81.89	$75.72	$70.44	6

2.92mm Connectors

Male Straight, Cable Connectors

	Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4987**	$34.80	$32.36	$29.93	$27.84	7
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4988**	$34.80	$32.36	$29.93	$27.84	8
		.118" Dia. Semi-Rigid	**PE4989**	$49.25	$45.80	$42.36	$39.40	9

Female Straight, Cable Connectors

	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE44227**	$86.15	$80.12	$74.09	$68.92	10
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44228**	$86.15	$80.12	$74.09	$68.92	11

Female Straight, Bulkhead Mount, Cable Connectors

	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, B02 Mounting Hole, .141" Semi-Rigid	**PE4990**	$98.45	$91.56	$84.67	$78.76	12
		PE-SR405AL, PE-SR405FL, RG405, B02 Mounting Hole, .085" Semi-Rigid	**PE4992**	$110.75	$103.00	$95.25	$88.60	13

Male Straight, Panel Mount, Terminal

	Solder	2 Hole Flange, .025" Dia. Stub Contact, C06 Mounting Hole	**PE44347**	$104.55	$97.23	$89.91	$83.64	14

Male Straight, Threaded Mount, Field Replaceable

	Mechanical	Accepts .012" Dia. Pin	**PE44234**	$73.85	$68.68	$63.51	$59.08	15

Male Straight, Panel Mount, Field Replaceable

	Mechanical	2 Hole Flange, Accepts .012" Dia. Pin, C02 Mounting Hole	**PE44232**	$52.90	$49.20	$45.49	$42.32	16
		4 Hole Flange, Accepts .012" Dia. Pin, A01 Mounting Hole	**PE44233**	$73.85	$68.68	$63.51	$59.08	17

Female Straight, Threaded Mount, Field Replaceable

	Mechanical	Accepts .012" Pin	**PE44231**	$73.85	$68.68	$63.51	$59.08	18

Female Straight, Panel Mount, Field Replaceable

	Mechanical	2 Hole Flange, Accepts .012" Dia. Pin, C01 Mounting Hole	**PE44229**	$92.25	$85.79	$79.34	$73.80	19
		4 Hole Flange, Accepts .012" Dia. Pin, A01 Mounting Hole	**PE44230**	$89.20	$82.96	$76.71	$71.36	20

See Page 259 for Mounting Hole Dimensions

2.4mm Connectors

Male Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44345**	$104.55	$97.23	$89.91	$83.64	1
	Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44215**	$45.05	$41.90	$38.74	$36.04	2

Female Straight, Cable Connectors

	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44216**	$125.45	$116.67	$107.89	$100.36	3

Female Straight, Bulkhead Mount, Cable Connectors

	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, B14 Mounting Hole, .085" Semi-Rigid	**PE44346**	$110.75	$103.00	$95.25	$88.60	4

Male Straight, Panel Mount, Terminal

	Solder	2 Hole Flange, Tab, .003" X .011" Tab Contact, C05 Mounting Hole	**PE44223**	$116.85	$108.67	$100.49	$93.48	5
		2 Hole Flange, .024" Dia. Stub Contact, .250" Extended Dielectric, C05 Mounting Hole	**PE44220**	$110.75	$103.00	$95.25	$88.60	6
		4 Hole Flange, Tab, .003" X .011" Tab Contact, A01 Mounting Hole	**PE44224**	$184.65	$171.72	$158.80	$147.72	7
		4 Hole Flange, .024" Dia. Stub Contact, .250" Extended Dielectric, A01 Mounting Hole	**PE44221**	$95.95	$89.23	$82.52	$76.76	8

Female Straight, Panel Mount, Terminal

	Solder	2 Hole Flange, Tab, .003" X .011" Tab Contact, C05 Mounting Hole	**PE44225**	$123.05	$114.44	$105.82	$98.44	9
		2 Hole Flange, .024" Dia Stub Contact, .250" Extended Dielectric, C05 Mounting Hole	**PE44217**	$120.10	$111.69	$103.29	$96.08	10
		4 Hole Flange, Tab, .003" X .011" Tab Contact, A01 Mounting Hole	**PE44226**	$95.95	$89.23	$82.52	$76.76	11
		4 Hole Flange, .024" Dia Stub Contact, .250" Extended Dielectric, A01 Mounting Hole	**PE44218**	$101.45	$94.35	$87.25	$81.16	12

Male Straight, Threaded Mount, Field Replaceable

	Mechanical	Accepts .012" Dia. Pin	**PE44222**	$95.95	$89.23	$82.52	$76.76	13

Female Straight, Threaded Mount, Field Replaceable

	Mechanical	Accepts .012" Dia. Pin	**PE44219**	$95.95	$89.23	$82.52	$76.76	14

1.85mm Connectors

Male Straight, Cable Connectors

	Clamp/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44335**	$123.05	$114.44	$105.82	$98.44	15
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44336**	$110.75	$103.00	$95.25	$88.60	16

Male Straight, Threaded Mount, Field Replaceable

	Mechanical	Accepts .009" Dia. Pin	**PE44338**	$110.75	$103.00	$95.25	$88.60	17

Female Straight, Threaded Mount, Field Replaceable

	Mechanical	Accepts .009" Dia. Pin	**PE44339**	$110.75	$103.00	$95.25	$88.60	18

Female Straight, Panel Mount, Field Replaceable

	Mechanical	2 Hole Flange, Accepts .009" Dia. Pin, C01 Mounting Hole	**PE44337**	$123.05	$114.44	$105.82	$98.44	19

Connectors

See Our Website For Current Stock Availability!

Male Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG188-DS, RG316-DS	**PE44416**	$17.95	$16.69	$15.44	$14.36	1
		RG174, RG316, RG188	**PE44379**	$17.35	$16.14	$14.92	$13.88	2
		RG178, RG196	**PE44381**	$19.70	$18.32	$16.94	$15.76	3
	Solder/Solder	RG188-DS, RG316-DS	**PE44417**	$18.80	$17.48	$16.17	$15.04	4
		PE-034SR, .034" Semi-Rigid	**PE44440**	$22.05	$20.51	$18.96	$17.64	5
		PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44441**	$22.05	$20.51	$18.96	$17.64	6
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44383**	$24.55	$22.83	$21.11	$19.64	7
		RG174, RG316, RG188	**PE4184**	$19.30	$17.95	$16.60	$15.44	8
		RG178, RG196	**PE4199**	$22.30	$20.74	$19.18	$17.84	9
	Solder (Without Contact)	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44382**	$20.85	$19.39	$17.93	$16.68	10

Male Right Angle, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS	**PE44418**	$22.80	$21.20	$19.61	$18.24	11
		RG174, RG316, RG188	**PE44378**	$20.85	$19.39	$17.93	$16.68	12
		RG178, RG196	**PE44380**	$41.20	$38.32	$35.43	$32.96	13
	Solder/Solder	RG188-DS, RG316-DS	**PE44419**	$22.30	$20.74	$19.18	$17.84	14
		PE-034SR, .034" Semi-Rigid	**PE44420**	$34.40	$31.99	$29.58	$27.52	15
		PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44421**	$34.40	$31.99	$29.58	$27.52	16
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44384**	$24.55	$22.83	$21.11	$19.64	17
		RG174, RG316, RG188	**PE44401**	$26.75	$24.88	$23.01	$21.40	18
		RG178, RG196	**PE44402**	$22.30	$20.74	$19.18	$17.84	19

Female Straight, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS	**PE44422**	$21.20	$19.72	$18.23	$16.96	20
		RG174, RG316, RG188	**PE44385**	$21.40	$19.90	$18.40	$17.12	21
		RG178, RG196	**PE44386**	$35.45	$32.97	$30.49	$28.36	22
	Solder/Solder	RG188-DS, RG316-DS	**PE44423**	$22.30	$20.74	$19.18	$17.84	23
		PE-034SR, .034" Semi-Rigid	**PE44424**	$26.95	$25.06	$23.18	$21.56	24
		PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44425**	$25.70	$23.90	$22.10	$20.56	25
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44387**	$20.50	$19.07	$17.63	$16.40	26
		RG174, RG316, RG188	**PE44403**	$20.05	$18.65	$17.24	$16.04	27
		RG178, RG196	**PE44404**	$20.05	$18.65	$17.24	$16.04	28

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS	**PE44426**	$22.30	$20.74	$19.18	$17.84	29
		RG174, RG316, RG188	**PE44388**	$28.35	$26.37	$24.38	$22.68	30
		RG178, RG196	**PE44389**	$24.40	$22.69	$20.98	$19.52	31
	Solder/Solder	RG188-DS, RG316-DS	**PE44427**	$21.20	$19.72	$18.23	$16.96	32
		PE-034SR, .034" Semi-Rigid	**PE44428**	$33.35	$31.02	$28.68	$26.68	33
		PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44429**	$33.35	$31.02	$28.68	$26.68	34
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44390**	$23.35	$21.72	$20.08	$18.68	35
		RG174, RG316, RG188	**PE44405**	$21.20	$19.72	$18.23	$16.96	36
		RG178, RG196	**PE44406**	$21.20	$19.72	$18.23	$16.96	37

Female Straight, Panel Mount, Cable Connectors

	Solder/Solder	2 Hole Flange, PE-047SR, PE-SR047AL, PE-SR047FL, C07 Mounting Hole, .047" Semi-Rigid	**PE44436**	$26.95	$25.06	$23.18	$21.56	38
		2 Hole Flange, PE-SR405AL, PE-SR405FL, RG405, C07 Mounting Hole, .085" Semi-Rigid	**PE44437**	$29.55	$27.48	$25.41	$23.64	39
		4 Hole Flange, PE-047SR, PE-SR047AL, PE-SR047FL, A22 Mounting Hole, .047" Semi-Rigid	**PE44438**	$35.30	$32.83	$30.36	$28.24	40
		4 Hole Flange, PE-SR405AL, PE-SR405FL, RG405, A22 Mounting Hole, .085" Semi-Rigid	**PE44439**	$30.70	$28.55	$26.40	$24.56	41

Male Straight, Panel Mount, Terminal

	Solder	2 Hole Flange, Solder Cup Contact, C07 Mounting Hole	**PE44431**	$24.55	$22.83	$21.11	$19.64	42
		4 Hole Flange, Solder Cup Contact, A22 Mounting Hole	**PE44432**	$24.55	$22.83	$21.11	$19.64	43

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Rear Mount, .130" Max Panel, B01 Mounting Hole	**PE44393**	$22.05	$20.51	$18.96	$17.64	44
		Turret, .050" Dia. Contact, Front Mount, .093" Max Panel, B01 Mounting Hole	**PE44392**	$24.55	$22.83	$21.11	$19.64	45

See Page 259 for Mounting Hole Dimensions

SSMA Connectors

Female Straight, Panel Mount, Terminal

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	2 Hole Flange, .034” Dia. Stub Contact, .375” Extended Dielectric, C07 Mounting Hole	**PE44433**	$33.95	$31.57	$29.20	$27.16	1
		2 Hole Flange, Solder Cup Contact, C07 Mounting Hole	**PE44395**	$24.55	$22.83	$21.11	$19.64	2
		4 Hole Flange, .034” Dia. Stub Contact, .375” Extended Dielectric, A22 Mounting Hole	**PE44434**	$30.00	$27.90	$25.80	$24.00	3
		4 Hole Flange, Solder Cup Contact, A22 Mounting Hole	**PE44394**	$27.00	$25.11	$23.22	$21.60	4

Male Straight, PCB Mount

	Solder	.034” Dia Contact, .155” Leg Length, Thru Hole, D02 Mounting Hole	**PE44430**	$19.15	$17.81	$16.47	$15.32	5

Female Straight, PCB Mount

	Solder	.034” Dia. Contact, .155” Leg Length, Thru Hole, D02 Mounting Hole	**PE44391**	$23.25	$21.62	$20.00	$18.60	6

Female Right Angle, PCB Mount

	Solder	.034” Dia. Contact, .155” Leg Length, Thru Hole, D02 Mounting Hole	**PE44435**	$33.55	$31.20	$28.85	$26.84	7

N Connectors

Male Straight, Cable Connectors

	Crimp/Solder	RG8X, PE-C240	**PE4344**	$16.35	$15.21	$14.06	$13.08	8
		PE-B400, PE-B405, PE-C400	**PE4550**	$11.35	$10.56	$9.76	$9.08	9
		PE-C195	**PE44520**	$11.10	$10.32	$9.55	$8.88	10
		PE-C200	**PE44044**	$11.60	$10.79	$9.98	$9.28	11
		PE-C240, Hex Nut	**PE44521**	$11.10	$10.32	$9.55	$8.88	12
		PE-C400, Hex Nut	**PE44522**	$12.00	$11.16	$10.32	$9.60	13
		PE-C600	**PE44454**	$41.15	$38.27	$35.39	$32.92	14
		PE-C600	**PE44523**	$22.20	$20.65	$19.09	$17.76	15
		RG174, RG316, RG188	**PE4429**	$12.60	$11.72	$10.84	$10.08	16
		RG178, RG196	**PE4647**	$20.85	$19.39	$17.93	$16.68	17
		RG213, RG8	**PE4430**	$12.50	$11.63	$10.75	$10.00	18
		RG214, RG9, RG225, RG393	**PE4048**	$12.10	$11.25	$10.41	$9.68	19
		RG58	**PE4329**	$10.80	$10.04	$9.29	$8.64	20
		RG59, RG62	**PE4432**	$10.85	$10.09	$9.33	$8.68	21
		RG55, RG141, RG142, RG223, RG400	**PE4042**	$11.40	$10.60	$9.80	$9.12	22
	Clamp/Solder	RG8X, PE-C240	**PE4431**	$10.60	$9.86	$9.12	$8.48	23
		PE-B400, PE-B405, PE-C400	**PE4133**	$13.90	$12.93	$11.95	$11.12	24
		PE-C200	**PE44043**	$10.60	$9.86	$9.12	$8.48	25
		PE-C300	**PE44045**	$15.95	$14.83	$13.72	$12.76	26
		PE-C500	**PE44046**	$24.40	$22.69	$20.98	$19.52	27
		PE-C600	**PE44349**	$46.25	$43.01	$39.78	$37.00	28
		PE-SR401AL, PE-SR401FL, RG401, .250” Semi-Rigid	**PE4434**	$15.35	$14.28	$13.20	$12.28	29
		PE-SR402AL, PE-SR402FL, RG402, .141” Semi-Rigid	**PE4006**	$15.35	$14.28	$13.20	$12.28	30
		PE-SR405AL, PE-SR405FL, RG405, .085” Semi-Rigid	**PE4129**	$15.35	$14.28	$13.20	$12.28	31
		1/2” Helical, Low PIM	**PE44552**	$47.10	$43.80	$40.51	$37.68	32
		1/2” Annular, Low PIM	**PE44562**	$47.10	$43.80	$40.51	$37.68	33
		7/8” Annular, Low PIM	**PE44563**	$58.85	$54.73	$50.61	$47.08	34
		7/8” Helical, Low PIM	**PE44553**	$58.85	$54.73	$50.61	$47.08	35
		RG14, RG217	**PE4221**	$23.05	$21.44	$19.82	$18.44	36
		RG174, RG316, RG188	**PE4224**	$12.95	$12.04	$11.14	$10.36	37
		RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4062**	$10.55	$9.81	$9.07	$8.44	38
		RG218	**PE4433**	$69.75	$64.87	$59.99	$55.80	39
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4081**	$8.50	$7.91	$7.31	$6.80	40
		RG59, RG62	**PE4331**	$12.75	$11.86	$10.97	$10.20	41
	Clamp/Solder (Captive Contact)	RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4132**	$10.90	$10.14	$9.37	$8.72	42
	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047” Semi-Rigid	**PE4934**	$24.40	$22.69	$20.98	$19.52	43
		PE-SR401AL, PE-SR401FL, RG401, Precision, .250” Semi-Rigid	**PE4376**	$31.50	$29.30	$27.09	$25.20	44
		PE-SR402AL, PE-SR402FL, RG402, Precision, .141” Semi-Rigid	**PE4140**	$18.15	$16.88	$15.61	$14.52	45
		PE-SR405AL, PE-SR405FL, RG405, Precision, .085” Semi-Rigid	**PE4222**	$27.85	$25.90	$23.95	$22.28	46

See Our Website For Current Stock Availability!

Male Right Angle, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	PE-B400, PE-B405, PE-C400	**PE4939**	$32.45	$30.18	$27.91	$25.96	1
		PE-C100, RG174, RG316 NEW	**PE44675**	$20.15	$18.74	$17.33	$16.12	2
		PE-C195	**PE44524**	$21.10	$19.62	$18.15	$16.88	3
		PE-C240	**PE44525**	$23.50	$21.86	$20.21	$18.80	4
		PE-C400, Hex Nut	**PE44526**	$27.75	$25.81	$23.87	$22.20	5
		PE-C600	**PE44527**	$41.05	$38.18	$35.30	$32.84	6
		RG213, RG8	**PE4482**	$27.65	$25.71	$23.78	$22.12	7
		RG214, RG9, RG225, RG393	**PE4483**	$29.95	$27.85	$25.76	$23.96	8
		RG58	**PE4485**	$20.45	$19.02	$17.59	$16.36	9
		RG55, RG141, RG142, RG223, RG400	**PE4484**	$21.55	$20.04	$18.53	$17.24	10
	Clamp/Solder	PE-B400, PE-B405, PE-C400	**PE4938**	$21.20	$19.72	$18.23	$16.96	11
		PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid	**PE4935**	$22.75	$21.16	$19.57	$18.20	12
		1/2" Helical, Low PIM	**PE44554**	$54.15	$50.36	$46.57	$43.32	13
		1/2" Annular, Low PIM	**PE44564**	$57.70	$53.66	$49.62	$46.16	14
		RG213, RG214, RG8, RG9, RG393, RG225	**PE4136**	$18.15	$16.88	$15.61	$14.52	15
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4135**	$15.75	$14.65	$13.55	$12.60	16
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4936**	$17.95	$16.69	$15.44	$14.36	17
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4937**	$19.65	$18.27	$16.90	$15.72	18

Female Straight, Cable Connectors

	Crimp/Solder	PE-C195	**PE44532**	$14.05	$13.07	$12.08	$11.24	19
		PE-C240	**PE44533**	$14.05	$13.07	$12.08	$11.24	20
		PE-C400	**PE44534**	$17.65	$16.41	$15.18	$14.12	21
		PE-C600	**PE44535**	$35.30	$32.83	$30.36	$28.24	22
		RG174, RG316, RG188	**PE4438**	$15.75	$14.65	$13.55	$12.60	23
		RG213, RG8	**PE4435**	$11.90	$11.07	$10.23	$9.52	24
		RG214, RG9, RG225, RG393	**PE4191**	$12.90	$12.00	$11.09	$10.32	25
		RG58	**PE4436**	$11.90	$11.07	$10.23	$9.52	26
		RG55, RG141, RG142, RG223, RG400	**PE4134**	$12.15	$11.30	$10.45	$9.72	27
	Clamp/Solder	PE-B400, PE-B405, PE-C400	**PE4372**	$21.00	$19.53	$18.06	$16.80	28
		PE-C600	**PE44350**	$55.30	$51.43	$47.56	$44.24	29
		PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid	**PE4439**	$17.95	$16.69	$15.44	$14.36	30
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4138**	$15.35	$14.28	$13.20	$12.28	31
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4130**	$15.60	$14.51	$13.42	$12.48	32
		1/2" Helical, Low PIM	**PE44555**	$47.10	$43.80	$40.51	$37.68	33
		1/2" Annular, Low PIM	**PE44565**	$58.85	$54.73	$50.61	$47.08	34
		7/8" Annular, Low PIM	**PE44566**	$58.85	$54.73	$50.61	$47.08	35
		7/8" Helical, Low PIM	**PE44556**	$58.85	$54.73	$50.61	$47.08	36
		RG14, RG217	**PE4645**	$42.95	$39.94	$36.94	$34.36	37
		RG174, RG316, RG188	**PE4437**	$14.75	$13.72	$12.69	$11.80	38
		RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4061**	$12.75	$11.86	$10.97	$10.20	39
		RG218	**PE4646**	$45.45	$42.27	$39.09	$36.36	40
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4072**	$12.15	$11.30	$10.45	$9.72	41
		RG59, RG62	**PE4330**	$12.30	$11.44	$10.58	$9.84	42
	Clamp/Solder (Captive Contact)	RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4059**	$19.90	$18.51	$17.11	$15.92	43
	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, Precision, .047" Semi-Rigid	**PE4945**	$49.25	$45.80	$42.36	$39.40	44
		PE-SR402AL, PE-SR402FL, RG402, Precision, .141" Semi-Rigid	**PE4652**	$23.20	$21.58	$19.95	$18.56	45
		PE-SR405AL, PE-SR405FL, RG405, Precision, .085" Semi-Rigid	**PE4653**	$22.05	$20.51	$18.96	$17.64	46

Female Straight, Bulkhead Mount, Cable Connectors (Continued on Next Page)

	Crimp/Solder	PE-B400, PE-B405, PE-C400, G01 Mounting Hole	**PE4944**	$22.75	$21.16	$19.57	$18.20	47
		PE-C195, G01 Mounting Hole	**PE44528**	$12.90	$12.00	$11.09	$10.32	48
		PE-C240, G01 Mounting Hole	**PE44529**	$12.15	$11.30	$10.45	$9.72	49
		PE-C400, White Bronze, G01 Mounting Hole	**PE44530**	$16.65	$15.48	$14.32	$13.32	50
		PE-C600, G01 Mounting Hole	**PE44531**	$29.40	$27.34	$25.28	$23.52	51
		RG174, RG316, RG188, G01 Mounting Hole	**PE4442**	$19.85	$18.46	$17.07	$15.88	52
		RG213, RG8, G01 Mounting Hole	**PE4940**	$22.75	$21.16	$19.57	$18.20	53
		RG214, RG9, RG225, RG393, G01 Mounting Hole	**PE4941**	$22.65	$21.06	$19.48	$18.12	54
		RG58, G01 Mounting Hole	**PE4440**	$13.15	$12.23	$11.31	$10.52	55
		RG55, RG141, RG142, RG223, RG400, G01 Mounting Hole	**PE4371**	$14.20	$13.21	$12.21	$11.36	56
	Clamp/Solder	PE-B400, PE-B405, PE-C400, G01 Mounting Hole	**PE4943**	$18.60	$17.30	$16.00	$14.88	57
		PE-SR401AL, PE-SR401FL, RG401, G01 Mounting Hole, .250" Semi-Rigid	**PE4942**	$19.10	$17.76	$16.43	$15.28	58
		PE-SR402AL, PE-SR402FL, RG402, G01 Mounting Hole, .141" Semi-Rigid	**PE4113**	$15.60	$14.51	$13.42	$12.48	59

See Page 259 for Mounting Hole Dimensions

Female Straight, Bulkhead Mount, Cable Connectors (Continued from Previous Page)

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, G01 Mounting Hole, .085" Semi-Rigid	**PE4443**	$15.35	$14.28	$13.20	$12.28	1
	RG174, RG316, RG188, G01 Mounting Hole	**PE4441**	$16.65	$15.48	$14.32	$13.32	2
	RG178, G01 Mounting Hole	**PE44633**	$16.65	$15.48	$14.32	$13.32	3
	RG213, RG214, RG8, RG9, RG225, RG393, RG11, G01 Mounting Hole	**PE4223**	$18.15	$16.88	$15.61	$14.52	4
	RG58, RG55, RG141, RG142, RG400, RG223, G01 Mounting Hole	**PE4114**	$14.20	$13.21	$12.21	$11.36	5
	RG59, RG62, G01 Mounting Hole	**PE4297**	$23.35	$21.72	$20.08	$18.68	6
Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, Precision, G01 Mounting Hole, .047" Semi-Rigid	**PE4946**	$42.95	$39.94	$36.94	$34.36	7
	PE-SR402AL, PE-SR402FL, RG402, Precision, G01 Mounting Hole, .141" Semi-Rigid	**PE4654**	$24.25	$22.55	$20.86	$19.40	8
	PE-SR405AL, PE-SR405FL, RG405 Precision, G01 Mounting Hole, .085" Semi-Rigid	**PE4655**	$25.50	$23.72	$21.93	$20.40	9

Female Straight, Panel Mount, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	4 Hole Flange, RG213, RG8, A05 Mounting Hole	**PE44065**	$16.75	$15.58	$14.41	$13.40	10
	4 Hole Flange, RG214, RG9, RG225, RG393, A05 Mounting Hole	**PE44066**	$18.00	$16.74	$15.48	$14.40	11
	4 Hole Flange, RG58, A05 Mounting Hole	**PE44069**	$17.50	$16.28	$15.05	$14.00	12
	4 Hole Flange, RG55, RG141, RG142, RG223, RG400, A05 Mounting Hole	**PE44068**	$16.85	$15.67	$14.49	$13.48	13
Clamp/Solder	4 Hole Flange, PE-SR401AL, PE-SR401FL, RG401, A05 Mounting Hole, .250" Semi-Rigid	**PE44071**	$19.10	$17.76	$16.43	$15.28	14
	4 Hole Flange, PE-SR402AL, PE-SR402FL, RG402, A05 Mounting Hole, .141" Semi-Rigid	**PE44072**	$19.10	$17.76	$16.43	$15.28	15
	4 Hole Flange, PE-SR405AL, PE-SR405FL, RG405, A05 Mounting Hole, .085" Semi-Rigid	**PE44073**	$18.80	$17.48	$16.17	$15.04	16
	4 Hole Flange, RG174, RG316, RG188, A05 Mounting Hole	**PE44070**	$14.35	$13.35	$12.34	$11.48	17
	4 Hole Flange, RG58, RG55, RG141, RG142, RG400, RG223, A05 Mounting Hole	**PE4141**	$12.05	$11.21	$10.36	$9.64	18
Clamp/Solder (Captive Contact)	4 Hole Flange, RG213, RG214, RG8, RG9, RG225, RG393, RG11, A05 Mounting Hole	**PE4060**	$18.20	$16.93	$15.65	$14.56	19

Reverse Polarity Male Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	PE-B400, PE-B405, PE-C400	**PE44470**	$23.35	$21.72	$20.08	$18.68	20
	RG213, RG8	**PE44472**	$23.35	$21.72	$20.08	$18.68	21
	RG214, RG393, RG9, RG225	**PE44474**	$21.60	$20.09	$18.58	$17.28	22
	RG58	**PE44473**	$20.50	$19.07	$17.63	$16.40	23
	RG55, RG141, RG142, RG223, RG400	**PE44471**	$25.40	$23.62	$21.84	$20.32	24

Reverse Polarity Female Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG213, RG8	**PE44478**	$20.50	$19.07	$17.63	$16.40	25
	RG214, RG9, RG225, RG393	**PE44477**	$22.05	$20.51	$18.96	$17.64	26
	RG58	**PE44476**	$20.50	$19.07	$17.63	$16.40	27
	RG55, RG141, RG142, RG223, RG400	**PE44475**	$22.05	$20.51	$18.96	$17.64	28

Male Straight, Bulkhead Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	Solder Cup Contact, Front Mount, G01 Mounting Hole	**PE4489**	$25.80	$23.99	$22.19	$20.64	29
	Solder Cup Contact, Front Mount, B04 Mounting Hole	**PE4490**	$24.70	$22.97	$21.24	$19.76	30

Male Straight, Panel Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	4 Hole Flange, .050" Dia. Contact, .590" Extended Dielectric, A05 Mounting Hole NEW	**PE44653**	$54.10	$50.31	$46.53	$43.28	31
	4 Hole Flange, .120" Dia Stub Contact, .330 Extended Dielectric, A05 Mounting Hole	**PE4491**	$22.70	$21.11	$19.52	$18.16	32
	4 Hole Flange, Solder Cup Contact, A05 Mounting Hole	**PE4131**	$10.85	$10.09	$9.33	$8.68	33

Female Straight, Bulkhead Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.120" Half Moon Contact, Rear Mount, .325" Max Panel, G01 Mounting Hole	**PE4139**	$8.45	$7.86	$7.27	$6.76	34
	Solder Cup Contact, Front Mount, F05 Mounting Hole	**PE4488**	$10.85	$10.09	$9.33	$8.68	35
	Solder Cup Contact, Front Mount, Hermetically Sealed, G01 Mounting Hole	**PE4137**	$12.55	$11.67	$10.79	$10.04	36

Female Straight, Panel Mount, Terminal (Continued on Next Page)

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	2 Hole Flange, .005" X .120" Tab Contact, C04 Mounting Hole	**PE44078**	$20.50	$19.07	$17.63	$16.40	37
	2 Hole Flange, .050" Dia. Stub Contact, .590" Extended Dielectric, C04 Mounting Hole	**PE44079**	$33.30	$30.97	$28.64	$26.64	38
	2 Hole Flange, Solder Cup Contact, C04 Mounting Hole	**PE44077**	$19.15	$17.81	$16.47	$15.32	39
	4 Hole Flange, .100" X .120" Tab Contact, A05 Mounting Hole	**PE4492**	$18.50	$17.21	$15.91	$14.80	40
	4 Hole Flange, .050" Dia. Stub Contact, .590" Extended Dielectric, .500" Flange Size, A01 Mounting Hole	**PE4355**	$14.50	$13.49	$12.47	$11.60	41

See Our Website For Current Stock Availability!

N Connectors

Female Straight, Panel Mount, Terminal (Continued from Previous Page)

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Solder	4 Hole Flange, .120" Dia Stub Contact, .590" Extended Dielectric, A05 Mounting Hole	**PE4328**	$14.25	$13.25	$12.26	$11.40	1
	4 Hole Flange, .050" Dia. Stub Contact, .590" Extended Dielectric, .687" Flange Size, A04 Mounting Hole	**PE4444**	$15.50	$14.42	$13.33	$12.40	2
	4 Hole Flange, Solder Cup Contact, A05 Mounting Hole	**PE4013**	$9.40	$8.74	$8.08	$7.52	3
	4 Hole Flange, Solder Cup Contact, Hermetically Sealed w/o-ring, A05 Mounting Hole	**PE4487**	$40.60	$37.76	$34.92	$32.48	4

Female Right Angle, Panel Mount, Terminal

Solder	4 Hole Flange, Solder Cup Contact, A05 Mounting Hole	**PE4486**	$34.40	$31.99	$29.58	$27.52	5

Female Straight, Press In Mount, Terminal

Solder	.005" X .120" Tab Contact, F02 Mounting Hole	**PE44075**	$22.05	$20.51	$18.96	$17.64	6
	.050" Dia. Stub Contact, F02 Mounting Hole	**PE44074**	$19.65	$18.27	$16.90	$15.72	7
	Solder Cup Contact, F02 Mounting Hole	**PE44076**	$11.45	$10.65	$9.85	$9.16	8

Female Straight, PCB Mount

Solder	Surface Mount Edge Launch, G01 Mounting Hole	**PE44615**	$21.05	$19.58	$18.10	$16.84	9
	.050" Dia. Contact, .155" Leg Length, Thru Hole, D12 Mounting Hole	**PE44396**	$18.50	$17.21	$15.91	$14.80	10

Female Straight, Bulkhead Mount, PCB Mount

Solder	.062" Dia. Contact, .125" Leg Length, .700" Max Panel, Thru Hole, D12 & G01 Mounting Hole	**PE44397**	$24.55	$22.83	$21.11	$19.64	11

Female Right Angle, Bulkhead Mount, PCB Mount

Solder	.062" Dia. Contact, .125" Leg Length, .350" Max Panel, Thru Hole, D12 & B15 Mounting Hole	**PE44398**	$19.45	$18.09	$16.73	$15.56	12

TNC Connectors

Male Straight, Cable Connectors

Crimp/Solder	RG8X, PE-C240	**PE44634**	$10.60	$9.86	$9.12	$8.48	13
	PE-B400, PE-B405, PE-C400	**PE44293**	$22.85	$21.25	$19.65	$18.28	14
	PE-C200	**PE44062**	$13.15	$12.23	$11.31	$10.52	15
	RG174, RG316, RG188	**PE4302**	$15.00	$13.95	$12.90	$12.00	16
	RG213, RG8	**PE4446**	$14.35	$13.35	$12.34	$11.48	17
	RG214, RG9, RG225, RG393	**PE4447**	$19.65	$18.27	$16.90	$15.72	18
	RG58	**PE4156**	$8.35	$7.77	$7.18	$6.68	19
	RG59, RG62	**PE4071**	$8.50	$7.91	$7.31	$6.80	20
	RG55, RG141, RG142, RG223, RG400	**PE4047**	$9.70	$9.02	$8.34	$7.76	21
Clamp/Solder	RG8X, PE-C240	**PE44063**	$13.25	$12.32	$11.40	$10.60	22
	PE-B400, PE-B405, PE-C400	**PE4449**	$15.75	$14.65	$13.55	$12.60	23
	PE-C200	**PE44061**	$13.15	$12.23	$11.31	$10.52	24
	PE-C300	**PE44064**	$14.35	$13.35	$12.34	$11.48	25
	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4143**	$16.45	$15.30	$14.15	$13.16	26
	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4142**	$16.45	$15.30	$14.15	$13.16	27
	RG174, RG316, RG188	**PE4303**	$11.70	$10.88	$10.06	$9.36	28
	RG178, RG196	**PE4448**	$14.35	$13.35	$12.34	$11.48	29
	RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4088**	$13.80	$12.83	$11.87	$11.04	30
	RG58, RG55, RG141, RG142, RG400, RG223	**PE4067**	$17.75	$16.51	$15.27	$14.20	31
	RG59, RG62	**PE4154**	$11.15	$10.37	$9.59	$8.92	32
Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE4975**	$20.50	$19.07	$17.63	$16.40	33
	PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid	**PE4909**	$45.45	$42.27	$39.09	$36.36	34
	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4648**	$21.20	$19.72	$18.23	$16.96	35
	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4649**	$20.60	$19.16	$17.72	$16.48	36

See Page 259 for Mounting Hole Dimensions

Male Right Angle, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG8X, PE-C240	**PE44635**	$19.00	$17.67	$16.34	$15.20	1
		RG174, RG316, RG188	**PE4455**	$18.15	$16.88	$15.61	$14.52	2
		RG58	**PE4451**	$17.50	$16.28	$15.05	$14.00	3
		RG59, RG62	**PE4453**	$18.00	$16.74	$15.48	$14.40	4
		RG55, RG141, RG142, RG223, RG400	**PE4450**	$20.50	$19.07	$17.63	$16.40	5
	Clamp/Solder	RG174, RG316, RG188	**PE4454**	$16.75	$15.58	$14.41	$13.40	6
		RG178, RG196	**PE4456**	$20.45	$19.02	$17.59	$16.36	7
		RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4146**	$25.05	$23.30	$21.54	$20.04	8
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4054**	$19.40	$18.04	$16.68	$15.52	9
		RG59, RG62	**PE4452**	$25.50	$23.72	$21.93	$20.40	10

Female Straight, Cable Connectors

	Crimp/Solder	RG8X, PE-C240	**PE44636**	$12.70	$11.81	$10.92	$10.16	11
		RG174, RG316, RG188	**PE4462**	$13.90	$12.93	$11.95	$11.12	12
		RG58	**PE4458**	$10.65	$9.90	$9.16	$8.52	13
		RG59, RG62	**PE4459**	$11.45	$10.65	$9.85	$9.16	14
		RG55, RG141, RG142, RG223, RG400	**PE4457**	$11.35	$10.56	$9.76	$9.08	15
	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4145**	$16.75	$15.58	$14.41	$13.40	16
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4144**	$16.75	$15.58	$14.41	$13.40	17
		RG174, RG316, RG188	**PE4461**	$11.70	$10.88	$10.06	$9.36	18
		RG178, RG196	**PE4463**	$13.15	$12.23	$11.31	$10.52	19
		RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4155**	$25.50	$23.72	$21.93	$20.40	20
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4068**	$9.45	$8.79	$8.13	$7.56	21
		RG59, RG62	**PE4460**	$11.45	$10.65	$9.85	$9.16	22

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, B06 Mounting Hole	**PE4466**	$17.80	$16.55	$15.31	$14.24	23
		RG58, B06 Mounting Hole	**PE4151**	$13.95	$12.97	$12.00	$11.16	24
		RG59, RG62, B06 Mounting Hole	**PE4465**	$18.00	$16.74	$15.48	$14.40	25
		RG55, RG141, RG142, RG223, RG400, B06 Mounting Hole	**PE4153**	$14.75	$13.72	$12.69	$11.80	26
	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, B06 Mounting Hole, .141" Semi-Rigid	**PE4150**	$20.05	$18.65	$17.24	$16.04	27
		PE-SR405AL, PE-SR405FL, RG405, B06 Mounting Hole, .085" Semi-Rigid	**PE4149**	$20.05	$18.65	$17.24	$16.04	28
		RG174, RG316, RG188, B06 Mounting Hole	**PE4304**	$16.45	$15.30	$14.15	$13.16	29
		RG178, RG196, B06 Mounting Hole	**PE4467**	$16.75	$15.58	$14.41	$13.40	30
		RG58, RG55, RG141, RG142, RG400, RG223, B06 Mounting Hole	**PE4152**	$14.50	$13.49	$12.47	$11.60	31
		RG59, RG62, B06 Mounting Hole	**PE4464**	$22.05	$20.51	$18.96	$17.64	32
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, Precision, B06 Mounting Hole, .141" Semi-Rigid	**PE4148**	$49.35	$45.90	$42.44	$39.48	33
		PE-SR405AL, PE-SR405FL, RG405, Precision, B06 Mounting Hole, .085" Semi-Rigid	**PE4147**	$52.90	$49.20	$45.49	$42.32	34

Female Straight, Panel Mount, Cable Connectors

	Clamp/Solder	4 Hole Flange, RG58, RG55, RG141, RG142, RG223, RG400, A03 Mounting Hole	**PE4066**	$12.05	$11.21	$10.36	$9.64	35

Reverse Polarity Male Straight, Cable Connectors

	Crimp/Solder	RG8X, PE-C240 NEW	**PE44670**	$13.75	$12.79	$11.83	$11.00	36
		PE-C400 NEW	**PE44672**	$16.90	$15.72	$14.53	$13.52	37
		RG174, RG316, RG188	**PE4668**	$16.95	$15.76	$14.58	$13.56	38
		RG213, RG8	**PE4660**	$17.95	$16.69	$15.44	$14.36	39
		RG214, RG9	**PE4661**	$19.15	$17.81	$16.47	$15.32	40
		RG58	**PE4664**	$9.60	$8.93	$8.26	$7.68	41
		RG59, RG62	**PE4666**	$10.20	$9.49	$8.77	$8.16	42
		RG55, RG141, RG142, RG223, RG400	**PE4663**	$9.80	$9.11	$8.43	$7.84	43
	Clamp/Solder	PE-B400, PE-B405	**PE4674**	$18.15	$16.88	$15.61	$14.52	44
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4670**	$18.80	$17.48	$16.17	$15.04	45
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4672**	$18.80	$17.48	$16.17	$15.04	46
		RG174, RG316, RG188	**PE4667**	$17.85	$16.60	$15.35	$14.28	47
		RG178, RG196	**PE4669**	$16.75	$15.58	$14.41	$13.40	48
		RG213, RG214, RG8, RG9, RG225, RG393,	**PE4659**	$18.00	$16.74	$15.48	$14.40	49
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4662**	$9.60	$8.93	$8.26	$7.68	50
		RG59, RG62	**PE4665**	$10.85	$10.09	$9.33	$8.68	51
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4671**	$24.40	$22.69	$20.98	$19.52	52
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4673**	$24.40	$22.69	$20.98	$19.52	53

See Our Website For Current Stock Availability!

Reverse Polarity Male Right Angle, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG316, RG174, RG188	**PE4681**	$21.80	$20.27	$18.75	$17.44	1
		RG58	**PE4678**	$19.40	$18.04	$16.68	$15.52	2
		RG55, RG141, RG142, RG223, RG400	**PE4677**	$19.10	$17.76	$16.43	$15.28	3
	Clamp/Solder	RG178, RG196	**PE4682**	$22.30	$20.74	$19.18	$17.84	4
		RG213, RG214, RG8, RG9, RG225, RG393,	**PE4675**	$33.20	$30.88	$28.55	$26.56	5
		RG316, RG174, RG188	**PE4680**	$18.80	$17.48	$16.17	$15.04	6
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4676**	$23.10	$21.48	$19.87	$18.48	7
		RG59, RG62	**PE4679**	$24.40	$22.69	$20.98	$19.52	8

Reverse Polarity Female Straight, Cable Connectors

	Crimp/Solder	RG8X, PE-C240 NEW	**PE44671**	$14.85	$13.81	$12.77	$11.88	9
		PE-C400 NEW	**PE44673**	$19.00	$17.67	$16.34	$15.20	10
		RG316, RG174, RG188	**PE4690**	$15.40	$14.32	$13.24	$12.32	11
		RG58	**PE4686**	$12.05	$11.21	$10.36	$9.64	12
		RG59, RG62	**PE4687**	$14.05	$13.07	$12.08	$11.24	13
		RG55, RG141, RG142, RG223, RG400	**PE4685**	$11.90	$11.07	$10.23	$9.52	14
	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4692**	$19.10	$17.76	$16.43	$15.28	15
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4693**	$18.80	$17.48	$16.17	$15.04	16
		RG178, RG196	**PE4691**	$15.35	$14.28	$13.20	$12.28	17
		RG213, RG214, RG8, RG9, RG225, RG393,	**PE4683**	$29.55	$27.48	$25.41	$23.64	18
		RG316, RG174, RG188	**PE4689**	$14.10	$13.11	$12.13	$11.28	19
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4684**	$12.80	$11.90	$11.01	$10.24	20
		RG59, RG62	**PE4688**	$18.40	$17.11	$15.82	$14.72	21

Reverse Polarity Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG316, RG174, RG188, B06 Mounting Hole	**PE4700**	$19.40	$18.04	$16.68	$15.52	22
		RG58, B06 Mounting Hole	**PE4696**	$20.30	$18.88	$17.46	$16.24	23
		RG59, RG62, B06 Mounting Hole	**PE4698**	$20.50	$19.07	$17.63	$16.40	24
		RG55, RG141, RG142, RG223, RG400, B06 Mounting Hole	**PE4695**	$15.60	$14.51	$13.42	$12.48	25
	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, B06 Mounting Hole, .141" Semi-Rigid	**PE4702**	$22.30	$20.74	$19.18	$17.84	26
		PE-SR405AL, PE-SR405FL, RG405, B06 Mounting Hole, .085" Semi-Rigid	**PE4703**	$22.30	$20.74	$19.18	$17.84	27
		RG178, RG196, B06 Mounting Hole	**PE4701**	$19.10	$17.76	$16.43	$15.28	28
		RG316, RG174, RG188, B06 Mounting Hole	**PE4699**	$18.80	$17.48	$16.17	$15.04	29
		RG58, RG55, RG141, RG142, RG400, RG223, B06 Mounting Hole	**PE4694**	$16.95	$15.76	$14.58	$13.56	30
		RG59, RG62, B06 Mounting Hole	**PE4697**	$20.50	$19.07	$17.63	$16.40	31

Male Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, .050" Dia. Stub Contact, .590" Extended Dielectric, A07 Mounting Hole NEW	**PE44654**	$51.15	$47.57	$43.99	$40.92	32
		4 Hole Flange, Solder Cup Contact, A07 Mounting Hole	**PE4470**	$14.50	$13.49	$12.47	$11.60	33

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .200 Max Panel, B04 Mounting Hole	**PE4065**	$9.60	$8.93	$8.26	$7.68	34
		Solder Cup Contact, .125" Max Panel, B05 Mounting Hole	**PE4063**	$15.65	$14.55	$13.46	$12.52	35
		Wire Terminal, Front Mount, Hermetically Sealed, .300" Max Panel, B04 Mounting Hole	**PE4305**	$23.65	$21.99	$20.34	$18.92	36
		Wire Terminal, Rear Mount, Hermetically Sealed, .250" Max Panel, B06 Mounting Hole	**PE4469**	$30.55	$28.41	$26.27	$24.44	37
		Solder Cup Contact, Isolated Ground, .125" Max Panel, B04 Mounting Hole	**PE4306**	$11.45	$10.65	$9.85	$9.16	38
		Solder Cup Contact, Isolated Ground, .180" Max Panel, B06 Mounting Hole	**PE4468**	$12.05	$11.21	$10.36	$9.64	39

Female Right Angle, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .275" Max Panel, B13 Mounting Hole	**PE4471**	$21.80	$20.27	$18.75	$17.44	40

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A03 Mounting Hole	**PE4064**	$9.80	$9.11	$8.43	$7.84	41

Reverse Polarity Male Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A07 Mounting Hole	**PE4708**	$16.95	$15.76	$14.58	$13.56	42

Connectors

See Page 259 for Mounting Hole Dimensions

TNC Connectors

Reverse Polarity Female Straight, Bulkhead Mount, Terminal

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	Solder Cup Contact, .125" Max Panel, B05 Mounting Hole	**PE4704**	$12.80	$11.90	$11.01	$10.24	1
		Solder Cup Contact, .150" Max Panel, B04 Mounting Hole	**PE4706**	$12.80	$11.90	$11.01	$10.24	2
		Solder Cup Contact, Isolated Ground, .180" Max Panel, B06 Mounting Hole	**PE4707**	$17.25	$16.04	$14.84	$13.80	3

Reverse Polarity Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A03 Mounting Hole	**PE4705**	$17.25	$16.04	$14.84	$13.80	4

Female Right Angle, PCB Mount

	Solder	.035" Dia. Contact, .118" Leg Length, Thru Hole, D17 Mounting Hole NEW	**PE44659**	$11.60	$10.79	$9.98	$9.28	5

7/16 DIN Connectors

Male Straight, Cable Connectors

	Crimp/Solder	PE-C195	**PE44536**	$35.30	$32.83	$30.36	$28.24	6
		PE-C240	**PE44537**	$35.30	$32.83	$30.36	$28.24	7
		PE-C400	**PE44538**	$42.10	$39.15	$36.21	$33.68	8
		PE-C600	**PE44539**	$47.10	$43.80	$40.51	$37.68	9
		RG213, RG8	**PE4570**	$88.80	$82.58	$76.37	$71.04	10
		RG214, RG9, RG225, RG393	**PE4571**	$85.20	$79.24	$73.27	$68.16	11
		RG58	**PE4569**	$81.75	$76.03	$70.31	$65.40	12
		RG55, RG142, RG223, RG400	**PE4568**	$83.45	$77.61	$71.77	$66.76	13
	Clamp/Solder	PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid	**PE44278**	$102.50	$95.33	$88.15	$82.00	14
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE44279**	$102.50	$95.33	$88.15	$82.00	15
		1/2" Helical, Low PIM	**PE44557**	$48.20	$44.83	$41.45	$38.56	16
		1/2" Annular, Low PIM	**PE44567**	$47.10	$43.80	$40.51	$37.68	17
		7/8" Annular, Low PIM	**PE44568**	$64.80	$60.26	$55.73	$51.84	18
		7/8" Helical, Low PIM	**PE44558**	$64.80	$60.26	$55.73	$51.84	19
		RG14, RG217	**PE44276**	$104.60	$97.28	$89.96	$83.68	20
		RG213, RG214, RG8, RG9, RG225, RG393,	**PE4567**	$70.40	$65.47	$60.54	$56.32	21
		RG218	**PE44277**	$112.60	$104.72	$96.84	$90.08	22
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4566**	$98.45	$91.56	$84.67	$78.76	23

Male Right Angle, Cable Connectors

	Crimp/Solder	PE-C195	**PE44540**	$47.10	$43.80	$40.51	$37.68	24
		PE-C240	**PE44541**	$47.10	$43.80	$40.51	$37.68	25
		PE-C400	**PE44542**	$50.05	$46.55	$43.04	$40.04	26
		PE-C600	**PE44543**	$58.85	$54.73	$50.61	$47.08	27
	Clamp/Solder	1/2" Helical, Low PIM	**PE44559**	$58.85	$54.73	$50.61	$47.08	28
		1/2" Annular, Low PIM	**PE44569**	$58.85	$54.73	$50.61	$47.08	29
		RG14, RG217	**PE44282**	$147.70	$137.36	$127.02	$118.16	30
		RG213, RG214, RG8, RG9, RG225, RG393,	**PE44280**	$113.30	$105.37	$97.44	$90.64	31
		RG58, RG55, RG141, RG142, RG400, RG223	**PE44281**	$147.70	$137.36	$127.02	$118.16	32

Female Straight, Cable Connectors

	Crimp/Solder	PE-C195	**PE44544**	$47.10	$43.80	$40.51	$37.68	33
		PE-C240	**PE44545**	$47.10	$43.80	$40.51	$37.68	34
		PE-C400	**PE44546**	$52.95	$49.24	$45.54	$42.36	35
		PE-C600	**PE44547**	$58.85	$54.73	$50.61	$47.08	36
		RG213, RG8	**PE44284**	$96.80	$90.02	$83.25	$77.44	37
		RG214, RG9, RG225, RG393	**PE4575**	$104.55	$97.23	$89.91	$83.64	38
		RG58	**PE44287**	$84.10	$78.21	$72.33	$67.28	39
		RG55, RG142, RG223, RG400	**PE44286**	$110.75	$103.00	$95.25	$88.60	40
	Clamp/Solder	PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid	**PE44289**	$95.05	$88.40	$81.74	$76.04	41
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE44290**	$95.05	$88.40	$81.74	$76.04	42
		1/2" Helical, Low PIM	**PE44560**	$52.95	$49.24	$45.54	$42.36	43
		1/2" Annular, Low PIM	**PE44570**	$47.10	$43.80	$40.51	$37.68	44
		7/8" Annular, Low PIM	**PE44571**	$58.85	$54.73	$50.61	$47.08	45
		7/8" Helical, Low PIM	**PE44561**	$64.80	$60.26	$55.73	$51.84	46
		RG14, RG217	**PE44288**	$103.40	$96.16	$88.92	$82.72	47
		RG213, RG214, RG8, RG9, RG225, RG393	**PE44283**	$110.75	$103.00	$95.25	$88.60	48
		RG58, RG55, RG141, RG142, RG400, RG223	**PE44285**	$110.75	$103.00	$95.25	$88.60	49

See Our Website For Current Stock Availability!

7/16 DIN Connectors

Female Straight, Bulkhead Mount, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Crimp/Solder	PE-C195, G08 Mounting Hole	**PE44548**	$52.95	$49.24	$45.54	$42.36	1
	PE-C240, G08 Mounting Hole	**PE44549**	$52.95	$49.24	$45.54	$42.36	2
	PE-C400, G08 Mounting Hole	**PE44550**	$58.85	$54.73	$50.61	$47.08	3
	PE-C600, G08 Mounting Hole	**PE44551**	$64.80	$60.26	$55.73	$51.84	4
	RG55, RG142, RG223, RG400, G08 Mounting Hole NEW	**PE44656**	$53.45	$49.71	$45.97	$42.76	5

Female Straight, Panel Mount, Cable Connectors

Clamp/Solder	4 Hole Flange, RG14, RG217, A21 Mounting Hole	**PE44292**	$123.05	$114.44	$105.82	$98.44	6
	4 Hole Flange, RG213, RG214, RG8, RG9, RG225, RG393, A21 Mounting Hole	**PE44291**	$123.05	$114.44	$105.82	$98.44	7

Female Straight, Bulkhead Mount, Terminal

Solder	Solder Cup Contact, Rear Mount, .197" Max Panel	**PE4572**	$123.05	$114.44	$105.82	$98.44	8

Female Straight, Panel Mount, Terminal

Solder	4 Hole Flange, Pin, A21 Mounting Hole	**PE4574**	$69.75	$64.87	$59.99	$55.80	9
	4 Hole Flange, Solder Cup Contact, A21 Mounting Hole	**PE4573**	$69.75	$64.87	$59.99	$55.80	10

UHF Connectors

Male Straight, Cable Connectors

Crimp/Solder	PE-B400, PE-B405, PE-C400	**PE44054**	$8.95	$8.32	$7.70	$7.16	11
	RG213, RG8	**PE4295**	$10.70	$9.95	$9.20	$8.56	12
	RG214, RG9, RG225, RG393	**PE44051**	$9.60	$8.93	$8.26	$7.68	13
	RG58	**PE4069**	$5.05	$4.70	$4.34	$4.04	14
	RG59, RG62	**PE4073**	$5.75	$5.35	$4.95	$4.60	15
	RG55, RG141, RG142, RG223, RG400	**PE44053**	$6.80	$6.32	$5.85	$5.44	16
Clamp/Solder	RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE44050**	$8.65	$8.04	$7.44	$6.92	17
	RG58, RG55, RG141, RG142, RG400, RG223	**PE44052**	$8.60	$8.00	$7.40	$6.88	18
Solder/Solder	RG213, RG214, RG8, RG9, RG225, RG393,	**PE4020**	$10.25	$9.53	$8.82	$8.20	19

Female Straight, Cable Connectors

Crimp/Solder	RG58	**PE44058**	$11.45	$10.65	$9.85	$9.16	20
	RG55, RG141, RG142, RG223, RG400	**PE44057**	$10.80	$10.04	$9.29	$8.64	21
Clamp/Solder	RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE44055**	$10.85	$10.09	$9.33	$8.68	22
	RG58, RG55, RG141, RG142, RG400, RG223	**PE44056**	$11.45	$10.65	$9.85	$9.16	23

Sexless Straight, Accessories, Cable Connectors

Accessories	RG58, Use with PE4020	**PE4022**	$1.15	$1.07	$0.99	$0.92	24
	RG59, Use with PE4020	**PE4021**	$1.20	$1.12	$1.03	$0.96	25

Female Straight, Bulkhead Mount, Terminal

Solder	Solder Cup Contact, Rear Mount, .090" Max Panel, B12 Mounting Hole	**PE44060**	$7.65	$7.11	$6.58	$6.12	26
	Solder Cup Contact, Front Mount, .080" Max Panel, B12 Mounting Hole	**PE44059**	$7.65	$7.11	$6.58	$6.12	27

Female Straight, Panel Mount, Terminal

Solder	4 Hole Flange, Solder Cup Contact, A05 Mounting Hole	**PE4012**	$6.35	$5.91	$5.46	$5.08	28

See Page 259 for Mounting Hole Dimensions

MINI UHF Connectors

Male Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG174, RG316, RG188	**PE44090**	$8.95	$8.32	$7.70	$7.16	1
		RG58	**PE4342**	$4.90	$4.56	$4.21	$3.92	2
		RG55, RG141, RG142, RG223, RG400	**PE4521**	$4.80	$4.46	$4.13	$3.84	3
		RG55, RG141, RG142, RG223, RG400, Push-On	**PE44088**	$7.65	$7.11	$6.58	$6.12	4

Male Right Angle, Cable Connectors

	Crimp/Solder	RG58	**PE44082**	$11.45	$10.65	$9.85	$9.16	5
		RG55, RG141, RG142, RG223, RG400	**PE44081**	$9.45	$8.79	$8.13	$7.56	6

Female Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44085**	$10.20	$9.49	$8.77	$8.16	7
		RG58	**PE44084**	$8.95	$8.32	$7.70	$7.16	8
		RG55, RG141, RG142, RG223, RG400	**PE44083**	$8.35	$7.77	$7.18	$6.68	9

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG58, B05 Mounting Hole	**PE44087**	$10.20	$9.49	$8.77	$8.16	10
		RG55, RG141, RG142, RG223, RG400, B05 Mounting Hole	**PE44086**	$9.45	$8.79	$8.13	$7.56	11

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .125" Max Panel, B04 Mounting Hole	**PE44089**	$5.15	$4.79	$4.43	$4.12	12
		Solder Cup Contact, Rear Mount, .125" Max Panel, B04 Mounting Hole	**PE4644**	$5.15	$4.79	$4.43	$4.12	13

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A18 Mounting Hole	**PE44091**	$7.65	$7.11	$6.58	$6.12	14

Female Straight, Bulkhead Mount, PCB Mount

	Solder	.040" Dia Contact, .157" Leg Length, D05 & F05 Mounting Hole	**PE44092**	$7.65	$7.11	$6.58	$6.12	15

FME Connectors

Plug Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44297**	$8.45	$7.86	$7.27	$6.76	16
		RG58	**PE44295**	$8.95	$8.32	$7.70	$7.16	17
		RG55, RG142, RG223, RG400	**PE44296**	$8.35	$7.77	$7.18	$6.68	18

Jack Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44148**	$8.55	$7.95	$7.35	$6.84	19
		RG58	**PE44146**	$6.10	$5.67	$5.25	$4.88	20
		RG55, RG142, RG223, RG400	**PE44147**	$5.95	$5.53	$5.12	$4.76	21

Plug Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .175" Max Panel, B04 Mounting Hole	**PE44149**	$6.35	$5.91	$5.46	$5.08	22

SMC Connectors *(These Connectors will not mate to Standard 75 Ohm SMC Connectors)*

Plug Straight, Cable Connectors (Continued on Next Page)

	Crimp/Solder	RG174, RG316, RG188	**PE4045**	$8.85	$8.23	$7.61	$7.08	23
		RG178, RG196	**PE4074**	$12.30	$11.44	$10.58	$9.84	24
		RG58	**PE4558**	$17.40	$16.18	$14.96	$13.92	25
		RG55, RG142, RG223, RG400	**PE4594**	$17.00	$15.81	$14.62	$13.60	26

See Our Website For Current Stock Availability!

Plug Straight, Cable Connectors (Continued from Previous Page)

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4357**	$15.95	$14.83	$13.72	$12.76	1
		RG174, RG316, RG188	**PE4201**	$9.60	$8.93	$8.26	$7.68	2
		RG178, RG196	**PE4202**	$13.50	$12.56	$11.61	$10.80	3

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4051**	$12.30	$11.44	$10.58	$9.84	4
		RG178, RG196	**PE4160**	$12.05	$11.21	$10.36	$9.64	5
		RG58	**PE4557**	$15.75	$14.65	$13.55	$12.60	6
		RG55, RG142, RG223, RG400	**PE4596**	$15.60	$14.51	$13.42	$12.48	7
	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4359**	$18.35	$17.07	$15.78	$14.68	8
		RG174, RG316, RG188	**PE4262**	$11.15	$10.37	$9.59	$8.92	9
		RG178, RG196	**PE4263**	$12.25	$11.39	$10.54	$9.80	10

Jack Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4094**	$12.25	$11.39	$10.54	$9.80	11
		RG178, RG196	**PE4927**	$13.50	$12.56	$11.61	$10.80	12
	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4361**	$22.05	$20.51	$18.96	$17.64	13
		RG174, RG316, RG188	**PE4270**	$22.05	$20.51	$18.96	$17.64	14
		RG178, RG196	**PE4271**	$22.05	$20.51	$18.96	$17.64	15

Jack Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, B01 Mounting Hole	**PE4095**	$11.55	$10.74	$9.93	$9.24	16
		RG178, RG196, B01 Mounting Hole	**PE4365**	$23.35	$21.72	$20.08	$18.68	17
		RG58, B01 Mounting Hole	**PE44095**	$20.50	$19.07	$17.63	$16.40	18
		RG55, RG142, RG223, RG400, B01 Mounting Hole	**PE44047**	$20.85	$19.39	$17.93	$16.68	19
	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, B01 Mounting Hole, .085" Semi-Rigid	**PE4363**	$24.55	$22.83	$21.11	$19.64	20
		RG174, RG316, RG188, B01 Mounting Hole	**PE4278**	$24.55	$22.83	$21.11	$19.64	21
		RG178, RG196, B01 Mounting Hole	**PE4279**	$24.55	$22.83	$21.11	$19.64	22

Plug Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .093" Max Panel, B01 Mounting Hole	**PE4289**	$15.95	$14.83	$13.72	$12.76	23

Jack Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .093" Max Panel, B01 Mounting Hole	**PE4171**	$9.25	$8.60	$7.96	$7.40	24
		Solder Cup Contact, Rear Mount, .093" Max Panel, B01 Mounting Hole	**PE4107**	$9.25	$8.60	$7.96	$7.40	25

Jack Right Angle, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .100" Max Panel, B01 Mounting Hole	**PE4285**	$22.15	$20.60	$19.05	$17.72	26

Jack Straight, Panel Mount, Terminal

	Solder	2 Hole Flange, Solder Cup Contact, C07 Mounting Hole	**PE44140**	$15.15	$14.09	$13.03	$12.12	27
		4 Hole Flange, Solder Cup Contact, A22 Mounting Hole	**PE44143**	$15.10	$14.04	$12.99	$12.08	28

Plug Straight, PCB Mount

	Solder	.036" Dia. Contact, .142" Leg Length, Thru Hole, D02 Mounting Hole	**PE4367**	$11.05	$10.28	$9.50	$8.84	29

Plug Right Angle, PCB Mount

	Solder	.040" Dia. Contact, .166" Leg Length, Thru Hole, D02 Mounting Hole	**PE4246**	$20.85	$19.39	$17.93	$16.68	30

Jack Straight, PCB Mount

	Solder	.042" End Launch, .030" Round Contact	**PE44133**	$19.65	$18.27	$16.90	$15.72	31
		.042" End Launch, .020" x .010" Tab Contact	**PE44138**	$19.65	$18.27	$16.90	$15.72	32
		.062" End Launch, .020" x .010" Tab Contact	**PE44136**	$18.75	$17.44	$16.13	$15.00	33
		.062" End Launch, .030" Round Contact	**PE44130**	$36.85	$34.27	$31.69	$29.48	34
		Surface Mount	**PE44120**	$12.20	$11.35	$10.49	$9.76	35
		.037" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4175**	$6.55	$6.09	$5.63	$5.24	36

See Page 259 for Mounting Hole Dimensions

SMC Connectors *(These Connectors will not mate to Standard 75 Ohm SMC Connectors)*

Jack Right Angle, PCB Mount

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	Surface Mount	**PE44122**	$10.20	$9.49	$8.77	$8.16	1
		.038" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4178**	$10.70	$9.95	$9.20	$8.56	2

Jack Straight, Bulkhead Mount, PCB Mount

	Solder	.038" Dia. Contact, .155" Leg Length, .093" Max Panel, Thru Hole, B01 Mounting Hole	**PE44124**	$19.80	$18.41	$17.03	$15.84	3

Jack Right Angle, Bulkhead Mount, PCB Mount

	Solder	.038" Dia. Contact, .155" Leg Length, .093" Max Panel, Thru Hole, B01 & D01 Mounting Hole	**PE44127**	$15.75	$14.65	$13.55	$12.60	4

10-32 Connectors

Male Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44351**	$16.35	$15.21	$14.06	$13.08	5
		RG178, RG196	**PE44352**	$25.55	$23.76	$21.97	$20.44	6
	Clamp/Solder	RG174, RG316, RG188	**PE44353**	$24.10	$22.41	$20.73	$19.28	7
		RG178, RG196	**PE44354**	$24.55	$22.83	$21.11	$19.64	8

Male Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44355**	$18.50	$17.21	$15.91	$14.80	9
		RG178, RG196	**PE44356**	$23.35	$21.72	$20.08	$18.68	10

Female Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44361**	$20.85	$19.39	$17.93	$16.68	11
		RG178, RG196	**PE44362**	$20.85	$19.39	$17.93	$16.68	12
	Clamp/Solder	RG174, RG316, RG188	**PE44363**	$23.35	$21.72	$20.08	$18.68	13
		RG178, RG196	**PE44364**	$23.35	$21.72	$20.08	$18.68	14

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, B03 Mounting Hole	**PE44365**	$24.55	$22.83	$21.11	$19.64	15
		RG178, RG196, B03 Mounting Hole	**PE44366**	$24.55	$22.83	$21.11	$19.64	16
	Clamp/Solder	RG174, RG316, RG188, B03 Mounting Hole	**PE44367**	$24.55	$22.83	$21.11	$19.64	17
		RG178, RG196, B03 Mounting Hole	**PE44368**	$24.55	$22.83	$21.11	$19.64	18

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .150" Max Panel, B01 Mounting Hole	**PE44357**	$18.50	$17.21	$15.91	$14.80	19
		Solder Cup Contact, Rear Mount, .141" Max Panel, B03 Mounting Hole	**PE44358**	$23.35	$21.72	$20.08	$18.68	20

Female Straight, PCB Mount

	Solder	.052" Dia. Contact, .155" Leg Length, Thru Hole, D01 Mounting Hole	**PE44359**	$17.40	$16.18	$14.96	$13.92	21

Female Right Angle, PCB Mount

	Solder	.050" Dia. Contact, .155" Leg Length, Thru Hole, D01 Mounting Hole	**PE44360**	$21.30	$19.81	$18.32	$17.04	22

See Our Website For Current Stock Availability!

SC Connectors

Male Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG214, RG9, RG225, RG393	**PE4232**	$46.20	$42.97	$39.73	$36.96	1
		RG55, RG141, RG142, RG223, RG400	**PE4231**	$86.15	$80.12	$74.09	$68.92	2
	Clamp/Solder	RG14, RG217	**PE4976**	$104.55	$97.23	$89.91	$83.64	3
		RG213, RG214, RG8, RG9, RG225, RG393	**PE4520**	$123.05	$114.44	$105.82	$98.44	4
		RG218	**PE4977**	$104.55	$97.23	$89.91	$83.64	5
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4519**	$86.15	$80.12	$74.09	$68.92	6

Male Right Angle, Cable Connectors

	Clamp/Solder	RG213, RG214, RG8, RG9, RG393,	**PE4979**	$115.35	$107.28	$99.20	$92.28	7
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4978**	$98.45	$91.56	$84.67	$78.76	8

Female Straight, Bulkhead Mount, Terminal

	Solder	Wire Terminal, Hermetically Sealed, .250” Max Panel, B11 Mounting Hole	**PE4980**	$28.55	$26.55	$24.55	$22.84	9

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A13 Mounting Hole	**PE4322**	$86.15	$80.12	$74.09	$68.92	10

LC Connectors

Male Straight, Cable Connectors

	Clamp/Solder	RG14, RG217	**PE4563**	$127.90	$118.95	$109.99	$102.32	11
		RG213, RG214, RG8, RG9, RG225, RG393	**PE4564**	$113.15	$105.23	$97.31	$90.52	12
		RG218, RG219	**PE4323**	$151.00	$140.43	$129.86	$120.80	13
		RG58, RG55, RG142, RG223, RG400	**PE4565**	$135.45	$125.97	$116.49	$108.36	14

Male Right Angle, Cable Connectors

	Clamp/Solder	RG14, RG217	**PE44448**	$178.45	$165.96	$153.47	$142.76	15
		RG213, RG214, RG8, RG9, RG225, RG393	**PE44447**	$172.35	$160.29	$148.22	$137.88	16
		RG218	**PE44449**	$186.70	$173.63	$160.56	$149.36	17

Female Straight, Cable Connectors

	Clamp/Solder	RG213, RG214, RG8, RG9, RG225, RG393	**PE44450**	$154.25	$143.45	$132.66	$123.40	18
		RG218	**PE44451**	$176.20	$163.87	$151.53	$140.96	19

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Pin, A12 Mounting Hole	**PE4192**	$79.90	$74.31	$68.71	$63.92	20

HN Connectors

Male Straight, Cable Connectors

	Crimp/Solder	RG213, RG8	**PE4473**	$31.20	$29.02	$26.83	$24.96	21
		RG214, RG9, RG225, RG393	**PE4474**	$31.60	$29.39	$27.18	$25.28	22
		RG58, RG141	**PE4478**	$25.20	$23.44	$21.67	$20.16	23
		RG55, RG142, RG223, RG400	**PE4477**	$26.60	$24.74	$22.88	$21.28	24
	Clamp/Solder	RG14, RG217	**PE4475**	$32.15	$29.90	$27.65	$25.72	25
		RG17, RG218	**PE4476**	$93.40	$86.86	$80.32	$74.72	26
		RG213, RG214, RG8, RG9, RG225, RG393	**PE4182**	$17.80	$16.55	$15.31	$14.24	27
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4198**	$25.50	$23.72	$21.93	$20.40	28
		RG59, RG62	**PE4479**	$34.80	$32.36	$29.93	$27.84	29

See Page 259 for Mounting Hole Dimensions

HN Connectors

Male Right Angle, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Clamp/Solder	RG14, RG217	**PE44592**	$42.40	$39.43	$36.46	$33.92	1
		RG213, RG214, RG8, RG9, RG225, RG393	**PE4230**	$45.30	$42.13	$38.96	$36.24	2
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4480**	$49.90	$46.41	$42.91	$39.92	3

Female Straight, Cable Connectors

	Clamp/Solder	RG213, RG214, RG8, RG9, RG225, RG393	**PE4229**	$39.70	$36.92	$34.14	$31.76	4

Female Straight, Bulkhead Mount, Terminal

	Solder	Wire Terminal, Hermetically Sealed, Rear Mount, .300" Max Panel, G03 Mounting Hole	**PE4481**	$42.50	$39.53	$36.55	$34.00	5

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A08 Mounting Hole	**PE4183**	$18.20	$16.93	$15.65	$14.56	6

QMA Connectors

Male Straight, Cable Connectors

	Crimp/Solder	RG316-DS, RG188-DS, 18 GHz	**PE44502**	$14.80	$13.76	$12.73	$11.84	7
		RG174, RG316, RG188, 18 GHz	**PE44501**	$14.80	$13.76	$12.73	$11.84	8
		RG58, RG141, 18 GHz	**PE44503**	$13.90	$12.93	$11.95	$11.12	9
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, 18 GHz, .141" Semi-Rigid	**PE44496**	$14.80	$13.76	$12.73	$11.84	10
		PE-SR405AL, PE-SR405FL, RG405, 18 GHz, .085" Semi-Rigid	**PE44495**	$14.80	$13.76	$12.73	$11.84	11

Male Right Angle, Cable Connectors

	Crimp/Solder	RG316-DS, RG188-DS, 18 GHz	**PE44505**	$17.25	$16.04	$14.84	$13.80	12
		RG174, RG316, RG188, 18 GHz	**PE44504**	$17.25	$16.04	$14.84	$13.80	13
		RG58, RG141, 18 GHz	**PE44506**	$18.35	$17.07	$15.78	$14.68	14
		RG55, RG142, RG223, RG400, 18 GHz NEW	**PE44515**	$21.75	$20.23	$18.71	$17.40	15
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, 18 GHz, .141" Semi-Rigid	**PE44498**	$18.35	$17.07	$15.78	$14.68	16
		PE-SR405AL, PE-SR405FL, RG405, 18 GHz, .085" Semi-Rigid	**PE44497**	$18.35	$17.07	$15.78	$14.68	17

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG316-DS, RG188-DS, B17 Mounting Hole, 18 GHz	**PE44508**	$14.80	$13.76	$12.73	$11.84	18
		RG174, RG316, RG188, B17 Mounting Hole, 18 GHz	**PE44507**	$14.80	$13.76	$12.73	$11.84	19
		RG58, RG141, B17 Mounting Hole, 18 GHz	**PE44509**	$14.80	$13.76	$12.73	$11.84	20
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, B17 Mounting Hole, 18 GHz, .141" Semi-Rigid	**PE44500**	$17.25	$16.04	$14.84	$13.80	21
		PE-SR405AL, PE-SR405FL, RG405, B17 Mounting Hole, 18 GHz, .085" Semi-Rigid	**PE44499**	$17.25	$16.04	$14.84	$13.80	22

Female Straight, PCB Mount

	Solder	Surface Mount, 18 GHz	**PE44510**	$40.60	$37.76	$34.92	$32.48	23
		Thru Hole, 18 GHz	**PE44512**	$9.75	$9.07	$8.39	$7.80	24

Female Right Angle, PCB Mount

	Solder	Surface Mount, 18 GHz	**PE44511**	$24.55	$22.83	$21.11	$19.64	25
		Thru Hole, 18 GHz	**PE44513**	$18.35	$17.07	$15.78	$14.68	26

See Our Website For Current Stock Availability!

QN Connectors

Male Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG213, RG215, RG8, 11 GHz	**PE44597**	$33.60	$31.25	$28.90	$26.88	1
		RG214, RG225, RG9, RG393, 11 GHz	**PE44598**	$32.95	$30.64	$28.34	$26.36	2
		RG58, RG141, RG303, 11 GHz	**PE44596**	$23.50	$21.86	$20.21	$18.80	3
		RG55, RG142, RG223, RG400, 11 GHz	**PE44595**	$23.50	$21.86	$20.21	$18.80	4
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, 11 GHz, .141" Semi-Rigid	**PE44599**	$29.40	$27.34	$25.28	$23.52	5

Male Right Angle, Cable Connectors

	Crimp/Solder	RG213, RG215, RG8, 11 GHz	**PE44602**	$38.80	$36.08	$33.37	$31.04	6
		RG214, RG225, RG9, RG393, 11 GHz	**PE44603**	$38.80	$36.08	$33.37	$31.04	7
		RG58, RG141, RG303, 11 GHz	**PE44601**	$29.40	$27.34	$25.28	$23.52	8
		RG55, RG142, RG223, RG400, 11 GHz	**PE44600**	$29.40	$27.34	$25.28	$23.52	9
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, 11 GHz, .141" Semi-Rigid	**PE44604**	$38.80	$36.08	$33.37	$31.04	10

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG213, RG215, RG8, F02 Mounting Hole, 11 GHz	**PE44607**	$36.45	$33.90	$31.35	$29.16	11
		RG214, RG225, RG9, RG393, F02 Mounting Hole, 11 GHz	**PE44608**	$36.45	$33.90	$31.35	$29.16	12
		RG58, RG141, RG303, F02 Mounting Hole, 11 GHz	**PE44606**	$27.55	$25.62	$23.69	$22.04	13
		RG55, RG142, RG223, RG400, F02 Mounting Hole, 11 GHz	**PE44605**	$27.00	$25.11	$23.22	$21.60	14
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, F02 Mounting Hole, 11 GHz, .141" Semi-Rigid	**PE44609**	$36.45	$33.90	$31.35	$29.16	15

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, 11 GHz, D16 Mounting Hole	**PE44610**	$54.15	$50.36	$46.57	$43.32	16

SMP Connectors

Male Straight, Bulkhead Mount, Cable Connectors

	Solder/Solder	PE-SR405AL, PE-SR405FL, RG405, Rear Mount, F11 Mounting Hole, .085" Semi-Rigid	**PE44483**	$29.50	$27.44	$25.37	$23.60	17

Female Straight, Cable Connectors

	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44273**	$22.15	$20.60	$19.05	$17.72	18
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44272**	$27.35	$25.44	$23.52	$21.88	19
		RG178, RG196 NEW	**PE44655**	$37.05	$34.46	$31.86	$29.64	20

Female Right Angle, Cable Connectors

	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44274**	$29.40	$27.34	$25.28	$23.52	21
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44275**	$22.85	$21.25	$19.65	$18.28	22

Male Straight, PCB Mount

	Solder	Surface Mount, End Launch	**PE44482**	$18.50	$17.21	$15.91	$14.80	23
		Surface Mount	**PE44481**	$25.55	$23.76	$21.97	$20.44	24
		Thru Hole	**PE44480**	$24.35	$22.65	$20.94	$19.48	25
		Thru Hole, D03 Mounting Hole	**PE44348**	$23.20	$21.58	$19.95	$18.56	26

See Page 259 for Mounting Hole Dimensions

MINI SMP Connectors

Female Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	PE-047SR, PE-SR047AL, PE-SR047FL, 65 GHz, .047” Semi-Rigid	**PE44491**	$27.00	$25.11	$23.22	$21.60	1
		PE-SR405AL, PE-SR405FL, RG405, 65 GHz, .085” Semi-Rigid	**PE44492**	$26.65	$24.78	$22.92	$21.32	2

Female Right Angle, Cable Connectors

	Solder	PE-047SR, PE-SR047AL, PE-SR047FL, 65 GHz, .047” Semi-Rigid	**PE44493**	$30.70	$28.55	$26.40	$24.56	3
		PE-SR405AL, PE-SR405FL, RG405, 65 GHz, .085” Semi-Rigid	**PE44494**	$31.25	$29.06	$26.88	$25.00	4

Male Straight, PCB Mount

	Solder	Surface Mount, End Launch, 65 GHz	**PE44490**	$18.50	$17.21	$15.91	$14.80	5
		Surface Mount, 65 GHz	**PE44489**	$25.55	$23.76	$21.97	$20.44	6

UMCX Connectors

Jack Straight, PCB Mount

	Solder	Surface Mount, 6 GHz	**PE44594**	$1.10	$1.02	$0.95	$0.88	7

MMCX Connectors

Plug Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4896**	$12.00	$11.16	$10.32	$9.60	8
		RG178, RG196	**PE4897**	$11.70	$10.88	$10.06	$9.36	9
		RG178, RG196, Easy Grip NEW	**PE44645**	$11.50	$10.70	$9.89	$9.20	10
	Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047” Semi-Rigid	**PE44456**	$15.95	$14.83	$13.72	$12.76	11
		PE-SR405AL, PE-SR405FL, RG405, .085” Semi-Rigid	**PE44453**	$12.80	$11.90	$11.01	$10.24	12

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4898**	$15.00	$13.95	$12.90	$12.00	13
		RG178, RG196	**PE4899**	$13.05	$12.14	$11.22	$10.44	14
	Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047” Semi-Rigid	**PE44457**	$16.95	$15.76	$14.58	$13.56	15
		PE-SR405AL, PE-SR405FL, RG405, .085” Semi-Rigid	**PE4900**	$13.05	$12.14	$11.22	$10.44	16

Jack Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4901**	$12.05	$11.21	$10.36	$9.64	17
		RG178, RG196	**PE4902**	$12.05	$11.21	$10.36	$9.64	18
	Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047” Semi-Rigid	**PE44459**	$22.05	$20.51	$18.96	$17.64	19
		PE-SR405AL, PE-SR405FL, RG405, .085” Semi-Rigid	**PE44458**	$15.95	$14.83	$13.72	$12.76	20

Plug Straight, PCB Mount

	Solder	Surface Mount, End Launch, Switching Connector NEW	**PE44663**	$14.85	$13.81	$12.77	$11.88	21
		Surface Mount, Switching Connector NEW	**PE44662**	$14.85	$13.81	$12.77	$11.88	22
		.028” Dia. Contact, .115” Leg Length, Thru Hole, D03 Mounting Hole	**PE4905**	$20.85	$19.39	$17.93	$16.68	23

See Our Website For Current Stock Availability!

MMCX Connectors

Jack Straight, PCB Mount

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	.028” Dia. Contact, .115” Leg Length, Thru Hole, D03 Mounting Hole	**PE4904**	$9.60	$8.93	$8.26	$7.68	1

Jack Right Angle, PCB Mount

	Solder	.028” Dia. Contact, .115” Leg Length, Thru Hole, D03 Mounting Hole	**PE4903**	$18.20	$16.93	$15.65	$14.56	2

MCX Connectors

Plug Straight, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS	**PE4878**	$9.60	$8.93	$8.26	$7.68	3
		RG178, RG196	**PE4552**	$12.55	$11.67	$10.79	$10.04	4
		RG316, RG174, RG188	**PE4551**	$9.60	$8.93	$8.26	$7.68	5
		RG58	**PE4880**	$14.75	$13.72	$12.69	$11.80	6
		RG55, RG142, RG223, RG400	**PE4881**	$20.00	$18.60	$17.20	$16.00	7
	Solder	PE-SR405AL, PE-SR405FL, RG405, .085” Semi-Rigid	**PE4876**	$17.05	$15.86	$14.66	$13.64	8

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS	**PE4879**	$11.90	$11.07	$10.23	$9.52	9
		RG174, RG316, RG188	**PE4553**	$12.00	$11.16	$10.32	$9.60	10
		RG178, RG196	**PE4554**	$12.05	$11.21	$10.36	$9.64	11
		RG58	**PE4882**	$14.05	$13.07	$12.08	$11.24	12
		RG55, RG142, RG223, RG400	**PE4883**	$13.15	$12.23	$11.31	$10.52	13
	Solder	PE-SR405AL, PE-SR405FL, RG405, .085” Semi-Rigid	**PE4877**	$18.35	$17.07	$15.78	$14.68	14

Jack Straight, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS	**PE4885**	$12.50	$11.63	$10.75	$10.00	15
		RG174, RG316, RG188	**PE4562**	$15.25	$14.18	$13.12	$12.20	16
		RG178, RG196	**PE4884**	$14.10	$13.11	$12.13	$11.28	17

Jack Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS, B01 Mounting Hole	**PE4888**	$13.15	$12.23	$11.31	$10.52	18
		RG174, RG316, RG188, B01 Mounting Hole	**PE4887**	$14.05	$13.07	$12.08	$11.24	19
		RG178, RG196, B01 Mounting Hole	**PE4886**	$23.35	$21.72	$20.08	$18.68	20

Reverse Polarity Plug Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44369**	$18.35	$17.07	$15.78	$14.68	21
		RG178, RG196	**PE44370**	$18.35	$17.07	$15.78	$14.68	22

Reverse Polarity Plug Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44371**	$20.85	$19.39	$17.93	$16.68	23
		RG178, RG196	**PE44372**	$20.85	$19.39	$17.93	$16.68	24

Reverse Polarity Jack Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, B01 Mounting Hole	**PE44373**	$23.35	$21.72	$20.08	$18.68	25
		RG178, RG196, B01 Mounting Hole	**PE44374**	$23.35	$21.72	$20.08	$18.68	26

Jack Straight, Bulkhead Mount, Terminal

	Solder	Turret, .118” Max Panel, B01 Mounting Hole	**PE4561**	$12.05	$11.21	$10.36	$9.64	27

See Page 259 for Mounting Hole Dimensions

MCX Connectors

Jack Right Angle, Bulkhead Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Solder	Turret, .118" Max Panel, B01 Mounting Hole	**PE4560**	$29.55	$27.48	$25.41	$23.64	1

Jack Straight, Panel Mount, Terminal

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	2 Hole Flange, .038" Dia. Contact, .200" Extended Dielectric, C03 Mounting Hole	**PE4894**	$13.50	$12.56	$11.61	$10.80	2
	2 Hole Flange, Solder Cup Contact, C03 Mounting Hole	**PE4891**	$13.50	$12.56	$11.61	$10.80	3
	4 Hole Flange, Solder Cup Contact, A17 Mounting Hole	**PE4895**	$24.55	$22.83	$21.11	$19.64	4

Plug Straight, PCB Mount

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	Surface Mount, End Launch, Switching Connector NEW	**PE44661**	$14.85	$13.81	$12.77	$11.88	5
	Surface Mount, Switching Connector NEW	**PE44660**	$14.85	$13.81	$12.77	$11.88	6
	Surface Mount	**PE44613**	$10.60	$9.86	$9.12	$8.48	7
	.036" Dia. Contact, .155" Leg Length, Thru Hole, D04 Mounting Hole	**PE4559**	$13.85	$12.88	$11.91	$11.08	8

Jack Straight, PCB Mount

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.042 End Launch, .019" Round Contact, .125" Leg Length	**PE4893**	$13.50	$12.56	$11.61	$10.80	9
	.062" End Launch, .019" Round Contact, .125" Leg Length	**PE4892**	$17.35	$16.14	$14.92	$13.88	10
	Surface Mount	**PE4889**	$10.20	$9.49	$8.77	$8.16	11
	.038" Dia. Contact, .155" Leg Length, Thru Hole, D04 Mounting Hole	**PE4555**	$8.40	$7.81	$7.22	$6.72	12

Jack Right Angle, PCB Mount

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	Surface Mount	**PE4890**	$17.05	$15.86	$14.66	$13.64	13
	.036" Dia. Contact, .155" Leg Length, Thru Hole, D04 Mounting Hole	**PE4556**	$10.95	$10.18	$9.42	$8.76	14

Reverse Polarity Jack Straight, PCB Mount

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.038" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE44375**	$11.05	$10.28	$9.50	$8.84	15

Reverse Polarity Jack Straight, Bulkhead Mount, PCB Mount

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	Surface Mount, End Launch, .019" Dia. Contact, .125" Leg Length, B01 Mounting Hole	**PE44377**	$18.35	$17.07	$15.78	$14.68	16

Reverse Polarity Jack Right Angle, Bulkhead Mount, PCB Mount

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Solder	.038" Dia. Contact, .155" Leg Length, Thru Hole, D02 & B01 Mounting Hole	**PE44376**	$24.55	$22.83	$21.11	$19.64	17

SMB Connectors *(These Connectors will not mate to Standard 75 Ohm SMB Connectors)*

Plug Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG174, RG316, RG188	**PE4046**	$9.00	$8.37	$7.74	$7.20	18
	RG178, RG196	**PE4080**	$12.00	$11.16	$10.32	$9.60	19
	RG58	**PE4523**	$13.40	$12.46	$11.52	$10.72	20
	RG55, RG142, RG223, RG400	**PE4593**	$13.15	$12.23	$11.31	$10.52	21
Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4356**	$10.80	$10.04	$9.29	$8.64	22
	RG174, RG316, RG188	**PE4200**	$11.75	$10.93	$10.11	$9.40	23
	RG178, RG196	**PE4250**	$15.10	$14.04	$12.99	$12.08	24

Plug Right Angle, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG174, RG316, RG188	**PE4052**	$12.10	$11.25	$10.41	$9.68	25
	RG178, RG196	**PE4159**	$12.05	$11.21	$10.36	$9.64	26
	RG58	**PE4522**	$15.75	$14.65	$13.55	$12.60	27
	RG55, RG142, RG223, RG400	**PE4595**	$15.60	$14.51	$13.42	$12.48	28
Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4358**	$12.25	$11.39	$10.54	$9.80	29
	RG174, RG316, RG188	**PE4260**	$31.95	$29.71	$27.48	$25.56	30
	RG178, RG196	**PE4261**	$31.95	$29.71	$27.48	$25.56	31

See Our Website For Current Stock Availability!

SMB Connectors *(These Connectors will not mate to Standard 75 Ohm SMB Connectors)*

Jack Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG174, RG316, RG188	**PE4096**	$9.80	$9.11	$8.43	$7.84	1
		RG178, RG196	**PE4926**	$18.50	$17.21	$15.91	$14.80	2
	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4360**	$13.40	$12.46	$11.52	$10.72	3
		RG174, RG316, RG188	**PE4268**	$11.70	$10.88	$10.06	$9.36	4
		RG178, RG196	**PE4269**	$17.40	$16.18	$14.96	$13.92	5

Jack Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, B01 Mounting Hole	**PE4097**	$11.15	$10.37	$9.59	$8.92	6
		RG178, RG196, B01 Mounting Hole	**PE4364**	$11.15	$10.37	$9.59	$8.92	7
		RG58, B01 Mounting Hole	**PE44094**	$21.25	$19.76	$18.28	$17.00	8
		RG55, RG142, RG223, RG400, B01 Mounting Hole	**PE44048**	$23.20	$21.58	$19.95	$18.56	9
	Clamp/Solder	PE-SR405AL, PE-SR405FL, RG405, B01 Mounting Hole, .085" Semi-Rigid	**PE4362**	$13.25	$12.32	$11.40	$10.60	10
		RG174, RG316, RG188, B01 Mounting Hole	**PE4276**	$12.25	$11.39	$10.54	$9.80	11
		RG178, RG196, B01 Mounting Hole	**PE4277**	$12.25	$11.39	$10.54	$9.80	12

Plug Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .180" Max Panel, B01 Mounting Hole	**PE4288**	$11.80	$10.97	$10.15	$9.44	13

Jack Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, B01 Mounting Hole	**PE4170**	$10.45	$9.72	$8.99	$8.36	14
		Solder Cup Contact, Rear Mount, B01 Mounting Hole	**PE4167**	$4.95	$4.60	$4.26	$3.96	15

Jack Right Angle, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .093" Max Panel, B01 Mounting Hole	**PE4284**	$20.85	$19.39	$17.93	$16.68	16

Jack Straight, Panel Mount, Terminal

	Solder	2 Hole Flange, Solder Cup Contact, C07 Mounting Hole	**PE44139**	$18.35	$17.07	$15.78	$14.68	17
		4 Hole Flange, Solder Cup Contact, A22 Mounting Hole	**PE44142**	$18.35	$17.07	$15.78	$14.68	18

Plug Straight, PCB Mount

	Solder	.038" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4366**	$14.20	$13.21	$12.21	$11.36	19

Plug Right Angle, PCB Mount

	Solder	.037" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4245**	$14.15	$13.16	$12.17	$11.32	20

Jack Straight, PCB Mount

	Solder	.042" End Launch, .030" Round Contact, .187" Leg Length	**PE44132**	$17.40	$16.18	$14.96	$13.92	21
		.042" End Launch, .020" x .010" Tab Contact, .187" Leg Length	**PE44137**	$16.50	$15.35	$14.19	$13.20	22
		.062" End Launch, .020" x .010" Tab Contact, .187" Leg Length	**PE44135**	$16.65	$15.48	$14.32	$13.32	23
		.062" End Launch, .030" Dia Contact, .187" Leg Length	**PE44129**	$14.85	$13.81	$12.77	$11.88	24
		Surface Mount	**PE44119**	$6.35	$5.91	$5.46	$5.08	25
		.037" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4174**	$4.90	$4.56	$4.21	$3.92	26

Jack Right Angle, PCB Mount

	Solder	.038" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4177**	$8.50	$7.91	$7.31	$6.80	27
		Surface Mount	**PE44121**	$15.25	$14.18	$13.12	$12.20	28

See Page 259 for Mounting Hole Dimensions

SMB Connectors *(These Connectors will not mate to Standard 75 Ohm SMB Connectors)*

Jack Straight, Bulkhead Mount, PCB Mount

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	.038" Dia. Contact, .155" Leg Length, Thru Hole, .093" Max Panel, B01 & D02 Mounting Hole	**PE44123**	$13.65	$12.69	$11.74	$10.92	1

Jack Right Angle, Bulkhead Mount, PCB Mount

	Solder	.038" Dia. Contact, .155" Leg Length, .093" Max Panel, Thru Hole, B01 & D02 Mounting Hole	**PE44126**	$15.60	$14.51	$13.42	$12.48	2

SSMB Connectors

Plug Straight, Cable Connectors

	Crimp/Solder	RG174, RG179, RG316, RG188	**PE4017**	$21.80	$20.27	$18.75	$17.44	3
		RG178, RG196	**PE4019**	$20.00	$18.60	$17.20	$16.00	4

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4334**	$19.70	$18.32	$16.94	$15.76	5
		RG178, RG196	**PE4335**	$14.05	$13.07	$12.08	$11.24	6

Jack Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, B10 Mounting Hole	**PE4336**	$24.55	$22.83	$21.11	$19.64	7
		RG178, RG196, B10 Mounting Hole	**PE4337**	$24.55	$22.83	$21.11	$19.64	8

Jack Straight, Bulkhead Mount, Terminal

	Solder	Turret, Rear Mount, B10 Mounting Hole	**PE4338**	$18.35	$17.07	$15.78	$14.68	9
		Turret, Front Mount, B10 Mounting Hole	**PE4339**	$19.05	$17.72	$16.38	$15.24	10

Jack Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Tab, .005" X .028" Tab Contact, D15 Mounting Hole	**PE44455**	$18.50	$17.21	$15.91	$14.80	11

Jack Straight, PCB Mount

	Solder	.025" Dia. Contact, .155" Leg Length, Thru Hole, D03 Mounting Hole	**PE4340**	$9.60	$8.93	$8.26	$7.68	12

Jack Right Angle, PCB Mount

	Solder	.025" Dia. Contact, .155" Leg Length, Thru Hole, D03 Mounting Hole	**PE4341**	$15.10	$14.04	$12.99	$12.08	13

See Our Website For Current Stock Availability!

Plug Straight, Cable Connectors



Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Crimp/Solder	PE-C100, RG174, RG316, Black Color, Radio with Phantom Supply	**PE44647A**	$4.20	$3.91	$3.61	$3.36	1
	PE-C100, RG174, RG316, White Color, Radio without Phantom Supply	**PE44647B**	$4.20	$3.91	$3.61	$3.36	2
	PE-C100, RG174, RG316, Blue Color, GPS: Telematics or Navigation	**PE44647C**	$4.20	$3.91	$3.61	$3.36	3
	PE-C100, RG174, RG316, Bordeaux Color, GSM: Cellular Phone	**PE44647D**	$4.20	$3.91	$3.61	$3.36	4
	PE-C100, RG174, RG316, Violet Color, GPS: Telematics and Navigation	**PE44647H**	$4.20	$3.91	$3.61	$3.36	5
	PE-C100, RG174, RG316, Beige Color, Bluetooth	**PE44647I**	$4.20	$3.91	$3.61	$3.36	6
	PE-C100, RG174, RG316, Curry Color,Radio with I.F. Output (Antenna Diversity)	**PE44647K**	$4.20	$3.91	$3.61	$3.36	7
	PE-C100, RG174, RG316, Water Blue Color, Neutral Coding	**PE44647Z**	$4.20	$3.91	$3.61	$3.36	8

Jack Straight, Cable Connectors



Crimp/Solder	PE-C100, RG174, RG316, Black Color, Radio with Phantom Supply	**PE44646A**	$4.20	$3.91	$3.61	$3.36	9
	PE-C100, RG174, RG316, White Color, Radio without Phantom Supply	**PE44646B**	$4.20	$3.91	$3.61	$3.36	10
	PE-C100, RG174, RG316, Blue Color, GPS: Telematics or Navigation	**PE44646C**	$4.20	$3.91	$3.61	$3.36	11
	PE-C100, RG174, RG316, Bordeaux Color, GSM: Cellular Phone	**PE44646D**	$4.20	$3.91	$3.61	$3.36	12
	PE-C100, RG174, RG316, Violet Color, GPS: Telematics and Navigation	**PE44646H**	$4.20	$3.91	$3.61	$3.36	13
	PE-C100, RG174, RG316, Beige Color, Bluetooth	**PE44646I**	$4.20	$3.91	$3.61	$3.36	14
	PE-C100, RG174, RG316, Curry Color,Radio with I.F. Output (Antenna Diversity)	**PE44646K**	$4.20	$3.91	$3.61	$3.36	15
	PE-C100, RG174, RG316, Water Blue Color, Neutral Coding	**PE44646Z**	$4.20	$3.91	$3.61	$3.36	16

Jack Right Angle, Cable Connectors



Crimp/Solder	PE-C100, RG174, RG316, Black Color, Radio with Phantom Supply	**PE44648A**	$5.25	$4.88	$4.52	$4.20	17
	PE-C100, RG174, RG316, White Color, Radio without Phantom Supply	**PE44648B**	$5.25	$4.88	$4.52	$4.20	18
	PE-C100, RG174, RG316, Blue Color, GPS: Telematics or Navigation	**PE44648C**	$5.25	$4.88	$4.52	$4.20	19
	PE-C100, RG174, RG316, Bordeaux Color, GSM: Cellular Phone	**PE44648D**	$5.25	$4.88	$4.52	$4.20	20
	PE-C100, RG174, RG316, Violet Color, GPS: Telematics and Navigation	**PE44648H**	$5.25	$4.88	$4.52	$4.20	21
	PE-C100, RG174, RG316, Beige Color, Bluetooth	**PE44648I**	$5.25	$4.88	$4.52	$4.20	22
	PE-C100, RG174, RG316, Curry Color,Radio with I.F. Output (Antenna Diversity)	**PE44648K**	$5.25	$4.88	$4.52	$4.20	23
	PE-C100, RG174, RG316, Water Blue Color, Neutral Coding	**PE44648Z**	$5.25	$4.88	$4.52	$4.20	24

Plug Straight, PCB Mount



Solder	.039” Dia. Contact, .155” Leg Length, Thru Hole, Black Color, Radio with Phantom Supply, D02 Mounting Hole	**PE44649A**	$4.20	$3.91	$3.61	$3.36	25
	.039” Dia. Contact, .155” Leg Length, Thru Hole, White Color, Radio without Phantom Supply, D02 Mounting Hole	**PE44649B**	$4.20	$3.91	$3.61	$3.36	26
	.039” Dia. Contact, .155” Leg Length, Thru Hole, Blue Color, GPS: Telematics or Navigation, D02 Mounting Hole	**PE44649C**	$4.20	$3.91	$3.61	$3.36	27
	.039” Dia. Contact, .155” Leg Length, Thru Hole, Bordeaux Color, GSM: Cellular Phone, D02 Mounting Hole	**PE44649D**	$4.20	$3.91	$3.61	$3.36	28
	.039” Dia. Contact, .155” Leg Length, Thru Hole, D02 Mounting Hole, Violet Color, GPS: Telematics and Navigation	**PE44649H**	$4.20	$3.91	$3.61	$3.36	29
	.039” Dia. Contact, .155” Leg Length, Thru Hole, Beige Color, Bluetooth, D02 Mounting Hole	**PE44649I**	$4.20	$3.91	$3.61	$3.36	30
	.039” Dia. Contact, .155” Leg Length, Thru Hole, Curry Color, Radio with I.F. Output (Antenna Diversity), D02 Mounting Hole	**PE44649K**	$4.20	$3.91	$3.61	$3.36	31
	.039” Dia. Contact, .155” Leg Length, Thru Hole, D02 Mounting Hole, Water Blue Color, Neutral Coding	**PE44649Z**	$4.20	$3.91	$3.61	$3.36	32

Plug Right Angle, PCB Mount



Solder	.036” Dia. Contact, .138” Leg Length, Thru Hole, Black Color, Radio with Phantom Supply, D07 Mounting Hole	**PE44651A**	$5.25	$4.88	$4.52	$4.20	33
	.036” Dia. Contact, .138” Leg Length, Thru Hole, White Color, Radio without Phantom Supply, D07 Mounting Hole	**PE44651B**	$5.25	$4.88	$4.52	$4.20	34
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Blue Color, GPS: Telematics or Navigation, D07 Mounting Hole	**PE44651C**	$5.25	$4.88	$4.52	$4.20	35
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Bordeaux Color, GSM: Cellular Phone, D07 Mounting Hole	**PE44651D**	$5.25	$4.88	$4.52	$4.20	36
	.036” Dia. Contact, .138” Leg Length, Thru Hole, D07 Mounting Hole, Violet Color, GPS: Telematics and Navigation	**PE44651H**	$5.25	$4.88	$4.52	$4.20	37
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Beige Color, Bluetooth, D07 Mounting Hole	**PE44651I**	$5.25	$4.88	$4.52	$4.20	38
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Curry Color, Radio with I.F. Output (Antenna Diversity), D07 Mounting Hole	**PE44651K**	$5.25	$4.88	$4.52	$4.20	39
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Water Blue Color, Neutral Coding, D07 Mounting Hole	**PE44651Z**	$5.25	$4.88	$4.52	$4.20	40

Jack Right Angle, PCB Mount



Solder	.036” Dia. Contact, .138” Leg Length, Thru Hole, Black Color, Radio with Phantom Supply, D07 Mounting Hole	**PE44650A**	$5.80	$5.39	$4.99	$4.64	41
	.036” Dia. Contact, .138” Leg Length, Thru Hole, White Color, Radio without Phantom Supply, D07 Mounting Hole	**PE44650B**	$5.80	$5.39	$4.99	$4.64	42
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Blue Color, GPS: Telematics or Navigation, D07 Mounting Hole	**PE44650C**	$5.80	$5.39	$4.99	$4.64	43
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Bordeaux Color, GSM: Cellular Phone, D07 Mounting Hole	**PE44650D**	$5.80	$5.39	$4.99	$4.64	44
	.036” Dia. Contact, .138” Leg Length, Thru Hole, D07 Mounting Hole, Violet Color, GPS: Telematics and Navigation	**PE44650H**	$5.80	$5.39	$4.99	$4.64	45
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Beige Color, Bluetooth, D07 Mounting Hole	**PE44650I**	$5.80	$5.39	$4.99	$4.64	46
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Curry Color, Radio with I.F. Output (Antenna Diversity), D07 Mounting Hole	**PE44650K**	$5.80	$5.39	$4.99	$4.64	47
	.036” Dia. Contact, .138” Leg Length, Thru Hole, Water Blue Color, Neutral Coding, D07 Mounting Hole	**PE44650Z**	$5.80	$5.39	$4.99	$4.64	48

See Page 259 for Mounting Hole Dimensions

1.0/2.3 Connectors

Plug Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG174, RG316, RG188, Snap On	**PE44244**	$9.25	$8.60	$7.96	$7.40	1
		RG58, Snap On	**PE44243**	$9.50	$8.84	$8.17	$7.60	2
		RG55, RG142, RG223, RG400, Snap On	**PE44242**	$9.05	$8.42	$7.78	$7.24	3

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, Snap On	**PE44249**	$11.55	$10.74	$9.93	$9.24	4
		RG58, Snap On	**PE44248**	$12.25	$11.39	$10.54	$9.80	5
		RG55, RG142, RG223, RG400, Snap On	**PE44247**	$11.25	$10.46	$9.68	$9.00	6

Jack Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, Snap On, G06 Mounting Hole	**PE44254**	$11.05	$10.28	$9.50	$8.84	7
		RG55, RG142, RG223, RG400, Snap On, G06 Mounting Hole	**PE44252**	$10.10	$9.39	$8.69	$8.08	8
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, Snap On, B02 Mounting Hole, .141" Semi-Rigid	**PE44255**	$12.25	$11.39	$10.54	$9.80	9
		PE-SR405AL, PE-SR405FL, RG405, Snap On, B02 Mounting Hole, .085" Semi-Rigid	**PE44256**	$12.25	$11.39	$10.54	$9.80	10

Jack Right Angle, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, G05 Mounting Hole, Snap On	**PE44261**	$12.80	$11.90	$11.01	$10.24	11
		RG58, G05 Mounting Hole, Snap On	**PE44260**	$12.80	$11.90	$11.01	$10.24	12

Jack Straight, PCB Mount

	Solder	.033" Dia. Contact, .138" Leg Length, Thru Hole, D07 Mounting Hole, Snap On	**PE44257**	$6.35	$5.91	$5.46	$5.08	13

Jack Right Angle, PCB Mount

	Solder	.037" Dia. Contact, .142" Leg Length, Thru Hole, D07 Mounting Hole, Snap On	**PE44258**	$8.45	$7.86	$7.27	$6.76	14

Jack Straight, Bulkhead Mount, PCB Mount

	Solder	.039" Dia. Contact, .138" Leg Length, Thru Hole, D07 & F09 Mounting Hole, Snap On	**PE44259**	$8.95	$8.32	$7.70	$7.16	15

MC-CARD Connectors

Plug Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44309**	$8.95	$8.32	$7.70	$7.16	16
		RG178, RG196	**PE44310**	$8.95	$8.32	$7.70	$7.16	17

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE44308**	$9.60	$8.93	$8.26	$7.68	18
		RG178, RG196	**PE44311**	$10.20	$9.49	$8.77	$8.16	19

D-Subminiature Connectors

Plug Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG187, RG188	**PE4809**	$10.90	$10.14	$9.37	$8.72	20
		RG178, RG196	**PE4810**	$11.45	$10.65	$9.85	$9.16	21
		RG180, RG195	**PE4811**	$11.45	$10.65	$9.85	$9.16	22
		RG58, RG141, RG303	**PE4808**	$11.45	$10.65	$9.85	$9.16	23
		RG55, RG142, RG223, RG400	**PE4842**	$11.70	$10.88	$10.06	$9.36	24
	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE4846**	$15.40	$14.32	$13.24	$12.32	25
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4844**	$15.95	$14.83	$13.72	$12.76	26
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4845**	$14.05	$13.07	$12.08	$11.24	27
		RG174, RG316, RG187, RG188	**PE4813**	$11.30	$10.51	$9.72	$9.04	28
		RG178, RG196	**PE4814**	$10.60	$9.86	$9.12	$8.48	29
		RG180, RG195	**PE4815**	$11.45	$10.65	$9.85	$9.16	30
		RG58, RG141, RG303	**PE4812**	$10.60	$9.86	$9.12	$8.48	31
		RG55, RG142, RG223, RG400	**PE4843**	$11.70	$10.88	$10.06	$9.36	32

See Our Website For Current Stock Availability!

Plug Right Angle, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG174, RG316, RG187, RG188	**PE4825**	$11.45	$10.65	$9.85	$9.16	1
		RG178, RG196	**PE4826**	$11.45	$10.65	$9.85	$9.16	2
		RG180, RG195	**PE4827**	$11.45	$10.65	$9.85	$9.16	3
		RG58, RG141, RG303	**PE4824**	$11.45	$10.65	$9.85	$9.16	4
		RG55, RG142, RG223, RG400	**PE44035**	$11.90	$11.07	$10.23	$9.52	5
	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44039**	$21.80	$20.27	$18.75	$17.44	6
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE44037**	$20.50	$19.07	$17.63	$16.40	7
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44038**	$20.50	$19.07	$17.63	$16.40	8
		RG174, RG316, RG187, RG188	**PE4829**	$11.45	$10.65	$9.85	$9.16	9
		RG178, RG196	**PE4830**	$11.45	$10.65	$9.85	$9.16	10
		RG180, RG195	**PE4831**	$11.45	$10.65	$9.85	$9.16	11
		RG58, RG141, RG303	**PE4828**	$11.45	$10.65	$9.85	$9.16	12
		RG55, RG142, RG223, RG400	**PE44036**	$11.70	$10.88	$10.06	$9.36	13

Receptacle Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG187, RG188	**PE4801**	$11.05	$10.28	$9.50	$8.84	14
		RG178, RG196	**PE4802**	$8.95	$8.32	$7.70	$7.16	15
		RG180, RG195	**PE4803**	$8.95	$8.32	$7.70	$7.16	16
		RG58, RG141, RG303	**PE4800**	$11.05	$10.28	$9.50	$8.84	17
		RG55, RG142, RG223, RG400	**PE4837**	$9.60	$8.93	$8.26	$7.68	18
	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE4841**	$12.80	$11.90	$11.01	$10.24	19
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4839**	$15.95	$14.83	$13.72	$12.76	20
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4840**	$11.45	$10.65	$9.85	$9.16	21
		RG174, RG316, RG187, RG188	**PE4805**	$8.95	$8.32	$7.70	$7.16	22
		RG178, RG196	**PE4806**	$8.95	$8.32	$7.70	$7.16	23
		RG180, RG195	**PE4807**	$8.95	$8.32	$7.70	$7.16	24
		RG58, RG141, RG303	**PE4804**	$8.95	$8.32	$7.70	$7.16	25
		RG55, RG142, RG223, RG400	**PE4838**	$9.45	$8.79	$8.13	$7.56	26

Receptacle Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG187, RG188	**PE4817**	$22.85	$21.25	$19.65	$18.28	27
		RG178, RG196	**PE4818**	$11.45	$10.65	$9.85	$9.16	28
		RG180, RG195	**PE4819**	$10.60	$9.86	$9.12	$8.48	29
		RG58, RG141, RG303	**PE4816**	$11.45	$10.65	$9.85	$9.16	30
		RG55, RG142, RG223, RG400	**PE4847**	$11.70	$10.88	$10.06	$9.36	31
	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE44034**	$18.00	$16.74	$15.48	$14.40	32
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4849**	$16.65	$15.48	$14.32	$13.32	33
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE44033**	$16.65	$15.48	$14.32	$13.32	34
		RG174, RG316, RG187, RG188	**PE4821**	$11.45	$10.65	$9.85	$9.16	35
		RG178, RG196	**PE4822**	$11.45	$10.65	$9.85	$9.16	36
		RG180, RG195	**PE4823**	$11.45	$10.65	$9.85	$9.16	37
		RG58, RG141, RG303	**PE4820**	$10.60	$9.86	$9.12	$8.48	38
		RG55, RG142, RG223, RG400	**PE4848**	$11.70	$10.88	$10.06	$9.36	39

Plug Straight, PCB Mount

	Solder	.031" Dia. Contact, .170" Leg Length, Thru Hole, J01 Mounting Hole	**PE4833**	$12.00	$11.16	$10.32	$9.60	40

Plug Right Angle, PCB Mount

	Solder	.031" Dia. Contact, .157" Leg Length, Thru Hole, J01 Mounting Hole	**PE4835**	$15.95	$14.83	$13.72	$12.76	41

Receptacle Straight, PCB Mount

	Solder	.031" Dia. Contact, .170" Leg Length, Thru Hole, J01 Mounting Hole	**PE4832**	$11.45	$10.65	$9.85	$9.16	42

Receptacle Right Angle, PCB Mount

	Solder	.031" Dia. Contact, .157" Leg Length, Thru Hole, J01 Mounting Hole	**PE4834**	$15.95	$14.83	$13.72	$12.76	43

See Page 259 for Mounting Hole Dimensions

GR874 Connectors

Sexless Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG214, RG9, RG225, RG393	**PE4352**	$68.15	$63.38	$58.61	$54.52	1
		RG55, RG58, RG141, RG142, RG223, RG400	**PE4233**	$68.15	$63.38	$58.61	$54.52	2

Sexless Straight

	Accessories	GR874 Rebuild Kit which includes Body, Contact, Insulator & Retaining Nut	**PE4348**	$34.65	$32.22	$29.80	$27.72	3

BNC Connectors

Male Straight, Cable Connectors

	Crimp/Solder	RG8X, PE-C240, B7808A	**PE44640**	$10.60	$9.86	$9.12	$8.48	4
		RG188-DS, RG316-DS	**PE4385**	$10.60	$9.86	$9.12	$8.48	5
		PE-B400, PE-B405, PE-C400	**PE44294**	$22.05	$20.51	$18.96	$17.64	6
		PE-C200	**PE44041**	$11.90	$11.07	$10.23	$9.52	7
		PE-B150, RG180, RG195	**PE4247**	$9.45	$8.79	$8.13	$7.56	8
		PE-B305	**PE4210**	$10.20	$9.49	$8.77	$8.16	9
		735A NEW	**PE44686**	$21.50	$20.00	$18.49	$17.20	10
		RG174, RG316, RG188	**PE4043**	$7.50	$6.98	$6.45	$6.00	11
		RG178, RG196	**PE4643**	$16.95	$15.76	$14.58	$13.56	12
		RG213, RG8	**PE4378**	$18.20	$16.93	$15.65	$14.56	13
		RG214, RG9, RG225, RG393	**PE4351**	$16.00	$14.88	$13.76	$12.80	14
		RG58	**PE4016**	$5.10	$4.74	$4.39	$4.08	15
		RG59, RG62	**PE4018**	$4.95	$4.60	$4.26	$3.96	16
		RG58 Plenum	**PE4381**	$11.35	$10.56	$9.76	$9.08	17
		RG59 Plenum	**PE4382**	$12.25	$11.39	$10.54	$9.80	18
		RG55, RG141, RG142, RG223, RG400	**PE4044**	$4.90	$4.56	$4.21	$3.92	19
	Clamp/Solder	RG8X, PE-C240	**PE4379**	$12.80	$11.90	$11.01	$10.24	20
		PE-B400, PE-B405, PE-C400	**PE4386**	$19.70	$18.32	$16.94	$15.76	21
		PE-C200	**PE44040**	$11.90	$11.07	$10.23	$9.52	22
		PE-C300	**PE44042**	$11.90	$11.07	$10.23	$9.52	23
		PE-B150, RG180, RG195	**PE4383**	$25.85	$24.04	$22.23	$20.68	24
		PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid	**PE4380**	$18.80	$17.48	$16.17	$15.04	25
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4206**	$15.35	$14.28	$13.20	$12.28	26
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4207**	$17.65	$16.41	$15.18	$14.12	27
		RG174, RG316, RG188	**PE4084**	$8.35	$7.77	$7.18	$6.68	28
		RG178, RG196	**PE4384**	$12.95	$12.04	$11.14	$10.36	29
		RG213, RG214, RG8, RG9, RG225, RG393, RG11	**PE4109**	$11.15	$10.37	$9.59	$8.92	30
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4023**	$5.00	$4.65	$4.30	$4.00	31
		RG59, RG62	**PE4024**	$6.20	$5.77	$5.33	$4.96	32
		RG6	**PE4377**	$11.45	$10.65	$9.85	$9.16	33
	Solder/Solder	PE-047SR, PE-SR047AL, PE-SR047FL, .047" Semi-Rigid	**PE4974**	$23.35	$21.72	$20.08	$18.68	34
		PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid	**PE4908**	$35.85	$33.34	$30.83	$28.68	35
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4650**	$18.15	$16.88	$15.61	$14.52	36
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4651**	$18.15	$16.88	$15.61	$14.52	37

Male Right Angle, Cable Connectors

	Crimp/Solder	RG8X, PE-C240	**PE44641**	$19.00	$17.67	$16.34	$15.20	38
		RG188-DS, RG316-DS	**PE4396**	$21.60	$20.09	$18.58	$17.28	39
		RG174, RG316, RG188	**PE4393**	$18.40	$17.11	$15.82	$14.72	40
		RG58	**PE4298**	$15.65	$14.55	$13.46	$12.52	41
		RG59, RG62	**PE4195**	$17.40	$16.18	$14.96	$13.92	42
		RG55, RG141, RG142, RG223, RG400	**PE4345**	$15.60	$14.51	$13.42	$12.48	43
	Clamp/Solder	RG174, RG316, RG188	**PE4307**	$20.20	$18.79	$17.37	$16.16	44
		RG178, RG196	**PE4388**	$17.95	$16.69	$15.44	$14.36	45
		RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE4387**	$25.50	$23.72	$21.93	$20.40	46
		RG59, RG62	**PE4320**	$19.65	$18.27	$16.90	$15.72	47
		RG55, RG58, RG141, RG142, RG223, RG400,	**PE4053**	$13.25	$12.32	$11.40	$10.60	48
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4092**	$25.50	$23.72	$21.93	$20.40	49
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4102**	$30.70	$28.55	$26.40	$24.56	50

See Our Website For Current Stock Availability!

Female Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG8X, PE-C240 NEW	**PE44676**	$7.50	$6.98	$6.45	$6.00	1
		RG188-DS, RG316-DS	**PE4390**	$11.90	$11.07	$10.23	$9.52	2
		735A NEW	**PE44688**	$21.50	$20.00	$18.49	$17.20	3
		RG174, RG316, RG188	**PE4079**	$10.95	$10.18	$9.42	$8.76	4
		RG58	**PE4070**	$6.35	$5.91	$5.46	$5.08	5
		RG59, RG62	**PE4308**	$9.45	$8.79	$8.13	$7.56	6
		RG55, RG141, RG142, RG223, RG400	**PE4397**	$7.90	$7.35	$6.79	$6.32	7
	Clamp/Solder	PE-SR401AL, PE-SR401FL, RG401, .250" Semi-Rigid NEW	**PE44674**	$26.75	$24.88	$23.01	$21.40	8
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4204**	$21.60	$20.09	$18.58	$17.28	9
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4205**	$21.60	$20.09	$18.58	$17.28	10
		RG174, RG316, RG188	**PE4321**	$10.60	$9.86	$9.12	$8.48	11
		RG178, RG196	**PE4389**	$14.35	$13.35	$12.34	$11.48	12
		RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE4212**	$31.50	$29.30	$27.09	$25.20	13
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4058**	$6.65	$6.18	$5.72	$5.32	14
		RG59, RG62	**PE4057**	$6.00	$5.58	$5.16	$4.80	15

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG188-DS, RG316-DS, B06 Mounting Hole	**PE4392**	$14.35	$13.35	$12.34	$11.48	16
		735A, B06 Mounting Hole NEW	**PE44687**	$21.50	$20.00	$18.49	$17.20	17
		RG174, RG316, RG188, B06 Mounting Hole	**PE4106**	$11.80	$10.97	$10.15	$9.44	18
		RG178, RG196, w/o-ring, B06 Mounting Hole NEW	**PE44658**	$12.70	$11.81	$10.92	$10.16	19
		RG58, B06 Mounting Hole	**PE4208**	$10.20	$9.49	$8.77	$8.16	20
		RG59, RG62, B06 Mounting Hole	**PE4309**	$13.05	$12.14	$11.22	$10.44	21
		RG55, RG141, RG142, RG223, RG400, B06 Mounting Hole	**PE4209**	$13.95	$12.97	$12.00	$11.16	22
	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, B06 Mounting Hole, .141" Semi-Rigid	**PE4915**	$25.20	$23.44	$21.67	$20.16	23
		PE-SR405AL, PE-SR405FL, RG405, B06 Mounting Hole, .085" Semi-Rigid	**PE4916**	$25.20	$23.44	$21.67	$20.16	24
		RG174, RG316, RG188, B06 Mounting Hole	**PE4319**	$12.95	$12.04	$11.14	$10.36	25
		RG178, RG196, B06 Mounting Hole	**PE4391**	$15.60	$14.51	$13.42	$12.48	26
		RG213, RG214, RG8, RG9, RG11, RG225, RG393, B06 Mounting Hole	**PE4632**	$34.65	$32.22	$29.80	$27.72	27
		RG58, RG55, RG141, RG142, RG400, RG223, B06 Mounting Hole	**PE4078**	$11.90	$11.07	$10.23	$9.52	28
		RG59, RG62, B06 Mounting Hole	**PE4310**	$23.35	$21.72	$20.08	$18.68	29

Female Straight, Panel Mount, Cable Connectors

	Clamp/Solder	4 Hole Flange, RG58, RG55, RG141, RG142, RG223, RG400, A03 Mounting Hole	**PE4056**	$12.05	$11.21	$10.36	$9.64	30

Reverse Polarity Male Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4720**	$18.35	$17.07	$15.78	$14.68	31
		RG213, RG8	**PE4712**	$22.75	$21.16	$19.57	$18.20	32
		RG214, RG9, RG393	**PE4713**	$24.55	$22.83	$21.11	$19.64	33
		RG58	**PE4716**	$11.55	$10.74	$9.93	$9.24	34
		RG59, RG62	**PE4718**	$12.25	$11.39	$10.54	$9.80	35
		RG55, RG141, RG142, RG223, RG400	**PE4715**	$11.35	$10.56	$9.76	$9.08	36
	Clamp/Solder	PE-B400, PE-B405	**PE4726**	$24.55	$22.83	$21.11	$19.64	37
		PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4722**	$18.95	$17.62	$16.30	$15.16	38
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4724**	$18.95	$17.62	$16.30	$15.16	39
		RG174, RG316, RG188	**PE4719**	$24.55	$22.83	$21.11	$19.64	40
		RG178, RG196	**PE4721**	$22.30	$20.74	$19.18	$17.84	41
		RG213, RG214, RG8, RG9, RG225, RG393	**PE4711**	$24.55	$22.83	$21.11	$19.64	42
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4714**	$24.55	$22.83	$21.11	$19.64	43
		RG59, RG62	**PE4717**	$24.55	$22.83	$21.11	$19.64	44
	Solder/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4723**	$24.55	$22.83	$21.11	$19.64	45
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4725**	$22.30	$20.74	$19.18	$17.84	46

Reverse Polarity Male Right Angle, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4733**	$18.35	$17.07	$15.78	$14.68	47
		RG58	**PE4730**	$20.85	$19.39	$17.93	$16.68	48
		RG55, RG141, RG142, RG223, RG400	**PE4729**	$18.95	$17.62	$16.30	$15.16	49
	Clamp/Solder	RG174, RG316, RG188	**PE4732**	$22.30	$20.74	$19.18	$17.84	50
		RG178, RG196	**PE4734**	$22.30	$20.74	$19.18	$17.84	51
		RG213, RG214, RG8, RG9, RG225, RG393	**PE4727**	$30.70	$28.55	$26.40	$24.56	52
		RG59, RG62	**PE4731**	$24.55	$22.83	$21.11	$19.64	53
		RG55, RG58, RG141, RG142, RG400, RG223	**PE4728**	$24.55	$22.83	$21.11	$19.64	54

See Page 259 for Mounting Hole Dimensions

Reverse Polarity Female Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG174, RG316, RG188	**PE4742**	$18.35	$17.07	$15.78	$14.68	1
		RG58	**PE4738**	$18.35	$17.07	$15.78	$14.68	2
		RG59, RG62	**PE4739**	$18.35	$17.07	$15.78	$14.68	3
		RG55, RG141, RG142, RG223, RG400	**PE4737**	$17.00	$15.81	$14.62	$13.60	4
	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, .141" Semi-Rigid	**PE4744**	$19.30	$17.95	$16.60	$15.44	5
		PE-SR405AL, PE-SR405FL, RG405, .085" Semi-Rigid	**PE4745**	$18.95	$17.62	$16.30	$15.16	6
		RG174, RG316, RG188	**PE4741**	$22.30	$20.74	$19.18	$17.84	7
		RG178, RG196	**PE4743**	$22.30	$20.74	$19.18	$17.84	8
		RG213, RG214, RG8, RG9, RG393, RG225	**PE4735**	$29.55	$27.48	$25.41	$23.64	9
		RG59, RG62	**PE4740**	$24.55	$22.83	$21.11	$19.64	10
		RG55, RG58, RG141, RG142, RG400, RG223	**PE4736**	$24.55	$22.83	$21.11	$19.64	11

Reverse Polarity Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188, B06 Mounting Hole	**PE4752**	$20.85	$19.39	$17.93	$16.68	12
		RG58, B06 Mounting Hole	**PE4748**	$20.85	$19.39	$17.93	$16.68	13
		RG59, RG62, B06 Mounting Hole	**PE4750**	$20.85	$19.39	$17.93	$16.68	14
		RG55, RG141, RG142, RG223, RG400, B06 Mounting Hole	**PE4747**	$19.30	$17.95	$16.60	$15.44	15
	Clamp/Solder	PE-SR402AL, PE-SR402FL, RG402, B06 Mounting Hole, .141" Semi-Rigid	**PE4754**	$22.30	$20.74	$19.18	$17.84	16
		PE-SR405AL, PE-SR405FL, RG405, B06 Mounting Hole, .085" Semi-Rigid	**PE4755**	$22.30	$20.74	$19.18	$17.84	17
		RG174, RG316, RG188, B06 Mounting Hole	**PE4751**	$18.60	$17.30	$16.00	$14.88	18
		RG178, RG196, B06 Mounting Hole	**PE4753**	$18.60	$17.30	$16.00	$14.88	19
		RG59, RG62, B06 Mounting Hole	**PE4749**	$20.85	$19.39	$17.93	$16.68	20
		RG55, RG58, RG141, RG142, RG400, RG223, B06 Mounting Hole	**PE4746**	$18.00	$16.74	$15.48	$14.40	21

Reverse Polarity Female Straight, Panel Mount, Cable Connectors

	Clamp/Solder	4 Hole Flange, RG55, RG58, RG141, RG142, RG223, RG400, A03 Mounting Hole	**PE4765**	$24.55	$22.83	$21.11	$19.64	22

Male Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .220" Max Panel, B04 Mounting Hole	**PE4211**	$10.95	$10.18	$9.42	$8.76	23

Male Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A07 Mounting Hole	**PE4082**	$11.90	$11.07	$10.23	$9.52	24

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .250" Max Panel, B04 Mounting Hole	**PE4015**	$4.95	$4.60	$4.26	$3.96	25
		Solder Cup Contact, .125" Max Panel, B05 Mounting Hole	**PE4014**	$4.85	$4.51	$4.17	$3.88	26
		Wire Terminal, Hermetically Sealed, Front Mount, .300" Max Panel, B04 Mounting Hole	**PE4077**	$12.30	$11.44	$10.58	$9.84	27
		Wire Terminal, Hermetically Sealed, Rear Mount, .250" Max Panel, B06 Mounting Hole	**PE4049**	$12.05	$11.21	$10.36	$9.64	28
		Solder Cup Contact, Isolated Ground, .125" Max Panel, B04 Mounting Hole	**PE4091**	$7.00	$6.51	$6.02	$5.60	29
		Solder Cup Contact, Isolated Ground, .187" Max Panel, B06 Mounting Hole	**PE4318**	$12.15	$11.30	$10.45	$9.72	30

Female Right Angle, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .300" Max Panel, B13 Mounting Hole	**PE4055**	$18.15	$16.88	$15.61	$14.52	31

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A03 Mounting Hole	**PE4010**	$6.00	$5.58	$5.16	$4.80	32
		4 Hole Flange, Solder Cup Contact, 1.00" Flange Size, A05 Mounting Hole	**PE4395**	$15.95	$14.83	$13.72	$12.76	33
		4 Hole Flange, Solder Cup Contact, .687" Flange Size, A04 Mounting Hole	**PE4394**	$8.90	$8.28	$7.65	$7.12	34
		4 Hole Flange, Turret, A16 Mounting Hole	**PE4011**	$14.05	$13.07	$12.08	$11.24	35

Female Right Angle, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A16 Mounting Hole	**PE4317**	$18.15	$16.88	$15.61	$14.52	36

See Our Website For Current Stock Availability!

BNC Connectors

Reverse Polarity Male Straight, Bulkhead Mount, Terminal

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	Solder Cup Contact, .225" Max Panel, B04 Mounting Hole	**PE4761**	$18.35	$17.07	$15.78	$14.68	1

Reverse Polarity Male Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A07 Mounting Hole	**PE4762**	$18.35	$17.07	$15.78	$14.68	2

Reverse Polarity Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .250" Max Panel, B04 Mounting Hole	**PE4758**	$11.45	$10.65	$9.85	$9.16	3
		Solder Cup Contact, .125" Max Panel, B05 Mounting Hole	**PE4757**	$11.45	$10.65	$9.85	$9.16	4
		Solder Cup Contact, Isolated Ground, .180" Max Panel, B06 Mounting Hole	**PE4764**	$15.40	$14.32	$13.24	$12.32	5

Reverse Polarity Female Right Angle, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .300" Max Panel, B13 Mounting Hole	**PE4759**	$36.85	$34.27	$31.69	$29.48	6

Reverse Polarity Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A04 Mounting Hole	**PE4763**	$18.35	$17.07	$15.78	$14.68	7
		4 Hole Flange, Solder Cup Contact, A03 Mounting Hole	**PE4756**	$18.35	$17.07	$15.78	$14.68	8

Reverse Polarity Female Right Angle, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A16 Mounting Hole	**PE4760**	$36.85	$34.27	$31.69	$29.48	9

Female Straight, PCB Mount

	Solder	Surface Mount, Edge Launch Grip	**PE44616**	$9.50	$8.84	$8.17	$7.60	10

Female Straight, Bulkhead Mount, PCB Mount

	Solder	Surface Mount, Edge Launch, .110" Max Panel, F02 Mounting Hole	**PE44618**	$12.90	$12.00	$11.09	$10.32	11

MHV Connectors

Male Straight, Cable Connectors

	Crimp/Solder	RG174, RG316, RG188	**PE4933**	$29.00	$26.97	$24.94	$23.20	12
		RG213, RG8	**PE4493**	$24.00	$22.32	$20.64	$19.20	13
		RG214, RG9, RG393	**PE4350**	$24.25	$22.55	$20.86	$19.40	14
		RG58	**PE4093**	$19.10	$17.76	$16.43	$15.28	15
		RG59, RG62	**PE4075**	$11.40	$10.60	$9.80	$9.12	16
		RG55, RG141, RG142, RG223, RG400	**PE4657**	$14.75	$13.72	$12.69	$11.80	17
	Clamp/Solder	RG174, RG316, RG188	**PE4494**	$12.95	$12.04	$11.14	$10.36	18
		RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE4299**	$23.20	$21.58	$19.95	$18.56	19
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4076**	$10.85	$10.09	$9.33	$8.68	20
		RG59, RG62	**PE4098**	$11.15	$10.37	$9.59	$8.92	21

Male Right Angle, Cable Connectors

	Clamp/Solder	RG174, RG316, RG188	**PE4710**	$25.20	$23.44	$21.67	$20.16	22
		RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE4709**	$44.80	$41.66	$38.53	$35.84	23
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4226**	$24.80	$23.06	$21.33	$19.84	24
		RG59, RG62	**PE4227**	$24.25	$22.55	$20.86	$19.40	25

See Page 259 for Mounting Hole Dimensions

MHV Connectors

Female Straight, Cable Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Crimp/Solder	RG58	**PE44102**	$20.85	$19.39	$17.93	$16.68	1
	RG59, RG62	**PE44103**	$24.55	$22.83	$21.11	$19.64	2
	RG55, RG141, RG142, RG223, RG400	**PE44100**	$22.75	$21.16	$19.57	$18.20	3
Clamp/Solder	RG174, RG316, RG188	**PE44104**	$21.60	$20.09	$18.58	$17.28	4
	RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE4373**	$33.20	$30.88	$28.55	$26.56	5
	RG59, RG62	**PE4181**	$16.95	$15.76	$14.58	$13.56	6
	RG55, RG58, RG141, RG142, RG223, RG400,	**PE4225**	$18.00	$16.74	$15.48	$14.40	7

Female Straight, Bulkhead Mount, Cable Connectors

Crimp/Solder	RG58, B06 Mounting Hole	**PE44108**	$26.95	$25.06	$23.18	$21.56	8
	RG59, RG62, B06 Mounting Hole	**PE44110**	$31.95	$29.71	$27.48	$25.56	9
	RG55, RG141, RG142, RG223, RG400, B06 Mounting Hole	**PE44107**	$25.70	$23.90	$22.10	$20.56	10
Clamp/Solder	RG174, RG316, RG188, B06 Mounting Hole	**PE44111**	$34.15	$31.76	$29.37	$27.32	11
	RG213, RG214, RG8, RG9, RG11, RG225, RG393, B06 Mounting Hole	**PE44105**	$44.85	$41.71	$38.57	$35.88	12
	RG59, RG62, B06 Mounting Hole	**PE44109**	$30.70	$28.55	$26.40	$24.56	13
	RG55, RG58, RG141, RG142, RG223, RG400, B06 Mounting Hole	**PE44106**	$30.70	$28.55	$26.40	$24.56	14

Female Straight, Panel Mount, Cable Connectors

Clamp/Solder	4 Hole Flange, RG174, RG316, RG188, A03 Mounting Hole	**PE44113**	$31.30	$29.11	$26.92	$25.04	15
	4 Hole Flange, RG213, RG214, RG8, RG9, RG11, RG225, RG393, A05 Mounting Hole	**PE44112**	$36.85	$34.27	$31.69	$29.48	16
	4 Hole Flange, RG59, RG62, A03 Mounting Hole	**PE4314**	$34.40	$31.99	$29.58	$27.52	17
	4 Hole Flange, RG55, RG58, RG141, RG142, RG223, RG400, A03 Mounting Hole	**PE4313**	$34.40	$31.99	$29.58	$27.52	18

Female Straight, Bulkhead Mount, Terminal

Solder	Solder Cup Contact, Front Mount, w/o-ring, .218" Max Panel, G02 Mounting Hole	**PE4193**	$15.10	$14.04	$12.99	$12.08	19
	Turret, Rear Mount, .125" Max Panel, B08 Mounting Hole	**PE4312**	$27.00	$25.11	$23.22	$21.60	20
	Solder Cup Contact, Hermetically Sealed, Front Mount, .250" Max Panel, G02 Mounting Hole	**PE4311**	$34.90	$32.46	$30.01	$27.92	21
	Solder Cup Contact, Hermetically Sealed, Rear Mount, .250" Max Panel, B06 Mounting Hole	**PE4495**	$33.55	$31.20	$28.85	$26.84	22

Female Straight, Panel Mount, Terminal

Solder	4 Hole Flange, Solder Cup Contact, A03 Mounting Hole	**PE4228**	$21.40	$19.90	$18.40	$17.12	23

SHV Connectors

Plug Straight, Cable Connectors

Crimp/Solder	RG213, RG8	**PE4496**	$26.45	$24.60	$22.75	$21.16	24
	RG214, RG9, RG225, RG393	**PE4349**	$26.75	$24.88	$23.01	$21.40	25
	RG58	**PE4194**	$27.20	$25.30	$23.39	$21.76	26
	RG59, RG62	**PE4343**	$27.20	$25.30	$23.39	$21.76	27
	RG55, RG141, RG142, RG223, RG400	**PE4497**	$26.45	$24.60	$22.75	$21.16	28
Clamp/Solder	RG174, RG316, RG188	**PE4498**	$26.45	$24.60	$22.75	$21.16	29
	RG213, RG214, RG8, RG9, RG225, RG393	**PE4333**	$26.70	$24.83	$22.96	$21.36	30
	RG58, RG55, RG141, RG142, RG400, RG223	**PE4316**	$18.15	$16.88	$15.61	$14.52	31
	RG59, RG62	**PE4100**	$18.20	$16.93	$15.65	$14.56	32

Jack Straight, Bulkhead Mount, Cable Connectors

Clamp/Solder	RG174, RG316, RG188, B06 Mounting Hole	**PE44093**	$34.80	$32.36	$29.93	$27.84	33
	RG213, RG214, RG8, RG9, RG225, RG393, B06 Mounting Hole	**PE44049**	$44.00	$40.92	$37.84	$35.20	34
	RG58, RG55, RG141, RG142, RG400, RG223, B06 Mounting Hole	**PE44080**	$33.90	$31.53	$29.15	$27.12	35
	RG59, RG62, B06 Mounting Hole	**PE4315**	$33.90	$31.53	$29.15	$27.12	36

Plug Straight, Bulkhead Mount, Terminal

Solder	Solder Cup Contact, Front Mount, .218" Max Panel, B04 Mounting Hole	**PE44118**	$34.80	$32.36	$29.93	$27.84	37

See Our Website For Current Stock Availability!

SHV Connectors

Jack Straight, Bulkhead Mount, Terminal

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	Solder Cup Contact, Front Mount, .225" Max Panel, B04 Mounting Hole	**PE4239**	$15.20	$14.14	$13.07	$12.16	1
		Solder Cup Contact, Rear Mount, .250" Max Panel, B06 Mounting Hole	**PE4499**	$19.05	$17.72	$16.38	$15.24	2
		Solder Cup Contact, Hermetically Sealed, Front Mount, .250" Max Panel, B04 Mounting Hole	**PE4500**	$46.50	$43.25	$39.99	$37.20	3

Jack Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A15 Mounting Hole	**PE4501**	$21.80	$20.27	$18.75	$17.44	4

C Connectors

Male Straight, Cable Connectors

	Crimp/Solder	RG213, RG8	**PE4518**	$26.20	$24.37	$22.53	$20.96	5
		RG214, RG9, RG225, RG393	**PE4375**	$20.85	$19.39	$17.93	$16.68	6
		RG58	**PE4517**	$26.15	$24.32	$22.49	$20.92	7
		RG55, RG141, RG142, RG223, RG400	**PE4445**	$20.15	$18.74	$17.33	$16.12	8
	Clamp/Solder	RG14, RG217	**PE4951**	$42.95	$39.94	$36.94	$34.36	9
		RG174, RG316, RG188	**PE4953**	$24.50	$22.79	$21.07	$19.60	10
		RG213, RG214, RG8, RG9, RG11, RG225, RG393, High Voltage	**PE4950**	$40.10	$37.29	$34.49	$32.08	11
		RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE4243**	$29.00	$26.97	$24.94	$23.20	12
		RG218	**PE4954**	$73.85	$68.68	$63.51	$59.08	13
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4242**	$34.15	$31.76	$29.37	$27.32	14
		RG59, RG62	**PE4952**	$30.70	$28.55	$26.40	$24.56	15

Male Right Angle, Cable Connectors

	Crimp/Solder	RG213, RG8	**PE4955**	$51.20	$47.62	$44.03	$40.96	16
		RG214, RG9, RG225, RG393	**PE4949**	$58.15	$54.08	$50.01	$46.52	17
		RG58	**PE4959**	$60.30	$56.08	$51.86	$48.24	18
		RG55, RG141, RG142, RG223, RG400	**PE4958**	$51.20	$47.62	$44.03	$40.96	19
	Clamp/Solder	RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE4244**	$52.05	$48.41	$44.76	$41.64	20
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4957**	$60.30	$56.08	$51.86	$48.24	21

Female Straight, Cable Connectors

	Clamp/Solder	RG14, RG217	**PE4963**	$55.30	$51.43	$47.56	$44.24	22
		RG213, RG214, RG8, RG9, RG11, RG225, RG393	**PE4960**	$42.95	$39.94	$36.94	$34.36	23
		RG58, RG55, RG141, RG142, RG400, RG223	**PE4961**	$55.30	$51.43	$47.56	$44.24	24
		RG59, RG62	**PE4962**	$38.55	$35.85	$33.15	$30.84	25

Female Straight, Bulkhead Mount, Cable Connectors

	Clamp/Solder	RG213, RG214, RG8, RG9, RG11, RG225, RG393, Rear Mount, B07 Mounting Hole	**PE4964**	$46.75	$43.48	$40.21	$37.40	26
		RG58, RG55, RG141, RG142, RG400, RG223, Front Mount, B15 Mounting Hole	**PE44099**	$49.25	$45.80	$42.36	$39.40	27
		RG58, RG55, RG141, RG142, RG400, RG223, Rear Mount, B07 Mounting Hole	**PE4965**	$55.30	$51.43	$47.56	$44.24	28
		RG59, RG62, Front Mount, B15 Mounting Hole	**PE44098**	$49.25	$45.80	$42.36	$39.40	29
		RG59, RG62, Rear Mount, B07 Mounting Hole	**PE4966**	$55.30	$51.43	$47.56	$44.24	30

Female Straight, Panel Mount, Cable Connectors

	Crimp/Solder	4 Hole Flange, RG213, RG8, A05 Mounting Hole	**PE4968**	$39.10	$36.36	$33.63	$31.28	31
		4 Hole Flange, RG214, RG9, RG225, RG393, A05 Mounting Hole	**PE4374**	$49.25	$45.80	$42.36	$39.40	32
	Clamp/Solder	4 Hole Flange, RG213, RG214, RG8, RG9, RG11, RG225, RG393, A19 Mounting Hole	**PE4967**	$55.30	$51.43	$47.56	$44.24	33
		4 Hole Flange, RG58, RG55, RG141, RG142, RG400, RG223, A19 Mounting Hole	**PE4969**	$40.60	$37.76	$34.92	$32.48	34
		4 Hole Flange, RG59, RG62, A19 Mounting Hole	**PE4970**	$55.30	$51.43	$47.56	$44.24	35

Male Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .125" Max Panel, B04 Mounting Hole	**PE44097**	$55.30	$51.43	$47.56	$44.24	36

Connectors

See Page 259 for Mounting Hole Dimensions

C Connectors

Male Straight, Panel Mount, Terminal

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	4 Hole Flange, Solder Cup Contact, A14 Mounting Hole	**PE44096**	$43.90	$40.83	$37.75	$35.12	1

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Rear Mount, .135" Max Panel, B07 Mounting Hole	**PE4240**	$34.80	$32.36	$29.93	$27.84	2
		Solder Cup Contact, Rear Mount, High Voltage, 3000 Volts, .135" Max Panel, B07 Mounting Hole	**PE4972**	$55.30	$51.43	$47.56	$44.24	3
		Turret, Front Mount, .115" Max Panel, B04 Mounting Hole	**PE4973**	$55.30	$51.43	$47.56	$44.24	4
		Solder Cup Contact, Hermetically Sealed, Rear Mount, .250" Max Panel, B07 Mounting Hole	**PE4971**	$55.30	$51.43	$47.56	$44.24	5

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A14 Mounting Hole	**PE4241**	$15.75	$14.65	$13.55	$12.60	6
		4 Hole Flange, Solder Cup Contact, High Voltage, 3000 Volts, A14 Mounting Hole	**PE44117**	$25.50	$23.72	$21.93	$20.40	7

75 Ohm N Connectors

Male Straight, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4656**	$18.15	$16.88	$15.61	$14.52	8
		RG59, RG62	**PE4512**	$16.95	$15.76	$14.58	$13.56	9
		RG11, RG144, RG216	**PE4510**	$16.95	$15.76	$14.58	$13.56	10
		RG6	**PE4508**	$16.95	$15.76	$14.58	$13.56	11
	Clamp/Solder	RG179, RG187	**PE4513**	$15.35	$14.28	$13.20	$12.28	12
		RG59, RG62	**PE4511**	$15.75	$14.65	$13.55	$12.60	13
		RG11, RG144, RG216	**PE4509**	$20.85	$19.39	$17.93	$16.68	14
		RG6	**PE4507**	$15.75	$14.65	$13.55	$12.60	15

Male Right Angle, Cable Connectors

	Clamp/Solder	RG11, RG144, RG216	**PE4502**	$36.85	$34.27	$31.69	$29.48	16

Female Straight, Cable Connectors

	Clamp/Solder	RG59, RG62	**PE4516**	$24.55	$22.83	$21.11	$19.64	17
		RG11, RG144, RG216	**PE4515**	$23.05	$21.44	$19.82	$18.44	18
		RG6	**PE4514**	$20.85	$19.39	$17.93	$16.68	19

Male Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A05 Mounting Hole	**PE4504**	$16.95	$15.76	$14.58	$13.56	20

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .260" Max Panel, G01 Mounting Hole	**PE4505**	$18.90	$17.58	$16.25	$15.12	21
		Solder Cup Contact, Front Mount, .125" Max Panel, F05 Mounting Hole	**PE4506**	$12.05	$11.21	$10.36	$9.64	22

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A05 Mounting Hole	**PE4503**	$12.30	$11.44	$10.58	$9.84	23

See Our Website For Current Stock Availability!

75 Ohm TNC Connectors

Male Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG179, RG187	**PE44168**	$13.65	$12.69	$11.74	$10.92	1
		RG59	**PE44166**	$13.65	$12.69	$11.74	$10.92	2
		RG11	**PE44164**	$24.55	$22.83	$21.11	$19.64	3
		RG6	**PE44162**	$13.90	$12.93	$11.95	$11.12	4
	Clamp/Solder	RG179, RG187	**PE44167**	$13.40	$12.46	$11.52	$10.72	5
		RG59	**PE44165**	$13.40	$12.46	$11.52	$10.72	6
		RG11, RG216	**PE44163**	$37.70	$35.06	$32.42	$30.16	7
		RG6	**PE44161**	$17.85	$16.60	$15.35	$14.28	8

Male Right Angle, Cable Connectors

	Clamp/Solder	RG179, RG187	**PE44172**	$36.85	$34.27	$31.69	$29.48	9
		RG59	**PE44171**	$36.85	$34.27	$31.69	$29.48	10
		RG11, RG216	**PE44170**	$36.85	$34.27	$31.69	$29.48	11
		RG6	**PE44169**	$36.85	$34.27	$31.69	$29.48	12

Female Straight, Bulkhead Mount, Cable Connectors

	Clamp/Solder	RG179, RG187, B06 Mounting Hole	**PE44176**	$31.60	$29.39	$27.18	$25.28	13
		RG59, B06 Mounting Hole	**PE44175**	$34.80	$32.36	$29.93	$27.84	14
		RG11, RG216, B06 Mounting Hole	**PE44174**	$33.35	$31.02	$28.68	$26.68	15
		RG6, B06 Mounting Hole	**PE44173**	$30.70	$28.55	$26.40	$24.56	16

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .200" Max Panel, B05 Mounting Hole	**PE44177**	$12.80	$11.90	$11.01	$10.24	17
		Solder Cup Contact, .125" Max Panel, B04 Mounting Hole	**PE44180**	$15.95	$14.83	$13.72	$12.76	18
		Solder Cup Contact, Isolated Ground, .180" Max Panel, B06 Mounting Hole	**PE44181**	$18.35	$17.07	$15.78	$14.68	19

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A03 Mounting Hole	**PE44178**	$12.80	$11.90	$11.01	$10.24	20

75 Ohm SMC Connectors *(These Connectors will not mate with any 50 Ohm SMC Connectors)*

Plug Straight, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4249**	$15.10	$14.04	$12.99	$12.08	21
		RG180, RG195	**PE4158**	$16.70	$15.53	$14.36	$13.36	22
		RG59, RG62	**PE4658**	$15.95	$14.83	$13.72	$12.76	23
	Clamp/Solder	RG179, RG187	**PE4259**	$31.95	$29.71	$27.48	$25.56	24
		RG59, RG62	**PE4258**	$31.95	$29.71	$27.48	$25.56	25

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4252**	$24.55	$22.83	$21.11	$19.64	26
		RG180, RG195	**PE4162**	$24.55	$22.83	$21.11	$19.64	27
	Clamp/Solder	RG180, RG195	**PE4267**	$24.55	$22.83	$21.11	$19.64	28
		RG59, RG62	**PE4266**	$24.55	$22.83	$21.11	$19.64	29

Jack Straight, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4254**	$23.35	$21.72	$20.08	$18.68	30
		RG180, RG195	**PE4164**	$23.35	$21.72	$20.08	$18.68	31
	Clamp/Solder	RG179, RG187	**PE4929**	$23.35	$21.72	$20.08	$18.68	32
		RG180, RG195	**PE4275**	$23.35	$21.72	$20.08	$18.68	33
		RG59, RG62	**PE4274**	$23.35	$21.72	$20.08	$18.68	34

See Page 259 for Mounting Hole Dimensions

75 Ohm SMC Connectors *(These Connectors will not mate with any 50 Ohm SMC Connectors)*

Jack Straight, Bulkhead Mount, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG179, RG187, B01 Mounting Hole	**PE4256**	$23.35	$21.72	$20.08	$18.68	1
		RG180, RG195, B01 Mounting Hole	**PE4166**	$23.35	$21.72	$20.08	$18.68	2
	Clamp/Solder	RG179, RG187, B01 Mounting Hole	**PE4906**	$28.75	$26.74	$24.73	$23.00	3
		RG180, RG195, B01 Mounting Hole	**PE4283**	$23.35	$21.72	$20.08	$18.68	4
		RG59, RG62, B01 Mounting Hole	**PE4282**	$23.35	$21.72	$20.08	$18.68	5

Plug Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .125" Max Panel, B03 Mounting Hole	**PE4291**	$31.95	$29.71	$27.48	$25.56	6

Jack Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .093" Max Panel, B03 Mounting Hole	**PE4173**	$12.80	$11.90	$11.01	$10.24	7
		Solder Cup Contact, Rear Mount, .093" Max Panel, B03 Mounting Hole	**PE4169**	$28.35	$26.37	$24.38	$22.68	8

Jack Right Angle, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .135" Max Panel, B03 Mounting Hole	**PE4287**	$42.95	$39.94	$36.94	$34.36	9

Plug Straight, PCB Mount

	Solder	.036" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4369**	$27.00	$25.11	$23.22	$21.60	10

Plug Right Angle, PCB Mount

	Solder	.037" Dia. Contact, .155" Max Panel, Thru Hole, D02 Mounting Hole	**PE4293**	$33.20	$30.88	$28.55	$26.56	11

Jack Straight, PCB Mount

	Solder	.037" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4176**	$12.25	$11.39	$10.54	$9.80	12

Jack Right Angle, PCB Mount

	Solder	.037" Dia. Contact, .155" Max Panel, Thru Hole, D02 Mounting Hole	**PE4180**	$19.65	$18.27	$16.90	$15.72	13

See Our Website For Current Stock Availability!

75 Ohm F Connectors

Male Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	PE-B159 Precision, High Definition, 1 Pieces Per Pack	**PE44582**	$3.30	$3.07	$2.84	$2.64	1
		RG6-Catv, 3 Piece Connector, 5 Pieces Per Pack	**PE44313**	$15.25	$14.18	$13.12	$12.20	2
		RG6-Catv, 10 Pieces Per Pack	**PE44452**	$10.00	$9.30	$8.60	$8.00	3
		RG179, RG187, 3 Piece Connector, 10 Pieces Per Pack	**PE44319**	$20.00	$18.60	$17.20	$16.00	4
		RG59, RG62, 10 Pieces Per Pack	**PE44316**	$8.50	$7.91	$7.31	$6.80	5
		RG59, RG62, 3 Piece Connector, 10 Pieces Per Pack	**PE44317**	$20.00	$18.60	$17.20	$16.00	6
		RG11, 3 Piece Connector, 5 Pieces Per Pack	**PE44315**	$19.25	$17.90	$16.56	$15.40	7
		RG6, 10 Pieces Per Pack	**PE44312**	$9.50	$8.84	$8.17	$7.60	8
	Compression	Mini 59, High Definition, 1 Piece Per Pack	**PE44573**	$4.70	$4.37	$4.04	$3.76	9
		PE-B159 Precision, High Definition, 1 Piece Per Pack	**PE44572**	$4.35	$4.05	$3.74	$3.48	10
	Twist	RG59, RG62, 10 Pieces Per Pack	**PE44318**	$9.00	$8.37	$7.74	$7.20	11
		RG6, 10 Pieces Per Pack	**PE44314**	$9.00	$8.37	$7.74	$7.20	12

Male Right Angle, Cable Connectors

	Crimp/Solder	RG6-Catv, 5 Pieces Per Pack	**PE44320**	$15.75	$14.65	$13.55	$12.60	13
		RG59, RG62, 5 Pieces Per Pack	**PE44322**	$20.50	$19.07	$17.63	$16.40	14
	Compression	Mini 59, High Definition, 1 Piece Per Pack	**PE44579**	$9.35	$8.70	$8.04	$7.48	15
	Twist	RG6-Catv, 5 Pieces Per Pack	**PE44321**	$16.75	$15.58	$14.41	$13.40	16
		RG59, RG62, 5 Pieces Per Pack	**PE44323**	$16.75	$15.58	$14.41	$13.40	17

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG6-Catv, B04 Mounting Hole, 5 Pieces Per Pack	**PE44324**	$14.50	$13.49	$12.47	$11.60	18
		RG179, RG187, G07 Mounting Hole, 5 Pieces Per Pack	**PE44326**	$15.25	$14.18	$13.12	$12.20	19
		RG59, RG62, B04 Mounting Hole, 5 Pieces Per Pack	**PE44325**	$14.50	$13.49	$12.47	$11.60	20
		PE-B159 Precision, High Definition, 1 Piece Per Pack, B06 Mounting Hole	**PE44585**	$4.70	$4.37	$4.04	$3.76	21

Female Straight, Bulkhead Mount, Terminal

	Solder	.085" x .020" Tab Contact, Front Mount, .093" Max Panel, G07 Mounting Hole, 10 Pieces Per Pack	**PE44327**	$12.00	$11.16	$10.32	$9.60	22
		Pin Contact, Front Mount, .125" Max Panel, F05 Mounting Hole, 10 Pieces Per Pack	**PE44330**	$15.00	$13.95	$12.90	$12.00	23

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, .030" Dia. Contact, A04 Mounting Hole, 5 Pieces Per Pack	**PE44329**	$21.75	$20.23	$18.71	$17.40	24

Female Straight, PCB Mount

	Solder	.020" x .085" Tab Contact, .095" Leg Length, Thru Hole, D13 Mounting Hole, 10 Pieces Per Pack	**PE44331**	$12.00	$11.16	$10.32	$9.60	25

Female Right Angle, PCB Mount

	Solder	.025" Dia. Contact, Thru Hole, D11 Mounting Hole, 5 Pieces Per Pack	**PE44333**	$22.50	$20.93	$19.35	$18.00	26

Female Straight, Bulkhead Mount, PCB Mount

	Solder	.039" Dia. Contact, .300" Max Panel, Thru Hole, D14 Mounting Hole, 5 Pieces Per Pack	**PE44332**	$21.75	$20.23	$18.71	$17.40	27

Female Right Angle, Bulkhead Mount, PCB Mount

	Solder	.025" Dia. Contact, .500" Max Panel, Thru Hole, D11 & B04 Mounting Hole, 5 Pieces Per Pack	**PE44334**	$24.50	$22.79	$21.07	$19.60	28

See Page 259 for Mounting Hole Dimensions

75 Ohm 1.6/5.6 Connectors

Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
Plug Straight, Cable Connectors							
Crimp/Solder	RG179, RG187	**PE44262**	$11.45	$10.65	$9.85	$9.16	1
	RG59	**PE44263**	$10.85	$10.09	$9.33	$8.68	2
Plug Right Angle, Cable Connectors							
Clamp/Solder	RG179, RG187	**PE44264**	$14.05	$13.07	$12.08	$11.24	3
	RG59	**PE44265**	$14.05	$13.07	$12.08	$11.24	4
Jack Straight, Bulkhead Mount, Cable Connectors							
Crimp/Solder	RG179, RG187, G04 Mounting Hole	**PE44266**	$12.05	$11.21	$10.36	$9.64	5
	RG59, G04 Mounting Hole	**PE44267**	$12.80	$11.90	$11.01	$10.24	6
Jack Right Angle, Bulkhead Mount, Cable Connectors							
Crimp/Solder	RG179, RG187, G04 Mounting Hole	**PE44268**	$14.05	$13.07	$12.08	$11.24	7
	RG59, G04 Mounting Hole	**PE44269**	$14.05	$13.07	$12.08	$11.24	8
Jack Straight, Bulkhead Mount, PCB Mount							
Solder	.039” Dia. Contact, .093” Max Panel, Thru Hole, D06 & F08 Mounting Hole	**PE44270**	$12.80	$11.90	$11.01	$10.24	9
Jack Right Angle, PCB Mount							
Solder	.039” Dia. Contact, .130” Leg Length, Thru Hole, D06 Mounting Hole	**PE44271**	$14.05	$13.07	$12.08	$11.24	10

75 Ohm MCX Connectors

Plug Straight, Cable Connectors							
Crimp/Solder	RG179, RG187	**PE44298**	$11.15	$10.37	$9.59	$8.92	11
Plug Right Angle, Cable Connectors							
Crimp/Solder	RG179, RG187	**PE44299**	$14.05	$13.07	$12.08	$11.24	12
Jack Straight, Cable Connectors							
Crimp/Solder	RG179, RG187	**PE44300**	$18.35	$17.07	$15.78	$14.68	13
Jack Straight, Bulkhead Mount, Cable Connectors							
Crimp/Solder	RG179, RG187, B01 Mounting Hole	**PE44301**	$30.70	$28.55	$26.40	$24.56	14
Jack Straight, Bulkhead Mount, Terminal							
Solder	Solder Cup Contact, .125” Max Panel, B02 Mounting Hole	**PE44306**	$18.35	$17.07	$15.78	$14.68	15

See Our Website For Current Stock Availability!

75 Ohm MCX Connectors

Plug Straight, PCB Mount

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	.027" Dia. Contact, .155" Leg Length, Thru Hole, D10 Mounting Hole	**PE44307**	$15.95	$14.83	$13.72	$12.76	1

Jack Straight, PCB Mount

	Solder	.068" End Launch, .028" Round Contact, .125" Leg Length	**PE44305**	$11.45	$10.65	$9.85	$9.16	2
		Surface Mount	**PE44302**	$15.95	$14.83	$13.72	$12.76	3
		.028" Dia. Contact, .155" Leg Length,Thru Hole, D08 Mounting Hole	**PE44303**	$10.95	$10.18	$9.42	$8.76	4

Jack Right Angle, PCB Mount

	Solder	.020" Dia. Contact, .155" Leg Length, Thru Hole, D09 Mounting Hole	**PE44304**	$16.50	$15.35	$14.19	$13.20	5

75 Ohm SMB Connectors *(These Connectors will not mate with any 50 Ohm SMB Connectors)*

Plug Straight, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4248**	$13.25	$12.32	$11.40	$10.60	6
		RG179, RG187, Positive Snap, Will Mate to Standard 75 Ohm SMB Jack Connectors	**PE44443**	$24.55	$22.83	$21.11	$19.64	7
		RG180, RG195	**PE4157**	$13.25	$12.32	$11.40	$10.60	8
		RG180, RG195, Positive Snap, Will Mate to Standard 75 Ohm SMB Jack Connectors	**PE44444**	$24.55	$22.83	$21.11	$19.64	9
		RG59, RG62	**PE4472**	$16.65	$15.48	$14.32	$13.32	10
		RG59, RG62, Positive Snap, Will Mate to Standard 75 Ohm SMB Jack Connectors	**PE44442**	$24.55	$22.83	$21.11	$19.64	11
	Clamp/Solder	RG179, RG187	**PE4257**	$17.40	$16.18	$14.96	$13.92	12
		RG59, RG62	**PE4203**	$15.40	$14.32	$13.24	$12.32	13

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4251**	$18.35	$17.07	$15.78	$14.68	14
		RG179, RG187, Positive Snap, Will Mate to Standard 75 Ohm SMB Jack Connectors	**PE44445**	$27.00	$25.11	$23.22	$21.60	15
		RG180, RG195	**PE4161**	$24.55	$22.83	$21.11	$19.64	16
		RG180, RG195, Positive Snap, Will Mate to Standard 75 Ohm SMB Jack Connectors	**PE44446**	$27.00	$25.11	$23.22	$21.60	17
	Clamp/Solder	RG180, RG195	**PE4265**	$24.55	$22.83	$21.11	$19.64	18
		RG59, RG62	**PE4264**	$31.95	$29.71	$27.48	$25.56	19

Jack Straight, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4253**	$31.95	$29.71	$27.48	$25.56	20
		RG180, RG195	**PE4163**	$16.65	$15.48	$14.32	$13.32	21
	Clamp/Solder	RG179, RG187	**PE4928**	$31.95	$29.71	$27.48	$25.56	22
		RG180, RG195	**PE4273**	$24.55	$22.83	$21.11	$19.64	23
		RG59, RG62	**PE4272**	$24.55	$22.83	$21.11	$19.64	24

Jack Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	RG179, RG187, B01 Mounting Hole	**PE4255**	$31.95	$29.71	$27.48	$25.56	25
		RG180, RG195, B01 Mounting Hole	**PE4165**	$29.40	$27.34	$25.28	$23.52	26
	Clamp/Solder	RG179, RG187, B01 Mounting Hole	**PE4925**	$21.80	$20.27	$18.75	$17.44	27
		RG180, RG195, B01 Mounting Hole	**PE4281**	$21.80	$20.27	$18.75	$17.44	28
		RG59, RG62, B01 Mounting Hole	**PE4280**	$35.30	$32.83	$30.36	$28.24	29

See Page 259 for Mounting Hole Dimensions

75 Ohm SMB Connectors *(These Connectors will not mate with any 50 Ohm SMB Connectors)*

Plug Straight, Bulkhead Mount, Terminal

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	Solder Cup Contact, Front Mount, .175" Max Panel, B03 Mounting Hole	**PE4290**	$42.95	$39.94	$36.94	$34.36	1

Jack Straight, Terminal

	Solder	.038" Dia. Contact, .155" Leg Length, D02 Mounting Hole	**PE4110**	$13.80	$12.83	$11.87	$11.04	2

Jack Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .093" Max Panel, B03 Mounting Hole	**PE4172**	$12.80	$11.90	$11.01	$10.24	3
		Solder Cup Contact, Rear Mount, .093" Max Panel, F10 Mounting Hole	**PE4168**	$12.80	$11.90	$11.01	$10.24	4

Jack Right Angle, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, Front Mount, .093" Max Panel, B03 Mounting Hole	**PE4286**	$49.25	$45.80	$42.36	$39.40	5

Plug Straight, PCB Mount

	Solder	.037" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4368**	$20.85	$19.39	$17.93	$16.68	6

Plug Right Angle, PCB Mount

	Solder	.037" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4292**	$42.20	$39.25	$36.29	$33.76	7

Jack Right Angle, PCB Mount

	Solder	.037" Dia. Contact, .155" Leg Length, Thru Hole, D02 Mounting Hole	**PE4179**	$17.05	$15.86	$14.66	$13.64	8

75 Ohm MINI SMB Connectors *(These Connectors will not mate with any 75 Ohm SMB Connectors)*

Plug Straight, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4993**	$11.95	$11.11	$10.28	$9.56	9
		RG59, RG62	**PE4994**	$14.50	$13.49	$12.47	$11.60	10
		PE-B159 Precision, High Definition	**PE44588**	$21.20	$19.72	$18.23	$16.96	11

Plug Right Angle, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4995**	$14.25	$13.25	$12.26	$11.40	12
		RG59, RG62	**PE4996**	$20.85	$19.39	$17.93	$16.68	13
		PE-B159 Precision, High Definition	**PE44589**	$25.85	$24.04	$22.23	$20.68	14

Jack Straight, Cable Connectors

	Crimp/Solder	PE-B159 Precision, High Definition	**PE44590**	$20.00	$18.60	$17.20	$16.00	15

Jack Straight, Panel Mount, Terminal

	Solder	2 Hole Flange, Solder Cup Contact, C07 Mounting Hole	**PE44141**	$17.40	$16.18	$14.96	$13.92	16

See Our Website For Current Stock Availability!

75 Ohm MINI SMB Connectors

(These Connectors will not mate with any 75 Ohm SMB Connectors)

Jack Straight, PCB Mount

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	.042" End Launch, .020" Round Contact, .187" Leg Length	**PE44134**	$15.95	$14.83	$13.72	$12.76	1
		.062" End Launch, .020" Round Contact, .187" Leg Length	**PE44131**	$16.35	$15.21	$14.06	$13.08	2
		.020" Dia. Contact, .155" Leg Length, Thru Hole, D09 Mounting Hole	**PE4997**	$10.85	$10.09	$9.33	$8.68	3

Jack Right Angle, PCB Mount

	Solder	.020" Dia. Contact, Thru Hole, D09 Mounting Hole	**PE4998**	$15.75	$14.65	$13.55	$12.60	4

Jack Straight, Bulkhead Mount, PCB Mount

	Solder	.020" Dia. Contact, .155" Leg Length, .093" Max Panel, Thru Hole, B01 & D09 Mounting Hole	**PE44125**	$30.70	$28.55	$26.40	$24.56	5

Jack Right Angle, Bulkhead Mount, PCB Mount

	Solder	.020" Dia. Contact, .093" Max Panel, Thru Hole, B01 & D09 Mounting Hole	**PE44128**	$19.70	$18.32	$16.94	$15.76	6

75 Ohm BNC Connectors

Male Straight, Cable Connectors

	Crimp/Solder	PE-B159 Precision, High Definition	**PE44584**	$11.15	$10.37	$9.59	$8.92	7
		PE-B150	**PE4633**	$10.60	$9.86	$9.12	$8.48	8
		PE-B305	**PE4634**	$11.45	$10.65	$9.85	$9.16	9
		Mini 59, PE-B159, 3 Piece Connector	**PE44625**	$7.00	$6.51	$6.02	$5.60	10
		Mini 59, PE-B159, High Definition	**PE44630**	$11.15	$10.37	$9.59	$8.92	11
		RG179, RG187	**PE4604**	$11.00	$10.23	$9.46	$8.80	12
		RG179-DS, 179DT, High Definition	**PE44629**	$10.55	$9.81	$9.07	$8.44	13
		RG59	**PE4602**	$10.85	$10.09	$9.33	$8.68	14
		PE-B1505, High Definition	**PE44631**	$11.15	$10.37	$9.59	$8.92	15
		PE-B1694, High Definition	**PE44632**	$11.15	$10.37	$9.59	$8.92	16
		RG11	**PE4600**	$14.50	$13.49	$12.47	$11.60	17
		RG6	**PE4598**	$15.60	$14.51	$13.42	$12.48	18
	Clamp/Solder	RG179, RG187	**PE4603**	$10.85	$10.09	$9.33	$8.68	19
		RG59	**PE4601**	$11.55	$10.74	$9.93	$9.24	20
		RG11, RG216	**PE4599**	$20.85	$19.39	$17.93	$16.68	21
		RG6	**PE4597**	$16.65	$15.48	$14.32	$13.32	22
	Compression	Mini 59, High Definition	**PE44578**	$11.70	$10.88	$10.06	$9.36	23
		PE-B159 Precision, High Definition	**PE44577**	$11.10	$10.32	$9.55	$8.88	24

Male Right Angle, Cable Connectors

	Crimp/Solder	RG179, RG187	**PE4610**	$19.85	$18.46	$17.07	$15.88	25
		RG59	**PE4608**	$25.10	$23.34	$21.59	$20.08	26
	Clamp/Solder	RG179, RG187	**PE4609**	$24.55	$22.83	$21.11	$19.64	27
		RG59	**PE4607**	$22.05	$20.51	$18.96	$17.64	28
		RG11, RG216	**PE4606**	$27.00	$25.11	$23.22	$21.60	29
		RG6	**PE4605**	$22.05	$20.51	$18.96	$17.64	30
	Compression	Mini 59, High Definition	**PE44581**	$15.25	$14.18	$13.12	$12.20	31

See Page 259 for Mounting Hole Dimensions

75 Ohm BNC Connectors

Female Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG179, RG187	**PE4616**	$13.05	$12.14	$11.22	$10.44	1
		RG59	**PE4614**	$14.05	$13.07	$12.08	$11.24	2
	Clamp/Solder	RG179, RG187	**PE4615**	$18.35	$17.07	$15.78	$14.68	3
		RG59	**PE4613**	$13.90	$12.93	$11.95	$11.12	4
		RG11, RG216	**PE4612**	$20.50	$19.07	$17.63	$16.40	5
		RG6	**PE4611**	$31.95	$29.71	$27.48	$25.56	6

Female Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	PE-B159, 1855A, B06 Mounting Hole	**PE44587**	$15.25	$14.18	$13.12	$12.20	7
		PE-B150, B06 Mounting Hole	**PE4641**	$19.15	$17.81	$16.47	$15.32	8
		PE-B305, B06 Mounting Hole	**PE4642**	$19.15	$17.81	$16.47	$15.32	9
		RG179, RG187, B06 Mounting Hole	**PE4640**	$15.60	$14.51	$13.42	$12.48	10
		RG59, B06 Mounting Hole	**PE4638**	$20.55	$19.11	$17.67	$16.44	11
	Clamp/Solder	RG179, RG187, B06 Mounting Hole	**PE4639**	$22.30	$20.74	$19.18	$17.84	12
		RG59, B06 Mounting Hole	**PE4637**	$18.75	$17.44	$16.13	$15.00	13
		RG11, RG216, B06 Mounting Hole	**PE4636**	$36.85	$34.27	$31.69	$29.48	14
		RG6, B06 Mounting Hole	**PE4635**	$36.85	$34.27	$31.69	$29.48	15

Female Straight, Panel Mount, Cable Connectors

	Clamp/Solder	4 Hole Flange, RG179, RG187, A03 Mounting Hole NEW	**PE44652**	$26.75	$24.88	$23.01	$21.40	16
		4 Hole Flange, RG59, A03 Mounting Hole	**PE4623**	$24.55	$22.83	$21.11	$19.64	17

Male Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .200" Max Panel, B04 Mounting Hole	**PE4627**	$15.40	$14.32	$13.24	$12.32	18

Male Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A07 Mounting Hole	**PE4625**	$15.75	$14.65	$13.55	$12.60	19

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .250" Max Panel, B04 Mounting Hole	**PE4620**	$9.55	$8.88	$8.21	$7.64	20
		Solder Cup Contact, .125" Max Panel, B05 Mounting Hole	**PE4619**	$6.35	$5.91	$5.46	$5.08	21
		Wire Terminal, Rear Mount, Hermetically Sealded, .225" Max Panel, B06 Mounting Hole	**PE4621**	$25.05	$23.30	$21.54	$20.04	22
		Wire Terminal, Front Mount, Hermetically Sealded, .300" Max Panel, B04 Mounting Hole	**PE4624**	$24.80	$23.06	$21.33	$19.84	23
		Solder Cup Contact, Isolated Ground, .187" Max Panel, B06 Mounting Hole	**PE4629**	$14.50	$13.49	$12.47	$11.60	24
		Solder Cup Contact, Isolated Ground, .125" Max Panel, B04 Mounting Hole	**PE4626**	$8.45	$7.86	$7.27	$6.76	25

Female Right Angle, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, .300" Max Panel, B13 Mounting Hole	**PE4622**	$38.60	$35.90	$33.20	$30.88	26

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A03 Mounting Hole	**PE4617**	$10.20	$9.49	$8.77	$8.16	27
		4 Hole Flange, Solder Cup Contact, .687" Flange Size, A04 Mounting Hole	**PE4630**	$12.80	$11.90	$11.01	$10.24	28
		4 Hole Flange, Solder Cup Contact, 1.00" Flange Size, A05 Mounting Hole	**PE4631**	$18.35	$17.07	$15.78	$14.68	29
		4 Hole Flange, Turret, A07 Mounting Hole	**PE4618**	$29.40	$27.34	$25.28	$23.52	30

Female Right Angle, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A16 Mounting Hole	**PE4628**	$36.85	$34.27	$31.69	$29.48	31

See Our Website For Current Stock Availability!

75 Ohm BNC Connectors

Female Straight, PCB Mount

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Solder	Surface Mount, Edge Launch Grip	**PE44619**	$11.70	$10.88	$10.06	$9.36	1

Female Straight, Bulkhead Mount, PCB Mount

	Solder	Surface Mount, Edge Launch Grip, .110” Max Panel, F02 Mounting Hole	**PE44620**	$12.70	$11.81	$10.92	$10.16	2

3/4”-20 Threaded Twinax Connectors

Male Straight, Cable Connectors

	Clamp/Solder	PE-S330	**PE4104**	$16.90	$15.72	$14.53	$13.52	3

Female Straight, Cable Connectors

	Clamp/Solder	PE-S330	**PE4346**	$18.00	$16.74	$15.48	$14.40	4

Female Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, B07 Mounting Hole	**PE4105**	$18.00	$16.74	$15.48	$14.40	5

Female Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A05 Mounting Hole	**PE4347**	$21.80	$20.27	$18.75	$17.44	6

RCA Connectors

Plug Straight, Cable Connectors

	Crimp/Solder	PE-B159 Precision, High Definition	**PE44583**	$7.00	$6.51	$6.02	$5.60	7
		Mini 59, PE-B159, High Definition (3 Pieces)	**PE44622**	$10.60	$9.86	$9.12	$8.48	8
	Compression	Mini 59, High Definition	**PE44576**	$8.20	$7.63	$7.05	$6.56	9
		PE-B159 Precision, High Definition	**PE44574**	$8.20	$7.63	$7.05	$6.56	10
		PE-B159 Precision, All Gold, High Definition	**PE44575**	$11.70	$10.88	$10.06	$9.36	11

Plug Right Angle, Cable Connectors

	Compression	Mini 59, High Definition	**PE44580**	$14.05	$13.07	$12.08	$11.24	12

Jack Straight, Bulkhead Mount, Cable Connectors

	Crimp/Solder	PE-B159, High Definition, B06 Mounting Hole	**PE44586**	$11.70	$10.88	$10.06	$9.36	13

See Page 259 for Mounting Hole Dimensions

Banana Plug Connectors

Plug Straight, Cable Connectors

	Attachment Cable/Contact	Coax Type / Termination Type	Model No.	Price 1-24	25-49	50-99	100 +	Row
	Crimp/Solder	RG174, RG316, RG188	**PE44145**	$11.05	$10.28	$9.50	$8.84	1
		RG58	**PE4301**	$6.20	$5.77	$5.33	$4.96	2
		RG55, RG142, RG223, RG400	**PE4089**	$7.90	$7.35	$6.79	$6.32	3

BNC Twinax Connectors

Plug Straight, Cable Connectors

	Crimp/Solder	RG108, 78 Ohm Twinax	**PE4234**	$13.40	$12.46	$11.52	$10.72	4
	Clamp/Solder	RG108, 78 Ohm Twinax	**PE4236**	$19.70	$18.32	$16.94	$15.76	5

Jack Straight, Cable Connectors

	Crimp/Solder	RG108, 78 Ohm Twinax	**PE4235**	$24.55	$22.83	$21.11	$19.64	6
	Clamp/Solder	RG108, 78 Ohm Twinax	**PE4237**	$24.55	$22.83	$21.11	$19.64	7

Jack Straight, Bulkhead Mount, Cable Connectors

	Clamp/Solder	RG108, 78 Ohm Twinax, B06 Mounting Hole	**PE44114**	$33.20	$30.88	$28.55	$26.56	8

Jack Straight, Bulkhead Mount, Terminal

	Solder	Solder Cup Contact, B04 Mounting Hole	**PE4238**	$13.25	$12.32	$11.40	$10.60	9

Jack Straight, Panel Mount, Terminal

	Solder	4 Hole Flange, Solder Cup Contact, A03 Mounting Hole	**PE4324**	$17.40	$16.18	$14.96	$13.92	10

Jack Straight, PCB Mount

	Solder	Thru Hole, H01 Mounting Hole	**PE44115**	$19.80	$18.41	$17.03	$15.84	11

Jack Right Angle, PCB Mount

	Solder	Thru Hole, H01 Mounting Hole	**PE44116**	$30.70	$28.55	$26.40	$24.56	12

See Our Website For Current Stock Availability!

Adapter Selection Guide

3 Easy Ways to Find your Product.....

1. Search by PE Part Number

If you know the PE part number you are searching for, please reference our Part Number Index on Page 264.

2. Quick Reference Guide

(Page number refers to first apearence of product in the Adapter Section)

Connector Series	Page
1.0/2.3	173
1.85mm	169
10-32	188
2.4mm	169
2.92mm	174
3.5mm	168
3/4"-20 TWINAX	199
7mm	172
7/16 DIN	171
BANANA PLUG	194
BNC-50 Ohm	173

Connector Series	Page
BNC-75 Ohm	196
BNC TWINAX	199
C	182
D-SUBMINIATURE	174
F	173
FME	171
GR874	174
HN	172
LC	181
MCX	172
MHV	189

Connector Series	Page
MINI SMB-75 Ohm	196
MINI SMP	176
MINI-UHF	180
MMCX	172
N-50 Ohm	169
N-75 Ohm	183
PAL	195
QMA	172
QN	181
RCA	194
RP BNC	193

Connector Series	Page
RP MCX	173
RP N	179
RP SMA	168
RP TNC	171
RT SMA	168
SC	181
SHV	194
SMA	167
SMB-50 Ohm	173
SMB-75 Ohm	193
SMC-50 Ohm	171

Connector Series	Page
SMC-75 Ohm	193
SMP	172
SSMA	169
SSMB	173
TNC-50 Ohm	170
TNC-75 Ohm	195
UHF	171
UMCX	172

Adapter Locator Layout

Connector Type	Feature	Model No.	C/R	Page
Indicates Connector Series Example: SMA, BNC,TNC, N	Contains a 1 or 2 Letter Code Example: (B) - Bulkhead (PO) - Push On	Adapter Part Number	Location of part on grid using Columns & Rows	Product Page Number

3. Between-Series Adapter Locator

(Adapter Locator starts on Page 161)



SMA FEMALE TO TNC FEMALE
PE9079

SMA Female To:

Connector Type	Feature	Model No.	C/R	Page
SSMA Male		PE9188	A4	163
SSMB Plug		PE9403	A3	167
TNC Female		PE9079	D6	164
TNC Female	(B)	PE9251	A1	165

TNC Female To:

Connector Type	Feature	Model No.	C/R	Page
SMA Female	(P)	PE9442	C6	164
SMA Female		PE9079	D6	164
SMA Female	(B)	PE9251	A1	165
SMA Female	(PM)	PE9276	B1	165

The Adapter Locator example above includes Between-Series part numbers in two configurations:
Connector 1 to Connector 2 as well as Connector 2 to Connector 1 can be found in the same location.

Products can only be found under the first instance of the series combination. As an example, PE9079 above will be found in only one location in the Adapter Section.

Feature: (B) Bulkhead Mount / (H) Hermetically Sealed / (I) Isolated Sealed / (P) Precision / (PM) Panel Mount / (PO) Push On / (R) Radius Right Angle / (QD) Quick Disconnect

See Our Website For Current Stock Availability!

Adapter Locator

Connector Type	Feature	Model No.	C/R	Page
1.0/2.3 Slide On Jack To:				
SMA Female		PE9693	A4	173
SMA Male		PE9690	C3	173
1.0/2.3 Slide On Plug To:				
SMA Female		PE9691	D3	173
SMA Male		PE9692	B3	173
1.85mm Female To:				
2.4mm Female	(P)	PE9675	C1	177
2.4mm Male	(P)	PE9674	A1	177
2.92mm Female	(P)	PE9668	A2	176
2.92mm Male	(P)	PE9666	C1	176
3.5mm Female	(P)	PE9748	A2	175
3.5mm Male	(P)	PE9745	C1	175
N Female	(P)	PE9721	B6	177
N Male	(P)	PE9720	A6	177
SMA Female	(P)	PE9729	B3	169
SMA Male	(P)	PE9728	D2	169
SSMA Female	(P)	PE9765	B5	177
SSMA Male	(P)	PE9764	A5	177
1.85mm In-Series:				
Female To Female	(P)	PE9717	A4	177
Male To Female	(P)	PE9715	D3	177
Male To Male	(P)	PE9716	C3	177
1.85mm Male To:				
2.4mm Female	(P)	PE9673	B1	177
2.4mm Male	(P)	PE9672	D6	176
2.92mm Female	(P)	PE9665	D1	176
2.92mm Male	(P)	PE9667	B1	176
3.5mm Female	(P)	PE9747	D1	175
3.5mm Male	(P)	PE9746	B1	175
N Female	(P)	PE9719	D5	177
N Male	(P)	PE9718	C5	177
SMA Female	(P)	PE9726	A3	169
SMA Male	(P)	PE9727	C2	169
SSMA Female	(P)	PE9762	D4	177
SSMA Male	(P)	PE9763	C4	177
10-32 Female To:				
BNC Female		PE9752	D3	188
BNC Female	(B)	PE9754	A4	188
BNC Male		PE9750	C3	188
10-32 In-Series:				
Female To Female		PE9756	A2	188
Female To Female	(B)	PE9757	B2	188
10-32 Male To:				
BNC Female		PE9753	A3	188
BNC Female	(B)	PE9755	B3	188
BNC Male		PE9751	D2	188
2.4mm Female To:				
1.85mm Female	(P)	PE9675	C1	177
1.85mm Male	(P)	PE9673	B1	177
2.92mm Female	(P)	PE9456	A1	176
2.92mm Male	(P)	PE9455	C6	175
3.5mm Female	(P)	PE9652	A1	175
3.5mm Male	(P)	PE9651	C6	174
7mm	(P)	PE9459	A3	177
N Female	(P)	PE9502	C2	177
N Male	(P)	PE9503	B2	177
SMA Female	(P)	PE9656	B2	169
SMA Male	(P)	PE9654	D1	169
2.4mm In-Series:				
Female To Female	(P)	PE9453	A6	176
Female To Female	(P) (B)	PE9640	B6	176
Male To Female	(P)	PE9452	D5	176
Male To Male	(P)	PE9451	C5	176
2.4mm Male To:				
1.85mm Female	(P)	PE9674	A1	177
1.85mm Male	(P)	PE9672	D6	176
2.92mm Female	(P)	PE9454	D6	175
2.92mm Male	(P)	PE9457	B6	175
3.5mm Female	(P)	PE9650	D6	174
3.5mm Male	(P)	PE9649	B6	174
7mm	(P)	PE9458	D2	177
N Female	(P)	PE9501	A2	177
N Male	(P)	PE9504	D1	177
SMA Female	(P)	PE9655	A2	169
SMA Male	(P)	PE9653	C1	169

Connector Type	Feature	Model No.	C/R	Page
2.92mm Female To:				
1.85mm Female	(P)	PE9668	A2	176
1.85mm Male	(P)	PE9665	D1	176
2.4mm Female	(P)	PE9456	A1	176
2.4mm Male	(P)	PE9454	D6	175
3.5mm Female	(P)	PE9660	A6	174
3.5mm Male	(P)	PE9658	C5	174
7mm	(P)	PE9461	C4	176
Mini SMP Female	(P)	PE9782	A5	176
Mini SMP Male	(P)	PE9781	D4	176
N Female	(P)	PE9664	A4	176
N Male	(P)	PE9663	D3	176
SSMA Female	(P)	PE9769	A3	176
SSMA Male	(P)	PE9768	D2	176
2.92mm In-Series:				
Female To Female	(B) (P)	PE9647	B5	175
Female To Female	(P)	PE9438	A5	175
Female To Female	(PM) (P)	PE9648	C5	175
Female To Female	90° (P)	PE9646	D5	175
Male To Female	(P)	PE9437	C4	175
Male To Female	90° (P)	PE9644	D4	175
Male To Male	(P)	PE9436	A4	175
Male To Male	90° (P)	PE9645	B4	175
2.92mm Male To:				
1.85mm Female	(P)	PE9666	C1	176
1.85mm Male	(P)	PE9667	B1	176
2.4mm Female	(P)	PE9455	C6	175
2.4mm Male	(P)	PE9457	B6	175
3.5mm Female	(P)	PE9659	D5	174
3.5mm Male	(P)	PE9657	B5	174
7mm	(P)	PE9460	B4	176
N Female	(P)	PE9662	C3	176
N Male	(P)	PE9661	B3	176
SSMA Female	(P)	PE9766	C2	176
SSMA Male	(P)	PE9767	B2	176
3.5mm Female To:				
1.85mm Female	(P)	PE9748	A2	175
1.85mm Male	(P)	PE9747	D1	175
2.4mm Female	(P)	PE9652	A1	175
2.4mm Male	(P)	PE9650	D6	174
2.92mm Female	(P)	PE9660	A6	174
2.92mm Male	(P)	PE9659	D5	174
7mm	(P)	PE9325	C3	175
N Female	(P)	PE9323	A3	175
N Male	(P)	PE9321	D2	175
SMA Female	(P)	PE9725	B1	169
SMA Male	(P)	PE9723	D6	168
3.5mm In-Series: To:				
Female To Female	(B) (P)	PE9678	C4	174
Female To Female	(P)	PE9331	B4	174
Female To Female	(PM) (P)	PE9676	D4	174
Male To Female	(B) (P)	PE9677	A4	174
Male To Female	(P)	PE9332	D3	174
Male To Male	(B) (P)	PE9679	C3	174
Male To Male	(P)	PE9330	B3	174
3.5mm Male To:				
1.85mm Female	(P)	PE9745	C1	175
1.85mm Male	(P)	PE9746	B1	175
2.4mm Female	(P)	PE9651	C6	174
2.4mm Male	(P)	PE9649	B6	174
2.92mm Female	(P)	PE9658	C5	174
2.92mm Male	(P)	PE9657	B5	174
7mm	(P)	PE9326	B3	175
N Female	(P)	PE9324	C2	175
N Male	(P)	PE9322	B2	175
SMA Female	(P)	PE9724	A1	169
SMA Male	(P)	PE9722	C6	168
3/4"-20 Twinax In-Series:				
Female To Female		PE9199	D3	199
Female To Female	(B)	PE9373	A4	199
T, Female-Female-Female		PE9224	C4	199
T, Female-Male-Female		PE9374	B4	199
7/16 Female To:				
7mm	(P)	PE9510	A6	185
HN Male		PE9559	C5	185
N Female		PE9180	A5	180
N Male		PE9178	C4	180
SMA Male		PE9411	C4	171

Connector Type	Feature	Model No.	C/R	Page
TNC Female		PE9639	D2	184
TNC Male		PE9638	B2	184
7/16 In-Series:				
Female To Female		PE9409	A4	185
Female To Female	(B)	PE9414	B4	185
Male To Female	90°	PE9410	D3	185
Male To Male		PE9555	C3	185
T, Female-Female-Female		PE9556	D4	185
T, Female-Male-Female		PE9557	C4	185
7/16 Male To:				
7mm	(P)	PE9509	D5	185
HN Female		PE9558	B5	185
N Female		PE9179	D4	180
N Male		PE9535	B4	180
SMA Female		PE9412	D4	171
TNC Female		PE9636	C2	184
TNC Male		PE9637	A2	184
75 Ohm BNC Female To:				
75 Ohm N Female		PE9371	D6	196
75 Ohm N Male		PE9369	B6	196
75 Ohm TNC Male		PE9631	C2	197
F Female	(P)	PE9744	C2	198
F Male	(P)	PE9743	A2	198
Mini 75 Ohm SMB Jack		PE9619	B1	199
Mini 75 Ohm SMB Plug		PE9617	D6	198
75 Ohm BNC In-Series:				
Female To Female		PE9362	B2	199
Female To Female	(B)	PE9363	C2	199
Female To Female	(B) (I)	PE9366	D2	199
Female To Female	(PM)	PE9367	A3	199
Male To Female	90°	PE9361	A2	199
Male To Male		PE9364	D1	199
T, Female-Male-Female		PE9365	B3	199
75 Ohm BNC Male To:				
75 Ohm N Female		PE9368	C6	196
75 Ohm N Male		PE9370	A6	196
75 Ohm TNC Female		PE9630	D2	197
F Female	(P)	PE9741	B2	198
F Male	(P)	PE9742	D1	198
Mini 75 Ohm SMB Jack		PE9618	A1	199
Mini 75 Ohm SMB Plug		PE9616	C6	198
75 Ohm N Female To:				
75 Ohm BNC Female		PE9371	D6	196
75 Ohm BNC Male		PE9368	C6	196
75 Ohm SMB Jack		PE9583	D4	196
75 Ohm SMB Plug		PE9585	C4	196
75 Ohm SMC Jack		PE9587	B2	196
75 Ohm SMC Plug		PE9589	A2	196
75 Ohm TNC Female		PE9629	B1	196
75 Ohm TNC Male		PE9628	A1	196
F Female	(P)	PE9740	D3	196
F Male		PE9397	C3	196
F Male	(P)	PE9739	B3	196
Mini 75 Ohm SMB Jack		PE9615	D5	196
Mini 75 Ohm SMB Plug		PE9613	C5	196
N Male		PE9349	C1	183
75 Ohm N In-Series:				
Female To Female		PE9306	C5	195
Female To Female	(B) (H)	PE9416	D5	195
Female To Female	(B) (I)	PE9417	A6	195
Male To Female		PE9391	A5	195
Male To Female	90°	PE9307	B5	195
Male To Male		PE9308	D4	195
75 Ohm N Male To:				
75 Ohm BNC Female		PE9369	B6	196
75 Ohm BNC Male		PE9370	A6	196
75 Ohm SMB Jack		PE9582	B4	196
75 Ohm SMB Plug		PE9584	A4	196
75 Ohm SMC Jack		PE9586	D1	196
75 Ohm SMC Plug		PE9588	C1	196
75 Ohm TNC Female		PE9627	D6	195
75 Ohm TNC Male		PE9626	C6	195
F Female		PE9396	A3	196
F Female	(P)	PE9737	D2	196
F Male	(P)	PE9738	C2	196

See Our Website For Current Stock Availability!

Feature: (B) Bulkhead Mount / (H) Hermetically Sealed / (I) Isolated Sealed / (P) Precision / (PM) Panel Mount / (PO) Push On / (R) Radius Right Angle / (QD) Quick Disconnect

Adapter Locator

Connector Type	Feature	Model No.	C/R	Page
Mini 75 Ohm SMB Jack		PE9614	B5	196
Mini 75 Ohm SMB Plug		PE9612	A5	196
N Female		PE9350	D1	183
75 Ohm SMB In-Series:				
Jack To Jack		PE9248	D3	198
Plug To Plug		PE9271	C3	198
T, Jack-Plug-Jack		PE9245	A4	198
75 Ohm SMB Jack To:				
75 Ohm N Female		PE9583	D4	196
75 Ohm N Male		PE9582	B4	196
BNC Female		PE9231	D6	193
BNC Male		PE9229	B6	193
Mini 75 Ohm SMB Plug		PE9735	D4	198
75 Ohm SMB Plug To:				
75 Ohm N Female		PE9585	C4	196
75 Ohm N Male		PE9584	A4	196
BNC Female		PE9232	C6	193
BNC Male		PE9230	A6	193
Mini 75 Ohm SMB Jack		PE9736	C4	198
75 Ohm SMC In-Series:				
Jack To Jack		PE9227	C3	197
Jack To Jack	(B)	PE9228	D3	197
Plug To Plug		PE9272	B3	197
T, Jack-Plug-Jack		PE9244	A4	197
75 Ohm SMC Jack To:				
75 Ohm N Female		PE9587	B2	196
75 Ohm N Male		PE9586	D1	196
BNC Female		PE9235	D4	193
BNC Male		PE9233	B4	193
75 Ohm SMC Plug To:				
75 Ohm N Female		PE9589	A2	196
75 Ohm N Male		PE9588	C1	196
BNC Female		PE9236	C4	193
BNC Male		PE9234	A4	193
75 Ohm TNC Female To:				
75 Ohm BNC Male		PE9630	D2	197
75 Ohm N Female		PE9629	B1	196
75 Ohm N Male		PE9627	D6	195
75 Ohm TNC In-Series:				
Female To Female		PE9622	C1	197
Female To Female	(B) (H)	PE9624	D1	197
Female To Female	(B) (I)	PE9625	A2	197
Male To Female	90°	PE9623	B1	197
75 Ohm TNC Male To:				
75 Ohm BNC Female		PE9631	C2	197
75 Ohm N Female		PE9628	A1	196
75 Ohm N Male		PE9626	C6	195
7mm To:				
2.4mm Female	(P)	PE9459	A3	177
2.4mm Male	(P)	PE9458	D2	177
2.92mm Female	(P)	PE9461	C4	176
2.92mm Male	(P)	PE9460	B4	176
3.5mm Female	(P)	PE9325	C3	175
3.5mm Male	(P)	PE9326	B3	175
7/16 Female	(P)	PE9510	A6	185
7/16 Male	(P)	PE9509	D5	185
BNC Female	(P)	PE9220	D2	190
BNC Male	(P)	PE9221	C2	190
N Female	(P)	PE9216	B5	181
N Male	(P)	PE9217	A5	181
SC Female	(P)	PE9328	C6	188
SC Male	(P)	PE9329	B6	188
SMA Female	(P)	PE9214	D2	172
SMA Female	(PM) (P)	PE9327	A3	172
SMA Male	(P)	PE9215	C2	172
SSMA Female	(P)	PE9356	D3	178
SSMA Male	(P)	PE9355	C3	178
TNC Female	(P)	PE9218	D5	184
TNC Male	(P)	PE9219	C5	184
Banana Plug To:				
BNC Female (Single)		PE9175	C2	194
BNC Female (Double)		PE9008	B2	194
BNC Male (Double)		PE9009	C1	194
Binding Post To:				
BNC Female (Double)		PE9013	D2	194

Connector Type	Feature	Model No.	C/R	Page
BNC Male (Single)		PE9169	A2	194
BNC Male (Double)		PE9011	D1	194
BNC Female To:				
10-32 Female		PE9752	D3	188
10-32 Female	(B)	PE9754	A4	188
10-32 Male		PE9753	A3	188
10-32 Male	(B)	PE9755	B3	188
75 Ohm SMB Jack		PE9231	D6	193
75 Ohm SMB Plug		PE9232	C6	193
75 Ohm SMC Jack		PE9235	D4	193
75 Ohm SMC Plug		PE9236	C4	193
7mm	(P)	PE9220	D2	190
Banana Plug Double		PE9008	B2	194
Banana Plug Single		PE9175	C2	194
Binding Posts		PE9013	D2	194
C Female		PE9537	C3	193
C Female	(B)	PE9204	D3	193
C Male		PE9087	B3	193
F Female		PE9153	D5	193
F Male		PE9151	C5	193
FME Jack		PE9712	D2	187
GR874		PE9222	B3	194
HN Male		PE9126	B6	189
MCX Jack		PE9466	B4	191
MCX Jack	(B)	PE9520	C4	191
MCX Plug		PE9467	D3	191
MHV Male		PE9297	C2	193
Mini UHF Male		PE9342	D6	186
MMCX Jack		PE9516	A2	191
MMCX Plug		PE9519	C1	191
N Female		PE9206	B5	182
N Female	(B)	PE9261	C5	182
N Female	(B)	PE9540	D5	182
N Female	(P)	PE9492	A5	182
N Female	(PM)	PE9238	A6	182
N Male		PE9002	B3	182
N Male	(P)	PE9491	A3	182
N Male	(PM)	PE9388	C3	182
N Male	90°	PE9278	D3	182
RCA Plug		PE9158	B1	194
Reverse Polarity BNC Male		PE9529	D1	193
SC Female		PE9571	B1	189
SC Male		PE9200	A1	189
SMA Female		PE9075	A6	173
SMA Female	(B)	PE9185	B6	173
SMA Female	(B)	PE9407	C6	173
SMA Female	(P)	PE9496	D5	173
SMA Male		PE9074	A5	173
SMA Male	(P)	PE9495	D4	173
SMB Jack		PE9136	B2	192
SMB Jack	(B)	PE9240	C2	192
SMB Plug		PE9137	C1	192
SMB Plug	(B)	PE9241	D1	192
SMC Jack		PE9140	B1	188
SMC Jack	(B)	PE9108	C1	188
SMC Plug		PE9141	D6	187
SSMA Male		PE9250	B4	178
SSMB Jack		PE9394	D3	192
SSMB Plug		PE9395	B3	192
TNC Female		PE9097	B2	185
TNC Female	(B) (H)	PE9483	C2	185
TNC Male		PE9088	C1	185
TNC Male	90°	PE9783	D1	185
UHF Female		PE9421	C3	186
UHF Male		PE9004	A3	186
BNC In-Series:				
Female To Female		PE9084	B5	192
Female To Female	(B) (H)	PE9093	C5	192
Female To Female	(B) (H)	PE9420	D5	192
Female To Female	(B) (I)	PE9172	A6	192
Female To Female	(PM)	PE9106	B6	192
Male To Female		PE9269	D4	192
Male To Female	90°	PE9085	A5	192
Male To Male		PE9000	B4	192
Male To Male	90°	PE9758	C4	192
T, Female-Female-Female		PE9003	B1	193
T, Female-Male-Female		PE9001	C6	192
T, Male-Female-Female		PE9174	D6	192
Y, Female-Male-Female		PE9484	A1	193

Connector Type	Feature	Model No.	C/R	Page
BNC Male To:				
10-32 Female		PE9750	C3	188
10-32 Male		PE9751	D2	188
75 Ohm SMB Jack		PE9229	B6	193
75 Ohm SMB Plug		PE9230	A6	193
75 Ohm SMC Jack		PE9233	B4	193
75 Ohm SMC Plug		PE9234	A4	193
7mm	(P)	PE9221	C2	190
Banana Plug Double		PE9009	C1	194
Binding Posts Double		PE9011	D1	194
Binding Posts Single		PE9169	A2	194
C Female		PE9109	A3	193
C Male		PE9536	D2	193
F Female		PE9150	B5	193
F Male		PE9152	A5	193
FME Jack		PE9711	C2	187
FME Plug		PE9697	A2	187
FME Plug	90°	PE9698	B2	187
GR874		PE9223	A3	194
HN Female		PE9129	C6	189
HN Male		PE9567	A6	189
MCX Jack		PE9468	A4	191
MCX Plug		PE9469	C3	191
MHV Female		PE9406	B2	193
Mini UHF Female		PE9341	A1	187
MMCX Jack		PE9518	D1	191
MMCX Plug		PE9517	B1	191
N Female		PE9005	B4	182
N Female	(P)	PE9490	A4	182
N Female	(PM)	PE9123	C4	182
N Female	90°	PE9566	D4	182
N Male		PE9127	C2	182
N Male	(P)	PE9489	B2	182
N Male	90°	PE9565	D2	182
RCA Jack		PE9171	A1	194
Reverse Polarity BNC Female		PE9530	C1	193
SC Male		PE9568	D6	188
SMA Female		PE9073	C5	173
SMA Female	(P)	PE9494	B5	173
SMA Male		PE9072	C4	173
SMA Male	(P)	PE9493	B4	173
SMB Jack		PE9132	A2	192
SMB Plug		PE9135	B1	192
SMC Jack		PE9138	A1	188
SMC Plug		PE9139	C6	187
SSMA Female		PE9191	C4	178
SSMA Male		PE9213	A4	178
SSMB Jack		PE9392	C3	192
SSMB Plug		PE9393	A3	192
TNC Female		PE9098	A2	185
TNC Male		PE9110	B1	185
UHF Female		PE9107	B3	186
UHF Male		PE9201	D2	186
BNC Twinax In-Series:				
Jack To Jack		PE9378	B1	200
Jack To Jack	(B)	PE9280	C1	200
Plug To Jack	90°	PE9377	A1	200
Plug To Plug		PE9376	D6	199
T, Jack-Jack-Jack		PE9279	A2	200
T, Jack-Plug-Jack		PE9375	D1	200
C Female To:				
BNC Female		PE9537	C3	193
BNC Female	(B)	PE9204	D3	193
BNC Male		PE9109	A3	193
GR874		PE9301	C3	195
HN Male		PE9296	B1	190
N Female		PE9539	B1	183
N Male		PE9124	C6	182
N Male	90°	PE9239	D6	182
TNC Male		PE9562	D2	185
C In-Series:				
Female To Female		PE9208	B2	195
Female To Female	(B)	PE9186	C2	195
Male To Female	90°	PE9293	A2	195
Male To Male		PE9300	D1	195
T, Female-Female-Female		PE9294	A3	195
T, Female-Male-Female		PE9207	D2	195

Feature: (B) Bulkhead Mount / (H) Hermetically Sealed / (I) Isolated Sealed / (P) Precision / (PM) Panel Mount / (PO) Push On / (R) Radius Right Angle / (QD) Quick Disconnect

See Our Website For Current Stock Availability!

Adapter Locator

Connector Type	Feature	Model No.	C/R	Page
C Male To:				
BNC Female		PE9087	B3	193
BNC Male		PE9536	D2	193
HN Female		PE9212	C1	190
HN Male		PE9579	A1	190
N Female		PE9295	A1	183
N Male		PE9538	B6	182
TNC Female		PE9564	A3	185
D Subminiature In-Series:				
Plug To Plug		PE9688	A5	199
Plug To Receptacle		PE9687	B5	199
Receptacle To Receptacle		PE9689	C5	199
D Subminiature Plug To:				
SMA Female		PE9422	A2	174
SMA Male		PE9425	C1	174
D Subminiature Receptacle To:				
SMA Female		PE9423	B2	174
SMA Male		PE9424	D1	174
F Female To:				
75 Ohm BNC Female	(P)	PE9744	C2	198
75 Ohm BNC Male	(P)	PE9741	B2	198
75 Ohm N Female	(P)	PE9740	D3	196
75 Ohm N Male		PE9396	A3	196
75 Ohm N Male	(P)	PE9737	D2	196
BNC Female		PE9153	D5	193
BNC Male		PE9150	B5	193
N Male		PE9155	A2	183
PAL Jack		PE9634	C1	198
PAL Plug		PE9635	B1	198
RCA Jack		PE9168	A3	198
RCA Plug		PE9163	D2	198
SMA Female		PE91002	B1	174
SMA Male		PE91003	D6	173
UHF Female		PE9167	A4	186
UHF Male		PE9165	D3	186
F In-Series:				
Female To Female		PE9164	A6	197
Female To Female	(B)	PE9734	B6	197
Female To Female	(P)	PE9761	D5	197
Male To Female	(PO)	PE9160	B5	197
Male To Female	(P)	PE9759	A5	197
Male To Female	90°	PE9166	C5	197
Male To Male		PE9159	D4	197
Male To Male	(P)	PE9760	C4	197
F Male To:				
75 Ohm BNC Female	(P)	PE9743	A2	198
75 Ohm BNC Male	(P)	PE9742	D1	198
75 Ohm N Female		PE9397	C3	196
75 Ohm N Female	(P)	PE9739	B3	196
75 Ohm N Male	(P)	PE9738	C2	196
BNC Female		PE9151	C5	193
BNC Male		PE9152	A5	193
N Female		PE9389	B2	183
PAL Jack		PE9632	A1	198
PAL Plug		PE9633	D6	197
SMA Female		PE91001	A1	174
FME In-Series:				
Plug To Plug		PE9696	C1	187
FME Jack To:				
BNC Female		PE9712	D2	187
BNC Male		PE9711	C2	187
Mini UHF Female		PE9710	C6	186
Mini UHF Male		PE9709	B6	186
SMA Female		PE9708	B6	171
SMA Male		PE9707	D5	171
TNC Female		PE9714	D4	184
TNC Male		PE9713	C4	184
FME Plug To:				
BNC Male		PE9697	A2	187
BNC Male	90°	PE9698	B2	187
Mini UHF Male		PE9705	D5	186
Mini UHF Male	90°	PE9706	A6	186
N Male		PE9704	D6	180
SMA Female		PE9703	A6	171
SMA Male		PE9702	C5	171
TNC Male		PE9699	A4	184
TNC Male	90°	PE9700	B4	184
UHF Male		PE9701	C2	186

Connector Type	Feature	Model No.	C/R	Page
GR874 In-Series:				
GR874 To GR874	90°	PE9286	A6	199
T, GR874-GR874-GR874		PE9285	B6	199
GR874 To:				
BNC Female		PE9222	B3	194
BNC Male		PE9223	A3	194
C Female		PE9301	C3	195
HN Female		PE9387	A2	190
HN Male		PE9386	D1	190
N Female		PE9258	D2	183
N Male		PE9257	C2	183
SMA Female		PE9260	D2	174
SMA Male		PE9259	C2	174
HN Female To:				
7/16 Male		PE9558	B5	185
BNC Male		PE9129	C6	189
C Male		PE9212	C1	190
GR874		PE9387	A2	190
LC Male		PE9181	D2	189
N Female		PE9360	C4	181
N Female	(PM)	PE9553	D4	181
N Male		PE9125	A4	181
SMA Female		PE9255	B2	172
SMA Male		PE9256	D1	172
HN In-Series:				
Female To Female		PE9580	C4	189
Female To Female	(B)	PE9193	D4	189
Male To Female		PE9576	A4	189
Male To Female	90°	PE9205	B4	189
Male To Male		PE9210	C3	189
Male To Male	90°	PE9577	D3	189
T, Female-Female-Female		PE9574	C5	189
T, Female-Male-Female		PE9575	B5	189
T, Male-Female-Male		PE9578	A5	189
HN Male To:				
7/16 Female		PE9559	C5	185
BNC Female		PE9126	B6	189
BNC Male		PE9567	A6	189
C Female		PE9296	B1	190
C Male		PE9579	A1	190
GR874		PE9386	D1	190
LC Female		PE9413	A3	189
MHV Female		PE9264	D6	189
N Female		PE9194	B4	181
N Male		PE9554	D3	181
SMA Female		PE9253	A2	172
SMA Male		PE9254	C1	172
TNC Male		PE9563	B5	184
LC Female To:				
HN Male		PE9413	A3	189
N Female		PE9298	C3	181
N Male		PE9299	A3	181
LC In-Series:				
Female To Female		PE9419	B2	189
Male To Female	90°	PE9398	A2	189
Male To Male		PE9569	D1	189
LC Male To:				
HN Female		PE9181	D2	189
N Female		PE9237	B3	181
MCX In-Series:				
Jack To Jack		PE9524	D2	191
Jack To Jack	(B)	PE9474	A3	191
Plug To Jack		PE9479	C2	191
MCX Jack To:				
BNC Female		PE9466	B4	191
BNC Female	(B)	PE9520	C4	191
BNC Male		PE9468	A4	191
MMCX Jack		PE9526	A1	191
MMCX Plug		PE9525	C6	190
N Female		PE9462	A1	182
N Male		PE9464	C6	181
SMA Female		PE9470	B1	173
SMA Male		PE9472	D6	172
TNC Female		PE9544	D6	184
TNC Female	(B)	PE9521	A1	185
TNC Male		PE9542	B6	184

Connector Type	Feature	Model No.	C/R	Page
MCX Plug To:				
BNC Female		PE9467	D3	191
BNC Male		PE9469	C3	191
MMCX Jack		PE9528	D6	190
MMCX Plug		PE9527	B6	190
N Female		PE9463	D6	181
N Male		PE9465	B6	181
SMA Female		PE9471	A1	173
SMA Male		PE9473	C6	172
TNC Female		PE9545	C6	184
TNC Male		PE9543	A6	184
MHV Female To:				
BNC Male		PE9406	B2	193
HN Male		PE9264	D6	189
SHV Jack		PE9339	D5	194
SHV Plug		PE9265	C5	194
MHV In-Series:				
Female To Female		PE9267	A4	194
Female To Female	(B) (H)	PE9268	B4	194
Male To Female	90°	PE9266	D3	194
T, Female-Male-Female		PE9211	C4	194
MHV Male To:				
BNC Female		PE9297	C2	193
SHV Jack		PE9335	B5	194
SHV Plug		PE9340	A5	194
Mini 75 Ohm SMB In-Series:				
Jack To Jack		PE9608	D5	198
Jack To Jack	(B)	PE9611	A6	198
Plug To Jack		PE9610	C5	198
Plug To Plug		PE9609	B5	198
Mini 75 Ohm SMB Jack To:				
75 Ohm BNC Female		PE9619	B1	199
75 Ohm BNC Male		PE9618	A1	199
75 Ohm N Female		PE9615	D5	196
75 Ohm N Male		PE9614	B5	196
75 Ohm SMB Plug		PE9736	C4	198
Mini 75 Ohm SMB Plug To:				
75 Ohm BNC Female		PE9617	D6	198
75 Ohm BNC Male		PE9616	C6	198
75 Ohm N Female		PE9613	C5	196
75 Ohm N Male		PE9612	A5	196
75 Ohm SMB Jack		PE9735	D4	198
Mini SMP Female				
2.92mm Female	(P)	PE9782	A5	176
Mini SMP In-Series:				
Female To Female		PE9780	D4	190
Mini SMP Male				
2.92mm Female	(P)	PE9781	D4	176
Mini UHF Female To:				
BNC Male		PE9341	A1	187
FME Jack		PE9710	C6	186
N Male		PE9064	B6	180
TNC Male		PE9345	C3	184
UHF Male		PE9348	A2	186
Mini UHF In-Series:				
Female To Female		PE9343	D4	186
Male To Female	90°	PE9347	C4	186
T, Female-Female-Female		PE9066	B5	186
T, Female-Male-Female		PE9065	A5	186
Mini UHF Male To:				
BNC Female		PE9342	D6	186
FME Jack		PE9709	B6	186
FME Plug		PE9705	D5	186
FME Plug	90°	PE9706	A6	186
N Female		PE9183	C6	180
TNC Female		PE9346	D3	184
UHF Female		PE9344	B2	186
MMCX In-Series:				
Jack To Jack		PE9523	C5	190
Jack To Jack	(B)	PE9522	D5	190
Plug To Jack		PE9480	B5	190

Feature: (B) Bulkhead Mount / (H) Hermetically Sealed / (I) Isolated Sealed / (P) Precision / (PM) Panel Mount / (PO) Push On / (R) Radius Right Angle / (QD) Quick Disconnect

See Our Website For Current Stock Availability!

Adapter Locator

Connector Type	Feature	Model No.	C/R	Page
MMCX Jack To:				
BNC Female		PE9516	A2	191
BNC Male		PE9518	D1	191
MCX Jack		PE9526	A1	191
MCX Plug		PE9528	D6	190
SMA Female		PE9477	B6	172
SMA Male		PE9478	D5	172
MMCX Plug To:				
BNC Female		PE9519	C1	191
BNC Male		PE9517	B1	191
MCX Jack		PE9525	C6	190
MCX Plug		PE9527	B6	190
SMA Female		PE9475	A6	172
SMA Male		PE9476	C5	172
N Female To:				
1.85mm Female	(P)	PE9721	B6	177
1.85mm Male	(P)	PE9719	D5	177
2.4mm Female	(P)	PE9502	C2	177
2.4mm Male	(P)	PE9501	A2	177
2.92mm Female	(P)	PE9664	A4	176
2.92mm Male	(P)	PE9662	C3	176
3.5mm Female	(P)	PE9323	A3	175
3.5mm Male	(P)	PE9324	C2	175
7/16 Female		PE9180	A5	180
7/16 Male		PE9179	D4	180
75 Ohm N Male		PE9350	D1	183
7mm	(P)	PE9216	B5	181
BNC Female		PE9206	B5	182
BNC Female	(B)	PE9261	C5	182
BNC Female	(B)	PE9540	D5	182
BNC Female	(P)	PE9492	A5	182
BNC Female	(PM)	PE9238	A6	182
BNC Male		PE9005	B4	182
BNC Male	(P)	PE9490	A4	182
BNC Male	(PM)	PE9123	C4	182
BNC Male	90°	PE9566	D4	182
C Female		PE9539	B1	183
C Male		PE9295	A1	183
F Male		PE9389	B2	183
GR874		PE9258	D2	183
HN Female		PE9360	C4	181
HN Female	(PM)	PE9553	D4	181
HN Male		PE9194	B4	181
LC Female		PE9298	C3	181
LC Male		PE9237	B3	181
MCX Jack		PE9462	A1	182
MCX Plug		PE9463	D6	181
Mini UHF Male		PE9183	C6	180
QN Male		PE9788	A6	181
Reverse Polarity N Male		PE9770	A6	179
Reverse Polarity SMA Male		PE9732	B4	170
Reverse Polarity TNC Male		PE9731	A4	180
SC Female		PE9292	D2	181
SC Male		PE9277	C2	181
SMA Female		PE9083	A3	170
SMA Female	(B)	PE9408	C3	170
SMA Female	(B)	PE9252	B3	170
SMA Female	(B) (P)	PE9486	C2	170
SMA Female	(B) (P)	PE9435	D3	170
SMA Female	(P)	PE9432	B2	170
SMA Female	(PM)	PE9104	A4	170
SMA Female	(PM) (P)	PE9434	D2	170
SMA Male		PE9082	B6	169
SMA Male	(B) (P)	PE9487	C5	169
SMA Male	(B) (P)	PE9488	D5	169
SMA Male	(P)	PE9433	B5	169
SMA Male	(PM)	PE9105	C6	169
SMA Male	(PM) (P)	PE9497	A6	169
SMB Jack		PE9315	A2	182
SMB Plug		PE9316	D1	182
SMC Jack		PE9319	D1	181
SMC Plug		PE9320	C1	181
SSMA Female		PE9354	B3	178
SSMA Male		PE9353	D2	178
TNC Female		PE9131	A3	180
TNC Female	(B)	PE9482	B3	180
TNC Female	(P)	PE9449	C2	180
TNC Female	(PM)	PE9552	C3	180
TNC Female	(PM) (P)	PE9450	D2	180
TNC Male		PE9089	A2	180
TNC Male	(P)	PE9447	D1	180
TNC Male	90°	PE9263	B2	180
UHF Female		PE9385	A6	180
UHF Male		PE9112	D5	180
N In-Series:				
Female To Female		PE9006	A2	179
Female To Female	(B) (H)	PE9128	B2	179
Female To Female	(B) (H)	PE9383	C2	179
Female To Female	(B) (I)	PE9382	D2	179
Female To Female	(B) (P)	PE9500	C1	179
Female To Female	(B) 90°	PE9541	C3	179
Female To Female	(P)	PE9428	B1	179
Female To Female	(PM)	PE9173	A3	179
Female To Female	(PM) (P)	PE9429	D1	179
Female To Female	90°	PE9359	B3	179
Male To Female	(QD)	PE9547	B6	178
Male To Female		PE9311	A6	178
Male To Female	(B)	PE9595	C6	178
Male To Female	(P)	PE9426	D5	178
Male To Female	(R) (P)	PE9515	D6	178
Male To Female	90°	PE9086	A1	179
Male To Male		PE9007	B5	178
Male To Male	(P)	PE9427	A5	178
Male To Male	90°	PE9198	C5	178
Cross, Female-Female-Female-Female		PE9548	A5	179
Cross, Female-Female-Female-Male		PE9549	D4	179
T, Female-Male-Female		PE9102	A4	179
T, Female-Female-Female		PE9101	C4	179
T, Male-Female-Female		PE9481	B4	179
T, Male-Male-Male		PE9390	D3	179
N Male To:				
1.85mm Female	(P)	PE9720	A6	177
1.85mm Male	(P)	PE9718	C5	177
2.4mm Female	(P)	PE9503	B2	177
2.4mm Male	(P)	PE9504	D1	177
2.92mm Female	(P)	PE9663	D3	176
2.92mm Male	(P)	PE9661	B3	176
3.5mm Female	(P)	PE9321	D2	175
3.5mm Male	(P)	PE9322	B2	175
7/16 Female		PE9178	C4	180
7/16 Male		PE9535	B4	180
75 Ohm N Female		PE9349	C1	183
7mm	(P)	PE9217	A5	181
BNC Female		PE9002	B3	182
BNC Female	(P)	PE9491	A3	182
BNC Female	(PM)	PE9388	C3	182
BNC Female	90°	PE9278	D3	182
BNC Male		PE9127	C2	182
BNC Male	(P)	PE9489	B2	182
BNC Male	90°	PE9565	D2	182
C Female		PE9124	C6	182
C Female	90°	PE9239	D6	182
C Male		PE9538	B6	182
F Female		PE9155	A2	183
FME Plug		PE9704	D6	180
GR874		PE9257	C2	183
HN Female		PE9125	A4	181
HN Male		PE9554	D3	181
LC Female		PE9299	A3	181
MCX Jack		PE9464	C6	181
MCX Plug		PE9465	B6	181
Mini UHF Female		PE9064	B6	180
QMA Female		PE9787	C5	181
QN Female		PE9789	D5	181
Reverse Polarity N Female		PE9771	D5	179
Reverse Polarity SMA Female		PE9733	C4	170
Reverse Polarity TNC Female		PE9730	D3	180
SC Female		PE9196	B2	181
SC Male		PE9570	A2	181
SMA Female		PE9081	B1	170
SMA Female	(B)	PE9551	D1	170
SMA Female	(P)	PE9430	D6	169
SMA Female	(P) (PM)	PE9498	A1	170
SMA Female	(PM)	PE9275	A2	170
SMA Female	(QD)	PE9684	C1	170
SMA Male		PE9080	A5	169
SMA Male	(P)	PE9431	C4	169
SMA Male	(PM) (P)	PE9499	D4	169
SMB Jack		PE9313	C1	182
SMB Plug		PE9314	B1	182
SMC Jack		PE9317	B1	181
SMC Plug		PE9318	A1	181
SSMA Female		PE9352	A3	178
SSMA Male		PE9351	C2	178
TNC Female		PE9090	B1	180
TNC Female	(P)	PE9448	A1	180
TNC Female	90°	PE9550	C1	180
TNC Male		PE9130	D6	179
TNC Male	(P)	PE9446	C6	179
UHF Female		PE9111	C5	180
UHF Male		PE9113	B5	180
PAL In-Series:				
Jack To Jack		PE9681	B4	195
Plug To Plug		PE9680	A4	195
PAL Jack To:				
F Female		PE9634	C1	198
F Male		PE9632	A1	198
PAL Plug To:				
F Female		PE9635	B1	198
F Male		PE9633	D6	197
QMA Female To:				
N Male		PE9787	C5	181
QMA Male To:				
SMA Female		PE9786	B3	172
QN Female To:				
N Male		PE9789	D5	181
QN Male To:				
N Female		PE9788	A6	181
RCA Jack To:				
BNC Male		PE9171	A1	194
F Female		PE9168	A3	198
RCA Plug To:				
BNC Female		PE9158	B1	194
F Female		PE9163	D2	198
Reverse Polarity BNC Female To:				
BNC Male		PE9530	C1	193
Reverse Polarity BNC Male To:				
BNC Female		PE9529	D1	193
Reverse Polarity MCX Plug To:				
SMA Male		PE9581	C1	173
Reverse Polarity N Female To:				
N Male		PE9771	D5	179
Reverse Polarity N In-Series:				
Female To Female		PE9773	C5	179
Male To Male		PE9772	B5	179
Reverse Polarity N Male To:				
N Female		PE9770	A6	179
Reverse Polarity SMA Female To:				
N Male		PE9733	C4	170
Reverse Polarity TNC Female		PE9606	B4	171
Reverse Polarity TNC Male		PE9607	A4	171
SMA Male		PE9534	B5	168
TNC Female		PE9599	B3	171
TNC Male		PE9598	A3	171
Reverse Polarity SMA In-Series:				
Female To Female		PE9592	D4	168
Female To Female	(B)	PE9593	A5	168
Male To Female		PE9591	B4	168
Male To Female	90°	PE9594	C4	168
Male To Male		PE9590	A4	168
Reverse Polarity SMA Male To:				
N Female		PE9732	B4	170
Reverse Polarity TNC Female		PE9604	D3	171
Reverse Polarity TNC Male		PE9605	C3	171
SMA Female		PE9533	C5	168
TNC Female		PE9596	D2	171
TNC Male		PE9597	C2	171

Feature: (B) Bulkhead Mount / (H) Hermetically Sealed / (I) Isolated Sealed / (P) Precision / (PM) Panel Mount / (PO) Push On / (R) Radius Right Angle / (QD) Quick Disconnect

See Our Website For Current Stock Availability!

Adapter Locator

Connector Type	Feature	Model No.	C/R	Page
Reverse Polarity TNC Female To:				
N Male		PE9730	D3	180
Reverse Polarity SMA Female		PE9606	B4	171
Reverse Polarity SMA Male		PE9604	D3	171
SMA Female		PE9603	B2	171
SMA Male		PE9600	D1	171
TNC Male		PE9532	B1	184
Reverse Polarity TNC In-Series:				
Male To Female	90° (P)	PE9918	A1	184
Reverse Polarity TNC Male To:				
N Female		PE9731	A4	180
Reverse Polarity SMA Female		PE9607	A4	171
Reverse Polarity SMA Male		PE9605	C3	171
SMA Female		PE9602	A2	171
SMA Male		PE9601	C1	171
TNC Female		PE9531	C1	184
Reverse Thread SMA Female To:				
SMA Male		PE9682	D5	168
Reverse Thread SMA Male To:				
SMA Female		PE9683	A6	168
SC Female To:				
7mm	(P)	PE9328	C6	188
BNC Female		PE9571	B1	189
N Female		PE9292	D2	181
N Male		PE9196	B2	181
SC In-Series:				
Female To Female		PE9404	B5	188
Female To Female	(B)	PE9573	C5	188
Male To Female		PE9572	D4	188
Male To Female	90°	PE9405	A5	188
Male To Male		PE9403	C4	188
T, Female-Male-Female		PE9225	D5	188
SC Male To:				
7mm	(P)	PE9329	B6	188
BNC Female		PE9200	A1	189
BNC Male		PE9568	D6	188
N Female		PE9277	C2	181
N Male		PE9570	A2	181
SHV In-Series:				
Jack To Jack		PE9337	D6	194
Jack To Jack	(B) (H)	PE9336	A1	195
Plug To Jack		PE9749	B6	194
Plug To Jack	90°	PE9338	C6	194
T, Jack-Plug-Jack		PE9249	B1	195
SHV Jack To:				
MHV Female		PE9339	D5	194
MHV Male		PE9335	B5	194
SHV Plug To:				
MHV Female		PE9265	C5	194
MHV Male		PE9340	A5	194
SMA Female To:				
1.0/2.3 Slide On Jack		PE9693	A4	173
1.0/2.3 Slide On Plug		PE9691	D3	173
1.85mm Female	(P)	PE9729	B3	169
1.85mm Male	(P)	PE9726	A3	169
2.4mm Female	(P)	PE9656	B2	169
2.4mm Male	(P)	PE9655	A2	169
3.5mm Female	(P)	PE9725	B1	169
3.5mm Male	(P)	PE9724	A1	169
7/16 Male		PE9412	D4	171
7mm	(P)	PE9214	D2	172
7mm	(PM) (P)	PE9327	A3	172
BNC Female		PE9075	A6	173
BNC Female	(B)	PE9185	B6	173
BNC Female	(B)	PE9407	C6	173
BNC Female	(P)	PE9496	D5	173
BNC Male		PE9073	C5	173
BNC Male	(P)	PE9494	B5	173
D Subminiature Plug		PE9422	A2	174
D Subminiature Receptacle		PE9423	B2	174
F Female		PE91002	B1	174
F Male		PE91001	A1	174
FME Jack		PE9708	B6	171
FME Plug		PE9703	A6	171
GR874		PE9260	D2	174
HN Female		PE9255	B2	172
HN Male		PE9253	A2	172
MCX Jack		PE9470	B1	173
MCX Plug		PE9471	A1	173
MMCX Jack		PE9477	B6	172
MMCX Plug		PE9475	A6	172
N Female		PE9083	A3	170
N Female	(B)	PE9252	B3	170
N Female	(B)	PE9408	C3	170
N Female	(B) (P)	PE9486	C2	170
N Female	(B) (P)	PE9435	D3	170
N Female	(P)	PE9432	B2	170
N Female	(PM)	PE9104	A4	170
N Female	(PM) (P)	PE9434	D2	170
N Male		PE9081	B1	170
N Male	(B)	PE9551	D1	170
N Male	(P)	PE9430	D6	169
N Male	(P) (PM)	PE9498	A1	170
N Male	(PM)	PE9275	A2	170
N Male	(QD)	PE9684	C1	170
QMA Male		PE9786	B3	172
Reverse Polarity SMA Male		PE9533	C5	168
Reverse Polarity TNC Female		PE9603	B2	171
Reverse Polarity TNC Male		PE9602	A2	171
Reverse Thread SMA Male		PE9683	A6	168
SMB Jack		PE9143	C2	173
SMB Plug		PE9142	B2	173
SMC Jack		PE9147	B1	172
SMC Plug		PE9146	A1	172
SMP Female	(P)	PE9779	C4	172
SMP Male	(P)	PE9512	A4	172
SMP Male	(P)	PE9778	B4	172
SSMA Female		PE9399	B4	169
SSMA Male		PE9188	A4	169
SSMB Plug		PE9402	A3	173
TNC Female		PE9079	D6	170
TNC Female	(B)	PE9251	A1	171
TNC Female	(P)	PE9442	C6	170
TNC Female	(PM)	PE9276	B1	171
TNC Male		PE9077	B6	170
TNC Male	(P)	PE9440	A6	170
UHF Male		PE9415	B5	171
UMCX Jack		PE91006	B5	172
UMCX Plug		PE91005	A5	172
SMA In-Series:				
Female To Female		PE9070	C6	167
Female To Female	90°	PE9485	D2	168
Female To Female	90° (P)	PE9643	C2	168
Female To Female	(B)	PE9071	A1	168
Female To Female	(B)	PE9620	B1	168
Female To Female	(B) (H)	PE9184	C1	168
Female To Female	(B) (I)	PE9067	D1	168
Female To Female	(B) (P)	PE9508	A6	167
Female To Female		PE9380	D6	167
Female To Female	(P)	PE9507	C5	167
Female To Female	(P)	PE9695	D5	167
Female To Female	(P) (PM)	PE9670	B6	167
Female To Female	(PM)	PE9312	A2	168
Female To Female	(R)	PE9274	B2	168
Male To Female		PE9103	D3	167
Male To Female	90°	PE9068	A5	167
Male To Female	(B)	PE9621	B4	167
Male To Female	(P)	PE9506	D2	167
Male To Female	(P)	PE9694	A3	167
Male To Female	(P) (QD)	PE9774	B3	167
Male To Female	(PM) (P)	PE9671	C3	167
Male To Female	(QD)	PE9546	A4	167
Male To Female	(R)	PE9262	C4	167
Male To Female	45°	PE9381	B5	167
Male To Female	90° (P)	PE9641	D4	167
Male To Male		PE9069	D1	167
Male To Male	(P)	PE9505	B1	167
Male To Male	(P) (PM)	PE9669	C1	167
Male To Male	(R)	PE9273	A2	167
Male To Male	90°	PE9418	C2	167
Male To Male	90° (P)	PE9642	B2	167
Female-Female-Female		PE9246	D3	168
Female-Male-Female		PE9182	C3	168
Male-Female-Male		PE9247	B3	168
Male-Male-Male		PE9379	A3	168
SMA Male To:				
1.0/2.3 Slide On Jack		PE9690	C3	173
1.0/2.3 Slide On Plug		PE9692	B3	173
1.85mm Female	(P)	PE9728	D2	169
1.85mm Male	(P)	PE9727	C2	169
2.4mm Female	(P)	PE9654	D1	169
2.4mm Male	(P)	PE9653	C1	169
3.5mm Female	(P)	PE9723	D6	168
3.5mm Male	(P)	PE9722	C6	168
7/16 Female		PE9411	C4	171
7mm	(P)	PE9215	C2	172
BNC Female		PE9074	A5	173
BNC Female	(P)	PE9495	D4	173
BNC Male		PE9072	C4	173
BNC Male	(P)	PE9493	B4	173
D Subminiature Plug		PE9425	C1	174
D Subminiature Receptacle		PE9424	D1	174
F Female		PE91003	D6	173
FME Jack		PE9707	D5	171
FME Plug		PE9702	C5	171
GR874		PE9259	C2	174
HN Female		PE9256	D1	172
HN Male		PE9254	C1	172
MCX Jack		PE9472	D6	172
MCX Plug		PE9473	C6	172
MMCX Jack		PE9478	D5	172
MMCX Plug		PE9476	C5	172
N Female		PE9082	B6	169
N Female	(B) (P)	PE9488	D5	169
N Female	(B) (P)	PE9487	C5	169
N Female	(P)	PE9433	B5	169
N Female	(PM)	PE9105	C6	169
N Female	(PM) (P)	PE9497	A6	169
N Male		PE9080	A5	169
N Male	(P)	PE9431	C4	169
N Male	(PM) (P)	PE9499	D4	169
Reverse Polarity MCX Plug		PE9581	C1	173
Reverse Polarity SMA Female		PE9534	B5	168
Reverse Polarity TNC Female		PE9600	D1	171
Reverse Polarity TNC Male		PE9601	C1	171
Reverse Thread SMA Female		PE9682	D5	168
SMB Jack		PE9145	A2	173
SMB Plug		PE9144	D1	173
SMC Jack		PE9149	D6	171
SMC Plug		PE9148	C6	171
SMP Female	(P)	PE9513	D3	172
SMP Male	(P)	PE9511	C3	172
SSMA Female		PE9063	D3	169
SSMA Male		PE9187	C3	169
SSMB Jack		PE9401	D2	173
TNC Female		PE9078	C5	170
TNC Female	(P)	PE9441	B5	170
TNC Female	(PM)	PE9384	D5	170
TNC Male		PE9076	A5	170
TNC Male	(P)	PE9439	D4	170
UHF Female		PE9400	A5	171
UMCX Jack		PE91007	D4	172
SMB In-Series:				
Jack To Jack		PE9116	C5	191
Jack To Jack	(B)	PE9122	D5	191
Plug To Jack		PE9120	B5	191
Plug To Plug		PE9118	A5	191
T, Jack-Jack-Jack		PE9302	D6	191
T, Jack-Plug-Jack		PE9243	B6	191
T, Plug-Jack-Jack		PE9309	C6	191
T, Plug-Plug-Plug		PE9310	A6	191
SMB Jack To:				
BNC Female		PE9136	B2	192
BNC Female	(B)	PE9240	C2	192
BNC Male		PE9132	A2	192
N Female		PE9315	A2	182
N Male		PE9313	C1	182
SMA Female		PE9143	C2	173
SMA Male		PE9145	A2	173
SMC Jack		PE9283	B6	187
SMC Plug		PE9284	D5	187

Feature: (B) Bulkhead Mount / (H) Hermetically Sealed / (I) Isolated Sealed / (P) Precision / (PM) Panel Mount / (PO) Push On / (R) Radius Right Angle / (QD) Quick Disconnect

See Our Website For Current Stock Availability!

Adapter Locator

Connector Type	Feature	Model No.	C/R	Page
SMB Plug To:				
BNC Female		PE9137	C1	192
BNC Female	(B)	PE9241	D1	192
BNC Male		PE9135	B1	192
N Female		PE9316	D1	182
N Male		PE9314	B1	182
SMA Female		PE9142	B2	173
SMA Male		PE9144	D1	173
SMC Jack		PE9282	A6	187
SMC Plug		PE9281	C5	187
SMC In-Series:				
Jack To Jack		PE9115	A4	187
Jack To Jack	(B)	PE9121	B4	187
Plug To Jack		PE9119	C3	187
Plug To Jack	90°	PE9303	D3	187
Plug To Plug		PE9117	B3	187
T, Jack-Jack-Jack		PE9304	A5	187
T, Jack-Plug-Jack		PE9242	D4	187
T, Plug-Plug-Plug		PE9305	C4	187
SMC Jack To:				
BNC Female		PE9140	B1	188
BNC Female	(B)	PE9108	C1	188
BNC Male		PE9138	A1	188
N Female		PE9319	D1	181
N Male		PE9317	B1	181
SMA Female		PE9147	B1	172
SMA Male		PE9149	D6	171
SMB Jack		PE9283	B6	187
SMB Plug		PE9282	A6	187
TNC Male		PE9226	A5	184
SMC Plug To:				
BNC Female		PE9141	D6	187
BNC Male		PE9139	C6	187
N Female		PE9320	C1	181
N Male		PE9318	A1	181
SMA Female		PE9146	A1	172
SMA Male		PE9148	C6	171
SMB Jack		PE9284	D5	187
SMB Plug		PE9281	C5	187
SMP Female To:				
SMA Female	(P)	PE9779	C4	172
SMA Male	(P)	PE9513	D3	172
SMP In-Series:				
Female To Female		PE9686	C3	190
Female To Female (6.45mm Long)		PE9777	B4	190
Female To Female (12.6mm Long)		PE9776	A4	190
Female To Female (19.5mm Long)		PE9775	D3	190
Female To Female (22.4mm Long)		PE91004	B3	190
SMP Male To:				
SMA Female	(P)	PE9512	A4	172
SMA Female	(P)	PE9778	B4	172
SMA Male	(P)	PE9511	C3	172
SSMA Female To:				
1.85mm Female	(P)	PE9765	B5	177
1.85mm Male	(P)	PE9762	D4	177
2.92mm Female	(P)	PE9769	A3	176
2.92mm Male	(P)	PE9766	C2	176
7mm	(P)	PE9356	D3	178
BNC Male		PE9191	C4	178
N Female		PE9354	B3	178
N Male		PE9352	A3	178
SMA Female		PE9399	B4	169
SMA Male		PE9063	D3	169
SSMA In-Series:				
Female To Female		PE9192	D1	178
Female To Female	(B)	PE9189	A2	178
Male To Female	(QD)	PE9685	B1	178
Male To Female		PE9358	A1	178
Male To Female	90°	PE9334	C1	178
Male To Male		PE9357	D6	177
SSMA Male To:				
1.85mm Female	(P)	PE9764	A5	177
1.85mm Male	(P)	PE9763	C4	177
2.92mm Female	(P)	PE9768	D2	176
2.92mm Male	(P)	PE9767	B2	176
7mm	(P)	PE9355	C3	178

Connector Type	Feature	Model No.	C/R	Page
BNC Female		PE9250	B4	178
BNC Male		PE9213	A4	178
N Female		PE9353	D2	178
N Male		PE9351	C2	178
SMA Female		PE9188	A4	169
SMA Male		PE9187	C3	169
SSMB Jack To:				
BNC Female		PE9394	D3	192
BNC Male		PE9392	C3	192
SMA Male		PE9401	D2	173
SSMB Plug To:				
BNC Female		PE9395	B3	192
BNC Male		PE9393	A3	192
SMA Female		PE9402	A3	173
TNC Female To:				
7/16 Female		PE9639	D2	184
7/16 Male		PE9636	C2	184
7mm	(P)	PE9218	D5	184
BNC Female		PE9097	B2	185
BNC Female	(B) (H)	PE9483	C2	185
BNC Male		PE9098	A2	185
C Male		PE9564	A3	185
FME Jack		PE9714	D4	184
MCX Jack		PE9544	D6	184
MCX Jack	(B)	PE9521	A1	185
MCX Plug		PE9545	C6	184
Mini UHF Male		PE9346	D3	184
N Female		PE9131	A3	180
N Female	(B)	PE9482	B3	180
N Female	(P)	PE9449	C2	180
N Female	(PM)	PE9552	C3	180
N Female	(PM) (P)	PE9450	D2	180
N Male		PE9090	B1	180
N Male	(P)	PE9448	A1	180
N Male	90°	PE9550	C1	180
Reverse Polarity SMA Female		PE9599	B3	171
Reverse Polarity SMA Male		PE9596	D2	171
Reverse Polarity TNC Male		PE9531	C1	184
SMA Female	(P)	PE9442	C6	170
SMA Female		PE9079	D6	170
SMA Female	(B)	PE9251	A1	171
SMA Female	(PM)	PE9276	B1	171
SMA Male		PE9078	C5	170
SMA Male	(P)	PE9441	B5	170
SMA Male	(PM)	PE9384	D5	170
UHF Male		PE9372	B3	184
TNC In-Series:				
Female To Female		PE9099	B5	183
Female To Female	(B) (H)	PE9154	C5	183
Female To Female	(B) (I)	PE9287	D5	183
Female To Female	(P)	PE9444	A5	183
Female To Female	(PM)	PE9288	A6	183
Male To Female	(QD)	PE9561	B4	183
Male To Female		PE9270	D4	183
Male To Female	(P)	PE9443	A4	183
Male To Female	90°	PE9100	C4	183
Male To Male		PE9091	C3	183
Male To Male	(P)	PE9445	B3	183
Male To Male	90°	PE9560	D3	183
T, Female-Female-Female		PE9289	D6	183
T, Female-Male-Female		PE9195	B6	183
T, Male-Female-Female		PE9290	C6	183
TNC Male To:				
7/16 Female		PE9638	B2	184
7/16 Male		PE9637	A2	184
7mm	(P)	PE9219	C5	184
BNC Female		PE9088	C1	185
BNC Female	90°	PE9783	D1	185
BNC Male		PE9110	B1	185
C Female		PE9562	D2	185
FME Jack		PE9713	C4	184
FME Plug		PE9699	A4	184
FME Plug	90°	PE9700	B4	184
HN Male		PE9563	B5	184
MCX Jack		PE9542	B6	184
MCX Plug		PE9543	A6	184
Mini UHF Female		PE9345	C3	184

Connector Type	Feature	Model No.	C/R	Page
N Female		PE9089	A2	180
N Female	(P)	PE9447	D1	180
N Female	90°	PE9263	B2	180
N Male		PE9130	D6	179
N Male	(P)	PE9446	C6	179
Reverse Polarity SMA Female		PE9598	A3	171
Reverse Polarity SMA Male		PE9597	C2	171
Reverse Polarity TNC Female		PE9532	B1	184
SMA Female		PE9077	B6	170
SMA Female	(P)	PE9440	A6	170
SMA Male		PE9076	A5	170
SMA Male	(P)	PE9439	D4	170
SMC Jack		PE9226	A5	184
UHF Female		PE9291	A3	184
UHF Female To:				
BNC Female		PE9421	C3	186
BNC Male		PE9107	B3	186
F Female		PE9167	A4	186
Mini UHF Male		PE9344	B2	186
N Female		PE9385	A6	180
N Male		PE9111	C5	180
SMA Male		PE9400	A5	171
TNC Male		PE9291	A3	184
UHF In-Series:				
Female To Female		PE9094	A1	186
Female To Female	(B)	PE9114	B1	186
Male To Female	90°	PE9209	D6	185
Male To Male		PE9096	C6	185
T, Female-Male-Female		PE9095	C1	186
UHF Male To:				
BNC Female		PE9004	A3	186
BNC Male		PE9201	D2	186
F Female		PE9165	D3	186
FME Plug		PE9701	C2	186
Mini UHF Female		PE9348	A2	186
N Female		PE9112	D5	180
N Male		PE9113	B5	180
SMA Female		PE9415	B5	171
TNC Female		PE9372	B3	184
UMCX Jack To:				
SMA Female		PE91006	B5	172
SMA Male		PE91007	D4	172
UMCX Plug To:				
SMA Female		PE91005	A5	172

Please contact our Tech Support Department for all your special requirements at: (866) 727-8376, Ext. 3

Feature: (B) Bulkhead Mount / (H) Hermetically Sealed / (I) Isolated Sealed / (P) Precision / (PM) Panel Mount / (PO) Push On / (R) Radius Right Angle / (QD) Quick Disconnect

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	**SMA In-Series** →	 PRICE: 1-24 $51.85; 25-49 $48.22; 50-99 $44.59; 100 + $41.48 PRECISION **Model No: PE9505** SMA Male To SMA Male Max VSWR 1.15:1 @ 18 GHz 1.20:1 @ 26.5 GHz	 PRICE: 1-24 $106.35; 25-49 $98.91; 50-99 $91.46; 100 + $85.08 PRECISION **Model No: PE9669** SMA Male To SMA Male 4 Hole Panel Mount Mounting Hole A01 Max VSWR 1.25:1 @ 18 GHz	 PRICE: 1-24 $16.80; 25-49 $15.62; 50-99 $14.45; 100 + $13.44 **Model No: PE9069** SMA Male To SMA Male
2	 PRICE: 1-24 $53.90; 25-49 $50.13; 50-99 $46.35; 100 + $43.12 **Model No: PE9273** SMA Male To SMA Male Radius Right Angle	 PRICE: 1-24 $62.75; 25-49 $58.36; 50-99 $53.97; 100 + $50.20 PRECISION **Model No: PE9642** SMA Male To SMA Male Right Angle Max VSWR 1.35:1 @ 27 GHz	 PRICE: 1-24 $34.90; 25-49 $32.46; 50-99 $30.01; 100 + $27.92 **Model No: PE9418** SMA Male To SMA Male Right Angle	 PRICE: 1-24 $45.80; 25-49 $42.59; 50-99 $39.39; 100 + $36.64 PRECISION **Model No: PE9506** SMA Male To SMA Female Max VSWR 1.15:1 @ 18 GHz 1.20:1 @ 26.5 GHz
3	 PRICE: 1-24 $34.25; 25-49 $31.85; 50-99 $29.46; 100 + $27.40 PRECISION **Model No: PE9694** SMA Male To SMA Female Max VSWR 1.15:1 @ 18 GHz	 PRICE: 1-24 $92.85; 25-49 $86.35; 50-99 $79.85; 100 + $74.28 PRECISION **Model No: PE9774** SMA Male Quick-Disconnect To SMA Female Max VSWR 1.15:1 @ 18 GHz	 PRICE: 1-24 $68.50; 25-49 $63.71; 50-99 $58.91; 100 + $54.80 PRECISION **Model No: PE9671** SMA Male To SMA Female 4 Hole Panel Mount Mounting Hole A01 Max VSWR 1.25:1 @ 18 GHz	 PRICE: 1-24 $17.25; 25-49 $16.04; 50-99 $14.84; 100 + $13.80 **Model No: PE9103** SMA Male To SMA Female
4	 PRICE: 1-24 $108.65; 25-49 $101.04; 50-99 $93.44; 100 + $86.92 **Model No: PE9546** SMA Male Quick Disconnect To SMA Female	 PRICE: 1-24 $37.80; 25-49 $35.15; 50-99 $32.51; 100 + $30.24 **Model No: PE9621** SMA Male To SMA Female Bulkhead Mounting Hole B02	 PRICE: 1-24 $43.30; 25-49 $40.27; 50-99 $37.24; 100 + $34.64 **Model No: PE9262** SMA Male To SMA Female Radius Right Angle	 PRICE: 1-24 $51.50; 25-49 $47.90; 50-99 $44.29; 100 + $41.20 PRECISION **Model No: PE9641** SMA Male To SMA Female Right Angle Max VSWR 1.35:1 @ 27 GHz
5	 PRICE: 1-24 $21.20; 25-49 $19.72; 50-99 $18.23; 100 + $16.96 **Model No: PE9068** SMA Male To SMA Female Right Angle	 PRICE: 1-24 $82.30; 25-49 $76.54; 50-99 $70.78; 100 + $65.84 **Model No: PE9381** SMA Male To SMA Female 45 Degree Angle	 PRICE: 1-24 $44.50; 25-49 $41.39; 50-99 $38.27; 100 + $35.60 PRECISION **Model No: PE9507** SMA Female To SMA Female Max VSWR 1.15:1 @ 18 GHz 1.20:1 @ 26.5 GHz	 PRICE: 1-24 $34.25; 25-49 $31.85; 50-99 $29.46; 100 + $27.40 PRECISION **Model No: PE9695** SMA Female To SMA Female Max VSWR 1.15:1 @ 18 GHz
6	 PRICE: 1-24 $90.40; 25-49 $84.07; 50-99 $77.74; 100 + $72.32 PRECISION **Model No: PE9508** SMA Female To SMA Female Bulkhead, Mounting Hole B02 Max VSWR 1.15:1 @ 18 GHz 1.30:1 @ 26.5 GHz	PRICE: 1-24 $68.50; 25-49 $63.71; 50-99 $58.91; 100 + $54.80 PRECISION **Model No: PE9670** SMA Female To SMA Female 4 Hole Panel Mount Mounting Hole A01 Max VSWR 1.25:1 @ 18 GHz	 PRICE: 1-24 $17.40; 25-49 $16.18; 50-99 $14.96; 100 + $13.92 **Model No: PE9070** SMA Female To SMA Female	 PRICE: 1-24 $22.90; 25-49 $21.30; 50-99 $19.69; 100 + $18.32 **Model No: PE9380** SMA Female To SMA Female With Knurl

Adapters

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE: 1-24 $22.85; 25-49 $21.25; 50-99 $19.65; 100 + $18.28 **Model No: PE9071** SMA Female To SMA Female Bulkhead Mounting Hole B02	PRICE: 1-24 $25.05; 25-49 $23.30; 50-99 $21.54; 100 + $20.04 **Model No: PE9620** SMA Female To SMA Female Bulkhead With O-Ring Mounting Hole B02	PRICE: 1-24 $33.90; 25-49 $31.53; 50-99 $29.15; 100 + $27.12 **Model No: PE9184** SMA Female To SMA Female Bulkhead, Hermetically Sealed Mounting Hole B03	PRICE: 1-24 $27.70; 25-49 $25.76; 50-99 $23.82; 100 + $22.16 **Model No: PE9067** SMA Female To SMA Female Bulkhead, Isolated Ground Mounting Hole B03
2	 PRICE: 1-24 $45.70; 25-49 $42.50; 50-99 $39.30; 100 + $36.56 **Model No: PE9312** SMA Female To SMA Female Panel Mount Mounting Hole A01	 PRICE: 1-24 $68.50; 25-49 $63.71; 50-99 $58.91; 100 + $54.80 **Model No: PE9274** SMA Female To SMA Female Radius Right Angle	PRICE: 1-24 $68.50; 25-49 $63.71; 50-99 $58.91; 100 + $54.80 PRECISION **Model No: PE9643** SMA Female To SMA Female Right Angle Max VSWR 1.35:1 @ 27 GHz	PRICE: 1-24 $33.35; 25-49 $31.02; 50-99 $28.68; 100 + $26.68 **Model No: PE9485** SMA Female To SMA Female Right Angle
3	PRICE: 1-24 $49.80; 25-49 $46.31; 50-99 $42.83; 100 + $39.84 **Model No: PE9379** SMA "T" Male-Male-Male	 PRICE: 1-24 $57.05; 25-49 $53.06; 50-99 $49.06; 100 + $45.64 **Model No: PE9247** SMA "T" Male-Female-Male	 PRICE: 1-24 $37.15; 25-49 $34.55; 50-99 $31.95; 100 + $29.72 **Model No: PE9182** SMA "T" Female-Male-Female	 PRICE: 1-24 $48.15; 25-49 $44.78; 50-99 $41.41; 100 + $38.52 **Model No: PE9246** SMA "T" Female-Female-Female
4	 PRICE: 1-24 $34.80; 25-49 $32.36; 50-99 $29.93; 100 + $27.84 **Model No: PE9590** Reverse Polarity SMA Male To Reverse Polarity SMA Male	 PRICE: 1-24 $34.80; 25-49 $32.36; 50-99 $29.93; 100 + $27.84 **Model No: PE9591** Reverse Polarity SMA Male To Reverse Polarity SMA Female	 PRICE: 1-24 $25.55; 25-49 $23.76; 50-99 $21.97; 100 + $20.44 **Model No: PE9594** Reverse Polarity SMA Male To Reverse Polarity SMA Female Right Angle	 PRICE: 1-24 $20.60; 25-49 $19.16; 50-99 $17.72; 100 + $16.48 **Model No: PE9592** Reverse Polarity SMA Female To Reverse Polarity SMA Female
5	PRICE: 1-24 $34.25; 25-49 $31.85; 50-99 $29.46; 100 + $27.40 **Model No: PE9593** Reverse Polarity SMA Female To Reverse Polarity SMA Female Bulkhead Mounting Hole B02	 PRICE: 1-24 $32.45; 25-49 $30.18; 50-99 $27.91; 100 + $25.96 **Model No: PE9534** Standard SMA Male To Reverse Polarity SMA Female	 PRICE: 1-24 $23.05; 25-49 $21.44; 50-99 $19.82; 100 + $18.44 **Model No: PE9533** Standard SMA Female To Reverse Polarity SMA Male	 PRICE: 1-24 $34.80; 25-49 $32.36; 50-99 $29.93; 100 + $27.84 **Model No: PE9682** SMA Male To Reverse Thread SMA Female
6	 PRICE: 1-24 $25.50; 25-49 $23.72; 50-99 $21.93; 100 + $20.40 **Model No: PE9683** SMA Female To Reverse Thread SMA Male	***SMA Between-Series*** →	 PRICE: 1-24 $151.00; 25-49 $140.43; 50-99 $129.86; 100 + $120.80 PRECISION **Model No: PE9722** SMA Male To 3.5mm Male Max VSWR 1.25:1 @ 18 GHz	 PRICE: 1-24 $142.70; 25-49 $132.71; 50-99 $122.72; 100 + $114.16 PRECISION **Model No: PE9723** SMA Male To 3.5mm Female Max VSWR 1.25:1 @ 18 GHz

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $144.10 25-49 $134.01 50-99 $123.93 100 + $115.28 PRECISION **Model No: PE9724** SMA Female To 3.5mm Male Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $146.90 25-49 $136.62 50-99 $126.33 100 + $117.52 PRECISION **Model No: PE9725** SMA Female To 3.5mm Female Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $154.40 25-49 $143.59 50-99 $132.78 100 + $123.52 PRECISION **Model No: PE9653** SMA Male To 2.4mm Male Max VSWR 1.20:1 @ 26.5 GHz	 PRICE 1-24 $169.95 25-49 $158.05 50-99 $146.16 100 + $135.96 PRECISION **Model No: PE9654** SMA Male To 2.4mm Female Max VSWR 1.20:1 @ 26.5 GHz
2	 PRICE 1-24 $159.95 25-49 $148.75 50-99 $137.56 100 + $127.96 PRECISION **Model No: PE9655** SMA Female To 2.4mm Male Max VSWR 1.20:1 @ 26.5 GHz	 PRICE 1-24 $162.65 25-49 $151.26 50-99 $139.88 100 + $130.12 PRECISION **Model No: PE9656** SMA Female To 2.4mm Female Max VSWR 1.20:1 @ 26.5 GHz	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9727** SMA Male To 1.85mm Male Max VSWR 1.30:1 @ 18 GHz	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9728** SMA Male To 1.85mm Female Max VSWR 1.30:1 @ 18 GHz
3	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9726** SMA Female To 1.85mm Male Max VSWR 1.30:1 @ 18 GHz	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9729** SMA Female To 1.85mm Female Max VSWR 1.30:1 @ 18 GHz	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9187** SMA Male To SSMA Male	 PRICE 1-24 $40.55 25-49 $37.71 50-99 $34.87 100 + $32.44 **Model No: PE9063** SMA Male To SSMA Female
4	 PRICE 1-24 $37.65 25-49 $35.01 50-99 $32.38 100 + $30.12 **Model No: PE9188** SMA Female To SSMA Male	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9399** SMA Female To SSMA Female	 PRICE 1-24 $91.35 25-49 $84.96 50-99 $78.56 100 + $73.08 PRECISION **Model No: PE9431** SMA Male To N Male Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $104.50 25-49 $97.19 50-99 $89.87 100 + $83.60 PRECISION **Model No: PE9499** SMA Male To N Male Panel Mount, Mounting Hole A05 Max VSWR 1.15:1 @ 18 GHz
5	 PRICE 1-24 $40.10 25-49 $37.29 50-99 $34.49 100 + $32.08 **Model No: PE9080** SMA Male To N Male	 PRICE 1-24 $71.84 25-49 $66.81 50-99 $61.78 100 + $57.47 PRECISION **Model No: PE9433** SMA Male To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $102.75 25-49 $95.56 50-99 $88.37 100 + $82.20 PRECISION **Model No: PE9487** SMA Male To N Female Bulkhead Max VSWR 1.15:1 @ 18 GHz Mounting Hole G01	 PRICE 1-24 $104.45 25-49 $97.14 50-99 $89.83 100 + $83.56 PRECISION **Model No: PE9488** SMA Male Bulkhead To N Female Nut On SMA, Mounting Hole G01 Max VSWR 1.15:1 @ 18 GHz
6	 PRICE 1-24 $106.75 25-49 $99.28 50-99 $91.81 100 + $85.40 PRECISION **Model No: PE9497** SMA Male To N Female Panel Mount, Mounting Hole A05 Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $42.10 25-49 $39.15 50-99 $36.21 100 + $33.68 **Model No: PE9082** SMA Male To N Female	 PRICE 1-24 $68.00 25-49 $63.24 50-99 $58.48 100 + $54.40 **Model No: PE9105** SMA Male To N Female Panel Mount Mounting Hole A05	 PRICE 1-24 $69.95 25-49 $65.05 50-99 $60.16 100 + $55.96 PRECISION **Model No: PE9430** SMA Female To N Male Max VSWR 1.15:1 @ 18 GHz

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRECISION PRICE 1-24 $120.65 25-49 $112.20 50-99 $103.76 100 + $96.52 **Model No: PE9498** SMA Female To N Male Panel Mount, Mounting Hole A05 Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $40.35 25-49 $37.53 50-99 $34.70 100 + $32.28 **Model No: PE9081** SMA Female To N Male	 PRICE 1-24 $116.10 25-49 $107.97 50-99 $99.85 100 + $92.88 **Model No: PE9684** SMA Female To N Male Quick Disconnect	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9551** SMA Female Bulkhead To N Male Mounting Hole B09
2	 PRICE 1-24 $68.45 25-49 $63.66 50-99 $58.87 100 + $54.76 **Model No: PE9275** SMA Female To N Male Panel Mount Mounting Hole A05	 PRICE 1-24 $71.00 25-49 $66.03 50-99 $61.06 100 + $56.80 PRECISION **Model No: PE9432** SMA Female To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $114.15 25-49 $106.16 50-99 $98.17 100 + $91.32 PRECISION **Model No: PE9486** SMA Female To N Female Bulkhead, Mounting Hole G01 Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $114.15 25-49 $106.16 50-99 $98.17 100 + $91.32 PRECISION **Model No: PE9434** SMA Female To N Female Panel Mount, Mounting Hole A05 Max VSWR 1.15:1 @ 18 GHz
3	 PRICE 1-24 $39.80 25-49 $37.01 50-99 $34.23 100 + $31.84 **Model No: PE9083** SMA Female To N Female	 PRICE 1-24 $38.40 25-49 $35.71 50-99 $33.02 100 + $30.72 **Model No: PE9252** SMA Female To N Female Bulkhead Mounting Hole G01	 PRICE 1-24 $50.05 25-49 $46.55 50-99 $43.04 100 + $40.04 **Model No: PE9408** SMA Female Bulkhead To N Female, Nut On SMA Mounting Hole B09	 PRICE 1-24 $108.00 25-49 $100.44 50-99 $92.88 100 + $86.40 PRECISION **Model No: PE9435** SMA Female Bulkhead To N Female, Nut On SMA Max VSWR 1.15:1 @ 18 GHz Mounting Hole G01
4	 PRICE 1-24 $46.15 25-49 $42.92 50-99 $39.69 100 + $36.92 **Model No: PE9104** SMA Female To N Female Panel Mount Mounting Hole A05	 PRICE 1-24 $56.05 25-49 $52.13 50-99 $48.20 100 + $44.84 **Model No: PE9732** N Female To Reverse Polarity SMA Male	 PRICE 1-24 $56.05 25-49 $52.13 50-99 $48.20 100 + $44.84 **Model No: PE9733** N Male To Reverse Polarity SMA Female	 PRICE 1-24 $85.65 25-49 $79.65 50-99 $73.66 100 + $68.52 PRECISION **Model No: PE9439** SMA Male To TNC Male Max VSWR 1.25:1 @ 18 GHz
5	 PRICE 1-24 $33.05 25-49 $30.74 50-99 $28.42 100 + $26.44 **Model No: PE9076** SMA Male To TNC Male	 PRICE 1-24 $85.65 25-49 $79.65 50-99 $73.66 100 + $68.52 PRECISION **Model No: PE9441** SMA Male To TNC Female Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $34.20 25-49 $31.81 50-99 $29.41 100 + $27.36 **Model No: PE9078** SMA Male To TNC Female	 PRICE 1-24 $49.80 25-49 $46.31 50-99 $42.83 100 + $39.84 **Model No: PE9384** SMA Male To TNC Female Panel Mount Mounting Hole A09
6	 PRICE 1-24 $84.75 25-49 $78.82 50-99 $72.89 100 + $67.80 PRECISION **Model No: PE9440** SMA Female To TNC Male Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $34.65 25-49 $32.22 50-99 $29.80 100 + $27.72 **Model No: PE9077** SMA Female To TNC Male	 PRICE 1-24 $91.35 25-49 $84.96 50-99 $78.56 100 + $73.08 PRECISION **Model No: PE9442** SMA Female To TNC Female Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $34.55 25-49 $32.13 50-99 $29.71 100 + $27.64 **Model No: PE9079** SMA Female To TNC Female

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $38.00 25-49 $35.34 50-99 $32.68 100 + $30.40 **Model No: PE9251** SMA Female To TNC Female Bulkhead Mounting Hole B05	 PRICE 1-24 $39.15 25-49 $36.41 50-99 $33.67 100 + $31.32 **Model No: PE9276** SMA Female To TNC Female Panel Mount Mounting Hole A03	 PRICE 1-24 $45.15 25-49 $41.99 50-99 $38.83 100 + $36.12 **Model No: PE9601** SMA Male To Reverse Polarity TNC Male	 PRICE 1-24 $39.45 25-49 $36.69 50-99 $33.93 100 + $31.56 **Model No: PE9600** SMA Male To Reverse Polarity TNC Female
2	 PRICE 1-24 $40.10 25-49 $37.29 50-99 $34.49 100 + $32.08 **Model No: PE9602** SMA Female To Reverse Polarity TNC Male	 PRICE 1-24 $49.40 25-49 $45.94 50-99 $42.48 100 + $39.52 **Model No: PE9603** SMA Female To Reverse Polarity TNC Female	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9597** TNC Male To Reverse Polarity SMA Male	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9596** TNC Female To Reverse Polarity SMA Male
3	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9598** TNC Male To Reverse Polarity SMA Female	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9599** TNC Female To Reverse Polarity SMA Female	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9605** Reverse Polarity SMA Male To Reverse Polarity TNC Male	 PRICE 1-24 $54.55 25-49 $50.73 50-99 $46.91 100 + $43.64 **Model No: PE9604** Reverse Polarity SMA Male To Reverse Polarity TNC Female
4	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9607** Reverse Polarity SMA Female To Reverse Polarity TNC Male	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9606** Reverse Polarity SMA Female To Reverse Polarity TNC Female	 PRICE 1-24 $92.85 25-49 $86.35 50-99 $79.85 100 + $74.28 **Model No: PE9411** SMA Male To 7/16 Female	 PRICE 1-24 $92.85 25-49 $86.35 50-99 $79.85 100 + $74.28 **Model No: PE9412** SMA Female To 7/16 Male
5	 PRICE 1-24 $31.50 25-49 $29.30 50-99 $27.09 100 + $25.20 **Model No: PE9400** SMA Male To UHF Female	 PRICE 1-24 $38.20 25-49 $35.53 50-99 $32.85 100 + $30.56 **Model No: PE9415** SMA Female To UHF Male	 PRICE 1-24 $11.35 25-49 $10.56 50-99 $9.76 100 + $9.08 **Model No: PE9702** SMA Male To FME Plug	 PRICE 1-24 $12.55 25-49 $11.67 50-99 $10.79 100 + $10.04 **Model No: PE9707** SMA Male To FME Jack
6	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9703** SMA Female To FME Plug	 PRICE 1-24 $13.70 25-49 $12.74 50-99 $11.78 100 + $10.96 **Model No: PE9708** SMA Female To FME Jack	 PRICE 1-24 $38.80 25-49 $36.08 50-99 $33.37 100 + $31.04 **Model No: PE9148** SMA Male To SMC Plug	 PRICE 1-24 $38.20 25-49 $35.53 50-99 $32.85 100 + $30.56 **Model No: PE9149** SMA Male To SMC Jack

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $42.30 25-49 $39.34 50-99 $36.38 100 + $33.84 **Model No: PE9146** SMA Female To SMC Plug	 PRICE 1-24 $38.20 25-49 $35.53 50-99 $32.85 100 + $30.56 **Model No: PE9147** SMA Female To SMC Jack	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9254** SMA Male To HN Male	 PRICE 1-24 $75.40 25-49 $70.12 50-99 $64.84 100 + $60.32 **Model No: PE9256** SMA Male To HN Female
2	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9253** SMA Female To HN Male	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9255** SMA Female To HN Female	 PRICE 1-24 $180.85 25-49 $168.19 50-99 $155.53 100 + $144.68 **PRECISION** **Model No: PE9215** SMA Male To 7mm Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $159.95 25-49 $148.75 50-99 $137.56 100 + $127.96 **PRECISION** **Model No: PE9214** SMA Female To 7mm Max VSWR 1.15:1 @ 18 GHz
3	 PRICE 1-24 $399.85 25-49 $371.86 50-99 $343.87 100 + $319.88 **PRECISION** **Model No: PE9327** SMA Female To 7mm Panel Mount Max VSWR 1.15:1 @ 18 GHz Mounting Hole A05	 PRICE 1-24 $43.70 25-49 $40.64 50-99 $37.58 100 + $34.96 **Model No: PE9786** SMA Female To QMA Male	 PRICE 1-24 $91.35 25-49 $84.96 50-99 $78.56 100 + $73.08 **PRECISION** **Model No: PE9511** SMA Male To SMP Male Max VSWR 1.20:1 @ 18 GHz	 PRICE 1-24 $104.50 25-49 $97.19 50-99 $89.87 100 + $83.60 **PRECISION** **Model No: PE9513** SMA Male To SMP Female Max VSWR 1.20:1 @ 18 GHz
4	 PRICE 1-24 $104.65 25-49 $97.32 50-99 $90.00 100 + $83.72 **PRECISION** **Model No: PE9512** SMA Female To SMP Male Max VSWR 1.20:1 @ 18 GHz	 PRICE 1-24 $290.45 25-49 $270.12 50-99 $249.79 100 + $232.36 **PRECISION** **Model No: PE9778** SMA Female To SMP Male Max VSWR 1.45:1 @ 26.5 GHz	 PRICE 1-24 $156.85 25-49 $145.87 50-99 $134.89 100 + $125.48 **PRECISION** **Model No: PE9779** SMA Female To SMP Female Max VSWR 1.30:1 @ 18 GHz	 PRICE 1-24 $16.90 25-49 $15.72 50-99 $14.53 100 + $13.52 **NEW** **Model No: PE91007** SMA Male To UMCX Jack
5	 PRICE 1-24 $16.90 25-49 $15.72 50-99 $14.53 100 + $13.52 **NEW** **Model No: PE91005** SMA Female To UMCX Plug	 PRICE 1-24 $16.90 25-49 $15.72 50-99 $14.53 100 + $13.52 **NEW** **Model No: PE91006** SMA Female To UMCX Jack	 PRICE 1-24 $76.45 25-49 $71.10 50-99 $65.75 100 + $61.16 **Model No: PE9476** SMA Male To MMCX Plug	 PRICE 1-24 $60.85 25-49 $56.59 50-99 $52.33 100 + $48.68 **Model No: PE9478** SMA Male To MMCX Jack
6	 PRICE 1-24 $61.45 25-49 $57.15 50-99 $52.85 100 + $49.16 **Model No: PE9475** SMA Female To MMCX Plug	 PRICE 1-24 $61.90 25-49 $57.57 50-99 $53.23 100 + $49.52 **Model No: PE9477** SMA Female To MMCX Jack	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9473** SMA Male To MCX Plug	 PRICE 1-24 $70.90 25-49 $65.94 50-99 $60.97 100 + $56.72 **Model No: PE9472** SMA Male To MCX Jack

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $56.35 25-49 $52.41 50-99 $48.46 100 + $45.08 **Model No: PE9471** **SMA Female To MCX Plug**	 PRICE 1-24 $49.00 25-49 $45.57 50-99 $42.14 100 + $39.20 **Model No: PE9470** **SMA Female To MCX Jack**	 PRICE 1-24 $64.30 25-49 $59.80 50-99 $55.30 100 + $51.44 **Model No: PE9581** **SMA Male To Reverse Polarity MCX Plug**	 PRICE 1-24 $73.05 25-49 $67.94 50-99 $62.82 100 + $58.44 **Model No: PE9144** **SMA Male To SMB Plug**
2	 PRICE 1-24 $38.55 25-49 $35.85 50-99 $33.15 100 + $30.84 **Model No: PE9145** **SMA Male To SMB Jack**	 PRICE 1-24 $39.60 25-49 $36.83 50-99 $34.06 100 + $31.68 **Model No: PE9142** **SMA Female To SMB Plug**	 PRICE 1-24 $38.55 25-49 $35.85 50-99 $33.15 100 + $30.84 **Model No: PE9143** **SMA Female To SMB Jack**	 PRICE 1-24 $62.85 25-49 $58.45 50-99 $54.05 100 + $50.28 **Model No: PE9401** **SMA Male To SSMB Jack**
3	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9402** **SMA Female To SSMB Plug**	 PRICE 1-24 $63.85 25-49 $59.38 50-99 $54.91 100 + $51.08 **Model No: PE9692** **SMA Male To 1.0/2.3 Slide On Plug**	 PRICE 1-24 $65.15 25-49 $60.59 50-99 $56.03 100 + $52.12 **Model No: PE9690** **SMA Male To 1.0/2.3 Slide On Jack**	 PRICE 1-24 $62.75 25-49 $58.36 50-99 $53.97 100 + $50.20 **Model No: PE9691** **SMA Female To 1.0/2.3 Slide On Plug**
4	 PRICE 1-24 $63.85 25-49 $59.38 50-99 $54.91 100 + $51.08 **Model No: PE9693** **SMA Female To 1.0/2.3 Slide On Jack**	 PRICE 1-24 $57.05 25-49 $53.06 50-99 $49.06 100 + $45.64 **PRECISION** **Model No: PE9493** **SMA Male To BNC Male Max VSWR 1.25:1 @ 8 GHz**	 PRICE 1-24 $29.45 25-49 $27.39 50-99 $25.33 100 + $23.56 **Model No: PE9072** **SMA Male To BNC Male**	 PRICE 1-24 $102.75 25-49 $95.56 50-99 $88.37 100 + $82.20 **PRECISION** **Model No: PE9495** **SMA Male To BNC Female Max VSWR 1.25:1 @ 8 GHz**
5	 PRICE 1-24 $28.50 25-49 $26.51 50-99 $24.51 100 + $22.80 **Model No: PE9074** **SMA Male To BNC Female**	 PRICE 1-24 $52.00 25-49 $48.36 50-99 $44.72 100 + $41.60 **PRECISION** **Model No: PE9494** **SMA Female To BNC Male Max VSWR 1.25:1 @ 8 GHz**	 PRICE 1-24 $28.50 25-49 $26.51 50-99 $24.51 100 + $22.80 **Model No: PE9073** **SMA Female To BNC Male**	 PRICE 1-24 $57.05 25-49 $53.06 50-99 $49.06 100 + $45.64 **PRECISION** **Model No: PE9496** **SMA Female To BNC Female Max VSWR 1.25:1 @ 8 GHz**
6	 PRICE 1-24 $32.40 25-49 $30.13 50-99 $27.86 100 + $25.92 **Model No: PE9075** **SMA Female To BNC Female**	 PRICE 1-24 $39.60 25-49 $36.83 50-99 $34.06 100 + $31.68 **Model No: PE9185** **SMA Female To BNC Female Bulkhead Mounting Hole B06**	 PRICE 1-24 $47.25 25-49 $43.94 50-99 $40.64 100 + $37.80 **Model No: PE9407** **SMA Female Bulkhead To BNC Female, Nut On SMA Mounting Hole B04**	 PRICE 1-24 $53.00 25-49 $49.29 50-99 $45.58 100 + $42.40 **NEW** **Model No: PE91003** **50 Ohm SMA Male To F Female**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 NEW PRICE 1-24 $53.00 25-49 $49.29 50-99 $45.58 100 + $42.40 **Model No: PE91001** 50 Ohm SMA Female To F Male	NEW PRICE 1-24 $50.85 25-49 $47.29 50-99 $43.73 100 + $40.68 **Model No: PE91002** 50 Ohm SMA Female To F Female	 PRICE 1-24 $23.20 25-49 $21.58 50-99 $19.95 100 + $18.56 **Model No: PE9425** SMA Male To D Subminiature Plug	 PRICE 1-24 $23.20 25-49 $21.58 50-99 $19.95 100 + $18.56 **Model No: PE9424** SMA Male To D Subminiature Receptacle
2	 PRICE 1-24 $23.20 25-49 $21.58 50-99 $19.95 100 + $18.56 **Model No: PE9422** SMA Female To D Subminiature Plug	 PRICE 1-24 $23.20 25-49 $21.58 50-99 $19.95 100 + $18.56 **Model No: PE9423** SMA Female To D Subminiature Receptacle	 PRICE 1-24 $128.65 25-49 $119.64 50-99 $110.64 100 + $102.92 **Model No: PE9259** SMA Male To GR874	 PRICE 1-24 $128.65 25-49 $119.64 50-99 $110.64 100 + $102.92 **Model No: PE9260** SMA Female To GR874
3	***3.5mm In-Series*** →	 PRICE 1-24 $148.45 25-49 $138.06 50-99 $127.67 100 + $118.76 PRECISION **Model No: PE9330** 3.5mm Male To 3.5mm Male Max VSWR 1.15:1 @ 26.5 GHz	 PRICE 1-24 $220.75 25-49 $205.30 50-99 $189.85 100 + $176.60 PRECISION **Model No: PE9679** 3.5mm Male To 3.5mm Male Bulkhead, Mounting Hole B05 Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $148.45 25-49 $138.06 50-99 $127.67 100 + $118.76 PRECISION **Model No: PE9332** 3.5mm Male To 3.5mm Female Max VSWR 1.15:1 @ 26.5 GHz
4	 PRICE 1-24 $139.40 25-49 $129.64 50-99 $119.88 100 + $111.52 PRECISION **Model No: PE9677** 3.5mm Male To 3.5mm Female Bulkhead, Mounting Hole B09 Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $114.55 25-49 $106.53 50-99 $98.51 100 + $91.64 PRECISION **Model No: PE9331** 3.5mm Female To 3.5mm Female Max VSWR 1.15:1 @ 26.5 GHz	 PRICE 1-24 $127.75 25-49 $118.81 50-99 $109.87 100 + $102.20 PRECISION **Model No: PE9678** 3.5mm Female To 3.5mm Female Bulkhead, Mounting Hole B09 Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $174.25 25-49 $162.05 50-99 $149.86 100 + $139.40 PRECISION **Model No: PE9676** 3.5mm Female To 3.5mm Female 4 Hole Panel Mount Mounting Hole A01 Max VSWR 1.25:1 @ 34 GHz
5	***3.5mm Between-Series*** →	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9657** 3.5mm Male To 2.92mm Male Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $162.65 25-49 $151.26 50-99 $139.88 100 + $130.12 PRECISION **Model No: PE9658** 3.5mm Male To 2.92mm Female Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $159.95 25-49 $148.75 50-99 $137.56 100 + $127.96 PRECISION **Model No: PE9659** 3.5mm Female To 2.92mm Male Max VSWR 1.25:1 @ 34 GHz
6	 PRICE 1-24 $162.65 25-49 $151.26 50-99 $139.88 100 + $130.12 PRECISION **Model No: PE9660** 3.5mm Female To 2.92mm Female Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $159.95 25-49 $148.75 50-99 $137.56 100 + $127.96 PRECISION **Model No: PE9649** 3.5mm Male To 2.4mm Male Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $159.95 25-49 $148.75 50-99 $137.56 100 + $127.96 PRECISION **Model No: PE9651** 3.5mm Male To 2.4mm Female Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $163.35 25-49 $151.92 50-99 $140.48 100 + $130.68 PRECISION **Model No: PE9650** 3.5mm Female To 2.4mm Male Max VSWR 1.25:1 @ 34 GHz

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $143.65 25-49 $133.59 50-99 $123.54 100 + $114.92 PRECISION **Model No: PE9652** 3.5mm Female To 2.4mm Female Max VSWR 1.25:1 @ 34 GHz	 PRICE 1-24 $139.40 25-49 $129.64 50-99 $119.88 100 + $111.52 PRECISION **Model No: PE9746** 3.5mm Male To 1.85mm Male Max VSWR 1.25:1 @ 34.5 GHz	 PRICE 1-24 $139.40 25-49 $129.64 50-99 $119.88 100 + $111.52 PRECISION **Model No: PE9745** 3.5mm Male To 1.85mm Female Max VSWR 1.25:1 @ 34.5 GHz	 PRICE 1-24 $139.40 25-49 $129.64 50-99 $119.88 100 + $111.52 PRECISION **Model No: PE9747** 3.5mm Female To 1.85mm Male Max VSWR 1.25:1 @ 34.5 GHz
2	 PRICE 1-24 $139.40 25-49 $129.64 50-99 $119.88 100 + $111.52 PRECISION **Model No: PE9748** 3.5mm Female To 1.85mm Female Max VSWR 1.25:1 @ 34.5 GHz	 PRICE 1-24 $142.70 25-49 $132.71 50-99 $122.72 100 + $114.16 PRECISION **Model No: PE9322** 3.5mm Male To N Male Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $134.90 25-49 $125.46 50-99 $116.01 100 + $107.92 PRECISION **Model No: PE9324** 3.5mm Male To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $126.50 25-49 $117.65 50-99 $108.79 100 + $101.20 PRECISION **Model No: PE9321** 3.5mm Female To N Male Max VSWR 1.15:1 @ 18 GHz
3	 PRICE 1-24 $128.10 25-49 $119.13 50-99 $110.17 100 + $102.48 PRECISION **Model No: PE9323** 3.5mm Female To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $228.45 25-49 $212.46 50-99 $196.47 100 + $182.76 PRECISION **Model No: PE9326** 3.5mm Male To 7mm Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $333.05 25-49 $309.74 50-99 $286.42 100 + $266.44 PRECISION **Model No: PE9325** 3.5mm Female To 7mm Max VSWR 1.15:1 @ 18 GHz	***2.92mm In-Series*** →
4	 PRICE 1-24 $148.45 25-49 $138.06 50-99 $127.67 100 + $118.76 PRECISION **Model No: PE9436** 2.92mm Male To 2.92mm Male Max VSWR 1.10:1 @ 18 GHz 1.15:1 @ 26.5 GHz 1.25:1 @ 40 GHz	 PRICE 1-24 $228.45 25-49 $212.46 50-99 $196.47 100 + $182.76 PRECISION **Model No: PE9645** 2.92mm Male To 2.92mm Male Right Angle Max VSWR 1.40:1 @ 40 GHz	 PRICE 1-24 $148.45 25-49 $138.06 50-99 $127.67 100 + $118.76 PRECISION **Model No: PE9437** 2.92mm Male To 2.92mm Female Max VSWR 1.10:1 @ 18 GHz 1.15:1 @ 26.5 GHz 1.25:1 @ 40 GHz	 PRICE 1-24 $226.25 25-49 $210.41 50-99 $194.58 100 + $181.00 PRECISION **Model No: PE9644** 2.92mm Male To 2.92mm Female Right Angle Max VSWR 1.40:1 @ 40 GHz
5	 PRICE 1-24 $149.55 25-49 $139.08 50-99 $128.61 100 + $119.64 PRECISION **Model No: PE9438** 2.92mm Female To 2.92mm Female, Max VSWR 1.10:1 @ 18 GHz, 1.15:1 @ 26.5 GHz 1.25:1 @ 40 GHz	 PRICE 1-24 $162.05 25-49 $150.71 50-99 $139.36 100 + $129.64 PRECISION **Model No: PE9647** 2.92mm Female To 2.92mm Female Bulkhead Mounting Hole B02 Max VSWR 1.25:1 @ 40 GHz	 PRICE 1-24 $159.95 25-49 $148.75 50-99 $137.56 100 + $127.96 PRECISION **Model No: PE9648** 2.92mm Female To 2.92mm Female, 4 Hole Panel Mount Max VSWR 1.35:1 @ 40 GHz Mounting Hole A01	 PRICE 1-24 $232.35 25-49 $216.09 50-99 $199.82 100 + $185.88 PRECISION **Model No: PE9646** 2.92mm Female To 2.92mm Female, Right Angle Max VSWR 1.40:1 @ 40 GHz
6	***2.92mm Between-Series*** →	 PRICE 1-24 $403.50 25-49 $375.26 50-99 $347.01 100 + $322.80 PRECISION **Model No: PE9457** 2.92mm Male To 2.4mm Male Max VSWR 1.10:1 @ 18 GHz 1.20:1 @ 26.5 GHz 1.30:1 @ 40 GHz	 PRICE 1-24 $403.50 25-49 $375.26 50-99 $347.01 100 + $322.80 PRECISION **Model No: PE9455** 2.92mm Male To 2.4mm Female Max VSWR 1.10:1 @ 18 GHz 1.20:1 @ 26.5 GHz 1.30:1 @ 40 GHz	 PRICE 1-24 $399.65 25-49 $371.67 50-99 $343.70 100 + $319.72 PRECISION **Model No: PE9454** 2.92mm Female To 2.4mm Male Max VSWR 1.10:1 @ 18 GHz 1.20:1 @ 26.5 GHz 1.30:1 @ 40 GHz

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $407.55 25-49 $379.02 50-99 $350.49 100 + $326.04 PRECISION **Model No: PE9456** 2.92mm Female To 2.4mm Female, Max VSWR 1.10:1 @ 18 GHz, 1.20:1 @ 26.5 GHz 1.30:1 @ 40 GHz	 PRICE 1-24 $395.00 25-49 $367.35 50-99 $339.70 100 + $316.00 PRECISION **Model No: PE9667** 2.92mm Male To 1.85mm Male Max VSWR 1.25:1 @ 40 GHz	 PRICE 1-24 $395.00 25-49 $367.35 50-99 $339.70 100 + $316.00 PRECISION **Model No: PE9666** 2.92mm Male To 1.85mm Female Max VSWR 1.25:1 @ 40 GHz	 PRICE 1-24 $436.80 25-49 $406.22 50-99 $375.65 100 + $349.44 PRECISION **Model No: PE9665** 2.92mm Female To 1.85mm Male Max VSWR 1.30:1 @ 40 GHz
2	 PRICE 1-24 $388.45 25-49 $361.26 50-99 $334.07 100 + $310.76 PRECISION **Model No: PE9668** 2.92mm Female To 1.85mm Female Max VSWR 1.25:1 @ 40 GHz	 PRICE 1-24 $226.50 25-49 $210.65 50-99 $194.79 100 + $181.20 PRECISION **Model No: PE9767** 2.92mm Male To SSMA Male Max VSWR 1.30:1 @ 40 GHz	 PRICE 1-24 $162.65 25-49 $151.26 50-99 $139.88 100 + $130.12 PRECISION **Model No: PE9766** 2.92mm Male To SSMA Female Max VSWR 1.30:1 @ 40 GHz	 PRICE 1-24 $162.65 25-49 $151.26 50-99 $139.88 100 + $130.12 PRECISION **Model No: PE9768** 2.92mm Female To SSMA Male Max VSWR 1.30:1 @ 40 GHz
3	 PRICE 1-24 $226.50 25-49 $210.65 50-99 $194.79 100 + $181.20 PRECISION **Model No: PE9769** 2.92mm Female To SSMA Female Max VSWR 1.30:1 @ 40 GHz	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9661** 2.92mm Male To N Male Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $243.95 25-49 $226.87 50-99 $209.80 100 + $195.16 PRECISION **Model No: PE9662** 2.92mm Male To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $159.95 25-49 $148.75 50-99 $137.56 100 + $127.96 PRECISION **Model No: PE9663** 2.92mm Female To N Male Max VSWR 1.15:1 @ 18 GHz
4	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9664** 2.92mm Female To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $348.60 25-49 $324.20 50-99 $299.80 100 + $278.88 PRECISION **Model No: PE9460** 2.92mm Male To 7mm Max VSWR 1.10:1 @ 18 GHz	 PRICE 1-24 $348.60 25-49 $324.20 50-99 $299.80 100 + $278.88 PRECISION **Model No: PE9461** 2.92mm Female To 7mm Max VSWR 1.10:1 @ 18 GHz	 PRICE 1-24 $522.85 25-49 $486.25 50-99 $449.65 100 + $418.28 PRECISION **Model No: PE9781** 2.92mm Female To Mini SMP Male Max VSWR 1.30:1 @ 40 GHz
5	 PRICE 1-24 $522.85 25-49 $486.25 50-99 $449.65 100 + $418.28 PRECISION **Model No: PE9782** 2.92mm Female To Mini SMP Female Max VSWR 1.30:1 @ 40 GHz	***2.4mm In-Series*** →	 PRICE 1-24 $403.50 25-49 $375.26 50-99 $347.01 100 + $322.80 PRECISION **Model No: PE9451** 2.4mm Male To 2.4mm Male Max VSWR 1.10:1 @ 18 GHz 1.20:1 @ 26.5 GHz 1.30:1 @ 50 GHz	 PRICE 1-24 $403.50 25-49 $375.26 50-99 $347.01 100 + $322.80 PRECISION **Model No: PE9452** 2.4mm Male To 2.4mm Female Max VSWR 1.10:1 @ 18 GHz 1.20:1 @ 26.5 GHz 1.30:1 @ 50 GHz
6	 PRICE 1-24 $423.30 25-49 $393.67 50-99 $364.04 100 + $338.64 PRECISION **Model No: PE9453** 2.4mm Female To 2.4mm Female Max VSWR 1.10:1 @ 18 GHz 1.20:1 @ 26.5 GHz 1.30:1 @ 50 GHz	 PRICE 1-24 $302.35 25-49 $281.19 50-99 $260.02 100 + $241.88 PRECISION **Model No: PE9640** 2.4mm Female To 2.4mm Female Bulkhead, Mounting Hole B09 Max VSWR 1.40:1 @ 50 GHz	***2.4mm Between-Series*** →	 PRICE 1-24 $441.50 25-49 $410.60 50-99 $379.69 100 + $353.20 PRECISION **Model No: PE9672** 2.4mm Male To 1.85mm Male Max VSWR 1.30:1 @ 50 GHz

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $429.90 25-49 $399.81 50-99 $369.71 100 + $343.92 PRECISION **Model No: PE9674** 2.4mm Male To 1.85mm Female Max VSWR 1.30:1 @ 50 GHz	 PRICE 1-24 $429.90 25-49 $399.81 50-99 $369.71 100 + $343.92 PRECISION **Model No: PE9673** 2.4mm Female To 1.85mm Male Max VSWR 1.30:1 @ 50 GHz	 PRICE 1-24 $429.90 25-49 $399.81 50-99 $369.71 100 + $343.92 PRECISION **Model No: PE9675** 2.4mm Female To 1.85mm Female Max VSWR 1.30:1 @ 50 GHz	 PRICE 1-24 $139.40 25-49 $129.64 50-99 $119.88 100 + $111.52 PRECISION **Model No: PE9504** 2.4mm Male To N Male Max VSWR 1.15:1 @ 18 GHz
2	 PRICE 1-24 $178.00 25-49 $165.54 50-99 $153.08 100 + $142.40 PRECISION **Model No: PE9501** 2.4mm Male To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $171.35 25-49 $159.36 50-99 $147.36 100 + $137.08 PRECISION **Model No: PE9503** 2.4mm Female To N Male Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $171.35 25-49 $159.36 50-99 $147.36 100 + $137.08 PRECISION **Model No: PE9502** 2.4mm Female To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $551.30 25-49 $512.71 50-99 $474.12 100 + $441.04 PRECISION **Model No: PE9458** 2.4mm Male To 7mm Max VSWR 1.10:1 @ 18 GHz
3	 PRICE 1-24 $580.95 25-49 $540.28 50-99 $499.62 100 + $464.76 PRECISION **Model No: PE9459** 2.4mm Female To 7mm Max VSWR 1.10:1 @ 18 GHz	***1.85mm In-Series*** →	 PRICE 1-24 $453.10 25-49 $421.38 50-99 $389.67 100 + $362.48 PRECISION **Model No: PE9716** 1.85mm Male To 1.85mm Male Max VSWR 1.50:1 @ 65 GHz	 PRICE 1-24 $453.10 25-49 $421.38 50-99 $389.67 100 + $362.48 PRECISION **Model No: PE9715** 1.85mm Male To 1.85mm Female Max VSWR 1.50:1 @ 65 GHz
4	 PRICE 1-24 $462.85 25-49 $430.45 50-99 $398.05 100 + $370.28 PRECISION **Model No: PE9717** 1.85mm Female To 1.85mm Female Max VSWR 1.50:1 @ 65 GHz	***1.85mm Between-Series*** →	 PRICE 1-24 $226.50 25-49 $210.65 50-99 $194.79 100 + $181.20 PRECISION **Model No: PE9763** 1.85mm Male To SSMA Male Max VSWR 1.30:1 @ 40 GHz	 PRICE 1-24 $226.50 25-49 $210.65 50-99 $194.79 100 + $181.20 PRECISION **Model No: PE9762** 1.85mm Male To SSMA Female Max VSWR 1.30:1 @ 40 GHz
5	 PRICE 1-24 $226.50 25-49 $210.65 50-99 $194.79 100 + $181.20 PRECISION **Model No: PE9764** 1.85mm Female To SSMA Male Max VSWR 1.30:1 @ 40 GHz	 PRICE 1-24 $226.50 25-49 $210.65 50-99 $194.79 100 + $181.20 PRECISION **Model No: PE9765** 1.85mm Female To SSMA Female Max VSWR 1.30:1 @ 40 GHz	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9718** 1.85mm Male To N Male Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9719** 1.85mm Male To N Female Max VSWR 1.25:1 @ 18 GHz
6	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9720** 1.85mm Female To N Male Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $151.00 25-49 $140.43 50-99 $129.86 100 + $120.80 PRECISION **Model No: PE9721** 1.85mm Female To N Female Max VSWR 1.25:1 @ 18 GHz	***SSMA In-Series*** →	 PRICE 1-24 $82.40 25-49 $76.63 50-99 $70.86 100 + $65.92 **Model No: PE9357** SSMA Male To SSMA Male

Adapters

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9358** **SSMA Male To SSMA Female**	 PRICE 1-24 $115.25 25-49 $107.18 50-99 $99.12 100 + $92.20 **Model No: PE9685** **SSMA Male Quick Disconnect To SSMA Female**	 PRICE 1-24 $57.05 25-49 $53.06 50-99 $49.06 100 + $45.64 **Model No: PE9334** **SSMA Male To SSMA Female Right Angle**	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9192** **SSMA Female To SSMA Female**
2	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9189** **SSMA Female To SSMA Female Bulkhead Mounting Hole B01**	***SSMA Between-Series*** →	 PRICE 1-24 $57.00 25-49 $53.01 50-99 $49.02 100 + $45.60 **Model No: PE9351** **SSMA Male To N Male**	 PRICE 1-24 $66.55 25-49 $61.89 50-99 $57.23 100 + $53.24 **Model No: PE9353** **SSMA Male To N Female**
3	 PRICE 1-24 $57.00 25-49 $53.01 50-99 $49.02 100 + $45.60 **Model No: PE9352** **SSMA Female To N Male**	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9354** **SSMA Female To N Female**	 PRICE 1-24 $244.00 25-49 $226.92 50-99 $209.84 100 + $195.20 **PRECISION** **Model No: PE9355** **SSMA Male To 7mm Max VSWR 1.15:1 @ 18 GHz**	 PRICE 1-24 $244.00 25-49 $226.92 50-99 $209.84 100 + $195.20 **PRECISION** **Model No: PE9356** **SSMA Female To 7mm Max VSWR 1.15:1 @ 18 GHz**
4	 PRICE 1-24 $83.75 25-49 $77.89 50-99 $72.03 100 + $67.00 **Model No: PE9213** **SSMA Male To BNC Male**	 PRICE 1-24 $92.85 25-49 $86.35 50-99 $79.85 100 + $74.28 **Model No: PE9250** **SSMA Male To BNC Female**	 PRICE 1-24 $55.50 25-49 $51.62 50-99 $47.73 100 + $44.40 **Model No: PE9191** **SSMA Female To BNC Male**	***N In-Series*** →
5	 PRICE 1-24 $69.95 25-49 $65.05 50-99 $60.16 100 + $55.96 **PRECISION** **Model No: PE9427** **N Male To N Male Max VSWR 1.15:1 @ 18 GHz**	 PRICE 1-24 $11.15 25-49 $10.37 50-99 $9.59 100 + $8.92 **Model No: PE9007** **N Male To N Male**	 PRICE 1-24 $25.85 25-49 $24.04 50-99 $22.23 100 + $20.68 **Model No: PE9198** **N Male To N Male Right Angle**	 PRICE 1-24 $95.15 25-49 $88.49 50-99 $81.83 100 + $76.12 **PRECISION** **Model No: PE9426** **N Male To N Female Max VSWR 1.15:1 @ 18 GHz**
6	 PRICE 1-24 $19.70 25-49 $18.32 50-99 $16.94 100 + $15.76 **Model No: PE9311** **N Male To N Female**	 PRICE 1-24 $125.65 25-49 $116.85 50-99 $108.06 100 + $100.52 **Model No: PE9547** **N Male Quick Disconnect To N Female**	 PRICE 1-24 $32.65 25-49 $30.36 50-99 $28.08 100 + $26.12 **Model No: PE9595** **N Male To N Female Bulkhead Mounting Hole G01**	 PRICE 1-24 $174.85 25-49 $162.61 50-99 $150.37 100 + $139.88 **PRECISION** **Model No: PE9515** **N Male To N Female Radius Right Angle Max VSWR 1.20:1 @ 11 GHz 1.30:1 @ 18 GHz**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $16.70 25-49 $15.53 50-99 $14.36 100 + $13.36 **Model No: PE9086** N Male To N Female Right Angle	 PRICE 1-24 $77.20 25-49 $71.80 50-99 $66.39 100 + $61.76 PRECISION **Model No: PE9428** N Female To N Female Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $141.35 25-49 $131.46 50-99 $121.56 100 + $113.08 PRECISION **Model No: PE9500** N Female To N Female Bulkhead Max VSWR 1.15:1 @ 18 GHz Mounting Hole G01	 PRICE 1-24 $91.35 25-49 $84.96 50-99 $78.56 100 + $73.08 PRECISION **Model No: PE9429** N Female To N Female Panel Mount Max VSWR 1.15:1 @ 18 GHz Mounting Hole A05
2	 PRICE 1-24 $11.15 25-49 $10.37 50-99 $9.59 100 + $8.92 **Model No: PE9006** N Female To N Female	 PRICE 1-24 $17.60 25-49 $16.37 50-99 $15.14 100 + $14.08 **Model No: PE9128** N Female To N Female Bulkhead Hermetically Sealed Mounting Hole G01	 PRICE 1-24 $56.05 25-49 $52.13 50-99 $48.20 100 + $44.84 **Model No: PE9383** N Female To N Female Bulkhead Hermetically Sealed For A 1" Max Panel Mounting Hole G01	 PRICE 1-24 $30.95 25-49 $28.78 50-99 $26.62 100 + $24.76 **Model No: PE9382** N Female To N Female Bulkhead Isolated Ground Mounting Hole G01
3	 PRICE 1-24 $21.85 25-49 $20.32 50-99 $18.79 100 + $17.48 **Model No: PE9173** N Female To N Female Panel Mount Mounting Hole A05	 PRICE 1-24 $34.25 25-49 $31.85 50-99 $29.46 100 + $27.40 **Model No: PE9359** N Female To N Female Right Angle	 PRICE 1-24 $57.05 25-49 $53.06 50-99 $49.06 100 + $45.64 **Model No: PE9541** N Female To N Female Bulkhead Right Angle Mounting Hole G01	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9390** N "T" Male-Male-Male
4	 PRICE 1-24 $21.25 25-49 $19.76 50-99 $18.28 100 + $17.00 **Model No: PE9102** N "T" Female-Male-Female	 PRICE 1-24 $57.05 25-49 $53.06 50-99 $49.06 100 + $45.64 **Model No: PE9481** N "T" Male-Female-Female	 PRICE 1-24 $20.65 25-49 $19.20 50-99 $17.76 100 + $16.52 **Model No: PE9101** N "T" Female-Female-Female	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9549** N Cross Female-Female-Female-Male
5	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9548** N Cross Female-Female-Female-Female	 PRICE 1-24 $26.70 25-49 $24.83 50-99 $22.96 100 + $21.36 **Model No: PE9772** Reverse Polarity N Male To Reverse Polarity N Male	 PRICE 1-24 $23.20 25-49 $21.58 50-99 $19.95 100 + $18.56 **Model No: PE9773** Reverse Polarity N Female To Reverse Polarity N Female	 PRICE 1-24 $23.20 25-49 $21.58 50-99 $19.95 100 + $18.56 **Model No: PE9771** N Male To Reverse Polarity N Female
6	 PRICE 1-24 $22.85 25-49 $21.25 50-99 $19.65 100 + $18.28 **Model No: PE9770** N Female To Reverse Polarity N Male	***N Between-Series*** →	 PRICE 1-24 $102.75 25-49 $95.56 50-99 $88.37 100 + $82.20 PRECISION **Model No: PE9446** N Male To TNC Male Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $30.65 25-49 $28.50 50-99 $26.36 100 + $24.52 **Model No: PE9130** N Male To TNC Male

Adapters

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRECISION **Model No: PE9448** N Male To TNC Female Max VSWR 1.15:1 @ 18 GHz	 **Model No: PE9090** N Male To TNC Female	 **Model No: PE9550** N Male To TNC Female Right Angle	 PRECISION **Model No: PE9447** N Female To TNC Male Max VSWR 1.15:1 @ 18 GHz
2	 **Model No: PE9089** N Female To TNC Male	 **Model No: PE9263** N Female To TNC Male Right Angle	 PRECISION **Model No: PE9449** N Female To TNC Female Max VSWR 1.15:1 @ 18 GHz	 PRECISION **Model No: PE9450** N Female To TNC Female Panel Mount Max VSWR 1.15:1 @ 18 GHz Mounting Hole A05
3	 **Model No: PE9131** N Female To TNC Female	 **Model No: PE9482** N Female To TNC Female Bulkhead Mounting Hole G01	 **Model No: PE9552** N Female To TNC Female Panel Mount Mounting Hole A05	 **Model No: PE9730** N Male To Reverse Polarity TNC Female
4	 **Model No: PE9731** N Female To Reverse Polarity TNC Male	 **Model No: PE9535** N Male To 7/16 Male	 **Model No: PE9178** N Male To 7/16 Female	 **Model No: PE9179** N Female To 7/16 Male
5	 **Model No: PE9180** N Female To 7/16 Female	 **Model No: PE9113** N Male To UHF Male	 **Model No: PE9111** N Male To UHF Female	 **Model No: PE9112** N Female To UHF Male
6	 **Model No: PE9385** N Female To UHF Female	 **Model No: PE9064** N Male To Mini UHF Female	 **Model No: PE9183** N Female To Mini UHF Male	 **Model No: PE9704** N Male To FME Plug

	PRICE	PRICE	PRICE	PRICE
1-24	$102.75	$19.90	$57.05	$102.75
25-49	$95.56	$18.51	$53.06	$95.56
50-99	$88.37	$17.11	$49.06	$88.37
100 +	$82.20	$15.92	$45.64	$82.20

	PRICE	PRICE	PRICE	PRICE
1-24	$18.90	$46.80	$108.60	$102.75
25-49	$17.58	$43.52	$101.00	$95.56
50-99	$16.25	$40.25	$93.40	$88.37
100 +	$15.12	$37.44	$86.88	$82.20

	PRICE	PRICE	PRICE	PRICE
1-24	$31.50	$33.35	$58.10	$34.05
25-49	$29.30	$31.02	$54.03	$31.67
50-99	$27.09	$28.68	$49.97	$29.28
100 +	$25.20	$26.68	$46.48	$27.24

	PRICE	PRICE	PRICE	PRICE
1-24	$31.30	$138.45	$81.90	$103.15
25-49	$29.11	$128.76	$76.17	$95.93
50-99	$26.92	$119.07	$70.43	$88.71
100 +	$25.04	$110.76	$65.52	$82.52

	PRICE	PRICE	PRICE	PRICE
1-24	$97.05	$22.65	$20.65	$17.75
25-49	$90.26	$21.06	$19.20	$16.51
50-99	$83.46	$19.48	$17.76	$15.27
100 +	$77.64	$18.12	$16.52	$14.20

	PRICE	PRICE	PRICE	PRICE
1-24	$16.65	$13.05	$15.45	$11.55
25-49	$15.48	$12.14	$14.37	$10.74
50-99	$14.32	$11.22	$13.29	$9.93
100 +	$13.32	$10.44	$12.36	$9.24

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $62.30 25-49 $57.94 50-99 $53.58 100 + $49.84 **Model No: PE9318** **N Male To SMC Plug**	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9317** **N Male To SMC Jack**	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9320** **N Female To SMC Plug**	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9319** **N Female To SMC Jack**
2	 PRICE 1-24 $82.60 25-49 $76.82 50-99 $71.04 100 + $66.08 **Model No: PE9570** **N Male To SC Male**	 PRICE 1-24 $79.90 25-49 $74.31 50-99 $68.71 100 + $63.92 **Model No: PE9196** **N Male To SC Female**	 PRICE 1-24 $83.45 25-49 $77.61 50-99 $71.77 100 + $66.76 **Model No: PE9277** **N Female To SC Male**	 PRICE 1-24 $79.90 25-49 $74.31 50-99 $68.71 100 + $63.92 **Model No: PE9292** **N Female To SC Female**
3	 PRICE 1-24 $217.05 25-49 $201.86 50-99 $186.66 100 + $173.64 **Model No: PE9299** **N Male To LC Female**	 PRICE 1-24 $175.35 25-49 $163.08 50-99 $150.80 100 + $140.28 **Model No: PE9237** **N Female To LC Male**	 PRICE 1-24 $174.25 25-49 $162.05 50-99 $149.86 100 + $139.40 **Model No: PE9298** **N Female To LC Female**	 PRICE 1-24 $57.05 25-49 $53.06 50-99 $49.06 100 + $45.64 **Model No: PE9554** **N Male To HN Male**
4	 PRICE 1-24 $37.15 25-49 $34.55 50-99 $31.95 100 + $29.72 **Model No: PE9125** **N Male To HN Female**	 PRICE 1-24 $30.20 25-49 $28.09 50-99 $25.97 100 + $24.16 **Model No: PE9194** **N Female To HN Male**	 PRICE 1-24 $54.80 25-49 $50.96 50-99 $47.13 100 + $43.84 **Model No: PE9360** **N Female To HN Female**	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9553** **N Female To HN Female** **Panel Mount** **Mounting Hole A08**
5	 PRICE 1-24 $171.35 25-49 $159.36 50-99 $147.36 100 + $137.08 **PRECISION** **Model No: PE9217** **N Male To 7mm** **Max VSWR 1.15:1 @ 18 GHz**	 PRICE 1-24 $187.55 25-49 $174.42 50-99 $161.29 100 + $150.04 **PRECISION** **Model No: PE9216** **N Female To 7mm** **Max VSWR 1.15:1 @ 18 GHz**	 PRICE 1-24 $100.00 25-49 $93.00 50-99 $86.00 100 + $80.00 **Model No: PE9787** **N Male To QMA Female**	 PRICE 1-24 $100.00 25-49 $93.00 50-99 $86.00 100 + $80.00 **Model No: PE9789** **N Male To QN Female**
6	 PRICE 1-24 $95.45 25-49 $88.77 50-99 $82.09 100 + $76.36 **Model No: PE9788** **N Female To QN Male**	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9465** **N Male To MCX Plug**	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9464** **N Male To MCX Jack**	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9463** **N Female To MCX Plug**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9462** N Female To MCX Jack	 PRICE 1-24 $47.45 25-49 $44.13 50-99 $40.81 100 + $37.96 **Model No: PE9314** N Male To SMB Plug	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9313** N Male To SMB Jack	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9316** N Female To SMB Plug
2	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9315** N Female To SMB Jack	 PRICE 1-24 $104.95 25-49 $97.60 50-99 $90.26 100 + $83.96 **PRECISION** **Model No: PE9489** N Male To BNC Male VSWR 1.20:1 @ 8 GHz	 PRICE 1-24 $31.35 25-49 $29.16 50-99 $26.96 100 + $25.08 **Model No: PE9127** N Male To BNC Male	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9565** N Male To BNC Male Right Angle
3	 PRICE 1-24 $102.75 25-49 $95.56 50-99 $88.37 100 + $82.20 **PRECISION** **Model No: PE9491** N Male To BNC Female Max VSWR 1.20:1 @ 8 GHz	 PRICE 1-24 $13.55 25-49 $12.60 50-99 $11.65 100 + $10.84 **Model No: PE9002** N Male To BNC Female	 PRICE 1-24 $40.60 25-49 $37.76 50-99 $34.92 100 + $32.48 **Model No: PE9388** N Male To BNC Female Panel Mount Mounting Hole A05	 PRICE 1-24 $44.15 25-49 $41.06 50-99 $37.97 100 + $35.32 **Model No: PE9278** N Male To BNC Female Right Angle
4	 PRICE 1-24 $102.75 25-49 $95.56 50-99 $88.37 100 + $82.20 **PRECISION** **Model No: PE9490** N Female To BNC Male Max VSWR 1.20:1 @ 8 GHz	 PRICE 1-24 $12.35 25-49 $11.49 50-99 $10.62 100 + $9.88 **Model No: PE9005** N Female To BNC Male	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9123** N Female To BNC Male Panel Mount Mounting Hole A05	 PRICE 1-24 $46.65 25-49 $43.38 50-99 $40.12 100 + $37.32 **Model No: PE9566** N Female To BNC Male Right Angle
5	 PRICE 1-24 $102.75 25-49 $95.56 50-99 $88.37 100 + $82.20 **PRECISION** **Model No: PE9492** N Female To BNC Female Max VSWR 1.20:1 @ 8 GHz	 PRICE 1-24 $20.05 25-49 $18.65 50-99 $17.24 100 + $16.04 **Model No: PE9206** N Female To BNC Female	 PRICE 1-24 $44.15 25-49 $41.06 50-99 $37.97 100 + $35.32 **Model No: PE9261** N Female To BNC Female Bulkhead Mounting Hole G01	 PRICE 1-24 $45.30 25-49 $42.13 50-99 $38.96 100 + $36.24 **Model No: PE9540** N Female Bulkhead To BNC Female, Mounts From N Female Side Mounting Hole G01
6	 PRICE 1-24 $31.70 25-49 $29.48 50-99 $27.26 100 + $25.36 **Model No: PE9238** N Female To BNC Female Panel Mount Mounting Hole A05	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9538** N Male To C Male	 PRICE 1-24 $47.70 25-49 $44.36 50-99 $41.02 100 + $38.16 **Model No: PE9124** N Male To C Female	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9239** N Male To C Female Right Angle

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $42.65 25-49 $39.66 50-99 $36.68 100 + $34.12 **Model No: PE9295** N Female To C Male	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9539** N Female To C Female	 PRICE 1-24 $36.10 25-49 $33.57 50-99 $31.05 100 + $28.88 **Model No: PE9349** 50 Ohm N Male To 75 Ohm N Female	 PRICE 1-24 $30.95 25-49 $28.78 50-99 $26.62 100 + $24.76 **Model No: PE9350** 50 Ohm N Female To 75 Ohm N Male
2	 PRICE 1-24 $18.90 25-49 $17.58 50-99 $16.25 100 + $15.12 **Model No: PE9155** N Male To F Female	 PRICE 1-24 $26.65 25-49 $24.78 50-99 $22.92 100 + $21.32 **Model No: PE9389** N Female To F Male	 PRICE 1-24 $128.65 25-49 $119.64 50-99 $110.64 100 + $102.92 **Model No: PE9257** N Male To GR874	 PRICE 1-24 $128.65 25-49 $119.64 50-99 $110.64 100 + $102.92 **Model No: PE9258** N Female To GR874
3	***TNC In-Series*** →	 PRICE 1-24 $92.85 25-49 $86.35 50-99 $79.85 100 + $74.28 **PRECISION** **Model No: PE9445** TNC Male To TNC Male Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $18.00 25-49 $16.74 50-99 $15.48 100 + $14.40 **Model No: PE9091** TNC Male To TNC Male	 PRICE 1-24 $48.65 25-49 $45.24 50-99 $41.84 100 + $38.92 **Model No: PE9560** TNC Male To TNC Male Right Angle
4	 PRICE 1-24 $92.85 25-49 $86.35 50-99 $79.85 100 + $74.28 **PRECISION** **Model No: PE9443** TNC Male To TNC Female Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $139.30 25-49 $129.55 50-99 $119.80 100 + $111.44 **Model No: PE9561** TNC Male Quick Disconnect To TNC Female	 PRICE 1-24 $32.20 25-49 $29.95 50-99 $27.69 100 + $25.76 **Model No: PE9100** TNC Male To TNC Female Right Angle	 PRICE 1-24 $15.65 25-49 $14.55 50-99 $13.46 100 + $12.52 **Model No: PE9270** TNC Male To TNC Female
5	 PRICE 1-24 $91.35 25-49 $84.96 50-99 $78.56 100 + $73.08 **PRECISION** **Model No: PE9444** TNC Female To TNC Female Max VSWR 1.25:1 @ 18 GHz	 PRICE 1-24 $18.50 25-49 $17.21 50-99 $15.91 100 + $14.80 **Model No: PE9099** TNC Female To TNC Female	 PRICE 1-24 $18.00 25-49 $16.74 50-99 $15.48 100 + $14.40 **Model No: PE9154** TNC Female To TNC Female Bulkhead, Hermetically Sealed Mounting Hole B06	 PRICE 1-24 $20.25 25-49 $18.83 50-99 $17.42 100 + $16.20 **Model No: PE9287** TNC Female To TNC Female Bulkhead, Isolated Ground Mounting Hole B06
6	 PRICE 1-24 $11.90 25-49 $11.07 50-99 $10.23 100 + $9.52 **Model No: PE9288** TNC Female To TNC Female Panel Mount Mounting Hole A03	 PRICE 1-24 $16.65 25-49 $15.48 50-99 $14.32 100 + $13.32 **Model No: PE9195** TNC "T" Female-Male-Female	 PRICE 1-24 $40.60 25-49 $37.76 50-99 $34.92 100 + $32.48 **Model No: PE9290** TNC "T" Male-Female-Female	 PRICE 1-24 $23.05 25-49 $21.44 50-99 $19.82 100 + $18.44 **Model No: PE9289** TNC "T" Female-Female-Female

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	PRECISION PRICE 1-24 $18.50 25-49 $17.21 50-99 $15.91 100 + $14.80 **Model No: PE9918** Reverse Polarity TNC Male To Reverse Polarity TNC Female, Right Angle Max VSWR 1.25:1 @ 11 GHz	 PRICE 1-24 $28.55 25-49 $26.55 50-99 $24.55 100 + $22.84 **Model No: PE9532** Standard TNC Male To Reverse Polarity TNC Female	 PRICE 1-24 $29.00 25-49 $26.97 50-99 $24.94 100 + $23.20 **Model No: PE9531** Standard TNC Female To Reverse Polarity TNC Male	***TNC Between-Series*** →
2	 PRICE 1-24 $197.50 25-49 $183.68 50-99 $169.85 100 + $158.00 **Model No: PE9637** TNC Male To 7/16 Male	 PRICE 1-24 $185.90 25-49 $172.89 50-99 $159.87 100 + $148.72 **Model No: PE9638** TNC Male To 7/16 Female	 PRICE 1-24 $197.50 25-49 $183.68 50-99 $169.85 100 + $158.00 **Model No: PE9636** TNC Female To 7/16 Male	 PRICE 1-24 $197.50 25-49 $183.68 50-99 $169.85 100 + $158.00 **Model No: PE9639** TNC Female To 7/16 Female
3	 PRICE 1-24 $14.50 25-49 $13.49 50-99 $12.47 100 + $11.60 **Model No: PE9291** TNC Male To UHF Female	 PRICE 1-24 $15.70 25-49 $14.60 50-99 $13.50 100 + $12.56 **Model No: PE9372** TNC Female To UHF Male	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9345** TNC Male To Mini-UHF Female	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9346** TNC Female To Mini-UHF Male
4	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9699** TNC Male To FME Plug	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9700** TNC Male To FME Plug Right Angle	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9713** TNC Male To FME Jack	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9714** TNC Female To FME Jack
5	 PRICE 1-24 $42.40 25-49 $39.43 50-99 $36.46 100 + $33.92 **Model No: PE9226** TNC Male To SMC Jack	 PRICE 1-24 $58.25 25-49 $54.17 50-99 $50.10 100 + $46.60 **Model No: PE9563** TNC Male To HN Male	 PRICE 1-24 $232.35 25-49 $216.09 50-99 $199.82 100 + $185.88 PRECISION **Model No: PE9219** TNC Male To 7mm Max VSWR 1.15:1 @ 18 GHz	 PRICE 1-24 $232.35 25-49 $216.09 50-99 $199.82 100 + $185.88 PRECISION **Model No: PE9218** TNC Female To 7mm Max VSWR 1.15:1 @ 18 GHz
6	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9543** TNC Male To MCX Plug	 PRICE 1-24 $50.65 25-49 $47.10 50-99 $43.56 100 + $40.52 **Model No: PE9542** TNC Male To MCX Jack	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9545** TNC Female To MCX Plug	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9544** TNC Female To MCX Jack

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE: 1-24 $66.15; 25-49 $61.52; 50-99 $56.89; 100 + $52.92 **Model No: PE9521** **TNC Female To MCX Jack Bulkhead Mounting Hole B04**	 PRICE: 1-24 $21.40; 25-49 $19.90; 50-99 $18.40; 100 + $17.12 **Model No: PE9110** **TNC Male To BNC Male**	 PRICE: 1-24 $19.15; 25-49 $17.81; 50-99 $16.47; 100 + $15.32 **Model No: PE9088** **TNC Male To BNC Female**	 PRICE: 1-24 $47.45; 25-49 $44.13; 50-99 $40.81; 100 + $37.96 **Model No: PE9783** **TNC Male To BNC Female Right Angle**
2	 PRICE: 1-24 $20.45; 25-49 $19.02; 50-99 $17.59; 100 + $16.36 **Model No: PE9098** **TNC Female To BNC Male**	PRICE: 1-24 $17.25; 25-49 $16.04; 50-99 $14.84; 100 + $13.80 **Model No: PE9097** **TNC Female To BNC Female**	 PRICE: 1-24 $33.05; 25-49 $30.74; 50-99 $28.42; 100 + $26.44 **Model No: PE9483** **TNC Female To BNC Female Bulkhead, Hermetically Sealed Mounting Hole B06**	 PRICE: 1-24 $58.25; 25-49 $54.17; 50-99 $50.10; 100 + $46.60 **Model No: PE9562** **TNC Male To C Female**
3	 PRICE: 1-24 $78.65; 25-49 $73.14; 50-99 $67.64; 100 + $62.92 **Model No: PE9564** **TNC Female To C Male**	***7/16 DIN In-Series*** →	 PRICE: 1-24 $91.35; 25-49 $84.96; 50-99 $78.56; 100 + $73.08 **Model No: PE9555** **7/16 Male To 7/16 Male**	PRICE: 1-24 $138.45; 25-49 $128.76; 50-99 $119.07; 100 + $110.76 **Model No: PE9410** **7/16 Male To 7/16 Female Right Angle**
4	PRICE: 1-24 $82.30; 25-49 $76.54; 50-99 $70.78; 100 + $65.84 **Model No: PE9409** **7/16 Female To 7/16 Female**	PRICE: 1-24 $191.70; 25-49 $178.28; 50-99 $164.86; 100 + $153.36 **Model No: PE9414** **7/16 Female To 7/16 Female Bulkhead**	 PRICE: 1-24 $162.65; 25-49 $151.26; 50-99 $139.88; 100 + $130.12 **Model No: PE9557** **7/16 "T" Female-Male-Female**	PRICE: 1-24 $162.65; 25-49 $151.26; 50-99 $139.88; 100 + $130.12 **Model No: PE9556** **7/16 "T" Female-Female-Female**
5	***7/16 DIN Between-Series*** →	 PRICE: 1-24 $114.30; 25-49 $106.30; 50-99 $98.30; 100 + $91.44 **Model No: PE9558** **7/16 Male To HN Female**	 PRICE: 1-24 $114.15; 25-49 $106.16; 50-99 $98.17; 100 + $91.32 **Model No: PE9559** **7/16 Female To HN Male**	 PRICE: 1-24 $302.10; 25-49 $280.95; 50-99 $259.81; 100 + $241.68 **PRECISION** **Model No: PE9509** **7/16 Male To 7mm Max VSWR 1.35:1 @ 7 GHz**
6	 PRICE: 1-24 $348.60; 25-49 $324.20; 50-99 $299.80; 100 + $278.88 **PRECISION** **Model No: PE9510** **7/16 Female To 7mm Max VSWR 1.35:1 @ 7 GHz**	***UHF In-Series*** →	 PRICE: 1-24 $9.45; 25-49 $8.79; 50-99 $8.13; 100 + $7.56 **Model No: PE9096** **UHF Male To UHF Male**	PRICE: 1-24 $14.05; 25-49 $13.07; 50-99 $12.08; 100 + $11.24 **Model No: PE9209** **UHF Male To UHF Female Right Angle**

Adapters

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $8.35 25-49 $7.77 50-99 $7.18 100 + $6.68 **Model No: PE9094** **UHF Female To UHF Female**	 PRICE 1-24 $32.10 25-49 $29.85 50-99 $27.61 100 + $25.68 **Model No: PE9114** **UHF Female To UHF Female Bulkhead Mounting Hole F03**	 PRICE 1-24 $14.50 25-49 $13.49 50-99 $12.47 100 + $11.60 **Model No: PE9095** **UHF "T" Female-Male-Female**	***UHF Between-Series*** →
2	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9348** **UHF Male To Mini-UHF Female**	 PRICE 1-24 $11.60 25-49 $10.79 50-99 $9.98 100 + $9.28 **Model No: PE9344** **UHF Female To Mini-UHF Male**	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9701** **UHF Male To FME Plug**	 PRICE 1-24 $18.10 25-49 $16.83 50-99 $15.57 100 + $14.48 **Model No: PE9201** **UHF Male To BNC Male**
3	 PRICE 1-24 $10.95 25-49 $10.18 50-99 $9.42 100 + $8.76 **Model No: PE9004** **UHF Male To BNC Female**	 PRICE 1-24 $10.70 25-49 $9.95 50-99 $9.20 100 + $8.56 **Model No: PE9107** **UHF Female To BNC Male**	 PRICE 1-24 $15.45 25-49 $14.37 50-99 $13.29 100 + $12.36 **Model No: PE9421** **UHF Female To BNC Female**	 PRICE 1-24 $23.05 25-49 $21.44 50-99 $19.82 100 + $18.44 **Model No: PE9165** **UHF Male To F Female**
4	 PRICE 1-24 $23.05 25-49 $21.44 50-99 $19.82 100 + $18.44 **Model No: PE9167** **UHF Female To F Female**	***Mini UHF In-Series*** →	 PRICE 1-24 $10.90 25-49 $10.14 50-99 $9.37 100 + $8.72 **Model No: PE9347** **Mini UHF Male To Mini UHF Female Right Angle**	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9343** **Mini UHF Female To Mini UHF Female**
5	 PRICE 1-24 $9.60 25-49 $8.93 50-99 $8.26 100 + $7.68 **Model No: PE9065** **Mini UHF "T" Female-Male-Female**	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9066** **Mini UHF "T" Female-Female-Female**	***Mini UHF Between-Series*** →	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9705** **Mini UHF Male To FME Plug**
6	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9706** **Mini UHF Male To FME Plug Right Angle**	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9709** **Mini UHF Male To FME Jack**	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9710** **Mini UHF Female To FME Jack**	 PRICE 1-24 $10.70 25-49 $9.95 50-99 $9.20 100 + $8.56 **Model No: PE9342** **Mini UHF Male To BNC Female**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9341** Mini UHF Female To BNC Male	***FME In-Series*** →	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9696** FME Plug To FME Plug	***FME Between-Series*** →
2	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9697** FME Plug To BNC Male	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9698** FME Plug To BNC Male Right Angle	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9711** FME Jack To BNC Male	 PRICE 1-24 $12.75 25-49 $11.86 50-99 $10.97 100 + $10.20 **Model No: PE9712** FME Jack To BNC Female
3	***SMC In-Series*** →	 PRICE 1-24 $20.60 25-49 $19.16 50-99 $17.72 100 + $16.48 **Model No: PE9117** SMC Plug To SMC Plug	 PRICE 1-24 $37.95 25-49 $35.29 50-99 $32.64 100 + $30.36 **Model No: PE9119** SMC Plug To SMC Jack	 PRICE 1-24 $40.60 25-49 $37.76 50-99 $34.92 100 + $32.48 **Model No: PE9303** SMC Plug To SMC Jack Right Angle
4	 PRICE 1-24 $20.60 25-49 $19.16 50-99 $17.72 100 + $16.48 **Model No: PE9115** SMC Jack To SMC Jack	 PRICE 1-24 $23.85 25-49 $22.18 50-99 $20.51 100 + $19.08 **Model No: PE9121** SMC Jack To SMC Jack Bulkhead Mounting Hole B01	 PRICE 1-24 $40.60 25-49 $37.76 50-99 $34.92 100 + $32.48 **Model No: PE9305** SMC "T" Plug-Plug-Plug	 PRICE 1-24 $27.90 25-49 $25.95 50-99 $23.99 100 + $22.32 **Model No: PE9242** SMC "T" Jack-Plug-Jack
5	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9304** SMC "T" Jack-Jack-Jack	***SMC Between-Series*** →	 PRICE 1-24 $29.00 25-49 $26.97 50-99 $24.94 100 + $23.20 **Model No: PE9281** SMC Plug To SMB Plug	 PRICE 1-24 $29.00 25-49 $26.97 50-99 $24.94 100 + $23.20 **Model No: PE9284** SMC Plug To SMB Jack
6	 PRICE 1-24 $29.00 25-49 $26.97 50-99 $24.94 100 + $23.20 **Model No: PE9282** SMC Jack To SMB Plug	 PRICE 1-24 $29.00 25-49 $26.97 50-99 $24.94 100 + $23.20 **Model No: PE9283** SMC Jack To SMB Jack	 PRICE 1-24 $38.80 25-49 $36.08 50-99 $33.37 100 + $31.04 **Model No: PE9139** SMC Plug To BNC Male	 PRICE 1-24 $38.20 25-49 $35.53 50-99 $32.85 100 + $30.56 **Model No: PE9141** SMC Plug To BNC Female

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $38.20 25-49 $35.53 50-99 $32.85 100 + $30.56 **Model No: PE9138** **SMC Jack To BNC Male**	 PRICE 1-24 $74.65 25-49 $69.42 50-99 $64.20 100 + $59.72 **Model No: PE9140** **SMC Jack To BNC Female**	 PRICE 1-24 $49.70 25-49 $46.22 50-99 $42.74 100 + $39.76 **Model No: PE9108** **SMC Jack Bulkhead To BNC Female** **Mounting Hole B04**	***10-32 In-Series*** →
2	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9756** **10-32 Female To 10-32 Female**	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9757** **10-32 Female To 10-32 Female Bulkhead, Mounting Hole B03**	***10-32 Between-Series*** →	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9751** **10-32 Male To BNC Male**
3	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9753** **10-32 Male To BNC Female**	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9755** **10-32 Male Bulkhead To BNC Female** **Mounting Hole B05**	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9750** **10-32 Female To BNC Male**	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9752** **10-32 Female To BNC Female**
4	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9754** **10-32 Female Bulkhead To BNC Female, Mounting Hole B05**	***SC In-Series*** →	 PRICE 1-24 $81.25 25-49 $75.56 50-99 $69.88 100 + $65.00 **Model No: PE9403** **SC Male To SC Male**	 PRICE 1-24 $81.25 25-49 $75.56 50-99 $69.88 100 + $65.00 **Model No: PE9572** **SC Male To SC Female**
5	 PRICE 1-24 $114.15 25-49 $106.16 50-99 $98.17 100 + $91.32 **Model No: PE9405** **SC Male To SC Female** **Right Angle**	 PRICE 1-24 $79.90 25-49 $74.31 50-99 $68.71 100 + $63.92 **Model No: PE9404** **SC Female To SC Female**	 PRICE 1-24 $102.75 25-49 $95.56 50-99 $88.37 100 + $82.20 **Model No: PE9573** **SC Female To SC Female Bulkhead** **Mounting Hole B11**	 PRICE 1-24 $209.15 25-49 $194.51 50-99 $179.87 100 + $167.32 **Model No: PE9225** **SC "T" Female-Male-Female**
6	***SC Between-Series*** →	 PRICE 1-24 $281.70 25-49 $261.98 50-99 $242.26 100 + $225.36 **PRECISION** **Model No: PE9329** **SC Male To 7mm** **Max VSWR 1.15:1 @ 8 GHz**	 PRICE 1-24 $281.70 25-49 $261.98 50-99 $242.26 100 + $225.36 **PRECISION** **Model No: PE9328** **SC Female To 7mm** **Max VSWR 1.15:1 @ 8 GHz**	 PRICE 1-24 $81.25 25-49 $75.56 50-99 $69.88 100 + $65.00 **Model No: PE9568** **SC Male To BNC Male**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $104.05 25-49 $96.77 50-99 $89.48 100 + $83.24 **Model No: PE9200** SC Male To BNC Female	 PRICE 1-24 $81.25 25-49 $75.56 50-99 $69.88 100 + $65.00 **Model No: PE9571** SC Female To BNC Female	***LC In-Series*** →	 PRICE 1-24 $194.20 25-49 $180.61 50-99 $167.01 100 + $155.36 **Model No: PE9569** LC Male To LC Male
2	 PRICE 1-24 $297.00 25-49 $276.21 50-99 $255.42 100 + $237.60 **Model No: PE9398** LC Male To LC Female Right Angle	 PRICE 1-24 $166.70 25-49 $155.03 50-99 $143.36 100 + $133.36 **Model No: PE9419** LC Female To LC Female	***LC Between-Series*** →	 PRICE 1-24 $232.05 25-49 $215.81 50-99 $199.56 100 + $185.64 **Model No: PE9181** LC Male To HN Female
3	 PRICE 1-24 $176.65 25-49 $164.28 50-99 $151.92 100 + $141.32 **Model No: PE9413** LC Female To HN Male	***HN In-Series*** →	 PRICE 1-24 $41.70 25-49 $38.78 50-99 $35.86 100 + $33.36 **Model No: PE9210** HN Male To HN Male	 PRICE 1-24 $81.25 25-49 $75.56 50-99 $69.88 100 + $65.00 **Model No: PE9577** HN Male To HN Male Right Angle
4	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9576** HN Male To HN Female	 PRICE 1-24 $46.95 25-49 $43.66 50-99 $40.38 100 + $37.56 **Model No: PE9205** HN Male To HN Female Right Angle	 PRICE 1-24 $39.90 25-49 $37.11 50-99 $34.31 100 + $31.92 **Model No: PE9580** HN Female To HN Female	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9193** HN Female To HN Female Bulkhead Mounting Hole G03
5	 PRICE 1-24 $92.85 25-49 $86.35 50-99 $79.85 100 + $74.28 **Model No: PE9578** HN "T" Male-Female-Male	 PRICE 1-24 $92.85 25-49 $86.35 50-99 $79.85 100 + $74.28 **Model No: PE9575** HN "T" Female-Male-Female	 PRICE 1-24 $92.85 25-49 $86.35 50-99 $79.85 100 + $74.28 **Model No: PE9574** HN "T" Female-Female-Female	***HN Between-Series*** →
6	 PRICE 1-24 $58.25 25-49 $54.17 50-99 $50.10 100 + $46.60 **Model No: PE9567** HN Male To BNC Male	 PRICE 1-24 $44.75 25-49 $41.62 50-99 $38.49 100 + $35.80 **Model No: PE9126** HN Male To BNC Female	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9129** HN Female To BNC Male	 PRICE 1-24 $104.50 25-49 $97.19 50-99 $89.87 100 + $83.60 **Model No: PE9264** HN Male To MHV Female

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9579** HN Male To C Male	 PRICE 1-24 $48.30 25-49 $44.92 50-99 $41.54 100 + $38.64 **Model No: PE9296** HN Male To C Female	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9212** HN Female To C Male	 PRICE 1-24 $166.30 25-49 $154.66 50-99 $143.02 100 + $133.04 **Model No: PE9386** HN Male To GR874
2	 PRICE 1-24 $166.30 25-49 $154.66 50-99 $143.02 100 + $133.04 **Model No: PE9387** HN Female To GR874	***7mm Between-Series*** →	 PRECISION PRICE 1-24 $232.35 25-49 $216.09 50-99 $199.82 100 + $185.88 **Model No: PE9221** 7mm To BNC Male Max VSWR 1.15:1 @ 8 GHz	 PRECISION PRICE 1-24 $171.35 25-49 $159.36 50-99 $147.36 100 + $137.08 **Model No: PE9220** 7mm To BNC Female Max VSWR 1.15:1 @ 8 GHz
3	***SMP In-Series*** →	 NEW PRICE 1-24 $43.20 25-49 $40.18 50-99 $37.15 100 + $34.56 **Model No: PE91004** SMP Female To SMP Female, 22.4mm Long, Bullet	 PRICE 1-24 $29.70 25-49 $27.62 50-99 $25.54 100 + $23.76 **Model No: PE9686** SMP Female To SMP Female Availability Limited to Existing Stock. See PE9777 for New Version.	 PRICE 1-24 $44.50 25-49 $41.39 50-99 $38.27 100 + $35.60 **Model No: PE9775** SMP Female To SMP Female, 19.5mm Long, Bullet
4	 PRICE 1-24 $45.25 25-49 $42.08 50-99 $38.92 100 + $36.20 **Model No: PE9776** SMP Female To SMP Female, 12.6mm Long,Bullet	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9777** SMP Female To SMP Female 6.45mm Long, Bullet	***Mini SMP In-Series*** →	 PRICE 1-24 $34.25 25-49 $31.85 50-99 $29.46 100 + $27.40 **Model No: PE9780** Mini SMP Female To Mini SMP Female 5.3mm Long, 65 GHz, Bullet
5	***MMCX In-Series*** →	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9480** MMCX Plug To MMCX Jack	 PRICE 1-24 $47.70 25-49 $44.36 50-99 $41.02 100 + $38.16 **Model No: PE9523** MMCX Jack To MMCX Jack	 PRICE 1-24 $51.35 25-49 $47.76 50-99 $44.16 100 + $41.08 **Model No: PE9522** MMCX Jack To MMCX Jack Bulkhead Mounting Hole B01
6	***MMCX Between-Series*** →	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9527** MMCX Plug To MCX Plug	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9525** MMCX Plug To MCX Jack	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9528** MMCX Jack To MCX Plug

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9526** **MMCX Jack To MCX Jack**	 PRICE 1-24 $63.85 25-49 $59.38 50-99 $54.91 100 + $51.08 **Model No: PE9517** **MMCX Plug To BNC Male**	 PRICE 1-24 $71.00 25-49 $66.03 50-99 $61.06 100 + $56.80 **Model No: PE9519** **MMCX Plug To BNC Female**	 PRICE 1-24 $63.85 25-49 $59.38 50-99 $54.91 100 + $51.08 **Model No: PE9518** **MMCX Jack To BNC Male**
2	 PRICE 1-24 $63.85 25-49 $59.38 50-99 $54.91 100 + $51.08 **Model No: PE9516** **MMCX Jack To BNC Female**	***MCX In-Series*** →	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9479** **MCX Plug To MCX Jack**	 PRICE 1-24 $11.55 25-49 $10.74 50-99 $9.93 100 + $9.24 **Model No: PE9524** **MCX Jack To MCX Jack**
3	 PRICE 1-24 $14.85 25-49 $13.81 50-99 $12.77 100 + $11.88 **Model No: PE9474** **MCX Jack To MCX Jack Bulkhead Mounting Hole B01**	***MCX Between-Series*** →	 PRICE 1-24 $46.10 25-49 $42.87 50-99 $39.65 100 + $36.88 **Model No: PE9469** **MCX Plug To BNC Male**	 PRICE 1-24 $57.05 25-49 $53.06 50-99 $49.06 100 + $45.64 **Model No: PE9467** **MCX Plug To BNC Female**
4	 PRICE 1-24 $51.35 25-49 $47.76 50-99 $44.16 100 + $41.08 **Model No: PE9468** **MCX Jack To BNC Male**	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9466** **MCX Jack To BNC Female**	 PRICE 1-24 $63.85 25-49 $59.38 50-99 $54.91 100 + $51.08 **Model No: PE9520** **MCX Jack Bulkhead To BNC Female Mounting Hole B04**	***SMB In-Series*** →
5	 PRICE 1-24 $22.85 25-49 $21.25 50-99 $19.65 100 + $18.28 **Model No: PE9118** **SMB Plug To SMB Plug**	 PRICE 1-24 $32.65 25-49 $30.36 50-99 $28.08 100 + $26.12 **Model No: PE9120** **SMB Plug To SMB Jack**	 PRICE 1-24 $20.25 25-49 $18.83 50-99 $17.42 100 + $16.20 **Model No: PE9116** **SMB Jack To SMB Jack**	 PRICE 1-24 $23.85 25-49 $22.18 50-99 $20.51 100 + $19.08 **Model No: PE9122** **SMB Jack To SMB Jack Bulkhead Mounting Hole B01**
6	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9310** **SMB "T" Plug-Plug-Plug**	 PRICE 1-24 $27.40 25-49 $25.48 50-99 $23.56 100 + $21.92 **Model No: PE9243** **SMB "T" Jack-Plug-Jack**	 PRICE 1-24 $51.35 25-49 $47.76 50-99 $44.16 100 + $41.08 **Model No: PE9309** **SMB "T" Plug-Jack-Jack**	 PRICE 1-24 $33.35 25-49 $31.02 50-99 $28.68 100 + $26.68 **Model No: PE9302** **SMB "T" Jack-Jack-Jack**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	***SMB Between-Series*** →	 PRICE 1-24 $38.20; 25-49 $35.53; 50-99 $32.85; 100 + $30.56 **Model No: PE9135** **SMB Plug To BNC Male**	PRICE 1-24 $39.60; 25-49 $36.83; 50-99 $34.06; 100 + $31.68 **Model No: PE9137** **SMB Plug To BNC Female**	 PRICE 1-24 $33.90; 25-49 $31.53; 50-99 $29.15; 100 + $27.12 **Model No: PE9241** **SMB Plug Bulkhead To BNC Female** **Mounting Hole B05**
2	 PRICE 1-24 $38.90; 25-49 $36.18; 50-99 $33.45; 100 + $31.12 **Model No: PE9132** **SMB Jack To BNC Male**	PRICE 1-24 $38.90; 25-49 $36.18; 50-99 $33.45; 100 + $31.12 **Model No: PE9136** **SMB Jack To BNC Female**	 PRICE 1-24 $36.65; 25-49 $34.08; 50-99 $31.52; 100 + $29.32 **Model No: PE9240** **SMB Jack Bulkhead To BNC Female** **Mounting Hole B05**	***SSMB Between-Series*** →
3	 PRICE 1-24 $58.10; 25-49 $54.03; 50-99 $49.97; 100 + $46.48 **Model No: PE9393** **SSMB Plug To BNC Male**	 PRICE 1-24 $58.10; 25-49 $54.03; 50-99 $49.97; 100 + $46.48 **Model No: PE9395** **SSMB Plug To BNC Female**	 PRICE 1-24 $58.10; 25-49 $54.03; 50-99 $49.97; 100 + $46.48 **Model No: PE9392** **SSMB Jack To BNC Male**	PRICE 1-24 $61.10; 25-49 $56.82; 50-99 $52.55; 100 + $48.88 **Model No: PE9394** **SSMB Jack To BNC Female**
4	***BNC In-Series*** →	PRICE 1-24 $11.45; 25-49 $10.65; 50-99 $9.85; 100 + $9.16 **Model No: PE9000** **BNC Male To BNC Male**	 PRICE 1-24 $34.25; 25-49 $31.85; 50-99 $29.46; 100 + $27.40 **Model No: PE9758** **BNC Male To BNC Male** **Right Angle**	PRICE 1-24 $15.35; 25-49 $14.28; 50-99 $13.20; 100 + $12.28 **Model No: PE9269** **BNC Male To BNC Female**
5	PRICE 1-24 $13.40; 25-49 $12.46; 50-99 $11.52; 100 + $10.72 **Model No: PE9085** **BNC Male To BNC Female** **Right Angle**	PRICE 1-24 $6.25; 25-49 $5.81; 50-99 $5.38; 100 + $5.00 **Model No: PE9084** **BNC Female To BNC Female**	PRICE 1-24 $11.15; 25-49 $10.37; 50-99 $9.59; 100 + $8.92 **Model No: PE9093** **BNC Female To BNC Female** **Bulkhead, Hermetically Sealed** **Mounting Hole B06**	PRICE 1-24 $38.80; 25-49 $36.08; 50-99 $33.37; 100 + $31.04 **Model No: PE9420** **BNC Female To BNC Female** **Bulkhead, Hermetically Sealed** **1" Max Panel** **Mounting Hole B06**
6	 PRICE 1-24 $19.15; 25-49 $17.81; 50-99 $16.47; 100 + $15.32 **Model No: PE9172** **BNC Female To BNC Female** **Bulkhead, Isolated Ground** **Mounting Hole Bo6**	 PRICE 1-24 $10.85; 25-49 $10.09; 50-99 $9.33; 100 + $8.68 **Model No: PE9106** **BNC Female To BNC Female** **Panel Mount** **Mounting Hole A03**	 PRICE 1-24 $13.55; 25-49 $12.60; 50-99 $11.65; 100 + $10.84 **Model No: PE9001** **BNC "T" Female-Male-Female**	 PRICE 1-24 $35.80; 25-49 $33.29; 50-99 $30.79; 100 + $28.64 **Model No: PE9174** **BNC "T" Male-Female-Female**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $33.35 25-49 $31.02 50-99 $28.68 100 + $26.68 **Model No: PE9484** **BNC "Y" Female-Male-Female**	 PRICE 1-24 $17.25 25-49 $16.04 50-99 $14.84 100 + $13.80 **Model No: PE9003** **BNC "T" Female-Female-Female**	 PRICE 1-24 $29.45 25-49 $27.39 50-99 $25.33 100 + $23.56 **Model No: PE9530** **Standard BNC Male To Reverse Polarity BNC Female**	 PRICE 1-24 $28.70 25-49 $26.69 50-99 $24.68 100 + $22.96 **Model No: PE9529** **Standard BNC Female To Reverse Polarity BNC Male**
2	***BNC Between-Series*** →	 PRICE 1-24 $76.90 25-49 $71.52 50-99 $66.13 100 + $61.52 **Model No: PE9406** **BNC Male To MHV Female**	 PRICE 1-24 $30.65 25-49 $28.50 50-99 $26.36 100 + $24.52 **Model No: PE9297** **BNC Female To MHV Male**	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9536** **BNC Male To C Male**
3	 PRICE 1-24 $36.90 25-49 $34.32 50-99 $31.73 100 + $29.52 **Model No: PE9109** **BNC Male To C Female**	 PRICE 1-24 $27.40 25-49 $25.48 50-99 $23.56 100 + $21.92 **Model No: PE9087** **BNC Female To C Male**	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9537** **BNC Female To C Female**	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9204** **BNC Female To C Female Bulkhead Mounting Hole G01**
4	 PRICE 1-24 $52.25 25-49 $48.59 50-99 $44.94 100 + $41.80 **Model No: PE9234** **BNC Male To 75 Ohm SMC Plug**	 PRICE 1-24 $44.85 25-49 $41.71 50-99 $38.57 100 + $35.88 **Model No: PE9233** **BNC Male To 75 Ohm SMC Jack**	 PRICE 1-24 $52.25 25-49 $48.59 50-99 $44.94 100 + $41.80 **Model No: PE9236** **BNC Female To 75 Ohm SMC Plug**	 PRICE 1-24 $52.25 25-49 $48.59 50-99 $44.94 100 + $41.80 **Model No: PE9235** **BNC Female To 75 Ohm SMC Jack**
5	 PRICE 1-24 $10.70 25-49 $9.95 50-99 $9.20 100 + $8.56 **Model No: PE9152** **BNC Male To F Male**	 PRICE 1-24 $11.15 25-49 $10.37 50-99 $9.59 100 + $8.92 **Model No: PE9150** **BNC Male To F Female**	 PRICE 1-24 $11.05 25-49 $10.28 50-99 $9.50 100 + $8.84 **Model No: PE9151** **BNC Female To F Male**	 PRICE 1-24 $10.70 25-49 $9.95 50-99 $9.20 100 + $8.56 **Model No: PE9153** **BNC Female To F Female**
6	 PRICE 1-24 $44.85 25-49 $41.71 50-99 $38.57 100 + $35.88 **Model No: PE9230** **BNC Male To 75 Ohm SMB Plug**	 PRICE 1-24 $44.85 25-49 $41.71 50-99 $38.57 100 + $35.88 **Model No: PE9229** **BNC Male To 75 Ohm SMB Jack**	 PRICE 1-24 $44.85 25-49 $41.71 50-99 $38.57 100 + $35.88 **Model No: PE9232** **BNC Female To 75 Ohm SMB Plug**	 PRICE 1-24 $44.85 25-49 $41.71 50-99 $38.57 100 + $35.88 **Model No: PE9231** **BNC Female To 75 Ohm SMB Jack**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $10.70 25-49 $9.95 50-99 $9.20 100 + $8.56 **Model No: PE9171** **BNC Male To RCA Jack**	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9158** **BNC Female To RCA Plug**	 PRICE 1-24 $17.85 25-49 $16.60 50-99 $15.35 100 + $14.28 **Model No: PE9009** **BNC Male To Double Banana Plug**	 PRICE 1-24 $17.85 25-49 $16.60 50-99 $15.35 100 + $14.28 **Model No: PE9011** **BNC Male To Binding Posts Double**
2	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9169** **BNC Male To Single Binding Post**	 PRICE 1-24 $15.45 25-49 $14.37 50-99 $13.29 100 + $12.36 **Model No: PE9008** **BNC Female To Double Banana Plug**	 PRICE 1-24 $19.80 25-49 $18.41 50-99 $17.03 100 + $15.84 **Model No: PE9175** **BNC Female To Single Banana Plug**	 PRICE 1-24 $17.85 25-49 $16.60 50-99 $15.35 100 + $14.28 **Model No: PE9013** **BNC Female To Binding Posts**
3	 PRICE 1-24 $115.25 25-49 $107.18 50-99 $99.12 100 + $92.20 **Model No: PE9223** **BNC Male To GR874**	 PRICE 1-24 $115.25 25-49 $107.18 50-99 $99.12 100 + $92.20 **Model No: PE9222** **BNC Female To GR874**	***MHV In-Series*** →	 PRICE 1-24 $44.95 25-49 $41.80 50-99 $38.66 100 + $35.96 **Model No: PE9266** **MHV Male To MHV Female Right Angle**
4	 PRICE 1-24 $25.05 25-49 $23.30 50-99 $21.54 100 + $20.04 **Model No: PE9267** **MHV Female To MHV Female**	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9268** **MHV Female To MHV Female Bulkhead, Hermetically Sealed Mounting Hole B06**	 PRICE 1-24 $41.70 25-49 $38.78 50-99 $35.86 100 + $33.36 **Model No: PE9211** **MHV "T" Female-Male-Female**	***MHV Between-Series*** →
5	 PRICE 1-24 $70.35 25-49 $65.43 50-99 $60.50 100 + $56.28 **Model No: PE9340** **MHV Male To SHV Plug**	 PRICE 1-24 $88.35 25-49 $82.17 50-99 $75.98 100 + $70.68 **Model No: PE9335** **MHV Male To SHV Jack**	 PRICE 1-24 $81.50 25-49 $75.80 50-99 $70.09 100 + $65.20 **Model No: PE9265** **MHV Female To SHV Plug**	 PRICE 1-24 $44.15 25-49 $41.06 50-99 $37.97 100 + $35.32 **Model No: PE9339** **MHV Female To SHV Jack**
6	***SHV In-Series*** →	 PRICE 1-24 $89.85 25-49 $83.56 50-99 $77.27 100 + $71.88 **Model No: PE9749** **SHV Plug To SHV Jack**	 PRICE 1-24 $68.45 25-49 $63.66 50-99 $58.87 100 + $54.76 **Model No: PE9338** **SHV Plug To SHV Jack Right Angle**	 PRICE 1-24 $30.65 25-49 $28.50 50-99 $26.36 100 + $24.52 **Model No: PE9337** **SHV Jack To SHV Jack**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $61.05 25-49 $56.78 50-99 $52.50 100 + $48.84 **Model No: PE9336** SHV Jack To SHV Jack Bulkhead Hermetically Sealed Mounting Hole B06	 PRICE 1-24 $78.95 25-49 $73.42 50-99 $67.90 100 + $63.16 **Model No: PE9249** SHV "T" Jack-Plug-Jack	***C In-Series*** →	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9300** C Male To C Male
2	 PRICE 1-24 $45.60 25-49 $42.41 50-99 $39.22 100 + $36.48 **Model No: PE9293** C Male To C Female Right Angle	 PRICE 1-24 $33.35 25-49 $31.02 50-99 $28.68 100 + $26.68 **Model No: PE9208** C Female To C Female	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9186** C Female To C Female Bulkhead Mounting Hole B07	 PRICE 1-24 $51.35 25-49 $47.76 50-99 $44.16 100 + $41.08 **Model No: PE9207** C "T" Female-Male-Female
3	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9294** C "T" Female-Female-Female	***C Between-Series*** →	 PRICE 1-24 $140.75 25-49 $130.90 50-99 $121.05 100 + $112.60 **Model No: PE9301** C Female To GR874	***PAL In-Series*** →
4	 PRICE 1-24 $9.60 25-49 $8.93 50-99 $8.26 100 + $7.68 **Model No: PE9680** PAL Plug To PAL Plug	 PRICE 1-24 $9.60 25-49 $8.93 50-99 $8.26 100 + $7.68 **Model No: PE9681** PAL Jack To PAL Jack	***75 Ohm N In-Series*** →	 PRICE 1-24 $22.65 25-49 $21.06 50-99 $19.48 100 + $18.12 **Model No: PE9308** 75 Ohm N Male To 75 Ohm N Male
5	 PRICE 1-24 $23.85 25-49 $22.18 50-99 $20.51 100 + $19.08 **Model No: PE9391** 75 Ohm N Male To 75 Ohm N Female	 PRICE 1-24 $30.95 25-49 $28.78 50-99 $26.62 100 + $24.76 **Model No: PE9307** 75 Ohm N Male To 75 Ohm N Female Right Angle	 PRICE 1-24 $22.65 25-49 $21.06 50-99 $19.48 100 + $18.12 **Model No: PE9306** 75 Ohm N Female To 75 Ohm N Female	 PRICE 1-24 $37.25 25-49 $34.64 50-99 $32.04 100 + $29.80 **Model No: PE9416** 75 Ohm N Female To 75 Ohm N Female Bulkhead, Hermetically Sealed Mounting Hole G01
6	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9417** 75 Ohm N Female To 75 Ohm N Female Bulkhead, Isolated Ground Mounting Hole G01	***75 Ohm N Between-Series*** →	 PRICE 1-24 $55.75 25-49 $51.85 50-99 $47.95 100 + $44.60 **Model No: PE9626** 75 Ohm N Male To 75 Ohm TNC Male	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9627** 75 Ohm N Male To 75 Ohm TNC Female

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9628** **75 Ohm N Female To 75 Ohm TNC Male**	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9629** **75 Ohm N Female To 75 Ohm TNC Female**	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9588** **75 Ohm N Male To 75 Ohm SMC Plug**	 PRICE 1-24 $64.30 25-49 $59.80 50-99 $55.30 100 + $51.44 **Model No: PE9586** **75 Ohm N Male To 75 Ohm SMC Jack**
2	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9589** **75 Ohm N Female To 75 Ohm SMC Plug**	 PRICE 1-24 $64.30 25-49 $59.80 50-99 $55.30 100 + $51.44 **Model No: PE9587** **75 Ohm N Female To 75 Ohm SMC Jack**	 PRICE 1-24 $70.00 25-49 $65.10 50-99 $60.20 100 + $56.00 **PRECISION** **Model No: PE9738** **75 Ohm N Male To F Male Max VSWR 1.30:1 @ 3 GHz**	 PRICE 1-24 $86.40 25-49 $80.35 50-99 $74.30 100 + $69.12 **PRECISION** **Model No: PE9737** **75 Ohm N Male To F Female Max VSWR 1.30:1 @ 3 GHz**
3	 PRICE 1-24 $28.95 25-49 $26.92 50-99 $24.90 100 + $23.16 **Model No: PE9396** **75 Ohm N Male To F Female**	 PRICE 1-24 $68.50 25-49 $63.71 50-99 $58.91 100 + $54.80 **PRECISION** **Model No: PE9739** **75 Ohm N Female To F Male Max VSWR 1.30:1 @ 3 GHz**	 PRICE 1-24 $34.85 25-49 $32.41 50-99 $29.97 100 + $27.88 **Model No: PE9397** **75 Ohm N Female To F Male**	 PRICE 1-24 $89.95 25-49 $83.65 50-99 $77.36 100 + $71.96 **PRECISION** **Model No: PE9740** **75 Ohm N Female To F Female Max VSWR 1.30:1 @ 3 GHz**
4	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9584** **75 Ohm N Male To 75 Ohm SMB Plug**	 PRICE 1-24 $61.55 25-49 $57.24 50-99 $52.93 100 + $49.24 **Model No: PE9582** **75 Ohm N Male To 75 Ohm SMB Jack**	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9585** **75 Ohm N Female To 75 Ohm SMB Plug**	 PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9583** **75 Ohm N Female To 75 Ohm SMB Jack**
5	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9612** **75 Ohm N Male To Mini 75 Ohm SMB Plug**	 PRICE 1-24 $57.05 25-49 $53.06 50-99 $49.06 100 + $45.64 **Model No: PE9614** **75 Ohm N Male To Mini 75 Ohm SMB Jack**	 PRICE 1-24 $81.25 25-49 $75.56 50-99 $69.88 100 + $65.00 **Model No: PE9613** **75 Ohm N Female To Mini 75 Ohm SMB Plug**	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9615** **75 Ohm N Female To Mini 75 Ohm SMB Jack**
6	 PRICE 1-24 $46.10 25-49 $42.87 50-99 $39.65 100 + $36.88 **Model No: PE9370** **75 Ohm N Male To 75 Ohm BNC Male Mates With 50 Ohm BNC**	 PRICE 1-24 $23.15 25-49 $21.53 50-99 $19.91 100 + $18.52 **Model No: PE9369** **75 Ohm N Male To 75 Ohm BNC Female Mates With 50 Ohm BNC**	 PRICE 1-24 $22.65 25-49 $21.06 50-99 $19.48 100 + $18.12 **Model No: PE9368** **75 Ohm N Female To 75 Ohm BNC Male Mates With 50 Ohm BNC**	 PRICE 1-24 $66.10 25-49 $61.47 50-99 $56.85 100 + $52.88 **Model No: PE9371** **75 Ohm N Female To 75 Ohm BNC Female Mates With 50 Ohm BNC**

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	**75 Ohm TNC In-Series** →	 PRICE: 1-24 $52.25; 25-49 $48.59; 50-99 $44.94; 100 + $41.80 **Model No: PE9623** 75 Ohm TNC Male To 75 Ohm TNC Female Right Angle	PRICE: 1-24 $23.20; 25-49 $21.58; 50-99 $19.95; 100 + $18.56 **Model No: PE9622** 75 Ohm TNC Female To 75 Ohm TNC Female	 PRICE: 1-24 $57.05; 25-49 $53.06; 50-99 $49.06; 100 + $45.64 **Model No: PE9624** 75 Ohm TNC Female To 75 Ohm TNC Female Bulkhead, Hermetically Sealded Mounting Hole B06
2	 PRICE: 1-24 $34.80; 25-49 $32.36; 50-99 $29.93; 100 + $27.84 **Model No: PE9625** 75 Ohm TNC Female To 75 Ohm TNC Female Bulkhead, Isolated Ground Mounting Hole B06	**75 Ohm TNC Between-Series** →	 PRICE: 1-24 $16.65; 25-49 $15.48; 50-99 $14.32; 100 + $13.32 **Model No: PE9631** 75 Ohm TNC Male To 75 Ohm BNC Female	 PRICE: 1-24 $34.80; 25-49 $32.36; 50-99 $29.93; 100 + $27.84 **Model No: PE9630** 75 Ohm TNC Female To 75 Ohm BNC Male
3	**75 Ohm SMC In-Series** →	 PRICE: 1-24 $31.50; 25-49 $29.30; 50-99 $27.09; 100 + $25.20 **Model No: PE9272** 75 Ohm SMC Plug To 75 Ohm SMC Plug	 PRICE: 1-24 $27.85; 25-49 $25.90; 50-99 $23.95; 100 + $22.28 **Model No: PE9227** 75 Ohm SMC Jack To 75 Ohm SMC Jack	 PRICE: 1-24 $34.80; 25-49 $32.36; 50-99 $29.93; 100 + $27.84 **Model No: PE9228** 75 Ohm SMC Jack To 75 Ohm SMC Jack Bulkhead Mounting Hole B03
4	PRICE: 1-24 $52.25; 25-49 $48.59; 50-99 $44.94; 100 + $41.80 **Model No: PE9244** 75 Ohm SMC "T" Jack-Plug-Jack	**75 Ohm F In-Series** →	 PRICE: 1-24 $52.25; 25-49 $48.59; 50-99 $44.94; 100 + $41.80 PRECISION **Model No: PE9760** F Male To F Male Max VSWR 1.30:1 @ 3 GHz	PRICE: 1-24 $10.70; 25-49 $9.95; 50-99 $9.20; 100 + $8.56 **Model No: PE9159** F Male To F Male
5	 PRICE: 1-24 $52.25; 25-49 $48.59; 50-99 $44.94; 100 + $41.80 PRECISION **Model No: PE9759** F Male To F Female Max VSWR 1.30:1 @ 3 GHz	PRICE: 1-24 $10.70; 25-49 $9.95; 50-99 $9.20; 100 + $8.56 **Model No: PE9160** F Male Push On To F Female	 PRICE: 1-24 $9.45; 25-49 $8.79; 50-99 $8.13; 100 + $7.56 **Model No: PE9166** F Male To F Female Right Angle	 PRICE: 1-24 $51.35; 25-49 $47.76; 50-99 $44.16; 100 + $41.08 PRECISION **Model No: PE9761** F Female To F Female Max VSWR 1.30:1 @ 3 GHz
6	 PRICE: 1-24 $4.80; 25-49 $4.46; 50-99 $4.13; 100 + $3.84 **Model No: PE9164** F Female To F Female	 PRICE: 1-24 $11.70; 25-49 $10.88; 50-99 $10.06; 100 + $9.36 **Model No: PE9734** F Female To F Female Bulkhead Mounting Hole B04	**75 Ohm F Between-Series** →	PRICE: 1-24 $10.45; 25-49 $9.72; 50-99 $8.99; 100 + $8.36 **Model No: PE9633** F Male To PAL Plug

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $10.45 25-49 $9.72 50-99 $8.99 100 + $8.36 **Model No: PE9632** F Male To PAL Jack	 PRICE 1-24 $9.45 25-49 $8.79 50-99 $8.13 100 + $7.56 **Model No: PE9635** F Female To PAL Plug	 PRICE 1-24 $10.45 25-49 $9.72 50-99 $8.99 100 + $8.36 **Model No: PE9634** F Female To PAL Jack	 PRECISION PRICE 1-24 $69.75 25-49 $64.87 50-99 $59.99 100 + $55.80 **Model No: PE9742** F Male To 75 Ohm BNC Male Max VSWR 1.30:1 @ 3 GHz
2	 PRECISION PRICE 1-24 $79.90 25-49 $74.31 50-99 $68.71 100 + $63.92 **Model No: PE9743** F Male To 75 Ohm BNC Female Max VSWR 1.30:1 @ 3 GHz	 PRECISION PRICE 1-24 $79.90 25-49 $74.31 50-99 $68.71 100 + $63.92 **Model No: PE9741** F Female To 75 Ohm BNC Male Max VSWR 1.30:1 @ 3 GHz	 PRECISION PRICE 1-24 $82.15 25-49 $76.40 50-99 $70.65 100 + $65.72 **Model No: PE9744** F Female To 75 Ohm BNC Female Max VSWR 1.30:1 @ 3 GHz	 PRICE 1-24 $11.65 25-49 $10.83 50-99 $10.02 100 + $9.32 **Model No: PE9163** F Female To RCA Plug
3	 PRICE 1-24 $10.85 25-49 $10.09 50-99 $9.33 100 + $8.68 **Model No: PE9168** F Female To RCA Jack	***75 Ohm SMB In-Series*** →	 PRICE 1-24 $43.65 25-49 $40.59 50-99 $37.54 100 + $34.92 **Model No: PE9271** 75 Ohm SMB Plug To 75 Ohm SMB Plug	 PRICE 1-24 $43.65 25-49 $40.59 50-99 $37.54 100 + $34.92 **Model No: PE9248** 75 Ohm SMB Jack To 75 Ohm SMB Jack
4	 PRICE 1-24 $42.40 25-49 $39.43 50-99 $36.46 100 + $33.92 **Model No: PE9245** 75 Ohm SMB "T" Jack-Plug-Jack	***75 Ohm SMB Between-Series*** →	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9736** 75 Ohm SMB Plug To Mini 75 Ohm SMB Jack	 PRICE 1-24 $46.50 25-49 $43.25 50-99 $39.99 100 + $37.20 **Model No: PE9735** 75 Ohm SMB Jack To Mini 75 Ohm SMB Plug
5	***75 Ohm Mini SMB In-Series*** →	 PRICE 1-24 $21.80 25-49 $20.27 50-99 $18.75 100 + $17.44 **Model No: PE9609** Mini 75 Ohm SMB Plug To Mini 75 Ohm SMB Plug	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9610** Mini 75 Ohm SMB Plug To Mini 75 Ohm SMB Jack	 PRICE 1-24 $21.80 25-49 $20.27 50-99 $18.75 100 + $17.44 **Model No: PE9608** Mini 75 Ohm SMB Jack To Mini 75 Ohm SMB Jack
6	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9611** Mini 75 Ohm SMB Jack To Mini 75 Ohm SMB Jack Bulkhead Mounting Hole B01	***75 Ohm Mini SMB Between-Series*** →	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9616** Mini 75 Ohm SMB Plug To 75 Ohm BNC Male	 PRICE 1-24 $45.30 25-49 $42.13 50-99 $38.96 100 + $36.24 **Model No: PE9617** Mini 75 Ohm SMB Plug To 75 Ohm BNC Female

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

	A	B	C	D
1	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9618** Mini 75 Ohm SMB Jack To 75 Ohm BNC Male	 PRICE 1-24 $58.10 25-49 $54.03 50-99 $49.97 100 + $46.48 **Model No: PE9619** Mini 75 Ohm SMB Jack To 75 Ohm BNC Female	**75 Ohm BNC In-Series** →	 PRICE 1-24 $15.45 25-49 $14.37 50-99 $13.29 100 + $12.36 **Model No: PE9364** 75 Ohm BNC Male To 75 Ohm BNC Male Mates With 50 Ohm BNC
2	 PRICE 1-24 $22.85 25-49 $21.25 50-99 $19.65 100 + $18.28 **Model No: PE9361** 75 Ohm BNC Male To 75 Ohm BNC Female Right Angle Mates With 50 Ohm BNC	 PRICE 1-24 $15.45 25-49 $14.37 50-99 $13.29 100 + $12.36 **Model No: PE9362** 75 Ohm BNC Female To 75 Ohm BNC Female Mates With 50 Ohm BNC	 PRICE 1-24 $25.65 25-49 $23.85 50-99 $22.06 100 + $20.52 **Model No: PE9363** 75 Ohm BNC Female To 75 Ohm BNC Female Bulkhead Mates With 50 Ohm BNC Mounting Hole B06	 PRICE 1-24 $26.25 25-49 $24.41 50-99 $22.58 100 + $21.00 **Model No: PE9366** 75 Ohm BNC Female To 75 Ohm BNC Female Bulkhead, Isolated Ground Mates With 50 Ohm BNC Mounting Hole B06
3	 PRICE 1-24 $26.25 25-49 $24.41 50-99 $22.58 100 + $21.00 **Model No: PE9367** 75 Ohm BNC Female To 75 Ohm BNC Female, Panel Mount, Mates With 50 Ohm BNC Mounting Hole A03	 PRICE 1-24 $25.05 25-49 $23.30 50-99 $21.54 100 + $20.04 **Model No: PE9365** 75 Ohm BNC "T" Female-Male-Female Mates With 50 Ohm BNC	**3/4"-20 Twinax In-Series** →	 PRICE 1-24 $16.90 25-49 $15.72 50-99 $14.53 100 + $13.52 **Model No: PE9199** 3/4"-20 Twinax Female To 3/4"-20 Twinax Female
4	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9373** 3/4"-20 Twinax Female To 3/4"-20 Twinax Female Bulkhead Mounting Hole B07	 PRICE 1-24 $31.50 25-49 $29.30 50-99 $27.09 100 + $25.20 **Model No: PE9374** 3/4"-20 Twinax "T" Female-Male-Female	 PRICE 1-24 $34.80 25-49 $32.36 50-99 $29.93 100 + $27.84 **Model No: PE9224** 3/4"-20 Twinax "T" Female-Female-Female	**D Subminiature In-Series** →
5	 PRICE 1-24 $40.60 25-49 $37.76 50-99 $34.92 100 + $32.48 **Model No: PE9688** D Subminiature Plug To D Subminiature Plug	 PRICE 1-24 $40.60 25-49 $37.76 50-99 $34.92 100 + $32.48 **Model No: PE9687** D Subminiature Plug To D Subminiature Receptacle	 PRICE 1-24 $40.60 25-49 $37.76 50-99 $34.92 100 + $32.48 **Model No: PE9689** D Subminiature Receptacle To D Subminiature Receptacle	**GR874 In-Series** →
6	 PRICE 1-24 $281.70 25-49 $261.98 50-99 $242.26 100 + $225.36 **Model No: PE9286** GR874 To GR874 Right Angle	 PRICE 1-24 $281.70 25-49 $261.98 50-99 $242.26 100 + $225.36 **Model No: PE9285** GR874 "T"	**BNC Twinax In-Series** →	 PRICE 1-24 $36.35 25-49 $33.81 50-99 $31.26 100 + $29.08 **Model No: PE9376** BNC Twinax Plug To BNC Twinax Plug

Adapters

See Our Website For Current Stock Availability!

ADAPTERS

See Adapter Locator Pages 160 Thru 166
See Page 259 For Mounting Holes

A



PRICE	
1-24	$47.10
25-49	$43.80
50-99	$40.51
100 +	$37.68

Model No: PE9377

BNC Twinax Plug To BNC Twinax Jack Right Angle

B

PRICE	
1-24	$23.05
25-49	$21.44
50-99	$19.82
100 +	$18.44

Model No: PE9378

BNC Twinax Jack To BNC Twinax Jack

C

PRICE	
1-24	$25.05
25-49	$23.30
50-99	$21.54
100 +	$20.04

Model No: PE9280

BNC Twinax Jack To BNC Twinax Jack Bulkhead Mounting Hole B06

D



PRICE	
1-24	$33.90
25-49	$31.53
50-99	$29.15
100 +	$27.12

Model No: PE9375

BNC Twinax "T" Jack-Plug-Jack

1

2



PRICE	
1-24	$39.90
25-49	$37.11
50-99	$34.31
100 +	$31.92

Model No: PE9279

BNC Twinax "T" Jack-Jack-Jack

For assistance finding your adapter, please use our new Adapter Selection Guide found on Page 160 thru 166

or

Please contact our Tech Support Department for all your Special requirements at: (866) 727-8376, Ext. 3

Notes

See Our Website For Current Stock Availability!

INDEX GUIDE TO
ATTENUATORS & RF COMPONENTS

To find the fixed Attenuator you need, please turn the page and refer to the fixed Attenuator Selector Guide. For further assistance, call our Toll-Free Tech Support Department at: 1-866-727-8376.

Fixed Attenuators
2.92mm.....203
7mm.....203
SMA.....203
N 204
TNC 206
7/16.....207
BNC.....207
75 Ω F.....208
75 Ω BNC 208
75 Ω N 208

Other Attenuators
DC Bias Passing.....209
Continuously Variable.....209
Single Stage Rotary.....210
Two & Three Stage Rotary 210
Pushbutton 211
Toggle Switch 211
Programmable.....211
Impedance Matching Pads.....212

Terminations
High Power.....212
Feed-Thru Precision.....213
50 & 75 Ω Precision.....213
Resistor 214

Directional Couplers
90° Hybrids.....214
Broadband.....215
Octave 216
Dual 217
High Power.....217

Power Dividers
Power Dividers 218
50 Ω Resistive 219

Misc. RF Components
Isolators / Circulators.....218
Phase Shifters 219
Adjustable Phase Trimmers.....219
Bias “Tee's”.....219
D.C. Blocks.....220
Bandpass Filters.....220
Caps / Shorts.....221
N Fuse Holders.....221
Surge Protectors.....221

Switches
Coaxial.....222
Relay 223
Transfer 223

Active Devices
General Purpose Amplifiers.....224
Low Noise Amplifiers 224
Noise Generators 224

Detectors / Limiters
Schottky Diode Detectors.....225
BNC Detectors.....225
Log Detector.....225
Pin-Schottky Diode Limiters 226
Pin-Pin Diode Limiters.....226

Double Balanced Mixers.....227
Frequency Doublers 227

Waveguide Products
Waveguide Terminations 227
Standard Gain Horns.....228
End Launch Adapters 229

PASTERNACK FIXED ATTENUATOR SELECTOR GUIDE

P/N	Conn.	Page No.	Imp. (Ω)	Max Freq (GHz)	Max Power (W)	Attenuator Extension (dB value)														
						1	2	3	4	5	6	7	8	9	10	12	15	20	30	40
PE7024	2.92mm	**203**	50	26.5	2	X	X	X			X				X			X	X	
PE7046	2.92mm	**203**	50	40	0.5			X			X				X			X	X	
PE7039	7/16	**207**	50	6	5	X	X	X			X				X			X	X	X
PE7040	7/16	**207**	50	7.5	10	X	X	X			X				X			X	X	X
PE7041	7/16	**207**	50	7.5	25	X	X	X			X				X			X	X	X
PE7042	7/16	**207**	50	7.5	50						X				X			X	X	X
PE7043	7/16	**207**	50	1.5	100						X				X			X	X	X
PE7023	7mm	**203**	50	18	2	X	X	X			X				X			X	X	
PE7000	BNC	**207**	50	2	1	X	X	X			X				X			X	X	
PE7049	BNC	**207**	50	4	2	X	X	X			X				X			X	X	
PE7025	BNC	**208**	50	2	10		X	X			X				X			X	X	X
PE7026	BNC	**208**	50	1	100			X			X				X			X	X	X
PE7002	N	**204**	50	2	1	X	X	X			X				X			X	X	X
PE7047	N	**204**	50	12.4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PE7004	N	**204**	50	18	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PE7014	N	**205**	50	18	5	X	X	X			X				X			X	X	X
PE7048	N	**205**	50	12.4	10	X	X	X			X				X			X	X	X
PE7010	N	**205**	50	2	10		X	X			X				X			X	X	X
PE7015	N	**205**	50	18	10	X	X	X			X				X			X	X	X
PE7017	N	**205**	50	18	25	X	X	X			X				X			X	X	X
PE7019	N	**205**	50	18	50						X				X			X	X	X
PE7021	N	**205**	50	1.5	100						X				X			X	X	X
PE7031	N	**205**	50	1	300		X	X			X				X			X	X	
PE7032	N	**206**	50	0.5	500		X	X			X				X			X	X	
PE7161	SMA	**203**	50	2	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PE7001	SMA	**203**	50	3	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PE7162	SMA	**203**	50	6	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PE7045	SMA	**203**	50	12.4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PE7005	SMA	**203**	50	18	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PE7013	SMA	**204**	50	18	5	X	X	X			X				X			X	X	X
PE7016	SMA	**204**	50	18	10	X	X	X			X				X			X	X	X
PE7018	SMA	**204**	50	18	25	X	X	X			X				X			X	X	X
PE7020	SMA	**204**	50	18	50						X				X			X	X	X
PE7022	SMA	**204**	50	1.5	100						X				X			X	X	X
PE7003	TNC	**206**	50	2	1	X	X	X			X				X			X	X	X
PE7051	TNC	**206**	50	12.4	2	X	X	X			X				X			X	X	X
PE7030	TNC	**206**	50	18	2	X	X	X			X				X			X	X	
PE7052	TNC	**206**	50	18	5	X	X	X			X				X			X	X	
PE7053	TNC	**206**	50	18	10	X	X	X			X				X			X	X	X
PE7054	TNC	**206**	50	18	25	X	X	X			X				X			X	X	X
PE7055	TNC	**206**	50	18	50						X				X			X	X	X
PE7056	TNC	**207**	50	1.5	100						X				X			X	X	X
PE7009	BNC	**208**	75	1	1	X	X	X			X				X			X	X	
PE7050	BNC	**208**	75	4	2	X	X	X			X				X			X	X	
PE7057	F	**208**	75	1	2	X	X	X			X				X					
PE7029	N	**208**	75	1	1	X	X	X			X				X			X	X	
PE7044	N	**208**	75	4	2	X	X	X			X				X			X	X	

2 WATT, 26.5 GHZ 2.92mm* ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7024-1	1 dB	.5 dB	$188.55	$175.35	$162.15	$150.84
PE7024-2	2 dB	.5 dB	188.55	175.35	162.15	150.84
PE7024-3	3 dB	.5 dB	188.55	175.35	162.15	150.84
PE7024-6	6 dB	.5 dB	188.55	175.35	162.15	150.84
PE7024-10	10 dB	.6 dB	188.55	175.35	162.15	150.84
PE7024-20	20 dB	.6 dB	188.55	175.35	162.15	150.84
PE7024-30	30 dB	.8 dB	188.55	175.35	162.15	150.84

*2.92mm CONNECTORS WILL MATE BOTH ELECTRICALLY AND MECHANICALLY WITH ALL SMA, 3.5mm & K CONNECTORS. THE K CONNECTOR IS A REGISTERED TRADEMARK OF THE ANRITSU® COMPANY.

0.5 WATT, 40 GHZ 2.92mm* ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7046-3	3 dB	.8 dB	$332.75	$309.46	$286.17	$266.20
PE7046-6	6 dB	.8 dB	332.75	309.46	286.17	266.20
PE7046-10	10 dB	1.0 dB	332.75	309.46	286.17	266.20
PE7046-20	20 dB	1.0 dB	332.75	309.46	286.17	266.20
PE7046-30	30 dB	1.0 dB	332.75	309.46	286.17	266.20

*2.92mm CONNECTORS WILL MATE BOTH ELECTRICALLY AND MECHANICALLY WITH ALL SMA, 3.5mm & K CONNECTORS. THE K CONNECTOR IS A REGISTERED TRADEMARK OF THE ANRITSU® COMPANY.

2 WATT, 18 GHZ 7mm ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.20:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7023-1	1 dB	.3 dB	$388.25	$361.07	$333.90	$310.60
PE7023-2	2 dB	.3 dB	388.25	361.07	333.90	310.60
PE7023-3	3 dB	.3 dB	388.25	361.07	333.90	310.60
PE7023-6	6 dB	.3 dB	388.25	361.07	333.90	310.60
PE7023-10	10 dB	.5 dB	388.25	361.07	333.90	310.60
PE7023-20	20 dB	.5 dB	388.25	361.07	333.90	310.60
PE7023-30	30 dB	.75 dB	388.25	361.07	333.90	310.60

1 WATT, 2 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.20:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7161-1	1 dB	.6 dB	$42.40	$39.43	$36.46	$33.92
PE7161-2	2 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-3	3 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-4	4 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-5	5 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-6	6 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-7	7 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-8	8 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-9	9 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-10	10 dB	.6 dB	42.40	39.43	36.46	33.92
PE7161-12	12 dB	.75 dB	42.40	39.43	36.46	33.92
PE7161-15	15 dB	.75 dB	42.40	39.43	36.46	33.92
PE7161-20	20 dB	.75 dB	42.40	39.43	36.46	33.92
PE7161-30	30 dB	.90 dB	42.40	39.43	36.46	33.92
PE7161-40	40 dB	1.50 dB	42.40	39.43	36.46	33.92

2 WATT, 3 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.15:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7001-1	1 dB	.5 dB	$55.40	$51.52	$47.64	$44.32
PE7001-2	2 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-3	3 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-4	4 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-5	5 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-6	6 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-7	7 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-8	8 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-9	9 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-10	10 dB	.5 dB	55.40	51.52	47.64	44.32
PE7001-12	12 dB	.75 dB	55.40	51.52	47.64	44.32
PE7001-15	15 dB	.75 dB	55.40	51.52	47.64	44.32
PE7001-20	20 dB	.75 dB	55.40	51.52	47.64	44.32
PE7001-30	30 dB	1.50 dB	55.40	51.52	47.64	44.32
PE7001-40	40 dB	1.50 dB	72.00	66.96	61.92	57.60

2 WATT, 6 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.20:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7162-1	1 dB	.6 dB	$63.60	$59.15	$54.70	$50.88
PE7162-2	2 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-3	3 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-4	4 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-5	5 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-6	6 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-7	7 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-8	8 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-9	9 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-10	10 dB	.6 dB	63.60	59.15	54.70	50.88
PE7162-12	12 dB	.75 dB	63.60	59.15	54.70	50.88
PE7162-15	15 dB	.75 dB	63.60	59.15	54.70	50.88
PE7162-20	20 dB	.75 dB	63.60	59.15	54.70	50.88
PE7162-30	30 dB	.90 dB	63.60	59.15	54.70	50.88
PE7162-40	40 dB	1.50 dB	63.60	59.15	54.70	50.88

2 WATT, 12.4 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7045-1	1 dB	.5 dB	$77.60	$72.17	$66.74	$62.08
PE7045-2	2 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-3	3 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-4	4 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-5	5 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-6	6 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-7	7 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-8	8 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-9	9 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-10	10 dB	.5 dB	77.60	72.17	66.74	62.08
PE7045-12	12 dB	.75 dB	77.60	72.17	66.74	62.08
PE7045-15	15 dB	.75 dB	77.60	72.17	66.74	62.08
PE7045-20	20 dB	.75 dB	77.60	72.17	66.74	62.08
PE7045-30	30 dB	1.50 dB	77.60	72.17	66.74	62.08
PE7045-40	40 dB	1.50 dB	99.80	92.81	85.83	79.84

2 WATT, 18 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.35:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7005-1	1 dB	.5 dB	$90.40	$84.07	$77.74	$72.32
PE7005-2	2 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-3	3 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-4	4 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-5	5 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-6	6 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-7	7 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-8	8 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-9	9 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-10	10 dB	.5 dB	90.40	84.07	77.74	72.32
PE7005-12	12 dB	.75 dB	90.40	84.07	77.74	72.32
PE7005-15	15 dB	.75 dB	90.40	84.07	77.74	72.32
PE7005-20	20 dB	.75 dB	90.40	84.07	77.74	72.32
PE7005-30	30 dB	1.50 dB	90.40	84.07	77.74	72.32
PE7005-40	40 dB	1.50 dB	113.10	105.18	97.27	90.48

5 WATT, 18 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.35:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7013-1	1 dB	.3 dB	$121.95	$113.41	$104.88	$97.56
PE7013-2	2 dB	.3 dB	121.95	113.41	104.88	97.56
PE7013-3	3 dB	.3 dB	121.95	113.41	104.88	97.56
PE7013-6	6 dB	.3 dB	121.95	113.41	104.88	97.56
PE7013-10	10 dB	.5 dB	121.95	113.41	104.88	97.56
PE7013-20	20 dB	.5 dB	121.95	113.41	104.88	97.56
PE7013-30	30 dB	1.5 dB	121.95	113.41	104.88	97.56
PE7013-40	40 dB	1.5 dB	144.20	134.11	124.01	115.36

10 WATT, 18 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7016-1	1 dB	.5 dB	$255.10	$237.24	$219.39	$204.08
PE7016-2	2 dB	.5 dB	255.10	237.24	219.39	204.08
PE7016-3	3 dB	.5 dB	255.10	237.24	219.39	204.08
PE7016-6	6 dB	.5 dB	255.10	237.24	219.39	204.08
PE7016-10	10 dB	.7 dB	255.10	237.24	219.39	204.08
PE7016-20	20 dB	.7 dB	255.10	237.24	219.39	204.08
PE7016-30	30 dB	1.5 dB	255.10	237.24	219.39	204.08
PE7016-40	40 dB	1.5 dB	277.30	257.89	238.48	221.84

25 WATT, 18 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7018-1	1 dB	.8 dB	$388.25	$361.07	$333.90	$310.60
PE7018-2	2 dB	.8 dB	388.25	361.07	333.90	310.60
PE7018-3	3 dB	.8 dB	388.25	361.07	333.90	310.60
PE7018-6	6 dB	.8 dB	388.25	361.07	333.90	310.60
PE7018-10	10 dB	1.0 dB	388.25	361.07	333.90	310.60
PE7018-20	20 dB	1.0 dB	388.25	361.07	333.90	310.60
PE7018-30	30 dB	2.0 dB	388.25	361.07	333.90	310.60
PE7018-40	40 dB	2.0 dB	410.35	381.63	352.90	328.28

50 WATT, 18 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.45:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7020-6	6 dB	.85 dB	$454.75	$422.92	$391.09	$363.80
PE7020-10	10 dB	.85 dB	454.75	422.92	391.09	363.80
PE7020-20	20 dB	1.5 dB	454.75	422.92	391.09	363.80
PE7020-30	30 dB	1.5 dB	454.75	422.92	391.09	363.80
PE7020-40	40 dB	2.0 dB	477.00	443.61	410.22	381.60

100 WATT, 1.5 GHZ SMA ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7022-6	6 dB	.5 dB	$610.10	$567.39	$524.69	$488.08
PE7022-10	10 dB	.75 dB	610.10	567.39	524.69	488.08
PE7022-20	20 dB	.75 dB	610.10	567.39	524.69	488.08
PE7022-30	30 dB	.75 dB	610.10	567.39	524.69	488.08
PE7022-40	40 dB	1.0 dB	632.30	588.04	543.78	505.84

1 WATT, 2 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7002-1	1 dB	.3 dB	$55.40	$51.52	$47.64	$44.32
PE7002-2	2 dB	.3 dB	55.40	51.52	47.64	44.32
PE7002-3	3 dB	.3 dB	55.40	51.52	47.64	44.32
PE7002-6	6 dB	.3 dB	55.40	51.52	47.64	44.32
PE7002-10	10 dB	.5 dB	55.40	51.52	47.64	44.32
PE7002-20	20 dB	.5 dB	55.40	51.52	47.64	44.32
PE7002-30	30 dB	.75 dB	55.40	51.52	47.64	44.32
PE7002-40	40 dB	1.5 dB	72.00	66.96	61.92	57.60

2 WATT, 12.4 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7047-1	1 dB	.5 dB	$109.85	$102.16	$94.47	$87.88
PE7047-2	2 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-3	3 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-4	4 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-5	5 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-6	6 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-7	7 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-8	8 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-9	9 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-10	10 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-12	12 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-15	15 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-20	20 dB	.5 dB	109.85	102.16	94.47	87.88
PE7047-30	30 dB	1.5 dB	109.85	102.16	94.47	87.88
PE7047-40	40 dB	1.5 dB	144.20	134.11	124.01	115.36

2 WATT, 18 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.35:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7004-1	1 dB	.5 dB	$141.45	$131.55	$121.65	$113.16
PE7004-2	2 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-3	3 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-4	4 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-5	5 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-6	6 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-7	7 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-8	8 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-9	9 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-10	10 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-12	12 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-15	15 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-20	20 dB	.5 dB	141.45	131.55	121.65	113.16
PE7004-30	30 dB	1.5 dB	141.45	131.55	121.65	113.16
PE7004-40	40 dB	1.5 dB	160.75	149.50	138.25	128.60

5 WATT, 18 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7014-1	1 dB	.3 dB	$199.60	$185.63	$171.66	$159.68
PE7014-2	2 dB	.3 dB	199.60	185.63	171.66	159.68
PE7014-3	3 dB	.3 dB	199.60	185.63	171.66	159.68
PE7014-6	6 dB	.3 dB	199.60	185.63	171.66	159.68
PE7014-10	10 dB	.5 dB	199.60	185.63	171.66	159.68
PE7014-20	20 dB	.5 dB	199.60	185.63	171.66	159.68
PE7014-30	30 dB	1.50 dB	199.60	185.63	171.66	159.68
PE7014-40	40 dB	1.50 dB	221.80	206.27	190.75	177.44

10 WATT, 2 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.20:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7010-2	2 dB	.3 dB	$166.35	$154.71	$143.06	$133.08
PE7010-3	3 dB	.3 dB	166.35	154.71	143.06	133.08
PE7010-6	6 dB	.3 dB	166.35	154.71	143.06	133.08
PE7010-10	10 dB	.5 dB	201.70	187.58	173.46	161.36
PE7010-20	20 dB	.5 dB	201.70	187.58	173.46	161.36
PE7010-30	30 dB	.7 dB	201.70	187.58	173.46	161.36
PE7010-40	40 dB	.7 dB	201.70	187.58	173.46	161.36

10 WATT, 12.4 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1:30:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7048-1	1 dB	.3 dB	$255.10	$237.24	$219.39	$204.08
PE7048-2	2 dB	.3 dB	255.10	237.24	219.39	204.08
PE7048-3	3 dB	.3 dB	255.10	237.24	219.39	204.08
PE7048-6	6 dB	.3 dB	255.10	237.24	219.39	204.08
PE7048-10	10 dB	.5 dB	255.10	237.24	219.39	204.08
PE7048-20	20 dB	.5 dB	255.10	237.24	219.39	204.08
PE7048-30	30 dB	1.5 dB	255.10	237.24	219.39	204.08
PE7048-40	40 dB	1.5 dB	277.30	257.89	238.48	221.84

10 WATT, 18 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7015-1	1 dB	.5 dB	$277.30	$257.89	$238.48	$221.84
PE7015-2	2 dB	.5 dB	277.30	257.89	238.48	221.84
PE7015-3	3 dB	.5 dB	277.30	257.89	238.48	221.84
PE7015-6	6 dB	.5 dB	277.30	257.89	238.48	221.84
PE7015-10	10 dB	.7 dB	282.80	263.00	243.21	226.24
PE7015-20	20 dB	.7 dB	282.80	263.00	243.21	226.24
PE7015-30	30 dB	1.5 dB	282.80	263.00	243.21	226.24
PE7015-40	40 dB	1.5 dB	299.45	278.49	257.53	239.56

25 WATT, 18 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7017-1	1 dB	.8 dB	$388.25	$361.07	$333.90	$310.60
PE7017-2	2 dB	.8 dB	388.25	361.07	333.90	310.60
PE7017-3	3 dB	.8 dB	388.25	361.07	333.90	310.60
PE7017-6	6 dB	.8 dB	388.25	361.07	333.90	310.60
PE7017-10	10 dB	1.0 dB	388.25	361.07	333.90	310.60
PE7017-20	20 dB	1.0 dB	388.25	361.07	333.90	310.60
PE7017-30	30 dB	2.0 dB	388.25	361.07	333.90	310.60
PE7017-40	40 dB	2.0 dB	443.70	412.64	381.58	354.96

50 WATT, 18 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.45:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7019-6	6 dB	1.0 dB	$443.70	$412.64	$381.58	$354.96
PE7019-10	10 dB	1.0 dB	443.70	412.64	381.58	354.96
PE7019-20	20 dB	1.5 dB	443.70	412.64	381.58	354.96
PE7019-30	30 dB	1.5 dB	452.55	420.87	389.19	362.04
PE7019-40	40 dB	2.0 dB	499.15	464.21	429.27	399.32

100 WATT, 1.5 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7021-6	6 dB	.5 dB	$554.60	$515.78	$476.96	$443.68
PE7021-10	10 dB	.75 dB	554.60	515.78	476.96	443.68
PE7021-20	20 dB	.75 dB	554.60	515.78	476.96	443.68
PE7021-30	30 dB	.75 dB	554.60	515.78	476.96	443.68
PE7021-40	40 dB	1.5 dB	610.10	567.39	524.69	488.08

300 WATT, 1 GHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM
RF INPUT POWER: 300 WATT AVERAGE AT 25°C
DERATED TO 75 WATTS AT 85°C

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7031-2	2 dB	.75 dB	$1436.55	$1335.99	$1235.43	$1149.24
PE7031-3	3 dB	.75 dB	1436.55	1335.99	1235.43	1149.24
PE7031-6	6 dB	.75 dB	1436.55	1335.99	1235.43	1149.24
PE7031-10	10 dB	.75 dB	1436.55	1335.99	1235.43	1149.24
PE7031-20	20 dB	.75 dB	1436.55	1335.99	1235.43	1149.24
PE7031-30	30 dB	.75 dB	1436.55	1335.99	1235.43	1149.24

500 WATT, 500 MHZ N ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.15:1, MAXIMUM
RF INPUT POWER: 500 WATT AVERAGE AT 25°C
DERATED TO 250 WATTS AT 100°C

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7032-2	2 dB	.5 dB	$1663.95	$1547.47	$1431.00	$1331.16
PE7032-3	3 dB	.5 dB	1663.95	1547.47	1431.00	1331.16
PE7032-6	6 dB	.5 dB	1663.95	1547.47	1431.00	1331.16
PE7032-10	10 dB	.5 dB	1663.95	1547.47	1431.00	1331.16
PE7032-20	20 dB	.5 dB	1663.95	1547.47	1431.00	1331.16
PE7032-30	30 dB	.5 dB	1663.95	1547.47	1431.00	1331.16

1 WATT, 2 GHZ TNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1 GHz, 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7003-1	1 dB	.8 dB	$50.25	$46.73	$43.22	$40.20
PE7003-2	2 dB	.8 dB	50.25	46.73	43.22	40.20
PE7003-3	3 dB	.8 dB	50.25	46.73	43.22	40.20
PE7003-6	6 dB	.8 dB	50.25	46.73	43.22	40.20
PE7003-10	10 dB	.8 dB	50.25	46.73	43.22	40.20
PE7003-20	20 dB	.8 dB	50.25	46.73	43.22	40.20
PE7003-30	30 dB	1.0 dB	50.25	46.73	43.22	40.20
PE7003-40	40 dB	1.5 dB	72.00	66.96	61.92	57.60

2 WATT, 12.4 GHZ TNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7051-1	1 dB	.3 dB	$99.80	$92.81	$85.83	$79.84
PE7051-2	2 dB	.3 dB	99.80	92.81	85.83	79.84
PE7051-3	3 dB	.3 dB	99.80	92.81	85.83	79.84
PE7051-6	6 dB	.3 dB	99.80	92.81	85.83	79.84
PE7051-10	10 dB	.5 dB	99.80	92.81	85.83	79.84
PE7051-20	20 dB	.5 dB	99.80	92.81	85.83	79.84
PE7051-30	30 dB	1.5 dB	99.80	92.81	85.83	79.84
PE7051-40	40 dB	1.5 dB	121.95	113.41	104.88	97.56

2 WATT, 18 GHZ TNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.35:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7030-1	1 dB	.3 dB	$199.60	$185.63	$171.66	$159.68
PE7030-2	2 dB	.3 dB	199.60	185.63	171.66	159.68
PE7030-3	3 dB	.3 dB	199.60	185.63	171.66	159.68
PE7030-6	6 dB	.3 dB	199.60	185.63	171.66	159.68
PE7030-10	10 dB	.5 dB	199.60	185.63	171.66	159.68
PE7030-20	20 dB	.5 dB	199.60	185.63	171.66	159.68
PE7030-30	30 dB	1.5 dB	199.60	185.63	171.66	159.68

5 WATT, 18 GHZ TNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.35:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7052-1	1 dB	.3 dB	$221.80	$206.27	$190.75	$177.44
PE7052-2	2 dB	.3 dB	221.80	206.27	190.75	177.44
PE7052-3	3 dB	.3 dB	221.80	206.27	190.75	177.44
PE7052-6	6 dB	.3 dB	221.80	206.27	190.75	177.44
PE7052-10	10 dB	.5 dB	221.80	206.27	190.75	177.44
PE7052-20	20 dB	.5 dB	221.80	206.27	190.75	177.44
PE7052-30	30 dB	1.5 dB	221.80	206.27	190.75	177.44

10 WATT, 18 GHZ TNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7053-1	1 dB	.5 dB	$332.75	$309.46	$286.17	$266.20
PE7053-2	2 dB	.5 dB	332.75	309.46	286.17	266.20
PE7053-3	3 dB	.5 dB	332.75	309.46	286.17	266.20
PE7053-6	6 dB	.5 dB	332.75	309.46	286.17	266.20
PE7053-10	10 dB	.7 dB	332.75	309.46	286.17	266.20
PE7053-20	20 dB	.7 dB	332.75	309.46	286.17	266.20
PE7053-30	30 dB	1.5 dB	332.75	309.46	286.17	266.20
PE7053-40	40 dB	1.5 dB	366.00	340.38	314.76	292.80

25 WATT, 18 GHZ TNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7054-1	1 dB	.8 dB	$477.00	$443.61	$410.22	$381.60
PE7054-2	2 dB	.8 dB	477.00	443.61	410.22	381.60
PE7054-3	3 dB	.8 dB	477.00	443.61	410.22	381.60
PE7054-6	6 dB	.8 dB	477.00	443.61	410.22	381.60
PE7054-10	10 dB	1.0 dB	477.00	443.61	410.22	381.60
PE7054-20	20 dB	1.0 dB	477.00	443.61	410.22	381.60
PE7054-30	30 dB	2.0 dB	477.00	443.61	410.22	381.60
PE7054-40	40 dB	2.0 dB	499.15	464.21	429.27	399.32

50 WATT, 18 GHZ TNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.45:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7055-6	6 dB	1.0 dB	$554.60	$515.78	$476.96	$443.68
PE7055-10	10 dB	1.0 dB	554.60	515.78	476.96	443.68
PE7055-20	20 dB	1.5 dB	554.60	515.78	476.96	443.68
PE7055-30	30 dB	1.5 dB	554.60	515.78	476.96	443.68
PE7055-40	40 dB	2.0 dB	576.80	536.42	496.05	461.44

100 WATT, 1.5 GHZ TNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7056-6	6 dB	.8 dB	$665.50	$618.92	$572.33	$532.40
PE7056-10	10 dB	1.0 dB	665.50	618.92	572.33	532.40
PE7056-20	20 dB	1.0 dB	665.50	618.92	572.33	532.40
PE7056-30	30 dB	2.0 dB	665.50	618.92	572.33	532.40
PE7056-40	40 dB	2.0 dB	687.75	639.61	591.47	550.20

5 WATT, 6 GHZ 7/16 ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7039-1	1 dB	.4 dB	$166.35	$154.71	$143.06	$133.08
PE7039-2	2 dB	.4 dB	166.35	154.71	143.06	133.08
PE7039-3	3 dB	.4 dB	166.35	154.71	143.06	133.08
PE7039-6	6 dB	.4 dB	166.35	154.71	143.06	133.08
PE7039-10	10 dB	.6 dB	166.35	154.71	143.06	133.08
PE7039-20	20 dB	.6 dB	166.35	154.71	143.06	133.08
PE7039-30	30 dB	1.5 dB	166.35	154.71	143.06	133.08
PE7039-40	40 dB	1.5 dB	188.55	175.35	162.15	150.84

10 WATT, 7.5 GHZ 7/16 ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.30:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7040-1	1 dB	.6 dB	$244.00	$226.92	$209.84	$195.20
PE7040-2	2 dB	.6 dB	244.00	226.92	209.84	195.20
PE7040-3	3 dB	.6 dB	244.00	226.92	209.84	195.20
PE7040-6	6 dB	.6 dB	244.00	226.92	209.84	195.20
PE7040-10	10 dB	.8 dB	244.00	226.92	209.84	195.20
PE7040-20	20 dB	.8 dB	244.00	226.92	209.84	195.20
PE7040-30	30 dB	1.5 dB	244.00	226.92	209.84	195.20
PE7040-40	40 dB	1.5 dB	266.20	247.57	228.93	212.96

25 WATT, 7.5 GHZ 7/16 ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: DC-4GHz 1.25:1, MAXIMUM
4-7.5 GHz 1.45:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7041-1	1 dB	.4 dB	$388.25	$361.07	$333.90	$310.60
PE7041-2	2 dB	.4 dB	388.25	361.07	333.90	310.60
PE7041-3	3 dB	.4 dB	388.25	361.07	333.90	310.60
PE7041-6	6 dB	.4 dB	388.25	361.07	333.90	310.60
PE7041-10	10 dB	.6 dB	388.25	361.07	333.90	310.60
PE7041-20	20 dB	.6 dB	388.25	361.07	333.90	310.60
PE7041-30	30 dB	1.5 dB	388.25	361.07	333.90	310.60
PE7041-40	40 dB	1.5 dB	410.35	381.63	352.90	328.28

50 WATT, 7.5 GHZ 7/16 ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7042-6	6 dB	1.0 dB	$443.70	$412.64	$381.58	$354.96
PE7042-10	10 dB	1.0 dB	443.70	412.64	381.58	354.96
PE7042-20	20 dB	1.5 dB	443.70	412.64	381.58	354.96
PE7042-30	30 dB	1.5 dB	443.70	412.64	381.58	354.96
PE7042-40	40 dB	2.0 dB	443.70	412.64	381.58	354.96

100 WATT, 1.5 GHZ 7/16 ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7043-6	6 dB	.5 dB	$499.15	$464.21	$429.27	$399.32
PE7043-10	10 dB	.75 dB	499.15	464.21	429.27	399.32
PE7043-20	20 dB	.75 dB	499.15	464.21	429.27	399.32
PE7043-30	30 dB	.75 dB	499.15	464.21	429.27	399.32
PE7043-40	40 dB	1.0 dB	499.15	464.21	429.27	399.32

1 WATT, 2 GHZ BNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7000-1	1 dB	.8 dB	$33.25	$30.92	$28.60	$26.60
PE7000-2	2 dB	.8 dB	33.25	30.92	28.60	26.60
PE7000-3	3 dB	.8 dB	33.25	30.92	28.60	26.60
PE7000-6	6 dB	.8 dB	33.25	30.92	28.60	26.60
PE7000-10	10 dB	.8 dB	33.25	30.92	28.60	26.60
PE7000-20	20 dB	1.0 dB	33.25	30.92	28.60	26.60
PE7000-30	30 dB	1.0 dB	44.35	41.25	38.14	35.48

2 WATT, 4 GHZ BNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.25:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7049-1	1 dB	.4 dB	$77.60	$72.17	$66.74	$62.08
PE7049-2	2 dB	.4 dB	77.60	72.17	66.74	62.08
PE7049-3	3 dB	.4 dB	77.60	72.17	66.74	62.08
PE7049-6	6 dB	.4 dB	77.60	72.17	66.74	62.08
PE7049-10	10 dB	.6 dB	77.60	72.17	66.74	62.08
PE7049-20	20 dB	.6 dB	77.60	72.17	66.74	62.08
PE7049-30	30 dB	.8 dB	77.60	72.17	66.74	62.08

10 WATT, 2 GHZ BNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.30:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7025-2	2 dB	1.0 dB	$210.70	$195.95	$181.20	$168.56
PE7025-3	3 dB	1.0 dB	210.70	195.95	181.20	168.56
PE7025-6	6 dB	1.0 dB	210.70	195.95	181.20	168.56
PE7025-10	10 dB	1.0 dB	210.70	195.95	181.20	168.56
PE7025-20	20 dB	1.0 dB	210.70	195.95	181.20	168.56
PE7025-30	30 dB	1.0 dB	210.70	195.95	181.20	168.56
PE7025-40	40 dB	1.0 dB	244.00	226.92	209.84	195.20

100 WATT, 1 GHZ BNC ATTENUATORS



IMPEDANCE: 50 Ω
VSWR: 1.40:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7026-3	3 dB	.5 dB	$610.10	$567.39	$524.69	$488.08
PE7026-6	6 dB	.5 dB	610.10	567.39	524.69	488.08
PE7026-10	10 dB	.75 dB	610.10	567.39	524.69	488.08
PE7026-20	20 dB	.75 dB	610.10	567.39	524.69	488.08
PE7026-30	30 dB	.75 dB	610.10	567.39	524.69	488.08
PE7026-40	40 dB	1.5 dB	661.10	614.82	568.55	528.88

2 WATT, 1 GHZ 75 Ω F ATTENUATORS



IMPEDANCE: 75 Ω
VSWR: 1.30:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7057-1	1 dB	.5 dB	$72.00	$66.96	$61.92	$57.60
PE7057-2	2 dB	.5 dB	72.00	66.96	61.92	57.60
PE7057-3	3 dB	.5 dB	72.00	66.96	61.92	57.60
PE7057-6	6 dB	.5 dB	72.00	66.96	61.92	57.60
PE7057-10	10 dB	.5 dB	72.00	66.96	61.92	57.60

1 WATT, 1 GHZ 75 Ω BNC ATTENUATORS



IMPEDANCE: 75 Ω
VSWR: 1.20:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7009-1	1 dB	.5 dB	$38.75	$36.04	$33.33	$31.00
PE7009-2	2 dB	.5 dB	38.75	36.04	33.33	31.00
PE7009-3	3 dB	.5 dB	38.75	36.04	33.33	31.00
PE7009-6	6 dB	.5 dB	38.75	36.04	33.33	31.00
PE7009-10	10 dB	.5 dB	38.75	36.04	33.33	31.00
PE7009-20	20 dB	1.0 dB	38.75	36.04	33.33	31.00
PE7009-30	30 dB	1.0 dB	38.75	36.04	33.33	31.00

2 WATT, 4 GHZ 75 Ω BNC ATTENUATORS



IMPEDANCE: 75 Ω
VSWR: 1.35:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7050-1	1 dB	.4 dB	$99.80	$92.81	$85.83	$79.84
PE7050-2	2 dB	.4 dB	99.80	92.81	85.83	79.84
PE7050-3	3 dB	.4 dB	99.80	92.81	85.83	79.84
PE7050-6	6 dB	.4 dB	99.80	92.81	85.83	79.84
PE7050-10	10 dB	.6 dB	99.80	92.81	85.83	79.84
PE7050-20	20 dB	.6 dB	99.80	92.81	85.83	79.84
PE7050-30	30 dB	.8 dB	99.80	92.81	85.83	79.84

PLEASE CONTACT OUR TECH SUPPORT DEPARTMENT FOR ALL YOUR SPECIAL REQUIREMENTS AT: (866) 727-8376.

1 WATT, 1 GHZ 75 Ω N ATTENUATORS



IMPEDANCE: 75 Ω
VSWR: 1.30:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7029-1	1 dB	.6 dB	$55.40	$51.52	$47.64	$44.32
PE7029-2	2 dB	.6 dB	55.40	51.52	47.64	44.32
PE7029-3	3 dB	.6 dB	55.40	51.52	47.64	44.32
PE7029-6	6 dB	.6 dB	55.40	51.52	47.64	44.32
PE7029-10	10 dB	.6 dB	55.40	51.52	47.64	44.32
PE7029-20	20 dB	1.5 dB	55.40	51.52	47.64	44.32
PE7029-30	30 dB	1.5 dB	55.40	51.52	47.64	44.32

*WARNING: WILL NOT MATE TO 50 Ω N CONNECTORS

2 WATT, 4 GHZ 75 Ω N ATTENUATORS



IMPEDANCE: 75 Ω
VSWR: 1.30:1, MAXIMUM

Model No.	ATTENUATION	ACCURACY ±	PRICE 1-24	25-49	50-99	100 +
PE7044-1	1 dB	.4 dB	$110.85	$103.09	$95.33	$88.68
PE7044-2	2 dB	.4 dB	110.85	103.09	95.33	88.68
PE7044-3	3 dB	.4 dB	110.85	103.09	95.33	88.68
PE7044-6	6 dB	.4 dB	110.85	103.09	95.33	88.68
PE7044-10	10 dB	.6 dB	110.85	103.09	95.33	88.68
PE7044-20	20 dB	.6 dB	110.85	103.09	95.33	88.68
PE7044-30	30 dB	.8 dB	110.85	103.09	95.33	88.68

*WARNING: WILL NOT MATE TO 50 Ω N CONNECTORS

DC BIAS PASSING ATTENUATORS



ELECTRICAL SPECIFICATIONS (@25°C AMBIENT)
FREQUENCY RANGE..... 500 MHz-2 GHz
VOLTAGE RATING, MAXIMUM..... 100 VOLTS
DC CURRENT, MAXIMUM..... 2 AMPS
RF POWER (AVG), MAXIMUM..... 2 WATTS
OPERATING TEMP. RANGE..... -55°C TO +125°C

50 Ω SMA

ATTENUATION ACCURACY
6 & 10 dB: ±1.0 dB
20 dB: ±2.0 dB
VSWR: 1.35:1, MAXIMUM



Model No.	ATTENUATION	PRICE 1-24	25-49	50-99	100 +
PE7061-6	6 dB	$74.15	$68.96	$63.77	$59.32
PE7061-10	10 dB	74.15	68.96	63.77	59.32
PE7061-20	20 dB	75.75	70.45	65.15	60.60

50 Ω N

ATTENUATION ACCURACY
6 & 10 dB: ±1.0 dB
20 dB: ±2.0 dB
VSWR: 1.35:1, MAXIMUM



Model No.	ATTENUATION	PRICE 1-24	25-49	50-99	100 +
PE7062-6	6 dB	$85.80	$79.79	$73.79	$68.64
PE7062-10	10 dB	85.80	79.79	73.79	68.64
PE7062-20	20 dB	90.05	83.75	77.44	72.04

50 Ω TNC

ATTENUATION ACCURACY
6 & 10 dB: ±1.0 dB
20 dB: ±2.0 dB
VSWR: 1.35:1, MAXIMUM



Model No.	ATTENUATION	PRICE 1-24	25-49	50-99	100 +
PE7063-6	6 dB	$98.45	$91.56	$84.67	$78.76
PE7063-10	10 dB	98.45	91.56	84.67	78.76
PE7063-20	20 dB	101.60	94.49	87.38	81.28

75 Ω F

ATTENUATION ACCURACY
6 & 10 dB: ±1.5 dB
20 dB: ±2.0 dB
VSWR: 1.45:1, MAXIMUM



Model No.	ATTENUATION	PRICE 1-24	25-49	50-99	100 +
PE7064-6	6 dB	$105.50	$98.12	$90.73	$84.40
PE7064-10	10 dB	105.50	98.12	90.73	84.40
PE7064-20	20 dB	105.50	98.12	90.73	84.40

CONTINUOUSLY VARIABLE BENCH MOUNT ATTENUATORS

Turns Counting Dial With Locking Lever
SMA Female Connectors
50 Ω Nominal Impedance
Average Power 5 Watts
Peak Power 3KW



MODEL NO.	FREQUENCY RANGE	ATTENUATION RANGE	VSWR (MAXIMUM)	INSERTION LOSS (MAXIMUM)	PRICE 1-24	25-49	50-99	100 +
PE7065-1	1-2 GHz	7 dB	2.0:1	.5 dB	$453.20	$421.48	$389.75	$362.56
PE7065-2	2-4 GHz	10 dB	1.8:1	.5 dB	453.20	421.48	389.75	362.56
PE7065-3	2-4 GHz	20 dB	1.5:1	.5 dB	477.55	444.12	410.69	382.04
PE7065-4	4-8 GHz	10 dB	1.5:1	.75 dB	457.00	425.01	393.02	365.60
PE7065-5	4-8 GHz	20 dB	1.5:1	.75 dB	477.55	444.12	410.69	382.04
PE7065-6	4-8 GHz	30 dB	1.5:1	.75 dB	539.60	501.83	464.06	431.68
PE7065-7	8-12.4 GHz	10 dB	1.7:1	.75 dB	501.90	466.77	431.63	401.52
PE7065-8	8-12.4 GHz	20 dB	1.7:1	.75 dB	554.60	515.78	476.96	443.68
PE7065-9	8-12.4 GHz	30 dB	1.7:1	.75 dB	554.60	515.78	476.96	443.68
PE7065-10	8-12.4 GHz	40 dB	1.7:1	.75 dB	554.60	515.78	476.96	443.68
PE7065-11	12.4-18 GHz	10 dB	1.5:1	.75 dB	554.60	515.78	476.96	443.68
PE7065-12	12.4-18 GHz	20 dB	1.5:1	.75 dB	554.60	515.78	476.96	443.68
PE7065-13	12.4-18 GHz	30 dB	1.5:1	.75 dB	554.60	515.78	476.96	443.68
PE7065-14	12.4-18 GHz	40 dB	1.5:1	.75 dB	554.60	515.78	476.96	443.68

SINGLE STAGE BENCH MOUNT ROTARY ATTENUATORS

ALL UNITS HAVE 1 WATT AVERAGE POWER, 1000 WATTS PEAK, AND -20° C to 85° C OPERATING TEMPERATURE.



MODEL NO.	FREQUENCY RANGE	IMPEDANCE	CONNECTORS	ATTENUATION RANGE	ATTENUATION ACCURACY OVERALL	VSWR (MAXIMUM)	PRICE			
							1-24	25-49	50-99	100 +
PE7034-1	DC-1 GHz	50 Ω	BNC FEMALE	0-1 dB in .1 dB steps	±.05 dB	1.20:1	$317.25	$295.04	$272.84	$253.80
PE7034-2	DC-1 GHz	50 Ω	BNC FEMALE	0-100 dB in 10 dB steps	±.5 dB or 2%	1.20:1	388.25	361.07	333.90	310.60
PE7034-3	DC-2 GHz	50 Ω	BNC FEMALE	0-10 dB in 1 dB steps	±.4 dB	DC-1 GHz @ 1.20:1 1-2 GHz @ 1.40:1	307.80	286.25	264.71	246.24
PE7034-4	DC-2 GHz	50 Ω	BNC FEMALE	0-70 dB in 10 dB steps	±.5 dB or 3%	DC-1 GHz @ 1.20:1 1-2 GHz @ 1.40:1	397.45	369.63	341.81	317.96
PE7034-5	DC-2 GHz	50 Ω	BNC FEMALE	0-100 dB in 10 dB steps	±.5 dB or 3%	DC-1 GHz @ 1.30:1 1-2 GHz @ 1.50:1	520.50	484.07	447.63	416.40
PE7034-6	DC-2 GHz	50 Ω	BNC FEMALE	0-1 dB in .1 dB steps	±.05 dB	1.30:1	366.00	340.38	314.76	292.80
PE7035-1	DC-500 MHz	75 Ω	BNC FEMALE	0-1 dB in .1 dB steps	±.05 dB	1.30:1	332.75	309.46	286.17	266.20
PE7035-2	DC-500 MHz	75 Ω	BNC FEMALE	0-10 dB in 1 dB steps	±.25 dB	1.30:1	332.75	309.46	286.17	266.20
PE7035-3	DC-500 MHz	75 Ω	BNC FEMALE	0-70 dB in 10 dB steps	±1.0 dB	1.30:1	332.75	309.46	286.17	266.20
PE7035-4	DC-1 GHz	75 Ω	BNC FEMALE	0-10 dB in 1 dB steps	±.4 dB	DC-500 MHz @ 1.30:1 500 MHz - 1 GHz @ 1.40:1	343.10	319.08	295.07	274.48
PE7035-5	DC-1 GHz	75 Ω	BNC FEMALE	0-1 dB in .1 dB steps	±.07 dB	DC-500 MHz @ 1.30:1 500 MHz - 1 GHz @ 1.40:1	343.10	319.08	295.07	274.48

See Our Website For Real-Time Stock Availability!

TWO & THREE STAGE BENCH MOUNT ROTARY ATTENUATORS

ALL UNITS HAVE 50 Ω BNC FEMALE CONNECTORS, 1 WATT AVERAGE POWER, 1000 WATTS PEAK, AND -20° C TO 85° C OPERATING TEMPERATURE.





MODEL NO.	FREQUENCY RANGE	NO. OF STAGES	ATTENUATION RANGE	ATTENUATION ACCURACY OVERALL	VSWR (MAXIMUM)	PRICE			
						1-24	25-49	50-99	100 +
PE7033	DC-2 GHz	2	0-110 dB in 1 dB steps	±.5 dB or 3%	DC-1000 MHz @ 1.30:1 1000-1500 MHz @ 1.50:1 1500-2000 MHz @ 1.70:1	$740.10	$688.29	$636.49	$592.08
PE7033-2	DC-2 GHz	2	0-80 dB in 1 dB steps	1 dB step ±.4 dB or 3% 10 dB step ±.5 dB or 3%	DC-1000 MHz @ 1.30:1 1000-1500 MHz @ 1.50:1 1500-2000 MHz @ 1.70:1	679.30	631.75	584.20	543.44
PE7058-1	DC-1 GHz	3	0-81 dB in .1 dB steps	DC-30 MHz 0-1 dB,±.02 dB 1-10 dB, ±.1 dB 10-81 dB, ±.2 dB 30-500 MHz 0-1 dB, ±.04 dB 1-10 dB, ±.2 dB 10-81 dB, ±.5 dB 500-1000 MHz 0-1 dB, ±.06 dB 1-10 dB, ±.3 dB 10-81 dB, ±.8 dB	DC-30 MHz @ 1.10:1 30-500 MHz @ 1.30:1 500-1000 MHz @ 1.50:1	1357.55	1262.52	1167.49	1086.04

PUSHBUTTON ATTENUATORS



All units have 1 watt average power with 1000 watts peak.
All units have BNC female connectors.

Model No.	FREQUENCY RANGE	IMPEDANCE	ATTENUATION RANGE	ATTENUATION STEPS	ATTENUATION ACCURACY OVERALL	VSWR (MAX.)	PRICE 1-24	25-49	50-99	100 +
PE7008-1	DC-750 MHz	50 Ω	0-65 dB in 1.0 dB steps	1, 2, 4, 8, 10, 20 & 20 dB	DC-100 MHz, ± .3 dB 100-300 MHz, ± .5 dB 300-500 MHz, ± .8 dB 500-750 MHz, ± 1.3 dB	DC-100 MHz, 1.10:1 100-500 MHz, 1.25:1 500-750 MHz, 1.40:1	$663.50	$617.06	$570.61	$530.80
PE7008-2	DC-750 MHz	50 Ω	0-45.5 dB in 0.5 dB steps	0.5, 1, 2, 4, 8, 10 & 20 dB	DC-100 MHz, ± .2 dB 100-300 MHz, ± .3 dB 300-500 MHz, ± .5 dB 500-750 MHz, ± .75 dB	DC-100 MHz, 1.10:1 100-500 MHz, 1.25:1 500-750 MHz, 1.40:1	677.75	630.31	582.87	542.20
PE7008-3	DC-500 MHz	75 Ω	0-65 dB in 1.0 dB steps	1, 2, 4, 8, 10, 20 & 20 dB	DC-100 MHz, ± .3 dB 100-300 MHz, ± .5 dB 300-500 MHz, ± .8 dB	DC-100 MHz, 1.10:1 100-300 MHz, 1.20:1 300-500 MHz, 1.30:1	663.50	617.06	570.61	530.80
PE7008-4	DC-500 MHz	75 Ω	0-45.5 dB in 0.5 dB steps	0.5, 1, 2, 4, 8, 10 & 20 dB	DC-100 MHz, ± .2 dB 100-300 MHz, ± .3 dB 300-500 MHz, ± .5 dB	DC-100 MHz, 1.10:1 100-300 MHz, 1.20:1 300-500 MHz, 1.30:1	663.50	617.06	570.61	530.80
PE7008-5	DC-750 MHz	50 Ω	0-102 dB in 1.0 dB steps	1, 2, 3, 6, 10, 20, 20, 20 & 20 dB	± .3 dB or 1%	1.40:1	848.55	789.15	729.75	678.84
PE7008-6	DC-750 MHz	50 Ω	0-82.5 dB in 0.5 dB steps	0.5, 1, 2, 3, 6, 10, 20, 20 & 20 dB	± .3 dB or 1%	1.40:1	848.55	789.15	729.75	678.84

TOGGLE SWITCH ATTENUATORS



All units have BNC female connectors.
PE7036 & PE7038 series have 1 watt average power.
PE7037 series has 10 watts average power with 5000 watts peak.

Model No.	FREQUENCY RANGE	IMPEDANCE	ATTENUATION RANGE	ATTENUATION ACCURACY OVERALL	VSWR (MAX.)	PRICE 1-24	25-49	50-99	100 +
PE7036-1	DC-1 GHz	50 Ω	0-42 dB in 1 dB steps	±1.0 dB	1.40:1	$663.50	$617.06	$570.61	$530.80
PE7036-2	DC-1 GHz	50 Ω	0-82.5 dB in .5 dB steps	±1.5 dB	1.40:1	663.50	617.06	570.61	530.80
PE7036-3	DC-1 GHz	50 Ω	0-102 dB in 1 dB steps	±1.5 dB	1.40:1	672.30	625.24	578.18	537.84
PE7037-1	DC-500 MHz	50 Ω	0-42 dB in 1 dB steps	±1.5 dB	1.50:1	1698.50	1579.61	1460.71	1358.80
PE7037-2	DC-500 MHz	50 Ω	0-82.5 dB in .5 dB steps	±1.5 dB	1.50:1	1996.75	1856.98	1717.21	1597.40
PE7038-1	DC-1 GHz	75 Ω	0-42 dB in 1 dB steps	±1.0 dB	1.40:1	610.10	567.39	524.69	488.08
PE7038-2	DC-1 GHz	75 Ω	0-82.5 dB in .5 dB steps	±1.5 dB	1.40:1	598.20	556.33	514.45	478.56
PE7038-3	DC-1 GHz	75 Ω	0-102 dB in 1 dB steps	±1.5 dB	1.40:1	636.35	591.81	547.26	509.08

PROGRAMMABLE ATTENUATOR

IMPEDANCE..... 50 Ω NOMINAL
FRQUENCY RANGE..... DC TO 1,000 MHz
ATTENUATION ACCURACY PER STEP..... ±.3 dB
VSWR..... 1.4:1 MAXIMUM
POWER HANDLING CAPABILITY..... ½ WATT AVERAGE; 50 WATTS PEAK
SWITCHING TIME..... 15 MILLISECONDS
OPERATING TEMPERATURE RANGE..... -20°C TO +60°C
OPERATING VOLTAGE..... +12 VDC AT 45 mA PER STEP MAXIMUM
CONNECTORS..... SMA FEMALE



Model No.	ATTENUATION RANGE	ATTENUATION STEPS	INSERTION LOSS	PRICE 1-24	25-49	50-99	100 +
PE7011-6A	63 dB IN 1 dB STEPS	1, 2, 4, 8, 16, 32 dB	2 dB	$721.00	$670.53	$620.06	$576.80



IMPEDANCE MATCHING PADS



MODEL NO.	CONNECTOR A 50 Ω	CONNECTOR B 75 Ω	FREQUENCY (DC TO GHz)	VSWR (MAXIMUM)	ATTENUATION LOSS	ACCURACY	PRICE			
							1-24	25-49	50-99	100 +
PE7006	BNC MALE	BNC FEMALE	1	1.20:1	5.7 dB	± .5 dB	$39.85	$37.06	$34.27	$31.88
PE7007	BNC FEMALE	BNC MALE	1	1.20:1	5.7 dB	± .5 dB	39.85	37.06	34.27	31.88
PE7066	BNC MALE	F FEMALE	3	1.25:1	5.7 dB	± .5 dB	79.90	74.31	68.71	63.92
PE7067	BNC MALE	F MALE	3	1.25:1	5.7 dB	± .5 dB	81.25	75.56	69.88	65.00
PE7068	BNC FEMALE	F MALE	3	1.25:1	5.7 dB	± .5 dB	83.50	77.66	71.81	66.80
PE7069	BNC FEMALE	F FEMALE	3	1.25:1	5.7 dB	± .5 dB	81.25	75.56	69.88	65.00
PE7027	N MALE	N FEMALE*	.5	1.20:1	5.7 dB	± .5 dB	77.60	72.17	66.74	62.08
PE7028	N FEMALE	N MALE*	1	1.20:1	5.7 dB	± .5 dB	77.60	72.17	66.74	62.08
PE7070	N MALE	N FEMALE*	3	1.35:1	5.7 dB	± .5 dB	79.90	74.31	68.71	63.92
PE7083	N FEMALE	N MALE*	3	1.35:1	5.7 dB	± .5 dB	81.25	75.56	69.88	65.00
PE7071	N MALE	F FEMALE	3	1.25:1	5.7 dB	± .5 dB	79.15	73.61	68.07	63.32
PE7072	N MALE	F MALE	3	1.25:1	5.7 dB	± .5 dB	81.25	75.56	69.88	65.00
PE7073	N FEMALE	F MALE	3	1.25:1	5.7 dB	± .5 dB	79.15	73.61	68.07	63.32
PE7074	N FEMALE	F FEMALE	3	1.25:1	5.7 dB	± .5 dB	79.90	74.31	68.71	63.92
PE7075	SMA MALE	F MALE	3	1.25:1	5.7 dB	± .5 dB	81.25	75.56	69.88	65.00
PE7076	SMA MALE	F FEMALE	3	1.25:1	5.7 dB	± .5 dB	79.90	74.31	68.71	63.92
PE7077	SMA FEMALE	F MALE	3	1.25:1	5.7 dB	± .5 dB	79.15	73.61	68.07	63.32
PE7078	SMA FEMALE	F FEMALE	3	1.25:1	5.7 dB	± .5 dB	79.90	74.31	68.71	63.92
PE7079	TNC MALE	F FEMALE	3	1.25:1	5.7 dB	± .5 dB	87.00	80.91	74.82	69.60
PE7080	TNC MALE	F MALE	3	1.25:1	5.7 dB	± .5 dB	87.00	80.91	74.82	69.60
PE7081	TNC FEMALE	F MALE	3	1.25:1	5.7 dB	± .5 dB	87.00	80.91	74.82	69.60
PE7082	TNC FEMALE	F FEMALE	3	1.25:1	5.7 dB	± .5 dB	87.00	80.91	74.82	69.60

*WARNING: 75 Ω N CONNECTORS WILL NOT MATE TO STANDARD 50 Ω N CONNECTORS.

HIGH POWER TERMINATIONS









	MODEL NO.	CONNECTOR SERIES	POWER HANDLING CAP. WATTS	FREQUENCY RANGE (DC TO GHz)	VSWR (MAXIMUM)	PRICE			
						1-24	25-49	50-99	100 +
	PE6095	SMA MALE	5	18	1.25	$92.50	$86.03	$79.55	$74.00
	PE6096	SMA FEMALE	5	18	1.25	121.90	113.37	104.83	97.52
	PE6097	N MALE	5	18	1.25	88.35	82.17	75.98	70.68
	PE6098	N FEMALE	5	18	1.25	89.85	83.56	77.27	71.88
	PE6099	TNC MALE	5	18	1.25	114.15	106.16	98.17	91.32
	PE6138	TNC FEMALE	5	18	1.25	116.10	107.97	99.85	92.88
	PE6100	7/16 MALE	5	7	1.25	116.10	107.97	99.85	92.88
	PE6139	7/16 FEMALE	5	7	1.25	116.10	107.97	99.85	92.88
	PE6034	BNC MALE	10	4	1.25	126.50	117.65	108.79	101.20
	PE6101	BNC FEMALE	10	4	1.25	151.00	140.43	129.86	120.80
	PE6035	N MALE	10	18	1.25	193.90	180.33	166.75	155.12
	PE6102	N FEMALE	10	18	1.25	199.10	185.16	171.23	159.28
	PE6036	SMA MALE	10	18	1.25	169.95	158.05	146.16	135.96
	PE6103	SMA FEMALE	10	18	1.40	166.30	154.66	143.02	133.04
	PE6104	TNC MALE	10	18	1.25	208.90	194.28	179.65	167.12
	PE6140	TNC FEMALE	10	18	1.25	212.45	197.58	182.71	169.96
	PE6105	7/16 MALE	10	7	1.25	230.70	214.55	198.40	184.56
	PE6141	7/16 FEMALE	10	7	1.25	230.70	214.55	198.40	184.56
	PE6106	N MALE	25	18	1.40	308.40	286.81	265.22	246.72
	PE6037	N FEMALE	25	18	1.25	406.65	378.18	349.72	325.32
	PE6038	SMA FEMALE	25	18	1.40	342.75	318.76	294.77	274.20
	PE6107	7/16 MALE	25	7	1.25	348.60	324.20	299.80	278.88
NEW	PE6166	SMA MALE	50	4	1.25	371.45	345.45	319.45	297.16
NEW	PE6167	N MALE	50	4	1.25	371.45	345.45	319.45	297.16
NEW	PE6169	7/16 MALE	50	4	1.25	398.00	370.14	342.28	318.40
	PE6039	N FEMALE	50	18	1.45	423.75	394.09	364.43	339.00
	PE6040	SMA FEMALE	50	18	1.45	430.65	400.50	370.36	344.52
	PE6112	7/16 FEMALE	50	7	1.35	435.90	405.39	374.87	348.72
	PE6041	BNC FEMALE	100	2	1.25	641.10	596.22	551.35	512.88
	PE6042	N FEMALE	100	2	1.25	666.95	620.26	573.58	533.56
	PE6043	SMA FEMALE	100	2	1.25	685.55	637.56	589.57	548.44
	PE6137	7/16 FEMALE	100	2	1.25	705.45	656.07	606.69	564.36
NEW	PE6168	N MALE	100	4	1.25	663.40	616.96	570.52	530.72

FEEDTHRU TERMINATIONS

BNC, 1/4 WATT, DC-1 GHZ

Model No.	Impedance
PE6008-50	50 Ω
PE6008-75	75 Ω
PE6008-XX*	Any

*Price Upon Request

VSWR: 1.20:1, MAXIMUM



1-24	25-49
$30.65	$28.50
50-99	**100 +**
$26.36	$24.52

SMA, 2 WATT, DC-1 GHZ

Model No.	Impedance
PE6026	50 Ω

VSWR: 1.25:1, MAXIMUM



1-24	25-49
$64.55	$60.03
50-99	**100 +**
$55.51	$51.64

N, 2 WATT, DC-1 GHZ

Model No.	Impedance
PE6033	50 Ω

VSWR: 1.65:1, MAXIMUM



1-24	25-49
$75.40	$70.12
50-99	**100 +**
$64.84	$60.32

TNC, 1 WATT, DC-1 GHZ

Model No.	Impedance
PE6142-50	50 Ω
PE6142-75	75 Ω
PE6142-XX*	Any

*Price Upon Request

VSWR: 1.20:1, MAXIMUM



1-24	25-49
$41.25	$38.36
50-99	**100 +**
$35.48	$33.00

50 Ω TERMINATIONS



Female - No Chain



Male - With Chain

MODEL NO.	CONNECTOR SERIES	CHAIN	FREQUENCY RANGE (DC TO GHz)	POWER HANDLING CAP. WATTS	VSWR (MAX.)	PRICE 1-24	25-49	50-99	100 +
PE6155	BNC MALE	NO	1	2	1.10	$18.95	$17.62	$16.30	$15.16
PE6156	BNC MALE	NO	4	2	1.35	20.05	18.65	17.24	16.04
PE6152	N MALE	NO	1	2	1.05	20.05	18.65	17.24	16.04
PE6153	N MALE	NO	2	2	1.10	22.30	20.74	19.18	17.84
PE6154	N MALE	NO	4	2	1.10	25.05	23.30	21.54	20.04
PE6164	QMA MALE	NO	12.4	1	1.30	18.20	16.93	15.65	14.56
PE6070	SMA FEMALE	YES	12.4	1/2	1.17	41.70	38.78	35.86	33.36
PE6003	SMA FEMALE	NO	12.4	1/2	1.17	35.80	33.29	30.79	28.64
PE6148	SMA MALE	NO	1	1	1.05	17.85	16.60	15.35	14.28
PE6149	SMA MALE	NO	2.5	1	1.10	20.60	19.16	17.72	16.48
PE6150	SMA MALE	NO	4	1	1.10	23.10	21.48	19.87	18.48
PE6151	SMA MALE	NO	8	1	1.15	25.55	23.76	21.97	20.44
PE6069	SMA MALE	YES	12.4	1/2	1.17	42.60	39.62	36.64	34.08
PE6002	SMA MALE	NO	12.4	1/2	1.17	39.50	36.74	33.97	31.60
PE6160	SMP FEMALE	NO	10	1	1.25	146.20	135.97	125.73	116.96
PE6161	SMP MALE	NO	10	1	1.25	145.15	134.99	124.83	116.12
PE6157	TNC MALE	NO	2	2	1.15	20.25	18.83	17.42	16.20
PE6158	TNC MALE	NO	4	2	1.15	22.65	21.06	19.48	18.12

50 & 75 Ω PRECISION TERMINATIONS

***2.92mm connectors will mate with SMA, 3.5mm and K connectors. The K connector is a registered trademark of the Anritsu® Company.**

MODEL NO.	CONNECTOR SERIES	CHAIN	FREQUENCY RANGE (DC TO GHz)	POWER HANDLING CAP. WATTS	VSWR (MAX.)	PRICE 1-24	25-49	50-99	100 +
PE6086	2.92mm MALE*	YES	40	1/2	1.20	$308.40	$286.81	$265.22	$246.72
PE6085	2.92mm MALE*	NO	40	1/2	1.20	303.90	282.63	261.35	243.12
PE6162	MINI SMP FEMALE	NO	40	1/2	1.35	174.25	162.05	149.86	139.40
PE6163	MINI SMP MALE	NO	40	1/2	1.35	174.25	162.05	149.86	139.40
PE6076	N FEMALE	YES	18	2	1.30	75.40	70.12	64.84	60.32
PE6032	N FEMALE	NO	18	2	1.30	56.05	52.13	48.20	44.84
PE6075	N MALE	YES	18	2	1.30	49.00	45.57	42.14	39.20
PE6009	N MALE	NO	18	2	1.30	42.65	39.66	36.68	34.12
PE6074	SMA FEMALE	YES	18	1	1.20	63.25	58.82	54.40	50.60
PE6084	SMA FEMALE	YES	18	2	1.20	58.10	54.03	49.97	46.48
PE6073	SMA FEMALE	NO	18	1	1.20	51.50	47.90	44.29	41.20
PE6083	SMA FEMALE	NO	18	2	1.20	47.70	44.36	41.02	38.16
PE6080	SMA FEMALE	YES	26.5	1	1.35	85.00	79.05	73.10	68.00
PE6079	SMA FEMALE	NO	26.5	1	1.35	77.65	72.21	66.78	62.12
PE6072	SMA MALE	YES	18	1	1.20	52.30	48.64	44.98	41.84
PE6082	SMA MALE	YES	18	2	1.20	54.55	50.73	46.91	43.64
PE6071	SMA MALE	NO	18	1	1.20	44.45	41.34	38.23	35.56
PE6081	SMA MALE	NO	18	2	1.20	46.95	43.66	40.38	37.56
PE6078	SMA MALE	YES	26.5	1	1.35	77.65	72.21	66.78	62.12
PE6077	SMA MALE	NO	26.5	1	1.25	76.40	71.05	65.70	61.12
PE6092	TNC FEMALE	YES	18	2	1.25	95.80	89.09	82.39	76.64
PE6091	TNC FEMALE	NO	18	2	1.25	89.85	83.56	77.27	71.88
PE6090	TNC MALE	YES	18	2	1.25	101.70	94.58	87.46	81.36
PE6089	TNC MALE	NO	18	2	1.25	97.25	90.44	83.64	77.80
				75 Ω					
PE6165	75 Ω HD BNC	NO	3	1/4	1.25	17.55	16.32	15.09	14.04

RESISTOR TERMINATIONS



Male



FEMALE

1% TOLERANCE, ½ WATT MAXIMUM DISSIPATION

Model No.	Connector	Impedance Ω	PRICE 1-24	25-49	50-99	100 +
PE6000-50	BNC MALE	50	$17.05	$15.86	$14.66	$13.64
PE6000-75	BNC MALE (1)	75	17.05	15.86	14.66	13.64
PE6000-93	BNC MALE (1)	93	17.05	15.86	14.66	13.64
PE6001-50	N MALE	50	17.85	16.60	15.35	14.28
PE6001-75	N MALE (1)	75	17.85	16.60	15.35	14.28
PE6001-93	N MALE (1)	93	17.85	16.60	15.35	14.28
PE6011-50	TNC MALE	50	17.65	16.41	15.18	14.12
PE6011-75	TNC MALE (1)	75	17.65	16.41	15.18	14.12
PE6011-93	TNC MALE (1)	93	17.65	16.41	15.18	14.12
PE6027-50	BNC FEMALE	50	17.65	16.41	15.18	14.12
PE6027-75	BNC FEMALE (1)	75	17.65	16.41	15.18	14.12
PE6028-50	N FEMALE	50	18.80	17.48	16.17	15.04
PE6028-75	N FEMALE (1)	75	18.80	17.48	16.17	15.04
PE6029-50	TNC FEMALE	50	20.45	19.02	17.59	16.36
PE6029-75	TNC FEMALE (1)	75	20.45	19.02	17.59	16.36
PE6044	SMB PLUG	50	21.20	19.72	18.23	16.96
PE6045	SMB JACK	50	27.15	25.25	23.35	21.72
PE6047	75 Ω N MALE	75	21.20	19.72	18.23	16.96
PE6048	75 Ω N FEMALE	75	27.65	25.71	23.78	22.12
PE6049	SMC PLUG	50	21.20	19.72	18.23	16.96
PE6050	SMC JACK	50	21.20	19.72	18.23	16.96
PE6051	75 Ω BNC MALE	75	22.85	21.25	19.65	18.28
PE6052	75 Ω BNC FEMALE	75	21.20	19.72	18.23	16.96
PE6053	75 Ω SMB PLUG	75	27.15	25.25	23.35	21.72
PE6054	75 Ω SMB JACK	75	34.15	31.76	29.37	27.32
PE6055	75 Ω SMC PLUG	75	27.15	25.25	23.35	21.72
PE6056	75 Ω SMC JACK	75	34.15	31.76	29.37	27.32
PE6145	C MALE	50	37.75	35.11	32.47	30.20
PE6146	7/16 MALE	50	66.65	61.98	57.32	53.32
PE6159	MINI 75 Ω SMB PLUG	75	24.75	23.02	21.29	19.80

NOTES: (1) THIS TERMINATION UTILIZES A STANDARD 50 Ω CONNECTOR INTERFACE. FOR SPECIAL VALUES, CHANGE SUFFIX TO DESIRED VALUE - PRICE UPON REQUEST.

RESISTOR TERMINATIONS WITH CHAINS



Male



FEMALE

1% TOLERANCE, ½ WATT MAXIMUM DISSIPATION

Model No.	Connector	Impedance Ω	PRICE 1-24	25-49	50-99	100 +
PE6061-50	BNC MALE	50	$20.05	$18.65	$17.24	$16.04
PE6061-75	BNC MALE (1)	75	20.05	18.65	17.24	16.04
PE6061-93	BNC MALE (1)	93	20.05	18.65	17.24	16.04
PE6062-50	N MALE	50	21.20	19.72	18.23	16.96
PE6062-75	N MALE (1)	75	21.20	19.72	18.23	16.96
PE6062-93	N MALE (1)	93	21.20	19.72	18.23	16.96
PE6063-50	TNC MALE	50	23.55	21.90	20.25	18.84
PE6063-75	TNC MALE (1)	75	23.55	21.90	20.25	18.84
PE6063-93	TNC MALE (1)	93	23.55	21.90	20.25	18.84
PE6064-50	BNC FEMALE	50	23.55	21.90	20.25	18.84
PE6064-75	BNC FEMALE (1)	75	23.55	21.90	20.25	18.84
PE6065-50	N FEMALE	50	24.75	23.02	21.29	19.80
PE6065-75	N FEMALE (1)	75	24.75	23.02	21.29	19.80
PE6066-50	TNC FEMALE	50	24.75	23.02	21.29	19.80
PE6066-75	TNC FEMALE (1)	75	24.75	23.02	21.29	19.80
PE6067	75 Ω N MALE	75	27.15	25.25	23.35	21.72
PE6068	75 Ω N FEMALE	75	30.65	28.50	26.36	24.52
PE6093	75 Ω BNC MALE	75	30.35	28.23	26.10	24.28
PE6094	75 Ω BNC FEMALE	75	27.15	25.25	23.35	21.72
PE6147	C MALE	50	41.25	38.36	35.48	33.00

NOTES: (1) THIS TERMINATION UTILIZES A STANDARD 50 Ω CONNECTOR INTERFACE. FOR SPECIAL VALUES, CHANGE SUFFIX TO DESIRED VALUE - PRICE UPON REQUEST.

90° HYBRIDS



ALL CONNECTORS ARE SMA FEMALE

MODEL NO.	FREQUENCY RANGE (GHz)	COUPLING OR THRU LOSS (dB) INCLUDES FREQ. SENSITIVITY	FREQUENCY SENSITIVITY (dB)	ISOLATION (dB Min.)	VSWR (MAX.)	POWER AVERAGE (WATTS)	PEAK (KW)	PRICE 1-24	25-49	50-99	100 +
PE2050	0.5 - 1.0	3.1 ± 0.6	± 0.5	28	1.10	50	3	$321.60	$299.09	$276.58	$257.28
PE2051	1.0 - 2.0	3.1 ± 0.6	± 0.5	28	1.10	50	3	321.60	299.09	276.58	257.28
PE2052	2.0 - 4.0	3.1 ± 0.6	± 0.5	22	1.20	50	3	354.95	330.10	305.26	283.96
PE2053	2.6 - 5.2	3.1 ± 0.6	± 0.5	20	1.25	50	3	388.25	361.07	333.90	310.60
PE2054	4.0 - 8.0	3.2 ± 0.7	± 0.5	18	1.25	50	3	388.25	361.07	333.90	310.60
PE2055	6.0 - 12.4	3.2 ± 0.7	± 0.5	18	1.35	50	3	421.45	391.95	362.45	337.16
PE2056	7.5 - 16.0	3.4 ± 0.9	± 0.6	15	1.45	40	2	421.45	391.95	362.45	337.16
PE2057	12.0 - 18.0	3.4 ± 1.0	± 0.7	15	1.50	40	1	366.00	340.38	314.76	292.80
PE2058	2.0 - 8.0	3.3 ± 0.8	± 0.4	17	1.30	30	3	403.30	375.07	346.84	322.64
PE2059	4.0 - 12.4	3.3 ± 0.8	± 0.4	17	1.40	20	2	461.75	429.43	397.11	369.40
PE2060	7.0 - 18.0	3.5 ± 1.25	± 0.75	13	1.50	20	1	499.15	464.21	429.27	399.32

DIRECTIONAL COUPLERS

BROADBAND



CODE	OPERATING TEMPERATURE
A	- 55°C TO +105°C
B	- 20°C TO +70°C
C	- 55°C TO +85°C

ALL CONNECTORS ARE SMA FEMALE OR N FEMALE

MODEL NO.	CONNECTOR TYPE	FREQUENCY RANGE (GHz)	COUPLING (dB) INCLUDES FREQUENCY SENSITIVITY	FREQUENCY SENSITIVITY (dB)	INSERTION LOSS (dB) (EXCLUDING COUPLED POWER)	DIRECTIVITY (dB MINIMUM)	VSWR (MAXIMUM) PRIMARY LINE	VSWR (MAXIMUM) SECONDARY LINE	POWER AVG. INC. WATTS	TEMP. RANGE (CODE)	PRICE 1-24	PRICE 25-49	PRICE 50-99	PRICE 100 +
PE2208-6	SMA FEMALE	0.5 - 2.0	6 ± 1.00	± 0.75	0.35	23	1.20	1.20	50		$366.00	$340.38	$314.76	$292.80
PE2208-10	SMA FEMALE	0.5 - 2.0	10 ± 1.00	± 0.75	0.35	23	1.20	1.20	50	A	366.00	340.38	314.76	292.80
PE2208-20	SMA FEMALE	0.5 - 2.0	20 ± 1.00	± 0.75	0.35	23	1.20	1.20	50		366.00	340.38	314.76	292.80
PE2209-6	SMA FEMALE	1.0 - 4.0	6 ± 1.00	± 0.50	0.35	23	1.20	1.20	50		366.00	340.38	314.76	292.80
PE2209-10	SMA FEMALE	1.0 - 4.0	10 ± 1.00	± 0.50	0.35	23	1.20	1.20	50	A	366.00	340.38	314.76	292.80
PE2209-20	SMA FEMALE	1.0 - 4.0	20 ± 1.00	± 0.50	0.40	23	1.20	1.20	50		377.00	350.61	324.22	301.60
PE2210-6	SMA FEMALE	2.0 - 8.0	6 ± 1.00	± 0.50	0.50	20	1.25	1.25	50		366.00	340.38	314.76	292.80
PE2210-10	SMA FEMALE	2.0 - 8.0	10 ± 1.00	± 0.50	0.35	20	1.25	1.25	50	A	366.00	340.38	314.76	292.80
PE2210-20	SMA FEMALE	2.0 - 8.0	20 ± 1.00	± 0.60	0.40	20	1.25	1.25	50		366.00	340.38	314.76	292.80
PE2211-6	SMA FEMALE	4.0 - 12.4	6 ± 1.00	± 0.50	0.50	17	1.30	1.30	50		366.00	340.38	314.76	292.80
PE2211-10	SMA FEMALE	4.0 - 12.4	10 ± 1.00	± 0.50	0.50	17	1.30	1.30	50	A	366.00	340.38	314.76	292.80
PE2211-20	SMA FEMALE	4.0 - 12.4	20 ± 1.00	± 0.60	0.50	17	1.30	1.30	50		366.00	340.38	314.76	292.80
PE2212-10	SMA FEMALE	7.0 - 18.0	10 ± 1.25	± 0.75	0.60	15	1.35	1.40	50	A	387.75	360.61	333.47	310.20
PE2213-10	SMA FEMALE	0.6 - 4.0	10 ± 1.25	± 0.75	0.40	18	1.25	1.30	50	A	554.60	515.78	476.96	443.68
PE2214-10	SMA FEMALE	1.0 - 18.0	10 ± 1.00	± 0.50	0.90	15*	1.40	1.50	25		1331.15	1237.97	1144.79	1064.92
PE2214-16	SMA FEMALE	1.0 - 18.0	16 ± 1.00	± 0.50	0.80	15*	1.40	1.50	25	A	1331.15	1237.97	1144.79	1064.92
PE2214-20	SMA FEMALE	1.0 - 18.0	20 ± 1.00	± 0.50	0.80	15*	1.40	1.50	25		1331.15	1237.97	1144.79	1064.92
PE2215-6	SMA FEMALE	2.0 - 18.0	6 ± 1.00	± 0.50	0.90	15*	1.35	1.50	25		1331.15	1237.97	1144.79	1064.92
PE2215-10	SMA FEMALE	2.0 - 18.0	10 ± 1.00	± 0.50	0.80	15*	1.35	1.50	25	A	1331.15	1237.97	1144.79	1064.92
PE2215-16	SMA FEMALE	2.0 - 18.0	16 ± 1.00	± 0.50	0.80	15*	1.35	1.40	25		1331.15	1237.97	1144.79	1064.92
PE2215-20	SMA FEMALE	2.0 - 18.0	20 ± 1.00	± 0.50	0.80	15*	1.35	1.40	25		1331.15	1237.97	1144.79	1064.92
PE2216-6	SMA FEMALE	4.0 - 18.0	6 ± 1.00	± 0.50	0.90	15*	1.35	1.40	25		554.60	515.78	476.96	443.68
PE2216-10	SMA FEMALE	4.0 - 18.0	10 ± 1.00	± 0.50	0.80	15*	1.35	1.40	25	A	554.60	515.78	476.96	443.68
PE2216-20	SMA FEMALE	4.0 - 18.0	20 ± 1.00	± 0.50	0.60	15*	1.40	1.40	25		554.60	515.78	476.96	443.68
PE2237-6	N FEMALE	0.8-2.5	6 ± 0.5	± 0.70	0.50	20	1.25	1.25	60		318.40	296.11	273.82	254.72
PE2237-10	N FEMALE	0.8-2.5	10 ± 0.8	± 0.70	0.50	20	1.25	1.25	60	B	318.40	296.11	273.82	254.72
PE2237-20	N FEMALE	0.8-2.5	20 ± 1.0	± 0.70	0.40	20	1.25	1.25	60		318.40	296.11	273.82	254.72
PE2237-30	N FEMALE	0.8-2.5	30 ± 1.0	± 0.70	0.40	20	1.25	1.25	60		318.40	296.11	273.82	254.72
PE2238-6	SMA FEMALE	0.8-2.5	6 ± 1.0	± 0.70	0.50	20	1.25	1.25	50		318.40	296.11	273.82	254.72
PE2238-10	SMA FEMALE	0.8-2.5	10 ± 1.0	± 0.70	0.50	20	1.25	1.25	50	C	318.40	296.11	273.82	254.72
PE2238-20	SMA FEMALE	0.8-2.5	20 ± 1.0	± 0.70	0.40	20	1.25	1.25	50		318.40	296.11	273.82	254.72
PE2238-30	SMA FEMALE	0.8-2.5	30 ± 1.0	± 0.70	0.40	20	1.25	1.25	50		318.40	296.11	273.82	254.72

* 12 dB DIRECTIVITY FROM 12.4-18 GHz

NEW

NEW

DIRECTIONAL COUPLERS

OCTAVE



ALL CONNECTORS ARE SMA FEMALE
OPERATING TEMPERATURE: - 55° C TO +105° C

MODEL NO.	FREQUENCY RANGE (GHz)	COUPLING (dB) INCLUDES FREQUENCY SENSITIVITY	FREQUENCY SENSITIVITY (dB)	INSERTION LOSS (dB) EXCLUDING COUPLED POWER	INSERTION LOSS (dB) TRUE	DIRECTIVITY (dB MINIMUM)	VSWR (MAXIMUM) PRIMARY LINE	VSWR (MAXIMUM) SECONDARY LINE	POWER AVG. INC. WATTS	POWER AVG. RFLCTD. WATTS	POWER PEAK (kW)	PRICE 1-24	PRICE 25-49	PRICE 50-99	PRICE 100 +
PE2200-6	0.5 - 1.0	6 ± 1.00	± 0.60	0.20	1.80	25	1.15	1.15	50	2	3	$277.30	$257.89	$238.48	$221.84
PE2200-10	0.5 - 1.0	10 ± 1.25	± 0.75	0.20	0.80	25	1.10	1.10	50	5	3	277.30	257.89	238.48	221.84
PE2200-20	0.5 - 1.0	20 ± 1.25	± 0.75	0.15	0.20	25	1.10	1.10	50	50	3	277.30	257.89	238.48	221.84
PE2200-30	0.5 - 1.0	30 ± 1.25	± 0.75	0.15	0.20	25	1.10	1.10	50	50	3	277.30	257.89	238.48	221.84
PE2201-6	1.0 - 2.0	6 ± 1.00	± 0.60	0.20	1.80	25	1.15	1.15	50	2	3	277.30	257.89	238.48	221.84
PE2201-10	1.0 - 2.0	10 ± 1.25	± 0.75	0.20	0.80	25	1.10	1.10	50	5	3	277.30	257.89	238.48	221.84
PE2201-20	1.0 - 2.0	20 ± 1.25	± 0.75	0.15	0.20	25	1.10	1.10	50	50	3	277.30	257.89	238.48	221.84
PE2201-30	1.0 - 2.0	30 ± 1.25	± 0.75	0.15	0.20	25	1.10	1.10	50	50	3	277.30	257.89	238.48	221.84
PE2202-6	2.0 - 4.0	6 ± 1.00	± 0.60	0.20	1.80	22	1.15	1.15	50	2	3	277.30	257.89	238.48	221.84
PE2202-10	2.0 - 4.0	10 ± 1.25	± 0.75	0.20	0.80	22	1.15	1.15	50	5	3	277.30	257.89	238.48	221.84
PE2202-20	2.0 - 4.0	20 ± 1.25	± 0.75	0.15	0.20	22	1.15	1.15	50	50	3	277.30	257.89	238.48	221.84
PE2202-30	2.0 - 4.0	30 ± 1.25	± 0.75	0.15	0.20	22	1.15	1.15	50	50	3	277.30	257.89	238.48	221.84
PE2203-6	2.6 - 5.2	6 ± 1.00	± 0.60	0.20	1.80	20	1.25	1.25	50	2	3	277.30	257.89	238.48	221.84
PE2203-10	2.6 - 5.2	10 ± 1.25	± 0.75	0.20	0.80	20	1.25	1.25	50	5	3	277.30	257.89	238.48	221.84
PE2203-20	2.6 - 5.2	20 ± 1.25	± 0.75	0.20	0.25	20	1.25	1.25	50	50	3	277.30	257.89	238.48	221.84
PE2203-30	2.6 - 5.2	30 ± 1.25	± 0.75	0.20	0.20	20	1.25	1.25	50	50	3	277.30	257.89	238.48	221.84
PE2204-6	4.0 - 8.0	6 ± 1.00	± 0.60	0.25	1.90	20	1.25	1.25	50	2	3	277.30	257.89	238.48	221.84
PE2204-10	4.0 - 8.0	10 ± 1.25	± 0.75	0.25	0.90	20	1.25	1.25	50	5	3	277.30	257.89	238.48	221.84
PE2204-20	4.0 - 8.0	20 ± 1.25	± 0.75	0.25	0.30	20	1.25	1.25	50	50	3	277.30	257.89	238.48	221.84
PE2204-30	4.0 - 8.0	30 ± 1.25	± 0.75	0.25	0.25	20	1.25	1.25	50	50	3	277.30	257.89	238.48	221.84
PE2205-6	7.0 - 12.4	6 ± 1.00	± 0.50	0.30	2.00	17	1.30	1.30	50	2	3	345.00	320.85	296.70	276.00
PE2205-10	7.0 - 12.4	10 ± 1.00	± 0.50	0.30	1.00	17	1.30	1.30	50	5	3	345.00	320.85	296.70	276.00
PE2205-20	7.0 - 12.4	20 ± 1.00	± 0.50	0.30	0.35	17	1.30	1.30	50	50	3	345.00	320.85	296.70	276.00
PE2205-30	7.0 - 12.4	30 ± 1.00	± 0.50	0.30	0.30	17	1.30	1.30	50	50	3	345.00	320.85	296.70	276.00
PE2206-6	7.5 - 16.0	6 ± 1.10	± 0.60	0.60	2.00	12	1.35	1.40	50	2	2	345.00	320.85	296.70	276.00
PE2206-10	7.5 - 16.0	10 ± 1.25	± 0.75	0.60	1.00	12	1.35	1.40	50	5	2	345.00	320.85	296.70	276.00
PE2206-20	7.5 - 16.0	20 ± 1.25	± 0.75	0.50	0.55	15	1.35	1.40	50	50	2	345.00	320.85	296.70	276.00
PE2206-30	7.5 - 16.0	30 ± 1.25	± 0.75	0.50	0.50	15	1.35	1.40	50	50	2	345.00	320.85	296.70	276.00
PE2207-6	12.4 - 18.0	6 ± 1.00	± 0.50	0.60	2.20	15	1.30	1.40	50	2	1	355.35	330.48	305.60	284.28
PE2207-10	12.4 - 18.0	10 ± 1.00	± 0.50	0.60	1.20	15	1.30	1.40	50	5	1	355.35	330.48	305.60	284.28
PE2207-20	12.4 - 18.0	20 ± 1.00	± 0.50	0.50	0.55	15	1.30	1.40	50	50	1	355.35	330.48	305.60	284.28
PE2207-30	12.4 - 18.0	30 ± 1.00	± 0.50	0.50	0.50	15	1.30	1.40	50	50	1	355.35	330.48	305.60	284.28

DUAL DIRECTIONAL COUPLERS



ALL CONNECTORS ARE SMA FEMALE
OPERATING TEMPERATURE: - 55° C TO +105° C

PRICE			
1-24	25-49	50-99	100 +
$554.60	$515.78	$476.96	$443.68

MODEL NO.	FREQUENCY RANGE (GHz)	COUPLING (dB) INCLUDES FREQUENCY SENSITIVITY	FREQUENCY SENSITIVITY (dB)	TRUE INSERTION LOSS (dB MAX.)	DIRECTIVITY (dB MINIMUM)	VSWR (MAXIMUM)		POWER AVERAGE INCIDENT WATTS	POWER PEAK (kW)
						PRIMARY LINE	SECONDARY LINE		
PE2217-10	0.5 - 1.0	10 ± 1.25	± 0.80	1.50	22	1.15	1.10	10	3
PE2217-20	0.5 - 1.0	20 ± 1.25	± 0.80	0.50	22	1.15	1.10	50	3
PE2217-30	0.5 - 1.0	30 ± 1.25	± 0.80	0.40	22	1.15	1.10	50	3
PE2218-10	1.0 - 2.0	10 ± 1.25	± 0.80	1.50	22	1.15	1.10	10	3
PE2218-20	1.0 - 2.0	20 ± 1.25	± 0.80	0.50	22	1.15	1.10	50	3
PE2218-30	1.0 - 2.0	30 ± 1.25	± 0.80	0.40	22	1.15	1.10	50	3
PE2219-10	2.0 - 4.0	10 ± 1.25	± 0.80	1.50	20	1.20	1.15	10	3
PE2219-20	2.0 - 4.0	20 ± 1.25	± 0.80	0.50	20	1.20	1.15	50	3
PE2219-30	2.0 - 4.0	30 ± 1.25	± 0.80	0.40	20	1.20	1.15	50	3
PE2220-10	2.6 - 5.2	10 ± 1.25	± 0.80	1.50	18	1.30	1.25	10	3
PE2220-20	2.6 - 5.2	20 ± 1.25	± 0.80	0.50	18	1.30	1.25	50	3
PE2220-30	2.6 - 5.2	30 ± 1.25	± 0.80	0.40	18	1.30	1.25	50	3
PE2221-10	4.0 - 8.0	10 ± 1.25	± 0.80	1.70	18	1.35	1.25	10	3
PE2221-20	4.0 - 8.0	20 ± 1.25	± 0.80	0.50	18	1.35	1.25	50	3
PE2221-30	4.0 - 8.0	30 ± 1.25	± 0.80	0.40	18	1.35	1.25	50	3
PE2222-10	7.0 - 12.4	10 ± 1.25	± 0.60	1.90	16	1.35	1.30	10	3
PE2222-20	7.0 - 12.4	20 ± 1.25	± 0.60	0.70	16	1.35	1.30	50	3
PE2222-30	7.0 - 12.4	30 ± 1.25	± 0.60	0.60	16	1.35	1.30	50	3
PE2223-10	8.0 - 16.0	10 ± 1.25	± 0.80	2.20	15	1.40	1.40	10	2
PE2223-20	8.0 - 16.0	20 ± 1.25	± 0.80	1.00	15	1.40	1.40	50	2
PE2223-30	8.0 - 16.0	30 ± 1.25	± 0.80	1.00	15	1.40	1.40	50	2
PE2224-20	12.4 - 18.0	20 ± 1.25	± 0.60	1.00	15	1.40	1.40	50	1
PE2224-30	12.4 - 18.0	30 ± 1.25	± 0.60	1.00	15	1.40	1.40	50	1

HIGH POWER DIRECTIONAL COUPLERS

600 WATTS CW
10K PEAK



INPUT & OUTPUT CONNECTORS ARE N FEMALE
COUPLED PORT IS SMA FEMALE

MODEL NO.	FREQUENCY RANGE (GHz)	COUPLING (dB) INCLUDES FREQ. SENSITIVITY	FREQUENCY SENSITIVITY (dB)	INSERTION LOSS (dB MAX.)	DIRECTIVITY (dB Min.)	VSWR (MAX.) PRIMARY LINE	PRICE			
							1-24	25-49	50-99	100 +
PE2225-30	0.5 - 2.0	30 ± 1.0	± 0.75	0.2	18	1.15	$1109.25	$1031.60	$953.96	$887.40
PE2226-30	1.0 - 2.0	30 ± 1.0	± 0.75	0.2	5	1.15	986.75	917.68	848.61	789.40
PE2227-30	2.0 - 4.0	30 ± 1.0	± 0.75	0.2	18	1.15	1108.30	1030.72	953.14	886.64
PE2228-30	1.0 - 4.0	30 ± 1.0	± 0.70	0.2	15	1.15	1378.65	1282.14	1185.64	1102.92
PE2229-30	2.6 - 5.2	30 ± 1.0	± 0.75	0.2	18	1.20	934.20	868.81	803.41	747.36
PE2230-30	4.0 - 8.0	30 ± 1.0	± 0.75	0.2	18	1.30	983.80	914.93	846.07	787.04
PE2231-30	1.5 - 4.5	30 ± 1.0	± 0.60	0.2	18	1.20	1255.30	1167.43	1079.56	1004.24
PE2232-30	2.0 - 8.0	30 ± 1.0	± 0.60	0.2	16	1.30	1492.60	1388.12	1283.64	1194.08
PE2233-30	7.0 - 11.0	30 ± 1.0	± 0.50	0.2	16	1.30	934.20	868.81	803.41	747.36
PE2234-30	5.0 - 11.0	30 ± 1.0	± 0.50	0.2	15	1.30	776.55	722.19	667.83	621.24
PE2235-30	4.0 - 12.0	30 ± 1.0	± 0.60	0.2	15	1.30	1255.30	1167.43	1079.56	1004.24
PE2236-35	1.0 - 11.0	35 ± 1.5	± 1.50	0.2	15	1.30	1885.85	1753.84	1621.83	1508.68
PE2239-30	1.0 - 8.0	30 ± 1.0	± 0.75	0.2	15	1.30	1493.15	1388.63	1284.11	1194.52

NEW

FERRITE ISOLATORS & CIRCULATORS

ISOLATOR MODEL NO.	CIRCULATOR MODEL NO.	CONNECTOR TYPE	FREQUENCY RANGE (GHz)	ISOLATION (dB MIN.)	VSWR (MAXIMUM)	PRICE 1-24	25-49	50-99	100 +
PE8300	PE8400	SMA FEMALE	1 - 2	18	1.35	$513.90	$477.93	$441.95	$411.12
PE8301	PE8401	SMA FEMALE	2 - 4	18	1.30	397.85	370.00	342.15	318.28
PE8302	PE8402	SMA FEMALE	4 - 8	18	1.30	236.35	219.81	203.26	189.08
PE8303	PE8403	SMA FEMALE	7 - 12.4	20	1.25	211.65	196.83	182.02	169.32
PE8304	PE8404	SMA FEMALE	8 - 18	16	1.45	234.00	217.62	201.24	187.20
PE8305	PE8405	SMA FEMALE	11 - 18	20	1.25	207.45	192.93	178.41	165.96
PE8306	PE8406	SMA FEMALE	18 - 26.5	17	1.40	232.40	216.13	199.86	185.92
PE8310	PE8410	N FEMALE	1 - 2	18	1.35	717.25	667.04	616.84	573.80
PE8311	PE8411	N FEMALE	2 - 4	18	1.30	550.40	511.87	473.34	440.32
PE8312	PE8412	N FEMALE	4 - 8	18	1.30	439.20	408.46	377.71	351.36



POWER DIVIDERS



Model No.	FREQUENCY RANGE	NUMBER OF OUTPUT PORTS	CONNECTORS	ISOLATION (dB MINIMUM)	VSWR (MAXIMUM)	MAXIMUM INSERTION LOSS (dB)	PRICE 1-24	25-49	50-99	100 +
PE2000	2-500 MHz	2	BNC FEMALE	25	1.35	1.00	$141.15	$131.27	$121.39	$112.92
PE2001	2-500 MHz	4	BNC FEMALE	22	1.35	1.50	277.30	257.89	238.48	221.84
PE2002	2-500 MHz	8	BNC FEMALE	20	1.50	2.00	443.70	412.64	381.58	354.96
PE2003	10-1000 MHz	2	BNC FEMALE	20	1.50	1.50	166.35	154.71	143.06	133.08
PE2004	10-1000 MHz	4	BNC FEMALE	20	1.70	2.00	366.00	340.38	314.76	292.80
PE2005	2-500 MHz	12	BNC FEMALE	20	1.50	3.00	610.10	567.39	524.69	488.08
PE2006	1-175 MHz	6	BNC FEMALE	20	1.50	1.50	421.45	391.95	362.45	337.16
PE2007	2-200 MHz	3	BNC FEMALE	25	1.35	1.00	277.30	257.89	238.48	221.84
PE2008	.5-1 GHz	2	SMA FEMALE	22	1.20	0.20	277.30	257.89	238.48	221.84
PE2009	.5-1 GHz	4	SMA FEMALE	20	1.30	0.40	366.00	340.38	314.76	292.80
NEW PE2074	.8-2.5 GHz	2	SMA FEMALE	20	1.30	0.40	265.30	246.73	228.16	212.24
NEW PE2075	.8-2.5 GHz	4	SMA FEMALE	20	1.30	0.70	371.45	345.45	319.45	297.16
NEW PE2076	.8-2.5 GHz	8	SMA FEMALE	20	1.40	1.20	530.75	493.60	456.45	424.60
PE2011	1-2 GHz	2	SMA FEMALE	22	1.25	0.25	246.05	228.83	211.60	196.84
PE2012	1-2 GHz	4	SMA FEMALE	20	1.60	0.60	410.35	381.63	352.90	328.28
PE2014	2-4 GHz	2	SMA FEMALE	20	1.30	0.30	222.25	206.69	191.14	177.80
PE2015	2-4 GHz	4	SMA FEMALE	18	1.50	0.60	443.70	412.64	381.58	354.96
PE2026	2-8 GHz	2	SMA FEMALE	20	1.35	0.40	349.70	325.22	300.74	279.76
PE2031	2-8 GHz	4	SMA FEMALE	18	1.50	1.00	461.05	428.78	396.50	368.84
PE2028	2-18 GHz	2	SMA FEMALE	20	1.50	1.00	443.70	412.64	381.58	354.96
PE2029	2-18 GHz	4	SMA FEMALE	15	1.60	2.00	856.15	796.22	736.29	684.92
PE2017	4-8 GHz	2	SMA FEMALE	20	1.30	0.35	277.30	257.89	238.48	221.84
PE2018	4-8 GHz	4	SMA FEMALE	20	1.40	0.40	366.00	340.38	314.76	292.80
PE2020	7-12.4 GHz	2	SMA FEMALE	20	1.35	0.40	277.30	257.89	238.48	221.84
PE2021	7-12.4 GHz	4	SMA FEMALE	16	1.50	1.00	366.00	340.38	314.76	292.80
PE2027	8-18 GHz	2	SMA FEMALE	20	1.40	0.60	414.15	385.16	356.17	331.32
PE2030	8-18 GHz	4	SMA FEMALE	18	1.50	1.50	499.15	464.21	429.27	399.32
PE2023	12-18 GHz	2	SMA FEMALE	20	1.35	0.60	303.35	282.12	260.88	242.68
PE2024	12-18 GHz	4	SMA FEMALE	18	1.50	1.50	388.25	361.07	333.90	310.60
PE2044	2-500 MHz	2	N FEMALE	25	1.35	1.00	299.20	278.26	257.31	239.36
PE2045	2-500 MHz	4	N FEMALE	22	1.35	1.50	481.35	447.66	413.96	385.08
PE2046	2-500 MHz	8	N FEMALE	20	1.50	2.00	589.65	548.37	507.10	471.72
PE2047	10-1000 MHz	2	N FEMALE	20	1.50	1.50	272.75	253.66	234.57	218.20
PE2032	.5-1 GHz	2	N FEMALE	25	1.20	0.25	443.70	412.64	381.58	354.96
PE2038	.5-1 GHz	4	N FEMALE	20	1.50	2.25	694.70	646.07	597.44	555.76
NEW PE2071	.8-2.5 GHz	2	N FEMALE	20	1.25	0.40	212.30	197.44	182.58	169.84
NEW PE2072	.8-2.5 GHz	3	N FEMALE	20	1.30	0.60	318.40	296.11	273.82	254.72
NEW PE2073	.8-2.5 GHz	4	N FEMALE	20	1.30	0.70	424.60	394.88	365.16	339.68
PE2033	1-2 GHz	2	N FEMALE	25	1.20	0.25	443.70	412.64	381.58	354.96
PE2039	1-2 GHz	4	N FEMALE	20	2.00	2.25	721.00	670.53	620.06	576.80
PE2034	2-4 GHz	2	N FEMALE	18	1.45	0.40	499.15	464.21	429.27	399.32
PE2040	2-4 GHz	4	N FEMALE	20	2.00	2.25	710.65	660.90	611.16	568.52
PE2035	4-8 GHz	2	N FEMALE	20	1.30	0.70	499.15	464.21	429.27	399.32
PE2041	4-8 GHz	4	N FEMALE	20	1.60	2.25	665.50	618.92	572.33	532.40
PE2036	8-12.4 GHz	2	N FEMALE	16	1.60	1.00	499.15	464.21	429.27	399.32
PE2042	8-12.4 GHz	4	N FEMALE	20	1.60	1.50	610.10	567.39	524.69	488.08
PE2037	12-18 GHz	2	N FEMALE	20	1.60	1.00	536.30	498.76	461.22	429.04
PE2043	12-18 GHz	4	N FEMALE	15	1.70	1.50	665.50	618.92	572.33	532.40
PE2048	2-500 MHz*	2	75 Ω BNC FEMALE	25	1.35	1.00	290.00	269.70	249.40	232.00
PE2049	2-500 MHz*	4	75 Ω BNC FEMALE	22	1.35	1.50	321.60	299.09	276.58	257.28
PE2061	2-500 MHz*	8	75 Ω BNC FEMALE	20	1.50	2.00	554.60	515.78	476.96	443.68
PE2062	10-1000 MHz*	2	75 Ω BNC FEMALE	20	1.50	1.50	299.45	278.49	257.53	239.56

***DENOTES 75 Ω POWER DIVIDER**

50 Ω RESISTIVE POWER DIVIDERS





INPUT POWER..... 1 WATT AVERAGE
TEMPERATURE RANGE..... -65°C TO +125°C
OUTPUT PORTS ARE SYMMETRICAL TO MALE INPUT.

MODEL NO.	CONNECTORS	FREQUENCY RANGE (DC TO GHz)	INSERTION LOSS	PHASE TRACKING	VSWR (MAXIMUM)	PRICE			
						1-24	25-29	50-99	100 +
PE2063	2.92mm*	12.4	6 dB	±2°	1.20:1	$299.45	$278.49	$257.53	$239.56
PE2064	2.92mm*	18	7.5 dB	±3°	1.30:1	388.25	361.07	333.90	310.60
PE2065	2.92mm*	26.5	8.5 dB	±4°	1.40:1	554.60	515.78	476.96	443.68
PE2066	N	18	6 dB	±3°	1.35:1	388.25	361.07	333.90	310.60
PE2069	SMA	6	6 dB	±2°	1.20:1	265.35	246.78	228.20	212.28
PE2067	SMA	12.4	6 dB	±2°	1.20:1	332.75	309.46	286.17	266.20
PE2068	SMA	18	7.5 dB	±3°	1.30:1	354.95	330.10	305.26	283.96

*2.92mm connectors will mate with SMA, 3.5mm and K connectors. The K connector is a registered trademark of the Anritsu® Company.

PHASE SHIFTERS

RF POWER: 100 WATTS AVERAGE
3000 WATTS PEAK

MODEL NO.	CONNECTOR	FREQUENCY RANGE	PHASE ADJUSTMENT	INSERTION LOSS (dB MAX.)	VSWR (MAX.)	PRICE			
						1-24	25-49	50-99	100 +
PE8243	SMA FEMALE	DC - 2	60° PER GHz	.5	1.5:1	$685.50	$637.52	$589.53	$548.40
PE8244	SMA FEMALE	DC - 4	60° PER GHz	.5	1.5:1	789.50	734.24	678.97	631.60
PE8245	SMA FEMALE	DC - 8	60° PER GHz	.6	1.5:1	799.80	743.81	687.83	639.84
PE8246	SMA FEMALE	DC - 12	60° PER GHz	.7	1.5:1	871.50	810.50	749.49	697.20
PE8247	SMA FEMALE	DC - 18	60° PER GHz	1.0	1.6:1	905.10	841.74	778.39	724.08
PE8248	SMA FEMALE	18.0 - 26.5	30° PER GHz	1.5	1.8:1	958.60	891.50	824.40	766.88
PE8249	2.92mm FEMALE	26.5 - 40.0	30° PER GHz	2.5	2.0:1	1738.30	1616.62	1494.94	1390.64

18 GHZ SMA ADJUSTABLE PHASE TRIMMERS

IMPEDANCE..... 50 Ω
VSWR..... 1.30:1 UP TO 18 GHz
INSERTION LOSS..... .5 dB, MAXIMUM AT 18 GHz
PHASE ADJUSTMENT RANGE..... 10° x F(GHz)
FOR EXAMPLE..... 40° AT 4 GHz



Model No.	Description	PRICE			
		1-24	25-49	50-99	100 +
PE8200	SMA MALE TO SMA FEMALE	$206.95	$192.46	$177.98	$165.56
PE8202	SMA MALE TO (.085" SEMI-RIGID, SOLDER ATTACHMENT)	190.30	176.98	163.66	152.24

BIAS "TEE'S"







MODEL NO.	CONNECTORS RF OUT & RF IN	BIAS CONNECTORS	FREQUENCY RANGE	VSWR (MAX.)	ISOLATION (RF TO BIAS PORT) TYPICAL	DC VOLT (MAX.)	DC CURRENT (MAX.)	PRICE			
								1-24	25-49	50-99	100 +
PE1610	2.4mm MALE/FEMALE**	SMA FEMALE	100 KHz-50 GHz	1.80:1	30 dB	25	250 mA	$1853.35	$1723.62	$1593.88	$1482.68
PE1609	2.92mm MALE/FEMALE*	SMA FEMALE	100 KHz-40 GHz	1.80:1	30 dB	25	250 mA	1504.80	1399.46	1294.13	1203.84
PE1608	3.5mm FEMALE	SOLDER LUG & PIN	100 KHz-26.5 GHz	1.80:1	30 dB	24	.75 AMPS	897.40	834.58	771.76	717.92
PE1612	N FEMALE	SOLDER LUG & PIN	10 MHz-2.5 GHz	1.60:1	30 dB	100	2.5 AMPS	228.45	212.46	196.47	182.76
PE1614	N FEMALE	SOLDER LUG & PIN	10 MHz-4 GHz	1.60:1	30 dB	100	2.5 AMPS	290.45	270.12	249.79	232.36
PE1616	N FEMALE	SOLDER LUG & PIN	10 MHz-6 GHz	1.60:1	30 dB	100	2.5 AMPS	290.45	270.12	249.79	232.36
PE1618	N FEMALE	SOLDER LUG & PIN	250 MHz-2.5 GHz	1.50:1	20 dB	100	7 AMPS	575.15	534.89	494.63	460.12
PE1606	SMA FEMALE	SOLDER LUG & PIN	100 KHz-12.4 GHz	1.60:1	30 dB	24	.75 AMPS	377.00	350.61	324.22	301.60
PE1607	SMA FEMALE	SOLDER LUG & PIN	100 KHz-18 GHz	1.80:1	30 dB	24	.75 AMPS	452.55	420.87	389.19	362.04
PE1611	SMA FEMALE	SOLDER LUG & PIN	10 MHz-2.5 GHz	1.60:1	30 dB	100	2.5 AMPS	232.35	216.09	199.82	185.88
PE1613	SMA FEMALE	SOLDER LUG & PIN	10 MHz-4 GHz	1.60:1	30 dB	100	2.5 AMPS	297.75	276.91	256.07	238.20
PE1615	SMA FEMALE	SOLDER LUG & PIN	10 MHz-6 GHz	1.60:1	30 dB	100	2.5 AMPS	260.20	241.99	223.77	208.16
PE1604	SMA FEMALE	SOLDER PINS	100 MHz-6 GHz	1.50:1	25 dB	50	500 mA	216.80	201.62	186.45	173.44
PE1617	SMA FEMALE	SOLDER LUG & PIN	250 MHz -2.5 GHz	1.50:1	20 dB	100	7 AMPS	522.85	486.25	449.65	418.28
PE1605	SMA FEMALE	SOLDER PINS	500 MHz-10 GHz	1.50:1	25 dB	50	200 mA	348.60	324.20	299.80	278.88
PE1603	SMA FEMALE	SOLDER PINS	1 GHz-5 GHz	1.50:1	25 dB	50	1000 mA	205.60	191.21	176.82	164.48

*2.92mm connectors will mate with SMA, 3.5mm and K connectors. The K connector is a registered trademark of the Anritsu® Company.
**1.85mm, 2.4mm & V connectors will mate mechanically & electrically to each other. The V connector is a trademark of the Anritsu® Company.

D.C. BLOCKS





Inner Only

Outer Only



Inner/Outer



MODEL NO.	CONFIGURATION	FREQ. RANGE (10 MHz TO)	TYPE OF D.C. BLOCK	VSWR (MAX.)	INSERTION LOSS (MAX.)	WORKING VOLTAGE	PRICE 1-24	25-49	50-99	100 +
PE8210	SMA MALE TO SMA FEMALE	18 GHz	INNER	1.35	.5 dB	200	$93.30	$86.77	$80.24	$74.64
PE8250	SMA MALE TO SMA FEMALE	18 GHz	INNER	1.60	1.5 dB	950	94.30	87.70	81.10	75.44
PE8211	SMA MALE TO SMA FEMALE	18 GHz	OUTER	1.35	.5 dB	200	159.95	148.75	137.56	127.96
PE8212	SMA MALE TO SMA FEMALE	18 GHz	INNER & OUTER	1.35	.5 dB	200	184.50	171.59	158.67	147.60
PE8213	N MALE TO N FEMALE	18 GHz	INNER	1.35	.6 dB	200	114.55	106.53	98.51	91.64
PE8251	N MALE TO N FEMALE	18 GHz	INNER	1.45	1.5 dB	950	131.40	122.20	113.00	105.12
PE8214	N MALE TO N FEMALE	18 GHz	OUTER	1.35	.6 dB	200	154.15	143.36	132.57	123.32
PE8215	N MALE TO N FEMALE	18 GHz	INNER & OUTER	1.35	.6 dB	200	207.75	193.21	178.67	166.20
PE8216	BNC MALE TO BNC FEMALE	4 GHz	INNER	1.35	.5 dB	200	147.05	136.76	126.46	117.64
PE8217	BNC MALE TO BNC FEMALE	4 GHz	OUTER	1.35	.5 dB	200	179.60	167.03	154.46	143.68
PE8218	BNC MALE TO BNC FEMALE	4 GHz	INNER & OUTER	1.35	.5 dB	200	244.00	226.92	209.84	195.20
PE8219	TNC MALE TO TNC FEMALE	18 GHz	INNER	1.35	.75 dB	200	176.65	164.28	151.92	141.32
PE8252	TNC MALE TO TNC FEMALE	18 GHz	INNER	1.45	1.5 dB	950	199.10	185.16	171.23	159.28
PE8220	TNC MALE TO TNC FEMALE	18 GHz	OUTER	1.35	.75 dB	200	211.25	196.46	181.68	169.00
PE8221	TNC MALE TO TNC FEMALE	18 GHz	INNER & OUTER	1.35	.75 dB	200	272.25	253.19	234.14	217.80
PE8222	2.92mm MALE TO 2.92mm FEMALE**	26.5 GHz	INNER	1.35	.75 dB	200	210.50	195.77	181.03	168.40
PE8223	2.92mm MALE TO 2.92mm FEMALE**	26.5 GHz	OUTER	1.35	.5 dB	200	228.25	212.27	196.30	182.60
PE8224	2.92mm MALE TO 2.92mm FEMALE**	26.5 GHz	INNER & OUTER	1.35	.5 dB	200	316.45	294.30	272.15	253.16
PE8225	2.92mm MALE TO 2.92mm FEMALE**	40 GHz	INNER	1.45	.5 dB	200	571.25	531.26	491.28	457.00
PE8226	2.92mm MALE TO 2.92mm FEMALE**	40 GHz	OUTER	1.45	.5 dB	200	859.30	799.15	739.00	687.44
PE8227	2.92mm MALE TO 2.92mm FEMALE**	40 GHz	INNER & OUTER	1.45	.5 dB	200	941.25	875.36	809.48	753.00
PE8231	75 Ω BNC MALE TO 75 Ω BNC FEMALE	4 GHz*	INNER	1.35	.5 dB	200	203.60	189.35	175.10	162.88
PE8232	75 Ω BNC MALE TO 75 Ω BNC FEMALE	4 GHz*	OUTER	1.35	.5 dB	200	168.20	156.43	144.65	134.56
PE8233	75 Ω BNC MALE TO 75 Ω BNC FEMALE	4 GHz*	INNER & OUTER	1.35	.5 dB	200	269.55	250.68	231.81	215.64
PE8234	75 Ω N MALE TO 75 Ω N FEMALE	4 GHz*	INNER	1.35	.5 dB	200	199.10	185.16	171.23	159.28
PE8235	75 Ω N MALE TO 75 Ω N FEMALE	4 GHz*	OUTER	1.35	.5 dB	200	214.05	199.07	184.08	171.24
PE8236	75 Ω N MALE TO 75 Ω N FEMALE	4 GHz*	INNER & OUTER	1.35	.5 dB	200	281.70	261.98	242.26	225.36
PE8237	2.4mm MALE TO 2.4mm FEMALE	50 GHz*	INNER	1.75	1.5 dB	75	1162.00	1080.66	999.32	929.60
PE8238	2.4mm MALE TO 2.4mm FEMALE	50 GHz*	OUTER	1.75	1.5 dB	75	1510.60	1404.86	1299.12	1208.48
PE8239	2.4mm MALE TO 2.4mm FEMALE	50 GHz*	INNER & OUTER	1.75	1.5 dB	75	1510.60	1404.86	1299.12	1208.48
PE8240	F MALE TO F FEMALE	2 GHz	INNER	1.35	.5 dB	200	77.95	72.49	67.04	62.36
PE8241	F MALE TO F FEMALE	2 GHz	OUTER	1.35	.5 dB	200	137.65	128.01	118.38	110.12
PE8242	F MALE TO F FEMALE	2 GHz	INNER & OUTER	1.35	.5 dB	200	162.40	151.03	139.66	129.92

***FROM 100 MHz TO SPECIFIED FREQUENCY**
****2.92mm CONNECTORS WILL MATE WITH SMA, 3.5mm & K CONNECTORS. THE K CONNECTOR IS A REGISTERED TRADEMARK OF THE ANRITSU® COMPANY.**

NEW BANDPASS FILTERS

TYPE: COMBLINE
SECTIONS: 4
MAX VSWR: 1.5
INPUT POWER: 5W CW MAX
IMPEDANCE: 50 Ω
OPERATING TEMP: -10°C TO +50°C
STORAGE TEMP: -30°C TO +70°C

MODEL NO.	BAND DESCRIPTION	BANDPASS FREQ (MHz)	Max INSERTION LOSS (dB)	50 dB REJECTION (±)	PRICE 1-24	25-49	50-99	100 +
PE8700	ISM & RFID	902 to 928	1.5	100 MHz	$371.45	$345.45	$319.45	$297.16
PE8701	ISM, WiFi, Bluetooth, ZigBee	2400 to 2500	1.0	400 MHz	371.45	345.45	319.45	297.16
PE8702	ISM, WiFi, 5725 to 5875 MHz	5725 to 5875	1.0	600 MHz	371.45	345.45	319.45	297.16
PE8703	GPS L1	1565 to 1585	1.5	100 MHz	371.45	345.45	319.45	297.16
PE8704	GPS L2	1217 to 1237	1.3	100 MHz	424.60	394.88	365.16	339.68
PE8705	GSM	824 to 849	1.5	100 MHz	371.45	345.45	319.45	297.16
PE8706	GSM	869 to 894	1.5	100 MHz	371.45	345.45	319.45	297.16
PE8707	PCS	1850 to 1910	1.5	250 MHz	371.45	345.45	319.45	297.16
PE8708	PCS	1930 to 1990	1.5	250 MHz	371.45	345.45	319.45	297.16
PE8709	UMTS	1920 to 1980	1.5	250 MHz	371.45	345.45	319.45	297.16
PE8710	UMTS/AWS	1710 to 1770	1.5	250 MHz	371.45	345.45	319.45	297.16
PE8711	UMTS/AWS	2110 to 2170	1.5	250 MHz	371.45	345.45	319.45	297.16
PE8712	WIMAX	2500 to 2700	1.0	900 MHz	371.45	345.45	319.45	297.16
PE8713	WIMAX	3300 to 3700	0.75	1900 MHz	371.45	345.45	319.45	297.16
PE8714	WIMAX	4900 to 5900	0.75	5000 MHz	371.45	345.45	319.45	297.16

CAPS





Model No.	Series	Gender	Chain	PRICE 1-24	25-49	50-99	100 +
PE6058	7/16	FEMALE	YES	$32.45	$30.18	$27.91	$25.96
PE6057	7/16	MALE	YES	31.95	29.71	27.48	25.56
PE6013	BNC	MALE	YES	5.75	5.35	4.95	4.60
PE6014	BNC	MALE	NO	3.45	3.21	2.97	2.76
PE6015	BNC	FEMALE	YES	4.85	4.51	4.17	3.88
PE6108	BNC	FEMALE	NO	5.75	5.35	4.95	4.60
PE6046	C	MALE	YES	15.25	14.18	13.12	12.20
PE6109	C	MALE	NO	14.50	13.49	12.47	11.60
PE6110	C	FEMALE	YES	19.40	18.04	16.68	15.52
PE6111	C	FEMALE	NO	18.50	17.21	15.91	14.80
PE6059	HN	MALE	YES	20.10	18.69	17.29	16.08
PE6113	HN	MALE	NO	14.50	13.49	12.47	11.60
PE6114	HN	FEMALE	YES	20.85	19.39	17.93	16.68
PE6115	HN	FEMALE	NO	19.70	18.32	16.94	15.76
PE6016	N/UHF	MALE	YES	5.10	4.74	4.39	4.08
PE6017	N/UHF	MALE	NO	5.40	5.02	4.64	4.32
PE6018	N	FEMALE	YES	7.50	6.98	6.45	6.00
PE6116	N	FEMALE	NO	6.20	5.77	5.33	4.96
PE6117	SC	MALE	YES	81.25	75.56	69.88	65.00
PE6118	SC	FEMALE	YES	69.75	64.87	59.99	55.80
PE6019	SMA	MALE	YES	8.05	7.49	6.92	6.44
PE6024	SMA	MALE	NO	7.05	6.56	6.06	5.64
PE6119	SMA	FEMALE	YES	16.15	15.02	13.89	12.92
PE6120	SMA	FEMALE	NO	16.15	15.02	13.89	12.92
PE6121	SMB	PLUG	YES	17.40	16.18	14.96	13.92
PE6122	SMB	JACK	YES	8.45	7.86	7.27	6.76
PE6123	SMC	PLUG	YES	11.55	10.74	9.93	9.24
PE6124	SMC	JACK	YES	11.55	10.74	9.93	9.24
PE6020	SSMA	MALE	NO	8.25	7.67	7.10	6.60
PE6125	75 Ω SMB	PLUG	YES	25.55	23.76	21.97	20.44
PE6126	75 Ω SMC	PLUG	YES	25.10	23.34	21.59	20.08
PE6021	TNC	FEMALE	YES	8.40	7.81	7.22	6.72
PE6143	TNC	FEMALE	NO	8.45	7.86	7.27	6.76
PE6023	TNC	MALE	YES	6.70	6.23	5.76	5.36
PE6144	TNC	MALE	NO	6.35	5.91	5.46	5.08

SHORTS





Model No.	Series	Gender	Chain	PRICE 1-24	25-49	50-99	100 +
PE6012	BNC	MALE	NO	$7.35	$6.84	$6.32	$5.88
PE6127	BNC	MALE	YES	13.30	12.37	11.44	10.64
PE6030	BNC	FEMALE	NO	10.25	9.53	8.82	8.20
PE6128	BNC	FEMALE	YES	14.30	13.30	12.30	11.44
PE6022	N	MALE	NO	14.85	13.81	12.77	11.88
PE6129	N	MALE	YES	17.65	16.41	15.18	14.12
PE6031	N	FEMALE	NO	15.95	14.83	13.72	12.76
PE6130	N	FEMALE	YES	19.70	18.32	16.94	15.76
PE6006	SMA	MALE	NO	15.60	14.51	13.42	12.48
PE6131	SMA	MALE	YES	18.25	16.97	15.70	14.60
PE6007	SMA	FEMALE	NO	16.95	15.76	14.58	13.56
PE6132	SMA	FEMALE	YES	18.50	17.21	15.91	14.80
PE6133	TNC	MALE	NO	14.85	13.81	12.77	11.88
PE6134	TNC	MALE	YES	18.50	17.21	15.91	14.80
PE6135	TNC	FEMALE	NO	14.85	13.81	12.77	11.88
PE6136	TNC	FEMALE	YES	18.50	17.21	15.91	14.80

N FUSE HOLDERS

IMPEDANCE: 50 Ω
FREQUENCY RANGE: DC TO 1,000 MHz
VSWR: 1.50:1, MAXIMUM
FUSE LEVEL: 1/16 AMP = +23 dBM
1/8 AMP = +29 dBM
1/4 AMP = +35 dBM



Model No.	FUSE ELEMENT	PRICE 1-24	25-49	50-99	100 +
PE7300-1	1/16 AMP	$80.60	$74.96	$69.32	$64.48
PE7300-2	1/8 AMP	80.60	74.96	69.32	64.48
PE7300-3	1/4 AMP	80.60	74.96	69.32	64.48

COAX SURGE PROTECTOR



SPECIFICATIONS
DC BLOCKING: NONE. WILL PASS DC FOR POWER AND CONTROL PURPOSES.
MAX DC OR PEAK AC IS 150 V
FIRING POINT: 350 V ±15%@< 100V/S > 1000 @ 5kv/ µs RISE
BREAKDOWN VOLTAGE: 20 TO 30V
SURGE CURRENT: 5000 A (8/20 µs PULSE)
PLUG LIFE: >600 TIMES @ 500A PULSE (FIELD REPLACEABLE)

Model No.	POWER HANDLING WATTS	CONNECTOR TYPE	FREQUENCY RANGE	INSERTION LOSS	IMPEDANCE	PRICE 1-24	25-49	50-99	100 +
PE7301-1	200	N FEMALE	DC - 3 GHz	.5 dB	50 Ω	$99.80	$92.81	$85.83	$79.84
PE7301-2	2000	N FEMALE	DC - 3 GHz	.5 dB	50 Ω	110.85	103.09	95.33	88.68
PE7301-3	200	N FEMALE BULKHEAD	DC - 3 GHz	.5 dB	50 Ω	132.75	123.46	114.17	106.20
PE7301-4	2000	N FEMALE BULKHEAD	DC - 3 GHz	.5 dB	50 Ω	132.75	123.46	114.17	106.20
REPLACEMENT CARTRIDGE		CARTRIDGE FOR							
PE7301-200CART	200	PE7301-1/PE7301-3				17.45	16.23	15.01	13.96
PE7301-2000CART	2000	PE7301-2/PE7301-4				17.45	16.23	15.01	13.96

MANUAL COAX SWITCH WITH SURGE PROTECTOR

IMPEDANCE: 50 Ω
SWITCHING FUNCTIONS: WHEN THE KNOB POINTS TO THE CENTER GROUND POSITION, ALL ANTENNA CIRCUITS ARE INTERNALLY DISCONNECTED AND GROUNDED. WHEN THE KNOB IS IN AN ACTIVE POSITION THE UNUSED ANTENNA PORTS ARE GROUNDED. THE ACTIVE POSITION CIRCUIT IS CONTINUOUSLY PROTECTED BY THE REPLACEABLE CARTRIDGE.



MODEL NO	CONNECTOR TYPE	FREQUENCY RANGE (DC-GHz)	NO. OF OUTPUT PORTS	VSWR MAX.	INSERTION LOSS MAX	ISOLATION MIN.	POWER HANDLING WATTS RF	PRICE 1-24	25-49	50-99	100 +
PE7139	N FEMALE	1.3	2	1.6:1	.75 dB	50 dB	1500	$159.95	$148.75	$137.56	$127.96
PE7140	N FEMALE	1	4	1.6:1	.60 dB	50 dB	1500	185.90	172.89	159.87	148.72
REPLACEMENT CARTRIDGE			CARTRIDGE FOR								
PE7139-CART			PE7139/PE7140					22.30	20.74	19.18	17.84

See Our Website For Real-Time Stock Availability!

Attenuators / RF Components

A / B COAXIAL SWITCHES

FREQUENCY RANGE: DC-1,000 MHz
POWER HANDLING CAPACITY: 5 WATTS CW, COMMON TO SWITCHED PORTS
(SWITCHED PORTS TERMINATED)
½ WATT SWITCHED PORTS TO COMMON
SWITCHING TIME: 15 MILLISECONDS
OPERATING TEMPERATURE RANGE: 20°C TO +60°C
OPERATING VOLTAGE (ACTUATED TO "B" POSITION): +12 VDC AT 45mA, MAXIMUM



MODEL NO.	CONNECTOR TYPE	IMPEDANCE	VSWR MAX.	INSERTION LOSS MAX.	ISOLATION MIN.	PRICE			
						1-24	25-49	50-99	100 +
PE7100	BNC FEMALE	50	1.35	70 dB	50 dB	$277.30	$257.89	$238.48	$221.84
PE7101	75 Ω BNC FEMALE	75	1.60	70 dB	50 dB	450.60	419.06	387.52	360.48
PE7102	N FEMALE	50	1.60	70 dB	50 dB	290.45	270.12	249.79	232.36
PE7103	75 Ω N FEMALE	75	1.60	70 dB	50 dB	277.30	257.89	238.48	221.84

COAXIAL SWITCHES

SPECIFICATIONS
ALL CONNECTORS ARE SMA FEMALE
OPERATING TEMPERATURE: - 55° C TO +85° C

SPST

TTL LOGIC 0: LOW LOSS
TTL LOGIC 1: ISOLATION

DC BIAS MAXIMUM
+5V ± 0.5V @ 50mA
-15V ± 3V @ 50mA



SPDT

TTL LOGIC 0: LOW LOSS
TTL LOGIC 1: ISOLATION
E1 CONTROLS: J2-J1
E2 CONTROLS: J3-J1

DC BIAS MAXIMUM
+5V ± 0.5V @ 80mA
-15V ± 3V @ 50mA



SP3T

TTL LOGIC 0: LOW LOSS
TTL LOGIC 1: ISOLATION
E1 CONTROLS: J2-J1
E2 CONTROLS: J3-J1
E3 CONTROLS: J4-J1

DC BIAS MAXIMUM
+5V ± 0.5V @ 120mA
-15V ± 3V @ 50mA



SP4T

TTL LOGIC 0: LOW LOSS
TTL LOGIC 1: ISOLATION
E1 CONTROLS: J2-J1
E2 CONTROLS: J3-J1
E3 CONTROLS: J4-J1
E4 CONTROLS: J5-J1

DC BIAS MAXIMUM
+5V ± 0.5V @ 160mA
-15V ± 3V @ 50mA



MODEL NO.	FREQUENCY RANGE	SWITCH TYPE	INSERTION LOSS (dB MAX.)	VSWR (MAX.)	ISOLATION (dB MIN.)	SWITCHING SPEED (nsec MAX.)	POWER WATTS (MAX.)	PRICE			
								1-24	25-49	50-99	100 +
PE7104	10 MHz - 1 GHz	SPST	1.3	1.5:1	80	250	1.0	$1830.40	$1702.27	$1574.14	$1464.32
PE7105	1 GHz - 2 GHz	SPST	0.9	1.5:1	85	100	1.0	1404.90	1306.56	1208.21	1123.92
PE7106	1 GHz - 18 GHz	SPST	3.0	2.0:1	65	100	0.5	1772.85	1648.75	1524.65	1418.28
PE7107	2 GHz - 4 GHz	SPST	1.1	1.6:1	75	100	1.0	1341.15	1247.27	1153.39	1072.92
PE7108	4 GHz - 8 GHz	SPST	1.8	1.6:1	75	100	1.0	1447.65	1346.31	1244.98	1158.12
PE7109	8 GHz - 12 GHz	SPST	2.2	1.8:1	70	100	1.0	1341.15	1247.27	1153.39	1072.92
PE7110	12 GHz - 18 GHz	SPST	2.8	2.0:1	65	100	0.5	1404.90	1306.56	1208.21	1123.92
PE7111	10 MHz - 1 GHz	SPDT	1.3	1.5:1	80	250	1.0	1633.40	1519.06	1404.72	1306.72
PE7112	1 GHz - 2 GHz	SPDT	1.0	1.5:1	85	100	1.0	1661.10	1544.82	1428.55	1328.88
PE7113	1 GHz - 18 GHz	SPDT	3.1	2.0:1	65	100	0.5	2034.95	1892.50	1750.06	1627.96
PE7114	2 GHz - 4 GHz	SPDT	1.2	1.6:1	75	100	1.0	1707.55	1588.02	1468.49	1366.04
PE7115	4 GHz - 8 GHz	SPDT	1.9	1.6:1	75	100	1.0	1707.55	1588.02	1468.49	1366.04
PE7116	8 GHz - 12 GHz	SPDT	2.2	1.8:1	70	100	1.0	2285.15	2125.19	1965.23	1828.12
PE7117	12 GHz - 18 GHz	SPDT	3.0	2.0:1	65	100	0.5	1585.85	1474.84	1363.83	1268.68
PE7118	10 MHz - 1 GHz	SP3T	1.4	1.5:1	80	250	1.0	1585.85	1474.84	1363.83	1268.68
PE7119	1 GHz - 2 GHz	SP3T	1.1	1.5:1	85	100	1.0	1661.10	1544.82	1428.55	1328.88
PE7120	1 GHz - 18 GHz	SP3T	3.3	2.0:1	65	100	0.5	2075.00	1929.75	1784.50	1660.00
PE7121	2 GHz - 4 GHz	SP3T	1.4	1.6:1	75	100	1.0	1879.30	1747.75	1616.20	1503.44
PE7122	4 GHz - 8 GHz	SP3T	2.0	1.6:1	75	100	1.0	1707.55	1588.02	1468.49	1366.04
PE7123	8 GHz - 12 GHz	SP3T	2.4	1.8:1	70	100	0.5	1788.65	1663.44	1538.24	1430.92
PE7124	12 GHz - 18 GHz	SP3T	3.2	2.0:1	65	100	0.5	1794.05	1668.47	1542.88	1435.24
PE7125	10 MHz - 1 GHz	SP4T	1.5	1.5:1	80	250	1.0	2173.55	2021.40	1869.25	1738.84
PE7126	1 GHz - 2 GHz	SP4T	1.2	1.5:1	85	100	1.0	1952.15	1815.50	1678.85	1561.72
PE7127	1 GHz - 18 GHz	SP4T	3.5	2.0:1	65	100	0.5	2197.85	2044.00	1890.15	1758.28
PE7128	2 GHz - 4 GHz	SP4T	1.4	1.6:1	75	100	1.0	1952.15	1815.50	1678.85	1561.72
PE7129	4 GHz - 8 GHz	SP4T	2.2	1.6:1	75	100	1.0	2197.85	2044.00	1890.15	1758.28
PE7130	8 GHz - 12 GHz	SP4T	2.6	1.8:1	70	100	0.5	2137.25	1987.64	1838.04	1709.80
PE7131	12 GHz - 18 GHz	SP4T	3.4	2.0:1	65	100	0.5	1952.15	1815.50	1678.85	1561.72

See Our Website For Real-Time Stock Availability!

RELAY SWITCHES

FEATURES
F = FAILSAFE
H = HOT SWITCHES
I = INDICATORS
L = LATCHING
N = NORMALLY OPEN
P = PULSE LATCHING
S = SELF CUT OFF
T = TERMINATED
TTL = TTL LOGIC





MODEL NO.	SWITCH TYPE	CONN. TYPE	FREQ. RANGE (DC)	FEATURES	VOLTAGE RANGE (Vdc)	AVG POWER WATTS (MAX.)	ACTUATING CURRENT (mA)	VSWR (MAX.)	INSERTION LOSS (dB MAX.)	ISOLATION (dB MIN.)	PRICE			
											1-24	25-49	50-99	100 +
PE7141	SPDT	SMA	18 GHz	F	24-32	35	114	1.50:1	0.50	60	$304.80	$283.46	$262.13	$243.84
PE7142	SPDT	SMA	18 GHz	F	10-14	35	263	1.50:1	0.50	60	324.30	301.60	278.90	259.44
PE7143	SPDT	SMA	18 GHz	I,L,S	24-32	35	128	1.50:1	0.50	60	784.25	729.35	674.46	627.40
PE7144	SPDT	SMA	18 GHz	I,L,S	10-14	35	300	1.50:1	0.50	60	411.60	382.79	353.98	329.28
PE7145	SPDT	SMA	18 GHz	I,P	24-32	35	128	1.50:1	0.50	60	348.60	324.20	299.80	278.88
PE7146	SPDT	SMA	18 GHz	I,P	10-14	35	300	1.50:1	0.50	60	422.55	392.97	363.39	338.04
PE7147	SPDT	N	4 GHz	F	22-32	275	82	1.30:1	0.25	70	422.55	392.97	363.39	338.04
PE7148	SPDT	N	4 GHz	F	10-14	275	133	1.20:1	0.20	80	458.45	426.36	394.27	366.76
PE7149	SPDT	N	8 GHz	H,I,P	24-32	200	127	1.45:1	0.40	60	2218.60	2063.30	1908.00	1774.88
PE7150	TRANSFER	SMA	18 GHz	F	24-32	35	227	1.50:1	0.50	60	453.10	421.38	389.67	362.48
PE7151	TRANSFER	SMA	18 GHz	I,L,S	24-32	35	115	1.50:1	0.50	60	698.15	649.28	600.41	558.52
PE7152	TRANSFER	SMA	18 GHz	I,P	24-32	35	115	1.50:1	0.50	60	550.70	512.15	473.60	440.56
PE7153	TRANSFER	N	4 GHz	F	20-32	275	164	1.20:1	0.20	75	569.65	529.77	489.90	455.72
PE7154	DPDT	SMA	18 GHz	F,T	24-32	35	227	1.50:1	0.50	60	843.80	784.73	725.67	675.04
PE7155	DPDT	SMA	18 GHz	I,P	24-32	35	175	1.50:1	0.50	60	776.50	722.15	667.79	621.20
PE7156	DPDT	SMA	18 GHz	I,P,T	24-32	35	175	1.50:1	0.50	60	887.40	825.28	763.16	709.92
PE7157	DPDT	SMA	18 GHz	I,P,T,TTL	24-32	35	175	1.50:1	0.50	60	942.90	876.90	810.89	754.32
PE7158	SP4T	SMA	18 GHz	F,N	22-30	35	115	1.50:1	0.50	60	645.10	599.94	554.79	516.08
PE7159	SP6T	SMA	18 GHz	F,N	22-30	35	115	1.50:1	0.50	60	953.80	887.03	820.27	763.04
PE7160	SP10T	SMA	8 GHz	F,N	24-32	55	113	1.30:1	0.25	65	2446.35	2275.11	2103.86	1957.08

TRANSFER SWITCHES

SPECIFICATIONS
ALL CONNECTORS ARE SMA FEMALE
OPERATING TEMPERATURE: - 55° C TO +85° C
DC BIAS:
V1: +5.0 ± 0.5V
V2: -15.0 ± 3.0V
CONTROLS:
TTL LOGIC 0: J1-J2, J3-J4 LOW LOSS
J1-J4, J2-J3 ISOLATION
TTL LOGIC 1: J1-J4, J2-J3 LOW LOSS
J1-J2, J3-J4 ISOLATION



MODEL NO.	FREQUENCY RANGE	VSWR (MAX.)	INSERTION LOSS (dB MAX.)	ISOLATION (dB MIN.)	MAX CURRENT @ V1 & V2 (see above)	SWITCHING SPEED (nsec MAX.)	POWER WATTS (MAX.)	PRICE			
								1-24	25-49	50-99	100 +
PE7132	10 MHz - 1 GHz	1.5:1	1.3	80	80mA	100	2.0	$2197.85	$2044.00	$1890.15	$1758.28
PE7133	1 GHz - 2 GHz	1.5:1	1.0	80	100mA	100	1.0	1952.15	1815.50	1678.85	1561.72
PE7134	1 GHz - 18 GHz	2.0:1	3.1	65	80mA	100	0.5	2687.10	2499.00	2310.91	2149.68
PE7135	2 GHz - 4 GHz	1.6:1	1.2	75	100mA	100	1.0	2319.60	2157.23	1994.86	1855.68
PE7136	4 GHz - 8 GHz	1.6:1	1.9	75	100mA	100	1.0	2442.50	2271.53	2100.55	1954.00
PE7137	8 GHz - 12 GHz	1.8:1	2.2	70	100mA	100	0.5	2197.85	2044.00	1890.15	1758.28
PE7138	12 GHz - 18 GHz	2.0:1	3.0	65	100mA	100	0.5	2173.55	2021.40	1869.25	1738.84

GENERAL PURPOSE AMPLIFIERS

SPECIFICATIONS
OPERATING VOLTAGE ..... 9-15 VDC
OPERATING TEMPERATURE ..... -10° C to +65° C
STORAGE TEMPERATURE RANGE ...-65° C to +125° C



MODEL NO.	OPERATING CURRENT	FREQUENCY RANGE	GAIN (dB MIN.)	OUTPUT P1dB (dBm MIN.)	NOISE FIGURE (dB MAX.)	INPUT RL (dB TYP.)	OUTPUT RL (dB TYP.)	PRICE 1-24	25-49	50-99	100 +
PE1513	50 mA	10-1000 MHz 1-2 GHz 2-3 GHz	20 17 14	13 11 9	2.7 3.5 5	-18 -18 -15	-12 -14 -10	$332.75	$309.46	$286.17	$266.20
PE1514	40 mA	10-2000 MHz 2-3 GHz	12 10	10 9	5.5 7	-15 -11	-15 -10	332.75	309.46	286.17	266.20
PE1515	80 mA	10-1000 MHz 1-2 GHz 2-3 GHz	13 12 10	16 15 14	7 7 8.5	-12 -12 -11	-14 -14 -10	332.75	309.46	286.17	266.20
PE1516	120 mA	100-1000 MHz 1-2 GHz 2-3 GHz	18 21 18	16 15 14	6 6 7	-18 -20 -18	-10 -15 -10	332.75	309.46	286.17	266.20
PE1525	120 mA	20-2500 MHz	19	15	6	-17	-14	318.40	296.11	273.82	254.72

LOW NOISE AMPLIFIERS

SPECIFICATIONS
OPERATING VOLTAGE ..... 12 VDC
OPERATING TEMPERATURE ..... -30° C to +70° C
STORAGE TEMPERATURE RANGE ... -40° C to +90° C



MODEL NO.	FREQUENCY RANGE	GAIN	GAIN FLATNESS	OUTPUT P1dB (dBm TYP.)	INPUT VSWR	OUTPUT VSWR	NOISE FIGURE	CURRENT @ +12VDC	PRICE 1-24	25-49	50-99	100 +
PE1517	.05-1 GHz	21	1	12	2:1	2:1	3.5	100mA	$396.60	$368.84	$341.08	$317.28
PE1518	.05-2 GHz	21	1.5	12	2:1	2:1	3.5	100mA	388.25	361.07	333.90	310.60
PE1519	1-4 GHz	25	1	15	2:1	2:1	2.5	100mA	554.60	515.78	476.96	443.68
PE1520	2-4 GHz	25	1	15	2:1	2:1	2.5	100mA	514.10	478.11	442.13	411.28
PE1521	2-6 GHz	25	1	15	2:1	2:1	3.0	100mA	499.15	464.21	429.27	399.32
PE1522	4-8 GHz	25	1	15	2:1	2:1	3.0	100mA	514.10	478.11	442.13	411.28
PE1523	6-18 GHz	21	1.5	13	2:1	2:1	3.5	120mA	744.05	691.97	639.88	595.24
PE1524	2-18 GHz	21	1.5	13	2:1	2:1	3.5	120mA	794.10	738.51	682.93	635.28

HIGH OUTPUT NOISE GENERATORS

SPECIFICATIONS:
INPUT POWER +28VDC @ 20mA MAX.

MODEL NO.	FREQUENCY RANGE (GHZ)	BIAS CONNECTORS	RF CONNECTORS	NOISE OUTPUT	FLATNESS (dB)	PRICE 1-24	25-49	50-99	100 +
PE8505	1 - 2	SMA FEMALE	SMA MALE	30-35	± 1	$950.75	$884.20	$817.65	$760.60
PE8506	2 - 4	SMA FEMALE	SMA MALE	30-35	± 1	1109.20	1031.56	953.91	887.36
PE8507	4 - 8	SMA FEMALE	SMA MALE	30-35	± 1	1190.20	1106.89	1023.57	952.16
PE8508	8 - 12	SMA FEMALE	SMA MALE	28-33	± 1	1267.60	1178.87	1090.14	1014.08
PE8509	12 - 18	SMA FEMALE	SMA MALE	28-33	± 1	1394.40	1296.79	1199.18	1115.52

NOISE GENERATORS

SPECIFICATIONS:
INPUT POWER +28VDC AT 20 mA MAX.

MODEL NO.	FREQUENCY RANGE (GHZ)	BIAS CONNECTORS	RF CONNECTORS	NOISE OUTPUT (ENR - dB)	VSWR (MAX.) ON/OFF	PRICE			
						1-24	25-49	50-99	100 +
PE8500	1 - 2	BNC FEMALE	SMA MALE	15.5 ± 0.5	1.20:1	$1109.20	$1031.56	$953.91	$887.36
PE8501	2 - 4	BNC FEMALE	SMA MALE	15.5 ± 0.5	1.20:1	1267.60	1178.87	1090.14	1014.08
PE8502	4 - 8	BNC FEMALE	SMA MALE	15.5 ± 0.5	1.20:1	1348.65	1254.24	1159.84	1078.92
PE8503	8 - 12	BNC FEMALE	SMA MALE	15.5 ± 0.5	1.35:1	1426.10	1326.27	1226.45	1140.88
PE8504	12 - 18	BNC FEMALE	SMA MALE	15.5 ± 0.5	1.35:1	1552.95	1444.24	1335.54	1242.36

NEW BIASED SCHOTTKY DIODE DETECTORS

BROADBAND BIASED DETECTORS
Negative Output Polarity is Standard, Positive Output Polarity Indicated by "-P" Suffix.
Maximum RF Input Power: +23 dBm
Operating Temperature Range: -55° C to +125° C
Storage Temperature Range: -65° C to +150° C
Nominal Impedance: 50 Ohms



SMA MALE INPUT / SMA FEMALE OUTPUT

MODEL NO.		FREQUENCY RANGE (GHz)	VOLTAGE SENSITIVITY (mV/mW MINIMUM)	TANGENTIAL SENSITIVITY* (dBm MINIMUM)	FLATNESS (± dB MAX.)	VIDEO CAPACITANCE (pF)	PRICE			
NEGATIVE	POSITIVE						1-24	25-49	50-99	100 +
PE8001	PE8001-P	0.5 - 1.0	1800	-54	0.50	100	$348.60	$324.20	$299.80	$278.88
PE8002	PE8002-P	1.0 - 2.0	2000	-52	0.50	50	360.15	334.94	309.73	288.12
PE8003	PE8003-P	2.0 - 4.0	2000	-52	0.50	20	406.65	378.18	349.72	325.32
PE8004	PE8004-P	4.0 - 8.0	2000	-52	0.50	20	406.65	378.18	349.72	325.32
PE8005	PE8005-P	6.0 - 18.0	1600	-52	0.80	10	441.50	410.60	379.69	353.20
PE8006	PE8006-P	8.0 - 12.0	1800	-52	0.50	10	406.65	378.18	349.72	325.32
PE8007	PE8007-P	8.0 - 16.0	1800	-52	0.60	10	429.90	399.81	369.71	343.92
PE8008	PE8008-P	8.0 - 18.0	1600	-52	0.70	10	429.90	399.81	369.71	343.92
PE8009	PE8009-P	18.0 - 26.0	1500	-52	1.00	5	464.75	432.22	399.69	371.80

*TSS is measured with a 2 MHz video bandwidth and 2 dB NF amplifier.

BNC DETECTORS

SPECIFICATIONS:
FREQUENCY RANGE: 100 kHz-1,000 MHz
DC OUTPUT POLARITY: POSITIVE
RF INPUT: BNC MALE
DC OUTPUT: BNC FEMALE



Model No.	NOMINAL IMPEDANCE	TANGENTIAL SENSITIVITY* (dBm MINIMUM)	FLATNESS (± dB MAXIMUM)	VIDEO CAPACITANCE (pF)	VSWR (MAXIMUM)	MAXIMUM RF INPUT POWER (dBm)	PRICE			
							1-24	25-49	50-99	100 +
PE8000-50	50 Ω	-40	0.2 to 500 MHz 0.4 to 1000 MHz	1000	1.20:1	+20	$185.45	$172.47	$159.49	$148.36
PE8000-75	75 Ω	-20	0.2	1000	1.20:1	+20	166.70	155.03	143.36	133.36

*TSS is measured with a 2 MHz video bandwidth and 2 dB NF amplifier.

LOG DETECTOR

SPECIFICATIONS:
FUNCTION: LOG DETECTOR
LINEAR-IN-dB RESPONSE CHARACTERISTICS
INPUT IMPEDANCE: 50 Ω
OPERATING VOLTAGE: 9-15 VDC
OPERATING CURRENT: 50 mA
OUTPUT CURRENT: 0.5 mA MAXIMUM
OPERATING TEMPERATURE RANGE: -10° C to +65° C
STORAGE TEMPERATURE RANGE: -65° C to +125° C



MODEL NO.	FREQUENCY RANGE	SLOPE (mV/dB)	INTERCEPT POINT (dBm)	DYNAMIC RANGE (dB MINIMUM)	INPUT RL (dB)	OUTPUT VOLTAGE (V MAXIMUM)	OUTPUT SLEW RATE (V/mSEC)	PRICE			
								1-24	25-49	50-99	100 +
PE8040	10-1000 MHz	41	-54	50	-15	2.1	20	$386.60	$359.54	$332.48	$309.28
	1-2 GHz	40	-55	50	-10	2.1	20				
	2-3 GHz	37	-50	45	-8	2.0	20				

ZERO BIAS SCHOTTKY DIODE DETECTORS

NO BIAS REQUIRED
Negative Output Polarity is standard.
Maximum RF Input Power: +23 dBm
Operating Temperature Range: -55° C to +125° C
Storage Temperature Range: -65°C to +150°C
Units are matched for VSWR
Nominal Impedance: 50 Ohms



SMA MALE INPUT / SMA FEMALE OUTPUT

MODEL NO.	FREQUENCY RANGE (GHz)	VOLTAGE SENSITIVITY (mV/mW MINIMUM)	FLATNESS (± dB MAXIMUM)	VIDEO CAPACITANCE (pF)	VSWR (TYPICAL)	PRICE			
						1-24	25-49	50-99	100 +
PE8010	0.01 - 2.0	500	0.20	470	1.20:1	$377.00	$350.61	$324.22	$301.60
PE8011	0.01 - 4.0	500	0.30	470	1.30:1	388.45	361.26	334.07	310.76
PE8012	0.01 - 12.4	500	0.30	470	1.40:1	372.60	346.52	320.44	298.08
PE8013	0.01 - 18.5	400	0.50	470	1.50:1	457.00	425.01	393.02	365.60
PE8014	0.01 - 26.5	100	0.50 (to 18 GHz)*	470	1.50:1 (to 18 GHz)*	491.30	456.91	422.52	393.04
PE8015	2.0 - 4.0	500	0.20	20	1.20:1	360.15	334.94	309.73	288.12
PE8016	2.0 - 8.0	500	0.20	20	1.20:1	429.90	399.81	369.71	343.92

*FLATNESS= 1.0 (18 to 26.5 GHz) & VSWR= 2.0:1 (18 to 26.5 GHz)

PIN-PIN DIODE LIMITERS

PASSIVE PIN DIODE LIMITERS
1 Watt CW and 100 Watt Peak (1μsec) power handling
0.1% duty cycle, derated to 20% at +125° C
Internal DC Return
Limiting Threshold above +9 dBm typical
Operating Temperature Range: -55° C to +125° C



SMA MALE INPUT / SMA FEMALE OUTPUT

MODEL NO.	FREQUENCY RANGE (GHz)	INSERTION LOSS* (dB MAXIMUM)	VSWR* (MAXIMUM)	LEAKAGE @ 1W CW INPUT (dBm MAXIMUM)	PRICE			
					1-24	25-49	50-99	100 +
PE8017	0.5 - 1.0	0.4	1.40:1	+19.0	$360.15	$334.94	$309.73	$288.12
PE8018	0.5 - 2.0	0.5	1.40:1	+19.0	365.60	340.01	314.42	292.48
PE8019	1.0 - 2.0	0.4	1.40:1	+19.0	360.15	334.94	309.73	288.12
PE8020	2.0 - 4.0	0.8	1.50:1	+18.5	340.60	316.76	292.92	272.48
PE8021	2.0 - 8.0	1.2	1.60:1	+16.0	429.90	399.81	369.71	343.92
PE8022	2.0 - 18.0	2.5	2.20:1	+18.0	441.50	410.60	379.69	353.20
PE8023	4.0 - 8.0	1.2	1.50:1	+16.0	383.45	356.61	329.77	306.76
PE8024	6.0 - 18.0	2.2	2.00:1	+16.0	429.90	399.81	369.71	343.92
PE8025	7.0 - 12.0	1.5	1.80:1	+16.0	406.65	378.18	349.72	325.32
PE8026	8.0 - 16.0	2.0	2.00:1	+16.0	418.25	388.97	359.70	334.60
PE8027	11.0 - 18.0	2.2	2.20:1	+16.0	464.75	432.22	399.69	371.80

*Insertion loss and VSWR are measured at -10 dBm.

PIN-SCHOTTKY DIODE LIMITERS

DETECTOR ACTIVATED LIMITERS
1 Watt CW and 200 Watt Peak (1μsec) power handling
0.1% duty cycle, derated to 20% at +125° C
Internal DC Blocks
Limiting Threshold below +9 dBm typical
Operating Temperature Range: -55° C to +125° C



SMA MALE INPUT / SMA FEMALE OUTPUT

MODEL NO.	FREQUENCY RANGE (GHz)	INSERTION LOSS* (dB MAXIMUM)	VSWR* (MAXIMUM)	LEAKAGE @ 1W CW INPUT (dBm MAXIMUM)	PRICE			
					1-24	25-49	50-99	100 +
PE8028	0.5 - 1.0	0.5	1.40:1	+14.0	$342.75	$318.76	$294.77	$274.20
PE8029	0.5 - 2.0	0.6	1.40:1	+14.0	371.80	345.77	319.75	297.44
PE8030	1.0 - 2.0	0.6	1.40:1	+14.0	360.15	334.94	309.73	288.12
PE8031	2.0 - 4.0	0.8	1.50:1	+14.0	377.00	350.61	324.22	301.60
PE8032	2.0 - 8.0	1.4	1.60:1	+14.0	360.15	334.94	309.73	288.12
PE8033	2.0 - 18.0	2.5	2.50:1	+14.0	441.50	410.60	379.69	353.20
PE8034	4.0 - 8.0	1.4	1.50:1	+13.0	371.80	345.77	319.75	297.44
PE8035	6.0 - 18.0	2.5	2.20:1	+13.0	441.50	410.60	379.69	353.20
PE8036	7.0 - 12.0	2.0	1.80:1	+12.0	429.90	399.81	369.71	343.92
PE8037	8.0 - 16.0	2.2	1.80:1	+12.0	429.90	399.81	369.71	343.92
PE8038	11.0 - 18.0	2.5	2.20:1	+12.0	464.75	432.22	399.69	371.80

*Insertion loss & VSWR are measured at -10 dBm.

DOUBLE BALANCED MIXERS



SPECIFICATIONS:
ALL UNITS HAVE SMA FEMALE CONNECTORS.
INPUT DRIVER LEVEL +10 dBm TO +13 dBm

MODEL NO.	RF (GHz)	LO (GHz)	IF (GHz)	LO POWER (dBm)	CONVRSN. LOSS dB (TYP.)	L-R ISO dB (TYP.)	L-I ISO dB (TYP.)	1 dB COMP (dBm)	INPUT TOIP (dBm)	PRICE			
										1-24	25-49	50-99	100 +
PE8650	2.0-8.0	2.0-8.0	DC-1.5	+10	6.0	30	33	+4	+14	$513.45	$477.51	$441.57	$410.76
PE8651	2.0-8.0	2.0-8.0	0.1-4.0	+10	6.2	26	28	+4	+14	621.05	577.58	534.10	496.84
PE8652	2.0-18.0	2.0-18.0	DC-0.6	+10	7.3	27	22	+4	+13	665.75	619.15	572.55	532.60
PE8653	5.0-18.0	5.0-18.0	DC-4.0	+10	6.2	35	30	+4	+14	732.05	680.81	629.56	585.64
PE8654	6.0-18.0	6.0-18.0	1.5-8.0	+10	7.0	28	26	+4	+14	732.05	680.81	629.56	585.64

FREQUENCY DOUBLERS



SPECIFICATIONS:
ALL UNITS HAVE SMA FEMALE CONNECTORS.

MODEL NO.	INPUT FREQUENCY (GHz)	OUTPUT FREQUENCY (GHz)	CONVERSION LOSS dB (TYP.)	FUNDAMENTAL ISO dB (TYP.)	PRICE			
					1-24	25-49	50-99	100 +
PE8600	1.5-5.0	3.0-10.0	8.5	25	$500.30	$465.28	$430.26	$400.24
PE8601	2.0-6.0	4.0-12.0	11.0	25	522.55	485.97	449.39	418.04
PE8602	4.0-9.0	8.0-18.0	10.0	25	533.70	496.34	458.98	426.96
PE8603	9.0-13.0	18.0-26.0	10.0	25	567.05	527.36	487.66	453.64

HIGH POWER WAVEGUIDE TERMINATIONS

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	VSWR (MAX.)	AVERAGE POWER (WATTS MAX.)	PRICE			
					1-24	25-49	50-99	100 +
WR-28	26.50-40.00	PE6827	1.10:1	75	$929.55	$864.48	$799.41	$743.64
WR-34	22.00-33.00	PE6828	1.10:1	75	929.55	864.48	799.41	743.64
WR-42	18.00-26.50	PE6829	1.10:1	100	929.55	864.48	799.41	743.64
WR-51	15.00-22.00	PE6830	1.10:1	100	929.55	864.48	799.41	743.64
WR-62	12.40-18.00	PE6831	1.10:1	175	929.55	864.48	799.41	743.64
WR-75	10.00-15.00	PE6832	1.10:1	175	1010.95	940.18	869.42	808.76
WR-90	8.20-12.40	PE6833	1.10:1	200	1010.95	940.18	869.42	808.76
WR-102	7.00-11.00	PE6834	1.10:1	300	1010.95	940.18	869.42	808.76
WR-112	7.05-10.00	PE6835	1.10:1	300	1010.95	940.18	869.42	808.76



MEDIUM POWER WAVEGUIDE TERMINATIONS

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	VSWR (MAX.)	AVERAGE POWER (WATTS MAX.)	PRICE			
					1-24	25-49	50-99	100 +
WR-28	26.50-40.00	PE6818	1.07:1	40	$697.15	$648.35	$599.55	$557.72
WR-34	22.00-33.00	PE6819	1.07:1	40	697.15	648.35	599.55	557.72
WR-42	18.00-26.50	PE6820	1.07:1	50	697.15	648.35	599.55	557.72
WR-51	15.00-22.00	PE6821	1.07:1	55	697.15	648.35	599.55	557.72
WR-62	12.40-18.00	PE6822	1.07:1	60	697.15	648.35	599.55	557.72
WR-75	10.00-15.00	PE6823	1.07:1	75	813.40	756.46	699.52	650.72
WR-90	8.20-12.40	PE6824	1.07:1	90	813.40	756.46	699.52	650.72
WR-102	7.00-11.00	PE6825	1.07:1	100	813.40	756.46	699.52	650.72
WR-112	7.05-10.00	PE6826	1.07:1	100	813.40	756.46	699.52	650.72



PRECISION WAVEGUIDE TERMINATIONS

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	VSWR (MAX.)	AVERAGE POWER (WATTS MAX.)	PRICE			
					1-24	25-49	49-50	100 +
WR-28	26.50-40.00	PE6809	1.05:1	0.50	$614.35	$571.35	$528.34	$491.48
WR-34	22.00-33.00	PE6810	1.05:1	0.50	614.35	571.35	528.34	491.48
WR-42	18.00-26.50	PE6811	1.05:1	0.50	614.35	571.35	528.34	491.48
WR-51	15.00-22.00	PE6812	1.05:1	1.0	627.55	583.62	539.69	502.04
WR-62	12.40-18.00	PE6813	1.05:1	1.5	614.35	571.35	528.34	491.48
WR-75	10.00-15.00	PE6814	1.05:1	2.0	580.95	540.28	499.62	464.76
WR-90	8.20-12.40	PE6815	1.05:1	2.0	580.95	540.28	499.62	464.76
WR-102	7.00-11.00	PE6816	1.05:1	2.0	580.95	540.28	499.62	464.76
WR-112	7.05-10.00	PE6817	1.05:1	2.0	580.95	540.28	499.62	464.76



STANDARD GAIN HORNS





MODEL NO.	WAVEGUIDE SIZE	FREQUENCY RANGE (DC TO GHz)	GAIN	PRICE			
				1-4	5-9	10-24	25-49
PE9850-10	WR28	26.50-40.00	10 dB	$615.80	$572.69	$529.59	$492.64
PE9850-15	WR28	26.50-40.00	15 dB	662.30	615.94	569.58	529.84
PE9850-20	WR28	26.50-40.00	20 dB	697.15	648.35	599.55	557.72
PE9851-10	WR34	22.00-33.00	10 dB	615.80	572.69	529.59	492.64
PE9851-15	WR34	22.00-33.00	15 dB	662.30	615.94	569.58	529.84
PE9851-20	WR34	22.00-33.00	20 dB	697.15	648.35	599.55	557.72
PE9852-10	WR42	18.00-26.50	10 dB	615.80	572.69	529.59	492.64
PE9852-15	WR42	18.00-26.50	15 dB	662.30	615.94	569.58	529.84
PE9852-20	WR42	18.00-26.50	20 dB	716.60	666.44	616.28	573.28
PE9853-10	WR51	15.00-22.00	10 dB	615.80	572.69	529.59	492.64
PE9853-15	WR51	15.00-22.00	15 dB	662.30	615.94	569.58	529.84
PE9853-20	WR51	15.00-22.00	20 dB	697.15	648.35	599.55	557.72
PE9854-10	WR62	12.40-18.00	10 dB	580.95	540.28	499.62	464.76
PE9854-15	WR62	12.40-18.00	15 dB	605.50	563.12	520.73	484.40
PE9854-20	WR62	12.40-18.00	20 dB	639.80	595.01	550.23	511.84
PE9855-10	WR75	10.00-15.00	10 dB	580.95	540.28	499.62	464.76
PE9855-15	WR75	10.00-15.00	15 dB	615.80	572.69	529.59	492.64
PE9855-20	WR75	10.00-15.00	20 dB	650.70	605.15	559.60	520.56
PE9856-10	WR90	8.20-12.40	10 dB	580.95	540.28	499.62	464.76
PE9856-15	WR90	8.20-12.40	15 dB	615.80	572.69	529.59	492.64
PE9856-20	WR90	8.20-12.40	20 dB	639.80	595.01	550.23	511.84
PE9857-10	WR102	7.0-11.00	10 dB	615.80	572.69	529.59	492.64
PE9857-15	WR102	7.0-11.00	15 dB	662.30	615.94	569.58	529.84
PE9857-20	WR102	7.0-11.00	20 dB	697.15	648.35	599.55	557.72
PE9858-10	WR112	7.05-10.00	10 dB	615.80	572.69	529.59	492.64
PE9858-15	WR112	7.05-10.00	15 dB	662.30	615.94	569.58	529.84
PE9858-20	WR112	7.05-10.00	20 dB	697.15	648.35	599.55	557.72
PE9859-10	WR137	5.85-8.20	10 dB	615.80	572.69	529.59	492.64
PE9859-15	WR137	5.85-8.20	15 dB	656.00	610.08	564.16	524.80
PE9859-20	WR137	5.85-8.20	20 dB	697.15	648.35	599.55	557.72
PE9860-10	WR159	4.90-7.05	10 dB	662.30	615.94	569.58	529.84
PE9860-15	WR159	4.90-7.05	15 dB	720.35	669.93	619.50	576.28
PE9860-20	WR159	4.90-7.05	20 dB	778.45	723.96	669.47	622.76
PE9861-10	WR187	3.95-5.85	10 dB	697.15	648.35	599.55	557.72
PE9861-15	WR187	3.95-5.85	15 dB	828.40	770.41	712.42	662.72
PE9861-20	WR187	3.95-5.85	20 dB	862.05	801.71	741.36	689.64
PE9862-10	WR229	3.30-4.90	10 dB	755.25	702.38	649.52	604.20
PE9862-15	WR229	3.30-4.90	15 dB	842.40	783.43	724.46	673.92
PE9862-20	WR229	3.30-4.90	20 dB	1162.00	1080.66	999.32	929.60
PE9863-10	WR284	2.60-3.95	10 dB	871.50	810.50	749.49	697.20
PE9863-15	WR284	2.60-3.95	15 dB	1045.75	972.55	899.35	836.60
PE9863-20	WR284	2.60-3.95	20 dB	1510.60	1404.86	1299.12	1208.48
PE9864-10	WR430	1.70-2.60	10 dB	1111.95	1034.11	956.28	889.56
PE9864-15	WR430	1.70-2.60	15 dB	1626.75	1512.88	1399.01	1301.40
PE9864-20	WR430	1.70-2.60	20 dB	2934.50	2729.09	2523.67	2347.60

WAVEGUIDE END LAUNCH TO COAX ADAPTER



WAVEGUIDE END LAUNCH TO SMA & 2.92mm TYPE FEMALE

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	PRICE 1-24	25-49	50-99	100 +
WR-42	18.0-26.50	PE9844	$720.95	$670.48	$620.02	$576.76
WR-51	15.00-22.00	PE9845	598.40	556.51	514.62	478.72
WR-62	12.40-18.00	PE9846	486.75	452.68	418.61	389.40
WR-75	10.00-15.00	PE9847	471.75	438.73	405.71	377.40
WR-90	8.20-12.40	PE9848	424.00	394.32	364.64	339.20
WR-102	7.00-11.00	PE9849	453.10	421.38	389.67	362.48
WR-112	7.05-10.00	PE9865	453.10	421.38	389.67	362.48



WAVEGUIDE END LAUNCH TO N FEMALE

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	PRICE 1-24	25-49	50-99	100 +
WR-62	12.40-18.00	PE9866	$534.75	$497.32	$459.89	$427.80
WR-75	10.00-15.00	PE9867	511.25	475.46	439.68	409.00
WR-90	8.20-12.40	PE9868	511.25	475.46	439.68	409.00
WR-102	7.00-11.00	PE9869	511.25	475.46	439.68	409.00
WR-112	7.05-10.00	PE9870	546.10	507.87	469.65	436.88

WAVEGUIDE TO COAX ADAPTERS



WAVEGUIDE TO SMA OR 2.92mm TYPE FEMALE

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	PRICE 1-24	25-49	50-99	100 +
2.92mm Connector						
WR-28	26.50-40.00	PE9826	$655.10	$609.24	$563.39	$524.08
WR-34	22.00-33.00	PE9827	667.20	620.50	573.79	533.76
SMA Connector						
WR-42	18.00-26.50	PE9812	455.90	423.99	392.07	364.72
WR-51	15.00-22.00	PE9828	491.85	457.42	422.99	393.48
WR-62	12.40-18.00	PE9803	292.55	272.07	251.59	234.04
WR-75	10.00-15.00	PE9819	282.55	262.77	242.99	226.04
WR-90	8.20-12.40	PE9804	282.80	263.00	243.21	226.24
WR-102	7.00-11.00	PE9805	348.60	324.20	299.80	278.88
WR-112	7.05-10.00	PE9829	285.65	265.65	245.66	228.52
WR-137	5.85-8.20	PE9830	399.85	371.86	343.87	319.88
WR-159	4.90-7.05	PE9831	517.00	480.81	444.62	413.60
WR-187	3.95-5.85	PE9832	639.05	594.32	549.58	511.24
WR-229	3.30-4.90	PE9833	493.75	459.19	424.63	395.00
WR-284	2.60-3.95	PE9834	755.25	702.38	649.52	604.20
WR-430	1.70-2.60	PE9835	1074.75	999.52	924.29	859.80



WAVEGUIDE TO N FEMALE

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	PRICE 1-24	25-49	50-99	100 +
WR-62	12.40-18.00	PE9800	$300.65	$279.60	$258.56	$240.52
WR-75	10.00-15.00	PE9817	360.55	335.31	310.07	288.44
WR-90	8.20-12.40	PE9801	285.60	265.61	245.62	228.48
WR-102	7.00-11.00	PE9802	348.60	324.20	299.80	278.88
WR-112	7.05-10.00	PE9820	276.90	257.52	238.13	221.52
WR-137	5.85-8.20	PE9818	315.15	293.09	271.03	252.12
WR-159	4.90-7.05	PE9821	561.70	522.38	483.06	449.36
WR-187	3.95-5.85	PE9822	464.75	432.22	399.69	371.80
WR-229	3.30-4.90	PE9823	464.75	432.22	399.69	371.80
WR-284	2.60-3.95	PE9824	639.05	594.32	549.58	511.24
WR-430	1.70-2.60	PE9825	1027.30	955.39	883.48	821.84

WAVEGUIDE TO COAX ADAPTERS



WAVEGUIDE TO SMA TYPE MALE

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	PRICE 1-24	25-49	50-99	100 +
WR-42	18.00-26.50	PE9813	$464.75	$432.22	$399.69	$371.80
WR-62	12.40-18.00	PE9809	296.70	275.93	255.16	237.36
WR-90	8.20-12.40	PE9810	325.35	302.58	279.80	260.28
WR-102	7.00-11.00	PE9811	383.45	356.61	329.77	306.76



WAVEGUIDE TO N MALE

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	PRICE 1-24	25-49	50-99	100 +
WR-62	12.40-18.00	PE9806	$350.25	$325.73	$301.22	$280.20
WR-90	8.20-12.40	PE9807	348.60	324.20	299.80	278.88
WR-102	7.00-11.00	PE9808	406.65	378.18	349.72	325.32

FOR ADDITIONAL TECHNICAL INFORMATION ON WAVEGUIDES, PLEASE CONTACT OUR TECH SUPPORT DEPARTMENT AT: (866) 727-8376, EXT. 3



WAVEGUIDE TO 7mm

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	PRICE 1-24	25-49	50-99	100 +
WR-62	12.40-18.00	PE9814	$611.60	$568.79	$525.98	$489.28
WR-90	8.20-12.40	PE9815	611.60	568.79	525.98	489.28
WR-102	7.00-11.00	PE9816	611.60	568.79	525.98	489.28

WAVEGUIDE WITH O-RING GROOVE TO COAX ADAPTERS

WAVEGUIDE TO N FEMALE

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	PRICE 1-24	25-49	50-99	100 +
CPR-90G	8.20-12.40	PE9836	$377.00	$350.61	$324.22	$301.60
CPR-112G	7.05-10.00	PE9837	445.60	414.41	383.22	356.48
CPR-137G	5.85-8.20	PE9838	465.70	433.10	400.50	372.56
CPR-159G	4.90-7.05	PE9839	580.95	540.28	499.62	464.76
CPR-187G	3.95-5.85	PE9840	676.55	629.19	581.83	541.24
CPR-229G	3.30-4.90	PE9841	711.65	661.83	612.02	569.32
CPR-284G	2.60-3.95	PE9842	755.25	702.38	649.52	604.20
CPR-430G	1.70-2.60	PE9843	1162.00	1080.66	999.32	929.60



WAVEGUIDE TERMINATIONS

WAVEGUIDE	FREQUENCY RANGE (GHz)	MODEL NO.	VSWR (MAX.)	AVERAGE POWER (WATTS MAX.)	PRICE 1-24	25-49	50-99	100 +
WR-28	26.50-40.00	PE6800	1.30:1	0.5	$197.90	$184.05	$170.19	$158.32
WR-34	22.00-33.00	PE6801	1.25:1	0.5	197.60	183.77	169.94	158.08
WR-42	18.00-26.50	PE6802	1.25:1	0.5	290.45	270.12	249.79	232.36
WR-51	15.00-22.00	PE6803	1.20:1	1.0	290.45	270.12	249.79	232.36
WR-62	12.40-18.00	PE6804	1.20:1	1.5	290.45	270.12	249.79	232.36
WR-75	10.00-15.00	PE6805	1.20:1	2.0	348.60	324.20	299.80	278.88
WR-90	8.20-12.40	PE6806	1.20:1	2.0	348.60	324.20	299.80	278.88
WR-102	7.00-11.00	PE6807	1.20:1	2.0	348.60	324.20	299.80	278.88
WR-112	7.05-10.00	PE6808	1.20:1	2.0	348.60	324.20	299.80	278.88



INDEX GUIDE TO
ANTENNA PRODUCTS

RUBBER DUCK ANTENNAS.....232 NEW

Rubber Duck Style Antennas are useful in multiple wireless applications where small size, high performance, and rugged construction are design imperatives. These antennas are useful in both indoor and portable wireless applications.

OMNI VERTICAL ANTENNAS.....233 NEW

Outdoor Omni, high gain performance Antennas with UV resistant radomes and rugged construction suitable for base station and other applications.

CELLULAR / PCS ANTENNAS.....234 NEW

Popular Cellular and PCS Antennas in convenient radome styles and connector configurations.

HIGH PERFORMANCE ANTENNAS.....235 NEW

Industry leading performance antennas for a multitude of critical wireless applications, where highest performance and durability is required.

GPS ANTENNAS.....235 NEW

Commercial and Military Frequency GPS Antennas in both active and passive styles.

PANEL & PATCH ANTENNAS.....236 NEW

Pasternack carries a wide range of high gain directional single and multi band panel antennas for popular ISM frequency coverage.

DOME ANTENNAS.....237 NEW

Pasternack's wide selection of Dome Antennas are commonly used where visual asthetics and low impact demands are essential.

YAGI ANTENNAS.....238 NEW

High gain directional antennas in popular frequency bands suitable for outdoor SCADA installations.

LAND MOBILE RADIO ANTENNAS.....238 NEW

A wide selection of popular gains and styles for Land Mobile Radio applications.

STANDARD GAIN HORNS.....239 NEW



Standard Gain horns from 1.7 GHz to 40 GHz & gains of 10, 15 & 20 dB.

ANTENNA MOUNTS.....240

Pasternack manufactures a wide selection of NMO Antenna Mounts for base station and Land Mobile Radio applications.

NMO MOUNT CABLE ASSEMBLIES.....240

The NMO Mount Cable Assemblies offer the widest connector selection from standard FME and Mini UHF to non-standard Reverse Polarity and Reverse Thread options.

See Our Website For Current Stock Availability!

Antennas

NEW RUBBER DUCK ANTENNAS

Model No.	Description	Frequency (MHz)	Gain	Power (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51055	Duck/Whip Antenna, 196mm, N Male	900-960	3 dBi	40W	$59.40	$55.24	$51.08	$47.52
PE51056	Unity Gain, 1/4 wv White Radome Antenna, 70mm SMA Male Right Angle	900-960	Unity	50W	24.40	22.69	20.98	19.52
PE51026	Rubber Duck Portable Antenna, 185mm, Reverse Polarity SMA Male	902-928	3 dBi	30W	25.45	23.67	21.89	20.36
PE51074	Rubber Duck Antenna, 134mm, Reverse Polarity SMA Male	2300-2700	2 dBi	25W	20.15	18.74	17.33	16.12
PE51018	Rubber Duck Portable Antenna, 114mm, SMA Male	2400-2483	2 dBi	50W	25.45	23.67	21.89	20.36
PE51077	Rubber Duck Antenna, 108mm, Reverse Polarity SMA Male	2400-2500	2.2 dBi	30W	24.35	22.65	20.94	19.48
PE51076	Rubber Duck Antenna, 138mm, Reverse Polarity SMA Male	2400-2500	3 dBi	30W	20.15	18.74	17.33	16.12
PE51078	Rubber Duck Antenna, 198mm, Reverse Polarity SMA Male	2400-2500	5.5 dBi	30W	23.30	21.67	20.04	18.64
PE51072	Rubber Duck Antenna, 102mm, SMA Male	3300-3800	2 dBi	50W	16.90	15.72	14.53	13.52
PE51084	Rubber Duck Antenna, 108mm, SMA Male	3300-3800	2 dBi	30W	20.15	18.74	17.33	16.12
PE51085	Rubber Duck Antenna, 198mm, Reverse Polarity SMA Male	3400-3800	5 dBi	30W	19.00	17.67	16.34	15.20
PE51070	Rubber Duck Antenna, 180mm, Reverse Polarity TNC Male Fixed Right Angle	5725-5850	5 dBi	30W	12.70	11.81	10.92	10.16
PE51083	Rubber Duck Dual Band Antenna, 108mm, SMA Male	2400-2500 / 4900-5825	2 dBi	30W	12.70	11.81	10.92	10.16
PE51082	Rubber Duck Dual Band Antenna, 138mm, SMA Male	2400-2500 / 4900-5825	2 dBi	30W	12.70	11.81	10.92	10.16
PE51087	Rubber Duck Dual Band Antenna, 198mm, SMA Male	2400-2500 / 4900-5825	2.5 dBi	30W	14.85	13.81	12.77	11.88
PE51080	Rubber Duck Dual Band Antenna, 108mm, Reverse Polarity SMA Male	2400-2500 / 4900-5825	2 dBi	30W	16.90	15.72	14.53	13.52
PE51081	Rubber Duck Dual Band Antenna, 130mm, Reverse Polarity SMA Male	2400-2500 / 4900-5825	2 / 3 dBi	30W	12.70	11.81	10.92	10.16
PE51071	Rubber Duck Dual Band Antenna, 220mm, Reverse Polarity TNC Male	2400-2483 / 5150-5850	7 dBi	30W	12.70	11.81	10.92	10.16
PE51095	Rubber Duck Tri Band Antenna, 195mm, Reverse Polarity SMA Male	2400-2480 / 4900-5300 / 5725-5850	2 dBi	50W	21.15	19.67	18.19	16.92

NEW OMNI VERTICAL ANTENNAS

Model No.	Description	Frequency (MHz)	Gain	Power (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51027	Mini Magnetic Omni Directional Antenna, 285mm X 27mm Dia. 10 ft RG174, SMA Male	902-928	4 dBi	30W	$25.45	$23.67	$21.89	$20.36
PE51028	Outdoor Omni Directional Antenna, 610mm X 42mm Dia. N Female	902-928	4 dBi	30W	168.75	156.94	145.13	135.00
PE51017	Omni Directional Extreme Weather Antenna with mounting Bracket, 20.2mm X 1.25mm Dia., N Female	2400-2483	8 dBi	25W	168.75	156.94	145.13	135.00
PE51062	Mini Ground Independent Dipole Vertical, Fiberglass Radome, 104mm X 16.7 Dia, N Male	2300	3 dBi	30W	153.90	143.13	132.35	123.12
PE51063	Mini Dipole Vertical, Fiberglass Radome, 104mm X 16.7mm Dia, N Male	2400	3 dBi	30W	156.00	145.08	134.16	124.80
PE51088	Mini Omni Grey Radome, 90.7mm Dia X 14.5mm, Reverse Polarity TNC Male	2400-2500 / 4900-5825	2 & 3 dBi	25W	24.35	22.65	20.94	19.48
PE51064	Mini Dipole Vertical, Fiberglass Radome, 104mm X 16.7mm Dia, N Male	2500	3 dBi	30W	156.00	145.08	134.16	124.80
PE51065	Mini Dipole Vertical, Fiberglass Radome, 104mm X 16.7mm Dia., N Male	3500	3 dBi	30W	157.05	146.06	135.06	125.64
PE51133	Mini Vertical Omni Antenna, Fiberglass Radome, 116mm X 15mm, N Male Fixed Right Angle	2400-2500	3 dBi	30W	143.25	133.22	123.20	114.60
PE51116	Vertical Omni Antenna, 790mm X 51.5mm dia., N Female	248-268	1.5 dBi	100W	178.30	165.82	153.34	142.64
PE51029	Vertical Omni Antenna, Fiberglass Radome, 600mm X 25mm dia., N Female	2400-2483	8 dBi	100W	118.85	110.53	102.21	95.08
PE51030	Vertical Omni Antenna, 1000mm X 25mm dia., Fiberglass Radome,N Female	2400-2483	10 dBi	100W	129.45	120.39	111.33	103.56
PE51031	Vertical Omni Antenna, 1200mm X 25mm dia., Fiberglass Radome, N Female	2400-2483	12 dBi	100W	140.05	130.25	120.44	112.04
PE51061	Vertical Omni Antenna, 500mm X 19mm Dia, N Female	2400-2500	8 dBi	50W	144.35	134.25	124.14	115.48
PE51032	Vertical Omni Antenna, 500mm X 25mm, Fiberglass Radome, N Female	3400-3600	7 dBi	100W	127.30	118.39	109.48	101.84
PE51033	Vertical Omni Antenna, 800mm X 25mm dia., Fiberglass Radome, N Female	3400-3600	9 dBi	100W	137.90	128.25	118.59	110.32
PE51034	Vertical Omni Antenna, 1000mm X 25mm dia., Fiberglass Radome, N Female	3400-3600	11 dBi	100W	148.60	138.20	127.80	118.88
PE51035	Vertical Omni Antenna, 380mm X 25mm dia., Fiberglass Radome, N Female	5470-5850	8 dBi	100W	132.65	123.36	114.08	106.12
PE51036	Vertical Omni Antenna, 580mm X 25mm dia., Fiberglass Radome, N Female	5470-5850	10 dBi	100W	148.60	138.20	127.80	118.88
PE51037	Vertical Omni Antenna, 750mm X 25mm dia., Fiberglass Radome, N Female	5470-5850	12 dBi	100W	164.50	152.99	141.47	131.60
PE51038	Vertical Omni Antenna, 380mm X 25mm dia., Fiberglass Radome, N Female	5470-5850	8 dBi	100W	132.65	123.36	114.08	106.12
PE51039	Vertical Omni Antenna, 580mm X 25mm dia., Fiberglass Radome, N Female	5470-5850	10 dBi	100W	148.60	138.20	127.80	118.88
PE51040	Vertical Omni Antenna, 750mm X 25mm dia., Fiberglass Radome, N Female	5470-5850	12 dBi	100W	164.50	152.99	141.47	131.60
PE51110	Magnetic Mount WiMax Antenna with 10 foot RG316/U Coaxial Cable Attached	3300-3800	5 dBi	50W				
PE51110-1	PE51110 terminated with SMA Female	3300-3800	5 dBi	50W	32.05	29.81	27.56	25.64
PE51110-2	PE51110 terminated with N Female	3300-3800	5 dBi	50W	32.05	29.81	27.56	25.64
PE51110-3	PE51110 terminated with SMA Male	3300-3800	5 dBi	50W	32.05	29.81	27.56	25.64
PE51110-4	PE51110 terminated with TNC Male	3300-3800	5 dBi	50W	32.05	29.81	27.56	25.64

NEW CELLULAR / PCS ANTENNAS

See Our Website For Current Stock Availability!

Model No.	Description	Frequency (MHz)	Gain	Power (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51008	Mobile Antenna, 5/8 wave over ¼ wave, tuned to 835 MHz	806 - 896	3dB	150W	$25.45	$23.67	$21.89	$20.36
PE51009	Mobile Antenna, Dual ½ wave over ¼ wave, tuned to 835 MHz	825 - 896	5dB	150W	38.20	35.53	32.85	30.56
PE51010	Mobile Antenna, Dual ½ wave over ¼ wave, tuned to 898 MHz	870 - 950	5dB	150W	38.20	35.53	32.85	30.56
PE51013	PCS/iDEN/Cellular Low Profile Antenna	806 - 960 & 1710 -1990	3dBi	150W	62.60	58.22	53.84	50.08
PE51014	PCS/Cellular Mobile Antenna, Dual Band Collinear	824 - 960 & 1850 - 1990	2.2 dBi / 4 dBi	150W	39.20	36.46	33.71	31.36
PE51015	PCS/Cellular Concealed Glass Mount Dual Band Antenna, with 10 foot RG58 Coaxial Cable attached	824-896 / 1850-1990	Unity	10W				
PE51015-1	PE51015 terminated with SMA Male connector	824-896 / 1850-1990	Unity	10W	53.45	49.71	45.97	42.76
PE51015-2	PE51015 terminated with TNC Male connector	824-896 / 1850-1990	Unity	10W	53.45	49.71	45.97	42.76
PE51015-3	PE51015 terminated with Mini-UHF Male connector	824-896 / 1850-1990	Unity	10W	53.45	49.71	45.97	42.76
PE51015-4	PE51015 terminated with FME Male connector	824-896 / 1850-1990	Unity	10W	53.45	49.71	45.97	42.76
PE51015-5	PE51015 terminated with N Male connector	824-896 / 1850-1990	Unity	10W	53.45	49.71	45.97	42.76
PE51089	Magnetic Mount Terminal Antenna with 16 foot RG316/U Coaxial Cable attached	890-960 / 1710-1880	3dBi	50W				
PE51089-1	PE51089 terminated with SMA Male connector	890-960 / 1710-1880	3dBi	50W	26.75	24.88	23.01	21.40
PE51089-2	PE51089 terminated with SMA Female connector	890-960 / 1710-1880	3dBi	50W	26.75	24.88	23.01	21.40
PE51089-3	PE51089 terminated with N Female connector	890-960 / 1710-1880	3dBi	50W	26.75	24.88	23.01	21.40
PE51089-4	PE51089 terminated with TNC Male connector	890-960 / 1710-1880	3dBi	50W	26.75	24.88	23.01	21.40
PE51113	Dual Band Magnetic Mount Antenna with 10 foot RG174A/U Coaxial Cable attached	880-965 / 1710-2170	3dBi	50W				
PE51113-1	PE51113 terminated with SMA Female connector	880-965 / 1710-2170	3dBi	50W	31.05	28.88	26.70	24.84
PE51113-2	PE51113 terminated with N Female connector	880-965 / 1710-2170	3dBi	50W	31.05	28.88	26.70	24.84
PE51113-3	PE51113 terminated with TNC Male connector	880-965 / 1710-2170	3dBi	50W	31.05	28.88	26.70	24.84
PE51113-4	PE51113 terminated with SMA Male connector	880-965 / 1710-2170	3dBi	50W	31.05	28.88	26.70	24.84

NEW

HIGH PERFORMANCE ANTENNAS

Model No.	Description	Frequency (MHz)	Gain	Power (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51119	High Performance Broadband Colinear Vertical Antenna with Spring 12 inches, with Black Radome, N Male	1700-1850	3.5 dBi	50W	$371.45	$345.45	$319.45	$297.16
PE51117	High Performance Broadband Colinear Vertical Antenna with Spring 10 inches, with Black Radome, N Male	1700-2500	2 dBi	50W	371.45	345.45	319.45	297.16
PE51121	High Performance Broadband Colinear Vertical Antenna with Spring 10 inches, with Black Radome, N Male	1900-2500	3.5 dBi	50W	371.45	345.45	319.45	297.16
PE51123	High Performance Broadband Colinear Vertical Antenna with Spring 18 inches, with Black Radome, N Male	2200-2500	6 dBi	50W	371.45	345.45	319.45	297.16
PE51134	High Performance Broadband Vertical Antenna with Spring 11 inches, TNC Male	4400-5000	6 dBi	50W	420.35	390.93	361.50	336.28
PE51135	High Performance Vertical Omni Antenna with Spring 11 inches, with Black Radome, N Male	4400-5000	6 dBi	50W	420.35	390.93	361.50	336.28
PE51127	High Performance Broadband Vertical Antenna with Spring 11 inches, with Black Radome, N Male	5250-5850	6 dBi	50W	371.45	345.45	319.45	297.16
PE51125	High Performance Broadband Colinear Vertical Antenna with Spring 11 inches, with Black Radome, N Male	5250-5850	3.8 dBi	50W	371.45	345.45	319.45	297.16
PE51118	High Performance Broadband Colinear Vertical Antenna with Spring 10 inches, with Black Radome, TNC Male	1700-2500	2 dBi	50W	333.25	309.92	286.60	266.60
PE51120	High Performance Broadband Colinear Vertical Antenna with Spring 11.75 inches, with Black Radome, TNC Male	1700-1850	3.5 dBi	50W	371.45	345.45	319.45	297.16
PE51122	High Performance Broadband Colinear Vertical Antenna with Spring 10 inches, with Black Radome, TNC Male	1900-2500	3.5 dBi	50W	371.45	345.45	319.45	297.16
PE51126	High Performance Broadband Vertical Antenna with Spring 11 inches, with Black Radome, TNC Male	5250-5850	3.8 dBi	50W	371.45	345.45	319.45	297.16
PE51124	High Performance Broadband Colinear Vertical Antenna with Spring 18 inches, with Black Radome, TNC Male	2200-2500	6 dBi	50W	375.05	348.80	322.54	300.04
PE51128	High Performance Broadband Vertical Antenna with Spring 11 inches, with Black Radome, TNC Male	5250-5850	6 dBi	50W	371.45	345.45	319.45	297.16
PE51130	High Performance Broadband Panel Antenna with Spring 6.2 X 4.2 inches, with Black Radome, SMA Female	1700-2500	9 dBi	50W	473.40	440.26	407.12	378.72
PE51129	High Performance Broadband Panel Antenna, with Black Radome 3.6 X 2.1 inches, SMA Female	4400-6400	9 dBi	50W	371.45	345.45	319.45	297.16

NEW

ACTIVE GPS ANTENNAS

Model No.	Description	Frequency (MHz)	Gain	NOISE FIGURE (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51066	GPS Passive, RG174/16 Foot, 43X33X14mm SMA Female	1572.92-1577.92	3 dB	N/A	$71.05	$66.08	$61.10	$56.84
PE51067	GPS Commercial Active, 174X132X132mm, N Female	1570-1580	32 dB	< 1.0 dB	212.30	197.44	182.58	169.84
PE51068	Dual Band, High Performance L1 & L2 GPS Passive Antenna, 139X178mm Dia., N Female	L1: 1530-1580 / L2: 1220-1230	6 dBic	N/A	711.20	661.42	611.63	568.96
PE51069	Dual Band, High Performance L1 & L2 GPS Active Antenna, 139X178mm Dia., N Female	L1: 1530-1580 / L2: 1220-1230	56 dB	<.7 dB	1540.25	1432.43	1324.62	1232.20
PE51016	GPS Antenna, Magnetic Mount, with 15 foot RG174/U Coaxial Cable attached	L1: 1575	31 dB	2.2 dB				
PE51016-1	PE51016 terminated with SMA Male connector	L1: 1575	31 dB	2.2 dB	127.40	118.48	109.56	101.92
PE51016-2	PE51016 terminated with SMA Female connector	L1: 1575	31 dB	2.2 dB	127.40	118.48	109.56	101.92
PE51016-3	PE51016 terminated with FME Female connector	L1: 1575	31 dB	2.2 dB	127.40	118.48	109.56	101.92
PE51016-4	PE51016 terminated with FME Male connector	L1: 1575	31 dB	2.2 dB	127.40	118.48	109.56	101.92
PE51016-5	PE51016 terminated with MMCX Male connector	L1: 1575	31 dB	2.2 dB	127.40	118.48	109.56	101.92
PE51016-6	PE51016 terminated with MCX Male connector	L1: 1575	31 dB	2.2 dB	127.40	118.48	109.56	101.92

NEW PANEL & PATCH ANTENNAS

See Our Website For Current Stock Availability!

Model No.	Description	Frequency (MHz)	Gain	Power (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51054	Panel Antenna, Dual Band, 210mm X 180mm X 44mm, N Female	806-960 / 1710-2500	7 dBi	250W	$83.80	$77.93	$72.07	$67.04
PE51042	Panel Antenna, 306mm X 306mm X 25mm, N Female	902-928	10.5 dBi	50W	143.25	133.22	123.20	114.60
PE51041	Panel Dual Polarization Antenna, 216mm sq X 82mm, SMA Male	2400-2483	14 dBi	20W	153.90	143.13	132.35	123.12
PE51049	Panel Antenna, 371mm sq. X 40mm, SMA Female	2400-2500	19 dBi	6W	175.10	162.84	150.59	140.08
PE51043	Panel Antenna, 216mm X 216mm X 25mm, N Female	2500-2700	14 dBi	100W	148.60	138.20	127.80	118.88
PE51046	Panel Antenna, 165mm X 165mm X 42mm, N Female	3400-3600	16 dBi	100W	153.90	143.13	132.35	123.12
PE51047	Panel Antenna, 268mm X 268mm X 22mm, N Female	3400-3600	18 dBi	100W	175.10	162.84	150.59	140.08
PE51048	Panel Antenna, 320mm X 320mm X 25mm, N Female	3400-3600	20 dBi	100W	196.35	182.61	168.86	157.08
PE51053	Panel Antenna, 306mm X 306mm X 40mm, SMA Male	5150-5850	23 dBi	100W	145.35	135.18	125.00	116.28
PE51045	Panel Antenna, 268mm X 268mm X 25mm, N Female	5150-5850	21 dBi	100W	143.25	133.22	123.20	114.60
PE51044	Panel Antenna, 320mm X 320mm X 25mm, N Female	5150-5850	23 dBi	100W	148.60	138.20	127.80	118.88
PE51024	Outdoor ISM & RFID Antenna, RHCP, 260mm X 260mm X 44mm, N Female	902-928	8.5 dBi	50W	169.80	157.91	146.03	135.84
PE51025	Outdoor ISM & RFID Antenna, LHCP, 260mm X 260mm X 44mm, N Female	902-928	8.5 dBi	50W	169.80	157.91	146.03	135.84
PE51023	Outdoor ISM & RFID Vertical Polarization Antenna, 260mm X 260mm X 44mm, N Female	902-928	9 dBi	50W	169.80	157.91	146.03	135.84
PE51019	Directional Panel Outdoor Antenna, with 1 foot RG58 Coaxial Cable attached, 127.38mm X 137.16mm X 38.1mm	2300-2500	9 dBi	20W				
PE51019-1	PE51019 terminated with SMA Male connector	2300-2500	9 dBi	20W	62.70	58.31	53.92	50.16
PE51019-2	PE51019 terminated with SMA Female connector	2300-2500	9 dBi	20W	62.70	58.31	53.92	50.16
PE51019-3	PE51019 terminated with N Male connector	2300-2500	9 dBi	20W	62.70	58.31	53.92	50.16
PE51019-4	PE51019 terminated with N Female connector	2300-2500	9 dBi	20W	62.70	58.31	53.92	50.16
PE51050	Directional Panel Antenna, 190mm sq. X 30mm, ABS UV Radome, N Female	5725-5850	19 dBi	50W	191.00	177.63	164.26	152.80
PE51051	Directional Panel Antenna, 306mm sq. X 20mm, ABS UV Radome, N Female	5725-5850	22 dBi	20W	212.30	197.44	182.58	169.84
PE51052	Directional Panel Antenna, 306mm sq. X 20mm, ABS UV Radome, SMA Female	5725-5850	22 dBi	20W	235.60	219.11	202.62	188.48

NEW DOME ANTENNAS

Model No.	Description	Frequency (MHz)	Gain	Power (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51131	Mini Dome Antenna, White Radome, 960mm Dia. X 40.29mm SMA Female	2350-2500	4.2 dBi	30W	$142.20	$132.25	$122.29	$113.76
PE51132	Mini Dome Antenna, Grey Radome, 960mm Dia. X 40.29mm SMA Female	2350-2500	4.2 dBi	30W	142.20	132.25	122.29	113.76
PE51106	Dome in Ceiling Mount Antenna, 167mm dia. X 80mm with 6.5 Inches RG58-P Coaxial Cable attached	700-2500	3 dBi	100W				
PE51106-1	PE51106 terminated with N Female connector	700-2500	3 dBi	100W	27.75	25.81	23.87	22.20
PE51106-2	PE51106 terminated with SMA Male connector	700-2500	3 dBi	100W	27.75	25.81	23.87	22.20
PE51106-3	PE51106 terminated with SMA Female connector	700-2500	3 dBi	100W	27.75	25.81	23.87	22.20
PE51106-4	PE51106 terminated with TNC Male connector	700-2500	3 dBi	100W	27.75	25.81	23.87	22.20
PE51059	Dome in Ceiling Mount Antenna, 220mm sq. X 103mm, N Female	800-3000	3-6.5 dBi	100W	250.45	232.92	215.39	200.36
PE51057	Omni Dome Antenna, 205mm Dia. X 96mm, N Female	800-3000	3-6.5 dBi	25W	152.85	142.15	131.45	122.28
PE51058	Dome Directional Antenna, 205mm Dia. X 96mm, N Female	800-3000	6-9 dBi	100W	239.85	223.06	206.27	191.88
PE51098	Dome in Ceiling Mount Antenna, 170mm dia. X 90mm with 10 Inches RG58C/U Coaxial Cable attached	800-960 / 1710-2500	2,5 dBi	50W				
PE51098-1	PE51098 terminated with SMA Male connector	800-960 / 1710-2500	2,5 dBi	50W	53.45	49.71	45.97	42.76
PE51098-2	PE51098 terminated with SMA Female connector	800-960 / 1710-2500	2,5 dBi	50W	53.45	49.71	45.97	42.76
PE51098-3	PE51098 terminated with N Female connector	800-960 / 1710-2500	2,5 dBi	50W	53.45	49.71	45.97	42.76
PE51098-4	PE51098 terminated with TNC Male connector	800-960 / 1710-2500	2,5 dBi	50W	53.45	49.71	45.97	42.76
PE51093	Dome in Ceiling Dual Band Antenna, 184mm Dia. X 105mm, N Female	800-960 / 1710-2500	3 dBi	50W	36.05	33.53	31.00	28.84
PE51096	Omni Directional Dome in Ceiling Dual Band Antenna, 186mm Dia. X 80mm, N Female	806-960 / 1710-2500	3 dBi	50W	53.00	49.29	45.58	42.40

NEW YAGI ANTENNAS

Model No.	Description	Frequency (MHz)	Gain	Power (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51011	YAGI Antenna, 9 dB, Tuned to 930 MHz, N FEMALE	890 - 960	9 dB	150W	$108.20	$100.63	$93.05	$86.56
PE51012	YAGI Antenna, 11 dB, Tuned to 930 MHz, N FEMALE	890 - 960	11 dB	150W	170.90	158.94	146.97	136.72

NEW LAND MOBILE RADIO ANTENNAS



Model No.	Description	Frequency (MHz)	Gain	Power (MAX.)	PRICE			
					1-24	25-49	50-99	100 +
PE51060	Colinear Whip Antenna, UHF Male Connector	474.5-479.5	5.5 dBi	25W	$97.65	$90.81	$83.98	$78.12
PE51000	Mobile Antenna, Heavy Duty Base, Loaded ¼ wave, NMO MOUNT	40 - 47	Unity	200W	43.50	40.46	37.41	34.80
PE51001	Mobile Antenna, Field Tunable ¼ wave, NMO Mount	118 - 940	Unity	150W	11.60	10.79	9.98	9.28
PE51002	Wideband Mobile Antenna, 20MHz BW @ 2:1 VSWR, NMO Mount	132 - 174	2.4dB	150W	54.10	50.31	46.53	43.28
PE51003	Wideband Mobile Antenna, Field Tunable ¼ wave, NMO Mount	132 - 512	Unity	200W	39.20	36.46	33.71	31.36
PE51004	Mobile Base Loaded ½ wave Antenna, Field Tunable, No GP, NMO Mount	132 - 174	2.4dB*	200W	39.20	36.46	33.71	31.36
PE51005	Wideband Mobile Antenna, 80MHz BW @ 2:1 VSWR, No GP, NMO Mount	380 - 460	2.0dB*	150W	52.00	48.36	44.72	41.60
PE51006	Wideband Mobile Antenna, 106MHz BW @ 2:1 VSWR,No GP, NMO Mount	406 - 512	2.0dB*	150W	64.75	60.22	55.69	51.80
PE51007	Wideband Mobile Antenna, 40MHz BW @ 2:1 VSWR, No GP, NMO Mount	440 - 480	4.5dB	150W	57.25	53.24	49.24	45.80

*Note: Gain shown with a ground plane GP; without ground plane gain is Unity

See Page 240 & 241 for Mounts & Cable Assemblies

NEW STANDARD GAIN HORNS



*SMA/2.92mm CONNECTOR MODEL NO.	*N CONNECTOR MODEL NO.	WAVEGUIDE SIZE	FREQUENCY RANGE (DC TO GHz)	GAIN	PRICE	
					1-4	5-9
PE9850/2F-10	N/A	WR28	26.50-40.00	10 dB	$1234.60	$1148.18
PE9850/2F-15	N/A	WR28	26.50-40.00	15 dB	1279.35	1189.80
PE9850/2F-20	N/A	WR28	26.50-40.00	20 dB	1312.85	1220.95
PE9851/2F-10	N/A	WR34	22.00-33.00	10 dB	1235.45	1148.97
PE9851/2F-15	N/A	WR34	22.00-33.00	15 dB	1280.25	1190.63
PE9851/2F-20	N/A	WR34	22.00-33.00	20 dB	1313.85	1221.88
PE9852/2F-10	N/A	WR42	18.00-26.50	10 dB	1039.50	966.74
PE9852/2F-15	N/A	WR42	18.00-26.50	15 dB	1084.25	1008.35
PE9852/2F-20	N/A	WR42	18.00-26.50	20 dB	1117.85	1039.60
PE9853/SF-10	N/A	WR51	15.00-22.00	10 dB	1074.70	999.47
PE9853/SF-15	N/A	WR51	15.00-22.00	15 dB	1119.45	1041.09
PE9853/SF-20	N/A	WR51	15.00-22.00	20 dB	1153.00	1072.29
PE9854/SF-10	PE9854/NF-10	WR62	12.40-18.00	10 dB	848.75	789.34
PE9854/SF-15	PE9854/NF-15	WR62	12.40-18.00	15 dB	882.35	820.59
PE9854/SF-20	PE9854/NF-20	WR62	12.40-18.00	20 dB	915.90	851.79
PE9855/SF-10	PE9855/NF-10	WR75	10.00-15.00	10 dB	836.10	777.57
PE9855/SF-15	PE9855/NF-15	WR75	10.00-15.00	15 dB	869.70	808.82
PE9855/SF-20	PE9855/NF-20	WR75	10.00-15.00	20 dB	903.30	840.07
PE9856/SF-10	PE9856/NF-10	WR90	8.20-12.40	10 dB	839.15	780.41
PE9856/SF-15	PE9856/NF-15	WR90	8.20-12.40	15 dB	872.65	811.56
PE9856/SF-20	PE9856/NF-20	WR90	8.20-12.40	20 dB	906.25	842.81
PE9857/SF-10	PE9857/NF-10	WR102	7.00-11.00	10 dB	928.65	863.64
PE9857/SF-15	PE9857/NF-15	WR102	7.00-11.00	15 dB	973.40	905.26
PE9857/SF-20	PE9857/NF-20	WR102	7.00-11.00	20 dB	1006.95	936.46
PE9858/SF-10	PE9858/NF-10	WR112	7.05-10.00	10 dB	872.70	811.61
PE9858/SF-15	PE9858/NF-15	WR112	7.05-10.00	15 dB	917.50	853.28
PE9858/SF-20	PE9858/NF-20	WR112	7.05-10.00	20 dB	951.10	884.52
PE9859/SF-10	PE9859/NF-10	WR137	5.85-8.20	10 dB	984.60	915.68
PE9859/SF-15	PE9859/NF-15	WR137	5.85-8.20	15 dB	1023.30	951.67
PE9859/SF-20	PE9859/NF-20	WR137	5.85-8.20	20 dB	1062.95	988.54
PE9860/SF-10	PE9860/NF-10	WR159	4.90-7.05	10 dB	1144.05	1063.97
PE9860/SF-15	PE9860/NF-15	WR159	4.90-7.05	15 dB	1200.00	1116.00
PE9860/SF-20	PE9860/NF-20	WR159	4.90-7.05	20 dB	1255.95	1168.03
PE9861/SF-10	PE9861/NF-10	WR187	3.95-5.85	10 dB	1286.70	1196.63
PE9861/SF-15	PE9861/NF-15	WR187	3.95-5.85	15 dB	1413.10	1314.18
PE9861/SF-20	PE9861/NF-20	WR187	3.95-5.85	20 dB	1445.55	1344.36
PE9862/SF-10	PE9862/NF-10	WR229	3.30-4.90	10 dB	1202.80	1118.60
PE9862/SF-15	PE9862/NF-15	WR229	3.30-4.90	15 dB	1286.65	1196.58
PE9862/SF-20	PE9862/NF-20	WR229	3.30-4.90	20 dB	1594.45	1482.84
PE9863/SF-10	PE9863/NF-10	WR284	2.60-3.95	10 dB	1566.50	1456.85
PE9863/SF-15	PE9863/NF-15	WR284	2.60-3.95	15 dB	1734.30	1612.90
PE9863/SF-20	PE9863/NF-20	WR284	2.60-3.95	20 dB	2181.90	2029.17
PE9864/SF-10	PE9864/NF-10	WR430	1.70-2.60	10 dB	2105.70	1958.30
PE9864/SF-15	PE9864/NF-15	WR430	1.70-2.60	15 dB	2601.55	2419.44
PE9864/SF-20	PE9864/NF-20	WR430	1.70-2.60	20 dB	3860.85	3590.59

*NOTES:
/SF=SMA FEMALE
/2F=2.92mm FEMALE
/NF=N FEMALE

ANTENNA MOUNTS AND CABLE ASSEMBLIES

FOR BASE STATIONS and LAND MOBILE RADIO APPLICATIONS



PE51020



PE51021



PE51022

Model No.	Description	Frequency (MHz)	PRICE			
			1-24	25-49	50-99	100 +
PE51020	NMO Crimp Mount, for Antennas over 1 GHz, SMA Connector	DC - 5800	$30.75	$28.60	$26.45	$24.60
PE51021	NMO Mount, no cable or connector (See cable assemblies below)	DC - 1000	8.85	8.23	7.61	7.08
PE51022	NMO Magnetic Mount, with 12 foot RG58 Coaxial Cable	DC - 2400				
PE51022-1	PE51022 terminated with SMA Male connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-2	PE51022 terminated with SMA Female connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-3	PE51022 terminated with N Male connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-4	PE51022 terminated with N Female connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-5	PE51022 terminated with FME Female connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-6	PE51022 terminated with BNC Male connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-7	PE51022 terminated with BNC Female connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-8	PE51022 terminated with TNC Male connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-9	PE51022 terminated with TNC Female connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-10	PE51022 terminated with Mini-UHF Male connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-11	PE51022 terminated with Mini-UHF Female connector	DC - 2400	43.85	40.78	37.71	35.08
PE51022-12	PE51022 terminated with Reverse Polarity SMA Male connector	DC - 2400	44.25	41.15	38.06	35.40
PE51022-13	PE51022 terminated with PL-259 UHF connector	DC - 1000	44.25	41.15	38.06	35.40
Need a different connector? Call for same-day shipping!			Same-Day Shipping / Call for Pricing			

ANTENNA MOUNT (NMO) CABLE ASSEMBLIES

NMO MOUNT REQUIRES 3/4" HOLE; 1-1/8"-18 THREAD, AND INSTALLS FROM ABOVE.
ALL CABLE ASSEMBLIES SHOWN ARE RATED UP TO 1 GHz AT 50 Ω.

NMO MOUNT TO SMA MALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE			
		1-24	25-49	50-99	100 +
PE37840-60	60in (5ft)	$31.00	$28.83	$26.66	$24.80
PE37840-120	120in (10ft)	36.10	33.57	31.05	28.88
PE37840-180	180in (15ft)	38.70	35.99	33.28	30.96
PE37840-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO SMA FEMALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE			
		1-24	25-49	50-99	100 +
PE37841-60	60in (5ft)	$39.45	$36.69	$33.93	$31.56
PE37841-120	120in (10ft)	42.05	39.11	36.16	33.64
PE37841-180	180in (15ft)	44.65	41.52	38.40	35.72
PE37841-XX	Any	Same-Day Shipment / Call for Pricing			

CONTINUED ON NEXT PAGE

ANTENNA MOUNT (NMO) CABLE ASSEMBLIES

NMO MOUNT REQUIRES 3/4" HOLE; 1-1/8"-18 THREAD, AND INSTALLS FROM ABOVE.
ALL CABLE ASSEMBLIES SHOWN ARE RATED UP TO 1 GHz AT 50 Ω.

NMO MOUNT TO FME PLUG, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37842-60	60in (5ft)	$33.65	$31.29	$28.94	$26.92
PE37842-120	120in (10ft)	36.25	33.71	31.18	29.00
PE37842-180	180in (15ft)	38.85	36.13	33.41	31.08
PE37842-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO FME JACK, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37843-60	60in (5ft)	$30.80	$28.64	$26.49	$24.64
PE37843-120	120in (10ft)	33.40	31.06	28.72	26.72
PE37843-180	180in (15ft)	36.00	33.48	30.96	28.80
PE37843-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO BNC MALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37844-60	60in (5ft)	$29.80	$27.71	$25.63	$23.84
PE37844-120	120in (10ft)	32.40	30.13	27.86	25.92
PE37844-180	180in (15ft)	35.00	32.55	30.10	28.00
PE37844-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO BNC FEMALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37845-60	60in (5ft)	$31.05	$28.88	$26.70	$24.84
PE37845-120	120in (10ft)	33.65	31.29	28.94	26.92
PE37845-180	180in (15ft)	36.25	33.71	31.18	29.00
PE37845-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO MINI UHF MALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37846-60	60in (5ft)	$29.60	$27.53	$25.46	$23.68
PE37846-120	120in (10ft)	32.20	29.95	27.69	25.76
PE37846-180	180in (15ft)	34.80	32.36	29.93	27.84
PE37846-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO MINI UHF FEMALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37847-60	60in (5ft)	$33.65	$31.29	$28.94	$26.92
PE37847-120	120in (10ft)	36.25	33.71	31.18	29.00
PE37847-180	180in (15ft)	38.85	36.13	33.41	31.08
PE37847-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO TNC MALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37848-60	60in (5ft)	$33.05	$30.74	$28.42	$26.44
PE37848-120	120in (10ft)	35.65	33.15	30.66	28.52
PE37848-180	180in (15ft)	38.25	35.57	32.90	30.60
PE37848-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO TNC FEMALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37849-60	60in (5ft)	$35.35	$32.88	$30.40	$28.28
PE37849-120	120in (10ft)	37.95	35.29	32.64	30.36
PE37849-180	180in (15ft)	40.55	37.71	34.87	32.44
PE37849-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO N MALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37850-60	60in (5ft)	$35.50	$33.02	$30.53	$28.40
PE37850-120	120in (10ft)	38.10	35.43	32.77	30.48
PE37850-180	180in (15ft)	40.70	37.85	35.00	32.56
PE37850-XX	Any	Same-Day Shipment / Call for Pricing			

NMO MOUNT TO N FEMALE, 1 GHZ, RG58C/U

Model No.	Length	PRICE 1-24	25-49	50-99	100 +
PE37851-60	60in (5ft)	$36.60	$34.04	$31.48	$29.28
PE37851-120	120in (10ft)	39.20	36.46	33.71	31.36
PE37851-180	180in (15ft)	41.80	38.87	35.95	33.44
PE37851-XX	Any	Same-Day Shipment / Call for Pricing			

INDEX GUIDE TO
FIBER OPTIC PRODUCTS

All Pasternack Fiber Optics Cable Assembly part numbers indicate the length of the Assembly (in Meters) following the hyphen.

EXAMPLE: PE300000-1 and PE300000-2 are 1 Meter and 2 Meters in length, respectively.

See Our Website For Current Stock Availability!

Fiber Optic Mode Conditioning Cable Assemblies.....243

Mode conditioning cable assemblies are mainly used in Gigabit Ethernet (1000 Base-LX) applications where there is a requirement for interconnection of both single mode fiber channels and multimode fiber channels

Fiber Optic Cable Assemblies.....244

Single Mode UPC 8.3/125, Single Mode APC 8.3/125, Multimode 62.5/125 & 10GB Multimode 50/125

Optical Audio Cable Assemblies.....247

Pasternack now provides high quality Optical Audio Cable, digital optical patch cables. These premium cables feature connectors found on most consumer electronic devices. Optical Audio cables are used to transmit S/PDIF digital audio information in optical form (red light).

Fiber Optic Adapters.....248

Pasternack Offers ST, FC & SC Adapters. Single Mode, Multimode, Simplex & Duplex.

Fiber Optic Loopbacks.....249

Fiber Optic Loopbacks are designed to provide a media of return patch for a fiber optic signal and is typically used for fiber optic testing applications or network restorations. For testing applications, the loopback signal is used for diagnosing a problem. For example, sending a loopback test to network equipment, one item at a time, is a common technique for isolating a problem.

Fiber Optic Attenuators.....249

Pasternack Single-Mode Fixed Fiber Optic Attenuators offer low return loss, high mode stability and a variety of attenuation values: 5, 10, 15, 20, 25 and 30 dB.

Notes:

If you cannot find the cable assembly you need, you can order a special cable assembly by contacting our Tech Support Department at: (866) 727-8376, Ext. 3, or by email at: techsupport@pasternack.com.

For higher quantity volume discounts, please visit our website or contact us.

All cable assemblies have a length tolerance of 1.5% or ± 3/8", whichever is greater.

NEW FIBER OPTIC MODE CONDITIONING CABLE ASSEMBLIES

Mode conditioning cable assemblies are mainly used in Gigabit Ethernet (1000 Base-LX) applications where there is a requirement for interconnection of both single mode fiber channels and multimode fiber channels.

SC SINGLE MODE TO SC SINGLE MODE & MULTIMODE DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300509-1	$125.00	$116.25	$107.50	$100.00
	2m	PE300509-2	127.15	118.25	109.35	101.72
	3m	PE300509-3	129.30	120.25	111.20	103.44
	5m	PE300509-5	133.60	124.25	114.90	106.88

ST SINGLE MODE TO SC SINGLE MODE & MULTIMODE DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300511-1	$125.00	$116.25	$107.50	$100.00
	2m	PE300511-2	127.15	118.25	109.35	101.72
	3m	PE300511-3	129.30	120.25	111.20	103.44
	5m	PE300511-5	133.60	124.25	114.90	106.88

LC SINGLE MODE TO LC SINGLE MODE & MULTIMODE DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300521-1	$125.00	$116.25	$107.50	$100.00
	2m	PE300521-2	127.15	118.25	109.35	101.72
	3m	PE300521-3	129.30	120.25	111.20	103.44
	5m	PE300521-5	133.60	124.25	114.90	106.88

ST SINGLE MODE TO LC SINGLE MODE & MULTIMODE DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300531-1	$125.00	$116.25	$107.50	$100.00
	2m	PE300531-2	127.15	118.25	109.35	101.72
	3m	PE300531-3	129.30	120.25	111.20	103.44
	5m	PE300531-5	133.60	124.25	114.90	106.88

SC SINGLE MODE TO LC SINGLE MODE & MULTIMODE DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300533-1	$125.00	$116.25	$107.50	$100.00
	2m	PE300533-2	127.15	118.25	109.35	101.72
	3m	PE300533-3	129.30	120.25	111.20	103.44
	5m	PE300533-5	133.60	124.25	114.90	106.88

FIBER OPTIC CABLE ASSEMBLIES

ST TO ST SIMPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300000-1	$16.70	$15.53	$14.36	$13.36	MULTIMODE 62.5/125	1m	PE300001-1	$11.15	$10.37	$9.59	$8.92
	2m	PE300000-2	17.70	16.46	15.22	14.16		2m	PE300001-2	12.10	11.25	10.41	9.68
	3m	PE300000-3	18.60	17.30	16.00	14.88		3m	PE300001-3	13.05	12.14	11.22	10.44
	5m	PE300000-5	20.65	19.20	17.76	16.52		5m	PE300001-5	15.05	14.00	12.94	12.04
	10m	PE300000-10	26.75	24.88	23.01	21.40		10m	PE300001-10	21.35	19.86	18.36	17.08
	15m	PE300000-15	33.20	30.88	28.55	26.56		15m	PE300001-15	27.80	25.85	23.91	22.24

ST TO ST DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300006-1	$25.05	$23.30	$21.54	$20.04	MULTIMODE 62.5/125	1m	PE300007-1	$19.55	$18.18	$16.81	$15.64
	2m	PE300006-2	27.00	25.11	23.22	21.60		2m	PE300007-2	21.40	19.90	18.40	17.12
	3m	PE300006-3	29.00	26.97	24.94	23.20		3m	PE300007-3	23.40	21.76	20.12	18.72
	5m	PE300006-5	32.90	30.60	28.29	26.32		5m	PE300007-5	27.30	25.39	23.48	21.84
	10m	PE300006-10	43.60	40.55	37.50	34.88		10m	PE300007-10	38.05	35.39	32.72	30.44
	15m	PE300006-15	54.30	50.50	46.70	43.44		15m	PE300007-15	43.40	40.36	37.32	34.72
							NEW 10GB MULTIMODE 50/125	1m	PE300107-1	$32.10	$29.85	$27.61	$25.68
								2m	PE300107-2	34.25	31.85	29.46	27.40
								3m	PE300107-3	36.35	33.81	31.26	29.08
								5m	PE300107-5	39.60	36.83	34.06	31.68
								10m	PE300107-10	51.40	47.80	44.20	41.12
								15m	PE300107-15	63.15	58.73	54.31	50.52

SC TO SC SIMPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300002-1	$16.70	$15.53	$14.36	$13.36	MULTIMODE 62.5/125	1m	PE300003-1	$11.15	$10.37	$9.59	$8.92
	2m	PE300002-2	17.70	16.46	15.22	14.16		2m	PE300003-2	12.10	11.25	10.41	9.68
	3m	PE300002-3	18.60	17.30	16.00	14.88		3m	PE300003-3	13.05	12.14	11.22	10.44
	5m	PE300002-5	20.65	19.20	17.76	16.52		5m	PE300003-5	15.05	14.00	12.94	12.04
	10m	PE300002-10	26.75	24.88	23.01	21.40		10m	PE300003-10	21.35	19.86	18.36	17.08
	15m	PE300002-15	33.20	30.88	28.55	26.56		15m	PE300003-15	28.90	26.88	24.85	23.12

SC TO SC DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300008-1	$25.05	$23.30	$21.54	$20.04	MULTIMODE 62.5/125	1m	PE300009-1	$19.55	$18.18	$16.81	$15.64
	2m	PE300008-2	27.00	25.11	23.22	21.60		2m	PE300009-2	21.40	19.90	18.40	17.12
	3m	PE300008-3	29.00	26.97	24.94	23.20		3m	PE300009-3	23.40	21.76	20.12	18.72
	5m	PE300008-5	32.90	30.60	28.29	26.32		5m	PE300009-5	27.30	25.39	23.48	21.84
	10m	PE300008-10	43.60	40.55	37.50	34.88		10m	PE300009-10	38.05	35.39	32.72	30.44
	15m	PE300008-15	54.30	50.50	46.70	43.44		15m	PE300009-15	43.40	40.36	37.32	34.72
NEW SINGLE MODE (APC) ANGLE POLISH 8.3/125	1m	PE300408-1	$42.80	$39.80	$36.81	$34.24	NEW 10GB MULTIMODE 50/125	1m	PE300109-1	$32.10	$29.85	$27.61	$25.68
	2m	PE300408-2	44.40	41.29	38.18	35.52		2m	PE300109-2	34.25	31.85	29.46	27.40
	3m	PE300408-3	45.90	42.69	39.47	36.72		3m	PE300109-3	37.15	34.55	31.95	29.72
	5m	PE300408-5	50.60	47.06	43.52	40.48		5m	PE300109-5	39.60	36.83	34.06	31.68
	10m	PE300408-10	58.55	54.45	50.35	46.84		10m	PE300109-10	51.40	47.80	44.20	41.12
	15m	PE300408-15	74.25	69.05	63.86	59.40		15m	PE300109-15	63.15	58.73	54.31	50.52

ST TO SC SIMPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300004-1	$16.70	$15.53	$14.36	$13.36	MULTIMODE 62.5/125	1m	PE300005-1	$11.15	$10.37	$9.59	$8.92
	2m	PE300004-2	17.70	16.46	15.22	14.16		2m	PE300005-2	12.10	11.25	10.41	9.68
	3m	PE300004-3	18.60	17.30	16.00	14.88		3m	PE300005-3	13.05	12.14	11.22	10.44
	5m	PE300004-5	20.65	19.20	17.76	16.52		5m	PE300005-5	15.05	14.00	12.94	12.04
	10m	PE300004-10	26.75	24.88	23.01	21.40		10m	PE300005-10	22.50	20.93	19.35	18.00
	15m	PE300004-15	33.20	30.88	28.55	26.56		15m	PE300005-15	33.20	30.88	28.55	26.56

Continued on Next Page

See Our Website For Current Stock Availability!

ST TO SC DUPLEX

Continued from Previous Page

Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300010-1	$25.05	$23.30	$21.54	$20.04
	2m	PE300010-2	27.00	25.11	23.22	21.60
	3m	PE300010-3	29.00	26.97	24.94	23.20
	5m	PE300010-5	32.90	30.60	28.29	26.32
	10m	PE300010-10	43.60	40.55	37.50	34.88
	15m	PE300010-15	54.30	50.50	46.70	43.44

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300011-1	$19.55	$18.18	$16.81	$15.64
	2m	PE300011-2	21.40	19.90	18.40	17.12
	3m	PE300011-3	23.40	21.76	20.12	18.72
	5m	PE300011-5	27.30	25.39	23.48	21.84
	10m	PE300011-10	38.05	35.39	32.72	30.44
	15m	PE300011-15	43.40	40.36	37.32	34.72
NEW 10GB MULTIMODE 50/125	1m	PE300111-1	$32.10	$29.85	$27.61	$25.68
	2m	PE300111-2	34.25	31.85	29.46	27.40
	3m	PE300111-3	36.35	33.81	31.26	29.08
	5m	PE300111-5	39.60	36.83	34.06	31.68
	10m	PE300111-10	51.40	47.80	44.20	41.12
	15m	PE300111-15	63.15	58.73	54.31	50.52

FC TO FC SIMPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300012-1	$15.35	$14.28	$13.20	$12.28
	2m	PE300012-2	16.25	15.11	13.98	13.00
	3m	PE300012-3	17.30	16.09	14.88	13.84
	5m	PE300012-5	19.25	17.90	16.56	15.40

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300013-1	$15.35	$14.28	$13.20	$12.28
	2m	PE300013-2	16.25	15.11	13.98	13.00
	3m	PE300013-3	17.30	16.09	14.88	13.84
	5m	PE300013-5	19.25	17.90	16.56	15.40

FC TO FC DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300018-1	$33.45	$31.11	$28.77	$26.76
	2m	PE300018-2	35.40	32.92	30.44	28.32
	3m	PE300018-3	37.40	34.78	32.16	29.92
	5m	PE300018-5	41.25	38.36	35.48	33.00
	10m	PE300018-10	52.00	48.36	44.72	41.60
	15m	PE300018-15	62.70	58.31	53.92	50.16
NEW SINGLE MODE (APC) ANGLE POLISH 8.3/125	1m	PE300418-1	$42.80	$39.80	$36.81	$34.24
	2m	PE300418-2	44.40	41.29	38.18	35.52
	3m	PE300418-3	45.90	42.69	39.47	36.72
	5m	PE300418-5	50.60	47.06	43.52	40.48
	10m	PE300418-10	58.55	54.45	50.35	46.84
	15m	PE300418-15	74.25	69.05	63.86	59.40

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300019-1	$27.85	$25.90	$23.95	$22.28
	2m	PE300019-2	29.80	27.71	25.63	23.84
	3m	PE300019-3	31.80	29.57	27.35	25.44
	5m	PE300019-5	35.70	33.20	30.70	28.56
	10m	PE300019-10	50.85	47.29	43.73	40.68
	15m	PE300019-15	60.55	56.31	52.07	48.44

LC TO LC SIMPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300014-1	$22.30	$20.74	$19.18	$17.84
	2m	PE300014-2	23.25	21.62	20.00	18.60
	3m	PE300014-3	24.25	22.55	20.86	19.40
	5m	PE300014-5	26.25	24.41	22.58	21.00
	10m	PE300014-10	33.20	30.88	28.55	26.56
	15m	PE300014-15	38.55	35.85	33.15	30.84

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300015-1	$16.70	$15.53	$14.36	$13.36
	2m	PE300015-2	17.70	16.46	15.22	14.16
	3m	PE300015-3	18.60	17.30	16.00	14.88
	5m	PE300015-5	21.10	19.62	18.15	16.88
	10m	PE300015-10	27.80	25.85	23.91	22.24
	15m	PE300015-15	35.00	32.55	30.10	28.00

LC TO LC DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300020-1	$36.20	$33.67	$31.13	$28.96
	2m	PE300020-2	38.15	35.48	32.81	30.52
	3m	PE300020-3	40.15	37.34	34.53	32.12
	5m	PE300020-5	44.05	40.97	37.88	35.24
	10m	PE300020-10	55.70	51.80	47.90	44.56
	15m	PE300020-15	66.35	61.71	57.06	53.08
NEW SINGLE MODE (APC) ANGLE POLISH 8.3/125	1m	PE300420-1	$51.80	$48.17	$44.55	$41.44
	2m	PE300420-2	53.55	49.80	46.05	42.84
	3m	PE300420-3	55.25	51.38	47.52	44.20
	5m	PE300420-5	58.70	54.59	50.48	46.96
	10m	PE300420-10	67.30	62.59	57.88	53.84
	15m	PE300420-15	75.85	70.54	65.23	60.68

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300021-1	$30.65	$28.50	$26.36	$24.52
	2m	PE300021-2	32.55	30.27	27.99	26.04
	3m	PE300021-3	34.55	32.13	29.71	27.64
	5m	PE300021-5	38.50	35.81	33.11	30.80
	10m	PE300021-10	49.30	45.85	42.40	39.44
	15m	PE300021-15	60.00	55.80	51.60	48.00
NEW 10GB MULTIMODE 50/125	1m	PE300121-1	$35.35	$32.88	$30.40	$28.28
	2m	PE300121-2	38.15	35.48	32.81	30.52
	3m	PE300121-3	40.15	37.34	34.53	32.12
	5m	PE300121-5	43.90	40.83	37.75	35.12
	10m	PE300121-10	54.60	50.78	46.96	43.68
	15m	PE300121-15	65.35	60.78	56.20	52.28

Continued on Next Page

ST TO FC SIMPLEX

Continued from Previous Page

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300016-1	$15.35	$14.28	$13.20	$12.28	MULTIMODE 62.5/125	1m	PE300017-1	$15.35	$14.28	$13.20	$12.28
	2m	PE300016-2	16.25	15.11	13.98	13.00		2m	PE300017-2	16.25	15.11	13.98	13.00
	3m	PE300016-3	17.30	16.09	14.88	13.84		3m	PE300017-3	17.30	16.09	14.88	13.84
	5m	PE300016-5	19.25	17.90	16.56	15.40		5m	PE300017-5	19.25	17.90	16.56	15.40

ST TO FC DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300022-1	$33.45	$31.11	$28.77	$26.76	MULTIMODE 62.5/125	1m	PE300023-1	$27.85	$25.90	$23.95	$22.28
	2m	PE300022-2	35.40	32.92	30.44	28.32		2m	PE300023-2	29.80	27.71	25.63	23.84
	3m	PE300022-3	37.40	34.78	32.16	29.92		3m	PE300023-3	31.80	29.57	27.35	25.44
	5m	PE300022-5	41.25	38.36	35.48	33.00		5m	PE300023-5	35.70	33.20	30.70	28.56

ST TO LC SIMPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300024-1	$20.90	$19.44	$17.97	$16.72	MULTIMODE 62.5/125	1m	PE300025-1	$15.35	$14.28	$13.20	$12.28
	2m	PE300024-2	21.85	20.32	18.79	17.48		2m	PE300025-2	16.25	15.11	13.98	13.00
	3m	PE300024-3	22.85	21.25	19.65	18.28		3m	PE300025-3	17.30	16.09	14.88	13.84
	5m	PE300024-5	24.80	23.06	21.33	19.84		5m	PE300025-5	19.25	17.90	16.56	15.40
	10m	PE300024-10	32.10	29.85	27.61	25.68		10m	PE300025-10	26.75	24.88	23.01	21.40
	15m	PE300024-15	38.55	35.85	33.15	30.84		15m	PE300025-15	33.20	30.88	28.55	26.56

ST TO LC DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300030-1	$33.45	$31.11	$28.77	$26.76	MULTIMODE 62.5/125	1m	PE300031-1	$27.85	$25.90	$23.95	$22.28
	2m	PE300030-2	35.40	32.92	30.44	28.32		2m	PE300031-2	29.80	27.71	25.63	23.84
	3m	PE300030-3	37.40	34.78	32.16	29.92		3m	PE300031-3	31.80	29.57	27.35	25.44
	5m	PE300030-5	41.25	38.36	35.48	33.00		5m	PE300031-5	35.70	33.20	30.70	28.56
	10m	PE300030-10	52.45	48.78	45.11	41.96		10m	PE300031-10	47.10	43.80	40.51	37.68
	15m	PE300030-15	63.15	58.73	54.31	50.52		15m	PE300031-15	57.80	53.75	49.71	46.24
							NEW 10GB MULTIMODE 50/12	1m	PE300131-1	$35.35	$32.88	$30.40	$28.28
								2m	PE300131-2	37.50	34.88	32.25	30.00
								3m	PE300131-3	39.60	36.83	34.06	31.68
								5m	PE300131-5	43.90	40.83	37.75	35.12
								10m	PE300131-10	54.60	50.78	46.96	43.68
								15m	PE300131-15	65.35	60.78	56.20	52.28

SC TO LC SIMPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300026-1	$20.90	$19.44	$17.97	$16.72	MULTIMODE 62.5/125	1m	PE300027-1	$15.35	$14.28	$13.20	$12.28
	2m	PE300026-2	21.85	20.32	18.79	17.48		2m	PE300027-2	16.25	15.11	13.98	13.00
	3m	PE300026-3	22.85	21.25	19.65	18.28		3m	PE300027-3	17.30	16.09	14.88	13.84
	5m	PE300026-5	24.80	23.06	21.33	19.84		5m	PE300027-5	19.25	17.90	16.56	15.40
	10m	PE300026-10	32.10	29.85	27.61	25.68		10m	PE300027-10	26.75	24.88	23.01	21.40
	15m	PE300026-15	38.55	35.85	33.15	30.84		15m	PE300027-15	33.20	30.88	28.55	26.56

SC TO LC DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +	Type	Length	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	1m	PE300032-1	$33.45	$31.11	$28.77	$26.76	MULTIMODE 62.5/125	1m	PE300033-1	$27.85	$25.90	$23.95	$22.28
	2m	PE300032-2	35.40	32.92	30.44	28.32		2m	PE300033-2	29.80	27.71	25.63	23.84
	3m	PE300032-3	37.40	34.78	32.16	29.92		3m	PE300033-3	31.80	29.57	27.35	25.44
	5m	PE300032-5	41.25	38.36	35.48	33.00		5m	PE300033-5	35.70	33.20	30.70	28.56
	10m	PE300032-10	52.45	48.78	45.11	41.96		10m	PE300033-10	47.10	43.80	40.51	37.68
	15m	PE300032-15	63.15	58.73	54.31	50.52		15m	PE300033-15	57.80	53.75	49.71	46.24

Continued on Next Page

SC TO LC DUPLEX

Continued from Previous Page

Type	Length	Model No.	1-24	25-49	50-99	100 +
NEW SINGLE MODE (APC) ANGLE POLISH 8.3/125	1m	PE300432-1	$47.90	$44.55	$41.19	$38.32
	2m	PE300432-2	49.50	46.04	42.57	39.60
	3m	PE300432-3	51.10	47.52	43.95	40.88
	5m	PE300432-5	54.15	50.36	46.57	43.32
	10m	PE300432-10	66.30	61.66	57.02	53.04
	15m	PE300432-15	75.75	70.45	65.15	60.60

Type	Length	Model No.	1-24	25-49	50-99	100 +
NEW 10GB MULTIMODE 50/125	1m	PE300133-1	$35.35	$32.88	$30.40	$28.28
	2m	PE300133-2	37.50	34.88	32.25	30.00
	3m	PE300133-3	39.60	36.83	34.06	31.68
	5m	PE300133-5	43.90	40.83	37.75	35.12
	10m	PE300133-10	54.60	50.78	46.96	43.68
	15m	PE300133-15	65.35	60.78	56.20	52.28

MTRJ TO MTRJ DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300028-1	$22.30	$20.74	$19.18	$17.84
	2m	PE300028-2	24.25	22.55	20.86	19.40
	3m	PE300028-3	26.25	24.41	22.58	21.00
	5m	PE300028-5	30.10	27.99	25.89	24.08

ST TO MTRJ DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300034-1	$27.85	$25.90	$23.95	$22.28
	2m	PE300034-2	29.80	27.71	25.63	23.84
	3m	PE300034-3	31.80	29.57	27.35	25.44
	5m	PE300034-5	35.70	33.20	30.70	28.56

VF45 TO VF45 DUPLEX

Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300029-1	$13.95	$12.97	$12.00	$11.16
	2m	PE300029-2	15.00	13.95	12.90	12.00
	3m	PE300029-3	15.75	14.65	13.55	12.60
	5m	PE300029-5	16.40	15.25	14.10	13.12

ST TO VF45 DUPLEX



Type	Length	Model No.	1-24	25-49	50-99	100 +
MULTIMODE 62.5/125	1m	PE300035-1	$13.95	$12.97	$12.00	$11.16
	2m	PE300035-2	14.60	13.58	12.56	11.68
	3m	PE300035-3	15.35	14.28	13.20	12.28
	5m	PE300035-5	16.00	14.88	13.76	12.80

OPTICAL AUDIO CABLE ASSEMBLIES

Pasternack now provides high quality Optical Audio Cable, digital optical patch cables. These premium cables feature connectors found on most consumer electronic devices. Optical Audio cables are used to transmit S/PDIF digital audio information in optical form (red light).

FEATURES:

- Gold-Plated Tip prevents corrosion and provides Maximum protection of the Fiber Tip
- Precision Polished Fiber Tips for Maximum Signal Transfer
- High Quality Composite Connector Housings

Length	Model No.	1-24	25-49	50-99	100 +
3 ft.	PE300200-3	$21.35	$19.86	$18.36	$17.08
6 ft.	PE300200-6	25.65	23.85	22.06	20.52
12 ft.	PE300200-12	29.95	27.85	25.76	23.96

FIBER OPTIC ADAPTERS

See Our Website For Current Stock Availability!

Model No: PE900001
ST BULKHEAD, SINGLE MODE SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$7.70	$7.16
50-99	**100 +**
$6.62	$6.16

Model No: PE900002
ST BULKHEAD, MULTIMODE SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$7.70	$7.16
50-99	**100 +**
$6.62	$6.16

Model No: PE900004
ST PANEL MOUNT, SINGLE MODE, SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$11.05	$10.28
50-99	**100 +**
$9.50	$8.84

Model No: PE900005
ST PANEL MOUNT, MULTI MODE, SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$11.05	$10.28
50-99	**100 +**
$9.50	$8.84

Model No: PE900007
ST DUPLEX PANEL MOUNT SINGLE MODE, SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$14.35	$13.35
50-99	**100 +**
$12.34	$11.48

Model No: PE900008
ST DUPLEX PANEL MOUNT MULTIMODE, SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$11.05	$10.28
50-99	**100 +**
$9.50	$8.84

Model No: PE900010
FC SQUARE PANEL MOUNT SINGLE MODE, SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$12.15	$11.30
50-99	**100 +**
$10.45	$9.72

Model No: PE900011
FC SQUARE PANEL MOUNT MULTIMODE, SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$11.05	$10.28
50-99	**100 +**
$9.50	$8.84

Model No: PE900013
FC BULKHEAD, SINGLE MODE SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$14.85	$13.81
50-99	**100 +**
$12.77	$11.88

Model No: PE900014
FC BULKHEAD, MULTIMODE SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$14.35	$13.35
50-99	**100 +**
$12.34	$11.48

Model No: PE900016
FC PANEL MOUNT, SINGLE MODE, SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$14.35	$13.35
50-99	**100 +**
$12.34	$11.48

Model No: PE900017
FC PANEL MOUNT, MULTIMODE SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$11.05	$10.28
50-99	**100 +**
$9.50	$8.84

Model No: PE900019
SC, SINGLE MODE SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$11.05	$10.28
50-99	**100 +**
$9.50	$8.84

Model No: PE900020
SC, MULTIMODE SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$11.05	$10.28
50-99	**100 +**
$9.50	$8.84

Model No: PE900022
SC DUPLEX, SINGLE MODE SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$14.35	$13.35
50-99	**100 +**
$12.34	$11.48

Model No: PE900023
SC DUPLEX, PANEL MOUNT MULTIMODE, SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$14.35	$13.35
50-99	**100 +**
$12.34	$11.48

Model No: PE900025
ST TO FC, PANEL MOUNT SINGLE MODE, SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$12.15	$11.30
50-99	**100 +**
$10.45	$9.72

Model No: PE900026
ST TO FC, PANEL MOUNT MULTIMODE, SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$12.15	$11.30
50-99	**100 +**
$10.45	$9.72

Model No: PE900028
ST TO SC, PANEL MOUNT SINGLE MODE, SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$13.25	$12.32
50-99	**100 +**
$11.40	$10.60

Model No: PE900029
ST TO SC, PANEL MOUNT MULTIMODE, SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$13.25	$12.32
50-99	**100 +**
$11.40	$10.60

Model No: PE900031
SC TO FC, PANEL MOUNT SINGLE MODE, SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$13.25	$12.32
50-99	**100 +**
$11.40	$10.60

Model No: PE900032
SC TO FC, PANEL MOUNT MULTIMODE, SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$13.25	$12.32
50-99	**100 +**
$11.40	$10.60

Model No: PE900034
ST TO SC DUPLEX PANEL MOUNT, SINGLE MODE, SLEEVE, MATERIAL: ZIRCONIA



1-24	25-49
$18.75	$17.44
50-99	**100 +**
$16.13	$15.00

Model No: PE900035
ST TO SC DUPLEX PANEL MOUNT, MULTIMODE, SLEEVE MATERIAL: PHOSPHOR BRONZE

1-24	25-49
$18.75	$17.44
50-99	**100 +**
$16.13	$15.00

Model No: PE900038
LC DUPLEX, PANEL MOUNT SINGLE MODE, SLEEVE MATERIAL: ZIRCONIA



1-24	25-49
$26.50	$24.65
50-99	**100 +**
$22.79	$21.20

Model No: PE900039
LC DUPLEX, PANEL MOUNT MULTIMODE, SLEEVE MATERIAL: PHOSPHOR BRONZE



1-24	25-49
$16.90	$15.72
50-99	**100 +**
$14.53	$13.52

Model No: PE900040
FC APC SIMPLEX TO FC APC SIMPLEX BULKHEAD

NEW



1-24	25-49
$16.50	$15.35
50-99	**100 +**
$14.19	$13.20

Model No: PE900041
SC APC SIMPLEX TO SC APC SIMPLEX BULKHEAD

NEW



1-24	25-49
$13.15	$12.23
50-99	**100 +**
$11.31	$10.52

Model No: PE900042
SC APC DUPLEX TO SC APC DUPLEX BULKHEAD

NEW



1-24	25-49
$16.50	$15.35
50-99	**100 +**
$14.19	$13.20

Model No: PE900043
LC SIMPLEX TO LC SIMPLEX BULKHEAD, SINGLE MODE

NEW

1-24	25-49
$21.15	$19.67
50-99	**100 +**
$18.19	$16.92

FIBER OPTIC ADAPTERS

Model No: PE900044	Model No: PE900045	Model No: PE900046
LC SIMPLEX TO LC SIMPLEX BULKHEAD, MULTIMODE	LC APC SIMPLEX TO LC APC SIMPLEX BULKHEAD	LC APC DUPLEX TO LC APC DUPLEX BULKHEAD
NEW	NEW	NEW
1-24 $14.85	1-24 $23.30	1-24 $28.65
25-49 $13.81	25-49 $21.67	25-49 $26.64
50-99 $12.77	50-99 $20.04	50-99 $24.64
100 + $11.88	100 + $18.64	100 + $22.92

PLEASE CONTACT OUR TECH SUPPORT DEPARTMENT FOR ALL YOUR SPECIAL REQUIREMENTS AT: (866) 727-8376, EXT. 3

NEW FIBER OPTIC LOOPBACKS

Fiber Optic Loopbacks are designed to provide a return patch for a fiber optic signal, such as in fiber optic test applications or network restorations.

LC TO LC LOOPBACK

Type	Model No.	1-24	25-49	50-99	100 +	Type	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	PE600001	$39.20	$36.46	$33.71	$31.36	MULTIMODE 62.5/125	PE600000	$37.05	$34.46	$31.86	$29.64

SC TO SC LOOPBACK



Type	Model No.	1-24	25-49	50-99	100 +	Type	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	PE600003	$39.20	$36.46	$33.71	$31.36	MULTIMODE 62.5/125	PE600002	$37.05	$34.46	$31.86	$29.64

MTRJ LOOPBACK

Type	Model No.	1-24	25-49	50-99	100 +	Type	Model No.	1-24	25-49	50-99	100 +
SINGLE MODE 8.3/125	PE600005	$44.55	$41.43	$38.31	$35.64	MULTIMODE 62.5/125	PE600004	$42.40	$39.43	$36.46	$33.92

FIBER OPTIC ATTENUATORS

FC ATTENUATOR



Model No.	ATTENUATION	1-24	25-49	50-99	100 +
PE700000-5	5 dB	$72.00	$66.96	$61.92	$57.60
PE700000-10	10 dB	72.00	66.96	61.92	57.60
PE700000-15	15 dB	72.00	66.96	61.92	57.60
PE700000-20	20 dB	72.00	66.96	61.92	57.60
PE700000-25	25 dB	72.00	66.96	61.92	57.60
PE700000-30	30 dB	72.00	66.96	61.92	57.60

ST ATTENUATOR



Model No.	ATTENUATION	1-24	25-49	50-99	100 +
PE700001-5	5 dB	$72.00	$66.96	$61.92	$57.60
PE700001-10	10 dB	72.00	66.96	61.92	57.60
PE700001-15	15 dB	72.00	66.96	61.92	57.60
PE700001-20	20 dB	72.00	66.96	61.92	57.60
PE700001-25	25 dB	72.00	66.96	61.92	57.60
PE700001-30	30 dB	72.00	66.96	61.92	57.60

SC ATTENUATOR



Model No.	ATTENUATION	1-24	25-49	50-99	100 +
PE700002-5	5 dB	$72.00	$66.96	$61.92	$57.60
PE700002-10	10 dB	72.00	66.96	61.92	57.60
PE700002-15	15 dB	72.00	66.96	61.92	57.60
PE700002-20	20 dB	72.00	66.96	61.92	57.60
PE700002-25	25 dB	72.00	66.96	61.92	57.60
PE700002-30	30 dB	72.00	66.96	61.92	57.60

ST BULKHEAD ATTENUATOR



Model No.	ATTENUATION	1-24	25-49	50-99	100 +
PE700003-5	5 dB	$83.15	$77.33	$71.51	$66.52
PE700003-10	10 dB	83.15	77.33	71.51	66.52
PE700003-15	15 dB	83.15	77.33	71.51	66.52
PE700003-20	20 dB	83.15	77.33	71.51	66.52
PE700003-25	25 dB	83.15	77.33	71.51	66.52

LC ATTENUATOR

Model No.	ATTENUATION	1-24	25-49	50-99	100 +
PE700004-5	5 dB	$72.00	$66.96	$61.92	$57.60
PE700004-10	10 dB	72.00	66.96	61.92	57.60
PE700004-15	15 dB	72.00	66.96	61.92	57.60
PE700004-20	20 dB	72.00	66.96	61.92	57.60
PE700004-25	25 dB	72.00	66.96	61.92	57.60
PE700004-30	30 dB	72.00	66.96	61.92	57.60

PLEASE CONTACT OUR TECH SUPPORT DEPARTMENT FOR ALL YOUR SPECIAL REQUIREMENTS AT: (866) 727-8376, EXT. 3

INDEX GUIDE TO
Connector Accessories and Tools

SMA Field Replaceable Accessories....250

Screws & Nuts....251

Coaxial Cable Cutting Tool....251

Preset Torque Wrenches....251

Coaxial Compression Tool....251

BNC Insertion & Extraction Tool....251

Coaxial Crimping Tools....252

Production Grade Crimping Tools....252

Interchangeable Dies....252

See Our Website For Current Stock Availability!

SMA Field Replaceable Accessories

EMI / RFI GASKET

MODEL NO:
PE1003-1

PRICE PER PACKAGE OF 5

1-24*	25-49*
$14.25	$13.25
50-99*	100 +*
$12.26	$11.40

*SOLD IN PACKS OF 5 PCS.



MODEL NO:
PE1003-2

PRICE

1-24	25-49
$10.90	$10.14
50-99	100 +
$9.37	$8.72

SOLD INDIVIDUALLY



MOUNTING HOLE A01

FIELD REPLACEABLE CONTACTS FOR USE WITH CONNECTORS WITHOUT SEALS

Model No:	DIMENSION A
PE1002-1	.020
PE1002-2	.036



PRICE PER PACKAGE OF 5

1-24 PACKS*	25-49 PACKS*	50-99 PACKS*	100 + PACKS*
$14.25	$13.25	$12.26	$11.40

*SOLD IN PACKS OF 5 PCS.

SOLDER-IN HERMETIC FEEDTHRU'S



Model No:	DIMENSIONS					PRICE PER PACKAGE OF 5 *SOLD IN PACKS OF 5 PCS.			
	A	B	C	D	E	1-24	25-49	50-99	100 +
PE1001-1	.012	.100	.063	.180	.315	$15.50	$14.42	$13.33	$12.40
PE1001-2	.015	.100	.063	.180	.315	16.75	15.58	14.41	13.40
PE1001-3	.018	.112	.063	.180	.315	15.50	14.42	13.33	12.40
PE1001-4	.020	.158	.069	.070	.220	17.00	15.81	14.62	13.60
PE1001-5	.020	.158	.069	.229	.375	16.75	15.58	14.41	13.40
PE1001-6	.012	.076	.055	.041	.125	18.75	17.44	16.13	15.00
PE1001-7	.009	.068	.055	.031	.112	19.25	17.90	16.56	15.40

SCREWS



Model No.	THREAD SIZE	HEAD TYPE	LENGTH INCHES	MATERIAL	100 PIECES PER PACKAGE PRICE PER PACKAGE 1-24	25-49
PE1004-1	3-56	PHILLIPS	1/4"	STAINLESS STEEL	$23.20	$21.58
PE1004-2	3-56	PHILLIPS	3/8"	STAINLESS STEEL	23.20	21.58
PE1004-3	3-56	PHILLIPS	1/2"	STAINLESS STEEL	23.20	21.58
PE1005-1	4-40	PHILLIPS	1/4"	STAINLESS STEEL	23.20	21.58
PE1005-2	4-40	PHILLIPS	3/8"	STAINLESS STEEL	23.20	21.58
PE1005-3	4-40	PHILLIPS	1/2"	STAINLESS STEEL	23.20	21.58
PE1006-1	4-40	PHILLIPS	1/4"	ZINC PLATED	23.20	21.58
PE1006-2	4-40	PHILLIPS	3/8"	ZINC PLATED	23.20	21.58
PE1006-3	4-40	PHILLIPS	1/2"	ZINC PLATED	23.20	21.58

NUTS



Model No.	THREAD SIZE	MATERIAL	100 PIECES PER PACKAGE PRICE PER PACKAGE 1-24	25-49
PE1007	3-56	STAINLESS STEEL	$14.50	$13.49
PE1008	4-40	STAINLESS STEEL	14.50	13.49
PE1009	4-40	ZINC PLATED	13.25	12.32

COAXIAL CABLE CUTTING TOOL



MODEL NO.	PRICE 1-24	25-49	50-99	100 +
PE5200	$68.50	$63.71	$58.91	$54.80

HEAVY DUTY TOOL SPECIFICALLY DESIGNED FOR CUTTING COAXIAL CABLE

PRESET TORQUE WRENCHES

Model No.	DESCRIPTION	PRESET TORQUE	HEX SIZE	PRICE 1-24	25-49	50-99	100 +
PE5011-1	SMA/2.92mm/3.5mm	8 IN. LBS	5/16	$163.90	$152.43	$140.95	$131.12
PE5011-2	SMC	3 IN. LBS	1/4	232.35	216.09	199.82	185.88
PE5011-3	7mm	14 IN. LBS	3/4	259.35	241.20	223.04	207.48
PE5011-4	TNC	14 IN. LBS	5/8	232.35	216.09	199.82	185.88
PE5011-5	SSMA	8 IN. LBS	1/4	232.35	216.09	199.82	185.88
PE5011-6	N/SC	14 IN. LBS	13/16	252.25	234.59	216.94	201.80
PE5011-7	N	14 IN. LBS	20mm	221.80	206.27	190.75	177.44

COAXIAL COMPRESSION TOOL



Model No.	DESCRIPTION	PRICE 1-24	25-49	50-99	100 +
PE5012	RG6, RG11 & RG59 COMPRESSION CONNECTORS	$111.10	$103.32	$95.55	$88.88

BNC INSERTION & EXTRACTION TOOL

Model No.	DESCRIPTION	PRICE 1-24	25-49	50-99	100 +
PE5014	BNC INSERTION & EXTRACTION TOOL	$42.40	$39.43	$36.46	$33.92

COAXIAL CRIMPING TOOLS

THESE RATCHET CONTROLLED CRIMP TOOLS ARE DESIGNED TO PROVIDE CONSISTENT, RELIABLE HEX CRIMP TERMINATIONS TO INDUSTRY SPECIFICATIONS ON A WIDE RANGE OF COAX CONNECTORS. A UNIQUE RATCHET RELEASE MECHANISM IS PROVIDED TO ALLOW REMOVAL OF AN INCORRECTLY PLACED CONNECTOR OR CRIMP RING PRIOR TO COMPLETING THE CRIMP CYCLE.



PRICE

1-24	25-49	50-99	100 +
$105.25	$97.88	$90.52	$84.20

Model No.	FOR CABLE SERIES	HEX CAVITY SIZES			
PE5001	RG55, RG58, RG59, RG62, RG142, RG223 & RG400	.068	.213	.255	
PE5006	RG174, RG179, RG180, RG187, RG188, RG195 & RG316	.068	.100	.128	.178
PE5007	RG9, RG11, RG87A, RG149, RG165, RG213, RG214, RG216, RG225 & RG393	.100	.429		

Model No. PE5004-KIT

FULL CYCLE INTERCHANGEABLE DIE CRIMPING TOOL. COMPLETE KIT IN STORAGE CASE.

PRICE

1-24	25-49	50-99	100 +
$279.75	$260.17	$240.59	$223.80

THIS KIT CONTAINS DIES HAVING THE FOLLOWING HEX SIZES: .042, .068, .080, .100, .128, .151, .178, .213, .255, .324 & .429



THIS CRIMPING TOOL KIT CONSISTS OF A FULL CYCLE, RATCHET CONTROLLED CRIMP TOOL FRAME, 4 INTERCHANGEABLE SETS OF DIES AND A STORAGE CASE.

CRIMPS COAXIAL CONNECTORS ON THE FOLLOWING SERIES OF COAXIAL CABLE: RG5, RG6, RG8, RG9, RG11, RG21, RG55, RG58, RG59, RG62, RG87A, RG140, RG141, RG142, RG143, RG165, RG174, RG179, RG180, RG187, RG188, RG195, RG210, RG212, RG213, RG214, RG216, RG222, RG223, RG225, RG303, RG304, RG316, RG393 & RG400

PRODUCTION GRADE CRIMPING TOOLS



SCISSOR
PE5008
PRICE
$116.15

STRAIGHT
PE5009
PRICE
$145.25



SPECIFICATIONS:
THESE RATCHET CONTROLLED TOOLS ARE DESIGNED TO PROVIDE CONSISTENT, RELIABLE HEX CRIMP TERMINATIONS TO INDUSTRY SPECIFICATIONS. THESE TOOLS ARE MADE OF FORGED STEEL TO HANDLE YEARS OF PRODUCTION. DIES MUST BE PURCHASED SEPARATELY. *(SEE RIGHT)*

INTERCHANGEABLE DIES



PRICE: $91.80				
MODEL NO.	HEX A	LENGTH A	HEX B	LENGTH B
PE5010-1	.213	.400	.068	.093
PE5010-2	.128	.325	.100	.325
PE5010-3	.255	.400	.068	.093
PE5010-4	.178	.400	.068	.093
PE5010-5	.429	.400	.100	.120
PE5010-6	.314	.400	.151	.400

THESE DIES ARE HEAT-TREATED, NICKEL-PLATED STEEL. NO ADJUSTMENT IS REQUIRED WHEN CHANGING DIES. SETUP IS QUICK.

See Our Website For Current Stock Availability!

CONNECTOR IDENTIFIER

DIMENSIONS ARE IN INCHES, UNLESS NOTED OTHERWISE



1.0/2.3 SLIDE ON PLUG — 1.0/2.3 SLIDE ON JACK



1.0/2.3 SNAP ON PLUG — 1.0/2.3 SNAP ON JACK



1.6/5.6 PLUG — 1.6/5.6 JACK



**1.85mm MALE — **1.85mm FEMALE



**2.4mm MALE — **2.4mm FEMALE



*2.92mm MALE — *2.92mm FEMALE



*3.5mm MALE — *3.5mm FEMALE



7mm



7/16 PLUG — 7/16 JACK



3/4-20 TWINAX MALE — 3/4-20 TWINAX FEMALE

*SMA, 2.92mm, & 3.5mm CONNECTORS WILL MATE MECHANICALLY & ELECTRICALLY TO EACH OTHER.
**1.85mm & 2.4mm CONNECTORS WILL MATE MECHANICALLY & ELECTRICALLY TO EACH OTHER.

SPECIFICATIONS SHOWN ARE INTENDED FOR IDENTIFICATION PURPOSES ONLY

CONNECTOR IDENTIFIER

DIMENSIONS ARE IN INCHES, UNLESS NOTED OTHERWISE





















SPECIFICATIONS SHOWN ARE INTENDED FOR IDENTIFICATION PURPOSES ONLY

CONNECTOR IDENTIFIER

DIMENSIONS ARE IN INCHES, UNLESS NOTED OTHERWISE



FAKRA PLUG
EXAMPLE SHOWN: KEY CODE C, BLUE
SEE FAKRA CONNECTOR PAGE FOR COMPLETE KEY CODE INFORMATION.



FAKRA JACK
EXAMPLE SHOWN: KEY CODE C, BLUE
SEE FAKRA CONNECTOR PAGE FOR COMPLETE KEY CODE INFORMATION.



GR874



HN MALE HN FEMALE



LC MALE LC FEMALE



UMCX PLUG UMCX JACK



MC-CARD PLUG



MCX PLUG MCX JACK



REVERSE POLARITY MCX PLUG REVERSE POLARITY MCX JACK



75 OHM MCX PLUG 75 OHM MCX JACK

SPECIFICATIONS SHOWN ARE INTENDED FOR IDENTIFICATION PURPOSES ONLY

CONNECTOR IDENTIFIER

DIMENSIONS ARE IN INCHES, UNLESS NOTED OTHERWISE



MHV MALE — MHV FEMALE



MINI 75 OHM SMB PLUG — MINI 75 OHM SMB JACK



MINI SMP MALE — MINI SMP FEMALE



MINI-UHF MALE — MINI-UHF FEMALE



MMCX PLUG — MMCX JACK



N MALE — N FEMALE



REVERSE POLARITY N MALE — REVERSE POLARITY N FEMALE



75 OHM N MALE — 75 OHM N FEMALE



PAL PLUG — PAL JACK



POSITIVE SNAP

SPECIFICATIONS SHOWN ARE INTENDED FOR IDENTIFICATION PURPOSES ONLY

CONNECTOR IDENTIFIER

DIMENSIONS ARE IN INCHES, UNLESS NOTED OTHERWISE



QMA MALE QMA FEMALE



RCA PLUG RCA JACK



SC MALE SC FEMALE



SHV PLUG SHV JACK



*SMA MALE *SMA FEMALE



REVERSE POLARITY SMA MALE REVERSE POLARITY SMA FEMALE



SMA REVERSE THREAD MALE SMA REVERSE THREAD FEMALE



SMB PLUG SMB JACK



75 OHM SMB PLUG 75 OHM SMB JACK



SMC PLUG SMC JACK

*SMA, 2.92mm & 3.5mm CONNECTORS WILL MATE MECHANICALLY & ELECTRICALLY TO EACH OTHER.

SPECIFICATIONS SHOWN ARE INTENDED FOR IDENTIFICATION PURPOSES ONLY

CONNECTOR IDENTIFIER

DIMENSIONS ARE IN INCHES, UNLESS NOTED OTHERWISE

















SPECIFICATIONS SHOWN ARE INTENDED FOR IDENTIFICATION PURPOSES ONLY

MOUNTING HOLES



CODE	A	B	C
A01	.500	.340	.102
A02	.687	.500	.109
A03	.687	.500	#3-56 TAP
A04	.687	.500	.125
A05	1.000	.718	.125
A06	.750	.531	.140
A07	.750	.531	.125
A08	1.190	.906	.125
A09	.687	.500	#4-40 TAP
A10	.687	.500	.136
A11	1.250	.975	.147
A12	2.000	1.440	.257
A13	1.000	.718	.141
A14	1.000	.718	.144
A15	.687	.500	.104
A16	.750	.531	.136
A17	.375	.232	.067
A18	.625	.437	.094
A19	1.000	.718	#6-32 TAP
A20	.500	.340	#2-56 TAP
A21	1.250	.975	.142
A22	.375	.232	.093



CODE	A
F01	.250
F02	.500
F03	.630
F04	1.200
F05	.380
F06	.450
F07	.200
F08	.362
F09	.220
F10	.317
F11	4.83mm
F12	.390



CODE	A	B
B01	.195	.177
B02	.250	.235
B03	.330	.295
B04	.380	.350
B05	.440	.410
B06	.512	.480
B07	.760	.720
B08	.565	.537
B09	.314	.296
B10	.140	.126
B11	.695	.655
B12	.625	.575
B13	.405	.361
B14	.277	.252
B15	.630	.596
B16	.317	.285
B17	.284	.268



CODE	A	B
J01	.200	.046



CODE	A	B	C
D01	.200	.067	.062
D02	.200	.067	.046
D03	.100	.031	.031
D04	.200	.052	.052
D05	.260	.067	.043
D06	.200	.052	.047
D07	.200	.055	.043
D08	.200	.067	.035
D09	.200	.055	.028
D10	.200	.055	.035
D11	.320	.091	.031
D12	.400	.062	.062
D13	.320	.091	.091
D14	.340	.091	.043
D15	.164	.067	.091
D16	.500	.126	.440
D17	.380	.083	.043



CODE	A	B	C
C01	.223	.481	.102
C02	.260	.481	.102
C03	.192	.328	.067
C04	.640	1.000	.125
C05	.275	.481	.102
C06	.230	.354	.067
C07	.188	.328	.093



CODE	A	B
G01	.640	.546
G02	.380	.340
G03	.765	.712
G04	.362	.323
G05	.236	.197
G06	.217	.177
G07	.380	.310
G08	1.161	1.000



CODE	A	B	C	D	E
E01	.375	.500	.340	.222	.093



CODE	A	B	C	D
H01	.687	.500	.125	.045

Appendix

MAILING LIST CHANGES

If you receive more than one catalog with the same name and address, please notify Pasternack and pass the catalog along to a friend. Also, if you do not require multiple copies to the same company address, contact a sales representative to verify and modify your mailing information. A forms-based communications method to add, delete or modify mailing information is available at www.pasternack.com. By clicking "Contact Us", and then clicking "Remove Name from Mailing List", you may complete the form to request a change to your mailing preferences. In addition, by clicking "Catalog", and then clicking "Request a Printed Catalog", you may add your contact information to our mailing list. Please note service opt-in and opt-out options located on the forms. Alternatively, you may mail, email, telephone or fax Pasternack your request.

PLACING YOUR ORDER

► By Telephone: 866-PASTERNACK (866-727-8376) US & Canada, or 949-261-1920

Our friendly sales representatives are ready to serve you from 5:00am to 5:30pm Pacific Standard Time (PST), Monday through Friday. For the most efficient service, please have ready a list of quantities and part numbers and, if paying by credit card, your MasterCard, VISA, American Express or Discover card. Note: Calls may be recorded or monitored for quality and training purposes.

► By Fax: 949-261-7451

Our fax lines can be accessed 7 days a week, 24 hours a day. Orders received after 4:00pm PST will be promptly processed and shipped the next business day. Please include your daytime phone number and/or email address in case we have any questions about your order.

► By Internet: www.Pasternack.com or Email: sales@pasternack.com

Order online 7 days a week, 24 hours a day using our online ordering system. Just search for the items you want and add them to your shopping cart. Internet orders entered after 4:00 pm PST will be promptly processed and shipped the next business day.

► By Mail: Simply Mail Your Order To:
Pasternack Enterprises, Inc.
17802 Fitch
PO Box 16759
Irvine, CA 92623-6759 USA

International customers, please see "International Orders" below for additional information.

Terms and Conditions of Sale:
The following from Pasternack's Binding Terms and Conditions of Sale are provided for your convenience. A complete documentation of the Binding Terms and Conditions of Sale may be found in the back of the catalog, or on Pasternack's website at http://www.pasternack.com/TermsofSale.aspx. Any questions or clarifications may be answered by contacting Customer Service at (+1) 949-261-1920 or by any of the methods listed above.

Minimum Order:
A minimum order of $50.00 is required. There is no minimum line item required.

Handling Charge:
A $10.00 handling charge applies to all orders less than $100.00. This fee will be waived on orders of $100.00 or more.

Ground Freight is Free:
On UPS Ground orders, there is no charge for shipping for USA & Canada orders of $100.00 or greater. Otherwise, shipping or freight charges and insurance will be paid by the customer. All sales are made FOB Point (as defined by the INCOTERMS 2000) in Irvine, CA USA. Shipping or freight charges from Pasternack's Irvine, CA factory are prepaid and added to the invoice or billed collect.

Same-Day Shipment:
Same-day shipment will apply to orders received Monday through Friday, prior to 4:00pm PST.
- All UPS air and surface options
- All FedEx air options (with an approved account number)
- Most other shipping options, including DHL (with an approved account number) and USPS

Counter-to-Counter Shipping:
For your urgent order requiring our fastest shipping method, we will place your order on the next available flight from Santa Ana-Orange County John Wayne International Airport (Airport code: SNA) to the destination you specify. Please call for details.

Payment Terms:
Pasternack offers a number of convenient payment methods:

For United States customers, we offer check, money order, MasterCard, VISA, American Express, Discover, and C.O.D. as well as open account credit to qualified institutions and businesses. Payment must be made in US Dollars.

For Canadian customers, we offer all of the above payment options except C.O.D.
For International customers, see International Orders.

Open Account Credit:
Net 30 Days terms are available to businesses, schools and agencies subject to credit approval. Approval can begin by submitting a completed Credit Application, which can be found in the back of the catalog or online at: www.Pasternack.com/CreditApplication.aspx

EFT/Wire Transfers:
Please contact us for details. We will inform you of the total amount which will include shipping charges and any applicable wire transfer fees. Orders will not be accepted until funds have been received in full.

U.S. BANK
535 Westminster Mall 1st Floor
Westminster, CA 92683 USA
Account Number: 165717456033
Routing Number: 122235821
SWIFT Number: USBKUS44IMT

International Orders:
In addition to the United States and its territories, Pasternack accepts international orders. All orders of international origin are exported from the US in accordance with the Export Administration Regulations. Diversion contrary to US Law is prohibited. Please see Pasternack's Binding Terms and Conditions of Sale for full details.

Pasternack has international distributors for the following countries:
Asia: Australia, China PRC, Indonesia, Japan, Korea, Malaysia, New Zealand, Singapore, Taiwan, Thailand
Europe: Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy Norway, Slovakia, Sweden, Switzerland, Turkey, United Kingdom
Middle East: Israel

To access their complete contact information, please see our International Distributors section in this catalog.

International Shipping Charges:
Shipping or freight charges and insurance will be paid by the customer. All sales are made FOB Point (as defined by the INCOTERMS 2000) in Irvine, CA USA. We ship orders by UPS, FedEX (with an approved account number), or DHL (with approved account number) with delivery in 2 to 3 days to most locations worldwide.

International Taxes and Duties:
Customer is responsible for duties and taxes.

PASTERNACK ENTERPRISES RoHS COMPLIANCE PROGRAM

Lead-free solder is now available for all cable assemblies upon request or online at www.Pasternack.com.

What is RoHS Compliance?

The European Union set forth the RoHS (Restriction of Hazardous Substances) Directive to establish environmental guidelines and legislation to reduce the presence of six (6) materials deemed hazardous to the environment. To comply, products entering the EU must not have a homogeneous presence of these materials above the following levels by weight percentage:

- Lead (Pb) < 0.1%
- Mercury (Hg) < 0.1%
- Cadmium (Cd) < 0.01%
- Hexavalent Chromium (CrVI) < 0.1%
- Polybrominated Biphenyls (PBB) < 0.1%
- Polybrominated Diphenyl Esters (PBDE) < 0.1%

At Pasternack, we recognize our responsibility as a supplier of coax connectors, cable assemblies, and components used within electronic-based systems and products that are targeted for RoHS compliance. We are fully committed to offering RoHS compliance on the majority of our products. We have completed a comprehensive evaluation and analysis program both internally and with our suppliers to establish and publish RoHS compliant statements for our products on our website.

Determining Pasternack RoHS Compliance

To determine if the product in our catalog is RoHS Compliant, please first refer to our website at www.Pasternack.com. For each part, we show an indicator of compliance using this symbol:

RoHS
2002/95/EC

All products displaying this symbol on our website have been certified as RoHS Compliant. Click on this symbol to view the Certificate of RoHS Compliance for this product.

We recognize that you may have specific questions regarding RoHS certification on Pasternack's components and products. We will be happy to process all such requests as quickly as possible. Please direct any such requests to Pasternack Enterprises Technical Support via email at TechSupport@Pasternack.com or by calling Toll-Free within North America at 1-866-PASTERNACK (866-727-8376). International customers, please use +1-949-261-1920.

Methods Determining RoHS Compliance

RoHS Compliance is determined by a combination of supplier certification and engineering design verification. In most cases, Pasternack's products were determined to be RoHS Compliant. In many cases, the Compliance was through a stated Exemption to the RoHS Directive. As a supplier of coaxial connectors, adapters, and RF components, Pasternack uses materials such as Brass and Stainless Steel which contain lead as a percentage of weight above the 0.1% threshold, but are allowed through the Exemptions as of the October 21st, 2005 RoHS Directive amendment. Pasternack uses these Exemptions to the RoHS Directive where applicable.

What are the Exemptions?

RoHS Directive text as of the Oct 21st, 2005 amendment is underlined, and how it applies to Pasternack products is indicated below each Exemption.

ANNEX to ROHS DIRECTIVE 2002/95/EC

"Applications of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenyl ethers (PBDE) which are exempted from the requirements of Article 4(1)":

5. Lead in glass of cathode ray tubes, electronic components and fluorescent tubes.

   Some Pasternack products use resistive and/or dielectric inks that contain lead in a glass phase and fall under this exemption 5.

6. Lead as an alloying element in steel containing up to 0.35% lead by weight, aluminum containing up to 0.4% lead by weight and as a copper alloy containing up to 4% lead by weight.

   Most Pasternack products use metal alloys that contain lead below the maximum concentration values specified under this exemption 6. Specifically: aluminum alloys, brass, stainless steel, beryllium copper and phosphor bronze.

7. Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission as well as network management for telecommunications.

   All Pasternack coaxial cable assemblies are made using solder containing lead (unless lead-free solder is specified), and may be used in network infrastructure equipment and therefore would fall under this exemption 7. This exemption is application specific, however, and we therefore leave it up to our customer to determine whether this exemption applies to their application.

   Pasternack has loaded new part numbers for cable assemblies using lead-free solder on our website, using the format PE3xxxxLF-yy, where "xxxx" identifies the part using the existing corresponding item number, and "yy" identifies the length in inches. For example, PE3067LF-24 is the same as PE3067-24 (BNC Male to BNC Male, RG58C/U), except it uses lead-free solder to be fully ROHS Compliant.

This form is also available online at www.pasternack.com/CreditApplication.aspx

PASTERNACK ENTERPRISES®

PASTERNACK ENTERPRISES, INC.

POST OFFICE BOX 16759 IRVINE, CA 92623-6759 U.S.A.
TELEPHONE: (949) 261-1920 FAX: (949) 261-7451

CREDIT APPLICATION

APPLICATION **MUST BE COMPLETELY** FILLED OUT AND SIGNED BY AN OWNER, PARTNER OR CORPORATE OFFICER TO BE CONSIDERED FOR CREDIT!

COMPANY NAME: _____ WEBSITE: _____ DUNS # _____
ADDRESS: _____ PHONE: _____
CITY: _____ STATE: _____ ZIP CODE: _____ FAX: _____

TYPE OF BUSINESS: __ Corporation __LLC __LLP __Partnership __Sole Proprietorship DATE OF INCORPORATION / ORGANIZATION: _____ AND STATE: ___
CREDIT LIMIT REQUESTED: _____ GROSS SALES FOR LAST 12 MONTHS: _____ NUMBER OF EMPLOYEES: _____
BRIEF DESCRIPTION OF BUSINESS: _____

OWNER, PARTNER OR CORPORATE OFFICERS:
PRESIDENT / OWNER: _____ TITLE: _____ E-MAIL : _____
VP FINANCE / CFO: _____ TITLE: _____ E-MAIL : _____

BANK REFERENCE:
NAME: _____ BRANCH: _____ ACCOUNT NUMBER: _____
ADDRESS: _____ CITY: _____ STATE: _____ ZIP CODE: _____
OFFICER TO CONTACT: _____ PHONE: _____ E-MAIL: _____

TRADE REFERENCES FROM THE USA PREFERRED. PLEASE GIVE ZIP CODES AND LIST ACCOUNT AND FAX NUMBERS:

NAME: _____ PHONE: _____
ADDRESS: _____ FAX: _____
CITY: _____ STATE: _____ ZIP: _____ ACCT. # _____
CONTACT NAME: _____ EMAIL : _____

NAME: _____ PHONE _____
ADDRESS: _____ FAX _____
CITY: _____ STATE: _____ ZIP: _____ ACCT. # _____
CONTACT NAME: _____ EMAIL : _____

NAME: _____ PHONE _____
ADDRESS: _____ FAX _____
CITY: _____ STATE: _____ ZIP: _____ ACCT. # _____
CONTACT NAME: _____ EMAIL : _____

IN CONSIDERATION OF PASTERNACK ENTERPRISES, INC. GRANTING CREDIT, WE AGREE TO THE FOLLOWING:

1) WE WILL PAY ALL INVOICES IN ACCORDANCE WITH PASTERNACK ENTERPRISES, INC.'S. STANDARD TERMS AND CONDITIONS IN EFFECT. WE SPECIALLY AGREE TO PAY INTEREST AT THE GREATER OF 1.5% PER MONTH OR THE MAXIMUM RATE ALLOWED BY LAW ON ALL UNPAID INVOICES AFTER THIRTY (30) DAYS FROM THE INVOICE DATE.
2) WE DO ACCEPT PASTERNACK ENTERPRISES, INC.'S STANDARD TERMS AND CONDITIONS OF SALE, REGARDLESS OF ANY TERMS AND CONDITIONS SHOWN ON OUR PURCHASE ORDERS.
3) SHOULD THIS ACCOUNT EVER BECOME DELINQUENT AND IT BE NECESSARY TO EMPLOY AN ATTORNEY TO COLLECT OR COMMENCE SUIT TO ENFORCE PAYMENT, WE AGREE TO PAY A REASONABLE ADDITIONAL SUM AS ATTORNEY'S FEES AND TO PAY COSTS OF SUCH SUIT.
4) IT IS EXPRESSLY AGREED THAT ALL OBLIGATIONS OF THE PARTIES CREATED HEREIN ARE TO BE PERFORMED IN IRVINE (ORANGE COUNTY), CALIFORNIA, U.S.A. AND THAT THE COURTS OF ORANGE COUNTY, CALIFORNIA HAVE JURISDICTION OVER ANY ACTION TO ENFORCE COLLECTION OF THIS ACCOUNT.

OWNER, PARTNER OR CORPORATE OFFICER'S NAME _____ TITLE _____

SIGNATURE _____ DATE _____

BINDING TERMS AND CONDITIONS OF SALE

The following are the terms and conditions ("Terms and Conditions") for the sale of products ("Products") by Pasternack Enterprises, Inc. ("Pasternack") to Pasternack's customers ("Customers"). Please read this agreement carefully. Any different or additional terms set forth in customer's purchase order or similar communication are objected to and shall not be binding on the company unless a separate agreement has been signed by an authorized officer of the company. By placing an order for products from the company, or by accepting delivery of the products described on the applicable packing slip, bill of lading and/or invoice received with the products, you agree to be bound by and accept these terms and conditions of sale.

1. ACCEPTANCE AND CANCELLATION OF ORDERS

All orders are subject to acceptance by Pasternack in writing by a duly authorized agent of Pasternack; any written acknowledgement of receipt of an order shall not, in and of itself, constitute such acceptance. Orders accepted and processed by Pasternack may not be cancelled by Customer except as covered by the Limited Warranty, all sales are final. Cable Assemblies and Non-Standard Products are also Non-Cancelable/Non-Refundable ("NC/NR"). Non-Standard Parts are defined as Products which are special orders, custom orders, orders for non-standard products, products not customarily in stock or orders for value-added products. In the event of cancellation or other withdrawal of an order for any reason and without limiting any other remedy which Pasternack may have as a result of such cancellation or other withdrawal, reasonable cancellation or restocking charges, which shall include all expenses then incurred and commitments made by Pasternack, shall be paid by Customer to Pasternack. Customer requests to reschedule are subject to acceptance by Pasternack in its sole discretion. Orders may not be rescheduled after the order has been submitted by Pasternack to the shipment carrier.

2. PRICES

Orders are billed at the prices (in US dollars) in effect at the time of shipment. Prices will be as specified by Pasternack and will be applicable for the period specified in Pasternack's quote. If no period is specified, quoted prices will be applicable for thirty (30) days. The catalog reflects the latest pricing information available at the time of printing. Prices shown in the catalog are subject to change without notice. Prices are subject to change in the event of a change in Pasternack's costs or other circumstances beyond Pasternack's reasonable control. Prices are exclusive of taxes, impositions and other charges, including: sales, use, excise, value added and similar taxes or charges imposed by any government authority, international shipping charges, forwarding agent's and broker's fees, bank fees, consular fees, document fees and import duties.

3. TERMS OF PAYMENT

All payments must be in US Dollars, or will be converted to US Dollars using the available exchange rate at the time of purchase.

Credit cards accepted are MasterCard, VISA, Discover, and American Express credit cards, purchase cards and major bank debit cards. Payment via net thirty (30) days is available to businesses, schools and agencies or as otherwise specified by Pasternack subject to approved credit.

For International Orders

Credit cards accepted are MasterCard, VISA, and American Express. Payment via open credit account with Net thirty (30) days can be established for companies having three U.S. references. Prepaid Wire Transfer: You can wire the funds to our bank. We will contact you with the total amount which will include shipping charges and a $40 wire transfer fee. Orders will not be accepted until funds have been received in full and Purchase Order (PO) has been received. Customer is responsible for duties and taxes.

4. SALES TAX

Only California residents need to remit sales tax. Pasternack does not remit sales tax to states other than California . Any sales tax due that is not collected by Pasternack is the responsibility of the customer.

5. TOLERANCES

All coaxial cable assemblies displayed in the Pasternack catalog and website have a standard cable length tolerance of ± 1.5% or ⅜ inches (0.375"), whichever is greater. Cable Assemblies in excess of this tolerance factor are eligible for repair and / or replacement under the terms of the Pasternack Limited Warranty.

6. DELIVERY AND TITLE

Shipping or freight charges and insurance will be paid by the customer. All sales are made FCA Shipping Point (as defined by the INCOTERMS 2000) in Irvine, CA USA. Shipping or freight charges from Pasternack's Irvine, CA facility are prepaid and added to the invoice, or billed collect. Subject to Pasternack's right of stoppage in transit, delivery of the Products to the carrier will constitute delivery to Customer and title and risk of loss will pass to Customer. Pasternack will make reasonable efforts to initiate shipment and schedule delivery as close as possible to Customer's requested delivery date(s). Customer acknowledges that delivery dates provided by Pasternack are estimates only and that Pasternack will not be liable for failure to deliver on such dates. Selection of the carrier and delivery route will be made by Pasternack unless specifically designated by Customer. Pasternack reserves the right to make deliveries in installments. Delay in delivery of one installment will not entitle Customer to cancel any other installment(s). Delivery of any installment of Products within thirty (30) days after the date requested will constitute a timely delivery. Delivery of a quantity which varies from the quantity specified shall not relieve Customer of the obligation to accept delivery and pay for the Products delivered.

7. PASTERNACK'S LIMITED WARRANTY

All products are covered by a LIMITED WARRANTY for a period of ninety (90) days from the date of shipment when purchased from Pasternack Enterprises, Inc. Customer must notify Pasternack within 90 days from date of shipment of any defective product. An approved Return Materials Authorization (RMA) number must first be obtained from Pasternack prior to the return of any merchandise to Pasternack for inspection under warranty. Shipping charges for all materials returned under this Limited Warranty are to be prepaid by the Customer. This warranty is limited to the original purchaser. Pasternack's liability arising out of any sale of products to Customer is expressly limited to either (1) Credit for the purchase price paid by Customer for such products (without interest), or (2) Repair and/or replacement of such products, found to be defective after inspection by Pasternack, and such remedies shall be exclusive and in lieu of all others. This warranty is in lieu of any and all other warranties, whether oral, written, expressed, implied or statutory. Further, no warranty will apply if the Product has been subject to misuse, neglect, accident or modification, or has been soldered or altered in any way.

All returns must be shipped to: Pasternack Enterprises, Inc.
17802 Fitch
Irvine, CA 92614 USA

8. LIMITATION OF LIABILITIES

In no event shall Pasternack be liable for any special, incidental or consequential damages of any nature including, but not limited to, damages resulting from loss of profit or revenue, recall costs, claims for service interruptions or failure to supply downtime, testing, installations or removal costs, costs of substitute products, property damage, personal injury, death or legal expenses. Customer's recovery from Pasternack for any claim shall not exceed the purchase price paid by Customer for the goods, irrespective of the nature of the claim, whether in warrant, contract or otherwise. CUSTOMER SHALL INDEMNIFY, DEFEND AND HOLD PASTERNACK HARMLESS FROM ANY CLAIMS brought by any party regarding products supplied by Pasternack and incorporated into the customer's product.

9. STATEMENTS AND ADVICE

If statements or advice, technical or otherwise, are offered or given to Customer, such statements or advice will be deemed to be given as an accommodation to Customer and without charge and Pasternack shall have no responsibility or liability for the content or use of such statements or advice.

10. EXPORT CONTROL

Products purchased or received under these Terms and Conditions are subject to export control laws, restrictions, regulations and orders of the United States. Customer agrees to comply with all applicable export laws, restrictions and regulations of the United States or foreign agencies or authorities, and shall not export, or transfer for the purpose of re-export, any product to any prohibited or embargoed country, including but not limited to The Balkans, Belarus, Burma, Cote d'Ivoire, Cuba, the Democratic Republic of the Congo, Iran, Iraq, North Korea, Sudan, Syria, and Zimbabwe, or to any denied, blocked, or designated person or entity as mentioned in any such United States or foreign law or regulation. Customer represents and warrants that it is not on the Denied Persons, Specially Designated Nationals or Debarred Persons List (as identified by the U.S. Treasury Office of Foreign Asset Control (OFAC) and by the U.S. Department of Commerce, Bureau of Industry and Security (BIS)), or any other United States or other government list of prohibited persons; and otherwise prohibited by United States or other law from purchasing the products or services hereunder. Customer shall be solely responsible to obtain any license to export, re-export or import as may be required.

11. GENERAL

The Terms and Conditions may not be modified or cancelled without Pasternack's written agreement. Accordingly goods furnished and services rendered by Pasternack are sold only on the terms and conditions stated herein. The Terms and Conditions will be governed by and construed in accordance with the laws of the State of California and the applicable laws of the United States of America. If Customer chooses to access the Pasternack Web Site from outside the United States, Customer does so on their own initiative and is responsible for compliance with all applicable local laws.

12. INTELLECTUAL PROPERTY

The drawings, text, product depictions, logos, content, product descriptions, and organization and taxonomy of this catalog and of the described content within this catalog are proprietary to Pasternack and protected by intellectual property laws, including but not limited to United States Copyright law and United States Trademark law. Pasternack owns copyrights in these referenced works as well as the selection, arrangement, coordination and structure of the arranged content and works within this catalog. Use of this catalog does not give you any right to modify, reproduce, transmit, publish, publicly display, adapt, or create derivative works or in any way exploit any of the materials and content of this catalog.

PART NUMBER INDEX

Model No.	Page	C/R
PE1001	**250**	
PE1002	250	
PE1003	250	
PE1004	251	
PE1005	251	
PE1006	251	
PE1007	251	
PE1008	251	
PE1009	251	
PE1513	224	
PE1514	224	
PE1515	224	
PE1516	224	
PE1517	224	
PE1518	224	
PE1519	224	
PE1520	224	
PE1521	224	
PE1522	224	
PE1523	224	
PE1524	224	
PE1525	224	
PE1603	219	
PE1604	219	
PE1605	219	
PE1606	219	
PE1607	219	
PE1608	219	
PE1609	219	
PE1610	219	
PE1611	219	
PE1612	219	
PE1613	219	
PE1614	219	
PE1615	219	
PE1616	219	
PE1617	219	
PE1618	219	
PE2000	**218**	
PE2001	218	
PE2002	218	
PE2003	218	
PE2004	218	
PE2005	218	
PE2006	218	
PE2007	218	
PE2008	218	
PE2009	218	
PE2011	218	
PE2012	218	
PE2014	218	
PE2015	218	
PE2017	218	
PE2018	218	
PE2020	218	
PE2021	218	
PE2023	218	
PE2024	218	
PE2026	218	
PE2027	218	
PE2028	218	
PE2029	218	
PE2030	218	
PE2031	218	
PE2032	218	
PE2033	218	
PE2034	218	
PE2035	218	
PE2036	218	
PE2037	218	
PE2038	218	
PE2039	218	
PE2040	218	
PE2041	218	
PE2042	218	
PE2043	218	
PE2044	218	
PE2045	218	
PE2046	218	
PE2047	218	
PE2048	218	
PE2049	218	
PE2050	214	
PE2051	214	
PE2052	214	
PE2053	214	
PE2054	214	
PE2055	214	
PE2056	214	
PE2057	214	
PE2058	214	
PE2059	214	
PE2060	214	
PE2061	218	
PE2062	218	
PE2063	219	
PE2064	219	
PE2065	219	
PE2066	219	

Model No.	Page	C/R
PE2067	219	
PE2068	219	
PE2069	219	
PE2071	218	
PE2072	218	
PE2073	218	
PE2074	218	
PE2075	218	
PE2076	218	
PE2200	216	
PE2201	216	
PE2202	216	
PE2203	216	
PE2204	216	
PE2205	216	
PE2206	216	
PE2207	216	
PE2208	215	
PE2209	215	
PE2210	215	
PE2211	215	
PE2212	215	
PE2213	215	
PE2214	215	
PE2215	215	
PE2216	215	
PE2217	217	
PE2218	217	
PE2219	217	
PE2220	217	
PE2221	217	
PE2222	217	
PE2223	217	
PE2224	217	
PE2225	217	
PE2226	217	
PE2227	217	
PE2228	217	
PE2229	217	
PE2230	217	
PE2231	217	
PE2232	217	
PE2233	217	
PE2234	217	
PE2235	217	
PE2236	217	
PE2237	215	
PE2238	215	
PE2239	217	
PE300	**13**	
PE301	13	
PE302	13	
PE303	13	
PE304	13	
PE306	13	
PE308	13	
PE309	13	
PE310	7	
PE311	13	
PE312	13	
PE315	14	
PE317	14	
PE319	15	
PE321	15	
PE3000	**70**	
PE3003	29	
PE3005	99	
PE3010	Web	
PE3013	34	
PE3015	60	
PE3020	67	
PE3023	Web	
PE3025	72	
PE3034	50	
PE3038	65	
PE3041	96	
PE3042	52	
PE3044	72	
PE3047	68	
PE3050	40	
PE3051	31	
PE3052	72	
PE3054	67	
PE3056	30	
PE3057	60	
PE3058	32	
PE3061	52	
PE3062	47	
PE3067	66	
PE3071	48	
PE3074	57	
PE3075	66	
PE3078	30	
PE3079	68	
PE3080	51	
PE3081	66	
PE3082	67	
PE3083	65	
PE3085	73	

Model No.	Page	C/R
PE3087	66	
PE3088	72	
PE3089	35	
PE3093	Web	
PE3094	Web	
PE3095	65	
PE3097	53	
PE3098	73	
PE3100	96	
PE3102	30	
PE3103	68	
PE3104	64	
PE3108	Web	
PE3109	42	
PE3112	Web	
PE3113	67	
PE3116	67	
PE3117	74	
PE3120	91	
PE3121	28	
PE3122	Web	
PE3130	80	
PE3133	Web	
PE3134	91	
PE3137	29	
PE3138	28	
PE3139	Web	
PE3141	40	
PE3143	48	
PE3145	70	
PE3147	Web	
PE3149	40	
PE3152	40	
PE3154	34	
PE3156	40	
PE3157	91	
PE3158	99	
PE3159	60	
PE3160	30	
PE3163	66	
PE3164	99	
PE3166	79	
PE3168	49	
PE3170	Web	
PE3171	30	
PE3172	38	
PE3174	34	
PE3176	34	
PE3178	35	
PE3181	38	
PE3182	70	
PE3183	58	
PE3184	31	
PE3185	Web	
PE3187	38	
PE3188	31	
PE3189	Web	
PE3190	99	
PE3192	Web	
PE3193	34	
PE3199	Web	
PE3200	99	
PE3205	58	
PE3207	51	
PE3210	36	
PE3211	99	
PE3214	Web	
PE3216	Web	
PE3217	50	
PE3218	52	
PE3221	Web	
PE3223	44	
PE3224	Web	
PE3226	Web	
PE3227	50	
PE3230	Web	
PE3231	60	
PE3232	49	
PE3233	Web	
PE3234	32	
PE3236	69	
PE3238	63	
PE3240	63	
PE3242	69	
PE3244	63	
PE3245	28	
PE3246	52	
PE3248	52	
PE3250	52	
PE3252	52	
PE3253	Web	
PE3254	52	
PE3255	48	
PE3256	52	
PE3258	61	
PE3259	Web	
PE3261	52	
PE3263	61	
PE3264	66	

Model No.	Page	C/R
PE3265	61	
PE3268	54	
PE3269	61	
PE3271	36	
PE3272	54	
PE3273	36	
PE3275	Web	
PE3278	Web	
PE3279	47	
PE3280	52	
PE3282	52	
PE3285	52	
PE3288	52	
PE3290	78	
PE3291	33	
PE3293	Web	
PE3295	78	
PE3297	78	
PE3299	79	
PE3301	79	
PE3302	33	
PE3304	79	
PE3306	79	
PE3307	97	
PE3309	78	
PE3311	78	
PE3314	78	
PE3316	78	
PE3318	33	
PE3319	29	
PE3320	50	
PE3321	33	
PE3323	32	
PE3325	67	
PE3327	Web	
PE3330	67	
PE3332	67	
PE3333	Web	
PE3334	Web	
PE3338	74	
PE3340	65	
PE3341	94	
PE3343	91	
PE3344	29	
PE3345	34	
PE3346	70	
PE3347	39	
PE3348	Web	
PE3349	69	
PE3351	72	
PE3352	29	
PE3353	28	
PE3354	68	
PE3355	67	
PE3357	65	
PE3358	67	
PE3359	36	
PE3360	68	
PE3361	28	
PE3362	98	
PE3364	72	
PE3365	73	
PE3366	72	
PE3367	34	
PE3368	Web	
PE3369	28	
PE3370	72	
PE3371	68	
PE3373	72	
PE3375	68	
PE3376	98	
PE3377	28	
PE3378	72	
PE3380	39	
PE3381	72	
PE3382	Web	
PE3384	72	
PE3385	28	
PE3387	29	
PE3388	Web	
PE3389	72	
PE3393	Web	
PE3394	56	
PE3395	Web	
PE3396	94	
PE3398	94	
PE3400	94	
PE3402	56	
PE3404	94	
PE3405	30	
PE3407	55	
PE3408	Web	
PE3409	64	
PE3411	29	
PE3412	54	
PE3413	69	
PE3414	56	
PE3416	65	
PE3417	40	

Model No.	Page	C/R
PE3418	56	
PE3420	29	
PE3421	57	
PE3422	33	
PE3423	69	
PE3424	42	
PE3425	57	
PE3427	Web	
PE3428	39	
PE3429	29	
PE3430	57	
PE3431	68	
PE3434	57	
PE3435	57	
PE3436	68	
PE3437	63	
PE3440	68	
PE3441	47	
PE3442	69	
PE3443	31	
PE3444	39	
PE3445	67	
PE3446	68	
PE3447	47	
PE3448	33	
PE3450	68	
PE3451	Web	
PE3454	68	
PE3455	47	
PE3457	91	
PE3458	72	
PE3459	29	
PE3460	67	
PE3462	67	
PE3466	57	
PE3468	32	
PE3470	66	
PE3472	48	
PE3476	52	
PE3477	52	
PE3479	36	
PE3480	98	
PE3481	29	
PE3483	30	
PE3485	50	
PE3487	47	
PE3488	50	
PE3490	Web	
PE3492	28	
PE3494	31	
PE3495	66	
PE3496	47	
PE3497	57	
PE3498	58	
PE3499	47	
PE3500	28	
PE3501	70	
PE3502	99	
PE3504	56	
PE3505	73	
PE3508	67	
PE3510	29	
PE3511	39	
PE3512	29	
PE3513	29	
PE3514	39	
PE3515	39	
PE3516	73	
PE3517	Web	
PE3518	91	
PE3519	33	
PE3520	43	
PE3521	42	
PE3522	91	
PE3524	42	
PE3525	43	
PE3528	97	
PE3530	69	
PE3531	32	
PE3534	42	
PE3535	34	
PE3538	66	
PE3539	36	
PE3542	Web	
PE3543	60	
PE3544	56	
PE3545	91	
PE3548	38	
PE3551	57	
PE3553	31	
PE3557	68	
PE3561	36	
PE3562	36	
PE3568	33	
PE3570	47	
PE3571	70	
PE3572	28	
PE3573	28	
PE3574	28	

Model No.	Page	C/R
PE3577	73	
PE3578	42	
PE3580	60	
PE3581	97	
PE3582	66	
PE3583	66	
PE3584	66	
PE3587	79	
PE3588	79	
PE3589	81	
PE3590	80	
PE3591	80	
PE3592	80	
PE3593	79	
PE3594	81	
PE3595	62	
PE3596	62	
PE3597	63	
PE3598	Web	
PE3600	62	
PE3601	62	
PE3602	Web	
PE3604	73	
PE3605	91	
PE3606	68	
PE3607	47	
PE3608	56	
PE3611	30	
PE3612	97	
PE3613	37	
PE3614	33	
PE3615	36	
PE3616	97	
PE3617	49	
PE3618	97	
PE3623	59	
PE3626	37	
PE3627	68	
PE3629	47	
PE3634	Web	
PE3635	60	
PE3641	63	
PE3642	41	
PE3644	51	
PE3646	40	
PE3649	68	
PE3650	49	
PE3651	31	
PE3652	51	
PE3653	47	
PE3654	32	
PE3655	39	
PE3656	29	
PE3657	33	
PE3658	36	
PE3660	63	
PE3661	51	
PE3662	33	
PE3664	35	
PE3665	51	
PE3666	51	
PE3667	49	
PE3669	32	
PE3671	69	
PE3672	69	
PE3673	46	
PE3674	68	
PE3675	Web	
PE3678	67	
PE3679	41	
PE3684	Web	
PE3686	50	
PE3689	67	
PE3693	54	
PE3694	73	
PE3696	36	
PE3697	30	
PE3698	54	
PE3699	48	
PE3704	28	
PE3705	66	
PE3706	30	
PE3713	40	
PE3714	49	
PE3715	30	
PE3721	79	
PE3722	38	
PE3726	48	
PE3733	41	
PE3735	73	
PE3736	36	
PE3739	28	
PE3743	60	
PE3745	36	
PE3746	69	
PE3747	56	
PE3749	66	
PE3750	53	
PE3755	38	

PART NUMBER INDEX

Model No.	Page	C/R
PE3756	41	
PE3758	42	
PE3759	40	
PE3764	Web	
PE3765	63	
PE3769	34	
PE3775	39	
PE3776	67	
PE3777	68	
PE3778	28	
PE3779	29	
PE3780	41	
PE3781	54	
PE3782	48	
PE3790	19	
PE3792	68	
PE3794	43	
PE3796	60	
PE3797	48	
PE3799	31	
PE3800	40	
PE3803	60	
PE3806	Web	
PE3807	66	
PE3808	62	
PE3809	36	
PE3810	38	
PE3811	41	
PE3814	28	
PE3815	74	
PE3816	72	
PE3818	28	
PE3819	40	
PE3820	40	
PE3821	30	
PE3822	30	
PE3823	30	
PE3824	30	
PE3825	32	
PE3826	32	
PE3827	48	
PE3828	33	
PE3829	Web	
PE3830	50	
PE3832	30	
PE3835	31	
PE3836	40	
PE3842	72	
PE3843	74	
PE3845	59	
PE3849	63	
PE3850	41	
PE3852	65	
PE3853	79	
PE3854	68	
PE3857	Web	
PE3858	40	
PE3864	30	
PE3865	29	
PE3867	29	
PE3871	31	
PE3874	52	
PE3876	40	
PE3882	55	
PE3883	62	
PE3885	37	
PE3886	41	
PE3887	33	
PE3895	Web	
PE3898	60	
PE3899	28	
PE3901	Web	
PE3902	62	
PE3903	Web	
PE3904	Web	
PE3906	66	
PE3908	38	
PE3911	33	
PE3914	73	
PE3915	79	
PE3916	80	
PE3917	80	
PE3918	63	
PE3919	63	
PE3920	48	
PE3921	49	
PE3922	Web	
PE3924	31	
PE3925	Web	
PE3929	Web	
PE3930	98	
PE3931	42	
PE3932	43	
PE3935	72	
PE3940	Web	
PE3944	36	
PE3949	68	
PE3950	73	
PE3953	72	

Model No.	Page	C/R
PE3954	70	
PE3956	31	
PE3957	32	
PE3958	30	
PE3959	31	
PE3960	65	
PE3961	32	
PE3962	48	
PE3963	48	
PE3965	Web	
PE3966	50	
PE3967	31	
PE3971	Web	
PE3973	31	
PE3977	49	
PE3979	50	
PE3982	51	
PE3983	50	
PE3986	Web	
PE3987	39	
PE3988	50	
PE3989	51	
PE3991	51	
PE3992	74	
PE3993	Web	
PE3995	Web	
PE3996	49	
PE3997	47	
PE3999	66	
PE33001	**33**	
PE33003	29	
PE33009	71	
PE33011	Web	
PE33013	56	
PE33021	55	
PE33047	42	
PE33053	60	
PE33068	74	
PE33071	46	
PE33084	43	
PE33098	91	
PE33117	34	
PE33120	41	
PE33121	80	
PE33122	Web	
PE33123	66	
PE33130	66	
PE33143	79	
PE33144	Web	
PE33154	61	
PE33158	43	
PE33165	79	
PE33168	54	
PE33175	80	
PE33176	43	
PE33178	55	
PE33179	93	
PE33185	56	
PE33188	92	
PE33191	43	
PE33196	92	
PE33197	92	
PE33231	17	
PE33232	17	
PE33233	19	
PE33236	48	
PE33247	93	
PE33254	42	
PE33257	41	
PE33258	37	
PE33261	81	
PE33267	60	
PE33269	48	
PE33270	93	
PE33288	47	
PE33293	60	
PE33304	65	
PE33316	91	
PE33321	48	
PE33330	94	
PE33349	Web	
PE33350	81	
PE33352	62	
PE33356	80	
PE33361	35	
PE33363	62	
PE33370	65	
PE33377	48	
PE33382	43	
PE33383	57	
PE33391	57	
PE33396	35	
PE33399	92	
PE33401	92	
PE33403	92	
PE33405	92	
PE33407	92	
PE33409	Web	
PE33412	92	

Model No.	Page	C/R
PE33414	92	
PE33416	Web	
PE33417	93	
PE33419	Web	
PE33420	35	
PE33421	93	
PE33423	Web	
PE33425	Web	
PE33426	95	
PE33428	Web	
PE33430	95	
PE33432	95	
PE33434	95	
PE33436	Web	
PE33437	92	
PE33438	60	
PE33439	Web	
PE33440	70	
PE33441	92	
PE33442	70	
PE33443	92	
PE33444	70	
PE33445	92	
PE33446	99	
PE33447	Web	
PE33448	Web	
PE33449	99	
PE33450	95	
PE33451	95	
PE33452	95	
PE33454	99	
PE33455	51	
PE33456	95	
PE33457	Web	
PE33458	Web	
PE33476	81	
PE33479	47	
PE33481	34	
PE33491	65	
PE33502	44	
PE33516	73	
PE33518	43	
PE33519	36	
PE33521	37	
PE33523	36	
PE33525	47	
PE33527	47	
PE33528	55	
PE33530	Web	
PE33532	55	
PE33534	50	
PE33535	57	
PE33536	55	
PE33537	65	
PE33539	65	
PE33541	65	
PE33543	50	
PE33545	55	
PE33546	71	
PE33547	41	
PE33548	71	
PE33550	71	
PE33552	71	
PE33554	71	
PE33555	34	
PE33556	62	
PE33557	71	
PE33559	71	
PE33561	71	
PE33563	71	
PE33565	71	
PE33567	71	
PE33574	66	
PE33580	62	
PE33583	65	
PE33586	94	
PE33600	41	
PE33605	94	
PE33615	51	
PE33641	61	
PE33643	63	
PE33644	Web	
PE33645	63	
PE33646	94	
PE33647	Web	
PE33649	63	
PE33650	79	
PE33652	79	
PE33654	80	
PE33656	80	
PE33657	38	
PE33658	62	
PE33660	Web	
PE33662	Web	
PE33664	Web	
PE33666	79	
PE33668	79	
PE33669	34	
PE33670	80	

Model No.	Page	C/R
PE33672	80	
PE33673	35	
PE33674	80	
PE33675	81	
PE33676	80	
PE33680	80	
PE33682	81	
PE33686	Web	
PE33688	Web	
PE33690	62	
PE33692	63	
PE33700	46	
PE33701	58	
PE33704	79	
PE33706	74	
PE33720	47	
PE33728	49	
PE33749	Web	
PE33753	56	
PE33762	46	
PE33778	65	
PE33789	43	
PE33825	69	
PE33837	79	
PE33844	34	
PE33864	43	
PE33889	41	
PE33896	Web	
PE33927	51	
PE33928	35	
PE33929	34	
PE33938	65	
PE33948	35	
PE33964	42	
PE33969	58	
PE33974	54	
PE33977	55	
PE33984	73	
PE33989	37	
PE33996	34	
PE34008	37	
PE34023	Web	
PE34035	66	
PE34061	40	
PE34069	37	
PE34070	43	
PE34071	43	
PE34078	63	
PE34098	Web	
PE34116	38	
PE34122	37	
PE34134	28	
PE34135	Web	
PE34138	48	
PE34140	Web	
PE34141	40	
PE34142	48	
PE34143	Web	
PE34144	Web	
PE34146	Web	
PE34148	Web	
PE34149	48	
PE34150	50	
PE34151	Web	
PE34152	Web	
PE34153	Web	
PE34154	Web	
PE34155	Web	
PE34156	Web	
PE34157	34	
PE34158	Web	
PE34159	Web	
PE34160	Web	
PE34161	Web	
PE34162	67	
PE34163	34	
PE34164	67	
PE34166	67	
PE34168	Web	
PE34169	34	
PE34170	67	
PE34171	34	
PE34173	Web	
PE34174	34	
PE34175	Web	
PE34176	Web	
PE34177	Web	
PE34178	34	
PE34179	41	
PE34180	28	
PE34181	50	
PE34182	28	
PE34183	Web	
PE34184	29	
PE34185	34	
PE34186	29	
PE34188	29	
PE34191	29	
PE34192	40	

Model No.	Page	C/R
PE34193	29	
PE34194	50	
PE34195	30	
PE34196	50	
PE34197	Web	
PE34198	50	
PE34199	Web	
PE34200	Web	
PE34201	50	
PE34202	30	
PE34203	49	
PE34204	Web	
PE34205	48	
PE34206	Web	
PE34207	49	
PE34208	40	
PE34209	40	
PE34210	Web	
PE34211	40	
PE34212	Web	
PE34213	40	
PE34214	Web	
PE34215	Web	
PE34216	Web	
PE34217	Web	
PE34218	55	
PE34219	Web	
PE34220	Web	
PE34221	Web	
PE34222	55	
PE34223	Web	
PE34224	31	
PE34225	Web	
PE34226	31	
PE34227	55	
PE34228	31	
PE34229	55	
PE34230	31	
PE34231	54	
PE34233	31	
PE34234	54	
PE34235	31	
PE34236	54	
PE34237	31	
PE34238	Web	
PE34240	78	
PE34241	Web	
PE34243	Web	
PE34244	Web	
PE34245	32	
PE34246	35	
PE34247	Web	
PE34248	Web	
PE34249	32	
PE34250	34	
PE34252	32	
PE34253	35	
PE34254	32	
PE34255	Web	
PE34256	32	
PE34257	33	
PE34259	Web	
PE34261	Web	
PE34263	33	
PE34265	33	
PE34266	51	
PE34268	33	
PE34269	79	
PE34270	33	
PE34271	57	
PE34272	51	
PE34273	Web	
PE34274	49	
PE34275	Web	
PE34276	Web	
PE34277	Web	
PE34279	57	
PE34280	Web	
PE34281	49	
PE34282	57	
PE34283	49	
PE34284	Web	
PE34285	Web	
PE34286	17	
PE34287	50	
PE34289	49	
PE34291	50	
PE34292	42	
PE34293	50	
PE34296	Web	
PE34297	41	
PE34299	41	
PE34303	41	
PE34305	Web	
PE34307	Web	
PE34309	Web	
PE34311	41	
PE34313	41	
PE34315	Web	

Model No.	Page	C/R
PE34316	56	
PE34317	Web	
PE34319	Web	
PE34321	Web	
PE34323	53	
PE34331	38	
PE34357	51	
PE34359	51	
PE34360	Web	
PE34361	53	
PE34374	37	
PE34388	66	
PE34396	39	
PE34397	39	
PE34398	38	
PE34405	42	
PE34406	35	
PE34407	Web	
PE34408	Web	
PE34409	73	
PE34410	Web	
PE34411	73	
PE34412	35	
PE34413	Web	
PE34414	35	
PE34415	Web	
PE34416	Web	
PE34417	Web	
PE34418	35	
PE34419	73	
PE34420	Web	
PE34421	74	
PE34422	35	
PE34423	Web	
PE34424	74	
PE34425	73	
PE34427	73	
PE34428	74	
PE34429	Web	
PE34430	74	
PE34431	73	
PE34432	74	
PE34433	73	
PE34434	65	
PE34435	Web	
PE34436	65	
PE34437	91	
PE34438	65	
PE34439	Web	
PE34440	Web	
PE34441	Web	
PE34442	Web	
PE34443	Web	
PE34445	65	
PE34447	64	
PE34448	Web	
PE34449	Web	
PE34450	Web	
PE34451	64	
PE34452	38	
PE34453	Web	
PE34454	36	
PE34455	38	
PE34456	36	
PE34458	36	
PE34459	Web	
PE34460	Web	
PE34461	Web	
PE34462	63	
PE34463	81	
PE34464	Web	
PE34465	81	
PE34466	Web	
PE34467	81	
PE34469	Web	
PE34470	Web	
PE34471	81	
PE34472	63	
PE34473	Web	
PE34474	Web	
PE34475	Web	
PE34476	63	
PE34477	Web	
PE34478	Web	
PE34479	Web	
PE34480	Web	
PE34481	Web	
PE34482	Web	
PE34483	Web	
PE34484	Web	
PE34485	80	
PE34486	Web	
PE34487	80	
PE34488	Web	
PE34489	80	
PE34490	Web	
PE34491	80	
PE34492	62	
PE34493	80	

PART NUMBER INDEX

Model No.	Page	C/R
PE34494	Web	
PE34495	80	
PE34496	62	
PE34497	Web	
PE34498	Web	
PE34499	Web	
PE34500	62	
PE34501	Web	
PE34502	Web	
PE34503	62	
PE34504	Web	
PE34505	62	
PE34506	57	
PE34507	Web	
PE34508	Web	
PE34509	62	
PE34510	Web	
PE34511	62	
PE34512	Web	
PE34518	62	
PE34520	70	
PE34532	Web	
PE34534	70	
PE34536	70	
PE34538	65	
PE34554	54	
PE34570	44	
PE34572	44	
PE34573	54	
PE34574	44	
PE34576	44	
PE34577	60	
PE34578	44	
PE34579	Web	
PE34580	44	
PE34581	60	
PE34582	44	
PE34583	60	
PE34584	Web	
PE34585	Web	
PE34586	44	
PE34587	60	
PE34588	Web	
PE34589	60	
PE34590	44	
PE34591	Web	
PE34592	Web	
PE34593	70	
PE34595	Web	
PE34597	70	
PE34598	78	
PE34600	Web	
PE34602	70	
PE34604	Web	
PE34614	38	
PE34680	55	
PE34681	96	
PE34683	96	
PE34685	96	
PE34687	97	
PE34689	97	
PE34690	97	
PE34692	97	
PE34693	47	
PE34694	97	
PE34696	97	
PE34701	93	
PE34703	93	
PE34705	93	
PE34709	43	
PE34721	62	
PE34727	53	
PE34729	45	
PE34731	45	
PE34733	45	
PE34735	45	
PE34737	45	
PE34739	45	
PE34741	45	
PE34743	45	
PE34745	45	
PE34747	45	
PE34749	45	
PE34751	45	
PE34764	38	
PE34770	Web	
PE34801	51	
PE34833	42	
PE34834	42	
PE34835	42	
PE34836	42	
PE34853	39	
PE34854	39	
PE34856	61	
PE34858	Web	
PE34860	61	
PE34862	61	
PE34864	Web	
PE34866	61	

Model No.	Page	C/R
PE34879	78	
PE34881	78	
PE34883	78	
PE34885	78	
PE34887	37	
PE34889	78	
PE34891	78	
PE34893	Web	
PE34895	78	
PE34917	42	
PE34966	54	
PE35021	60	
PE35028	19	
PE35064	43	
PE35100	57	
PE35108	43	
PE35109	37	
PE35110	44	
PE35112	44	
PE35114	43	
PE35116	44	
PE35118	44	
PE35121	44	
PE35148	66	
PE35154	43	
PE35207	69	
PE35208	Web	
PE35209	69	
PE35210	39	
PE35211	69	
PE35212	38	
PE35213	69	
PE35214	58	
PE35215	Web	
PE35216	58	
PE35217	69	
PE35218	Web	
PE35219	69	
PE35220	Web	
PE35221	53	
PE35222	Web	
PE35223	54	
PE35224	Web	
PE35225	Web	
PE35226	Web	
PE35227	53	
PE35228	58	
PE35229	70	
PE35230	58	
PE35231	Web	
PE35232	58	
PE35233	Web	
PE35234	Web	
PE35235	70	
PE35236	58	
PE35237	Web	
PE35238	58	
PE35239	Web	
PE35240	Web	
PE35241	54	
PE35242	Web	
PE35243	Web	
PE35244	Web	
PE35245	54	
PE35246	39	
PE35247	54	
PE35249	54	
PE35256	66	
PE35269	53	
PE35283	58	
PE35284	51	
PE35347	40	
PE35348	98	
PE35349	98	
PE35350	94	
PE35351	39	
PE35352	98	
PE35353	Web	
PE35354	Web	
PE35355	39	
PE35356	98	
PE35357	Web	
PE35358	94	
PE35359	Web	
PE35360	98	
PE35361	Web	
PE35362	94	
PE35363	Web	
PE35364	Web	
PE35365	Web	
PE35366	Web	
PE35367	Web	
PE35368	Web	
PE35369	98	
PE35370	94	
PE35371	Web	
PE35373	Web	
PE35375	Web	
PE35384	74	

Model No.	Page	C/R
PE35404	43	
PE35418	17	
PE35419	17	
PE35420	19	
PE35421	17	
PE35422	17	
PE35423	17	
PE35424	19	
PE35430	32	
PE35463	79	
PE35475	17	
PE35508	54	
PE35522	47	
PE35527	38	
PE35571	28	
PE35580	67	
PE35591	21	
PE35606	21	
PE35611	21	
PE35639	46	
PE35652	46	
PE35654	46	
PE35656	Web	
PE35658	46	
PE35660	45	
PE35662	Web	
PE35664	45	
PE35666	32	
PE35668	32	
PE35670	Web	
PE35671	56	
PE35672	Web	
PE35711	57	
PE35729	66	
PE35784	28	
PE35785	51	
PE35789	57	
PE35874	66	
PE35886	57	
PE35900	59	
PE35952	17	
PE35953	Web	
PE35954	17	
PE35955	Web	
PE35956	19	
PE35957	61	
PE35958	19	
PE35959	61	
PE35962	Web	
PE35963	52	
PE35964	Web	
PE35965	61	
PE35981	33	
PE35997	57	
PE36058	35	
PE36065	53	
PE36066	66	
PE36067	51	
PE36068	58	
PE36072	53	
PE36108	38	
PE36109	98	
PE36110	Web	
PE36111	98	
PE36112	38	
PE36113	Web	
PE36114	Web	
PE36115	Web	
PE36116	Web	
PE36117	Web	
PE36118	Web	
PE36119	Web	
PE36120	Web	
PE36121	Web	
PE36122	Web	
PE36123	Web	
PE36124	Web	
PE36125	Web	
PE36126	Web	
PE36127	94	
PE36128	Web	
PE36129	94	
PE36130	Web	
PE36131	Web	
PE36132	95	
PE36134	59	
PE36135	95	
PE36136	59	
PE36137	95	
PE36138	Web	
PE36139	95	
PE36140	Web	
PE36141	95	
PE36142	59	
PE36143	95	
PE36144	59	
PE36145	93	
PE36146	75	
PE36147	93	

Model No.	Page	C/R
PE36148	75	
PE36149	93	
PE36150	75	
PE36151	93	
PE36152	75	
PE36153	93	
PE36154	75	
PE36155	93	
PE36156	75	
PE36157	Web	
PE36158	75	
PE36159	Web	
PE36160	75	
PE36161	35	
PE36162	37	
PE36163	Web	
PE36164	37	
PE36165	35	
PE36166	37	
PE36167	Web	
PE36168	37	
PE36169	Web	
PE36170	52	
PE36171	35	
PE36172	Web	
PE36173	35	
PE36174	Web	
PE36178	52	
PE36181	47	
PE36200	33	
PE36201	30	
PE36219	66	
PE36228	43	
PE36273	47	
PE36344	96	
PE36345	72	
PE36362	54	
PE36417	31	
PE36455	72	
PE36475	29	
PE36519	46	
PE36520	64	
PE36521	46	
PE36522	64	
PE36523	46	
PE36524	64	
PE36525	46	
PE36526	64	
PE36527	Web	
PE36528	Web	
PE36529	Web	
PE36530	Web	
PE36531	45	
PE36532	64	
PE36533	45	
PE36534	Web	
PE36535	Web	
PE36536	Web	
PE36537	Web	
PE36538	64	
PE36539	Web	
PE36540	64	
PE36541	Web	
PE36542	64	
PE36555	57	
PE36569	Web	
PE36570	Web	
PE36571	Web	
PE36572	Web	
PE36573	Web	
PE36574	46	
PE36589	47	
PE36634	47	
PE36657	59	
PE36661	36	
PE36674	21	
PE36676	21	
PE36678	21	
PE36689	Web	
PE36690	Web	
PE36799	78	
PE36848	35	
PE36910	54	
PE36958	51	
PE36963	38	
PE37099	79	
PE37120	39	
PE37137	58	
PE37163	95	
PE37250	69	
PE37357	51	
PE37401	32	
PE37450	59	
PE37478	58	
PE37536	69	
PE37563	58	
PE37580	35	
PE37594	58	
PE37600	59	

Model No.	Page	C/R
PE37640	72	
PE37782	68	
PE37808	92	
PE37840	240	
PE37841	240	
PE37842	241	
PE37843	241	
PE37844	241	
PE37845	241	
PE37846	241	
PE37847	241	
PE37848	241	
PE37849	241	
PE37850	241	
PE37851	241	
PE37859	57	
PE37885	57	
PE37900	39	
PE37908	28	
PE37940	47	
PE37941	47	
PE37942	47	
PE37943	47	
PE37944	48	
PE37945	48	
PE37946	49	
PE37947	49	
PE37948	49	
PE37949	49	
PE37950	49	
PE37951	49	
PE37952	58	
PE37953	Web	
PE37954	59	
PE37955	59	
PE37956	Web	
PE37957	Web	
PE37958	Web	
PE37959	Web	
PE37960	Web	
PE37961	Web	
PE37962	59	
PE37963	59	
PE37968	48	
PE37969	49	
PE37970	49	
PE37971	59	
PE37972	59	
PE37973	59	
PE37980	51	
PE37995	30	
PE38040	93	
PE38052	42	
PE38059	28	
PE38093	41	
PE38116	37	
PE38130	92	
PE38131	92	
PE38132	93	
PE38133	96	
PE38134	96	
PE38135	96	
PE38136	95	
PE38137	95	
PE38138	96	
PE38139	96	
PE38140	97	
PE38141	97	
PE38157	60	
PE38161	74	
PE38184	43	
PE38194	55	
PE38231	78	
PE38240	31	
PE38249	72	
PE38270	74	
PE38271	74	
PE38272	74	
PE38273	37	
PE38274	37	
PE38275	37	
PE38276	42	
PE38277	42	
PE38278	42	
PE38295	76	
PE38296	76	
PE38297	76	
PE38298	76	
PE38299	76	
PE38300	77	
PE38301	77	
PE38302	77	
PE38303	77	
PE38304	77	
PE38322	78	
PE38343	95	
PE38344	68	
PE38407	46	
PE38433	33	

Model No.	Page	C/R
PE38436	52	
PE38446	74	
PE38447	74	
PE38448	74	
PE38449	74	
PE38450	53	
PE38451	53	
PE38452	53	
PE38453	53	
PE38454	55	
PE38455	56	
PE38456	55	
PE38457	56	
PE38485	75	
PE38486	75	
PE38487	75	
PE38488	75	
PE38489	53	
PE38490	53	
PE38491	53	
PE38492	53	
PE38493	56	
PE38494	56	
PE38495	56	
PE38496	56	
PE38502	76	
PE38506	72	
PE38574	41	
PE38584	59	
PE38624	29	
PE38628	28	
PE38632	60	
PE38638	30	
PE38642	35	
PE38645	33	
PE38670	55	
PE38672	50	
PE38674	60	
PE38679	78	
PE38699	55	
PE38700	36	
PE38719	61	
PE38746A	84	
PE38746B	84	
PE38746C	84	
PE38746D	84	
PE38746H	84	
PE38746I	84	
PE38746K	84	
PE38746Z	84	
PE38747A	82	
PE38747B	82	
PE38747C	82	
PE38747D	82	
PE38747H	82	
PE38747I	82	
PE38747K	82	
PE38747Z	82	
PE38748A	83	
PE38748B	83	
PE38748C	83	
PE38748D	83	
PE38748H	83	
PE38748I	83	
PE38748K	83	
PE38748Z	83	
PE38749A	85	
PE38749B	85	
PE38749C	85	
PE38749D	85	
PE38749H	85	
PE38749I	85	
PE38749K	85	
PE38749Z	85	
PE38750A	84	
PE38750B	85	
PE38750C	85	
PE38750D	85	
PE38750H	84	
PE38750I	85	
PE38750K	85	
PE38750Z	85	
PE38751A	82	
PE38751B	82	
PE38751C	82	
PE38751D	82	
PE38751H	82	
PE38751I	82	
PE38751K	82	
PE38751Z	82	
PE38752A	83	
PE38752B	83	
PE38752C	83	
PE38752D	84	
PE38752H	83	
PE38752I	83	
PE38752K	83	
PE38752Z	84	
PE38753A	86	

PART NUMBER INDEX

Model No.	Page	C/R
PE38753B	86	
PE38753C	86	
PE38753D	86	
PE38753H	86	
PE38753I	86	
PE38753K	86	
PE38753Z	86	
PE38754A	85	
PE38754B	85	
PE38754C	85	
PE38754D	85	
PE38754H	85	
PE38754I	85	
PE38754K	85	
PE38754Z	85	
PE38755A	83	
PE38755B	83	
PE38755C	83	
PE38755D	83	
PE38755H	83	
PE38755I	83	
PE38755K	83	
PE38755Z	83	
PE38756A	84	
PE38756B	84	
PE38756C	84	
PE38756D	84	
PE38756H	84	
PE38756I	84	
PE38756K	84	
PE38756Z	84	
PE38757A	86	
PE38757B	86	
PE38757C	86	
PE38757D	86	
PE38757H	86	
PE38757I	86	
PE38757K	86	
PE38757Z	86	
PE38804	69	
PE38813	77	
PE38830	56	
PE38857	77	
PE38858	77	
PE38881	76	
PE38889	76	
PE38890	76	
PE38920	40	
PE38930	77	
PE38934	48	
PE38997	67	
PE39035	77	
PE39078	76	
PE39082	55	
PE39087	28	
PE39108	67	
PE39120	81	
PE39138	41	
PE39143	52	
PE39148	30	
PE39185	72	
PE39197A	87	
PE39197B	87	
PE39197C	87	
PE39197D	87	
PE39197H	87	
PE39197I	87	
PE39197K	87	
PE39197Z	87	
PE39199A	89	
PE39199B	89	
PE39199C	89	
PE39199D	89	
PE39199H	89	
PE39199I	89	
PE39199K	89	
PE39199Z	89	
PE39229	74	
PE39255	58	
PE39260	94	
PE39342A	86	
PE39342B	86	
PE39342C	86	
PE39342D	87	
PE39342H	86	
PE39342I	86	
PE39342K	86	
PE39342Z	87	
PE39343A	87	
PE39343B	87	
PE39343C	87	
PE39343D	87	
PE39343H	87	
PE39343I	87	
PE39343K	87	
PE39343Z	87	
PE39344A	87	
PE39344B	88	
PE39344C	88	

Model No.	Page	C/R
PE39344D	88	
PE39344H	87	
PE39344I	88	
PE39344K	88	
PE39344Z	88	
PE39345A	88	
PE39345B	88	
PE39345C	88	
PE39345D	88	
PE39345H	88	
PE39345I	88	
PE39345K	88	
PE39345Z	88	
PE39346A	88	
PE39346B	88	
PE39346C	88	
PE39346D	88	
PE39346H	88	
PE39346I	88	
PE39346K	88	
PE39346Z	88	
PE39347A	89	
PE39347B	89	
PE39347C	89	
PE39347D	89	
PE39347H	89	
PE39347I	89	
PE39347K	89	
PE39347Z	89	
PE39348A	89	
PE39348B	89	
PE39348C	89	
PE39348D	90	
PE39348H	89	
PE39348I	89	
PE39348K	89	
PE39348Z	90	
PE39349A	90	
PE39349B	90	
PE39349C	90	
PE39349D	90	
PE39349H	90	
PE39349I	90	
PE39349K	90	
PE39349Z	90	
PE39350A	90	
PE39350B	90	
PE39350C	90	
PE39350D	90	
PE39350H	90	
PE39350I	90	
PE39350K	90	
PE39350Z	90	
PE39351A	90	
PE39351B	91	
PE39351C	91	
PE39351D	91	
PE39351H	90	
PE39351I	91	
PE39351K	91	
PE39351Z	91	
PE39415	22	
PE39416	23	
PE39417	23	
PE39418	23	
PE39419	23	
PE39420	23	
PE39421	23	
PE39422	23	
PE39423	22	
PE39424	23	
PE39425	23	
PE39426	23	
PE39427	23	
PE39428	23	
PE39429	22	
PE39430	23	
PE39431	23	
PE39432	23	
PE39433	23	
PE39434	23	
PE39435	23	
PE39436	23	
PE39437	22	
PE39438	23	
PE39439	23	
PE39440	23	
PE39441	23	
PE39442	23	
PE39443	24	
PE39444	25	
PE39445	25	
PE39446	25	
PE39447	25	
PE39448	25	
PE39449	25	
PE39450	25	
PE39451	24	
PE39452	25	

Model No.	Page	C/R
PE39453	25	
PE39454	25	
PE39455	25	
PE39456	25	
PE39457	24	
PE39458	25	
PE39459	25	
PE39460	25	
PE39461	25	
PE39462	25	
PE39463	25	
PE39464	25	
PE39465	24	
PE39466	25	
PE39467	25	
PE39468	25	
PE39469	25	
PE39470	25	
PE39471	26	
PE39472	27	
PE39473	27	
PE39474	27	
PE39475	27	
PE39476	27	
PE39477	27	
PE39478	27	
PE39479	26	
PE39480	27	
PE39481	27	
PE39482	27	
PE39483	27	
PE39484	27	
PE39485	26	
PE39486	27	
PE39487	27	
PE39488	27	
PE39489	27	
PE39490	27	
PE39491	27	
PE39492	27	
PE39493	26	
PE39494	27	
PE39495	27	
PE39496	27	
PE39497	27	
PE39498	27	
PE300000	**244**	
PE300001	244	
PE300002	244	
PE300003	244	
PE300004	244	
PE300005	244	
PE300006	244	
PE300007	244	
PE300008	244	
PE300009	244	
PE300010	245	
PE300011	245	
PE300012	245	
PE300013	245	
PE300014	245	
PE300015	245	
PE300016	246	
PE300017	246	
PE300018	245	
PE300019	245	
PE300020	245	
PE300021	245	
PE300022	246	
PE300023	246	
PE300024	246	
PE300025	246	
PE300026	246	
PE300027	246	
PE300028	247	
PE300029	247	
PE300030	246	
PE300031	246	
PE300032	246	
PE300033	246	
PE300034	247	
PE300035	247	
PE300107	244	
PE300109	244	
PE300111	245	
PE300121	245	
PE300131	246	
PE300133	247	
PE300200	247	
PE300300	99	
PE300408	244	
PE300418	245	
PE300420	245	
PE300432	247	
PE300509	243	
PE300511	243	
PE300521	243	
PE300531	243	
PE300533	243	

Model No.	Page	C/R
PE4000	**115**	**14**
PE4001	114	37
PE4002	111	43
PE4003	111	5
PE4004	115	4
PE4005	111	29
PE4006	121	30
PE4007	111	33
PE4008	111	11
PE4009	111	40
PE4010	145	32
PE4011	145	35
PE4012	128	28
PE4013	124	3
PE4014	145	26
PE4015	145	25
PE4016	143	15
PE4017	139	3
PE4018	143	16
PE4019	139	4
PE4020	128	19
PE4021	128	25
PE4022	128	24
PE4023	143	31
PE4024	143	32
PE4025	111	55
PE4026	111	18
PE4027	111	22
PE4028	111	47
PE4029	111	48
PE4030	112	12
PE4031	112	13
PE4032	112	34
PE4033	112	35
PE4034	112	50
PE4035	112	51
PE4036	111	30
PE4037	111	32
PE4038	111	57
PE4039	111	58
PE4040	112	22
PE4041	112	23
PE4042	121	22
PE4043	143	11
PE4044	143	19
PE4045	129	23
PE4046	137	18
PE4047	124	21
PE4048	121	19
PE4049	145	28
PE4051	130	4
PE4052	137	25
PE4053	143	48
PE4054	125	9
PE4055	145	31
PE4056	144	30
PE4057	144	15
PE4058	144	14
PE4059	122	43
PE4060	123	19
PE4061	122	39
PE4062	121	38
PE4063	126	35
PE4064	126	41
PE4065	126	34
PE4066	125	35
PE4067	124	31
PE4068	125	21
PE4069	128	14
PE4070	144	5
PE4071	124	20
PE4072	122	41
PE4073	128	15
PE4074	129	24
PE4075	146	16
PE4076	146	20
PE4077	145	27
PE4078	144	28
PE4079	144	4
PE4080	137	19
PE4081	121	40
PE4082	145	24
PE4083	111	54
PE4084	143	28
PE4085	111	16
PE4088	124	30
PE4089	159	3
PE4091	145	29
PE4092	143	49
PE4093	146	15
PE4094	130	11
PE4095	130	16
PE4096	138	1
PE4097	138	6
PE4098	146	21
PE4099	115	7
PE4100	147	32
PE4101	114	30
PE4102	143	50

Model No.	Page	C/R
PE4104	158	3
PE4105	158	5
PE4106	144	18
PE4107	130	25
PE4108	111	45
PE4109	143	30
PE4110	155	2
PE4112	111	28
PE4113	122	59
PE4114	123	5
PE4115	112	19
PE4116	112	20
PE4117	114	24
PE4118	114	25
PE4119	112	42
PE4120	112	41
PE4121	112	53
PE4122	112	54
PE4123	115	25
PE4124	114	19
PE4125	114	17
PE4126	114	18
PE4127	114	16
PE4128	115	1
PE4129	121	31
PE4130	122	32
PE4131	123	33
PE4132	121	42
PE4133	121	24
PE4134	122	27
PE4135	122	16
PE4136	122	15
PE4137	123	36
PE4138	122	31
PE4139	123	34
PE4140	121	45
PE4141	123	18
PE4142	124	27
PE4143	124	26
PE4144	125	17
PE4145	125	16
PE4146	125	8
PE4147	125	34
PE4148	125	33
PE4149	125	28
PE4150	125	27
PE4151	125	24
PE4152	125	31
PE4153	125	26
PE4154	124	32
PE4155	125	20
PE4156	124	19
PE4157	154	8
PE4158	150	22
PE4159	137	26
PE4160	130	5
PE4161	154	16
PE4162	150	27
PE4163	154	21
PE4164	150	31
PE4165	154	26
PE4166	151	2
PE4167	138	15
PE4168	155	4
PE4169	151	8
PE4170	138	14
PE4171	130	24
PE4172	155	3
PE4173	151	7
PE4174	138	26
PE4175	130	36
PE4176	151	12
PE4177	138	27
PE4178	131	2
PE4179	155	8
PE4180	151	13
PE4181	147	6
PE4182	132	27
PE4183	133	6
PE4184	120	8
PE4186	115	10
PE4187	112	31
PE4188	112	44
PE4189	114	27
PE4190	114	23
PE4191	122	25
PE4192	132	20
PE4193	147	19
PE4194	147	26
PE4195	143	42
PE4196	112	48
PE4197	112	49
PE4198	132	28
PE4199	120	9
PE4200	137	23
PE4201	130	2
PE4202	130	3
PE4203	154	13
PE4204	144	9

Model No.	Page	C/R
PE4205	144	10
PE4206	143	26
PE4207	143	27
PE4208	144	20
PE4209	144	22
PE4210	143	9
PE4211	145	23
PE4212	144	13
PE4213	111	31
PE4214	111	19
PE4215	111	8
PE4216	115	11
PE4217	115	13
PE4218	115	16
PE4219	114	31
PE4220	115	23
PE4221	121	36
PE4222	121	46
PE4223	123	4
PE4224	121	37
PE4225	147	7
PE4226	146	24
PE4227	146	25
PE4228	147	23
PE4229	133	4
PE4230	133	2
PE4231	132	2
PE4232	132	1
PE4233	143	2
PE4234	159	4
PE4235	159	6
PE4236	159	5
PE4237	159	7
PE4238	159	9
PE4239	148	1
PE4240	149	2
PE4241	149	6
PE4242	148	14
PE4243	148	12
PE4244	148	20
PE4245	138	20
PE4246	130	30
PE4247	143	8
PE4248	154	6
PE4249	150	21
PE4250	137	24
PE4251	154	14
PE4252	150	26
PE4253	154	20
PE4254	150	30
PE4255	154	25
PE4256	151	1
PE4257	154	12
PE4258	150	25
PE4259	150	24
PE4260	137	30
PE4261	137	31
PE4262	130	9
PE4263	130	10
PE4264	154	19
PE4265	154	18
PE4266	150	29
PE4267	150	28
PE4268	138	4
PE4269	138	5
PE4270	130	14
PE4271	130	15
PE4272	154	24
PE4273	154	23
PE4274	150	34
PE4275	150	33
PE4276	138	11
PE4277	138	12
PE4278	130	21
PE4279	130	22
PE4280	154	29
PE4281	154	28
PE4282	151	5
PE4283	151	4
PE4284	138	16
PE4285	130	26
PE4286	155	5
PE4287	151	9
PE4288	138	13
PE4289	130	23
PE4290	155	1
PE4291	151	6
PE4292	155	7
PE4293	151	11
PE4294	111	10
PE4295	128	12
PE4296	111	38
PE4297	123	6
PE4298	143	41
PE4299	146	19
PE4300	114	36
PE4301	159	2
PE4302	124	16
PE4303	124	28

PART NUMBER INDEX

Model No.	Page	C/R
PE4304	125	29
PE4305	126	36
PE4306	126	38
PE4307	143	44
PE4308	144	6
PE4309	144	21
PE4310	144	29
PE4311	147	21
PE4312	147	20
PE4313	147	18
PE4314	147	17
PE4315	147	36
PE4316	147	31
PE4317	145	36
PE4318	145	30
PE4319	144	25
PE4320	143	47
PE4321	144	11
PE4322	132	10
PE4323	132	13
PE4324	159	10
PE4325	112	4
PE4326	112	7
PE4327	111	42
PE4328	124	1
PE4329	121	20
PE4330	122	42
PE4331	121	41
PE4332	111	21
PE4333	147	30
PE4334	139	5
PE4335	139	6
PE4336	139	7
PE4337	139	8
PE4338	139	9
PE4339	139	10
PE4340	139	12
PE4341	139	13
PE4342	129	2
PE4343	147	27
PE4344	121	8
PE4345	143	43
PE4346	158	4
PE4347	158	6
PE4348	143	3
PE4349	147	25
PE4350	146	14
PE4351	143	14
PE4352	143	1
PE4353	112	45
PE4354	114	14
PE4355	123	41
PE4356	137	22
PE4357	130	1
PE4358	137	29
PE4359	130	8
PE4360	138	3
PE4361	130	13
PE4362	138	10
PE4363	130	20
PE4364	138	7
PE4365	130	17
PE4366	138	19
PE4367	130	29
PE4368	155	6
PE4369	151	10
PE4370	115	2
PE4371	122	56
PE4372	122	28
PE4373	147	5
PE4374	148	32
PE4375	148	6
PE4376	121	44
PE4377	143	33
PE4378	143	13
PE4379	143	20
PE4380	143	25
PE4381	143	17
PE4382	143	18
PE4383	143	24
PE4384	143	29
PE4385	143	5
PE4386	143	21
PE4387	143	46
PE4388	143	45
PE4389	144	12
PE4390	144	2
PE4391	144	26
PE4392	144	16
PE4393	143	40
PE4394	145	34
PE4395	145	33
PE4396	143	39
PE4397	144	7
PE4398	111	6
PE4399	111	20
PE4400	111	15
PE4401	111	2
PE4402	111	23

Model No.	Page	C/R
PE4403	111	17
PE4404	111	26
PE4405	111	41
PE4406	111	56
PE4407	111	44
PE4408	111	37
PE4409	111	49
PE4410	111	52
PE4411	112	11
PE4412	112	8
PE4413	112	6
PE4414	112	5
PE4415	112	9
PE4416	112	2
PE4417	112	14
PE4418	112	17
PE4419	112	30
PE4420	112	28
PE4421	112	33
PE4422	112	26
PE4423	112	43
PE4424	112	32
PE4425	112	24
PE4426	112	36
PE4427	112	27
PE4428	112	46
PE4429	121	16
PE4430	121	18
PE4431	121	23
PE4432	121	21
PE4433	121	39
PE4434	121	29
PE4435	122	24
PE4436	122	26
PE4437	122	38
PE4438	122	23
PE4439	122	30
PE4440	122	55
PE4441	123	2
PE4442	122	52
PE4443	123	1
PE4444	124	2
PE4445	148	8
PE4446	124	17
PE4447	124	18
PE4448	124	29
PE4449	124	23
PE4450	125	5
PE4451	125	3
PE4452	125	10
PE4453	125	4
PE4454	125	6
PE4455	125	2
PE4456	125	7
PE4457	125	15
PE4458	125	13
PE4459	125	14
PE4460	125	22
PE4461	125	18
PE4462	125	12
PE4463	125	19
PE4464	125	32
PE4465	125	25
PE4466	125	23
PE4467	125	30
PE4468	126	39
PE4469	126	37
PE4470	126	33
PE4471	126	40
PE4472	154	10
PE4473	132	21
PE4474	132	22
PE4475	132	25
PE4476	132	26
PE4477	132	24
PE4478	132	23
PE4479	132	29
PE4480	133	3
PE4481	133	5
PE4482	122	7
PE4483	122	8
PE4484	122	10
PE4485	122	9
PE4486	124	5
PE4487	124	4
PE4488	123	35
PE4489	123	29
PE4490	123	30
PE4491	123	32
PE4492	123	40
PE4493	146	13
PE4494	146	18
PE4495	147	22
PE4496	147	24
PE4497	147	28
PE4498	147	29
PE4499	148	2
PE4500	148	3
PE4501	148	4

Model No.	Page	C/R
PE4502	149	16
PE4503	149	23
PE4504	149	20
PE4505	149	21
PE4506	149	22
PE4507	149	15
PE4508	149	11
PE4509	149	14
PE4510	149	10
PE4511	149	13
PE4512	149	9
PE4513	149	12
PE4514	149	19
PE4515	149	18
PE4516	149	17
PE4517	148	7
PE4518	148	5
PE4519	132	6
PE4520	132	4
PE4521	129	3
PE4522	137	27
PE4523	137	20
PE4524	116	23
PE4525	116	6
PE4526	116	7
PE4527	115	17
PE4528	114	33
PE4529	114	29
PE4530	114	35
PE4531	114	15
PE4532	114	34
PE4533	115	6
PE4534	114	21
PE4535	114	22
PE4536	114	28
PE4537	115	15
PE4538	115	12
PE4539	115	8
PE4540	115	18
PE4541	114	20
PE4542	116	13
PE4543	116	14
PE4544	114	13
PE4545	116	24
PE4546	115	9
PE4547	112	47
PE4548	112	52
PE4549	114	32
PE4550	121	9
PE4551	136	5
PE4552	136	4
PE4553	136	10
PE4554	136	11
PE4555	137	12
PE4556	137	14
PE4557	130	6
PE4558	129	25
PE4559	137	8
PE4560	137	1
PE4561	136	27
PE4562	136	16
PE4563	132	11
PE4564	132	12
PE4565	132	14
PE4566	127	23
PE4567	127	21
PE4568	127	13
PE4569	127	12
PE4570	127	10
PE4571	127	11
PE4572	128	8
PE4573	128	10
PE4574	128	9
PE4575	127	38
PE4576	111	14
PE4577	111	13
PE4578	111	7
PE4579	111	46
PE4580	111	39
PE4581	112	39
PE4587	111	35
PE4589	111	12
PE4590	111	34
PE4591	112	10
PE4592	112	21
PE4593	137	21
PE4594	129	26
PE4595	137	28
PE4596	130	7
PE4597	156	22
PE4598	156	18
PE4599	156	21
PE4600	156	17
PE4601	156	20
PE4602	156	14
PE4603	156	19
PE4604	156	12
PE4605	156	30
PE4606	156	29

Model No.	Page	C/R
PE4607	156	28
PE4608	156	26
PE4609	156	27
PE4610	156	25
PE4611	157	6
PE4612	157	5
PE4613	157	4
PE4614	157	2
PE4615	157	3
PE4616	157	1
PE4617	157	27
PE4618	157	30
PE4619	157	21
PE4620	157	20
PE4621	157	22
PE4622	157	26
PE4623	157	17
PE4624	157	23
PE4625	157	19
PE4626	157	25
PE4627	157	18
PE4628	157	31
PE4629	157	24
PE4630	157	28
PE4631	157	29
PE4632	144	27
PE4633	156	8
PE4634	156	9
PE4635	157	15
PE4636	157	14
PE4637	157	13
PE4638	157	11
PE4639	157	12
PE4640	157	10
PE4641	157	8
PE4642	157	9
PE4643	143	12
PE4644	129	13
PE4645	122	37
PE4646	122	40
PE4647	121	17
PE4648	124	35
PE4649	124	36
PE4650	143	36
PE4651	143	37
PE4652	122	45
PE4653	122	46
PE4654	123	8
PE4655	123	9
PE4656	149	8
PE4657	146	17
PE4658	150	23
PE4659	125	49
PE4660	125	39
PE4661	125	40
PE4662	125	50
PE4663	125	43
PE4664	125	41
PE4665	125	51
PE4666	125	42
PE4667	125	47
PE4668	125	38
PE4669	125	48
PE4670	125	45
PE4671	125	52
PE4672	125	46
PE4673	125	53
PE4674	125	44
PE4675	126	5
PE4676	126	7
PE4677	126	3
PE4678	126	2
PE4679	126	8
PE4680	126	6
PE4681	126	1
PE4682	126	4
PE4683	126	18
PE4684	126	20
PE4685	126	14
PE4686	126	12
PE4687	126	13
PE4688	126	21
PE4689	126	19
PE4690	126	11
PE4691	126	17
PE4692	126	15
PE4693	126	16
PE4694	126	30
PE4695	126	25
PE4696	126	23
PE4697	126	31
PE4698	126	24
PE4699	126	29
PE4700	126	22
PE4701	126	28
PE4702	126	26
PE4703	126	27
PE4704	127	1
PE4705	127	4

Model No.	Page	C/R
PE4706	127	2
PE4707	127	3
PE4708	126	42
PE4709	146	23
PE4710	146	22
PE4711	144	42
PE4712	144	32
PE4713	144	33
PE4714	144	43
PE4715	144	36
PE4716	144	34
PE4717	144	44
PE4718	144	35
PE4719	144	40
PE4720	144	31
PE4721	144	41
PE4722	144	38
PE4723	144	45
PE4724	144	39
PE4725	144	46
PE4726	144	37
PE4727	144	52
PE4728	144	54
PE4729	144	49
PE4730	144	48
PE4731	144	53
PE4732	144	50
PE4733	144	47
PE4734	144	51
PE4735	145	9
PE4736	145	11
PE4737	145	4
PE4738	145	2
PE4739	145	3
PE4740	145	10
PE4741	145	7
PE4742	145	1
PE4743	145	8
PE4744	145	5
PE4745	145	6
PE4746	145	21
PE4747	145	15
PE4748	145	13
PE4749	145	20
PE4750	145	14
PE4751	145	18
PE4752	145	12
PE4753	145	19
PE4754	145	16
PE4755	145	17
PE4756	146	8
PE4757	146	4
PE4758	146	3
PE4759	146	6
PE4760	146	9
PE4761	146	1
PE4762	146	2
PE4763	146	7
PE4764	146	5
PE4765	145	22
PE4766	113	11
PE4767	113	7
PE4768	113	16
PE4769	113	6
PE4770	113	8
PE4771	113	3
PE4772	113	14
PE4773	113	9
PE4774	113	4
PE4775	113	15
PE4776	113	10
PE4777	113	5
PE4778	113	12
PE4779	113	13
PE4780	113	23
PE4781	113	20
PE4782	113	28
PE4783	113	19
PE4784	113	21
PE4785	113	17
PE4786	113	26
PE4787	113	22
PE4788	113	18
PE4789	113	27
PE4790	113	24
PE4791	113	25
PE4792	113	37
PE4793	113	34
PE4794	113	42
PE4795	113	33
PE4796	113	35
PE4797	113	31
PE4798	113	40
PE4799	113	32
PE4800	142	17
PE4801	142	14
PE4802	142	15
PE4803	142	16
PE4804	142	25

Model No.	Page	C/R
PE4805	142	22
PE4806	142	23
PE4807	142	24
PE4808	141	23
PE4809	141	20
PE4810	141	21
PE4811	141	22
PE4812	141	31
PE4813	141	28
PE4814	141	29
PE4815	141	30
PE4816	142	30
PE4817	142	27
PE4818	142	28
PE4819	142	29
PE4820	142	38
PE4821	142	35
PE4822	142	36
PE4823	142	37
PE4824	142	4
PE4825	142	1
PE4826	142	2
PE4827	142	3
PE4828	142	12
PE4829	142	9
PE4830	142	10
PE4831	142	11
PE4832	142	42
PE4833	142	40
PE4834	142	43
PE4835	142	41
PE4837	142	18
PE4838	142	26
PE4839	142	20
PE4840	142	21
PE4841	142	19
PE4842	141	24
PE4843	141	32
PE4844	141	26
PE4845	141	27
PE4846	141	25
PE4847	142	31
PE4848	142	39
PE4849	142	33
PE4850	113	36
PE4851	113	41
PE4852	113	38
PE4853	113	39
PE4854	113	49
PE4855	113	46
PE4856	113	54
PE4857	113	45
PE4858	113	47
PE4859	113	43
PE4860	113	52
PE4861	113	48
PE4862	113	44
PE4863	113	53
PE4864	113	50
PE4865	113	51
PE4866	115	31
PE4867	115	30
PE4868	115	29
PE4869	116	27
PE4870	116	28
PE4871	115	28
PE4872	117	1
PE4873	116	25
PE4874	116	26
PE4875	117	2
PE4876	136	8
PE4877	136	14
PE4878	136	3
PE4879	136	9
PE4880	136	6
PE4881	136	7
PE4882	136	12
PE4883	136	13
PE4884	136	17
PE4885	136	15
PE4886	136	20
PE4887	136	19
PE4888	136	18
PE4889	137	11
PE4890	137	13
PE4891	137	3
PE4892	137	10
PE4893	137	9
PE4894	137	2
PE4895	137	4
PE4896	135	8
PE4897	135	9
PE4898	135	13
PE4899	135	14
PE4900	135	16
PE4901	135	17
PE4902	135	18
PE4903	136	2
PE4904	136	1

PART NUMBER INDEX

Model No.	Page	C/R
PE4905	135	23
PE4906	151	3
PE4907	111	27
PE4908	143	35
PE4909	124	34
PE4910	116	15
PE4911	116	18
PE4912	116	5
PE4913	116	4
PE4914	112	29
PE4915	144	23
PE4916	144	24
PE4917	111	25
PE4918	111	24
PE4919	111	51
PE4920	111	50
PE4921	112	16
PE4922	112	15
PE4923	112	38
PE4924	112	37
PE4925	154	27
PE4926	138	2
PE4927	130	12
PE4928	154	22
PE4929	150	32
PE4930	112	18
PE4931	112	40
PE4932	111	53
PE4933	146	12
PE4934	121	43
PE4935	122	12
PE4936	122	17
PE4937	122	18
PE4938	122	11
PE4939	122	1
PE4940	122	53
PE4941	122	54
PE4942	122	58
PE4943	122	57
PE4944	122	47
PE4945	122	44
PE4946	123	7
PE4949	148	17
PE4950	148	11
PE4951	148	9
PE4952	148	15
PE4953	148	10
PE4954	148	13
PE4955	148	16
PE4957	148	21
PE4958	148	19
PE4959	148	18
PE4960	148	23
PE4961	148	24
PE4962	148	25
PE4963	148	22
PE4964	148	26
PE4965	148	28
PE4966	148	30
PE4967	148	33
PE4968	148	31
PE4969	148	34
PE4970	148	35
PE4971	149	5
PE4972	149	3
PE4973	149	4
PE4974	143	34
PE4975	124	33
PE4976	132	3
PE4977	132	5
PE4978	132	8
PE4979	132	7
PE4980	132	9
PE4981	118	1
PE4982	118	2
PE4983	118	3
PE4984	118	4
PE4985	118	5
PE4986	118	6
PE4987	118	7
PE4988	118	8
PE4989	118	9
PE4990	118	12
PE4992	118	13
PE4993	155	9
PE4994	155	10
PE4995	155	12
PE4996	155	13
PE4997	156	3
PE4998	156	4
PE44000	**117**	**26**
PE44001	117	28
PE44002	117	30
PE44003	117	32
PE44004	117	34
PE44005	117	11
PE44006	117	13
PE44007	117	14
PE44008	117	17

Model No.	Page	C/R
PE44009	117	18
PE44010	117	25
PE44011	117	27
PE44012	117	29
PE44013	117	31
PE44014	117	33
PE44015	117	35
PE44016	117	36
PE44017	117	37
PE44018	117	10
PE44019	117	12
PE44020	117	15
PE44021	117	16
PE44022	117	19
PE44023	117	20
PE44024	117	21
PE44025	117	22
PE44026	117	23
PE44027	117	24
PE44028	117	5
PE44029	117	6
PE44030	117	7
PE44031	117	8
PE44032	117	9
PE44033	142	34
PE44034	142	32
PE44035	142	5
PE44036	142	13
PE44037	142	7
PE44038	142	8
PE44039	142	6
PE44040	143	22
PE44041	143	7
PE44042	143	23
PE44043	121	25
PE44044	121	11
PE44045	121	26
PE44046	121	27
PE44047	130	19
PE44048	138	9
PE44049	147	34
PE44050	128	17
PE44051	128	13
PE44052	128	18
PE44053	128	16
PE44054	128	11
PE44055	128	22
PE44056	128	23
PE44057	128	21
PE44058	128	20
PE44059	128	27
PE44060	128	26
PE44061	124	24
PE44062	124	15
PE44063	124	22
PE44064	124	25
PE44065	123	10
PE44066	123	11
PE44068	123	13
PE44069	123	12
PE44070	123	17
PE44071	123	14
PE44072	123	15
PE44073	123	16
PE44074	124	7
PE44075	124	6
PE44076	124	8
PE44077	123	39
PE44078	123	37
PE44079	123	38
PE44080	147	35
PE44081	129	6
PE44082	129	5
PE44083	129	9
PE44084	129	8
PE44085	129	7
PE44086	129	11
PE44087	129	10
PE44088	129	4
PE44089	129	12
PE44090	129	1
PE44091	129	14
PE44092	129	15
PE44093	147	33
PE44094	138	8
PE44095	130	18
PE44096	149	1
PE44097	148	36
PE44098	148	29
PE44099	148	27
PE44100	147	3
PE44102	147	1
PE44103	147	2
PE44104	147	4
PE44105	147	12
PE44106	147	14
PE44107	147	10
PE44108	147	8
PE44109	147	13

Model No.	Page	C/R
PE44110	147	9
PE44111	147	11
PE44112	147	16
PE44113	147	15
PE44114	159	8
PE44115	159	11
PE44116	159	12
PE44117	149	7
PE44118	147	37
PE44119	138	25
PE44120	130	35
PE44121	138	28
PE44122	131	1
PE44123	139	1
PE44124	131	3
PE44125	156	5
PE44126	139	2
PE44127	131	4
PE44128	156	6
PE44129	138	24
PE44130	130	34
PE44131	156	2
PE44132	138	21
PE44133	130	31
PE44134	156	1
PE44135	138	23
PE44136	130	33
PE44137	138	22
PE44138	130	32
PE44139	138	17
PE44140	130	27
PE44141	155	16
PE44142	138	18
PE44143	130	28
PE44145	159	1
PE44146	129	20
PE44147	129	21
PE44148	129	19
PE44149	129	22
PE44161	150	8
PE44162	150	4
PE44163	150	7
PE44164	150	3
PE44165	150	6
PE44166	150	2
PE44167	150	5
PE44168	150	1
PE44169	150	12
PE44170	150	11
PE44171	150	10
PE44172	150	9
PE44173	150	16
PE44174	150	15
PE44175	150	14
PE44176	150	13
PE44177	150	17
PE44178	150	20
PE44180	150	18
PE44181	150	19
PE44182	113	58
PE44183	113	57
PE44184	113	55
PE44185	113	56
PE44186	114	4
PE44187	114	3
PE44188	114	1
PE44189	114	2
PE44190	114	8
PE44191	114	7
PE44192	114	5
PE44193	114	6
PE44194	114	12
PE44195	114	11
PE44196	114	9
PE44197	114	10
PE44198	115	32
PE44199	115	33
PE44200	116	1
PE44201	117	4
PE44202	117	3
PE44203	111	4
PE44204	116	10
PE44205	116	12
PE44206	116	8
PE44207	116	9
PE44208	116	11
PE44209	116	3
PE44210	116	2
PE44211	116	19
PE44212	116	22
PE44213	116	20
PE44214	116	21
PE44215	119	2
PE44216	119	3
PE44217	119	10
PE44218	119	12
PE44219	119	14
PE44220	119	6
PE44221	119	8

Model No.	Page	C/R
PE44222	119	13
PE44223	119	5
PE44224	119	7
PE44225	119	9
PE44226	119	11
PE44227	118	10
PE44228	118	11
PE44229	118	19
PE44230	118	20
PE44231	118	18
PE44232	118	16
PE44233	118	17
PE44234	118	15
PE44235	116	16
PE44236	115	24
PE44237	115	22
PE44238	115	21
PE44239	115	20
PE44240	115	26
PE44241	115	27
PE44242	141	3
PE44243	141	2
PE44244	141	1
PE44247	141	6
PE44248	141	5
PE44249	141	4
PE44252	141	8
PE44254	141	7
PE44255	141	9
PE44256	141	10
PE44257	141	13
PE44258	141	14
PE44259	141	15
PE44260	141	12
PE44261	141	11
PE44262	153	1
PE44263	153	2
PE44264	153	3
PE44265	153	4
PE44266	153	5
PE44267	153	6
PE44268	153	7
PE44269	153	8
PE44270	153	9
PE44271	153	10
PE44272	134	19
PE44273	134	18
PE44274	134	21
PE44275	134	22
PE44276	127	20
PE44277	127	22
PE44278	127	14
PE44279	127	15
PE44280	127	31
PE44281	127	32
PE44282	127	30
PE44283	127	48
PE44284	127	37
PE44285	127	49
PE44286	127	40
PE44287	127	39
PE44288	127	47
PE44289	127	41
PE44290	127	42
PE44291	128	7
PE44292	128	6
PE44293	124	14
PE44294	143	6
PE44295	129	17
PE44296	129	18
PE44297	129	16
PE44298	153	11
PE44299	153	12
PE44300	153	13
PE44301	153	14
PE44302	154	3
PE44303	154	4
PE44304	154	5
PE44305	154	2
PE44306	153	15
PE44307	154	1
PE44308	141	18
PE44309	141	16
PE44310	141	17
PE44311	141	19
PE44312	152	8
PE44313	152	2
PE44314	152	12
PE44315	152	7
PE44316	152	5
PE44317	152	6
PE44318	152	11
PE44319	152	4
PE44320	152	13
PE44321	152	16
PE44322	152	14
PE44323	152	17
PE44324	152	18
PE44325	152	20

Model No.	Page	C/R
PE44326	152	19
PE44327	152	22
PE44329	152	24
PE44330	152	23
PE44331	152	25
PE44332	152	27
PE44333	152	26
PE44334	152	28
PE44335	119	15
PE44336	119	16
PE44337	119	19
PE44338	119	17
PE44339	119	18
PE44340	115	5
PE44341	115	3
PE44342	116	17
PE44343	114	38
PE44344	114	26
PE44345	119	1
PE44346	119	4
PE44347	118	14
PE44348	134	26
PE44349	121	28
PE44350	122	29
PE44351	131	5
PE44352	131	6
PE44353	131	7
PE44354	131	8
PE44355	131	9
PE44356	131	10
PE44357	131	19
PE44358	131	20
PE44359	131	21
PE44360	131	22
PE44361	131	11
PE44362	131	12
PE44363	131	13
PE44364	131	14
PE44365	131	15
PE44366	131	16
PE44367	131	17
PE44368	131	18
PE44369	136	21
PE44370	136	22
PE44371	136	23
PE44372	136	24
PE44373	136	25
PE44374	136	26
PE44375	137	15
PE44376	137	17
PE44377	137	16
PE44378	120	12
PE44379	120	2
PE44380	120	13
PE44381	120	3
PE44382	120	10
PE44383	120	7
PE44384	120	17
PE44385	120	21
PE44386	120	22
PE44387	120	26
PE44388	120	30
PE44389	120	31
PE44390	120	35
PE44391	121	6
PE44392	120	45
PE44393	120	44
PE44394	121	4
PE44395	121	2
PE44396	124	10
PE44397	124	11
PE44398	124	12
PE44401	120	18
PE44402	120	19
PE44403	120	27
PE44404	120	28
PE44405	120	36
PE44406	120	37
PE44416	120	1
PE44417	120	4
PE44418	120	11
PE44419	120	14
PE44420	120	15
PE44421	120	16
PE44422	120	20
PE44423	120	23
PE44424	120	24
PE44425	120	25
PE44426	120	29
PE44427	120	32
PE44428	120	33
PE44429	120	34
PE44430	121	5
PE44431	120	42
PE44432	120	43
PE44433	121	1
PE44434	121	3
PE44435	121	7
PE44436	120	38

Model No.	Page	C/R
PE44437	120	39
PE44438	120	40
PE44439	120	41
PE44440	120	5
PE44441	120	6
PE44442	154	11
PE44443	154	7
PE44444	154	9
PE44445	154	15
PE44446	154	17
PE44447	132	16
PE44448	132	15
PE44449	132	17
PE44450	132	18
PE44451	132	19
PE44452	152	3
PE44453	135	12
PE44454	121	14
PE44455	139	11
PE44456	135	11
PE44457	135	15
PE44458	135	20
PE44459	135	19
PE44460	111	9
PE44470	123	20
PE44471	123	24
PE44472	123	21
PE44473	123	23
PE44474	123	22
PE44475	123	28
PE44476	123	27
PE44477	123	26
PE44478	123	25
PE44480	134	25
PE44481	134	24
PE44482	134	23
PE44483	134	17
PE44484	7	
PE44485	7	
PE44486	7	
PE44487	7	
PE44488	7	
PE44489	135	6
PE44490	135	5
PE44491	135	1
PE44492	135	2
PE44493	135	3
PE44494	135	4
PE44495	133	11
PE44496	133	10
PE44497	133	17
PE44498	133	16
PE44499	133	22
PE44500	133	21
PE44501	133	8
PE44502	133	7
PE44503	133	9
PE44504	133	13
PE44505	133	12
PE44506	133	14
PE44507	133	19
PE44508	133	18
PE44509	133	20
PE44510	133	23
PE44511	133	25
PE44512	133	24
PE44513	133	26
PE44515	133	15
PE44520	121	10
PE44521	121	12
PE44522	121	13
PE44523	121	15
PE44524	122	3
PE44525	122	4
PE44526	122	5
PE44527	122	6
PE44528	122	48
PE44529	122	49
PE44530	122	50
PE44531	122	51
PE44532	122	19
PE44533	122	20
PE44534	122	21
PE44535	122	22
PE44536	127	6
PE44537	127	7
PE44538	127	8
PE44539	127	9
PE44540	127	24
PE44541	127	25
PE44542	127	26
PE44543	127	27
PE44544	127	33
PE44545	127	34
PE44546	127	35
PE44547	127	36
PE44548	128	1
PE44549	128	2
PE44550	128	3

PART NUMBER INDEX

Model No.	Page	C/R
PE44551	128	4
PE44552	121	32
PE44553	121	35
PE44554	122	13
PE44555	122	33
PE44556	122	36
PE44557	127	16
PE44558	127	19
PE44559	127	28
PE44560	127	43
PE44561	127	46
PE44562	121	33
PE44563	121	34
PE44564	122	14
PE44565	122	34
PE44566	122	35
PE44567	127	17
PE44568	127	18
PE44569	127	29
PE44570	127	44
PE44571	127	45
PE44572	152	10
PE44573	152	9
PE44574	158	10
PE44575	158	11
PE44576	158	9
PE44577	156	24
PE44578	156	23
PE44579	152	15
PE44580	158	12
PE44581	156	31
PE44582	152	1
PE44583	158	7
PE44584	156	7
PE44585	152	21
PE44586	158	13
PE44587	157	7
PE44588	155	11
PE44589	155	14
PE44590	155	15
PE44592	133	1
PE44593	115	19
PE44594	135	7
PE44595	134	4
PE44596	134	3
PE44597	134	1
PE44598	134	2
PE44599	134	5
PE44600	134	9
PE44601	134	8
PE44602	134	6
PE44603	134	7
PE44604	134	10
PE44605	134	14
PE44606	134	13
PE44607	134	11
PE44608	134	12
PE44609	134	15
PE44610	134	16
PE44613	137	7
PE44615	124	9
PE44616	146	10
PE44618	146	11
PE44619	158	1
PE44620	158	2
PE44622	158	8
PE44625	156	10
PE44629	156	13
PE44630	156	11
PE44631	156	15
PE44632	156	16
PE44633	123	3
PE44634	124	13
PE44635	125	1
PE44636	125	11
PE44637	111	1
PE44638	111	36
PE44639	112	1
PE44640	143	4
PE44641	143	38
PE44645	135	10
PE44646A	140	9
PE44646B	140	10
PE44646C	140	11
PE44646D	140	12
PE44646H	140	13
PE44646I	140	14
PE44646K	140	15
PE44646Z	140	16
PE44647A	140	1
PE44647B	140	2
PE44647C	140	3
PE44647D	140	4
PE44647H	140	5
PE44647I	140	6
PE44647K	140	7
PE44647Z	140	8
PE44648A	140	17
PE44648B	140	18

Model No.	Page	C/R
PE44648C	140	19
PE44648D	140	20
PE44648H	140	21
PE44648I	140	22
PE44648K	140	23
PE44648Z	140	24
PE44649A	140	25
PE44649B	140	26
PE44649C	140	27
PE44649D	140	28
PE44649H	140	29
PE44649I	140	30
PE44649K	140	31
PE44649Z	140	32
PE44650A	140	41
PE44650B	140	42
PE44650C	140	43
PE44650D	140	44
PE44650H	140	45
PE44650I	140	46
PE44650K	140	47
PE44650Z	140	48
PE44651A	140	33
PE44651B	140	34
PE44651C	140	35
PE44651D	140	36
PE44651H	140	37
PE44651I	140	38
PE44651K	140	39
PE44651Z	140	40
PE44652	157	16
PE44653	123	31
PE44654	126	32
PE44655	134	20
PE44656	128	5
PE44657	112	25
PE44658	144	19
PE44659	127	5
PE44660	137	6
PE44661	137	5
PE44662	135	22
PE44663	135	21
PE44664	113	1
PE44665	113	29
PE44666	113	2
PE44667	113	30
PE44668	111	3
PE44669	112	3
PE44670	125	36
PE44671	126	9
PE44672	125	37
PE44673	126	10
PE44674	144	8
PE44675	122	2
PE44676	144	1
PE44686	143	10
PE44687	144	17
PE44688	144	3
PE5001	**252**	
PE5004	252	
PE5006	252	
PE5007	252	
PE5008	252	
PE5009	252	
PE5010	252	
PE5011	24,251	
PE5012	251	
PE5014	251	
PE5200	251	
PE5500	6	
PE5501	6	
PE5510	7	
PE5511	7	
PE5512	7	
PE5513	7	
PE5514	7	
PE5515	7	
PE51000	**238**	
PE51001	238	
PE51002	238	
PE51003	238	
PE51004	238	
PE51005	238	
PE51006	238	
PE51007	238	
PE51008	234	
PE51009	234	
PE51010	234	
PE51011	238	
PE51012	238	
PE51013	234	
PE51014	234	
PE51015	234	
PE51016	235	
PE51017	233	
PE51018	232	
PE51019	236	
PE51020	240	
PE51021	240	

Model No.	Page	C/R
PE51022	240	
PE51023	236	
PE51024	236	
PE51025	236	
PE51026	232	
PE51027	233	
PE51028	233	
PE51029	233	
PE51030	233	
PE51031	233	
PE51032	233	
PE51033	233	
PE51034	233	
PE51035	233	
PE51036	233	
PE51037	233	
PE51038	233	
PE51039	233	
PE51040	233	
PE51041	236	
PE51042	236	
PE51043	236	
PE51044	236	
PE51045	236	
PE51046	236	
PE51047	236	
PE51048	236	
PE51049	236	
PE51050	236	
PE51051	236	
PE51052	236	
PE51053	236	
PE51054	236	
PE51055	232	
PE51056	232	
PE51057	237	
PE51058	237	
PE51059	237	
PE51060	238	
PE51061	233	
PE51062	233	
PE51063	233	
PE51064	233	
PE51065	233	
PE51066	235	
PE51067	235	
PE51068	235	
PE51069	235	
PE51070	232	
PE51071	232	
PE51072	232	
PE51074	232	
PE51076	232	
PE51077	232	
PE51078	232	
PE51080	232	
PE51081	232	
PE51082	232	
PE51083	232	
PE51084	232	
PE51085	232	
PE51087	232	
PE51088	233	
PE51089	234	
PE51093	237	
PE51095	232	
PE51096	237	
PE51098	237	
PE51106	237	
PE51110	233	
PE51113	234	
PE51116	233	
PE51117	235	
PE51118	235	
PE51119	235	
PE51120	235	
PE51121	235	
PE51122	235	
PE51123	235	
PE51124	235	
PE51125	235	
PE51126	235	
PE51127	235	
PE51128	235	
PE51129	235	
PE51130	235	
PE51131	237	
PE51132	237	
PE51133	233	
PE51134	235	
PE51135	235	
PE6000	**214**	
PE6001	214	
PE6002	213	
PE6003	213	
PE6006	221	
PE6007	221	
PE6008	213	
PE6009	213	

Model No.	Page	C/R
PE6011	214	
PE6012	221	
PE6013	221	
PE6014	221	
PE6015	221	
PE6016	221	
PE6017	221	
PE6018	221	
PE6019	221	
PE6020	221	
PE6021	221	
PE6022	221	
PE6023	221	
PE6024	221	
PE6026	213	
PE6027	214	
PE6028	214	
PE6029	214	
PE6030	221	
PE6031	221	
PE6032	213	
PE6033	213	
PE6034	212	
PE6035	212	
PE6036	212	
PE6037	212	
PE6038	212	
PE6039	212	
PE6040	212	
PE6041	212	
PE6042	212	
PE6043	212	
PE6044	214	
PE6045	214	
PE6046	221	
PE6047	214	
PE6048	214	
PE6049	214	
PE6050	214	
PE6051	214	
PE6052	214	
PE6053	214	
PE6054	214	
PE6055	214	
PE6056	214	
PE6057	221	
PE6058	221	
PE6059	221	
PE6061	214	
PE6062	214	
PE6063	214	
PE6064	214	
PE6065	214	
PE6066	214	
PE6067	214	
PE6068	214	
PE6069	213	
PE6070	213	
PE6071	213	
PE6072	213	
PE6073	213	
PE6074	213	
PE6075	213	
PE6076	213	
PE6077	213	
PE6078	213	
PE6079	213	
PE6080	213	
PE6081	213	
PE6082	213	
PE6083	213	
PE6084	213	
PE6085	213	
PE6086	213	
PE6089	213	
PE6090	213	
PE6091	213	
PE6092	213	
PE6093	214	
PE6094	214	
PE6095	212	
PE6096	212	
PE6097	212	
PE6098	212	
PE6099	212	
PE6100	212	
PE6101	212	
PE6102	212	
PE6103	212	
PE6104	212	
PE6105	212	
PE6106	212	
PE6107	212	
PE6108	221	
PE6109	221	
PE6110	221	
PE6111	221	
PE6112	212	
PE6113	221	

Model No.	Page	C/R
PE6114	221	
PE6115	221	
PE6116	221	
PE6117	221	
PE6118	221	
PE6119	221	
PE6120	221	
PE6121	221	
PE6122	221	
PE6123	221	
PE6124	221	
PE6125	221	
PE6126	221	
PE6127	221	
PE6128	221	
PE6129	221	
PE6130	221	
PE6131	221	
PE6132	221	
PE6133	221	
PE6134	221	
PE6135	221	
PE6136	221	
PE6137	212	
PE6138	212	
PE6139	212	
PE6140	212	
PE6141	212	
PE6142	213	
PE6143	221	
PE6144	221	
PE6145	214	
PE6146	214	
PE6147	214	
PE6148	213	
PE6149	213	
PE6150	213	
PE6151	213	
PE6152	213	
PE6153	213	
PE6154	213	
PE6155	213	
PE6156	213	
PE6157	213	
PE6158	213	
PE6159	214	
PE6160	213	
PE6161	213	
PE6162	213	
PE6163	213	
PE6164	213	
PE6165	213	
PE6166	212	
PE6167	212	
PE6168	212	
PE6169	212	
PE6800	230	
PE6801	230	
PE6802	230	
PE6803	230	
PE6804	230	
PE6805	230	
PE6806	230	
PE6807	230	
PE6808	230	
PE6809	227	
PE6810	227	
PE6811	227	
PE6812	227	
PE6813	227	
PE6814	227	
PE6815	227	
PE6816	227	
PE6817	227	
PE6818	227	
PE6819	227	
PE6820	227	
PE6821	227	
PE6822	227	
PE6823	227	
PE6824	227	
PE6825	227	
PE6826	227	
PE6827	227	
PE6828	227	
PE6829	227	
PE6830	227	
PE6831	227	
PE6832	227	
PE6833	227	
PE6834	227	
PE6835	227	
PE600000	**249**	
PE600001	249	
PE600002	249	
PE600003	249	
PE600004	249	
PE600005	249	
PE7000	**207**	

Model No.	Page	C/R
PE7001	203	
PE7002	204	
PE7003	206	
PE7004	204	
PE7005	203	
PE7006	212	
PE7007	212	
PE7008	211	
PE7009	208	
PE7010	205	
PE7011	211	
PE7013	204	
PE7014	205	
PE7015	205	
PE7016	204	
PE7017	205	
PE7018	204	
PE7019	205	
PE7020	204	
PE7021	205	
PE7022	204	
PE7023	203	
PE7024	203	
PE7025	208	
PE7026	208	
PE7027	212	
PE7028	212	
PE7029	208	
PE7030	206	
PE7031	205	
PE7032	206	
PE7033	210	
PE7034	210	
PE7035	210	
PE7036	211	
PE7037	211	
PE7038	211	
PE7039	207	
PE7040	207	
PE7041	207	
PE7042	207	
PE7043	207	
PE7044	208	
PE7045	203	
PE7046	203	
PE7047	204	
PE7048	205	
PE7049	207	
PE7050	208	
PE7051	206	
PE7052	206	
PE7053	206	
PE7054	206	
PE7055	206	
PE7056	207	
PE7057	208	
PE7058	210	
PE7061	209	
PE7062	209	
PE7063	209	
PE7064	209	
PE7065	209	
PE7066	212	
PE7067	212	
PE7068	212	
PE7069	212	
PE7070	212	
PE7071	212	
PE7072	212	
PE7073	212	
PE7074	212	
PE7075	212	
PE7076	212	
PE7077	212	
PE7078	212	
PE7079	212	
PE7080	212	
PE7081	212	
PE7082	212	
PE7083	212	
PE7100	222	
PE7101	222	
PE7102	222	
PE7103	222	
PE7104	222	
PE7105	222	
PE7106	222	
PE7107	222	
PE7108	222	
PE7109	222	
PE7110	222	
PE7111	222	
PE7112	222	
PE7113	222	
PE7114	222	
PE7115	222	
PE7116	222	
PE7117	222	
PE7118	222	

PART NUMBER INDEX

Model No.	Page	C/R
PE7119	222	
PE7120	222	
PE7121	222	
PE7122	222	
PE7123	222	
PE7124	222	
PE7125	222	
PE7126	222	
PE7127	222	
PE7128	222	
PE7129	222	
PE7130	222	
PE7131	222	
PE7132	223	
PE7133	223	
PE7134	223	
PE7135	223	
PE7136	223	
PE7137	223	
PE7138	223	
PE7139	221	
PE7140	221	
PE7141	223	
PE7142	223	
PE7143	223	
PE7144	223	
PE7145	223	
PE7146	223	
PE7147	223	
PE7148	223	
PE7149	223	
PE7150	223	
PE7151	223	
PE7152	223	
PE7153	223	
PE7154	223	
PE7155	223	
PE7156	223	
PE7157	223	
PE7158	223	
PE7159	223	
PE7160	223	
PE7161	203	
PE7162	203	
PE7300	221	
PE7301	221	
PE700000	**249**	
PE700001	249	
PE700002	249	
PE700003	249	
PE700004	249	
PE8000	**225**	
PE8001	225	
PE8002	225	
PE8003	225	
PE8004	225	
PE8005	225	
PE8006	225	
PE8007	225	
PE8008	225	
PE8009	225	
PE8010	226	
PE8011	226	
PE8012	226	
PE8013	226	
PE8014	226	
PE8015	226	
PE8016	226	
PE8017	226	
PE8018	226	
PE8019	226	
PE8020	226	
PE8021	226	
PE8022	226	
PE8023	226	
PE8024	226	
PE8025	226	
PE8026	226	
PE8027	226	
PE8028	226	
PE8029	226	
PE8030	226	
PE8031	226	
PE8032	226	
PE8033	226	
PE8034	226	
PE8035	226	
PE8036	226	
PE8037	226	
PE8038	226	
PE8040	225	
PE8200	219	
PE8202	219	
PE8210	220	
PE8211	220	
PE8212	220	
PE8213	220	
PE8214	220	
PE8215	220	

Model No.	Page	C/R
PE8216	220	
PE8217	220	
PE8218	220	
PE8219	220	
PE8220	220	
PE8221	220	
PE8222	220	
PE8223	220	
PE8224	220	
PE8225	220	
PE8226	220	
PE8227	220	
PE8231	220	
PE8232	220	
PE8233	220	
PE8234	220	
PE8235	220	
PE8236	220	
PE8237	220	
PE8238	220	
PE8239	220	
PE8240	220	
PE8241	220	
PE8242	220	
PE8243	219	
PE8244	219	
PE8245	219	
PE8246	219	
PE8247	219	
PE8248	219	
PE8249	219	
PE8250	220	
PE8251	220	
PE8252	220	
PE8300	218	
PE8301	218	
PE8302	218	
PE8303	218	
PE8304	218	
PE8305	218	
PE8306	218	
PE8310	218	
PE8311	218	
PE8312	218	
PE8400	218	
PE8401	218	
PE8402	218	
PE8403	218	
PE8404	218	
PE8405	218	
PE8406	218	
PE8410	218	
PE8411	218	
PE8412	218	
PE8500	225	
PE8501	225	
PE8502	225	
PE8503	225	
PE8504	225	
PE8505	224	
PE8506	224	
PE8507	224	
PE8508	224	
PE8509	224	
PE8600	227	
PE8601	227	
PE8602	227	
PE8603	227	
PE8650	227	
PE8651	227	
PE8652	227	
PE8653	227	
PE8654	227	
PE8700	220	
PE8701	220	
PE8702	220	
PE8703	220	
PE8704	220	
PE8705	220	
PE8706	220	
PE8707	220	
PE8708	220	
PE8709	220	
PE8710	220	
PE8711	220	
PE8712	220	
PE8713	220	
PE8714	220	
PE9000	**192**	**B4**
PE9001	192	C6
PE9002	182	B3
PE9003	193	B1
PE9004	186	A3
PE9005	182	B4
PE9006	179	A2
PE9007	178	B5
PE9008	194	B2
PE9009	194	C1
PE9011	194	D1

Model No.	Page	C/R
PE9013	194	D2
PE9063	169	D3
PE9064	180	B6
PE9065	186	A5
PE9066	186	B5
PE9067	168	D1
PE9068	167	A5
PE9069	167	D1
PE9070	167	C6
PE9071	168	A1
PE9072	173	C4
PE9073	173	C5
PE9074	173	A5
PE9075	173	A6
PE9076	170	A5
PE9077	170	B6
PE9078	170	C5
PE9079	170	D6
PE9080	169	A5
PE9081	170	B1
PE9082	169	B6
PE9083	170	A3
PE9084	192	B5
PE9085	192	A5
PE9086	179	A1
PE9087	193	B3
PE9088	185	C1
PE9089	180	A2
PE9090	180	B1
PE9091	183	C3
PE9093	192	C5
PE9094	186	A1
PE9095	186	C1
PE9096	185	C6
PE9097	185	B2
PE9098	185	A2
PE9099	183	B5
PE9100	183	C4
PE9101	179	C4
PE9102	179	A4
PE9103	167	D3
PE9104	170	A4
PE9105	169	C6
PE9106	192	B6
PE9107	186	B3
PE9108	188	C1
PE9109	193	A3
PE9110	185	B1
PE9111	180	C5
PE9112	180	D5
PE9113	180	B5
PE9114	186	B1
PE9115	187	A4
PE9116	191	C5
PE9117	187	B3
PE9118	191	A5
PE9119	187	C3
PE9120	191	B5
PE9121	187	B4
PE9122	191	D5
PE9123	182	C4
PE9124	182	C6
PE9125	181	A4
PE9126	189	B6
PE9127	182	C2
PE9128	179	B2
PE9129	189	C6
PE9130	179	D6
PE9131	180	A3
PE9132	192	A2
PE9135	192	B1
PE9136	192	B2
PE9137	192	C1
PE9138	188	A1
PE9139	187	C6
PE9140	188	B1
PE9141	187	D6
PE9142	173	B2
PE9143	173	C2
PE9144	173	D1
PE9145	173	A2
PE9146	172	A1
PE9147	172	B1
PE9148	171	C6
PE9149	171	D6
PE9150	193	B5
PE9151	193	C5
PE9152	193	A5
PE9153	193	D5
PE9154	183	C5
PE9155	183	A2
PE9158	194	B1
PE9159	197	D4
PE9160	197	B5
PE9163	198	D2
PE9164	197	A6
PE9165	186	D3
PE9166	197	C5
PE9167	186	A4

Model No.	Page	C/R
PE9168	198	A3
PE9169	194	A2
PE9171	194	A1
PE9172	192	A6
PE9173	179	A3
PE9174	192	D6
PE9175	194	C2
PE9178	180	C4
PE9179	180	D4
PE9180	180	A5
PE9181	189	D2
PE9182	168	C3
PE9183	180	C6
PE9184	168	C1
PE9185	173	B6
PE9186	195	C2
PE9187	169	C3
PE9188	169	A4
PE9189	178	A2
PE9191	178	C4
PE9192	178	D1
PE9193	189	D4
PE9194	181	B4
PE9195	183	B6
PE9196	181	B2
PE9198	178	C5
PE9199	199	D3
PE9200	189	A1
PE9201	186	D2
PE9204	193	D3
PE9205	189	B4
PE9206	182	B5
PE9207	195	D2
PE9208	195	B2
PE9209	185	D6
PE9210	189	C3
PE9211	194	C4
PE9212	190	C1
PE9213	178	A4
PE9214	172	D2
PE9215	172	C2
PE9216	181	B5
PE9217	181	A5
PE9218	184	D5
PE9219	184	C5
PE9220	190	D2
PE9221	190	C2
PE9222	194	B3
PE9223	194	A3
PE9224	199	C4
PE9225	188	D5
PE9226	184	A5
PE9227	197	C3
PE9228	197	D3
PE9229	193	B6
PE9230	193	A6
PE9231	193	D6
PE9232	193	C6
PE9233	193	B4
PE9234	193	A4
PE9235	193	D4
PE9236	193	C4
PE9237	181	B3
PE9238	182	A6
PE9239	182	D6
PE9240	192	C2
PE9241	192	D1
PE9242	187	D4
PE9243	191	B6
PE9244	197	A4
PE9245	198	A4
PE9246	168	D3
PE9247	168	B3
PE9248	198	D3
PE9249	195	B1
PE9250	178	B4
PE9251	171	A1
PE9252	170	B3
PE9253	172	A2
PE9254	172	C1
PE9255	172	B2
PE9256	172	D1
PE9257	183	C2
PE9258	183	D2
PE9259	174	C2
PE9260	174	D2
PE9261	182	C5
PE9262	167	C4
PE9263	180	B2
PE9264	189	D6
PE9265	194	C5
PE9266	194	D3
PE9267	194	A4
PE9268	194	B4
PE9269	192	D4
PE9270	183	D4
PE9271	198	C3
PE9272	197	B3
PE9273	167	A2

Model No.	Page	C/R
PE9274	168	B2
PE9275	170	A2
PE9276	171	B1
PE9277	181	C2
PE9278	182	D3
PE9279	200	A2
PE9280	200	C1
PE9281	187	C5
PE9282	187	A6
PE9283	187	B6
PE9284	187	D5
PE9285	199	B6
PE9286	199	A6
PE9287	183	D5
PE9288	183	A6
PE9289	183	D6
PE9290	183	C6
PE9291	184	A3
PE9292	181	D2
PE9293	195	A2
PE9294	195	A3
PE9295	183	A1
PE9296	190	B1
PE9297	193	C2
PE9298	181	C3
PE9299	181	A3
PE9300	195	D1
PE9301	195	C3
PE9302	191	D6
PE9303	187	D3
PE9304	187	A5
PE9305	187	C4
PE9306	195	C5
PE9307	195	B5
PE9308	195	D4
PE9309	191	C6
PE9310	191	A6
PE9311	178	A6
PE9312	168	A2
PE9313	182	C1
PE9314	182	B1
PE9315	182	A2
PE9316	182	D1
PE9317	181	B1
PE9318	181	A1
PE9319	181	D1
PE9320	181	C1
PE9321	175	D2
PE9322	175	B2
PE9323	175	A3
PE9324	175	C2
PE9325	175	C3
PE9326	175	B3
PE9327	172	A3
PE9328	188	C6
PE9329	188	B6
PE9330	174	B3
PE9331	174	B4
PE9332	174	D3
PE9334	178	C1
PE9335	194	B5
PE9336	195	A1
PE9337	194	D6
PE9338	194	C6
PE9339	194	D5
PE9340	194	A5
PE9341	187	A1
PE9342	186	D6
PE9343	186	D4
PE9344	186	B2
PE9345	184	C3
PE9346	184	D3
PE9347	186	C4
PE9348	186	A2
PE9349	183	C1
PE9350	183	D1
PE9351	178	C2
PE9352	178	A3
PE9353	178	D2
PE9354	178	B3
PE9355	178	C3
PE9356	178	D3
PE9357	177	D6
PE9358	178	A1
PE9359	179	B3
PE9360	181	C4
PE9361	199	A2
PE9362	199	B2
PE9363	199	C2
PE9364	199	D1
PE9365	199	B3
PE9366	199	D2
PE9367	199	A3
PE9368	196	C6
PE9369	196	B6
PE9370	196	A6
PE9371	196	D6
PE9372	184	B3
PE9373	199	A4

Model No.	Page	C/R
PE9374	199	B4
PE9375	200	D1
PE9376	199	D6
PE9377	200	A1
PE9378	200	B1
PE9379	168	A3
PE9380	167	D6
PE9381	167	B5
PE9382	179	D2
PE9383	179	C2
PE9384	170	D5
PE9385	180	A6
PE9386	190	D1
PE9387	190	A2
PE9388	182	C3
PE9389	183	B2
PE9390	179	D3
PE9391	195	A5
PE9392	192	C3
PE9393	192	A3
PE9394	192	D3
PE9395	192	B3
PE9396	196	A3
PE9397	196	C3
PE9398	189	A2
PE9399	169	B4
PE9400	171	A5
PE9401	173	D2
PE9402	173	A3
PE9403	188	C4
PE9404	188	B5
PE9405	188	A5
PE9406	193	B2
PE9407	173	C6
PE9408	170	C3
PE9409	185	A4
PE9410	185	D3
PE9411	171	C4
PE9412	171	D4
PE9413	189	A3
PE9414	185	B4
PE9415	171	B5
PE9416	195	D5
PE9417	195	A6
PE9418	167	C2
PE9419	189	B2
PE9420	192	D5
PE9421	186	C3
PE9422	174	A2
PE9423	174	B2
PE9424	174	D1
PE9425	174	C1
PE9426	178	D5
PE9427	178	A5
PE9428	179	B1
PE9429	179	D1
PE9430	169	D6
PE9431	169	C4
PE9432	170	B2
PE9433	169	B5
PE9434	170	D2
PE9435	170	D3
PE9436	175	A4
PE9437	175	C4
PE9438	175	A5
PE9439	170	D4
PE9440	170	A6
PE9441	170	B5
PE9442	170	C6
PE9443	183	A4
PE9444	183	A5
PE9445	183	B3
PE9446	179	C6
PE9447	180	D1
PE9448	180	A1
PE9449	180	C2
PE9450	180	D2
PE9451	176	C5
PE9452	176	D5
PE9453	176	A6
PE9454	175	D6
PE9455	175	C6
PE9456	176	A1
PE9457	175	B6
PE9458	177	D2
PE9459	177	A3
PE9460	176	B4
PE9461	176	C4
PE9462	182	A1
PE9463	181	D6
PE9464	181	C6
PE9465	181	B6
PE9466	191	B4
PE9467	191	D3
PE9468	191	A4
PE9469	191	C3
PE9470	173	B1
PE9471	173	A1
PE9472	172	D6

PART NUMBER INDEX

Model No.	Page	C/R
PE9473	172	C6
PE9474	191	A3
PE9475	172	A6
PE9476	172	C5
PE9477	172	B6
PE9478	172	D5
PE9479	191	C2
PE9480	190	B5
PE9481	179	B4
PE9482	180	B3
PE9483	185	C2
PE9484	193	A1
PE9485	168	D2
PE9486	170	C2
PE9487	169	C5
PE9488	169	D5
PE9489	182	B2
PE9490	182	A4
PE9491	182	A3
PE9492	182	A5
PE9493	173	B4
PE9494	173	B5
PE9495	173	D4
PE9496	173	D5
PE9497	169	A6
PE9498	170	A1
PE9499	169	D4
PE9500	179	C1
PE9501	177	A2
PE9502	177	C2
PE9503	177	B2
PE9504	177	D1
PE9505	167	B1
PE9506	167	D2
PE9507	167	C5
PE9508	167	A6
PE9509	185	D5
PE9510	185	A6
PE9511	172	C3
PE9512	172	A4
PE9513	172	D3
PE9515	178	D6
PE9516	191	A2
PE9517	191	B1
PE9518	191	D1
PE9519	191	C1
PE9520	191	C4
PE9521	185	A1
PE9522	190	D5
PE9523	190	C5
PE9524	191	D2
PE9525	190	C6
PE9526	191	A1
PE9527	190	B6
PE9528	190	D6
PE9529	193	D1
PE9530	193	C1
PE9531	184	C1
PE9532	184	B1
PE9533	168	C5
PE9534	168	B5
PE9535	180	B4
PE9536	193	D2
PE9537	193	C3
PE9538	182	B6
PE9539	183	B1
PE9540	182	D5
PE9541	179	C3
PE9542	184	B6
PE9543	184	A6
PE9544	184	D6
PE9545	184	C6
PE9546	167	A4
PE9547	178	B6
PE9548	179	A5
PE9549	179	D4
PE9550	180	C1
PE9551	170	D1
PE9552	180	C3
PE9553	181	D4
PE9554	181	D3
PE9555	185	C3
PE9556	185	D4
PE9557	185	C4
PE9558	185	B5
PE9559	185	C5
PE9560	183	D3
PE9561	183	B4
PE9562	185	D2
PE9563	184	B5
PE9564	185	A3
PE9565	182	D2
PE9566	182	D4
PE9567	189	A6
PE9568	188	D6
PE9569	189	D1
PE9570	181	A2
PE9571	189	B1
PE9572	188	D4

Model No.	Page	C/R
PE9573	188	C5
PE9574	189	C5
PE9575	189	B5
PE9576	189	A4
PE9577	189	D3
PE9578	189	A5
PE9579	190	A1
PE9580	189	C4
PE9581	173	C1
PE9582	196	B4
PE9583	196	D4
PE9584	196	A4
PE9585	196	C4
PE9586	196	D1
PE9587	196	B2
PE9588	196	C1
PE9589	196	A2
PE9590	168	A4
PE9591	168	B4
PE9592	168	D4
PE9593	168	A5
PE9594	168	C4
PE9595	178	C6
PE9596	171	D2
PE9597	171	C2
PE9598	171	A3
PE9599	171	B3
PE9600	171	D1
PE9601	171	C1
PE9602	171	A2
PE9603	171	B2
PE9604	171	D3
PE9605	171	C3
PE9606	171	B4
PE9607	171	A4
PE9608	198	D5
PE9609	198	B5
PE9610	198	C5
PE9611	198	A6
PE9612	196	A5
PE9613	196	C5
PE9614	196	B5
PE9615	196	D5
PE9616	198	C6
PE9617	198	D6
PE9618	199	A1
PE9619	199	B1
PE9620	168	B1
PE9621	167	B4
PE9622	197	C1
PE9623	197	B1
PE9624	197	D1
PE9625	197	A2
PE9626	195	C6
PE9627	195	D6
PE9628	196	A1
PE9629	196	B1
PE9630	197	D2
PE9631	197	C2
PE9632	198	A1
PE9633	197	D6
PE9634	198	C1
PE9635	198	B1
PE9636	184	C2
PE9637	184	A2
PE9638	184	B2
PE9639	184	D2
PE9640	176	B6
PE9641	167	D4
PE9642	167	B2
PE9643	168	C2
PE9644	175	D4
PE9645	175	B4
PE9646	175	D5
PE9647	175	B5
PE9648	175	C5
PE9649	174	B6
PE9650	174	D6
PE9651	174	C6
PE9652	175	A1
PE9653	169	C1
PE9654	169	D1
PE9655	169	A2
PE9656	169	B2
PE9657	174	B5
PE9658	174	C5
PE9659	174	D5
PE9660	174	A6
PE9661	176	B3
PE9662	176	C3
PE9663	176	D3
PE9664	176	A4
PE9665	176	D1
PE9666	176	C1
PE9667	176	B1
PE9668	176	A2
PE9669	167	C1
PE9670	167	B6
PE9671	167	C3

Model No.	Page	C/R
PE9672	176	D6
PE9673	177	B1
PE9674	177	A1
PE9675	177	C1
PE9676	174	D4
PE9677	174	A4
PE9678	174	C4
PE9679	174	C3
PE9680	195	A4
PE9681	195	B4
PE9682	168	D5
PE9683	168	A6
PE9684	170	C1
PE9685	178	B1
PE9686	190	C3
PE9687	199	B5
PE9688	199	A5
PE9689	199	C5
PE9690	173	C3
PE9691	173	D3
PE9692	173	B3
PE9693	173	A4
PE9694	167	A3
PE9695	167	D5
PE9696	187	C1
PE9697	187	A2
PE9698	187	B2
PE9699	184	A4
PE9700	184	B4
PE9701	186	C2
PE9702	171	C5
PE9703	171	A6
PE9704	180	D6
PE9705	186	D5
PE9706	186	A6
PE9707	171	D5
PE9708	171	B6
PE9709	186	B6
PE9710	186	C6
PE9711	187	C2
PE9712	187	D2
PE9713	184	C4
PE9714	184	D4
PE9715	177	D3
PE9716	177	C3
PE9717	177	A4
PE9718	177	C5
PE9719	177	D5
PE9720	177	A6
PE9721	177	B6
PE9722	168	C6
PE9723	168	D6
PE9724	169	A1
PE9725	169	B1
PE9726	169	A3
PE9727	169	C2
PE9728	169	D2
PE9729	169	B3
PE9730	180	D3
PE9731	180	A4
PE9732	170	B4
PE9733	170	C4
PE9734	197	B6
PE9735	198	D4
PE9736	198	C4
PE9737	196	D2
PE9738	196	C2
PE9739	196	B3
PE9740	196	D3
PE9741	198	B2
PE9742	198	D1
PE9743	198	A2
PE9744	198	C2
PE9745	175	C1
PE9746	175	B1
PE9747	175	D1
PE9748	175	A2
PE9749	194	B6
PE9750	188	C3
PE9751	188	D2
PE9752	188	D3
PE9753	188	A3
PE9754	188	A4
PE9755	188	B3
PE9756	188	A2
PE9757	188	B2
PE9758	192	C4
PE9759	197	A5
PE9760	197	C4
PE9761	197	D5
PE9762	177	D4
PE9763	177	C4
PE9764	177	A5
PE9765	177	B5
PE9766	176	C2
PE9767	176	B2
PE9768	176	D2
PE9769	176	A3
PE9770	179	A6

Model No.	Page	C/R
PE9771	179	D5
PE9772	179	B5
PE9773	179	C5
PE9774	167	B3
PE9775	190	D3
PE9776	190	A4
PE9777	190	B4
PE9778	172	B4
PE9779	172	C4
PE9780	190	D4
PE9781	176	D4
PE9782	176	A5
PE9783	185	D1
PE9786	172	B3
PE9787	181	C5
PE9788	181	A6
PE9789	181	D5
PE9800	229	
PE9801	229	
PE9802	229	
PE9803	229	
PE9804	229	
PE9805	229	
PE9806	230	
PE9807	230	
PE9808	230	
PE9809	230	
PE9810	230	
PE9811	230	
PE9812	229	
PE9813	230	
PE9814	230	
PE9815	230	
PE9816	230	
PE9817	229	
PE9818	229	
PE9819	229	
PE9820	229	
PE9821	229	
PE9822	229	
PE9823	229	
PE9824	229	
PE9825	229	
PE9826	229	
PE9827	229	
PE9828	229	
PE9829	229	
PE9830	229	
PE9831	229	
PE9832	229	
PE9833	229	
PE9834	229	
PE9835	229	
PE9836	230	
PE9837	230	
PE9838	230	
PE9839	230	
PE9840	230	
PE9841	230	
PE9842	230	
PE9843	230	
PE9844	229	
PE9845	229	
PE9846	229	
PE9847	229	
PE9848	229	
PE9849	229	
PE9850	228	
PE9850/2F	239	
PE9851	228	
PE9851/2F	239	
PE9852	228	
PE9852/2F	239	
PE9853	228	
PE9853/SF	239	
PE9854	228	
PE9854/NF	239	
PE9854/SF	239	
PE9855	228	
PE9855/NF	239	
PE9855/SF	239	
PE9856	228	
PE9856/NF	239	
PE9856/SF	239	
PE9857	228	
PE9857/NF	239	
PE9857/SF	239	
PE9858	228	
PE9858/NF	239	
PE9858/SF	239	
PE9859	228	
PE9859/NF	239	
PE9859/SF	239	
PE9860	228	
PE9860/NF	239	
PE9860/SF	239	
PE9861	228	
PE9861/NF	239	
PE9861/SF	239	

Model No.	Page	C/R
PE9862	228	
PE9862/NF	239	
PE9862/SF	239	
PE9863	228	
PE9863/NF	239	
PE9863/SF	239	
PE9864	228	
PE9864/NF	239	
PE9864/SF	239	
PE9865	229	
PE9866	229	
PE9867	229	
PE9868	229	
PE9869	229	
PE9870	229	
PE9900	101	
PE9901	101	
PE9902	101	
PE9903	101	
PE9904	101	
PE9905	101	
PE9906	101	
PE9907	101	
PE9908	101	
PE9909	101	
PE9910	101	
PE9911	101	
PE9912	101	
PE9913	101	
PE9914	101	
PE9915	101	
PE9916	101	
PE9917	101	
PE9918	184	A1
PE9930	100	
PE9931	100	
PE9932	100	
PE9933	100	
PE9934	100	
PE9935	100	
PE9936	100	
PE9950	101	
PE9951	101	
PE9952	101	
PE9953	101	
PE9954	101	
PE9955	101	
PE9956	101	
PE9957	101	
PE9958	101	
PE9959	101	
PE9960	101	
PE9961	101	
PE9962	101	
PE9963	101	
PE9964	101	
PE9965	101	
PE9966	101	
PE9967	101	
PE91001	**174**	**A1**
PE91002	174	B1
PE91003	173	D6
PE91004	190	B3
PE91005	172	A5
PE91006	172	B5
PE91007	172	D4
PE900001	**248**	
PE900002	248	
PE900004	248	
PE900005	248	
PE900007	248	
PE900008	248	
PE900010	248	
PE900011	248	
PE900013	248	
PE900014	248	
PE900016	248	
PE900017	248	
PE900019	248	
PE900020	248	
PE900022	248	
PE900023	248	
PE900025	248	
PE900026	248	
PE900028	248	
PE900029	248	
PE900031	248	
PE900032	248	
PE900034	248	
PE900035	248	
PE900038	248	
PE900039	248	
PE900040	248	
PE900041	248	
PE900042	248	
PE900043	248	
PE900044	249	
PE900045	249	
PE900046	249	

Model No.	Page	C/R
PE-020SR	**106**	
PE-034SR	106	
PE-047SR	106	
PE-118SR	106	
PE-B100	105	
PE-B150	104	
PE-B159-BK	104	
PE-B159-BL	104	
PE-B159-GR	104	
PE-B159-RD	104	
PE-B159-WH	104	
PE-B159-YW	104	
PE-B305	104	
PE-B400	104	
PE-B405	104	
PE-C100	104	
PE-C195	104	
PE-C200	104	
PE-C240	104	
PE-C300	104	
PE-C400	104	
PE-C500	104	
PE-C600	104	
PE-P047	106	
PE-P047LL	106	
PE-P086	106	
PE-P086LL	106	
PE-P141	106	
PE-P141LL	106	
PE-P195	106	
PE-S330	105	
PE-SR047AL	106	
PE-SR047FL	106	
PE-SR401AL	106	
PE-SR401FL	106	
PE-SR402-75	106	
PE-SR402AL	106	
PE-SR402FL	106	
PE-SR405AL	106	
PE-SR405FL	106	
RG108A/U	105	
RG11A/U	104	
RG122/U	105	
RG141A/U	105	
RG142B/U	105	
RG174A/U	105	
RG178B/U	105	
RG179B/U	104	
RG180B/U	105	
RG187A/U	104	
RG188-DS	105	
RG188A/U	105	
RG196A/U	105	
RG213/U	105	
RG214/U	105	
RG216/U	104	
RG217/U	105	
RG218/U	105	
RG219/U	105	
RG223/U	105	
RG225/U	105	
RG302/U	104	
RG303/U	105	
RG316-DS	105	
RG316/U	105	
RG393/U	105	
RG400/U	105	
RG401/U	106	
RG402/U	106	
RG405/U	106	
RG55B/U	104	
RG58-P	105	
RG58C/U	104	
RG59-P	104	
RG59B/U	104	
RG6-CATV	104	
RG62A/U	105	
RG6A/U	104	
RG71B/U	105	
RG8A/U	105	
RG8X	105	