

## **Plumb® Table of Contents**

The Plumb® brand name has been famous among craftsman since 1856 and was acquired by Cooper Tools in 1980. The extensive offering of beautifully balanced striking tools includes standard and specialty hammers, sledges, wedges, axes and hatchets.

Contents
Quality striking tools – introduction
Fiberglass claw hammers
Tubular and solid steel claw hammers
Hickory handled claw hammers
Ball pein hammers
Soft faced holders, hammers, and faces
Tradesmen's hammers
Heavy hammers
Bars
Sledges
Axes
Hatchets
Rehandling kits
Wood chisels
Nail sets



#### Safety tips

Hand tools are made in various types and sizes, degrees of hardness and different configurations for specific purposes. They should be carefully selected and used only for their intended purpose. Proper use of most types involves certain basic rules:

- Protect your eyes always wear safety goggles.
- Strike squarely avoid glancing blows.
- Always use a tool of suitable size and weight for the job.
- The striking face of a hammer should be approximately 3/8" larger in diameter than the struck face of a chisel, punch, etc.
- Replace immediately upon chipping or mushrooming of the face.
- Never use a tool with a loose or damaged handle.
- Never use a grinding wheel for redressing a cutting edge or a striking face, use a file or whetstone and redress to original shape and contour.
- Never use a hammer, maul, or axe to strike another hammer, maul or axe.
- · Never use a tool with a dull cutting edge.


## **Quality Striking Tools**

Since 1856 the quality of Plumb® tools has been recognized and preferred by tool users throughout the world. The special analysis steel used to make Plumb® tools is forged to close tolerance and heat treated to build in the toughness necessary to withstand impact. Extra care is then taken in hardening and tempering to make each part of the tool ready for the specific job it has to do.

You can be sure Plumb® tools have the toughness, durability and keenness to do the job. Plumb® tools are engineered for balance and exacting care is taken to assure the head is "hung" on the handle at the right angle. This built-in balance gives Plumb® tools extra driving power. They swing easy – hit hard.

#### Permabond® Chemical Bonding Process


Permabond® is a red-colored chemical weld used in Plumb® tool eyes to join head and handle together. Chemical bonding process replaces conventional wedging which splits wood, allowing moisture to swell and shrink the handle and eventually loosen the head. Permabond® chemical bonding process seals moisture out, forming a bond so tight it takes approximately 2 tons of pressure to pull it apart. Permabond® chemical bonding process is used on all nail hammers, except one-piece hammers, and is a visible plus with homeowners and tradesmen.



#### **Nail Hammers**


- Face radius and chamfer are designed to provide a hard striking face.
- · Mid-section is resilient, yet extra strong.
- Claws are tough, sturdy; edges are beveled, with uniform taper and bite.
- With proper use, safety is enhanced by the double tempering process for the striking face and claw.

Nail hammers are made in two patterns; curved claw and straight or ripping claw. The face is slightly crowned with the edges beveled, although certain heavy-duty patterns may have checkered faces designed to reduce glancing blows and flying nails. Handles may be wood, solid steel, or fiberglass. Solid steel and fiberglass are generally furnished with rubber-type grips.



#### **Handles**

For many good reasons, the traditional choice of material for a striking tool handle is North American red hickory. It looks good and it naturally feels good. The continuous fibers of this fine stock give great resilience and strength while minimizing impact shock. Manmade materials have their advantages, too. Plumb® developed and introduced the fiberglass handle in 1955. It can't rust, rot or corrode, and despite its light weight, it has astonishing strength. Plumb® introduced a new jacketed fiberglass and nylon handle in 1997. Tests on a Tinius-Olsen testing machine have shown that with more than 450lbs of applied load, a Plumb® fiberglass handle won't break. With its smart looking, resilient, black or orange cushion grip fitted to its fiberglass handle, this line has the look of a winner. The latest material used in Plumb® hammers is solid steel. These hammers are solid steel throughout, with cushion grip handle, textured for positive hold, and colored hard-to-lose red. The head will never come off and the hammer is well balanced to give extra power with less fatigue.







## **Nail Hammer Warning**





#### Warning - Wear Safety Goggles - User and Bystander

Nail hammers are designed for driving and pulling common, unhardened nails only, and for ripping apart wooden structures. Never strike one hammer with or against another hammer or other hardened objects as the face may chip, possibly resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.

#### **Premium Curved Claw**



- · High-luster, full-polished finish
- Octagon-shaped neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- Contoured handle for increased comfort and reduced fatigue
- Enlarged handle base for butting material
- New grip material reduces handle slickness
- Factory balanced for maximum striking power
- Permabond® construction between head and handle
- 11410 is a plain-pole English style nail hammer

Cat	UPC	Hea	Head wt.		Overall length		Shelf Pack wt.		
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face
11400	037103114006	20	567	13	330	8.0	3.63	4	Polished
11402	037103114020	16	454	13	330	6.8	3.08	4	Polished
11403	037103114037	13	369	12 1/2	318	6.0	2.72	4	Polished
11410	037103114105	20	567	13	330	8.0	3.63	4	Polished

## **Premium Ripping Claw**



- High-luster, full-polished finish
- Octagon-shaped neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- · Contoured handle for increased comfort and reduced fatigue
- Enlarged handle base for butting material
- New grip material reduces handle slickness
- · Factory balanced for maximum striking power
- Permabond® construction between head and handle

Cat	UPC	Hea	Head wt.		Overall length		Shelf Pack wt.		
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face
11414	037103114143	22	624	13 1/2	343	8.8	3.99	4	Polished
11415	037103114150	16	454	13	330	7.2	3.27	4	Polished
11416	037103114167	22	624	15	377	9.2	4.17	4	Polished
11417	037103114174	22	624	15	377	9.2	4.17	4	Checkered
11420	037103114204	20	567	13	330	8.0	3.63	4	Polished



#### **Hammers, Hi-Viz**

- Polished head, bell, striking face, back, and sides
- · Octagon-shaped neck
- Available in both curved and ripping claw models
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- Contoured handle for increased comfort and reduced fatigue
- Enlarged handle base for butting material
- · New grip material reduces handle slickness
- Hi-Viz orange grip is easy to find on the job site
- · Factory balanced for maximum striking power
- Permabond® construction between head and handle



Cat	UPC	Claw	Hea	d wt.	Overall	l length	Shelf F	Pack wt.	Shelf	
No.	No.	Style	0Z	g	Inch	mm	lb	k	Pack	Face
11404	037103114044	Curved	16	454	13	330	6.8	3.08	4	Polished
11408	037103114082	Rip	16	454	13	330	7.2	3.27	4	Polished
11409	037103114099	Rip	22	624	15	377	9.2	4.17	4	Checkered
11411	037103114112	Rip	20	567	13	330	8	3.63	4	Polished

## **Regular Curved Claw**

- Polished finish on head, bell, striking face, back and sides
- · Round bell and octagon neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- · New grip material reduces handle slickness
- · Factory balanced for maximum striking power
- Permabond® construction between head and handle



Cat	UPC	Head	wt.	Overall length		Shelf Pack wt.		Shelf	
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face
11405	037103114051	20	567	13	330	7.6	3.45	4	Polished
11406	037103114068	16	454	13	330	6.4	2.90	4	Polished
11407	037103114075	13	369	12 1/2	318	5.6	2.54	4	Polished

# **Regular Ripping Claw**

- Polished finish on head, bell, striking face, back and sides
- Round bell and octagon neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- New grip material reduces handle slickness
- Factory balanced for maximum striking power
- Permabond® construction between head and handle



Cat	UPC	Head wt.		Overall length		Shelf P	ack wt.	Shelf	
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face
11418	037103114181	20	567	13	330	7.6	3.45	4	Polished
11419	037103114198	16	454	13	330	7.2	3.27	4	Polished



#### **Economy Curved Claw**



- Durable black enamel finish on head
- Round bell and octagon neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- · New grip material reduces handle slickness
- Factory balanced for maximum striking power
- Permabond® construction between head and handle

Cat	UPC	Head wt.		Overall	Overall length		Shelf Pack wt.			
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face	
11654	037103116543	16	454	13	330	9.6	4.36	6	Polished	

#### **Tubular Steel Hammers**



- · Polished finish on head, bell, striking face, back and sides
- Round bell and octagon neck
- Hand-polished extruded tubular steel handle is lightweight but strong
- Permabond® construction between head and handle
- · Factory balanced for maximum striking power

Cat	UPC	Claw	Hea	Head wt.		Overall length		Shelf Pack wt.		
No.	No.	Style	0Z	g	Inch	mm	lb	k	Pack	Face
11470	037103114709	Curved	16	454	13	330	7.2	3.27	4	Smooth
11473	037103114730	Rip	16	454	13	330	7.2	3.27	4	Smooth

#### **Solid Steel Anti-shock Premium Curved Claw**



- Patent Pending anti-vibration shock absorbing technology
- Anti-vibration feature absorbs shock and minimizes muscle fatigue
- 1-Piece forged solid steel construction
- Co-molded contoured handle for increased comfort and control
- · High-luster, full polished finish

SS20C

Cat	UPC	Head	Head wt.		Overall length		Shelf Pack wt.		
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face
SS16C	037103184368	16	454	12.875	327	7.08	3.21	4	Polished
SS20C	037103184399	20	567	13.75	349	7.87	3.57	4	Polished



## **Solid Steel Anti-shock Premium Ripping Claw**

- Patent Pending anti-vibration shock absorbing technology
- Anti-vibration feature absorbs shock and minimizes muscle fatigue
- 1-Piece forged solid steel construction
- Co-molded contoured handle for increased comfort and control
- High-luster, full polished finish



Cat	UPC	Head	wt.	Overall l	Overall length		Shelf Pack wt.		
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face
SS16R	037103184375	16	454	12.875	327	7.08	3.21	4	Polished
SS20R	037103184405	20	567	13.75	349	8.0	3.63	4	Polished
SS22R	037103184412	22	624	15.875	403	8.93	4.05	4	Polished
SS22RCF	037103184429	22	624	15.875	403	8.93	4.05	4	Checkered
SS28R	037103184443	28	794	16	406	9.72	4.41	4	Polished
SS28RCF	037103184450	28	794	16	406	9.72	4.41	4	Checkered

## **Autograf Hammers - Premium Curved Claw**

- · High-luster, full-polished
- · Octagon-shaped pole
- · Quality, red hickory handle
- Permabond® construction between head and handle
- Factory balanced



Cat	UPC	Hea	Head wt.		Overall length		Shelf Pack wt.			Replacemen
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face	Handle No.
11435	037103114358	20	567	13	330	10.8	4.90	6	Polished	-
11436	037103114365	16	454	13	330	9.0	4.08	6	Polished	11689(A)
11437	037103114372	16	454	15 1/2	394	9.6	4.35	6	Polished	-
11438	037103114389	13	369	12 1/2	318	8.4	3.81	6	Polished	-

# **Autograf Hammers - Premium Ripping Claw**

- High-luster, full-polished head, pole, back and sides
- Octagon-shaped neck
- Quality, red hickory handle
- Permabond® construction between head and handle
- · Factory balanced



Cat	UPC	Head wt.		Overall length		Shelf Pack wt.		Shelf		Replacement
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face	Handle No.
11439	037103114396	22	624	13 1/2	343	10.8	4.90	6	Polished	-
11440	037103114402	16	454	13	330	9.0	4.08	6	Polished	11689(A)
11442	037103114426	22	624	16	457	7.2	3.27	4	Checkered	-



# **Heavy-Duty Framing - Premium Ripping Claw**



- Extra large, high-luster, full-polished head, pole, back and sides
- Extra large checkered striking face
- Quality, hatchet-style
- · Red hickory handle
- Hatchet styling reduces overstrike breakage
- Permabond® construction between head and handle
- · Factory balanced

Cat	UPC	Head wt.		Overall length	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch mm	lb k	Pack Face
11901	037103119018	25	709	17 3/4 451	8.4 3.81	4 Checkered

## **Plumb Ugly - Leader & Framing Hammer**



- Unique hatchet-style grip provides more comfortable grip in use
- High-luster, full-polished head, pole, back and sides
- Top quality red American Hickory handle
- · Factory balanced for maximum striking power
- Permabond® construction between head and handle

Cat	UPC	Claw	Head	d wt.	Overall	length	Shelf P	ack wt.	Shelf	
No.	No.	Style	0Z	g	Inch	mm	lb	k	Pack	Face
11550	037103115508	Curved	16	454	13 5/8	347	6.25	2.84	4	Polished
11552	037103115522	Rip	22	624	15	381	9.2	4.17	4	Checkered

### **Homethrift Hammers Economy Curved Claw**



- Durable, black epoxy powder paint finish on head
- Polished bell and striking face
- Hickory handle
- Permabond® construction between head and handle

Cat	UPC	Head wt.		Overall	Overall length		Shelf Pack wt.		Shelf	
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Face	Handle No.
11460	037103114600	16	454	13	330	9.0	4.08	6	Polished	11006(A)

Replacement handle code: (A) adze eye



#### **Ball Pein Warning**





#### Warning - Wear Safety Goggles - User and Bystander

Ball pein hammers of the proper size are designed for striking chisels and punches, and for riveting, shaping and straightening unhardened metal. The striking face should have a diameter at least 3/8" larger than the struck face of the tool. Never strike one hammer with or against another hammer or other hardened objects as chipping may occur, possibly resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.

## **Ball Pein Hammers - Fiberglass**

- Rust-resistant, forged black head with polished poles and peins
- · Professional quality fiberglass handle
- Permabond® construction between head and handle
- Comfortable black cushion grip



Cat	UPC	Hea	Head wt.		Overall length		ack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb	k	Pack
11426	037103114266	16	454	12 3/4	324	6.4	2.90	4
11427	037103114273	20	567	13	330	7.2	3.27	4
11428	037103114280	24	681	15	377	10	4.54	4
11429	037103114297	32	908	15	377	11.2	5.08	4
11430	037103114303	40	1135	15	377	13.2	5.99	4

#### **Ball Pein Hammers**

- · Ground, black head
- Polished poles and peins
- · Quality, hickory handle
- Permabond® construction between head and handle



Cat	UPC	Hea	d wt.	Overall	length	Shelf Pa	ack wt.	Shelf	Replacement
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Handle No.
11494	037103114945	4	113	10 1/2	267	2.4	1.09	6	-
11495	037103114952	6	170	10 1/2	267	3.6	1.63	6	-
11496	037103114969	8	227	11 1/4	286	4.8	2.18	6	-
11497	037103114976	12	340	11 1/4	286	6.0	2.72	6	-
11498	037103114983	16	454	12 3/4	324	7.8	3.54	6	11006(A)
11499	037103114990	20	567	12 3/4	324	10.2	4.63	6	11006(A)
11520	037103115201	24	681	15	377	12.0	5.44	6	11811(A)
11521	037103115218	32	908	15	377	15.0	6.80	6	11811(A)
11522	037103115225	40	1135	15	377	18.0	8.16	6	11811(A)



#### **Soft-Face Holders**

#### For Industrial Use



- Soft-face holder with handle; faces are sold separately (see page 259)
- Solid fiberglass handle for long service life, outlasts wood handles 10 to 1
- Comfortable grip design reduces fatigue
- Replace tips rather than the entire hammer; more value for the user
- Plumb offers a wide variety of soft-face tips for multiple uses
- Industrial users include aerospace, aircraft manufacturing, automotive maintenance and assembly, petrochemical facilities, nuclear sites, hazardous materials processing and remediation, marine and shipbuilding, metalworking and machining, electronics assembly

Cat	UPC	Tip	Hea	d wt.	Overall	length	Shelf P	ack wt.	Shelf
No.	No.	Size	0Z	g	Inch	mm	lb	k	Pack
SF106	037103139764	1"	6	170	11.00	279.4	3	1.36	6
SF109	037103139771	1"	9	255	11.00	279.4	4.2	1.91	6
SF116	037103139795	1 1/2"	16	454	12.00	304.8	6.9	3.13	6
SF120	037103139801	1 1/2"	20	568	12.00	304.8	8.4	3.81	6
SF224	037103139818	2"	24	681	13.00	330.2	9.9	4.49	6
SF236	037103139825	2"	36	1022	13.00	330.2	14.4	6.53	6
SF240	037103139832	2 1/2"	40	1135	14.00	355.6	11	4.99	4
SF268	037103139849	2 1/2"	68	1930	14.00	355.6	18	8.16	4
SF364	037103139856	3"	64	1816	14.00	355.6	8.5	3.86	2
SF396	037103139863	3"	96	2724	14.00	355.6	12.5	5.67	2

#### **Soft-Face Dead Blow Holders**

#### For Industrial Use



- Soft-face holder with handle; faces are sold separately (see page 259)
- Dead Blow holder contains impact absorbing materials
- Solid fiberglass handle for long service life, outlasts wood handles 10 to 1
- Comfortable grip design reduces fatigue
- Replace tips rather than the entire hammer; more value for the user
- Plumb offers a wide variety of soft-face tips for multiple uses
- Plumb soft-face Dead Blow hammer produces 40% more driving force than conventional hammers.
- Industrial users include aerospace, aircraft manufacturing, automotive maintenance and assembly, petrochemical facilities, nuclear sites, hazardous materials processing and remediation, marine and shipbuilding, metalworking and machining, electronics assembly

Cat	UPC	Tip	Head wt.		Overall	length	Shelf P	ack wt.	Shelf
No.	No.	Size	0Z	g	Inch	mm	lb	k	Pack
SD112	037103139740	1"	12	341	11.00	279.4	6	2.72	6
SD116	037103139757	1 1/2"	16	454	12.00	304.8	7	3.18	6
SD232	037103139870	2"	32	908	13.00	330.2	9	4.08	4
SD264	037103139894	2 1/2"	64	1816	14.00	355.6	17	7.71	4
SD396	037103139900	3"	96	2724	14.00	355.6	13	5.90	2



# Replaceable Screw-in-faces

For Soft-faced and Dead Blow Holders

· Screw-in faces for soft-faced and Dead Blow holders

- These are replacement parts
- Faces packed 2 per box
- Color denotes hardness

Brown = Soft Cream = Medium Hard

Red = Medium Black = Hard
Green = Tough Yellow = Extra Hard



Cat	UPC	Size	Dia.	Weight	Each		
No.	No.	Inch	mm	0Z	g	Color	Hardness
85091	037103850911	1	25	.55	16	Brown	Soft
85098	037103850980	1	25	.55	16	Red	Medium
85105	037103851055	1	25	.55	16	Green	Tough
85112	037103851123	1	25	.45	13	Cream	Med. Hard
85119	037103851192	1	25	.50	14	Black	Hard
85126	037103851260	1	25	.50	14	Yellow	Ex. Hard
85133	037103851338	1 1/2	38	1.6	45	Brown	Soft
85140	037103851406	1 1/2	38	1.6	45	Red	Medium
85147	037103851475	1 1/2	38	1.6	45	Green	Tough
85154	037103851543	1 1/2	38	1.4	40	Cream	Med. Hard
85161	037103851611	1 1/2	38	1.45	40	Black	Hard
85168	037103851680	1 1/2	38	1.45	40	Yellow	Ex. Hard
85175	037103851758	2	51	3.4	96	Brown	Soft
85182	037103851826	2	51	3.4	96	Red	Medium
85189	037103851895	2	51	3.4	96	Green	Tough
85196	037103851963	2	51	2.9	82	Cream	Med. Hard
85203	037103852038	2	51	3.0	85	Black	Hard
85210	037103852106	2	51	3.0	85	Yellow	Ex. Hard
85217	037103852175	2 1/2	63	6.4	182	Brown	Soft
85224	037103852243	2 1/2	63	6.4	182	Red	Medium
85231	037103852311	2 1/2	63	6.4	182	Green	Tough
85245	037103852458	2 1/2	63	5.4	153	Black	Hard
85252	037103852526	2 1/2	63	5.4	153	Yellow	Ex. Hard
85259	037103852595	3	76	10.2	289	Brown	Soft
85266	037103852663	3	76	10.2	289	Red	Medium
85273	037103852731	3	76	10.2	289	Green	Tough
85280	037103852809	3	76	8.4	238	Cream	Med. Hard
85287	037103852878	3	76	9.2	261	Black	Hard
85294	037103852946	3	76	9.2	261	Yellow	Ex. Hard

Note: Ordering information example: To order a 1 1/2" / 38mm dia., red, medium face, specify catalog no. 85140

#### **Soft Face Selection Guide**

0011 1 400 0	olootioii a	uluo
Description	Color	Replaces
Soft	Brown	Rubber, wood, soft lead, soft brass, babb
Medium	Red	Rawhide, wood, soft plastics (pvc, vinyl), lead alloy
Tough	Green	Rawhide, hardwood, medium hard plastics (urethane)
Med. Hard	Cream	Rawhide, hardwood, aluminum, copper, hard brass, hard lead alloys
Hard	Black	Rawhide, hard plastics (acrylics, nylons, polymers)
Extra Hard	Yellow	Rawhide, bronze



#### **Dead Blow Hammers**



- Shot-loaded interior cavities to absorb impact, reduce bounce
- Solid fiberglass handle for long service life, outlasts wood handles 10 to 1
- Comfortable grip design reduces fatigue
- Non-marring, non-sparking hammer material
- Plumb Dead Blow hammer produces 40% more driving force than conventional hammers
- Specially engineered striking face material for long service life and high performance
- Industrial users include aerospace, aircraft manufacturing, automotive maintenance and assembly, petrochemical facilities, nuclear sites, hazardous materials processing and remediation, marine and shipbuilding, metalworking and machining, electronics assembly

Cat	UPC	Hea	d wt.	Overall	Overall length		ack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb	k	Pack
DB1	037103139917	16	454	12 3/4	323.85	5.75	2.61	5
DB2	037103139924	32	908	13 3/4	349.25	10.75	4.88	5
DB3	037103139931	48	1362	14 1/2	368.3	6.3	2.86	2
DB4	037103139948	64	1816	14 1/2	368.3	8.3	3.76	2

#### **Light-Duty Dead Blow Hammers**



- Dead-blow hammer assembly encased in polypropylene outer jacket for long service life
- Solid fiberglass handle for long service life, outlasts wood handles 10 to 1
- Specially formulate striking faces are engineered for long service life
- · Resistant to industrial chemicals
- Plumb light-duty Dead Blow hammer produces 40% more driving force than conventional hammers

Cat	UPC	Head wt.		Overall	Overall length		ack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb	k	Pack
LDB16	037103139955	16	454	13 1/2	342.9	6	2.72	5
LDB24	037103139962	24	681	13 1/2	342.9	8.5	3.86	5

#### **Brick Hammer Warning**

#### Warning - Wear Safety Goggles - User and Bystander

Brickhammers are designed for setting and cutting (splitting) bricks, masonry tile and concrete blocks. Never strike one hammer with or against another hammer or other hardened objects as chipping may occur, possibly resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.







# Fiberglass Brick Hammers

- Forged head
- · Polished face, chamfer, bit, back and sides
- Fiberglass handle with comfortable cushion grip
- Permabond® construction between head and handle
- 1 1/8"- wide bit on 24oz.
- 1 1/16"- wide bit on 15oz.



Cat	UPC	Hea	d wt.	Overall I	length	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb k	Pack
11421	037103114211	24	681	13	330	9.2 4.17	4
11422	037103114228	15	425	12 1/4	311	6.0 2.72	4

## **Hickory Handled Brick Hammers**

- Forged head
- Durable, black epoxy powder paint on head
- Sharp cutting bit
- · Strong hickory handle
- Permabond® construction between head and handle
- 1 1/8"- wide bit on 24oz.
- 1 1/16"- wide bit on 15oz.



Cat	UPC	Head	Head wt.		length	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb k	Pack
11491	037103114914	24	681	11	279	10.8 4.90	6
11492	037103114921	15	425	11	279	8.4 3.81	6

## **Fiberglass Wide Bit Brick Hammers**

- · Forged head
- · Durable, black epoxy powder paint on head
- · Sharp, wide cutting bit
- Fiberglass handle with comfortable cushion grip
- Permabond® construction between head and handle
- 1 3/4"- wide bit



Cat	UPC	Head wt.		Overall	length	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb k	Pack
11502	037103115027	20	567	13	330	7.4 3.36	4



# **Hickory Handled Wide Bit Brick Hammer**



- Forged head
- Durable, black epoxy powder paint finish on head
- · Sharp, wide cutting bit
- · Strong hickory handle
- Permabond® construction between head and handle
- 1 3/4"- wide bit

Cat	UPC	Head wt.		Overall	length	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb k	Pack
11501	037103115010	16	454	11	279	8.5 3.85	6

#### **Solid Steel Brick Hammer**





- · Solid steel for extra strength
- Forged handle and head
- · Sharp cutting bit
- · Cushion grip for extra comfort
- · Designed for the professional

Cat	UPC	Head wt.		Overall	length	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb k	Pack
SS20BH	037103184382	20	567	11	279	7.83 3.55	4
SS24BH	037103184436	24	680	11	279	9.40 4.26	4

## **Scaling Hammer**



- Forged head
- Durable, black epoxy powder paint finish on head
- · Red hickory handle
- Permabond® construction between head and handle
- · Used by welder's

Cat	UPC	Head wt.		Overall	Overall length		Shelf Pack wt.		Replacement
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Handle No.
11530	037103115300	16	454	13	330	7.8	3.54	6	11006(A)



## **Fiberglass Handled Prospecting Hammers**

- Forged head
- · Polished face, chamfer, and back
- Fiberglass handle with comfortable cushion grip
- Permabond® construction between head and handle
- Known as the "Rock Hound" hammer



Cat	UPC	Head wt.		Overall I	ength	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb k	Pack
11423	037103114235	16	454	12 1/2	318	7.2 3.27	4

#### **Hickory Handled Prospecting Hammers**

- Forged head
- Durable, black epoxy powder paint finish on head
- · Polished face and chamfer
- · Strong hickory handle
- Permabond® construction between head and handle
- Used primarily by prospectors and geologists



Cat	UPC	Head wt.		Overall l	ength	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb k	Pack
11493	037103114938	16	454	12 1/2	318	7.8 3.54	6

# **Heavy Hammer Warning**

#### Warning - Wear Safety Goggles - User and Bystander

Sledges are designed for general sledging operations in striking wood, metal, concrete or stone. Never strike one hammer with or against another hammer as the face may chip possibly resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.







## **Double Faced Engineer's Hammers**

#### **Heavy Hammers**



- Forged from high-quality steel, hardened and tempered
- · Durable, flat black finish on head
- Two precision machined driving faces
- · Hickory handle
- · Wood wedged for easy handle replacement

Cat	UPC	Hea	d wt.	Overall	length	Shelf Pa	ack wt.	Shelf	Replacement
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Handle No.
11527	037103115270	40	1135	14	356	19.2	8.71	6	11010(0)*
11528	037103115287	48	1362	14	356	21.6	9.80	6	11010(0)*
11529	037103115294	64	1814	15 3/4	396	28.2	12.79	6	11010(0)*

Note: \*See Rehandling Kit section for adze eye replacement kit numbers.

#### **Blacksmith Hand Hammer**



- · Quality, steel forged head, hardened and tempered
- Durable, flat black finish on head
- · Hickory handle
- · Wood wedged for easy handle replacement
- Weight distribution concentrated behind striking face for added power

Cat	UPC	Hea	d wt.	Overal	l length	Shelf Pa	ack wt.	Shelf	Replacement
No.	No.	0Z	g	Inch	mm	lb	k	Pack	Handle No.
11523	037103115232	32	908	14	356	14.4	6.53	6	11010(0)*
11524	037103115249	40	1135	14	356	19.2	8.71	6	11010(0)*
11525	037103115256	48	1362	14	356	19.0	8.98	6	11010(0)*

Note: \*See Rehandling Kit section for adze eye replacement kit numbers.

## **Hand Drilling Hammer**



- · Black forged head
- · Hickory handle
- Wood wedged for easy handle replacement
- Recommended for striking cold chisels, brick chisels, punches, and star drills
- Known as the "stone cutter's" hammer

Cat	UPC	Head wt.		Overall I	length	Shelf Pack wt.	Shelf
No.	No.	0Z	g	Inch	mm	lb k	Pack
11649	037103116499	48	1362	10 3/4	273	19.2 8.71	6



# **Wrecking Bars**

- Forged, high-carbon steel lever bit and claw, hardened and tempered
- Rust-resistant blue finish
- Five popular sizes from 12" to 36"



Cat	UPC	Bar Size		Overall	Overall length		ack wt.	Shelf
No.	No.	Inch	mm	Inch	mm	lb	k	Pack
11871	037103118714	5/8 Hex	15.87	18	457	11.4	5.17	6
11872	037103118721	3/4 Hex	19.05	24	610	21.0	9.53	6
11873	037103118738	3/4 Hex	19.05	30	762	25.2	11.43	6
11874	037103118745	3/4 Hex	19.05	36	914	29.4	13.34	6

## **Ripping Bar**

- Forged, high-carbon steel bit and handle
- Blue enamel finish on handle
- 90° offset curved claw made of forged high-carbon steel
- Three beveled nail slots



Cat	UPC	Bar Size		Overall length		Shelf Pack wt.		Shelf
No.	No.	Inch	mm	Inch	mm	lb	k	Pack
11888	037103118882	11/16 Hex	17.46	17	432	8.0	3.63	4

## **Action Bars**

- Forged carbon-steel bit, handle, and claw
- Blue enamel finish on handle
- Beveled nail slots at both ends
- Used to pry, lift, pull, scrape, and shape



Cat	UPC	Bar Size			Overall	length	Shelf Pa	Shelf		
No.	No.	Inch X	Inch X	mm X	mm X	Inch	mm	lb	k	Pack
11889	037103118899	1 3/8	1/4	35	6	13 1/2	343	6.0	2.72	4

#### **Nail Claw**

- Forged, high-carbon steel handle
- Blue enamel finish on handle
- · Hexagonal stock
- · Beveled nail slot
- · Designed to extract deeply embedded nails



Cat	UPC	Bar Size		Overall	length	Shelf P	Shelf	
No.	No.	Inch	mm	Inch	mm	lb	k	Pack
11887	037103118875	9/16 Hex	14.27	10	260	6.0	2.72	6




#### **Double Faced Sledges**



- · Black, forged head
- Hickory handle
- · Wood wedged for easy handle replacement

Cat	UPC	Hea	d wt.	Overall length		Shelf Pack wt.		Shelf	Replacement
No.	No.	lb	g	Inch	mm	lb	k	Pack	Handle No.
11660	037103116604	8	3629	35 1/2	902	36	16.33	4	11730(0)
11661	037103116611	10	4536	35 1/2	902	44	19.96	4	11730(0)
11662	037103116628	12	5443	35 1/2	902	52	23.58	4	11730(0)
11663	037103116635	16	7257	35 1/2	902	34	15.42	2	11730(0)

#### **Axes and Hatchets Warnings**



Plumb provides a wide variety of axes and hatchets to suit personal preferences and usage. The large axe heads come in a choice of seven patterns. The finish is either a full-polished head and bit, or a painted, rust-resistant head with a polished bit. Only high-quality, hardened, tempered forged steel is used throughout our axes. Smaller axe heads and hatchets reflect the many uses to which this handy and versatile tool can be put. This is a specialist's field, where the customers know what they want... and they get it from Plumb®.






#### Warning - Wear Safety Goggles - User and Bystander

The striking face is designed for general blacksmith work in striking unhardened metal. The peins are used for shaping and bending unhardened metal. Never strike one hammer with or against another hammer or other hardened objects as chipping may occur, resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.

## **All American - Dreadnaught**

#### **Curved Handle**



- Forged steel heads. Tough, matte black finish
- Tempered and hardened bits retain their sharp cutting edge
- Hickory handle wood wedged for easy handle replacement

Cat	UPC		Bar Size		Overall length		Shelf Pack wt.		Shelf
No.	No.	Туре	Inch	mm	Inch	mm	lb	k	Pack
11599	037103115997	SB Jersey	3.5	1588	36	914	9.6	4.36	2
11607	037103116079	SB Michigan	3.5	1588	36	914	9.7	4.40	2



# **Straight Handle**

- · Forged steel heads
- Tough, matte black finish on head
- Hardened, tempered bits retain their sharp cutting edge
- Straight, hickory handle
- Wood wedged for easy handle replacement



Cat	UPC	UPC		Bar Size		Overall length		Shelf Pack wt.	
No.	No.	Type	Inch	mm	Inch	mm	lb	k	Pack
11613	037103116130	DB Michigan	3.5	1588	36	914	11.0	4.99	2

## Fireman's Axe

- Forged, high-quality steel head
- · Red blade and pick
- Curved, hickory handle
- Wood wedged for easy handle replacement



Cat	UPC	Head wt.		Overall l	ength	Shelf Pack wt.	Shelf
No.	No.	lb	g	Inch	mm	lb k	Pack
11629	037103116291	6.0	2724	36	914	16.7 7.58	2

## **Boy's Camp Axe**

- Curved, hickory handle
- Wood wedged for easy handle replacement
- Lightweight
- Ideal as a yard or camp axe



Cat	UPC	Head wt.		Overall length	Shel	Shelf Pack wt.		
No.	No.	lb	g	inch m	m lb	k	Pack	
11619	037103116191	2 1/4	1020	28 7	1 6.0	2.72	2	



#### **House Axe**



- Durable, epoxy paint, forged head
- Curved, hickory handle
- · Wood wedged for easy handle replacement
- Lightweight

Cat	UPC	Head wt.		Overall	length	Shelf Pack wt.	Shelf
No.	No.	lb	g	Inch	mm	lb k	Pack
11631	037103116314	2.25	1020	19	483	16.2 7.35	6

#### **Hunter's Belt Axe**



- · Black, forged steel head
- Hickory handle
- Permabond® construction between head and handle
- Sharp, fast-cutting, lightweight axe with belt sheath
- For the hunter or sportsman

Cat	UPC	Head wt.		Overall	length	Shelf Pack wt.	Shelf
No.	No.	lb	g	Inch	mm	lb k	Pack
11634	037103116345	1.25	567	12	305	10.8 4.90	6

# **Half Hatchets (Octagon Pole) Hickory Handle**



- Durable, black epoxy finish on head
- · Octagon-shaped pole
- Hardened, tempered bit holds sharp cutting edge
- Hickory handle
- Permabond® construction between head and handle

Cat	UPC	Head wt.		Bit Siz	Bit Size		ı Shel	Shelf Pack wt.	
No.	No.	0Z	g	Inch	mm	Inch mr	n lb	k	Pack
11549	037103115492	30	851	3 5/8	92	13 1/2 34	8.4	3.81	4



#### **Broad Hatchet**

- · Black epoxy finish on head
- Heavy hatchet has broad, single-bevel, cutting edge
- Hickory handle
- Permabond® construction between head and handle



Cat	UPC	Head wt.		Bit S	Bit Size		Overall Length		Shelf Pack wt.	
No.	No.	0Z	g	Inch	mm	Inch	mm	lb	k	Pack
11554	037103115546	36	1021	4 1/2	114	15 1/2	394	10.0	4.54	4

# **Expert California Lath Hatchet**

- Full-polished head
- · Checkered striking face
- · Thin blade
- · Hickory handle
- Permabond® construction between head and handle



Cat	UPC	Hea	Head wt.		Bit Size		Overall Length		Shelf Pack wt.		Replacement
No.	No.	0Z	g	Inch	mm	Inch	mm	lb	k	Pack	Handle No.
11544	037103115447	20	567	2 1/8	54	12 1/2	318	6.0	2.72	4	11734(H)

# **Expert Wallboard Hatchet**

- Black enamel head
- Checkered face
- · Hickory handle
- · Polished bevel
- Permabond® construction between head and handle
- Designed for the wallboard expert



Cat	UPC	Hea	d wt.	Bit	Size	Overall	Length	Shelf F	ack wt.	Shelf	Replacement
No.	No.	0Z	g	Inch	mm	Inch	mm	lb	k	Pack	Handle No.
11543	037103115430	24	681	2 1/4	57	13	330	7.2	3.27	4	11734(H)



# **Rigster Hatchet**



- Full-polished head
- · Checkered face
- · Sharp cutting edge
- · Hickory handle
- Permabond® construction between head and handle

Cat	UPC	Head	d wt.	Bit S	Size	Overall	Length	Shelf P	ack wt.	Shelf	Replacement
No.	No.	0Z	g	Inch	mm	Inch	mm	lb	k	Pack	Handle No.
11559	037103115597	28	794	3 1/2	89	18	457	10.0	4.54	4	11732(H)

# **Expert Shingling Hatchet**



- Full-polished head
- Adjustable gauge
- Checkered face
- Draw knife inner blade
- Hickory handle with leather strap
- Permabond® construction between head and handle
- Designed for the expert shingler

Cat	UPC	Hea	d wt.	Bit	Size	Overal	Length	Shelf P	ack wt.	Shelf	Replacement
No.	No.	0Z	g	Inch	mm	Inch	mm	lb	k	Pack	Handle No.
11558	037103115584	24	681	2 1/8	54	13	330	8.0	3.63	4	11734(H)
11568	037103115683	15	425	1 5/8	41	13	330	6.0	2.72	4	11734(H)
11763	037103117632	-		Gauge fo	or 11558, 11	568	-	10.0	4.54	10	-



# **Wood Rehandling Kits**

- Handle lengths could vary slightly from nominal
- Only Plumb<sup>®</sup> replacement handles should be used for Plumb<sup>®</sup> products
- Fiberglass and tubular steel handle replacement bits are not available
- Comparable wood handle kits may be used as substitutes where applicable
- Wood handle kits not available for the following items: 11491, 11492, 11494, 11495, 11634 and Dead Blow holders
- Adze Eye Kits available for the following items: 11523, 11524, 11525, 11528, 11529



#### **Hickory Handle-Nail Hammers**

Cat No.	UPC No.	Replacer Cat. No.	nent Handle UPC No.	Overall Inch	_	Shelf P lb	ack wt.	Type	Shelf Pack
NU.	NU.	Gal. NO.	UPG NO.	IIIGII	mm	IU	K	Eye	rauk
11436	037103114365	11689	037103116895	13	330	6	2.72	Adze	12
11440	037103114402	11689	037103116895	13	330	6	2.72	Adze	12
11460	037103114600	11006	037103110060	13 1/4	336	5	2.27	Adze	12

#### **Hickory Handle Ball Pein Hammers**

Cat No.	UPC No.	Replacen Cat. No.	nent Handle UPC No.	Overall Inch	length mm	Shelf P lb	ack wt. k	Type Eye	Shelf Pack
11494	037103114945	-	-	-	-	-	-	-	-
11495	037103114952	-	-	-	-	-	-	-	-
11498	037103114983	11006	037103110060	13 1/4	336	5	2.27	Adze	12
11499	037103114990	11006	037103110060	13 1/4	336	5	2.27	Adze	12
11520	037103115201	11811	037103118110	15	381	6	2.72	Adze	12
11521	037103115218	11811	037103118110	15	381	6	2.72	Adze	12
11522	037103115225	11811	037103118110	15	381	6	2.72	Adze	12

#### **Other Hickory Handled Hammers**

Cat No.	UPC No.	Replacen Cat. No.	nent Handle UPC No.	Overall Inch	length mm	Shelf P lb	ack wt. k	Type Eye	Shelf Pack
11491	037103114914	-	-	-	-	-	-	-	-
11492	037103114921	-	-	-	-	-	-	-	-
11530	037103115300	11006	037103110060	13 1/4	336	5	2.27	Adze	12
11527	037103115270	11010	037103110107	15	381	6	2.72	Oval*	12
11528	037103115287	11010	037103110107	15	381	6	2.72	Oval*	12
11529	037103115294	11010	037103110107	15	381	6	2.72	Oval*	12
11523	037103115232	11010	037103110107	15	381	6	2.72	Oval*	12
11524	037103115249	11010	037103110107	15	381	6	2.72	Oval*	12
11525	037103115256	11010	037103110107	15	381	6	2.72	Oval*	12
11649	037103116499	11010	037103110114	10 1/2	267	3.4	1.52	Oval	12

\*Adze Eye Kits



# **Wood Rehandling Kits**

#### **Adze Eye Kits**

Cat	UPC		nent Handle	Overall	length	Shelf P	ack wt.	Type	Shelf
No.	No.	Cat. No.	UPC No.	Inch	mm	lb	k	Eye	Pack
11527	037103115270	11811	037103118110	15	375	6.82	3.09	Adze	12
11528	037103115287	11811	037103118110	15	375	6.82	3.09	Adze	12
11523	037103115232	11811	037103118110	15	375	6.82	3.09	Adze	12
11524	037103115249	11811	037103118110	15	375	6.82	3.09	Adze	12
11525	037103115256	11811	037103118110	15	375	6.82	3.09	Adze	12

#### Hickory Handled Sledges/ Maul/ Adze

Cat	UPC	Replacer	ment Handle	Overall	length	Shelf P	ack wt.	Туре	Shelf
No.	No.	Cat. No.	UPC No.	Inch	mm	lb	k	Eye	Pack
11660	037103116604	11730	037103117304	35 1/2	902	9.6	4.35	Oval	12
11661	037103116611	11730	037103117304	35 1/2	902	9.6	4.35	Oval	12
11662	037103116628	11730	037103117304	35 1/2	902	9.6	4.35	Oval	12
11663	037103116635	11730	037103117304	35 1/2	902	9.6	4.35	Oval	12

#### **Hatchets**

Cat No.	UPC No.	Replacer Cat. No.	nent Handle UPC No.	Overall Inch	length mm	Shelf P lb	ack wt. k	Type Eye	Shelf Pack
11544	037103115447	11734	037103117342	16	406	6	2.72	Hatchet	12
11543	037103115430	11734	037103117342	16	406	6	2.72	Hatchet	12
11559	037103115591	11732	037103117328	18	457	7.2	3.27	Hatchet	12
11558	037103115584	11734	037103117342	16	406	6	2.72	Hatchet	12

Notes: 1. Handle lengths could vary slightly from nominal.

- 2. Only Plumb replacement handles should be used for Plumb products.
- 3. Fiberglass and tubular steel handle replacement kits are not available. Comparable wood handle kits may be used as substitutes where applicable.
- 4. Wood handle kits are not available for the following items: 11491, 11492, 11494, 11495, 11634, and Dead Blow holders.
- 5. Adze Eye Kits are available for 11523, 11524, 11525, 11527, 11528, and 11529



# **Plumb Professional Wood Chisels**

- Large cellulose acetate handle for impact resistance and durability
- Steel strike plate on handle resists handle "mushrooming" and resists breakage
- One-piece forged high carbon tool steel for extra strength and durability, retains sharp cutting edge longer
- Polished blade is ground and honed to extreme sharpness for crisp cuts
- Beveled edges for clean and precise cuts
- Tapered blade for comfort and balance
- 2-zone heat treated tool steel for maximum blade strength and longer edge retention



Cat	UPC	Blade	Shelf Pa	ack wt.	Shelf
No.	No.	Width	lb	k	Pack
PLC025	037103139078	1/4"	1.01	0.46	2
PLC050	037103139108	1/2"	1.09	0.49	2
PLC075	037103139115	3/4"	1.17	0.53	2
PLC100	037103139122	1"	1.21	0.55	2
PLC125	037103139139	1 1/4"	1.39	0.63	2
PLC150	037103139146	1 1/2"	1.42	0.64	2
PLC304	037103139153	1/4", 1/2", 3/4", 1"	2.04	0.93	1



## **Nail Sets**





- Used to drive finishing nail heads below a wood surface
- Match cup size to appropriate nail head size
- Professional/Superior quality
- Premium American alloy steel
- Meet or exceed ANSI B209.1 1991 specifications for metal chisels
- Never use a nail set for punching holes in metal, marking metal, aligning holes or driving pins or rivets

Cat.	UPC		Shelf Pack	Weight	Shelf
No.	No.	Cup Size	lb	k	Pack
132NS	037103161482	1/32" (0.8mm), Carded	0.66	0.30	6
232NS	037103161444	2/32" (1.6mm), Carded	0.66	0.30	6
332NS	037103161413	3/32" (2.4mm), Carded	0.66	0.30	6
3PIECENS	037103161390	1/32", 2/32", 3/32", Carded	1.80	0.82	6