

POWERBUILT®

Serious Tools For Serious Work®



CATALOG



www.alltradetools.com



Alltrade Tools LLC is a global leader in the design, manufacturing and marketing of tools and shop equipment. Founded in 1979, the Long Beach, California based firm is privately held, with global manufacturing and sales facilities serving customers on every continent. The company's mission statement: Alltrade designs, markets and supplies tools and shop equipment that meet and exceed our customers' expectations of quality, service and value, while achieving profits to ensure the Company's and its employees' future growth and development. Alltrade offers our customers innovation, flexibility and speed to market.

Alltrade, through its affiliates, has manufacturing and assembly plants in Taiwan and in China. Fully staffed affiliate operations are also located in Germany, New Zealand, Australia, UK and India. Our products are sold throughout the United States, Canada, Mexico, Australia, New Zealand, Japan, China, Germany and England.

Innovation

With nearly 100 patents owned or licensed, Alltrade has earned a well-deserved reputation for innovation. The company's multimillion-dollar annual investment in product development ensures a steady stream of innovative tools and shop equipment that help create excitement and generate sales.

Flexibility

Alltrade applies market research, industrial design, in-house graphics capability and account-specific sales and marketing resources to ensure retail partners are on the leading edge of new opportunities. This strong foundation gives us the flexibility needed to respond to the needs of a dynamic retail environment.

Speed to Market

With proven ability to anticipate market and product trends, Alltrade positions our retail partners to capitalize on new products and categories earlier. And our vertical integration and close supplier relationships allow us to take products from concept to store shelf in record time.

Products

Today, Alltrade offers a single vendor solution for hand tools, tool sets, mechanic's tools, automotive specialty tools, rental/loaner tools, lubrication tools, air compressors, air inflators, air tools and accessories, power tools, power tool accessories, lift equipment, garage equipment, shop equipment, RV equipment, material handling, cargo management, power inverters, 12V jumpstarters and 12V accessories.

Our brand stable includes well-established company-owned brands such as Alltrade®, Powerbuilt®, Team Mechanix® and Tradespro™, as well as licensed national brands such as Snap-on® and Kawasaki™.

ALLTRADE TOOLS LLC

1431 Via Plata

Long Beach, CA 90810-1462

In CA 310/522-9008

FAX 310/522-9066

Toll Free 800/368-6653





RATCHETS & BARS 1 - 11

TORQUE WRENCHES 12 - 14

DRIVE TOOLS & ACCESSORIES .. 15 - 30

SOCKETS 31 - 50

TOOL SETS 51 - 65

WRENCHES 66 - 78

PLIERS 79 - 83

DRIVERS 84 - 93

MISCELLANEOUS TOOLS 94 - 95

LIFT EQUIPMENT 96 - 105

SERVICE EQUIPMENT 106 - 111

MERCHANDISING/PLANOGRAMS .. 112 - 127

INDEX 129 - 134



Ratchets & Bars:

Powerbuilt ratchets and bars are constructed of premium chrome vanadium steel chrome plated then buffed to a high mirror polish. This beautiful finish is tough too, rated to withstand a 30 hour salt spray corrosion test. Powerbuilt ratchets exceed ANSI standards for torque, reverse torque and tolerance, and feature comfortable spiral machined handles.

Product Features:

- Built to exceed ANSI standards
- Mirror-polished chrome vanadium construction
- Available in multiple lengths, head styles and tooth counts

Packaging Features:


- Space-saving injection hangers for increased GMROI
- Eye-catching counter displays to capture impulse sales



Space-Saving Packaging



Dynamic Counter Displays





1-1/2 in.

#640501 - Finger Ratchet

- For quick spin down/off by hand
- Compact design w/knurled grip surface
- Packaged on space-saving injection hanger



ANSI



3-3/4 in.

#640500 - Stubby Ratchet

- 24 tooth design
- Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



4-1/2 in.

#640200 - Flex Head Stubby Ratchet

- 24 tooth design
- Stubby length for use in tight spaces
- Flexible head/shaft joint for hard-to-reach fasteners
- Packaged on space-saving injection hanger



ANSI



5-1/2 in.

#640502 - Spin Disc Ratchet

- 24 tooth design
- Full length spiral-machined handle
- Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



6 in.

#640508 - 36 Tooth Quick Release Gear-to-Gear Ratchet

- Super strong 36 tooth gear-to-gear ratchet mechanism
- Full length spiral-machined handle
- Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



5-1/2 in.

#649997 - 60 Tooth Low-Profile Quick Release Gear-to-Gear Ratchet

- Super strong 60 tooth gear-to-gear ratchet mechanism
- Low-profile ratchet head for use in tight spaces
- Comfortable dual-density handle
- Packaged on space-saving injection hanger



ANSI



5-1/8 in.

#649985 - 72 Tooth Gear-to-Gear Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
- Full length spiral-machined handle
- Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



Ratchets & Bars


#649991 - Extended Length Quick Release Gear-to-Gear Ratchet

- Super strong 36 tooth gear-to-gear ratchet mechanism
- 8 in. extended length spiral-machined handle
- Quick release ratchet head for fast socket mating

- Packaged on space-saving injection hanger



ANSI



8 in.



#641742 - 8 In. Sliding T-Bar

- T-handle for added leverage and torque
- Mirror polished chrome vanadium finish

- Packaged on space-saving injection hanger



ANSI



8 in.



#940504 - Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 5-1/2 in. overall length.

- Packaged on space-saving injection hanger



ANSI



5-1/2 in.



#640928 - Stubby Socket & Bit Ratchet

- 72 tooth design
- Reversible design drives both sockets and hex bits
- Ships ready to display in 12 pc. countertop unit



Side One



Side Two

ANSI



3-1/2 in.



#940478 - Stubby Socket & Bit Ratchet

- 72 tooth design
- Reversible design drives both sockets and hex bits
- Ships ready to display in 9 pc. countertop unit



Side One



Side Two

ANSI



3-1/2 in.



#640923 - Composite Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 9 pc. countertop unit



Side One



Side Two

ANSI



5-1/2 in.



#640926 - Composite Extendable Dual Drive Ratchet

- Extends from 6-3/8 in. to 8-5/8 in. for added leverage
- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 12 pc. countertop unit



Side One



Side Two

ANSI



8-7/8 in. Extended

6-1/2 in.





#640927 - 2 Pc. Stubby Ratchet Set

- Includes 1/4 in. Dr. and 3/8 in. Dr. stubby ratchets
- 72 tooth design
- Ships ready to display in 6 pc. countertop unit



Small Stubby Ratchet



Large Stubby Ratchet

ANSI



#640931 - Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Ships ready to display in 12 pc. countertop unit



Side One



Side Two

ANSI



640182 - Spinner Handle

- Oversized Maxi-Grip handle for higher torque and added comfort
- Chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



Ratchets & Bars

#641515 - Finger Ratchet

- For quick spin down/off by hand
 - Compact design w/knurled grip surface
- Packaged on space-saving injection hanger



ANSI



#641514 - Stubby Ratchet

- 24 tooth design
 - Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



#941515 - Flex Head Stubby Ratchet

- Stubby length for use in tight spaces
 - Flexible head/shaft joint for hard-to-reach fasteners
- Packaged on space-saving injection hanger



ANSI



#941516 - Flex Head Ratchet

- Extended length for added reach and torque
 - Flexible head/shaft joint for hard-to-reach fasteners
- Packaged on space-saving injection hanger



ANSI



#641506 - Flex Head Ratchet

- 24 tooth design
 - Flexible head/shaft joint for hard-to-reach fasteners
- Packaged on space-saving injection hanger



ANSI



#941517 - Quick Release Gear-to-Gear Flex Head Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



#649989 - Double Flex Ratchet

- Pivots at head and midway through handle
 - Provides unmatched reach and access
 - 72 tooth design
- Packaged on space-saving injection hanger



ANSI



#641505 - Spin Disc Ratchet

- 24 tooth design
 - Full length spiral-machined handle
 - Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



Ratchets & Bars



8 in.

#641520 - 36 Tooth Quick Release Gear-to-Gear Ratchet

- Super strong 36 tooth gear-to-gear ratchet mechanism
- Full length spiral-machined handle
- Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



7-3/4 in.

#640511 - Quick Release Round Head Ratchet

- 24 tooth design
- Push-button quick release for fast socket mating
- Full length spiral-machined handle
- Packaged on space-saving injection hanger



ANSI



7-1/8 in.

#649998 - 60 Tooth Low-Profile Quick Release Gear-to-Gear Ratchet

- Super strong 60 tooth gear-to-gear ratchet mechanism
- Low-profile ratchet head for use in tight spaces
- Comfortable dual-density handle
- Packaged on space-saving injection hanger



ANSI



7-3/4 in.

#649986 - 72 Tooth Gear-to-Gear Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
- Full length spiral-machined handle
- Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



6-3/8 in.

#940967 - Composite Extendable Ratchet

- Extends from 6-3/8 in. to 8-5/8 in. for added leverage
- 72 tooth design
- Lightweight, durable composite construction with dual density grip
- Packaged on space-saving injection hanger



ANSI



9-1/2 in.

#641504 - Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 9-1/2 in. overall length
- Packaged on space-saving injection hanger



ANSI



5-1/2 in.

#640923 - Composite Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 9 pc. countertop unit



Side One



Side Two

ANSI



#640925 - Composite Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/2 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 9 pc. countertop unit



ANSI



#640924 - Composite Stubby Ratchet

- 72 tooth design
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 12 pc. countertop unit



ANSI



#640926 - Composite Extendable Dual Drive Ratchet

- Extends from 6-3/8 in. to 8-5/8 in. for added leverage
- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 12 pc. countertop unit



ANSI

CR-V



#640927 - 2 Pc. Stubby Ratchet Set

- Includes 1/4 in. Dr. and 3/8 in. Dr. stubby ratchets
- 72 tooth design
- Ships ready to display in 6 pc. countertop unit



ANSI

CR-V



#640931 - Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Ships ready to display in 12 pc. countertop unit



ANSI

CR-V



#640930 - Quick Release Stubby Ratchet

- Stubby length for use in tight spaces
- Quick release ratchet head for fast socket mating
- Ships ready to display in 12 pc. countertop unit



ANSI

CR-V





4 in.

#646200 - Stubby Ratchet

- Stubby length for use in tight spaces
- Spin disk on ratchet head for one-finger spin-down/off
- Ships ready to display in 12 pc. countertop unit



ANSI



8 in.

#941508 - 8 in. Sliding T-Bar

- T-handle for added leverage and torque
- Mirror polished chrome vanadium finish
- Packaged on space-saving injection hanger



ANSI



10 in.

#641511 - 3 Pc. Accessory Set

- Contents:
- 10 in. Flex Handle
 - 3/8 in. F x 1/2 in. M Adapter
 - Universal Joint
 - Double blister package



ANSI



7 in.

#641569 - Spinner Handle

- Chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



Ratchets & Bars

#640513 - Quick Release Ratchet

- 36 tooth design
 - Full length spiral-machined handle
 - Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



9-3/4 in.



#642505 - Spin Disc Ratchet

- 24 tooth design
 - Full length spiral-machined handle
 - Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



9-3/4 in.



#642509 - 36 Tooth Quick Release Gear-to-Gear Ratchet

- Super strong 36 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



10-1/4 in.




#649999 - 60 Tooth Low-Profile Quick Release Gear-to-Gear Ratchet

- Super strong 60 tooth gear-to-gear ratchet mechanism
 - Low-profile ratchet head for use in tight spaces
 - Comfortable dual-density handle
- Packaged on space-saving injection hanger



ANSI



9 in.



#649987 - 72 Tooth Gear-to-Gear Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



9-7/8 in.



#940520 - Extended Length 72 Tooth Gear-to-Gear Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
 - 15 inch extended length spiral-machined handle
 - Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



15 in.




#642504 - 12 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
 - 12 in. overall length
- Packaged on space-saving injection hanger




ANSI



12 in.





#640853 - 18 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 18 in. overall length
- Packaged on space-saving injection hanger



ANSI



#640854 - 24 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 24 in. overall length
- Packaged on space-saving injection hanger



ANSI



#649990 - 24 In. Round Head Flex Handle

- Flexible head/shaft joint for hard to reach fasteners
- 24 in. overall length
- Packaged on space-saving injection hanger



ANSI



#641700 - 24 In. Ratcheting Flex Handle

- Reversible ratcheting head
- Flexible indexed head/shaft joint for hard to reach fasteners
- 24 in. overall length
- Packaged on space-saving injection hanger



ANSI



#640925 - Composite Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/2 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 9 pc. countertop unit




Side One



Side Two

ANSI



#649993 - 12 In. Sliding T-Bar

- T-handle for added leverage and torque
- Mirror polished chrome vanadium finish
- Packaged on space-saving injection hanger



ANSI



#649992 - Speeder Handle

- Chrome vanadium shaft
- Comfortable spinner handle



ANSI



Ratchets & Bars

#643500 - Quick Release Gear-to-Gear Ratchet

- Super strong 40 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



20 in.



#643502 - 19 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
 - 19 in. overall length
- Packaged on space-saving injection hanger



ANSI



19 in.



#641874 - Reversible Ratchet

- Heat-treated carbon steel construction
 - Knurled handle for added grip
- Packaged on space-saving injection hanger



ANSI



19 in.



#643503 - 18 In. Sliding T-Bar

- T-handle for added leverage and torque
 - Mirror polished chrome vanadium finish
- Packaged on space-saving injection hanger



ANSI



18 in.



1 INCH DRIVE

#649996 - Ratchet

- 24 tooth design
- Full length spiral-machined handle



ANSI



26-1/8 in.



#649995 - 26 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 34 in. overall length



ANSI



34 in.



#649994 - 22 In. Sliding T-Bar

- T-handle for added leverage and torque
- Mirror polished chrome vanadium finish



ANSI



34 in.





Torque Wrenches:

Powerbuilt torque wrenches are built to deliver precision readings time after time. A wide range of drive sizes and wrench styles are available, from a basic needle-style wrench to a professional grade digital torque wrench. Most torque wrenches include a storage case for protection from impacts.

Unique to Powerbuilt is the Digital Torque Adapter. It converts any ratchet into an accurate digital torque wrench, and can be used to calibrate an existing torque wrench as well.

Product Features:

- Built to meet or exceed ANSI specifications
- Chrome vanadium steel construction
- Precision-built mechanisms for lasting accuracy

Packaging Features:

- Storage cases included with most wrenches



Torque Wrenches

#644998 - 3/8 In. Dr. Reversible Ratcheting Micrometer Torque Wrench

- Locking handle prevents accidental setting changes
- 20 to 80 ft. lb range
- Double blister package



ANSI



#944002 - 3/8 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench

- Locking handle prevents accidental setting changes
- 10 to 100 ft. lb range
- Includes storage case
- Double blister package



ANSI



#641432 - 3/8 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench

- Locking handle prevents accidental setting changes
- 25 to 250 in. lb range
- Includes storage case



ANSI



#940963 - 3/8 In. Dr. Digital Torque Adapter

- Converts any 3/8 in. ratchet into an accurate digital torque wrench
- Can be used to calibrate torque wrenches
- 20-99 ft. lb range
- Audio and LED torque monitoring alarms help prevent over-torquing
- Displays peak or trace torque readings
- Stores up to 50 peak torque records
- Complete with a calibration device and carry case
- Dynamic color packaging



ANSI



1/2 INCH DRIVE

#644044 - 1/2 In. Dr. Needle Torque Wrench

- Dual scale
- 0 to 140 ft. lb range
- Packaged on space-saving injection hanger



ANSI



#644999 - 1/2 In. Dr. Reversible Ratcheting Micrometer Torque Wrench

- Locking handle prevents accidental setting changes
- 30 to 150 ft. lb range
- Double blister package



ANSI





#944003 - 1/2 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench

- Locking handle prevents accidental setting changes
- 10 to 150 in. lb range
- Includes storage case



ANSI



#944004 - 1/2 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench

- Provides digital torque readout in ft. lbs., N-m, cm-kG2 and m-kG
- 30 to 150 in. lb range
- Includes storage case



ANSI



#944001 - 1/2 In. Dr. Dual Drive Reversible Ratcheting Micrometer Torque Wrench

- Accepts both 3/8 in. Dr. and 1/2 in. Dr. sockets
- Locking handle prevents accidental setting changes
- 10 to 150 ft. lb range
- Includes storage case



ANSI



#940962 - 1/2 In. Dr. Digital Torque Adapter

- Converts any 3/8 in. ratchet into an accurate digital torque wrench
- Can be used to calibrate torque wrenches
- 20-99 ft. lb range
- Audio and LED torque monitoring alarms help prevent over-torquing
- Displays peak or trace torque readings
- Stores up to 50 peak torque records
- Complete with a calibration device and carry case

- Dynamic color packaging



ANSI

3/4 INCH DRIVE



#641434 - 3/4 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench

- Locking handle prevents accidental setting changes
- 100 to 600 ft. range



ANSI

Overview

Space-Saving Packaging

Drive Tools & Accessories:


Powerbuilt drive tools are constructed of premium chrome vanadium steel chrome plated then buffed to a high mirror polish. This beautiful finish is tough too, rated to withstand a 30 hour salt spray corrosion test. Impact drive tools are constructed of super-strong chromoly steel. All Powerbuilt drive tools meet or exceed ANSI standards for tolerance, fit and finish.

Product Features:

- Mirror-polished chrome vanadium or impact-rated chromoly construction
- Full range of tools and accessories in open stock and convenient sets

Packaging Features:

- Space-saving injection hangers for increased GMROI
- Socket sets packed in reusable hanging holders or carry cases





647230 - 2 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR·MO



#640552 - 3 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI

CR·V



#647231 - 4 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR·MO



#640504 - 6 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI

CR·V



#647232 - 6 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR·MO



#641796 - 8 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI

CR·V



#641797 - 8 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI

CR·V



#641798 - 10 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641799 - 10 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641800 - 14 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641801 - 14 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640842 - 3 Pc. Extension Set

- Knurled center and dual grease rings for superior user grip
- Contents:
 - 2 in. extension
 - 3 in. extension
 - 6 in. extension
- Packaged on space-saving injection hanger



ANSI



#641689 - Bit Adapter

- Mates 1/4 in. Dr. tools to 1/4 in. hex screwdriver bits
- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#940500 - 1/4 In. Dr. F x 3/8 In. Dr. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#647234 - 1/4 In. Dr. F x 3/8 In. Dr. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI






#640848 - 4 Pc. Adapter Set

Contents:

- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M

- Packaged on space-saving injection hanger



ANSI



#641132 - 4 Pc. Hex Style Quick Release Adapter Set

- For use with 1/4 in., 3/8 in. and 1/2 in. box end wrenches - hex shaped adapter fits in box end and accepts sockets

Contents:

- 1/4 in. Dr. Adapter
- 3/8 in. Dr. Adapter
- 1/2 in. Dr. Adapter
- Bit Adapter

- Double blister package



#640859 - 7 Pc. Adapter & Universal Joint Set

Includes:

- 1/4 in., 3/8 in. & 1/2 in. Universal Joints
- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M

- Packaged on space-saving injection hanger



ANSI



#647095 - 7 Pc. Impact Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M adapter
- 3/8 in. F x 1/4 in. M adapter
- 3/8 in. F x 1/2 in. M adapter
- 1/2 in. F x 3/8 in. M adapter

- Packaged on space-saving injection hanger



ANSI

CR-MO



#640503 - 1/4 In. Universal Joint

- Chrome vanadium steel construction

- Packaged on space-saving injection hanger



#647233 - 1/4 In. Impact Universal Joint

- Impact-rated chromoly construction


- Packaged on space-saving injection hanger



#640858 - 3 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Universal Joint Set

- Chrome vanadium steel construction

- Packaged on space-saving injection hanger



#640506 - Socket Rail

- Holds 16 each 1/4 in. sockets
- Packaged on space-saving injection hanger



ANSI




#940410 - Socket Tray

- Holds 16 each 1/4 in. sockets
- Durable ABS plastic



ANSI





#641511 - 3 Pc. Accessory Set

Contents:

- 10 in. flex handle
- 3/8 in. F x 1/2 in. M adapter
- Universal joint
- Double blister package



ANSI



#941500 - 1-3/4 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#941506 - 1-3/4 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641501 - 3 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641744 - 3 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#647274 - 3 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#641502 - 6 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640850 - 6 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641523 - 6 In. Quick Release Extension

- Push-button socket release
- Knurled center superior user grip

- Packaged on space-saving injection hanger

**ANSI****#941504 - 8 In. Extension**

- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger

**ANSI****#640851 - 8 In. Wobble Extension**

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger

**ANSI****#641503 - 10 In. Extension**

- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger

**ANSI****#640852 - 10 In. Wobble Extension**

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger

**ANSI****#641524 - 12 In. Quick Release Extension**

- Push-button socket release
- Knurled center for superior user grip

- Packaged on space-saving injection hanger

**ANSI****#941505 - 18 In. Extension**

- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger

**ANSI****#641802 - 18 In. Wobble Extension**

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger

**ANSI**



#641803 - 24 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641804 - 24 In. Wobble Extension

- Operates at angles up to 25 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640857 - 3 Pc. Wobble Extension Set

- Operate at angles up to 25 degrees from vertical
- Contents:
 - 3 in. wobble extension
 - 6 in. wobble extension
 - 10 in. wobble extension
- Packaged on space-saving injection hanger



ANSI



#640849 - 3 Pc. 2 In. Wobble Extension Set

- Operate at angles up to 25 degrees from vertical
- Contents:
 - 1/4 in. wobble extension
 - 3/8 in. wobble extension
 - 1/2 in. wobble extension
- Packaged on space-saving injection hanger



ANSI



#641510 - 4 Pc. Extension Set

- Knurled center and dual grease rings for superior user grip
- Contents:
 - 1-1/2 in. extension
 - 3 in. extension
 - 6 in. extension
 - 10 in. extension
- Double blister package



ANSI



#640844 - 4 Pc. Extension Set

- Knurled center and dual grease rings for superior user grip
- Contents:
 - 1-3/4 in. extension
 - 3 in. extension
 - 6 in. extension
 - 8 in. extension
- Packaged on space-saving injection hanger



ANSI



#641743 - Bit Adapter

- Mates 3/8 in. drive tools to 1/4 in. hex screwdriver bits
- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#640505 - 3/8 In. F x 1/4 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#641500 - 3/8 In. F x 1/2 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#647096 - 3/8 In. F x 1/2 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#640848 - 4 Pc. Adapter Set

Contents:

- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M

- Packaged on space-saving injection hanger



ANSI



#641132 - 4 Pc. Hex Style Quick Release Adapter Set

- For use with 1/4 in., 3/8 in. and 1/2 in. box end wrenches - hex shaped adapter fits in box end and accepts sockets

Contents:

- 1/4 in. Dr. adapter
- 3/8 in. Dr. adapter
- 1/2 in. Dr. adapter
- Bit adapter

- Double blister package



#640859 - 7 Pc. Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M

- Packaged on space-saving injection hanger



ANSI



#647095 - 7 Pc. Impact Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M adapter
- 3/8 in. F x 1/4 in. M adapter
- 3/8 in. F x 1/2 in. M adapter
- 1/2 in. F x 3/8 in. M adapter

- Packaged on space-saving injection hanger



ANSI





#641507 - Universal Joint

- Joints assembled with set screws for tension adjustment
- Packaged on space-saving injection hanger



ANSI



#647575 - 3/8 In. Impact Universal Joint

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#640858 - 3 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Universal Joint Set

Contents:

- 1/4 in. Dr. universal joint
- 3/8 in. Dr. universal joint
- 1/2 in. Dr. universal joint
- Packaged on space-saving injection hanger



ANSI




#641509 - Socket Rail

- Holds 16 each 3/8 in. sockets
- Packaged on space-saving injection hanger



ANSI



#940411 - Socket Tray

- Holds 30 each 3/8 in. sockets
- Durable ABS plastic



ANSI



#642501 - 2 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger

**ANSI****#942500 - 3 In. Extension**

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger

**ANSI****#647283 - 3 In. Impact Extension**

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger

**ANSI****#642502 - 5 In. Extension**

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger

**ANSI****#647098 - 5 In. Impact Extension**

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger

**ANSI****#642503 - 10 In. Extension**

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger

**ANSI****#647140 - 10 In. Impact Extension**

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger

**ANSI****#641805 - 15 In. Extension**

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger

**ANSI**



#641806 - 15 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640847 - 20 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641807 - 20 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640846 - 3 Pc. Extension Set

- Knurled center and dual grease rings for superior user grip
- Contents:
 - 3 in. extension
 - 5 in. extension
 - 10 in. extension
- Packaged on space-saving injection hanger



ANSI



#640856 - 3 Pc. Wobble Extension Set

- Operate at angles up to 20 degrees from vertical
- Contents:
 - 3 in. wobble extension
 - 5 in. wobble extension
 - 10 in. wobble extension
- Packaged on space-saving injection hanger



ANSI



#642500 - 1/2 In. F x 3/8 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#942501 - 1/2 In. F x 3/4 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#647097 - 1/2 In. F x 3/8 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#647137 - 1/2 In. F x 3/4 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR-MO



#640848 - 4 Pc. Adapter Set

Contents:

- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M

Packaged on space-saving injection hanger

ANSI

CR-V



#641132 - 4 Pc. Hex Style Quick Release Adapter Set

- For use with 1/4 in., 3/8 in. and 1/2 in. box end wrenches – hex shaped adapter fits in box end and accepts sockets

Contents:

- 1/4 in. Dr. adapter
- 3/8 in. Dr. adapter
- 1/2 in. Dr. adapter
- Bit adapter

Double blister package

ANSI

CR-V



#642506 - Universal Joint

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI

CR-V



#647138 - 1/2 In. Impact Universal Joint

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR-MO



#640858 - 3 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Universal Joint Set

Contents:

- 1/4 in. Dr. universal joint
- 3/8 in. Dr. universal joint
- 1/2 in. Dr. universal joint

Packaged on space-saving injection hanger



ANSI

CR-V



#640859 - 7 Pc. Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M

Packaged on space-saving injection hanger



ANSI

CR-V






#647095 - 7 Pc. Impact Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M adapter
- 3/8 in. F x 1/4 in. M adapter
- 3/8 in. F x 1/2 in. M adapter
- 1/2 in. F x 3/8 in. M adapter
- Packaged on space-saving injection hanger



ANSI

CR-MO



#642507 - Socket Rail

- Holds 16 each 1/2 in. sockets
- Packaged on space-saving injection hanger



ANSI



#940409 - Socket Tray

- Holds 28 each 1/2 in. sockets
- Durable ABS plastic



ANSI



#643504 - 4 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#643501 - 8 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#643505 - 16 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#643506 - 3/4 In. F x 1/2 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#643507 - 3/4 In. F x 1 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#940585 - 3/4 In. F x 1 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#940586 - 3/4 In. F x 1/2 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#643508 - Universal Joint

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#647201 - Impact Universal Joint

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI





#940587 - 1 In. F x 3/4 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR-MO



#647198 - Impact Universal Joint

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR-MO



#641720 - 16 In. Extension

- Packaged with color label



ANSI

CR-V





Space-Saving Packaging

Sockets:

Powerbuilt sockets feature either chrome vanadium or impact-rated chromoly construction. Standard and deep well socket lengths exceed ANSI standards and have the center hole punched through for additional working depth on the work surface.



Powerbuilt chrome sockets feature **HV High Visibility** size markings that are three times larger for easy size selection. The size callout is forged into the socket wall using a patent-pending process and will not rub off or wear out with use.



Finally Powerbuilt sockets feature **Z-Drive™**, contacting the flat walls of fasteners for stronger grip.





Product Features:

- Mirror-polished chrome vanadium or impact-rated chromoly construction
- Full range of open stock and convenient sets

Packaging Features:

- Space-saving injection hangers for increased GMROI
- Socket sets packed in reusable hanging holders or carry cases

Hangable Storage Tray



Torx® is a Registered Trademark of TEXTRON INC., Bits are not Torx® brand products.



1/4 In. Dr. Standard Sockets - SAE - 6 Pt.

#648270 - 5/32 in.	#648275 - 5/16 in.
#648271 - 3/16 in.	#648276 - 11/32 in.
#648272 - 7/32 in.	#648277 - 3/8 in.
#648273 - 1/4 in.	#648278 - 7/16 in.
#648274 - 9/32 in.	#648279 - 1/2 in.

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/4 In. Dr. Standard Sockets - Metric - 6 Pt.

#648280 - 4 mm	#648285 - 8 mm
#648004 - 4.5 mm	#648286 - 9 mm
#648281 - 5 mm	#648287 - 10 mm
#648282 - 5.5 mm	#648288 - 11 mm
#648283 - 6 mm	#648289 - 12 mm
#648284 - 7 mm	#648290 - 13 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/4 In. Dr. Deep Well Sockets - SAE - 6 Pt.

#648306 - 5/32 in.	#648293 - 5/16 in.
#948308 - 3/16 in.	#648294 - 11/32 in.
#948309 - 7/32 in.	#648295 - 3/8 in.
#648291 - 1/4 in.	#648296 - 7/16 in.
#648292 - 9/32 in.	#648297 - 1/2 in.

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/4 In. Dr. Deep Well Sockets - Metric - 6 Pt.

#648310 - 4 mm	#648301 - 9 mm
#648311 - 5 mm	#648302 - 10 mm
#648209 - 5.5 mm	#648303 - 11 mm
#648298 - 6 mm	#648304 - 12 mm
#648299 - 7 mm	#641690 - 13 mm
#648300 - 8 mm	

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/4 In. Dr. Universal Impact Sockets - SAE - 6 Pt.

#647210 - 1/4 in.	#647213 - 7/16 in.
#647211 - 5/16 in.	#647214 - 1/2 in.
#647212 - 3/8 in.	#647215 - 9/16 in.

- Packaged on space-saving injection hanger



ANSI



1/4 In. Dr. E-Torx® Sockets

#641721 - E-4	#641724 - E-7
#641722 - E-5	#641725 - E-8
#641723 - E-6	

- Packaged on space-saving injection hanger



ANSI



Sockets

1/4 In. Dr. Bit Sockets - Tamper-Proof Torx®

#648195 - T-7	#648498 - T-20
#648453 - T-8	#648499 - T-25
#648496 - T-10	#648502 - T-27
#648497 - T-15	#648503 - T-30

- Packaged on space-saving injection hanger



ANSI



1/4 In. Dr. Bit Sockets - Torx®

#648108 - T-8	#648326 - T-25
#648679 - T-10	#648327 - T-27
#648324 - T-15	#648328 - T-30
#648325 - T-20	

- Packaged on space-saving injection hanger



ANSI



#640497 - 11 Pc. SAE Socket Set - 6 Pt.

SAE Contents:

- 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.

- Packaged in hangable storage tray



ANSI



#640498 - 11 Pc. Metric Socket Set - 6 Pt.

Metric Contents:

- 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

- Packaged in hangable storage tray



ANSI



#640087 - 14 Pc. SAE & Metric Socket Set - 6 Pt.

Contents:

- SAE: 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in.

- Metric: 6, 7, 8, 9, 10, 11, 12 mm

- Packaged in hangable storage tray



ANSI



#640048 - 6 Pc. Deep Well SAE Socket Set - 6 Pt.

SAE Contents:

- 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in.

- Packaged in hangable storage tray



ANSI



#640499 - 10 Pc. Deep Well SAE Socket Set - 6 Pt.

SAE Contents:

- 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.

- Packaged in hangable storage tray



ANSI





#640046 - 6 Pc. Deep Well Metric Socket Set - 6 Pt.

Metric Contents:

- 6, 7, 8, 10, 11, 12 mm
- Packaged in hangable storage tray



ANSI



#640538 - 10 Pc. Deep Well Metric Socket Set - 6 Pt.

Metric Contents:

- 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- Packaged in hangable storage tray



ANSI



#640049 - 6 Pc. Torx® Bit Socket Set

Torx® Contents:

- T-10, T-15, T-20, T-25, T-27, T-30
- Packaged in hangable storage tray



ANSI



#940146 - 13 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Set

Torx® Contents:

- 1/4 in. Dr.: T-10, T-15, T-20, T-25, T-27, T-30
- 3/8 in. Dr.: T-40, T-45, T-47, T-50, T-55
- 1/2 in. Dr.: T-60, T-70
- Includes hangable socket holder
- Double blister package



ANSI



#647298 - 26 Pc. Impact Socket Set

Contents:

- Standard Sockets: 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- Deep Sockets: 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- Universal Sockets: 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- Packaged in a durable storage case



ANSI



#645020 - 35 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Set

Torx® Contents:

- 1/4 in. Dr.:
 - E-Torx® bit sockets: E-4, E-5, E-6, E-7, E-8
 - Torx® bit sockets: T-8, T-10, T-15, T-20, T-25, T-27, T-30
 - Tamper Proof Torx® bit sockets: T-7, T-8, T-10, T-15, T-20, T-25, T-27, T-30
- 3/8 in. Dr.:
 - E-Torx® bit sockets: E-10, E-12, E-14, E-16
 - Torx® bit sockets: T-40, T-45, T-47, T-50, T-55
 - Tamper Proof Torx® bit sockets: T-40, T-45, T-50, T-55
- 1/2 in. Dr.:
 - E-Torx® bit socket: E-18
 - Torx® bit socket: T-60
- Packaged in a durable storage case



ANSI

Sockets

3/8 In. Dr. Standard Sockets - SAE - 6 Pt.

#940193 - 3/8 in.	#940530 - 11/16 in.
#940526 - 7/16 in.	#940531 - 3/4 in.
#940527 - 1/2 in.	#940532 - 13/16 in.
#940528 - 9/16 in.	#940533 - 7/8 in.
#940529 - 5/8 in.	

- Packaged on space-saving injection hanger



3/8 In. Dr. Standard Sockets - SAE - 12 Pt.

#641000 - 1/4 in.	#641006 - 5/8 in.
#641001 - 5/16 in.	#641007 - 11/16 in.
#641002 - 3/8 in.	#641008 - 3/4 in.
#641003 - 7/16 in.	#641009 - 13/16 in.
#641004 - 1/2 in.	#641010 - 7/8 in.
#641005 - 9/16 in.	

- Packaged on space-saving injection hanger



3/8 In. Dr. Standard Sockets - Metric - 6 Pt.

#940021 - 6 mm	#940028 - 13 mm
#940022 - 7 mm	#940029 - 14 mm
#940023 - 8 mm	#940030 - 15 mm
#940024 - 9 mm	#940031 - 16 mm
#940025 - 10 mm	#940032 - 17 mm
#940026 - 11 mm	#940033 - 18 mm
#940027 - 12 mm	#940034 - 19 mm

- Packaged on space-saving injection hanger



3/8 In. Dr. Standard Sockets - Metric - 12 Pt.

#641011 - 6 mm	#641020 - 15 mm
#641012 - 7 mm	#641021 - 16 mm
#641013 - 8 mm	#641022 - 17 mm
#641014 - 9 mm	#641023 - 18 mm
#641015 - 10 mm	#641024 - 19 mm
#641016 - 11 mm	#940038 - 20 mm
#641017 - 12 mm	#641025 - 21 mm
#641018 - 13 mm	#641221 - 22 mm
#641019 - 14 mm	

- Packaged on space-saving injection hanger



3/8 In. Dr. Deep Well Sockets - SAE - 6 Pt.

#648215 - 5/16 in.	#641204 - 5/8 in.
#641200 - 3/8 in.	#641205 - 11/16 in.
#641201 - 7/16 in.	#641206 - 3/4 in.
#641202 - 1/2 in.	#641207 - 13/16 in.
#641203 - 9/16 in.	#641208 - 7/8 in.

- Packaged on space-saving injection hanger



3/8 In. Dr. Deep Well Sockets - SAE - 12 Pt.

#940044 - 3/8 in.	#940049 - 11/16 in.
#940045 - 7/16 in.	#940050 - 3/4 in.
#940046 - 1/2 in.	#940051 - 13/16 in.
#940047 - 9/16 in.	#940052 - 7/8 in.
#940048 - 5/8 in.	

- Packaged on space-saving injection hanger





3/8 In. Dr. Deep Well Sockets - Metric - 6 Pt.

#641224 - 6 mm	#641215 - 15 mm
#641225 - 7 mm	#641216 - 16 mm
#641319 - 8 mm	#641217 - 17 mm
#641209 - 9 mm	#641218 - 18 mm
#641210 - 10 mm	#641219 - 19 mm
#641211 - 11 mm	#940055 - 20 mm
#641212 - 12 mm	#641220 - 21 mm
#641213 - 13 mm	#641226 - 22 mm
#641214 - 14 mm	

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



3/8 In. Dr. Deep Well Sockets - Metric - 12 Pt.

#940056 - 6 mm	#940063 - 13 mm
#940057 - 7 mm	#940064 - 14 mm
#940058 - 8 mm	#940065 - 15 mm
#940059 - 9 mm	#940066 - 16 mm
#940060 - 10 mm	#940067 - 17 mm
#940061 - 11 mm	#940068 - 18 mm
#940062 - 12 mm	#940069 - 19 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



3/8 In. Dr. Standard Impact Sockets - SAE - 6 Pt.

#647242 - 3/8 in.	#647246 - 5/8 in.
#647243 - 7/16 in.	#647247 - 11/16 in.
#647244 - 1/2 in.	#647248 - 3/4 in.
#647245 - 9/16 in.	

- Packaged on space-saving injection hanger



ANSI



3/8 In. Dr. Standard Impact Sockets - Metric - 6 Pt.

#647249 - 10 mm	#647254 - 15 mm
#647250 - 11 mm	#647255 - 16 mm
#647251 - 12 mm	#647256 - 17 mm
#647252 - 13 mm	#647257 - 18 mm
#647253 - 14 mm	#647258 - 19 mm

- Packaged on space-saving injection hanger



ANSI



3/8 In. Dr. Deep Well Impact Sockets - SAE - 6 Pt.

#647272 - 3/8 in.	#647144 - 11/16 in.
#647273 - 7/16 in.	#647145 - 3/4 in.
#647141 - 1/2 in.	#647610 - 13/16 in.
#647142 - 9/16 in.	#647611 - 7/8 in.
#647143 - 5/8 in.	

- Packaged on space-saving injection hanger



ANSI



3/8 In. Dr. Deep Well Impact Sockets - Metric - 6 Pt.

#647259 - 10 mm	#647150 - 16 mm
#647266 - 11 mm	#647267 - 17 mm
#647146 - 12 mm	#647268 - 18 mm
#647147 - 13 mm	#647269 - 19 mm
#647148 - 14 mm	#647270 - 21 mm
#647149 - 15 mm	

- Packaged on space-saving injection hanger



ANSI



Sockets

3/8 In. Dr. Universal Impact Sockets - SAE - 6 Pt.

#647216 - 3/8 in.	#647220 - 5/8 in.
#647217 - 7/16 in.	#647221 - 11/16 in.
#647218 - 1/2 in.	#647222 - 3/4 in.
#647219 - 9/16 in.	

- Packaged on space-saving injection hanger



3/8 In. Dr. Universal Impact Sockets - Metric - 6 Pt.

#647223 - 10 mm	#647227 - 16 mm
#647224 - 11 mm	#647228 - 17 mm
#647225 - 13 mm	#647229 - 19 mm
#647226 - 14 mm	

- Packaged on space-saving injection hanger



3/8 In. Dr. Spark Plug Sockets - SAE - 6 Pt.

#643000 - 5/8 in.	- U-Joints
#643001 - 13/16 in.	#643002 - 5/8 in. U
#643006 - 3/4 in.	#643003 - 13/16 in. U

- Packaged on space-saving injection hanger



3/8 In. Dr. Spark Plug Sockets - Metric - 6 Pt.

#643007 - 14 mm	#643009 - 18 mm
#643008 - 16 mm	#643010 - 21 mm

- Packaged on space-saving injection hanger



3/8 In. Dr. Bit Sockets - Torx®

#648512 - T-15	#641402 - T-40
#648513 - T-20	#641403 - T-45
#648516 - T-25	#641408 - T-47
#648524 - T-27	#641404 - T-50
#641691 - T-30	#641692 - T-55

- Packaged on space-saving injection hanger



3/8 In. Dr. E-Torx® Sockets

#641726 - E-4	#641733 - E-12
#641728 - E-6	#641734 - E-14
#641729 - E-7	#641735 - E-16
#641730 - E-8	#641736 - E-18
#641731 - E-10	#641737 - E-20
#641732 - E-11	

- Packaged on space-saving injection hanger



3/8 In. Dr. Bit Sockets - Hex - SAE

#940143 - 1/8 in.	#648662 - 1/4 in.
#648430 - 5/32 in.	#640554 - 5/16 in.
#640349 - 3/16 in.	#641400 - 3/8 in.
#640350 - 7/32 in.	

- Packaged on space-saving injection hanger





3/8 In. Dr. Bit Sockets - Hex - Metric

#648323 - 3 mm	#648664 - 7 mm
#648418 - 4 mm	#648665 - 8 mm
#640347 - 5 mm	#648425 - 9 mm
#640556 - 6 mm	#641401 - 10 mm

- Packaged on space-saving injection hanger



ANSI



3/8 In. Dr. Bit Sockets - Impact Hex - SAE

#647235 - 3/16 in.	#647239 - 3/8 in.
#647236 - 7/32 in.	#647240 - 7/16 in.
#647237 - 1/4 in.	#647241 - 1/2 in.
#647238 - 5/16 in.	

- Packaged on space-saving injection hanger



ANSI



#641716 - 9 Pc. SAE Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.

- Includes hangable socket holder

- Double blister package



ANSI



High Visibility Sockets



#940176 - 10 Pc. SAE Socket Set - 6 Pt.

SAE Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.

- Packaged in hangable storage tray



ANSI



High Visibility Sockets



#940180 - 10 Pc. SAE Socket Set - 12 Pt.

SAE Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.

- Packaged in hangable storage tray



ANSI



High Visibility Sockets



#640050 - 7 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.

- Packaged in hangable storage tray



ANSI



High Visibility Sockets



#641717 - 9 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.

- Includes hangable socket holder

- Double blister package



ANSI



High Visibility Sockets



Sockets

#940189 - 10 Pc. SAE Deep Socket Set - 12 Pt.

SAE Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.

- Packaged in hangable storage tray



ANSI



High
Visibility
Sockets

CR-V



#940177 - 10 Pc. Metric Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder

- Double blister package



ANSI



High
Visibility
Sockets

CR-V



#645008 - 12 Pc. Metric Socket Set - 6 Pt.

Metric Contents:

- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder

- Double blister package



ANSI



High
Visibility
Sockets

CR-V



#940181 - 10 Pc. Metric Socket Set - 12 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder

- Double blister package



ANSI



High
Visibility
Sockets

CR-V



#940051 - 7 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 17 mm

- Packaged in hangable storage tray



ANSI



High
Visibility
Sockets

CR-V



#645009 - 12 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:

- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder

- Double blister package



ANSI



High
Visibility
Sockets

CR-V



#647356 - 9 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.

- Hangable storage clip

- Packaged in hangable storage tray



ANSI

CR-MO



#647357 - 10 Pc. Metric Impact Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

- Durable storage case

- Packaged in hangable storage tray



ANSI

CR-MO





#641715 - 10 Pc. Metric Universal Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder
- Double blister package



ANSI



#647359 - 9 Pc. SAE Deep Impact Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.
- Packaged in a durable storage case



ANSI



#647207 - 7 Pc. SAE Universal Impact Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
- Packaged in a durable storage case



ANSI



#647208 - 10 Pc. Metric Universal Impact Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Packaged in a durable storage case



ANSI



#640855 - 5 Pc. Spark Plug Socket Set - 6 Pt.

Contents:

- SAE: 5/8 in., 3/4 in., 13/16 in.
- Metric: 14, 18 mm
- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



#641990 - 8 Pc. SAE Universal Socket Set

- Fits virtually any style bolt head, included damaged heads

SAE Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
- Hangable socket holder
- Double blister package



ANSI



#641991 - 8 Pc. Metric Universal Socket Set

- Fits virtually any style bolt head, included damaged heads

Metric Contents:

- 8, 10, 12, 13, 14, 17, 18, 19 mm
- Hangable socket holder
- Double blister package



ANSI

Sockets

#640052 - 6 Pc. SAE/Metric Hex Bit Socket Set

Contents:

- SAE: 1/4 in., 5/16 in., 3/8 in.
- Metric: 7, 8, 10 mm
- Packaged in hangable storage tray



#648661 - 7 Pc. SAE Hex Bit Socket Set

SAE Contents:

- 1/8 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
- Packaged in hangable storage tray



#648663 - 7 Pc. Metric Hex Bit Socket Set

Metric Contents:

- 3, 4, 5, 6, 7, 8, 10 mm
- Packaged in hangable storage tray



#642404 - 8 Pc. SAE Hex Bit Socket Set

SAE Contents:

- 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
- Hangable socket holder
- Double blister package



#642405 - 8 Pc. Metric Hex Bit Socket Set

Metric Contents:

- 3, 4, 5, 6, 7, 8, 10 mm
- Hangable socket holder
- Double blister package



#645018 - 13 Pc. SAE/Metric Hex Bit Socket Set

Contents:

- SAE: 1/8 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
- Metric: 4, 5, 6, 7, 8, 10 mm
- Hangable socket holder
- Double blister package



#642402 - 8 Pc. 1/4 In. & 3/8 In. SAE Wobble Hex Bit Socket Set

- Operate at angles up to 25 degrees from vertical

Hex SAE Contents:

- 1/4 in. Dr.: 1/8 in., 9/64 in., 5/32 in., 3/16 in.
- 3/8 in. Dr.: 7/32 in., 1/4 in., 5/16 in., 3/8 in.
- Hangable socket holder
- Double blister package





#642403 - 8 Pc. 1/4 In. & 3/8 In. Metric Wobble Hex Bit Socket Set

- Operate at angles up to 25 degrees from vertical
- Hex Metric Contents:
- 1/4 in. Dr.: 3, 4, 5, 6 mm
 - 3/8 in. Dr.: 7, 8, 9, 10 mm
 - Hangle socket holder
 - Double blister package



#645019 - 8 Pc. Torx® Bit Socket Set

- Torx® Contents:
- T-15, T-20, T-25, T-27, T-30, T-40, T-50, T-55
 - Hangle socket holder
 - Double blister package



ANSI



#940146 - 13 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Socket Set

- Torx® Contents:
- 1/4 in. Dr.: T-10, T-15, T-20, T-25, T-27, T-30
 - 3/8 in. Dr.: T-40, T-45, T-47, T-50, T-55
 - 1/2 in. Dr.: T-60, T-70
 - Hangle socket holder
 - Double blister package



#645020 - 35 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Set

- Torx® Contents:
- 1/4 in. Dr.:
 - E-Torx® bit sockets: E-4, E-5, E-6, E-7, E-8
 - Torx® bit sockets: T-8, T-10, T-15, T-20, T-25, T-27, T-30
 - Tamper Proof Torx® bit sockets: T-7, T-8, T-10, T-15, T-20, T-25, T-27, T-30
 - 3/8 in. Dr.:
 - E-Torx® bit sockets: E-10, E-12, E-14, E-16
 - Torx® bit sockets: T-40, T-45, T-47, T-50, T-55
 - Tamper Proof Torx® bit sockets: T-40, T-45, T-50, T-55
 - 1/2 in. Dr.:
 - E-Torx® bit socket: E-18
 - Torx® bit socket: T-60
 - Packaged in a durable storage case



Sockets

1/2 In. Dr. Standard Sockets - SAE - 6 Pt.

#940073 - 3/8 in.	#940081 - 7/8 in.
#940074 - 7/16 in.	#940364 - 15/16 in.
#940075 - 1/2 in.	#940082 - 1 in.
#940076 - 9/16 in.	#940083 - 1-1/16 in.
#940077 - 5/8 in.	#940084 - 1-1/8 in.
#940078 - 11/16 in.	#940085 - 1-3/16 in.
#940079 - 3/4 in.	#940086 - 1-1/4 in.
#940080 - 13/16 in.	

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Standard Sockets - SAE - 12 Pt.

#642038 - 3/8 in.	#642005 - 7/8 in.
#642039 - 7/16 in.	#642006 - 15/16 in.
#642000 - 1/2 in.	#642007 - 1 in.
#642001 - 9/16 in.	#642008 - 1-1/16 in.
#642002 - 5/8 in.	#642009 - 1-1/8 in.
#642303 - 11/16 in.	#642010 - 1-3/16 in.
#642003 - 3/4 in.	#642011 - 1-1/4 in.
#642004 - 13/16 in.	

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Standard Sockets - Metric - 6 Pt.

#941033 - 8 mm	#940099 - 22 mm
#941034 - 9 mm	#940100 - 23 mm
#940087 - 10 mm	#940101 - 24 mm
#940088 - 11 mm	#940102 - 25 mm
#940089 - 12 mm	#940103 - 26 mm
#940090 - 13 mm	#940104 - 27 mm
#940091 - 14 mm	#940105 - 29 mm
#940092 - 15 mm	#940106 - 30 mm
#940093 - 16 mm	#940107 - 31 mm
#940094 - 17 mm	#940108 - 32 mm
#940095 - 18 mm	#940109 - 33 mm
#940096 - 19 mm	#940110 - 34 mm
#940097 - 20 mm	#940111 - 35 mm
#940098 - 21 mm	#940112 - 36 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Standard Sockets - Metric - 12 Pt.

#641763 - 8 mm	#642019 - 21 mm
#641764 - 9 mm	#642020 - 22 mm
#640355 - 10 mm	#642021 - 23 mm
#642030 - 11 mm	#642022 - 24 mm
#642031 - 12 mm	#642023 - 26 mm
#642032 - 13 mm	#642034 - 27 mm
#642012 - 14 mm	#648216 - 28 mm
#642013 - 15 mm	#642035 - 29 mm
#642014 - 16 mm	#642024 - 30 mm
#642015 - 17 mm	#642025 - 32 mm
#642016 - 18 mm	#642026 - 34 mm
#642017 - 19 mm	#642027 - 35 mm
#642018 - 20 mm	#642028 - 36 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets





1/2 In. Dr. Deep Well Sockets - SAE - 6 pt.

#642324 - 3/8 in.	#642204 - 13/16 in.
#642323 - 7/16 in.	#642205 - 7/8 in.
#642344 - 1/2 in.	#642206 - 15/16 in.
#642200 - 9/16 in.	#642207 - 1 in.
#642201 - 5/8 in.	#648217 - 1-1/16 in.
#642202 - 11/16 in.	#642215 - 1-1/8 in.
#642203 - 3/4 in.	#642216 - 1-1/4 in.

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Deep Well Sockets - SAE - 12 pt.

#940995 - 3/8 in.	#940135 - 13/16 in.
#940996 - 7/16 in.	#940136 - 7/8 in.
#940130 - 1/2 in.	#940137 - 15/16 in.
#940131 - 9/16 in.	#940138 - 1 in.
#940132 - 5/8 in.	#940139 - 1-1/16 in.
#940133 - 11/16 in.	#940140 - 1-1/8 in.
#940134 - 3/4 in.	#940142 - 1-1/4 in.

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Deep Well Sockets - Metric - 6 pt.

#642217 - 10 mm	#642213 - 19 mm
#642218 - 11 mm	#642214 - 20 mm
#642219 - 12 mm	#640836 - 21 mm
#642220 - 13 mm	#640837 - 22 mm
#642208 - 14 mm	#640838 - 23 mm
#642209 - 15 mm	#640840 - 24 mm
#642210 - 16 mm	#640841 - 27 mm
#642211 - 17 mm	#940121 - 30 mm
#642212 - 18 mm	#940123 - 32 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Deep Well Sockets - Metric - 12 pt.

#940151 - 10 mm	#940160 - 19 mm
#940152 - 11 mm	#940161 - 20 mm
#940153 - 12 mm	#940162 - 21 mm
#940154 - 13 mm	#940163 - 22 mm
#940155 - 14 mm	#940164 - 23 mm
#940156 - 15 mm	#940165 - 24 mm
#940157 - 16 mm	#940168 - 27 mm
#940158 - 17 mm	#940173 - 30 mm
#940159 - 18 mm	#940175 - 32 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Standard Impact Sockets - SAE - 6 Pt.

#647282 - 7/16 in.	#647157 - 7/8 in.
#647151 - 1/2 in.	#647158 - 15/16 in.
#647152 - 9/16 in.	#647159 - 1 in.
#647153 - 5/8 in.	#647294 - 1-1/16 in.
#647154 - 11/16 in.	#647295 - 1-1/8 in.
#647155 - 3/4 in.	#647296 - 1-1/4 in.
#647156 - 13/16 in.	

- Packaged on space-saving injection hanger



ANSI



Sockets

1/2 In. Dr. Standard Impact Sockets - Metric - 6 Pt.

#647277 - 8 mm	#647164 - 17 mm
#647278 - 9 mm	#647165 - 18 mm
#647279 - 10 mm	#647166 - 19 mm
#647291 - 11 mm	#647280 - 20 mm
#647292 - 12 mm	#647167 - 21 mm
#647160 - 13 mm	#647168 - 22 mm
#647161 - 14 mm	#647281 - 23 mm
#647162 - 15 mm	#647169 - 24 mm
#647163 - 16 mm	#647293 - 27 mm

- Packaged on space-saving injection hanger



1/2 In. Dr. Deep Well Impact Sockets - SAE - 6 Pt.

#647297 - 7/16 in.	#647176 - 7/8 in.
#647170 - 1/2 in.	#647177 - 15/16 in.
#647171 - 9/16 in.	#647178 - 1 in.
#647172 - 5/8 in.	#647194 - 1-1/16 in.
#647173 - 11/16 in.	#647179 - 1-1/8 in.
#647174 - 3/4 in.	#647180 - 1-1/4 in.
#647175 - 13/16 in.	

- Packaged on space-saving injection hanger



1/2 In. Dr. Deep Well Impact Sockets - Metric - 6 Pt.

#647286 - 8 mm	#647186 - 17 mm
#647287 - 9 mm	#647187 - 18 mm
#647288 - 10 mm	#647188 - 19 mm
#647289 - 11 mm	#647192 - 20 mm
#647181 - 12 mm	#647189 - 21 mm
#647182 - 13 mm	#647190 - 22 mm
#647183 - 14 mm	#647290 - 23 mm
#647184 - 15 mm	#647191 - 24 mm
#647185 - 16 mm	#647193 - 26 mm

- Packaged on space-saving injection hanger



1/2 In. Dr. Lug Nut Impact Wheel Saver Sockets

SAE	Metric
#941042 - 3/4 in.	#941039 - 17 mm
#941043 - 13/16 in.	#941040 - 19 mm
#941044 - 7/8 in.	#941041 - 21 mm
#941103 - 1 in.	
#941104 - 1-1/16 in.	

- Packaged on space-saving injection hanger



1/2 In. Dr. Spark Plug Sockets - SAE

#643004 - 5/8 in.	#643005 - 13/16 in.
-------------------	---------------------

- Packaged on space-saving injection hanger



1/2 In. Dr. Bit Sockets - Torx®

#642400 - T-55	#940363 - T-70
#642401 - T-60	

- Packaged on space-saving injection hanger





1/2 In. Dr. Bit Sockets - Impact Torx®

#647121 - T-30	#647125 - T-55
#647122 - T-40	#647126 - T-60
#647123 - T-45	#647127 - T-70
#647124 - T-50	

- Packaged on space-saving injection hanger



ANSI



1/2 In. Dr. Bit Sockets - E-Torx®

#641738 - E-18	#641739 - E-20
----------------	----------------

- Packaged on space-saving injection hanger



ANSI



#641718 - 11 Pc. SAE Socket Set - 6 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#940185 - 9 Pc. SAE Socket Set - 12 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.
- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



#641719 - 11 Pc. SAE Socket Set - 12 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641745 - 15 Pc. Metric Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641746 - 15 Pc. Metric Socket Set - 12 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#640056 - 8 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in.
- Packaged in hangable storage tray



ANSI



High Visibility Sockets



Sockets

#641747 - 11 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
- Hangable socket holder
- Double blister package



ANSI



High
Visibility
Sockets



#641748 - 11 Pc. SAE Deep Socket Set - 12 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
- Hangable socket holder
- Double blister package



ANSI



High
Visibility
Sockets



#640055 - 8 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:

- 12, 13, 14, 17, 19, 21, 22, 23 mm
- Packaged in hangable storage tray



ANSI



High
Visibility
Sockets



#641749 - 15 Pc. Metric Deep Socket Set - 12 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
- Hangable socket holder
- Double blister package



ANSI



High
Visibility
Sockets



#641750 - 15 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
- Hangable socket holder
- Double blister package



ANSI



High
Visibility
Sockets



#647355 - 10 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.
- Hangable storage clip
- Double blister package



ANSI



#940837 - 18 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-3/16 in., 1-1/4 in., 1-5/16 in.
- 5 in. impact extension
- Packaged in a durable storage case



ANSI





#647299 - 10 Pc. Metric Impact Socket Set - 6 Pt.

Metric Contents:

- 11, 12, 13, 15, 16, 17, 19, 21, 22, 24 mm
- Hangable socket holder
- Double blister package



ANSI



#940436 - 12 Pc. Metric Impact Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
- Durable storage case



ANSI



#940838 - 18 Pc. Metric Impact Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
- 5 in. impact extension
- Packaged in a durable storage case



ANSI



#647049 - 11 Pc. SAE Deep Impact Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.
- Packaged in hangable storage tray



ANSI



#940434 - 12 Pc. SAE Deep Impact Socket Set - 6 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
- Durable storage case



ANSI



#647048 - 11 Pc. Metric Deep Impact Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 23, 24 mm
- Packaged in hangable storage tray



ANSI



#940435 - 12 Pc. Metric Deep Impact Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
- Durable storage case



ANSI



#647022 - 30 Pc. SAE/Metric Deep Impact Socket Set - 6 Pt.

Contents:

- SAE: 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-3/16 in., 1-1/4 in., 3/4 in. x 13/16 in.
- Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm, 22, 26 mm, 19mm x 21mm
- 3 in. impact extension
- Packaged in a durable storage case



ANSI



3/4 INCH DRIVE

3/4 In. Dr. Standard Sockets - SAE - 12 Pt.

#643200 - 7/8 in.	#643212 - 1-5/8 in.
#643201 - 15/16 in.	#643213 - 1-11/16 in.
#643202 - 1 in.	#643214 - 1-3/4 in.
#643203 - 1-1/16 in.	#643215 - 1-13/16 in.
#643204 - 1-1/8 in.	#643216 - 1-7/8 in.
#643205 - 1-3/16 in.	#643218 - 2 in.
#643206 - 1-1/4 in.	#643219 - 2-1/16 in.
#643207 - 1-5/16 in.	#643220 - 2-1/8 in.
#643208 - 1-3/8 in.	#643221 - 2-3/16 in.
#643209 - 1-7/16 in.	#643222 - 2-1/4 in.
#643210 - 1-1/2 in.	#643224 - 2-3/8 in.
#643211 - 1-9/16 in.	

- Packaged on space-saving injection hanger



ANSI



**High
Visibility
Sockets**



3/4 In. Dr. Standard Sockets - Metric - 12 Pt.

#643227 - 22 mm	#643235 - 33 mm
#643228 - 23 mm	#643236 - 35 mm
#643229 - 24 mm	#643237 - 36 mm
#643244 - 25 mm	#643238 - 38 mm
#643230 - 26 mm	#943243 - 40 mm
#643231 - 27 mm	#643239 - 41 mm
#643245 - 28 mm	#943245 - 42 mm
#643232 - 29 mm	#643240 - 46 mm
#643233 - 30 mm	#643241 - 50 mm
#643234 - 32 mm	#643242 - 55 mm

- Packaged on space-saving injection hanger



ANSI



**High
Visibility
Sockets**





#940623 - 8 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in., 1-5/16 in., 1-3/8 in., 1-7/16 in., 1-1/2 in.
- Packaged in a durable storage case



ANSI



#647196 - 11 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 13/16 in. square impact socket
- 6 pt. impact sockets: 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-3/16 in., 1-1/4 in., 1-1/2 in.
- Packaged in a durable storage case



ANSI



#647195 - 11 Pc. Metric Impact Socket Set - 6 Pt.

Metric Contents:

- 17, 19, 21 mm square impact sockets
- 6 pt. impact sockets: 27, 30, 32, 33, 35, 36, 38, 41 mm
- Packaged in a durable storage case



ANSI



#940626 - 8 Pc. SAE Deep Impact Socket Set - 6 Pt.

SAE Contents:

- 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in., 1-5/16 in., 1-3/8 in., 1-7/16 in., 1-1/2 in.
- Packaged in a durable storage case



ANSI



1 INCH DRIVE



1 In. Dr. Standard Sockets - SAE - 12 Pt.

#641765 - 1-5/8 in.	#641774 - 2-3/8 in.
#641766 - 1-11/16 in.	#641776 - 2-5/8 in.
#641767 - 1-3/4 in.	#641778 - 2-15/16 in.
#641768 - 1-13/16 in.	#641779 - 3 in.
#641769 - 1-7/8 in.	#641780 - 3-1/8 in.
#641770 - 2 in.	

- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



**High Visibility
Sockets**

Space-Saving Packaging

Tool Sets:

Powerbuilt tool sets offer useful tool combinations that meet the needs of serious tool users and professional technicians. All sets feature the same high quality tools specified in Powerbuilt open stock. And all sets include storage cases or pouches for added convenience. A wide range of piece counts and price points are available to create a complete and competitive retail selection.

Product Features:

- Built to meet or exceed ANSI specifications
- All tools are chrome vanadium steel or heat-treated carbon steel
- All sockets are HV High Visibility

Packaging Features:

- High-impact color packaging
- Storage cases/pouches included



Convenient Carry Case





#940365 - 23 Pc. 1/4 In. Dr. SAE Socket Set - 6 Pt.

Contents:

- Quick release ratchet
- 2 in. & 6 in. extension
- Universal joint
- 6 pt. sockets: 5/32 in. thru 1/2 in.
- 6 pt. deep sockets: 7/32 in. thru 1/2 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#940367 - 23 Pc. 1/4 In. Dr. SAE Socket Set - 12 Pt.

Contents:

- Quick release ratchet
- 2 in. & 6 in. extension
- Universal joint
- 12 pt. sockets: 5/32 in. thru 1/2 in.
- 12 pt. deep sockets: 7/32 in. thru 1/2 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#940835 - 30 Pc. 1/4 In. Dr. SAE Socket Set - 6 Pt.

Contents:

- Ratchet
- 3 in. extension
- Bit adapter
- 6 pt. sockets: 5/32 in. thru 9/16 in.
- Driver bits:
 - Slotted: 3/16 in., 1/4 in.; Phillips: #1, #2
 - Hex: 5, 6 mm; Star: T-10, T-15, T-20, T-25, T-30, T-40
 - Square: S-2; Pozi: #2
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#940836 - 30 Pc. 1/4 In. Dr. Metric Socket Set - 6 Pt.

Contents:

- Ratchet
- 3 in. extension
- Bit adapter
- 6 pt. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Driver bits:
 - Slotted: 3/16 in., 1/4 in.; Phillips: #1, #2;
 - Hex: 5mm, 6mm; Star: T-10, T-15, T-20, T-25, T-30, T-40
 - Square: S-2; Pozi: #2
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#640397 - 24 Pc. 1/4 In. Dr. SAE & Metric Socket Set - 6 Pt.

Contents:

- Quick release ratchet
- 3 in. extension
- Spinner handle
- 6 pt. sockets: SAE 5/32 in. thru 1/2 in.
- 6 pt. sockets: Metric 4 thru 13 mm
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#941106 - 34 Pc. 1/4 In. Dr. SAE & Metric Socket Set - 6 Pt.

Contents:

- 60 tooth gear-to-gear ratchet
- 3 in. extension
- Spinner handle
- 6 pt. SAE Sockets: 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 15/32 in., 1/2 in.
- 6 pt. Metric sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- Bit adapter
- Driver Bits: Pozzi #1, #2; Phillips #1, #2; Slotted 4, 5, 6 mm; Torx® T-10, T-15
- Storage case



ANSI



**High
Visibility
Sockets**

CR-V



#647298 - 26 Pc. 1/4 In. Dr. SAE Impact Socket Set - 6 Pt.

Contents:

- 1/4 in. Dr. 6pt. SAE Impact Sockets:
3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- 1/4 in. Dr. 6pt. SAE deep well impact sockets:
3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- 1/4 in. Dr. 6pt. SAE universal impact sockets:
1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- Storage case



ANSI

CR-MO





#640138 - 12 Pc. 3/8 In. Dr. SAE Socket Set

Contents:

- Spin disk ratchet
- 3 in. & 6 in. extensions
- 12 pt. sockets: 3/8 in. thru 3/4 in.
- 5/8 in. spark plug socket
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#640139 - 12 Pc. 3/8 In. Dr. Metric Socket Set

Contents:

- Spin disk ratchet
- 3 in. & 6 in. extensions
- 12 pt. sockets: 10, 12, 13, 15, 16, 17, 18 mm
- 5/8 in. spark plug socket
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#641705 - 20 Pc. 3/8 In. Dr. SAE Socket Set

Contents:

- 72 tooth extreme ratchet
- 3 in. & 6 in. extensions
- 6 pt. sockets: 3/8 in. thru 7/8 in.
- 6 pt. deep sockets: 3/8 in. thru 3/4 in.
- 5/8 in. spark plug socket
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#640189 - 21 Pc. 3/8 In. Dr. SAE Socket Set

Contents:

- 36 tooth gear-to-gear quick release ratchet
- 3 in. extension
- 6 pt. sockets: 3/8 in. thru 7/8 in.
- 12 pt. sockets: 3/8 in. thru 3/4 in.
- 5/8 in. & 13/16 in. spark plug sockets
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#640190 - 21 Pc. 3/8 In. Dr. Metric Socket Set

Contents:

- 36 tooth gear-to-gear quick release ratchet
- 3 in. extension
- 6 pt. sockets: 10 thru 17 mm
- 12 pt. sockets: 10 mm, 12 thru 19 mm
- 16 mm spark plug socket
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#940372 - 27 Pc. 3/8 In. Dr. SAE Socket Set

Contents:

- Quick release ratchet
- 3 in. & 6 in. extensions
- Universal joint
- 6 pt. sockets: 3/8 in. thru 7/8 in.
- 12 pt. deep sockets: 3/8 in. thru 7/8 in.
- 5/8 in. & 13/16 in. spark plug sockets
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#641706 - 23 Pc. 3/8 In. Dr. Metric Socket Set

Contents:

- 72 tooth extreme ratchet
- 3 in. & 6 in. extensions
- 6 pt. sockets: 10 thru 19 mm
- 6 pt. deep sockets: 10 thru 19 mm
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

CR-V



#940373 - 27 Pc. 3/8 In. Dr. Metric Socket Set

Contents:

- Quick release ratchet
- 3 in. & 6 in. extensions
- Universal joint
- 6 pt. sockets: 10 thru 19 mm
- 12 pt. deep sockets: 10 thru 19 mm
- 5/8 in. & 13/16 in. spark plug sockets
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

CR-V



#640381 - 26 Pc. 3/8 In. Dr. SAE & Metric Socket Set

Contents:

- Quick release ratchet
- 3 in. extension
- Universal joint
- 12 pt. sockets: SAE 1/4 in. thru 13/16 in.
- 12 pt. sockets: Metric 9, 10, 12, 13 thru 19mm
- 5/8 in. & 13/16 in. spark plug sockets
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

CR-V



#640749 - 28 Pc. 3/8 in. Dr. SAE & Metric Motorcycle/ATV Tool Kit

Contents:

- 8 in. adjustable wrench
- 3/8 in. Dr. ratchet
- 3/8 in. Dr. 5/8 in. & 13/16 in. spark plug sockets
- Bit driver with assorted bits
- 5 in. locking pliers
- Open end wrenches:
 - 6 x 8 mm, 10 x 11 mm, 12 x 14 mm, 13 x 15 mm
- Tire gauge
- Electrical tape
- Assorted hex key wrenches
- Roll pouch



ANSI



High
Visibility
Sockets

CR-V



#940832 - 46 Pc. 3/8 In. Dr. SAE & Metric Socket Set

Contents:

- Spin disk ratchet
- 3 in. extension
- Bit adapter
- Spinner handle
- 12 pt. sockets: SAE: 1/4 in. thru 3/4 in.
- Metric: 6, 8, 10, 12 thru 19 mm
- Driver bits: Slotted: 1/8 in., 3/16 in. (2), 1/4 in. (2)
- Phillips: #0, #1 (2), #2 (2); Star: T-10, T-20, T-25, T-27, T-30
- 2 pc. bit adapters
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

CR-V



#640071 - 33 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Socket Set

Contents:

- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. (F) x 1/4 in. (M) adapter
- 1/4 in. Dr. 6 pt. sockets:
 - SAE: 5/32 in. thru 1/2 in. Metric: 6, 7, 8 mm
- 3/8 in. Dr. 12 pt. sockets:
 - SAE: 3/8 in. thru 3/4 in.
 - Metric: 9, 10, 11, 12, 13, 14, 16, 17, 18 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- Double blister package



ANSI



High
Visibility
Sockets

#941107 - 33 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Socket Set

Contents:

- 3/8 in. Dr. 60 tooth gear-to-gear ratchet
- 3/8 in. Dr. 3 in. extension bar
- 3/8 in. Dr. (F) x 1/4 in. Dr. (M) adapter
- 1/4 in. Dr. 6 pt. SAE sockets: 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 15/32 in.
- 1/4 in. Dr. 6 pt. Metric sockets: 6, 7, 8 mm
- 3/8 in. Dr. 12 pt. SAE sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
- 3/8 in. Dr. 12 pt. Metric sockets: 9, 10, 11, 12, 13, 14, 16, 17, 18 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

#940833 - 41 Pc. 1/4 In. & 3/8 In. Dr. SAE Socket Set

Contents:

- 3/8 in. Dr. spin disk ratchet
- 3/8 in. 3 in. extension
- 3/8 in. bit adapter
- 3/8 in. (F) x 1/4 in. (M) adapter
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. sockets: 3/16 in. thru 1/2 in.
- 3/8 in. Dr. sockets: 3/8 in. thru 7/8 in.
- 3/8 in. Dr. 5/8 in. spark plug socket
- Driver bits: Slotted: 1/8 in., 3/16 in., 1/4 in.; Phillips: #0, #1, #2; Star: T-10, T-15, T-20, T-25
- Hex key wrenches: 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

#940834 - 41 Pc. 1/4 In. & 3/8 In. Dr. Metric Socket Set

Contents:

- 3/8 in. Dr. spin disk ratchet
- 3/8 in. 3 in. extension
- 3/8 in. bit adapter
- 3/8 in. (F) x 1/4 in. (M) adapter
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. sockets: 6 thru 12 mm
- 3/8 in. Dr. sockets: 10 thru 17, 19 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- Driver Bits: Slotted: 1/8 in., 3/16 in., 1/4 in. Phillips: #0, #1, #2 Star: T-10, T-15, T-20, T-25
- Hex key wrenches: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

#941109 - 53 Pc. 1/4 In. & 3/8 In. Dr. Metric Socket Set

Contents:

- 1/4 in. Dr. 60 tooth gear-to-gear ratchet
- 3/8 in. Dr. 60 tooth gear-to-gear ratchet
- 1/4 in. Dr. 3 in. extension bar
- 3/8 in. Dr. 3 in. extension bar
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. 6 pt. SAE sockets: 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in.
- 1/4 in. Dr. 6 pt. Metric sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 3/8 in. Dr. 12 pt. SAE sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.
- 3/8 in. Dr. 12 pt. Metric sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 1/4 in. Dr. bit adapter
- Driver Bits: Phillips #2, #3; Slotted 6, 9mm; Star T-10, T-15
- Packaged in a durable storage case



#640072 - 58 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. spin disk ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets: SAE: 5/32 in. thru 1/2 in. Metric: 4, 4.5, 5, 5.5, 6 thru 13 mm
- 1/4 in. Dr. bit adapter
- 1/4 in. Dr. spinner handle
- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 6 in. wobble extension
- 3/8 in. Dr. 12 pt. sockets: SAE: 3/8 in. thru 13/16 in. Metric: 9 thru 19mm, 21mm
- 3/8 in. Dr. 8 pt. sockets: 1/4 in., 5/16 in., 3/8 in.
- Driver Bits: Slotted: 3/16 in., 1/4 in, 9/32 in. Phillips: #1, #2, #3
- Packaged in a durable storage case



#640743 - 61 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 3/8 in. Dr. quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. x 1/4 in. Dr. adapter
- 1/4 in. Dr. 6 pt. sockets: SAE: 5/32 in. thru 1/2 in. Metric: 4 thru 12 mm
- 3/8 in. Dr. 6 pt. sockets: SAE: 5/16 in. thru 11/16 in. Metric: 10 thru 19 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- SAE open end wrenches: 3/8 in. x 7/16 in., 1/2 in. x 9/16 in.
- 18 each SAE & Metric hex key wrenches
- 1/4 in. x 4 in. slotted screwdriver
- #2 x 4 in. Phillips screwdriver
- Packaged in a durable storage case



#640073 - 65 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. spin disk ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
SAE: 5/32 in. thru 1/2 in.
Metric: 4, 4.5, 5, 5.5, 6 thru 13 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
SAE: 1/4 in. thru 7/16 in.
- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. (F) x 1/4 in. Dr. (M) Adapter
- 3/8 in. Dr. 12 pt. sockets:
SAE: 3/8 in. thru 13/16 in.
Metric: 10 thru 19, 21mm
- 3/8 in. Dr. 8 pt. sockets: 1/4 in., 5/16 in., 3/8 in.
- 3/8 in. Dr. 6 pt. deep well sockets: 1/2 in., 9/16 in.
- 3/8 in. Dr. 5/8 in. spark plug socket
- SAE combination wrenches: 3/8 in. thru 5/8 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

#940831 - 70 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. spin disk ratchet
- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
SAE: 5/32 in. thru 7/16 in.
Metric: 6 thru 12 mm
- 1/4 in. Dr. 6 pt. deep well socket:
SAE: 3/16 in. thru 5/16 in.
Metric: 6 thru 10 mm
- 3/8 in. Dr. 12 pt. sockets:
SAE: 1/4 in. thru 13/16 in.
Metric: 6 thru 19 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- Open end wrenches: 3/8 in. x 7/16 in., 1/2 in. x 9/16 in.
- Bit driver
- 12 pc. assorted driver bits
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

#646546 - 71 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 3/8 in. Dr. quick release gear-to-gear ratchet
- 3/8 in. Dr. 3 in. extension
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. finger ratchet
- 3/8 in. Dr. (F) x 1/4 in. Dr. (M) adapter
- 1/4 in. Dr. 6 pt. sockets:
SAE: 5/32 in. thru 1/2 in.
Metric: 4, 4.5, 5, 5.5, 6, 7, 8, 9 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
SAE: 1/4 in., 9/32 in., 5/16 in., 11/32 in.
- 3/8 in. Dr. 5/8 in. spark plug socket
- 3/8 in. Dr. 12 pt. sockets:
SAE: 3/8 in., 7/16 in., 1/2 in., 9/16 in.,
5/8 in., 3/4 in., 13/16 in.
Metric: 9 thru 15, 17mm
- 3/8 in. Dr. 6 pt. deep well sockets:
SAE: 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- Bit Adapter
- Assorted Driver Bits
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets

#640744 - 101 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. quick release ratchet
- 3/8 in. Dr. quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
 SAE: 5/32 in. thru 7/16 in.
 Metric: 4 thru 12 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
 SAE: 3/16 in. thru 5/16 in.
 Metric: 6 thru 10 mm
- 3/8 in. Dr. 6 pt. sockets:
 SAE: 1/4 in. thru 13/16 in.
 Metric: 6 thru 19 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- SAE open end wrenches:
 3/8 in. x 7/16 in., 1/2 in. x 9/16 in.
- 16 each SAE & Metric hex key wrenches
- Bit driver
- 12 each assorted screwdriver bits
- 12 each nut driver bits
- Packaged in a durable storage case



ANSI



**High
 Visibility
 Sockets**





#640187 - 15 Pc. 1/2 In. Dr. SAE Socket Set - 12 Pt.

Contents:

- 36 tooth gear-to-gear quick release ratchet
- 5 in. extension
- 1/2 in. Dr. (F) x 3/8 in. Dr. (M) adapter
- 12 pt. Sockets: 1/2 in. thru 1-1/8 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#640188 - 15 Pc. 1/2 In. Dr. Metric Socket Set - 12 Pt.

Contents:

- 36 tooth gear-to-gear quick release ratchet
- 5 in. extension
- 1/2 in. Dr. (F) x 3/8 in. Dr. (M) adapter
- 12 pt. Sockets:
- 12, 13, 14, 15, 17, 19, 21, 22, 24, 25, 27 mm
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#641707 - 16 Pc. 1/2 In. Dr. SAE Socket Set - 6 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 6 pt. sockets: 3/8 in. thru 1 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#641709 - 16 Pc. 1/2 In. Dr. SAE Socket Set - 12 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 12 pt. sockets: 3/8 in. thru 1 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#641708 - 19 Pc. 1/2 In. Dr. Metric Socket Set - 6 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 6 pt. sockets: 10 thru 24 mm
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#641977 - 19 Pc. 1/2 In. Dr. Metric Socket Set - 12 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 12 pt. sockets: 10 thru 24 mm
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



Tool Sets

#640382 - 21 Pc. 1/2 In. Dr. SAE & Metric Socket Set

Contents:

- Quick release ratchet
- 2 in. extension
- 12 pt. sockets:
 SAE: 1/2 in. thru 1 in.
 Metric: 12, 13, 14, 15, 17, 19, 21, 22, 24 mm
- Packaged in a durable storage case



#641714 - 29 Pc. 1/2 In. Dr. SAE Socket Set - 6 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 6 pt. sockets: 3/8 in. thru 1-1/4 in.
- 6 pt. Deep Sockets: 1/2 in. thru 1-1/4 in.
- Packaged in a durable storage case



#641710 - 29 Pc. 1/2 In. Dr. SAE Socket Set - 12 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 12 pt. sockets: 3/8 in. thru 1-1/4 in.
- 12 pt. Deep Sockets: 1/2 in. thru 1-1/4 in.
- Packaged in a durable storage case



#641712 - 46 Pc. 1/2 In. Dr. 6 Pt. SAE & Metric Socket Set - 6 Pt.

Contents:

- 72 tooth extreme ratchet
- 5 in. & 10 in. extensions
- 6 pt. SAE sockets: 1/2 in. thru 1-1/8 in.
- 6 pt. SAE Deep Sockets: 1/2 in. thru 15/16 in.
- 6 pt. Metric Sockets: 10 thru 24 mm
- 6 pt. Metric Deep Sockets: 10 thru 19 mm
- Packaged in a durable storage case



#641713 - 46 Pc. 1/2 In. Dr. SAE & Metric Socket Set - 12 Pt.

Contents:

- 72 tooth extreme ratchet
- 5 in. & 10 in. extensions
- 12 pt. SAE sockets: 1/2 in. thru 1-1/8 in.
- 12 pt. SAE Deep Sockets: 1/2 in. thru 15/16 in.
- 12 pt. Metric Sockets: 10 thru 24 mm
- 12 pt. Metric Deep Sockets: 10 thru 19 mm
- Packaged in a durable storage case





#941108 - 25 Pc. 3/8 In. & 1/2 In. Dr. SAE & Metric Socket Set

Contents:

- 3/8 in. Dr. 12 pt. SAE sockets: 1/4 in., 5/16 in., 3/8 in., 7/16 in.
- 3/8 in. Dr. 12 pt. Metric sockets: 8, 9, 10, 11 mm
- 1/2 in. Dr. 60 tooth gear-to-gear ratchet
- 1/2 in. Dr. 3 in. extension bar
- 1/2 in. Dr. (F) x 3/8" Dr. (M) adapter
- 1/2 in. Dr. 12 pt. SAE sockets: 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.
- 1/2 in. Dr. 12 pt. Metric sockets: 12, 13, 14, 15, 17, 19, 21 mm
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



1/4 IN., 3/8 IN. & 1/2 IN. DR.



#640076 - 82 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. spin disk ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets: SAE: 5/32 in. thru 1/2 in. Metric: 4, 4.5, 5, 5.5, 6 thru 13 mm
- 1/4 in. Dr. 6 pt. deep well sockets: SAE: 1/4 in., 9/32 in., 5/16 in., 11/32 in.
- 1/4 in. Dr. 12 pt. sockets: SAE: 3/16 in. thru 1/2 in. Metric: 8 thru 13 mm
- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. 8 pt. sockets: 1/4 in., 5/16 in., 3/8 in.
- 3/8 in. Dr. 12 pt. sockets: SAE: 3/8 in. thru 13/16 in. Metric: 9 thru 19 mm
- 3/8 in. Dr. 6 pt. deep well sockets: SAE: 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- 1/2 in. Dr. 5/8 in. spark plug socket
- 1/2 in. Dr. spin disk ratchet
- 1/2 in. Dr. 12 pt. sockets: SAE: 1/2 in., 9/16 in., 5/8 in., 3/4 in., 13/16 in., 7/8 in.
- SAE combination wrenches: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



Tool Sets

#941110 - 100 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 3 in. extension bar
- 1/4 in. Dr. 6 pt. SAE sockets: 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in.
- 1/4 in. Dr. 6 Pt. Metric Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1/4 in. Dr. 12 pt. SAE sockets: 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in.
- 1/4 in. Dr. 12 pt. Metric sockets: 8, 9, 10, 11, 12, 13 mm
- 3/8 in. Dr. 60 tooth gear-to-gear ratchet
- 3/8 in. Dr. 3 in. extension bar
- 3/8 in. Dr. (F) x 1/4 in. Dr. (M) adapter
- 3/8 in. Dr. 12 pt. SAE sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.
- 3/8 in. Dr. 12 pt. Metric sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 3/8 in. Dr. 6 pt. deep well SAE sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- 3/8 in. Dr. 6 pt. deep well Metric sockets: 10, 12, 13, 14 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- 1/2 in. Dr. 60 tooth gear-to-gear ratchet
- 1/2 in. Dr. 12 pt. SAE sockets: 1/2 in., 9/16 in., 5/8 in., 3/4 in., 13/16 in., 7/8 in.
- SAE Combination Wrenches: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in.
- 22 pc. SAE/Metric hex key wrenches
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#640194 - 131 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. 6 pt. sockets: SAE: 5/32 in. thru 1/2 in.; Metric: 4 thru 13 mm
- 1/4 in. Dr. 6 pt. deep well sockets: SAE: 3/16 in. thru 1/2 in.; Metric: 6, 7, 8, 9, 10, 12 mm
- 1/4 in. Dr. 12 pt. sockets: SAE 3/16 in. thru 1/2 in.
- 3/8 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. to 1/4 in. Dr. adapter
- 3/8 in. Dr. 6 pt. sockets: SAE: 5/16 in. thru 13/16 in. Metric: 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm
- 3/8 in. Dr. 8 pt. sockets: 1/4 in., 5/16 in., 3/8 in.
- 3/8 in. Dr. 12 pt. sockets: SAE: 3/8 in. thru 13/16 in. Metric: 9, 10, 11, 12, 13, 14, 16, 15, 17, 19 mm
- 3/8 in. Dr. 6 pt. deep well sockets: SAE: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 11/16 in. Metric: 10 thru 15 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- 1/2 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/2 in. Dr. 12 pt. sockets: SAE: 9/16 in. thru 7/8 in., Metric: 16, 17, 18, 19, 21 mm
- Hex key wrenches: 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in.
- Combination wrenches: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
- Packaged in a durable storage case



ANSI



High Visibility Sockets





#640195 - 154 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. 6 pt. sockets:
 - SAE: 5/32 in. thru 3/8 in., 7/16 in., 1/2 in., 9/16 in.
 - Metric: 4, 5, 5.5, 6 thru 14 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
 - SAE: 3/16 in. thru 3/8 in., 7/16 in., 1/2 in.
 - Metric: 4 thru 13 mm
- 1/4 in. Dr. to bit adapter
- 3/8 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. 6 pt. sockets:
 - SAE: 3/8 in. thru 13/16 in., Metric: 13 thru 22 mm
- 3/8 in. Dr. 6 pt. deep well sockets:
 - SAE: 3/8 in. thru 3/4 in., Metric: 9 thru 16 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- 1/2 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/2 in. Dr. 12 pt. sockets:
 - SAE: 1/2 in. thru 1-1/16 in., 1-1/4 in.
 - Metric: 15, 17, 18, 19, 21, 22, 24, 27, 30 mm
- Hex key wrenches:
 - SAE: 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in.
 - Metric: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6 mm
- Combination wrenches:
 - SAE: 5/16 in. thru 3/4 in.
 - Metric: 9, 10, 12, 13, 14, 15, 16 mm
- Bits: Slotted: 3/16 in., 1/4 in., 5/16 in.
- Phillips: #1, #2, #3, T-10, T-20, T-25, S-1, S-2, S-3
- Packaged in a durable storage case



ANSI



#640745 - 161 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
 - SAE: 5/32 in. thru 9/16 in.; Metric: 4 thru 14 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
 - SAE: 3/16 in. thru 5/16 in.; Metric: 7 thru 11 mm
- 3/8 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. 6 pt. sockets:
 - SAE: 1/4 in. thru 13/16 in.; Metric: 6 thru 18 mm
- 3/8 in. Dr. spark plug sockets: 5/8 in., 13/16 in.
- 3/8 in. Dr. 12 pt. sockets:
 - SAE: 5/16 in. thru 5/8 in.; Metric: 10 thru 17 mm
- 3/8 in. Dr. 6 pt. deep well sockets:
 - SAE: 7/16 in. thru 3/4 in.; Metric: 10 thru 18 mm
- 1/2 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/2 in. Dr. 12 pt. sockets:
 - SAE: 7/16 in. thru 1/2 in.; Metric: 14 thru 19 mm
- Combination wrenches:
 - SAE: 1/4 in. thru 9/16 in.; Metric: 9 thru 15 mm
- 22 each SAE & Metric hex key wrenches
- Bit driver
- 14 each driver bits
- 12 each nut driver bits
- Packaged in a durable storage case



ANSI



Tool Sets

#640746 - 201 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
 SAE: 5/32 in. thru 9/16 in.; Metric: 4 thru 14 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
 SAE: 3/16 in. thru 5/16 in.; Metric: 7 thru 13 mm
- 3/8 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 3/8 in. Dr. 3 in. & 6 in. extensions
- 3/8 in. Dr. 6 pt. sockets:
 SAE: 1/4 in. thru 3/4 in.; Metric: 6 thru 19 mm
- 3/8 in. Dr. spark plug sockets: 5/8 in., 13/16 in.
- 3/8 in. Dr. 12 pt. sockets:
 SAE: 5/16 in. thru 13/16 in., Metric: 9 thru 18 mm
- 3/8 in. Dr. 6 pt. deep well sockets:
 SAE: 3/8 in. thru 3/4 in.; Metric: 9 thru 17 mm
- 1/2 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/2 in. Dr. 12 pt. sockets:
 SAE: 7/16 in. thru 3/4 in.; Metric: 14 thru 19 mm
- Combination wrenches:
 SAE: 1/4 in. thru 3/4 in.; Metric: 14 thru 19 mm
- 36 each SAE & Metric hex key wrenches
- Bit driver
- 24 each driver bits
- 12 each nut driver bits
- Packaged in a durable storage case



ANSI



Space-Saving Packaging



Hangable Storage Tray



ANSI



Wrenches:


Powerbuilt combination wrenches meet or exceed ANSI length specifications and have chamfered edges on both the open and boxed ends. Boxed-ends also feature Z-Drive™ for stronger grip on fasteners. Powerbuilt adjustable wrenches feature chrome vanadium construction highlighted by an extra thick I-beam rail for far greater user comfort during higher torque applications.

Product Features:

- Built to meet or exceed ANSI specifications
- Heat-treated carbon steel or chrome vanadium steel construction
- Ratcheting combination wrenches feature 72 tooth ratchet mechanisms

Packaging Features:

- Space saving packaging for increased GMROI
- Sets feature reusable packaging for convenient storage



Adjustable Wrenches**#944039 - 4 In. Adjustable Wrench**

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger

ANSI **CR·V****#644040 - 6 In. Adjustable Wrench**

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger

ANSI **CR·V****#644041 - 8 In. Adjustable Wrench**

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger

ANSI **CR·V****#644042 - 10 In. Adjustable Wrench**

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger

ANSI **CR·V****#644043 - 12 In. Adjustable Wrench**

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger

ANSI **CR·V**

Combination Wrenches



Raised Panel Combination Wrenches - SAE

#644000 - 1/4 in.	#644015 - 1-1/4 in.
#644001 - 5/16 in.	#644049 - 1-5/16 in.
#644002 - 3/8 in.	#940307 - 1-3/8 in.
#644003 - 7/16 in.	#940312 - 1-7/16 in.
#644004 - 1/2 in.	#940313 - 1-1/2 in.
#644005 - 9/16 in.	#940314 - 1-5/8 in.
#644006 - 5/8 in.	#940315 - 1-11/16 in.
#644007 - 11/16 in.	#940316 - 1-3/4 in.
#644008 - 3/4 in.	#940317 - 1-13/16 in.
#644009 - 13/16 in.	#940318 - 1-7/8 in.
#644010 - 7/8 in.	#940319 - 2 in.
#644011 - 15/16 in.	#941324 - 2-5/16 in.
#644012 - 1 in.	#940322 - 2-3/8 in.
#644013 - 1-1/16 in.	#940311 - 2-7/16 in.
#644014 - 1-1/8 in.	#940323 - 2-1/2 in.

- Heat-treated chrome plated carbon steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI




Raised Panel Combination Wrenches - Metric

#644016 - 7 mm	#644028 - 19 mm
#644017 - 8 mm	#644029 - 20 mm
#644018 - 9 mm	#644030 - 21 mm
#644019 - 10 mm	#644031 - 22 mm
#644020 - 11 mm	#644032 - 23 mm
#644021 - 12 mm	#644033 - 24 mm
#644022 - 13 mm	#644060 - 25 mm
#644023 - 14 mm	#644061 - 26 mm
#644024 - 15 mm	#644062 - 27 mm
#644025 - 16 mm	#644063 - 28 mm
#644026 - 17 mm	#644064 - 29 mm
#644027 - 18 mm	#644065 - 30 mm

- Heat-treated chrome plated carbon steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI



Mirror Polish Combination Wrenches - SAE

#644140 - 1/4 in.	#644147 - 3/4 in.
#644141 - 5/16 in.	#644148 - 13/16 in.
#644142 - 3/8 in.	#644149 - 7/8 in.
#644143 - 7/16 in.	#644150 - 15/16 in.
#644144 - 1/2 in.	#644152 - 1 in.
#644145 - 9/16 in.	#644153 - 1-1/16 in.
#644146 - 5/8 in.	#644154 - 1-1/8 in.
#640894 - 11/16 in.	#644155 - 1-1/4 in.

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI




Mirror Polish Combination Wrenches - Metric

#644110 - 6 mm	#644123 - 19 mm
#644111 - 7 mm	#644124 - 20 mm
#644112 - 8 mm	#644125 - 21 mm
#644113 - 9 mm	#644126 - 22 mm
#644114 - 10 mm	#644127 - 23 mm
#644115 - 11 mm	#644128 - 24 mm
#644116 - 12 mm	#644129 - 25 mm
#644117 - 13 mm	#644130 - 26 mm
#644118 - 14 mm	#644131 - 27 mm
#644119 - 15 mm	#644132 - 28 mm
#644120 - 16 mm	#644133 - 29 mm
#644121 - 17 mm	#644134 - 30 mm
#644122 - 18 mm	#644135 - 32 mm

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI CR-V




Long Pattern Combination Wrenches - SAE

#640475 - 1/4 in.	#640444 - 3/4 in.
#640476 - 5/16 in.	#640445 - 13/16 in.
#640477 - 3/8 in.	#640446 - 7/8 in.
#640440 - 7/16 in.	#640479 - 15/16 in.
#640441 - 1/2 in.	#640480 - 1 in.
#640442 - 9/16 in.	#640481 - 1-1/16 in.
#640443 - 5/8 in.	#640482 - 1-1/8 in.
#640478 - 11/16 in.	#640483 - 1-1/4 in.

- Mirror-polished heat-treated carbon steel
- Extended length for added torque
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI



Long Pattern Combination Wrenches- Metric

#940483 - 6 mm	#640453 - 18mm
#640484 - 7mm	#640489 - 19mm
#640485 - 8mm	#640490 - 20mm
#640486 - 9mm	#640491 - 21mm
#640447 - 10mm	#640492 - 22mm
#640487 - 11mm	#640493 - 23mm
#640448 - 12mm	#640494 - 24mm
#640449 - 13mm	#640495 - 25mm
#640488 - 14mm	#641686 - 27mm
#640450 - 15mm	#641687 - 30mm
#640451 - 16mm	#641688 - 32mm
#640452 - 17mm	

- Mirror-polished heat-treated carbon steel
- Extended length for added torque
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI





Mirror Polish Stubby Combination Wrenches - SAE

#641781 - 3/8 in.	#641785 - 5/8 in.
#641782 - 7/16 in.	#641786 - 11/16 in.
#641783 - 1/2 in.	#641787 - 3/4 in.
#641784 - 9/16 in.	

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI



Mirror Polish Stubby Combination Wrenches - Metric

#641788 - 10 mm	#641792 - 14 mm
#641789 - 11 mm	#641793 - 15 mm
#641790 - 12 mm	#641794 - 17 mm
#641791 - 13 mm	#641795 - 18 mm

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI



Ratcheting Combination Wrenches - SAE

#641572 - 1/4 in.	#640152 - 3/4 in.
#640145 - 5/16 in.	#641126 - 13/16 in.
#640146 - 3/8 in.	#641127 - 7/8 in.
#640147 - 7/16 in.	#641685 - 15/16 in.
#640148 - 1/2 in.	#641681 - 1 in.
#640149 - 9/16 in.	#641682 - 1-1/16 in.
#640150 - 5/8 in.	#641683 - 1-1/8 in.
#640151 - 11/16 in.	#641684 - 1-1/4 in.

- Chrome vanadium steel construction
- 72 tooth ratchet mechanism

- Packaged on space-saving injection hanger

ANSI



Ratcheting Combination Wrenches - Metric

#641673 - 6 mm	#640159 - 14 mm
#641672 - 7 mm	#640160 - 15 mm
#640153 - 8 mm	#640161 - 16 mm
#640154 - 9 mm	#640162 - 17 mm
#640155 - 10 mm	#640163 - 18 mm
#640156 - 11 mm	#640164 - 19 mm
#640157 - 12 mm	#641128 - 20 mm
#640158 - 13 mm	#641123 - 21 mm

- Chrome vanadium steel construction
- 72 tooth ratchet mechanism

- Packaged on space-saving injection hanger

ANSI



Stubby Ratcheting Combination Wrenches - SAE

#641751 - 5/16 in.	#641755 - 9/16 in.
#641752 - 3/8 in.	#641756 - 5/8 in.
#641753 - 7/16 in.	#641757 - 11/16 in.
#641754 - 1/2 in.	#641758 - 3/4 in.

- Mirror-polished chrome vanadium steel
- 72 tooth ratchet for use in tight spaces

- Packaged on space-saving injection hanger

ANSI



E-Torx® Ratcheting Combination Wrenches

#641759 - E6 x E8	#641761 - E14 x E18
#641760 - E10 x E12	#641762 - E20 x E24

- Mirror-polished chrome vanadium steel
- 72 tooth ratchet for use in tight spaces

- Packaged on space-saving injection hanger

ANSI



Flare Nut Wrenches - SAE

#644085 - 3/8 in. x 7/16 in.	#644035 - 5/8 in. x 11/16 in.
#644034 - 1/2 in. x 9/16 in.	

- Chrome vanadium steel construction

- Packaged on space-saving injection hanger

ANSI



Flare Nut Wrenches - Metric

#644036 - 9mm x 10mm	#644038 - 13mm x 14mm
#644037 - 11mm x 12mm	

- Chrome vanadium steel construction

- Packaged on space-saving injection hanger

ANSI



Flex Head Flare Nut Wrenches

Metric	SAE
#641865 - 10mm x 12mm	#641866 - 3/8 in. x 7/16 in.

- Chrome vanadium steel construction
- Ends flex up to 230 degrees in either direction for added reach

- Packaged on space-saving injection hanger

ANSI



Flare Nut Crowsfoot Wrenches - SAE

#641831 - 3/8 in.	#641836 - 11/16 in.
#641832 - 7/16 in.	#641837 - 3/4 in.
#641833 - 1/2 in.	#641838 - 13/16 in.
#641834 - 9/16 in.	#641839 - 7/8 in.
#641835 - 5/8 in.	

- Chrome vanadium steel construction
- 3/8 in. square drive

- Packaged on space-saving injection hanger

ANSI



Specialty Wrenches/Sets



Flare Nut Crow's Foot Wrenches - Metric

#641840 - 10 mm	#641845 - 15 mm
#641841 - 11 mm	#641846 - 16 mm
#641842 - 12 mm	#641847 - 17 mm
#641843 - 13 mm	#641848 - 18 mm
#641844 - 14 mm	#641849 - 19 mm

- Chrome vanadium steel construction
- 3/8 in. square drive

- Packaged on space-saving injection hanger

ANSI CR-V



Open End Crow's Foot Wrenches - SAE

#641809 - 3/8 in.	#641815 - 3/4 in.
#641810 - 7/16 in.	#641816 - 13/16 in.
#641811 - 1/2 in.	#641817 - 7/8 in.
#641812 - 9/16 in.	#641818 - 15/16 in.
#641813 - 5/8 in.	#641819 - 1 in.
#641814 - 1 1/16 in.	

- Chrome vanadium steel construction
- 3/8 in. square drive

- Packaged on space-saving injection hanger

ANSI CR-V



Open End Crow's Foot Wrenches - Metric

#641820 - 10 mm	#641825 - 15 mm
#641821 - 11 mm	#641826 - 16 mm
#641822 - 12 mm	#641827 - 17 mm
#641823 - 13 mm	#641828 - 18 mm
#641824 - 14 mm	#641829 - 19 mm

- Chrome vanadium steel construction
- 3/8 in. square drive

- Packaged on space-saving injection hanger

ANSI CR-V



#640079 - 5 Pc. SAE Combination Wrench Set

- Heat-treated chrome plated carbon steel

Contents:

- 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.

- Packaged on hangable plastic holder



ANSI



#640078 - 6 Pc. SAE Combination Wrench Set

- Heat-treated chrome plated carbon steel

Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.

- Packaged on hangable plastic holder



ANSI



#640377 - 11 Pc. SAE Combination Wrench Set

- Heat-treated chrome plated carbon steel

Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.

- Packaged on hangable plastic holder



ANSI

Wrench Sets

#640080 - 7 Pc. Metric Combination Wrench Set

Contents:

- 13, 14, 15, 16, 17, 18, 19 mm
- Packaged on hangable plastic holder



ANSI



#640077 - 7 Pc. Metric Combination Wrench Set

Contents:

- 6, 7, 8, 9, 10, 11, 12 mm
- Packaged on hangable plastic holder



ANSI



#640378 - 11 Pc. Metric Combination Wrench Set

Contents:

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19 mm
- Packaged on hangable plastic holder



ANSI



#940466 - 10 Pc. SAE Mirror Polish Combination Wrench Set

Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.
- Storage pouch included
- Color box packaging



ANSI



#940468 - 16 Pc. SAE Mirror Polish Combination Wrench Set

Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
- Storage pouch included
- Color box packaging



ANSI



#940467 - 10 Pc. Metric Mirror Polish Combination Wrench Set

Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Storage pouch included
- Color box packaging



ANSI



#940469 - 16 Pc. Metric Mirror Polish Combination Wrench Set

Contents:

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
- Storage pouch included
- Color box packaging



ANSI



Wrench Sets



#640436 - 7 Pc. SAE Long Pattern Combination Wrench Set

Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
- Packaged on hangable plastic holder



ANSI



#640437 - 7 Pc. Metric Long Pattern Combination Wrench Set

Contents:

- 10, 11, 12, 13, 14, 15, 17 mm
- Packaged on hangable plastic holder



ANSI



#640203 - 7 Pc. SAE Stubby Combination Wrench Set

Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
- Packaged on hangable plastic holder



ANSI



#640204 - 7 Pc. Metric Stubby Combination Wrench Set

Contents:

- 10, 12, 13, 14, 15, 17, 18 mm
- Packaged on hangable plastic holder



ANSI



#640990 - 7 Pc. SAE Ratcheting Combination Wrench Set

Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
- Packaged on hangable plastic holder

ANSI



#640991 - 7 Pc. Metric Ratcheting Combination Wrench Set

Contents:

- 8, 10, 12, 13, 14, 15, 19 mm
- Packaged on hangable plastic holder

ANSI



#941207 - 7 Pc. SAE Reversible Ratcheting Combination Wrench Set

- Reversible ratchet permits direction changes without removing wrench from fastener

Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
- Packaged on hangable plastic holder

ANSI



Wrench Sets**#941206 - 7 Pc. Metric Reversible Ratcheting Combination Wrench Set**

- Reversible ratchet permits direction changes without removing wrench from fastener

Contents:

- 8, 10, 12, 13, 14, 15, 18mm
- Packaged on hangable plastic holder

**#941067 - 7 Pc. SAE Flex Head Ratcheting Combination Wrench Set**

- Box end flexes up to 90 degrees in either direction for added reach

Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
- Packaged on hangable plastic holder

**#941068 - 7 Pc. Metric Flex Head Ratcheting Combination Wrench Set**

- Box end flexes up to 90 degrees in either direction for added reach

Contents:

- 8, 10, 12, 13, 14, 15, 19mm
- Packaged on hangable plastic holder

**#941063 - 7 Pc. SAE Universal Combination Wrench Set**

- Splined box end fits virtually any style bolt head, including damaged heads

Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 1/16 in.
- Packaged on hangable plastic holder

**#941062 - 7 Pc. Metric Universal Combination Wrench Set**

- Splined box end fits virtually any style bolt head, including damaged heads

Contents:

- 10, 11, 12, 13, 14, 15, 17mm
- Packaged on hangable plastic holder

**#640532 - 7 Pc. SAE Stubby Ratcheting Combination Wrench Set**

Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
- Packaged on hangable plastic holder

**#640533 - 7 Pc. Metric Stubby Ratcheting Combination Wrench Set**

Contents:

- 10, 12, 13, 14, 15, 16, 18 mm
- Packaged on hangable plastic holder



Wrench Sets



#640992 - 3 Pc. SAE Ratcheting Box Wrench

- Color-coded for easy size identification
- Contents:
 - 3/8 in. x 7/16 in., 1/2 in. x 9/16 in., 5/8 in. x 3/4 in.
- Double blister package

ANSI



#640993 - 3 Pc. Metric Ratcheting Box Wrench

- Color-coded for easy size identification
- Contents:
 - 8 x 10 mm, 12 x 14 mm, 14 x 17 mm
- Double blister package

ANSI



#644505 - 5 Pc. SAE Box Wrench Set

- Contents:
 - 1/4 in. x 5/16 in., 3/8 in. x 7/16 in., 1/2 in. x 9/16 in., 5/8 in. x 11/16 in., 3/4 in. x 7/8 in.
- Packaged on hangable plastic holder



ANSI



#644506 - 5 Pc. Metric Box Wrench Set

- Contents:
 - 8 x 9 mm, 10 x 11 mm, 13 x 14 mm, 15 x 17 mm, 18 x 19 mm
- Packaged on hangable plastic holder



ANSI



#640185 - 4 Pc. SAE Flare Nut Wrench Set

- Contents:
 - 3/8 in. x 7/16 in., 1/2 in. x 9/16 in., 5/8 in. x 11/16 in., 3/4 in. x 7/8 in.
- Packaged on hangable plastic holder



ANSI



#640186 - 4 Pc. Metric Flare Nut Wrench Set

- Contents:
 - 9 x 10 mm, 11 x 12 mm, 13 x 14 mm, 15 x 17 mm
- Packaged on hangable plastic holder



ANSI



#940201 - 10 Pc. SAE T-Handle Hex Key Set

- Contents:
 - 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
- Metal storage rack
- Color box packaging



ANSI



Wrench Sets

#940202 - 10 Pc. Metric T-Handle Hex Key Set

Contents:

- 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8, 10 mm
- Metal storage rack
- Color box packaging



ANSI

CR-V



#940200 - 10 Pc. T-Handle Torx® Wrench Set

Contents:

- T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
- Metal storage rack
- Color box packaging



ANSI

CR-V



#640081 - 9 Pc. SAE Ball End Hex Key Wrench Set

Contents:

- 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
- Hex key holder
- Double blister package



ANSI

CR-V



#640082 - 9 Pc. Metric Ball End Hex Key Wrench Set

Contents:

- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- Hex key holder
- Double blister package



ANSI

CR-V



#941203 - 9 Pc. Torx® Key Set

Contents:

- T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
- Wrench holder
- Double blister package



ANSI

CR-V



#941069 - 9 Pc. Metric Short Arm Hex Key Set

Contents:

- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- Hex key holder
- Double blister package



ANSI



#941070 - 9 Pc. SAE Short Arm Hex Key Set

Contents:

- 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
- Hex key holder
- Double blister package



ANSI



Wrench Sets



#941071 - 9 Pc. Tamper-Proof Torx® Key Set

Contents:

- T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
- Wrench holder
- Double blister package



ANSI



#941075 - 25 Pc. SAE & Metric Hex Key Set

Contents:

- SAE: 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
- Metric: 1.27, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10mm
- Wrench holder
- Double blister package



ANSI



#940953 - 8 Pc. SAE Folding Ball End Hex Key Wrench Set

• Ships ready to display in 8 pc. countertop unit

Contents:

- 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 1/4 in.



ANSI



- Also Available In Open Stock - #940784



#940949 - 8 Pc. Metric Ball End Hex Key Wrench Set

• Ships ready to display in 8 pc. countertop unit

Contents:

- 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm



ANSI



- Also Available In Open Stock - #940785



#940954 - 10 Pc. Folding Torx® Wrench Set

• Ships ready to display in 8 pc. countertop unit

Contents:

- T-6, T-7, T-8, T-9, T-10, T-15, T-20, T-25, T-27, T-30



ANSI

- Also Available In Open Stock - #940786

Pliers:

All Powerbuilt pliers meet ANSI standard. They offer construction, specifications and cutting force comparable to the very best pliers on the market. Powerbuilt pliers also feature a double dip cushion handle for a surer, more comfortable grip. Powerbuilt locking pliers are constructed with chromoly steel jaws for distortion-free performance.

Product Features:

- Built to meet or exceed ANSI specifications
- Carbon steel, chrome vanadium, chrome nickel and chromoly steel construction
- Hardened cutting edges on cutting pliers

Packaging Features:

- Space saving packaging for increase GMROI

Space-Saving Packaging



Chrome vanadium steel
construction



Dual density TPR
ergonomic grips



Mini Pliers



#640409 - 5 In. Mini Long Nose Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
 - Cutting pliers feature hardened cutting edges
- Packaged on space-saving injection hanger

ANSI



#640410 - 6 In. Mini Needle Nose Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI



#640411 - 5 In. Mini Bent Nose Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI



#640412 - 4 In. Mini Diagonal Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
 - Cutting pliers feature hardened cutting edges
- Packaged on space-saving injection hanger

ANSI



#640413 - 4-1/2 In. Mini Linesman Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
 - Cutting pliers feature hardened cutting edges
- Packaged on space-saving injection hanger

ANSI



#640947 - 6 Pc. Mini Pliers Set

- Drop-forged carbon steel construction
- Dual density TPR ergonomic grips
- Cutting pliers feature hardened cutting edges

Contents:

- 5 in. long nose pliers
 - 5 in. bent nose pliers
 - 4-1/2 in. diagonal pliers
 - 4-3/4 in. flat nose pliers
 - 6 in. needle nose pliers
 - 4-1/2 in. end nippers
- Double blister package

ANSI

#640394 - 6 In. Slip Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR-V**



#640395 - 8 In. Slip Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR-V**



#640386 - 6 In. Diagonal Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI **CR-V**



#640387 - 7 In. Diagonal Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI **CR-V**



#640388 - 8 In. Groove Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR-V**



#640389 - 10 In. Groove Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR-V**



#640390 - 12 In. Groove Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR-V**



#641395 - 16 In. Groove Joint Pliers

- Drop-forged carbon steel construction
- Double-dipped grips
- Double blister package

ANSI



Long Nose/Linesman/Locking



#640392 - 6 In. Long Nose Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI CR-V



#640393 - 8 In. Long Nose Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI CR-V



#640391 - 7 In. Linesman Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI CR-V



#645014 - 5 In. Locking Pliers

- Drop-forged chromoly steel jaws
- Dual density TPR ergonomic grips
- High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI CR-MO



#646539 - 7 In. Locking Pliers

- Drop-forged chromoly steel jaws
- Dual density TPR ergonomic grips
- High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI CR-MO



#646540 - 10 In. Locking Pliers

- Drop-forged chromoly steel jaws
- Dual density TPR ergonomic grips
- High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI CR-MO



#645015 - 10 In. Long Nose Locking Pliers

- Drop-forged chromoly steel jaws
- Dual density TPR ergonomic grips
- High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI CR-MO

#645016 - 10 In. Pivot Jaw Locking Pliers

- Drop-forged chromoly steel jaws
 - Dual density TPR ergonomic grips
 - High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI **CR·MO****#646541 - 9 In. Long Nose Locking Pliers**

- Drop-forged chromoly steel jaws
 - Dual density TPR ergonomic grips
 - High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI **CR·MO****#640860 - 11 In. Long Reach Long Nose Pliers**

- Drop-forged chrome vanadium steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR·V****#640862 - 11 In. Long Reach Bent Nose Pliers**

- Drop-forged chrome vanadium steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR·V****#640863 - 11 In. Long Reach Hose Clamp Pliers**

- Drop-forged chrome vanadium steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR·V**

Space-Saving Packaging



Sand-blasted and magnetized tip for better fastener grip

Premium chrome vanadium shaft

Oversized Maxi-Grip handle for higher torque and added comfort



Drivers:

Powerbuilt screwdrivers offer an oversized Maxi-Grip handle that offers better torque and an easier grip. All screwdriver blades are chrome vanadium, and screwdriver tips are sandblasted for an extra grip on fasteners. Finally, Powerbuilt screwdriver tips are magnetized for faster, more convenient performance.

Product Features:


- Built to meet or exceed ANSI specifications
- Chrome vanadium steel construction

Packaging Features:

- Space saving packaging for increase GMROI



Torx® is a Registered Trademark of TEXTRON INC., Bits are not Torx® brand products.



Maxi-Grip Slotted

#646007 - 1/8 In. X 3 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646009 - 3/16 In. X 3 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646010 - 3/16 In. X 6 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646011 - 1/4 In. X 1-1/2 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646012 - 1/4 In. X 4 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646013 - 1/4 In. X 6 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646014 - 5/16 In. X 6 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#940345 - 5/16 In. X 8 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



Maxi-Grip Slotted/Phillips



#646015 - 3/8 In. X 8 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



ANSI



#646000 - #0 X 3 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



ANSI



#646002 - #1 X 3 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



ANSI



#940551 - #1 X 6 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



ANSI



#646003 - #2 X 1-1/2 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



ANSI



#646004 - #2 X 4 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



ANSI



#646005 - #2 X 6 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



ANSI



#646006 - #3 X 6 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



ANSI



Maxi-Grip Phillips/Torx®**#646038 - #3 X 8 In. Phillips Screwdriver**

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

**#646016 - T-10 X 3 In. Torx® Screwdriver**

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

**#646017 - T-15 X 4 In. Torx® Screwdriver**

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

**#646018 - T-20 X 4 In. Torx® Screwdriver**

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

**#646019 - T-25 X 4 In. Torx® Screwdriver**

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

**#646020 - T-27 X 4 In. Torx® Screwdriver**

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

**#646021 - T-30 X 4 In. Torx® Screwdriver**

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

**#646022 - T-40 X 4 In. Torx® Screwdriver**

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



Maxi-Grip Robertson



#646050 - S-0 X 1-1/2 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
- Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



#646052 - S-0 X 3 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
- Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



#646051 - S-1 X 1-1/2 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
- Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



#646053 - S-1 X 4 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
- Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



#646054 - S-2 X 4 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
- Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



#646055 - S-3 X 4 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
- Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



#646056 - S-2 X 8 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
- Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



#646057 - S-3 X 8 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
- Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



Nut Drivers/Driver Sets

#940326 - 1/4 In. SAE Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
- 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#940327 - 5/16 In. SAE Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
- 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#940329 - 3/8 In. SAE Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
- 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#940330 - 7/16 In. SAE Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
- 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#940340 - 10mm Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
- 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#646048 - 2 Pc. Pocket Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- Slotted: 1/8 in. x 2-1/2 in.
 - Phillips: #0 x 2-1/2 in.
 - Double blister package



#940760 - 2 Pc. Screw Starter Screwdriver Set

- Spring loaded screw holder helps start screw
 - Chrome vanadium shafts
- Contents:
- Slotted: 1/4 in.
 - Phillips: #2
 - Double blister package



Driver Sets



#646047 - 2 Pc. Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- Slotted: 1/4 in. x 4 in.
 - Phillips: #4 x 4 in.
- Double blister package



ANSI




#646500 - 5 Pc. Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- Slotted: 1/4 in. x 4 in., 3/16 in. x 3 in., 1/4 in. x 6 in.
 - Phillips: #1 x 3 in., #2 x 4 in.
- Double blister package



ANSI



#646046 - 5 Pc. Torx® Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- T-15 x 3 in., T-20 x 3 in., T-25 x 4 in., T-27 x 4 in., T-30 x 5 in.
- Double blister package



ANSI



#646049 - 5 Pc. Robertson Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- S-0 x 3 in., S-1 x 3 in., S-2 x 1-1/2 in., S-2 x 3 in., S-3 x 6 in.
- Double blister package



ANSI



#646522 - 5 Pc. SAE Stubby Nut Driver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in.
- Double blister package



ANSI



#646523 - 5 Pc. Metric Stubby Nut Driver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- 6, 8, 9, 10, 12mm
- Double blister package



ANSI



#646045 - 7 Pc. Nut Driver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- SAE: 1/4 in., 3/8 in., 7/16 in., 1/2 in.
 - Metric: 8, 10, 12mm
- Double blister package



ANSI



Driver Sets/Bit Driver Sets

#646043 - 6 Pc. Screwdriver Set

- Comfortable double-injection handles
 - Premium chrome vanadium shaft
- Contents:
- Slotted: 3/16 in. X 4 in., 1/4 in. X 4 in., 5/16 in. X 6 in.
 - Phillips: #1 X 3 in., #2 X 4 in., #2 X 6 in.
- Double blister package



#940750 - 2 Pc. Torx® Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- T-15 x 4 in., T-20 x 4 in.
- Double blister package



#646041 - 7 Pc. SAE Nut Driver Set

- Comfortable double-injection handles
- Contents:
- 3/16 in., 1/4 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in.
- Double blister package



#646042 - 7 Pc. Metric Nut Driver Set

- Comfortable double-injection handles
- Contents:
- 6, 7, 8, 9, 10, 11, 12 mm
- Double blister package



#646026 - 6-In-1 Bit Driver

- Comfortable matte finish plastic handle
 - Sand-blasted and magnetized tip for better fastener grip
 - Ships ready to display in 12 pc. countertop unit
- Contents:
- Double-ended bits:
- Slotted: 3/16 in., 1/4 in. Phillips: #1, #2
Hex: 1/4 in., 5/16 in.



#941162 - 9-In-1 Screwdriver

- Comfortable double injected handle
 - Ships ready to display in 12 pc. countertop unit
- Contents:
- Double-ended bits:
- Slotted 3/16 in. x Phillips #1, Slotted 1/4 in. x Phillips #2, Phillips #2 x Square #2
- Nut Drivers: 3/16 in., 1/4 in., 5/16 in.



Precision Bit Driver on Back of Handle

#941171 - 9-In-1 Torx® Screwdriver

- Comfortable double injected handle
 - Ships ready to display in 12 pc. countertop unit
- Contents:
- Double-ended bits:
- T-10 x T-15, T-20 X T-25, T-27 X T-30
- Nut Drivers: 3/16 in., 1/4 in., 5/16 in.



Precision Bit Driver on Back of Handle

Driver Sets/Bit Driver Sets



#646528 - 7 Pc. Bit Driver Set

- Oversized Maxi-Grip handle
- Hollow aluminum shaft with telescoping magnetic pick-up tool

Contents:

- Chrome vanadium bits:
Slotted: 3/16 in., 1/4 in.
Phillips: #1, #2
Torx®: T-15, T-20

- Packaged on space-saving injection hanger



ANSI



#646040 - 7 Pc. Electrician's Bit Driver Set

- Insulated driver handle

Contents:

- Chrome vanadium bits:
Slotted: 1/8 in., 3/16 in., 1/4 in.
Phillips: #0, #1, #2

- Double blister package



ANSI



#646516 - 24 Pc. Ratchet Driver & Bit Set

- Gearless Ratcheting Bit Driver rated to 320 inch/pounds
- Reusable storage tray
- 1/4" Dr. Socket Adapter

Contents:

- Chrome vanadium bits:
Slotted: 1/8 in., 5/32 in., 3/16 in., 1/4 in., 9/32 in.
Phillips: #1, #2, #3,
Torx®: T-10, T-15, T-20, T-25, T-30, T-40
Hex: 5/32 in., 3/16 in., 7/32 in., 1/4 in.
Square: #0, #1, #2, #3

- Double blister package



ANSI



#648002 - 1/2 In. Dr. Impact Driver Kit

Contents:

- Chrome vanadium bits:
Slotted Bits: 3/16 in. & 1/4 in.
Phillips Bits: #1 & #2
- Storage Pouch



ANSI



#640949 - 8 Pc. Screwdriver Set

Contents:

- Offset screwdrivers:
#1 x 3/16 in., #2 x 1/4 in., #3 x 5/16 in.
- Precision screwdrivers:
1.0, 1.4, 1.8, 2.0mm
- 4-way keychain driver

- Double blister package



ANSI



#646507 - 6 Pc. Precision Screwdriver Set

- Swivel end handles
- Plastic carry case

Contents:

- Premium chromoly shaft:
Slotted 1.4, 1.8, 2.4mm
Phillips #00, #0, #1

- Packaged in hangable storage case



ANSI



Driver Sets/Bit Driver Sets

#940506 - 30-in-1 Precision Screwdriver Set

- Integrated flex shaft extends 2-1/4 in. for use in tight spaces
- Built-in bit storage in handle

Contents:

- Premium chromoly bits:

Slotted: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: #000, #0, #1

Torx®: T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15, T-20

Hex: 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

Pozi: #0, #1

- Double blister package



#646501 - 10 Pc. Tamper-Proof Torx® Bit Set

- Premium chromoly steel bits

Contents:

- Tamper resistant star bits:

T-10, T-15, T-20, T-25, T-27, T-30

- Robertson bits:

S-0, S-1, S-2, S-3

- Double blister package



#646506 - 10 Pc. Bit Set

- Chrome vanadium bits

Contents:

- Slotted: 1/8 in., 3/16 in., 1/4 in., 9/32 in.

- Phillips: #0, #1, #2 - Torx®: T-10, T-15, T-20

- Double blister package



#941127 - 13 Pc. Metric Hex Bit Set

- Storage tray with magnetic base

Contents:

- Premium chromoly bits:

1.5, 2, 2.5, 3, 4, 5, 5.5, 7, 8, 10mm hex bits

- Chrome vanadium adapters:

1/4 in. drive bit adapter

3/8 in. drive bit adapter

- Double blister package



#941128 - 13 Pc. SAE Hex Bit Set

- Storage tray with magnetic base

Contents:

- Premium chromoly bits:

1/16 in., 3/32 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in.,

7/32 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in. hex bits

- Chrome vanadium adapters:

1/4 in. drive bit adapter

3/8 in. drive bit adapter

- Double blister package



#941129 - 13 Pc. Tamper Proof Torx® Bit Set

- Storage tray with magnetic base

Contents:

- Premium chromoly bits:

T-8, T-10, T-15, T-20, T-25, T-27, T-30,

T-40, T0-45, T-50, T-55 bits

- Chrome vanadium adapters:

1/4 in. drive bit adapter

3/8 in. drive bit adapter

- Double blister package



#941130 - 13 Pc. Tamper Proof 5 Lobe Torx® Bit Set

- Storage tray with magnetic base

Contents:

- Premium chromoly bits:

T-8, T-10, T-15, T-20, T-25, T-27, T-30,

T-40, T0-45, T-50, T-55 bits

- Chrome vanadium adapters:

1/4 in. drive bit adapter

3/8 in. drive bit adapter

- Double blister package



Striking Tools



#648329 - 16 Oz. Ball Peen Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#648330 - 24 Oz. Ball Peen Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#648331 - 32 Oz. Ball Peen Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#640948 - 16 Oz. Claw Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#648335 - 16 Oz. Soft Face Mallet

- Non-marring soft face for working on delicate and soft materials
- Strong tubular steel handle

ANSI



#648336 - 16 Oz. White Rubber Mallet

- For striking a variety of surfaces and materials without damage
- Strong tubular steel handle

ANSI



#648334 - 24 Oz. Dead Blow Hammer

- Durable fiberglass head and handle
- Comfortable rubber grip

ANSI

Striking/Cutting Tools**#940513 - 32 Oz. Dead Blow Hammer**

- Durable fiberglass head and handle
- Comfortable rubber grip

ANSI**#648332 - 2.5 Lb Hand Drilling Hammer**

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI**#640959 - 2 Pc. Multi-Purpose Shears Set**

- Includes 7-1/2" shears and 6-1/2" cable cutters
 - Comfortable soft-grip handles and stainless steel blades
 - Jaws lock in closed position for safety
 - Ships ready to display in 6 pc. countertop unit
- Double blister package

**#940484 - 6-1/2 In. Cable Cutters**

- Comfortable soft-grip handles and stainless steel blades
- Jaws lock in closed position for safety
- Ships ready to display in 8 pc. countertop unit

**#648001 - Heavy Duty Hacksaw**

- Square aluminum frame with wrinkle finish handles
- Easy blade change and tension adjustment
- Blade can be set at 45 or 90 degree angle
- Includes one high carbon steel blade



Lift Equipment



Lift Equipment:

Powerbuilt lift equipment is built to provide your customers with years of performance and satisfaction. All lift products meet or exceed ANSI standards, and most are packaged in high-impact color packaging with clear feature call-outs.

Product Features:

- Built to meet or exceed ANSI specifications
- Built to provide years of service

Packaging Features:

- High-impact color packaging

Cranes / Stands



Service Equipment



Bottle Jacks

#640405 - 2 Ton Bottle Jack

- Lift range: 6-3/16 in. to 12-1/16 in.
- Heavy duty oversize cast iron base
- Pin style release valve for easy operation
- Forged steel saddle and cast handle socket for added strength and durability
- Dynamic color box packaging



ASME PALD

#640905 - 4 Ton Bottle Jack

- Lift range: 6-3/4 in. to 12-15/16 in.
- Heavy duty oversize cast iron base
- Pin style release valve for easy operation
- Forged steel saddle and cast handle socket for added strength and durability
- Dynamic color box packaging



ASME PALD

#640911 - 6 Ton Bottle Jack

#640407 - 6 Ton Bottle Jack with Case

- Lift range: 7-7/8 in. to 15-1/2 in.
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- Dynamic color box packaging



ASME PALD

#647527 - 8 Ton Bottle Jack

- Lift range: 7-1/2 in. to 15-1/2 in.
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- Dynamic color box packaging



ASME PALD

#647501 - 12 Ton Bottle Jack

- Lift range: 8-5/8 in. to 16-1/4 in.
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- Dynamic color box packaging



ASME PALD

#647503 - 20 Ton Bottle Jack

- Lift range: 9-11/16 in. to 17-5/8 in.
- Swivel carry handle for easier transportation

#647504 - 20 Ton 'Shorty' Bottle Jack

- Lift range: 7-7/8 in. to 14-1/8 in.
- Welded carry handle for easier transportation
- Both 20 Ton Bottle Jacks:
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- Dynamic color box packaging



ASME PALD

#647505 - 30 Ton Bottle Jack

- Lift range: 11-1/4 in. to 18-5/16 in.
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- Swivel carry handle for easier transportation
- Dynamic color box packaging



ASME PALD

#647506 - 50 Ton Bottle Jack

- Lift range: 11-13/16 in. to 18-7/8 in.
- Heavy duty oversize steel base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- Swivel carry handle for easier transportation
- Dynamic color box packaging



ASME PALD

**#640181 - 2 Ton Trolley Jack**

- Lifting range: 5-5/16 in. to 13 in.
- Lightweight design with heavy duty performance
- 360 degree swivel casters for easy positioning
- Safety release valve prevents overloading

- Dynamic color box packaging

ASME PALD

**#640808 - 2-1/2 Ton Trolley Jack**

- Lifting range: 5-1/2 in. to 15-1/2 in.
- Lightweight design with heavy duty performance
- 360 degree swivel casters for easy positioning
- Safety release valve prevents overloading

- Dynamic color box packaging

ASME PALD

**#640910 - 2-1/2 Ton SUV Trolley Jack**

- Lifting range: 5-7/8 in. to 21 in.
- Extended lift range for use on trucks and SUVs
- 360 degree swivel casters for easy positioning
- Safety release valve prevents overloading

- Dynamic color box packaging

ASME PALD

**#640906 - 3 Ton Trolley Jack**

- Lifting range: 5 in. to 16 in.
- Lightweight design with heavy duty performance
- 360 degree swivel casters for easy positioning
- Safety release valve prevents overloading

- Dynamic color box packaging

ASME PALD

**#640398 - 2-1/2 Ton Floor Jack**

- Lifting range: 4-3/4 in. to 19 in.
- Heavy duty flanged frame with added width and length for superior stability and strength
- Durable gear-drive release valve
- Heavy duty 360 degree rear swivel casters and 40 in. knurled handle for easy positioning

- Dynamic color box packaging

ASME PALD

Floor Jacks

#647593 - 3 Ton Floor Jack

- Lifting range: 4-3/4 in. to 19 in.
- Heavy duty flanged frame with added width and length for superior stability and strength
- Durable gear-drive release valve
- Heavy duty 360 degree rear swivel casters and 40 in. knurled handle for easy positioning

- Dynamic color box packaging

ASME PALD



#647530 - 3-1/2 Ton Professional Floor Jack

- Lifting range: 4-1/2 in. to 20-1/2 in.
- Proven performance and durability in professional shop settings
- Patented saddle positioning mirror on arm for ease of placement under frame
- Universal joint release valve for smooth easy operation at any handle angle
- 48 in. long handle for added reach

- Dynamic color box packaging

ASME PALD



#640818 - 2 Ton Low Profile Floor Jack

- Lifting range: 3-9/16 in. to 21-1/4 in.
- Works on a wide range of vehicle types
- Low profile racing style front roller
- Heavy duty flanged steel frame

- Dynamic color box packaging

ASME PALD



#647580 - 3 Ton Low Profile Floor Jack

- Lifting range: 4 in. to 21-1/4 in.
- Works on a wide range of vehicle types
- Low profile racing style front roller
- Heavy duty flanged steel frame

- Dynamic color box packaging

ASME PALD



#940182 - 2 Ton Locking Safety Jack

- Lifting range: 5-5/16 in. to 13 in.
- Lift arm automatically locks at intervals as it is raised
- Eliminates need for jackstands
- Easy foot pedal load release

- Dynamic color box packaging

ASME PALD





#940008 - 3 Ton Locking Safety Jack

- Lifting range: 5-1/8 in. to 19-3/8 in.
- Lift arm automatically locks at intervals as it is raised
- Eliminates need for jackstands
- Easy foot pedal load release
- Heavy duty flanged steel frame
- Dynamic color box packaging

**LIFT ARM SELF-LOCKS
IN 4 POSITIONS**
19 In., 17.5 In., 15 In. 12 In.

ASME PALD



#640971- 2.5 Ton Spider Jack™

- Lifting range: 5-1/2 in. to 15-1/2 in.
- Patented design features four swivel casters for easy maneuvering in any direction
- Makes positioning the jack under a vehicle easier, quicker and more accurate
- Dynamic color box packaging

ASME PALD



Easy To Move In Any Direction!



#620422 - 2 Ton Triple Lift™ Floor Jack

- Lifting range: 5-1/4 in. to 17-3/4 in.
- Patented design lifts cars, trucks, motorcycles, ATVs and more
- Safe for lifting and holding unibody vehicles
- Locking design eliminates need for jackstands
- Ultra-wide chassis provides added stability
- Replaces floor jacks, ATV jacks, transmission jacks
- Dynamic color box packaging

ASME PALD

THE JACK FOR ALL:



#620470 - 4000 Lb. UNI-JACK™ for Sedans

- Lifting range: 8-3/4 in. to 17-7/8 in.
- New lift arm design allows for lower starting point and provides a flat lifting surface (directly above piston)
- Safe for lifting and holding unibody sedans
- Wide base for added stability
- Safety lock to hold position
- Dynamic color box packaging

#620471 - 6000 Lb. UNI-JACK™ for Trucks/SUVs

- Lifting range: 11 in. to 21 in.
- New lift arm design allows for lower starting point and provides a flat lifting surface (directly above piston)
- Safe for lifting and holding full size unibody trucks/SUVs
- Three height adjustments for high lift trucks
- Extra wide base for added stability
- Safety lock to hold position
- Dynamic color box packaging

Safe for Unibody Vehicles



ASME PALD

#640912 - 3 Ton All-In One Truck Lift Jack

- Lifting range: 11 in. to 21 in.
 - Perfect for SUVs, off-road vehicles, construction jobs, framing & floor joists
 - Three height adjustments for high lift trucks
 - Extra wide base for added stability
 - Safety lock to hold position
- Dynamic color box packaging

ASME PALD

Safe for Unibody Vehicles



#641188 - 1-1/2 Ton Fast Lift® Aluminum Racing Jack

- Lifting range: 3-1/2 in. to 14-1/2 in.
 - Lightweight aluminum construction
 - Low profile racing style front roller
 - Fast Lift® design raises unloaded lift arm in 8 pumps
- Dynamic color box packaging

ASME PALD



#641189 - 2 Ton Fast Lift® Aluminum Racing Jack

- Lifting range: 3-1/2 in. to 18 in.
 - Lightweight aluminum construction
 - Low profile racing style front roller
 - Fast Lift® design raises unloaded lift arm in 8 pumps
- Dynamic color box packaging

ASME PALD



#640816 - 6 Pc. Garage Service Combo Set

- Complete compact kit for tire changes and under-car repairs
- Includes
- 2 ton floor jack with 5-3/8 in. to 13 in. lift range
 - 2 ton jack stands with 10-3/8 in. to 16-3/8 in. lift range
 - 36 in. folding creeper
 - One pair wheel chocks
- Dynamic color box packaging

ASME PALD





#647520 - 1000 Lb. Transmission Floor Jack

- Lifting range: 8-1/2 in. to 20-1/2 in.
- Micro-adjustable saddle angle
- 360 degree rotating pump handle for convenient pumping
- 360 degree swivel casters
- Side frame parts tray
- Safety chain included

- Packaged in box with color label

ASME PALD



#647521 - 1000 Lb. Transmission Stand Jack

- Lifting range: 50-3/8 in. to 68-7/8 in.
- Micro-adjustable saddle angle
- Stable four point base with 360 degree swivel casters
- Safety chain included

- Packaged in box with color label

ASME PALD



#647587 - 3000 Lb. Maximum Lift Farm & RV Jack

- Lifting range: 5-1/4 in. to 39-3/4 in.
- Heavy duty steel construction
- 3,000 lb. capacity

- Packaged in box with color label

ASME PALD



#640753 - 1500 Lb. Motorcycle Jack

- Lifting range: 5-1/8 in. to 17 in.
- Heavy duty rubber pads on platform
- Safety bar locks platform at three selected heights
- Swivel wheels for easy maneuvering

- Packaged in box with color label

ASME PALD

Easily Lifts: ATV's, Dirt Bikes, Street Bikes



#640819 - 3000 Lb. Scissors Jack

- Lifting range: 4 in. to 14 in.
- Heavy duty steel frame and saddle
- Oversize base for maximum support and stability

- Dynamic color box packaging

ASME PALD

Jack Stands

#640399 - 2 Ton Jack Stands

- Lift range: 10-3/8 in. to 16-3/8 in.
- Heavy duty stamped steel frame with fully welded seams
- Ductile iron ratchet bar with 10 height settings
- Dynamic color box packaging

ASME PALD



#640404 - 3 Ton High Lift Jack Stands

- Lift range: 13-5/8 in. to 21 in.
- Heavy duty stamped steel frame with fully welded seams
- Ductile iron ratchet bar with 10 height settings
- Dynamic color box packaging


ASME PALD



#647529 - 4 Ton Jack Stands

- Lift range: 13 in. to 20-1/4 in.
- Heavy duty stamped steel frames with fully welded seams
- 4 point wide stance for maximum stability
- Ratcheting ductile iron masts offer 10 height settings
- Dynamic color box packaging


ASME PALD



#647511 - 6 Ton Jack Stands

- Lift range: 15-1/2 in. to 23-1/2 in.
- Heavy duty stamped steel frames with fully welded seams
- 4 point wide stance for maximum stability
- Ratcheting ductile iron masts offer 10 height settings
- Dynamic color box packaging

ASME PALD



#647512 - 12 Ton Jack Stands

- Lift range: 20 in. to 30-3/16 in.
- Heavy duty stamped steel frames with fully welded seams
- 4 point wide stance for maximum stability
- Ratcheting ductile iron masts offer 10 height settings
- Dynamic color box packaging

ASME PALD





#940192 - 2 Ton Storable Shop Crane

- Lifting range: 6-5/16 in. to 22 in.
- Legs store next to mast for compact storage
- 8 ton capacity ram with overload protection
- Packaged in box with color label

ASME PALD



#640999 - 8 Ton Air Operated Replacement Ram

- Lifting range: 10-3/8 in. to 16-3/8 in.
- Operates using compressed air or manually
- Fits most 2 ton shop cranes
- Includes air hook-up hose with trigger
- Dynamic color box packaging

ASME PALD



#647519 - 8 Ton Replacement Ram

- Lifting range: 10-3/8 in. to 16-3/8 in.
- With pump handle and overload protection valve
- Fits most 2 ton shop cranes
- Dynamic color box packaging

ASME PALD



#640470 - Engine Leveler

- For use with engine cranes
- Balances or tilts engine/transmission for easier install/removal
- 4 point mounting system for maximum control
- Built-in swivel handle
- Dynamic color box packaging

ASME PALD

#647513 - 1000 Lb. Engine Stand

- "H" style heavy duty steel frame construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket
- Heavy duty ball bearing iron casters
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#647514 - 1250 Lb. Engine Stand

- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#641172 - 750 Lb. Engine Stands

- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket with multi-position lock for maximum rebuilding flexibility
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#641396 - 750 Lb. Folding Engine Stands

- Horizontal frame member folds for compact storage
- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket with multi-position lock for maximum rebuilding flexibility
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#641397 - 1000 Lb. Folding Engine Stands

- Horizontal frame member folds for compact storage
- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket with multi-position lock for maximum rebuilding flexibility
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#647397 - 1200 Lb. Folding Engine Stands

- Horizontal frame member folds for compact storage
- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket with multi-position lock for maximum rebuilding flexibility
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#647009 - Engine Cradle

- For storing and servicing engines
- Universal mounting holes
- Fits most car and light truck engines

- Packaged in box with color label

ASME PALD





#620260 - 36 In. Plastic Creeper with Tool Set

- Molded tool tray
- Molded for added comfort
- Removable storage lid
- 20 pc. tool set includes:
Ratchet and 15 pc. sockets, adapter, spinner disc, filter wrench, and tire Gauge

- Dynamic color box packaging



#640940 - 36 In. Creeper

- Comfortable vinyl cushion
- Four 2 in. swivel casters for easy maneuvering

- Dynamic color box packaging



#640751 - 40 In. Premium Creeper

- Heavy duty tubular steel frame and long lasting padded vinyl cushion
- Six 2 in. swivel casters for easy maneuvering

- Dynamic color box packaging



#640752 - 42 In. Deluxe Creeper with Adjustable Headrest

- Six 2-1/2 in. casters for smooth operation on uneven surfaces and easy maneuvering
- 3 position adjustable headrest for maximum comfort
- Heavy duty tubular steel frame and long lasting padded vinyl cushion

- Dynamic color box packaging



#647582 - 42 In. Professional Creeper with Adjustable Headrest

- Six 3 in. ball bearing casters provide superior maneuverability
- Reinforced tubular steel frame
- Extra-dense padding with thick quilted vinyl cover for supreme comfort

- Dynamic color box packaging



#620343 - 36 In. Folding Creeper

- Four 2 in. swivel wheels for easy rolling
- Folds in half for compact storage

- Dynamic color box packaging



#640981 - 42 In. 3-In-1 Creeper

- Converts into 3 different styles IN A SNAP!!!
- Use as a laydown creeper, roller seat with tray, and a seat style creeper
- Easy click & lock design
- Six 2-1/2 in. swivel casters for easy maneuvering

- Dynamic color box packaging



#640834 - Professional Pneumatic Roller Seat

- Four heavy duty 2-1/2 in. swivel casters for easy maneuverability
- Large storage tray under seats holds tools and small parts
- Durable vinyl covered seat with foam padding for comfort
- Easy hydraulic height adjustment

- Dynamic color box packaging



#641170 - Mechanic's Roller Seat

- Maximizes comfort for low, hard to reach jobs
- Heavy duty tubular steel frame construction
- Four 2 in. dia. wheels for smooth rolling and easy maneuvering
- Convenient tool tray


- Dynamic color box packaging





#647596 - Truck Tire Service Step

- Perfect for loading roof racks, washing and waxing
 - No-slip step surface
 - 4 position adjustable step height
 - Fits any tire diameter up to 13 in. deep
 - Folds flat for compact storage
- Dynamic color box packaging



#647008 - 1000 Lb. Vehicle Dollies

- Needle bearing casters for easier maneuvering
 - Heavy-duty steel construction with low profile design
 - Sold in pairs
- Dynamic color box packaging



Lug Wrenches

4 Way Lug Wrenches - 14 In.

Chrome Plated Finish

#640876 - Metric: 17, 19, 21, 22mm

#640879 - SAE: 11/16 in., 3/4 in., 13/16 in., 7/8 in.

#940558 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
21mm x 13/16 in., 22mm x 7/8 in.

Black Painted Finish

#641388 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
21mm x 13/16 in., 22mm x 7/8 in.

Blue Painted Finish

#641389 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
21mm x 13/16 in., 22mm x 7/8 in.

- Heat-treated carbon steel



ANSI

4 Way Lug Wrenches - 16 In.

Black Painted Finish

#641252 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
21mm x 13/16 in., 22mm x 7/8 in.

Blue Painted Finish

#641254 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
21mm x 13/16 in., 22mm x 7/8 in.

- Heat-treated carbon steel



ANSI

4 Way Lug Wrenches - 20 In.


Chrome Plated Finish

#640874 - Metric: 17, 19, 21, 22mm

#640869 - SAE: 11/16 in., 3/4 in., 13/16 in., 7/8 in.

#940559 - Universal Silver: 17mm x 11/16 in.,
19mm x 3/4 in., 21mm x 13/16 in., 22mm x 7/8 in.

- Heat-treated carbon steel



ANSI

Folding Lug Wrenches - 14 In.


Chrome Plated Finish

#640871 - SAE: 11/16 in., 3/4 in., 13/16 in., 7/8 in.

#640873 - Metric: 17, 19, 21, 22mm

#641250 - Universal Silver: 17mm x 11/16 in.,
19mm x 3/4 in., 21mm x 13/16 in., 22mm x 7/8 in.

- Folds in half for compact storage
- Heat-treated carbon steel



ANSI



Folding Lug Wrenches - 20 In.

Chrome Plated Finish

#940663 - SAE: 11/16 in., 3/4 in., 13/16 in., 7/8 in.

#941055 - Metric: 17, 19, 21, 22mm


#941056 - Universal Silver: 17mm x 11/16 in.,
19mm x 3/4 in., 21mm x 13/16 in., 22mm x 7/8 in.

- Folds in half for compact storage
- Heat-treated carbon steel



ANSI






#940560 - 23 In. Universal HD 4-Way Lug Wrench

- Heat-treated carbon steel
- Chrome plated finish
- Universal Sizes: 7/8 in. & 22mm, 15/16 in. & 24mm, 1 in. & 25mm, 1-1/16 in. & 27mm
- Packaged on space-saving injection hanger


ANSI



#640870 - 25 In. SAE HD 4-Way Lug Wrench

- Heat-treated carbon steel
- Chrome plated finish
- SAE sizes: 7/8 in., 15/16 in., 1 in., 1-1/16 in.


ANSI



#640875 - 14 In. Universal Lug Wrench w/Spade Tip

- Heat-treated carbon steel
- Chrome plated finish
- Universal sizes: 3/4 in. & 19mm, 13/16 in. & 21mm, 7/8 in. & 23mm
- Packaged on space-saving injection hanger

ANSI



#640872 - 20 In. Universal Lug Wrench w/Spade Tip

- Heat-treated carbon steel
- Chrome plated finish
- Universal sizes: 3/4 in. & 19mm, 13/16 in. & 21mm, 7/8 in. & 23mm
- Packaged on space-saving injection hanger

ANSI



#641184 - L-Slider with 2 Pc. Universal Flip Socket

- Extends from 14 in. to 21 in. for added leverage
- Heat-treated carbon steel
- Storage pouch
- Universal sizes: 11/16 in. & 17mm, 3/4 in. & 19mm, 13/16 in. & 21mm, 7/8 in. & 22mm
- Double blister package

ANSI



#640776 - 23 In. Universal Folding Lug Wrench

- Folds in half for compact storage
- Heat-treated carbon steel
- Chrome plated finish
- Universal sizes: 7/8 in. & 22mm, 15/16 in. & 24mm, 1 in. & 25mm, 1-1/16 in. & 27mm
- Packaged on space-saving injection hanger

ANSI

Lug Wrenches

1/2 In. Dr. Lug Nut Impact Wheel Saver Sockets

SAE		Metric	
#941042	- 3/4 in.	#941039	- 17 mm
#941043	- 13/16 in.	#941040	- 19 mm
#941044	- 7/8 in.	#941041	- 21 mm
#941103	- 1 in.		
#941104	- 1-1/16 in.		

- Packaged on space-saving injection hanger



ANSI

CR-MO



#641266 - Lug Steel Display Rack

- Unique patented design displays 8 lug wrenches
- Can be used alone or in pairs
- Compatible with #641268



Shown with (2) #641266 and (1) #641268


#641268 - Lug Wrench Display Panel

- Unique patented panel pegboard display
- Flexible design for custom merchandising
- Compatible with #641266



Shown with (2) #641266 and (1) #641268





Merchandising:

Alltrade offers flexible merchandising solutions for a variety of retail settings. Tool board merchandisers offer focused, modular presentations of key product categories. Our full size planograms feature market-driven selections that meet the needs of do-it-yourselfers and professionals alike.



#430945 - 1/4 In., 3/8 In., & 1/2 In. Drive Sockets & Drive Tools


Part#	Peg Qty.	Description	BAR 1
648270	2	1/4 in. Dr. 5/32 in. Standard 12 pt. Socket	
648271	2	1/4 in. Dr. 3/16 in. Standard 12 pt. Socket	
648272	2	1/4 in. Dr. 7/32 in. Standard 12 pt. Socket	
648273	2	1/4 in. Dr. 1/4 in. Standard 12 pt. Socket	
648274	2	1/4 in. Dr. 9/32 in. Standard 12 pt. Socket	
648275	2	1/4 in. Dr. 5/16 in. Standard 12 pt. Socket	
648276	2	1/4 in. Dr. 11/32 in. Standard 12 pt. Socket	
648277	2	1/4 in. Dr. 3/8 in. Standard 12 pt. Socket	
648278	2	1/4 in. Dr. 7/16 in. Standard 12 pt. Socket	
648279	2	1/4 in. Dr. 1/2 in. Standard 12 pt. Socket	
648280	2	1/4 in. Dr. 4mm Standard 12 pt. Socket	
648281	2	1/4 in. Dr. 5mm Standard 12 pt. Socket	
648283	2	1/4 in. Dr. 6mm Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 2
648284	2	1/4 in. Dr. 7mm Standard 12 pt. Socket	
648285	2	1/4 in. Dr. 8mm Standard 12 pt. Socket	
648286	2	1/4 in. Dr. 9mm Standard 12 pt. Socket	
648287	2	1/4 in. Dr. 10mm Standard 12 pt. Socket	
648288	2	1/4 in. Dr. 11mm Standard 12 pt. Socket	
648289	2	1/4 in. Dr. 12mm Standard 12 pt. Socket	
648679	2	1/4 in. Dr. T-10 Star Bit Socket	
648324	2	1/4 in. Dr. T-15 Star Bit Socket	
648325	2	1/4 in. Dr. T-20 Star Bit Socket	
648326	2	1/4 in. Dr. T-25 Star Bit Socket	
648327	2	1/4 in. Dr. T-27 Star Bit Socket	
648328	2	1/4 in. Dr. T-30 Star Bit Socket	

Part#	Peg Qty.	Description	BAR 3
641402	2	3/8 in. Dr. T-40 Star Bit Socket	
641403	2	3/8 in. Dr. T-45 Star Bit Socket	
641408	2	3/8 in. Dr. T-47 Star Bit Socket	
641404	2	3/8 in. Dr. T-50 Star Bit Socket	
642400	2	1/2 in. Dr. T-55 Star Bit Socket	
642401	2	1/2 in. Dr. T-60 Star Bit Socket	
648323	2	3/8 in. Dr. 3mm Hex Bit Socket	
640347	2	3/8 in. Dr. 5mm Hex Bit Socket	
640556	2	3/8 in. Dr. 6mm Hex Bit Socket	
648664	2	3/8 in. Dr. 7mm Hex Bit Socket	
648665	2	3/8 in. Dr. 8mm Hex Bit Socket	
648425	2	3/8 in. Dr. 9mm Hex Bit Socket	
641401	2	3/8 in. Dr. 10mm Hex Bit Socket	


Part#	Peg Qty.	Description	BAR 4
640349	2	3/8 in. Dr. 3/16 in. Hex Bit Socket	
640350	2	3/8 in. Dr. 7/32 in. Hex Bit Socket	
648662	2	3/8 in. Dr. 1/4 in. Hex Bit Socket	
640554	2	3/8 in. Dr. 5/16 in. Hex Bit Socket	
641400	2	3/8 in. Dr. 3/8 in. Hex Bit Socket	
648310	2	1/4 in. Dr. 4mm Deep Well 6 pt. Socket	
648311	2	1/4 in. Dr. 5mm Deep Well 6 pt. Socket	
648298	2	1/4 in. Dr. 6mm Deep Well 6 pt. Socket	
648299	2	1/4 in. Dr. 7mm Deep Well 6 pt. Socket	
648300	2	1/4 in. Dr. 8mm Deep Well 6 pt. Socket	
648301	2	1/4 in. Dr. 9mm Deep Well 6 pt. Socket	
648302	2	1/4 in. Dr. 10mm Deep Well 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 5
648303	2	1/4 in. Dr. 11mm Deep Well 6 pt. Socket	
648304	2	1/4 in. Dr. 12mm Deep Well 6 pt. Socket	
641690	2	1/4 in. Dr. 13mm Deep Well 6 pt. Socket	
648306	2	1/4 in. Dr. 5/32 in. Deep Well 6 pt. Socket	
948308	2	1/4 in. Dr. 3/16 in. Deep Well 6 pt. Socket	
948309	2	1/4 in. Dr. 7/32 in. Deep Well 6 pt. Socket	
648291	2	1/4 in. Dr. 1/4 in. Deep Well 6 pt. Socket	
648292	2	1/4 in. Dr. 9/32 in. Deep Well 6 pt. Socket	
648293	2	1/4 in. Dr. 5/16 in. Deep Well 6 pt. Socket	
648294	2	1/4 in. Dr. 11/32 in. Deep Well 6 pt. Socket	
648295	2	1/4 in. Dr. 3/8 in. Deep Well 6 pt. Socket	
648296	2	1/4 in. Dr. 7/16 in. Deep Well 6 pt. Socket	
648297	2	1/4 in. Dr. 1/2 in. Deep Well 6 pt. Socket	



Part#	Peg Qty.	Description	BAR 6
640048	2	6 Pc. 1/4 in. Dr. Deep Well SAE Socket Set	
640046	2	6 Pc. 1/4 in. Dr. Deep Well Metric Socket Set	
640087	2	14 Pc. 1/4 in. Dr. SAE/Metric Socket Set	
640501	2	1/4 in. Dr. Finger Ratchet	
640500	2	1/4 in. Dr. Stubby Spin Disk Ratchet	
640502	2	1/4 in. Dr. Spin Disk Ratchet	
640508	2	1/4 in. Dr. Gear-to-Gear Quick Release Ratchet	
940504	2	1/4 in. Dr. Flex Handle	
940503	2	1/4 in. Dr. 2 in. Extension	
640504	2	1/4 in. Dr. 6 in. Extension	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	4	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	73	Peg Hooks	
690605	73	Label Holder	



#430979 - 3/8 In. Drive Sockets

Part#	Peg Qty.	Description	BAR 1
641011	2	3/8 in. Dr. 6mm Standard 12 pt. Socket	
641012	2	3/8 in. Dr. 7mm Standard 12 pt. Socket	
641013	2	3/8 in. Dr. 8mm Standard 12 pt. Socket	
641014	2	3/8 in. Dr. 9mm Standard 12 pt. Socket	
641015	2	3/8 in. Dr. 10mm Standard 12 pt. Socket	
641016	2	3/8 in. Dr. 11mm Standard 12 pt. Socket	
641000	2	3/8 in. Dr. 1/4 in. Standard 12 pt. Socket	
641001	2	3/8 in. Dr. 5/16 in. Standard 12 pt. Socket	
641002	2	3/8 in. Dr. 3/8 in. Standard 12 pt. Socket	
641003	2	3/8 in. Dr. 7/16 in. Standard 12 pt. Socket	
641004	2	3/8 in. Dr. 1/2 in. Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 2
641017	2	3/8 in. Dr. 12mm Standard 12 pt. Socket	
641018	2	3/8 in. Dr. 13mm Standard 12 pt. Socket	
641019	2	3/8 in. Dr. 14mm Standard 12 pt. Socket	
641020	2	3/8 in. Dr. 15mm Standard 12 pt. Socket	
641021	2	3/8 in. Dr. 16mm Standard 12 pt. Socket	
641022	2	3/8 in. Dr. 17mm Standard 12 pt. Socket	
641005	2	3/8 in. Dr. 9/16 in. Standard 12 pt. Socket	
641006	2	3/8 in. Dr. 5/8 in. Standard 12 pt. Socket	
641007	2	3/8 in. Dr. 11/16 in. Standard 12 pt. Socket	
641008	2	3/8 in. Dr. 3/4 in. Standard 12 pt. Socket	
641009	2	3/8 in. Dr. 13/16 in. Standard 12 pt. Socket	
641010	2	3/8 in. Dr. 7/8 in. Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 3
641023	2	3/8 in. Dr. 18mm Standard 12 pt. Socket	
641024	2	3/8 in. Dr. 19mm Standard 12 pt. Socket	
641025	2	3/8 in. Dr. 21mm Standard 12 pt. Socket	
641200	2	3/8 in. Dr. 3/8 in. Deep Well 6 pt. Socket	
641201	2	3/8 in. Dr. 7/16 in. Deep Well 6 pt. Socket	
641202	2	3/8 in. Dr. 1/2 in. Deep Well 6 pt. Socket	
641203	2	3/8 in. Dr. 9/16 in. Deep Well 6 pt. Socket	
641204	2	3/8 in. Dr. 5/8 in. Deep Well 6 pt. Socket	
641205	2	3/8 in. Dr. 11/16 in. Deep Well 6 pt. Socket	
641206	2	3/8 in. Dr. 3/4 in. Deep Well 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 4
641210	2	3/8 in. Dr. 10mm Deep Well 6 pt. Socket	
641211	2	3/8 in. Dr. 11mm Deep Well 6 pt. Socket	
641212	2	3/8 in. Dr. 12mm Deep Well 6 pt. Socket	
641213	2	3/8 in. Dr. 13mm Deep Well 6 pt. Socket	
641214	2	3/8 in. Dr. 14mm Deep Well 6 pt. Socket	
641215	2	3/8 in. Dr. 15mm Deep Well 6 pt. Socket	
641216	2	3/8 in. Dr. 16mm Deep Well 6 pt. Socket	
641217	2	3/8 in. Dr. 17mm Deep Well 6 pt. Socket	
641218	2	3/8 in. Dr. 18mm Deep Well 6 pt. Socket	
641219	2	3/8 in. Dr. 19mm Deep Well 6 pt. Socket	
643000	2	3/8 in. Dr. 5/8 in. Spark Plug Socket	
643001	2	3/8 in. Dr. 13/16 in. Spark Plug Socket	

Part#	Peg Qty.	Description	BAR 5
640071	2	33 Pc. SAE/Metric Socket Set	
640050	2	7 Pc. 3/8 in. Dr. SAE Deep Well 6 pt. Socket	
640051	2	7 Pc. 3/8 in. Dr. Metric Deep Well 6 pt. Socket	
640855	2	5 Pc. 3/8 in. Dr. Spark Plug Socket Set	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	3	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	51	Peg Hooks	
690605	51	Label Holder	

Tool Boards

#430983 - 1/2 In. Drive Sockets

Part#	Peg Qty.	Description	BAR 1
642012	2	1/2 in. Dr. 14mm Standard 12 pt. Socket	
642013	2	1/2 in. Dr. 15mm Standard 12 pt. Socket	
642014	2	1/2 in. Dr. 16mm Standard 12 pt. Socket	
642015	2	1/2 in. Dr. 17mm Standard 12 pt. Socket	
642016	2	1/2 in. Dr. 18mm Standard 12 pt. Socket	
642017	2	1/2 in. Dr. 19mm Standard 12 pt. Socket	
642000	2	1/2 in. Dr. 1/2 in. Standard 12 pt. Socket	
642001	2	1/2 in. Dr. 9/16 in. Standard 12 pt. Socket	
642002	2	1/2 in. Dr. 5/8 in. Standard 12 pt. Socket	
642003	2	1/2 in. Dr. 3/4 in. Standard 12 pt. Socket	
642004	2	1/2 in. Dr. 13/16 in. Standard 12 pt. Socket	


Part#	Peg Qty.	Description	BAR 2
642018	2	1/2 in. Dr. 20mm Standard 12 pt. Socket	
642019	2	1/2 in. Dr. 21mm Standard 12 pt. Socket	
642020	2	1/2 in. Dr. 22mm Standard 12 pt. Socket	
642021	2	1/2 in. Dr. 23mm Standard 12 pt. Socket	
642022	2	1/2 in. Dr. 24mm Standard 12 pt. Socket	
642034	2	1/2 in. Dr. 27mm Standard 12 pt. Socket	
642005	2	1/2 in. Dr. 7/8 in. Standard 12 pt. Socket	
642006	2	1/2 in. Dr. 15/16 in. Standard 12 pt. Socket	
642007	2	1/2 in. Dr. 1 in. Standard 12 pt. Socket	
642008	2	1/2 in. Dr. 1-1/16 in. Standard 12 pt. Socket	
642009	2	1/2 in. Dr. 1-1/8 in. Standard 12 pt. Socket	
642011	2	1/2 in. Dr. 1-1/4 in. Standard 12 pt. Socket	


Part#	Peg Qty.	Description	BAR 3
642208	2	1/2 in. Dr. 14mm Deep Well 6 pt. Socket	
642209	2	1/2 in. Dr. 15mm Deep Well 6 pt. Socket	
642210	2	1/2 in. Dr. 16mm Deep Well 6 pt. Socket	
642211	2	1/2 in. Dr. 17mm Deep Well 6 pt. Socket	
642212	2	1/2 in. Dr. 18mm Deep Well 6 pt. Socket	
642213	2	1/2 in. Dr. 19mm Deep Well 6 pt. Socket	
642200	2	1/2 in. Dr. 9/16 in. Deep Well 6 pt. Socket	
642201	2	1/2 in. Dr. 5/8 in. Deep Well 6 pt. Socket	
642202	2	1/2 in. Dr. 11/16 in. Deep Well 6 pt. Socket	
642203	2	1/2 in. Dr. 3/4 in. Deep Well 6 pt. Socket	
642204	2	1/2 in. Dr. 13/16 in. Deep Well 6 pt. Socket	
642005	2	1/2 in. Dr. 7/8 in. Deep Well 6 pt. Socket	
643004	2	1/2 in. Dr. 5/8 in. Spark Plug Socket	

Part#	Peg Qty.	Description	BAR 4
642214	2	1/2 in. Dr. 20mm Deep Well 6 pt. Socket	
640836	2	1/2 in. Dr. 21mm Deep Well 6 pt. Socket	
640837	2	1/2 in. Dr. 22mm Deep Well 6 pt. Socket	
640838	2	1/2 in. Dr. 23mm Deep Well 6 pt. Socket	
640840	2	1/2 in. Dr. 24mm Deep Well 6 pt. Socket	
640841	2	1/2 in. Dr. 27mm Deep Well 6 pt. Socket	
642206	2	1/2 in. Dr. 15/16 in. Deep Well 6 pt. Socket	
642207	2	1/2 in. Dr. 1 in. Deep Well 6 pt. Socket	
648217	2	1/2 in. Dr. 1-1/16 in. Deep Well 6 pt. Socket	
642215	2	1/2 in. Dr. 1-1/8 in. Deep Well 6 pt. Socket	
642216	2	1/2 in. Dr. 1-1/4 in. Deep Well 6 pt. Socket	
643005	2	1/2 in. Dr. 13/16 in. Spark Plug Socket	

Part#	Peg Qty.	Description	BAR 5
640055	2	8 Pc. 1/2 in. Dr. Metric Deep Well Socket Set	
640055	2	8 Pc. 1/2 in. Dr. Metric Deep Well Socket Set	
640056	2	8 Pc. 1/2 in. Dr. SAE Deep Well Socket Set	
640056	2	8 Pc. 1/2 in. Dr. SAE Deep Well Socket Set	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	4	1 in. Crossbar	
691451	1	3 in. Crossbar	
691831	52	Peg Hooks	
690605	52	Label Holder	





#430984 - 3/4 In. Drive Sockets

Part#	Peg Qty.	Description	BAR 1
643200	1	3/4 in. Dr. 7/8 in. Standard 12 pt. Socket	
643201	1	3/4 in. Dr. 15/16 in. Standard 12 pt. Socket	
643202	1	3/4 in. Dr. 1 in. Standard 12 pt. Socket	
643203	1	3/4 in. Dr. 1-1/16 in. Standard 12 pt. Socket	
643204	1	3/4 in. Dr. 1-1/8 in. Standard 12 pt. Socket	
643227	1	3/4 in. Dr. 22mm Standard 12 pt. Socket	
643228	1	3/4 in. Dr. 23mm Standard 12 pt. Socket	
643229	1	3/4 in. Dr. 24mm Standard 12 pt. Socket	
643244	1	3/4 in. Dr. 25mm Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 2
643205	1	3/4 in. Dr. 1-3/16 in. Standard 12 pt. Socket	
643206	1	3/4 in. Dr. 1-1/4 in. Standard 12 pt. Socket	
643207	1	3/4 in. Dr. 1-5/16 in. Standard 12 pt. Socket	
643208	1	3/4 in. Dr. 1-3/8 in. Standard 12 pt. Socket	
643209	1	3/4 in. Dr. 1-7/16 in. Standard 12 pt. Socket	
643230	1	3/4 in. Dr. 26mm Standard 12 pt. Socket	
643231	1	3/4 in. Dr. 27mm Standard 12 pt. Socket	
643245	1	3/4 in. Dr. 28mm Standard 12 pt. Socket	
643232	1	3/4 in. Dr. 29mm Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 3
643210	1	3/4 in. Dr. 1-1/2 in. Standard 12 pt. Socket	
643211	1	3/4 in. Dr. 1-9/16 in. Standard 12 pt. Socket	
643212	1	3/4 in. Dr. 1-5/8 in. Standard 12 pt. Socket	
643213	1	3/4 in. Dr. 1-11/16 in. Standard 12 pt. Socket	
643214	1	3/4 in. Dr. 1-3/4 in. Standard 12 pt. Socket	
643233	1	3/4 in. Dr. 30mm Standard 12 pt. Socket	
643234	1	3/4 in. Dr. 32mm Standard 12 pt. Socket	
643235	1	3/4 in. Dr. 33mm Standard 12 pt. Socket	
643236	1	3/4 in. Dr. 35mm Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 4
643215	1	3/4 in. Dr. 1-13/16 in. Standard 12 pt. Socket	
643216	1	3/4 in. Dr. 1-7/8 in. Standard 12 pt. Socket	
643218	1	3/4 in. Dr. 2 in. Standard 12 pt. Socket	
643219	1	3/4 in. Dr. 2-1/16 in. Standard 12 pt. Socket	
643220	1	3/4 in. Dr. 2-1/8 in. Standard 12 pt. Socket	
643237	1	3/4 in. Dr. 36mm Standard 12 pt. Socket	
643238	1	3/4 in. Dr. 38mm Standard 12 pt. Socket	
643239	1	3/4 in. Dr. 41mm Standard 12 pt. Socket	
643240	1	3/4 in. Dr. 46mm Standard 12 pt. Socket	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	4	1 in. Crossbar	
691831	36	Peg Hooks	
690605	36	Label Holder	

Tool Boards

#430987 - 1/4 In., 3/8 In., & 1/2 In. Drive Tools

Part#	Peg Qty.	Description	BAR 1
640505	2	3/8 in. Dr. F x 1/4 in. Dr. M Adapter	
940500	2	1/4 in. Dr. F x 3/8 in. Dr. M Adapter	
642500	2	1/2 in. Dr. F x 3/8 in. Dr. M Adapter	
641500	2	3/8 in. Dr. F x 1/2 in. Dr. M Adapter	
942501	2	1/2 in. Dr. F x 3/4 in. Dr. M Adapter	
640848	2	4 Pc. Adapter Set	
640503	2	1/4 in. Dr. Universal Joint	
641507	2	3/8 in. Dr. Universal Joint	
642506	2	1/2 in. Dr. Universal Joint	
640858	2	3 Pc. Universal Joint Set	

Part#	Peg Qty.	Description	BAR 2
641501	2	3/8 in. Dr. 3 in. Extension	
641502	2	3/8 in. Dr. 6 in. Extension	
641503	2	3/8 in. Dr. 10 in. Extension	
640851	2	3/8 in. Dr. 8 in. Wobble Extension	
640852	2	3/8 in. Dr. 10 in. Wobble Extension	
642502	2	1/2 in. Dr. 5 in. Extension	
642503	2	1/2 in. Dr. 10 in. Extension	
640857	2	3/8 in. Dr. 3 Pc. Wobble Extension Set	
640844	2	3/8 in. Dr. 4 Pc. Extension Set	
640856	2	1/2 in. Dr. 3 Pc. Wobble Extension Set	

Part#	Peg Qty.	Description	BAR 3
641515	2	3/8 in. Dr. Finger Ratchet	
641514	2	3/8 in. Dr. Stubby Ratchet	
641505	2	3/8 in. Dr. Spin Disc Ratchet	
641520	2	3/8 in. Dr. Quick Release Gear-to-Gear Ratchet	
640511	2	3/8 in. Dr. Quick Release Round Head Ratchet	
641506	2	3/8 in. Dr. Flex Head Ratchet	
641504	2	3/8 in. Dr. 10 in. Flex Handle	
642509	2	1/2 in. Dr. Quick Release Gear-to-Gear Ratchet	
640513	2	1/2 in. Dr. Quick Release Ratchet	
642505	2	1/2 in. Dr. Spin Disc Ratchet	
642504	2	1/2 in. Dr. 12 in. Flex Handle	



Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	2	1 in. Crossbar	
691451	1	3 in. Crossbar	
691831	31	Peg Hooks	
690605	31	Label Holder	


#430988 - 3/4 In. Drive Tools

Part#	Peg Qty.	Description	BAR 1
643500	1	3/4 in. Dr. Ratchet	
640745	1	3/4 in. Dr. Extendable Ratchet	
643502	1	3/4 in. Dr. Flex Handle	
643503	1	3/4 in. Dr. Sliding T-Handle	
643505	1	3/4 in. Dr. 16 in. Extension	
643501	1	3/4 in. Dr. 8 in. Extension	

Part#	Peg Qty.	Description	BAR 2
643242	1	3/4 in. Dr. 55mm Standard 12 pt. Socket	
643221	1	3/4 in. Dr. 2-3/16 in. Standard 12 pt. Socket	
643222	1	3/4 in. Dr. 2-1/4 in. Standard 12 pt. Socket	
643224	1	3/4 in. Dr. 2-3/8 in. Standard 12 pt. Socket	
643506	1	3/4 in. Dr. F x 1/2 in. Dr. M Adapter	
643507	1	3/4 in. Dr. F x 1 in. Dr. M Adapter	
643504	1	3/4 in. Dr. 4 in. Extension	
643508	1	3/4 in. Dr. Universal Joint	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	1	1 in. Crossbar	
691451	1	3 in. Crossbar	
691831	14	Peg Hooks	
690605	14	Label Holder	





Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	2	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	35	Peg Hooks	
690605	35	Label Holder	


#430989 - Mirror Polish Combination Wrenches

Part#	Peg Qty.	Description	BAR 1
644128	1	24mm Mirror Polish Combination Wrench	
644127	1	23mm Mirror Polish Combination Wrench	
644126	1	22mm Mirror Polish Combination Wrench	
644125	2	21mm Mirror Polish Combination Wrench	
644124	2	20mm Mirror Polish Combination Wrench	
644123	2	19mm Mirror Polish Combination Wrench	
644122	2	18mm Mirror Polish Combination Wrench	
644121	2	17mm Mirror Polish Combination Wrench	

Part#	Peg Qty.	Description	BAR 2
644120	2	16mm Mirror Polish Combination Wrench	
644119	2	15mm Mirror Polish Combination Wrench	
644118	2	14mm Mirror Polish Combination Wrench	
644117	2	13mm Mirror Polish Combination Wrench	
644116	2	12mm Mirror Polish Combination Wrench	
644115	2	11mm Mirror Polish Combination Wrench	
644114	2	10mm Mirror Polish Combination Wrench	
644113	2	9mm Mirror Polish Combination Wrench	
644112	2	8mm Mirror Polish Combination Wrench	
644111	2	7mm Mirror Polish Combination Wrench	
644110	2	6mm Mirror Polish Combination Wrench	

Part#	Peg Qty.	Description	BAR 3
644155	1	1-1/4 in. Mirror Polish Combination Wrench	
644154	1	1-1/8 in. Mirror Polish Combination Wrench	
644153	1	1-1/16 in. Mirror Polish Combination Wrench	
644152	1	1 in. Mirror Polish Combination Wrench	
644150	2	15/16 in. Mirror Polish Combination Wrench	
644149	2	7/8 in. Mirror Polish Combination Wrench	
644148	2	13/16 in. Mirror Polish Combination Wrench	

Part#	Peg Qty.	Description	BAR 4
644147	2	3/4 in. Mirror Polish Combination Wrench	
640894	2	11/16 in. Mirror Polish Combination Wrench	
644146	2	5/8 in. Mirror Polish Combination Wrench	
644145	2	9/16 in. Mirror Polish Combination Wrench	
644144	2	1/2 in. Mirror Polish Combination Wrench	
644143	2	7/16 in. Mirror Polish Combination Wrench	
644142	2	3/8 in. Mirror Polish Combination Wrench	
644141	2	5/16 in. Mirror Polish Combination Wrench	
644140	2	1/4 in. Mirror Polish Combination Wrench	



#430990 - Wrench Sets

Part#	Peg Qty.	Description	BAR 1
640203	1	7 Pc. SAE Stubby Combination Wrench Set	
640204	1	7 Pc. Metric Stubby Combination Wrench Set	
640436	1	7 Pc. SAE Long Pattern Combination Wrench Set	
640437	1	7 Pc. Metric Long Pattern Combination Wrench Set	

Part#	Peg Qty.	Description	BAR 2
640185	1	4 Pc. SAE Flare Nut Wrench Set	
640186	1	4 Pc. Metric Flare Nut Wrench Set	
644506	1	5 Pc. Metric Box Wrench Set	
640990	1	7 Pc SAE Ratcheting Combination Wrench Set	

Part#	Peg Qty.	Description	BAR 3
640377	1	11 Pc. SAE Combination Wrench Set	
640378	1	11 Pc. Metric Combination Wrench Set	
640991	1	7 Pc. Reversible Ratcheting Combination Wrench Set	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	1	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	22	2 in. Peg Hooks	
690605	22	Label Holder	

Tool Boards


#430991 - Long Pattern, Crowsfoot and Hex Key Wrenches


Part#	Peg Qty.	Description	BAR 1
640830	1	10 Pc. 3/8 in. dr. SAE & Metric Open End Crowsfoot Wrench Set	
640115	1	10 Pc. 3/8 in. dr. Metric Crowsfoot Flare Nut Wrench Set	
640114	1	10 Pc. 3/8 in. dr. SAE Crowsfoot Flare Nut Wrench Set	
640082	1	9 Pc. Metric Hex Key Wrench Set	
640081	1	9 Pc. SAE Hex Key Wrench Set	

Part#	Peg Qty.	Description	BAR 2
640475	2	1/4 in. Long Pattern Mirror Polish Combination Wrench	
640476	2	5/16 in. Long Pattern Mirror Polish Combination Wrench	
640477	2	3/8 in. Long Pattern Mirror Polish Combination Wrench	
640440	2	7/16 in. Long Pattern Mirror Polish Combination Wrench	
640441	2	1/2 in. Long Pattern Mirror Polish Combination Wrench	
640442	2	9/16 in. Long Pattern Mirror Polish Combination Wrench	
640449	2	13mm Long Pattern Mirror Polish Combination Wrench	
640448	2	12mm Long Pattern Mirror Polish Combination Wrench	
640487	2	11mm Long Pattern Mirror Polish Combination Wrench	
640447	2	10mm Long Pattern Mirror Polish Combination Wrench	
640486	2	9mm Long Pattern Mirror Polish Combination Wrench	
640484	2	7mm Long Pattern Mirror Polish Combination Wrench	
940483	2	6mm Long Pattern Mirror Polish Combination Wrench	

Part#	Peg Qty.	Description	BAR 3
640443	2	5/8 in. Long Pattern Mirror Polish Combination Wrench	
640478	2	11/16 in. Long Pattern Mirror Polish Combination Wrench	
640446	2	7/8 in. Long Pattern Mirror Polish Combination Wrench	
640479	1	15/16 in. Long Pattern Mirror Polish Combination Wrench	
640480	1	1 in. Long Pattern Mirror Polish Combination Wrench	
640489	2	19mm Long Pattern Mirror Polish Combination Wrench	
640453	2	18mm Long Pattern Mirror Polish Combination Wrench	
640451	2	16mm Long Pattern Mirror Polish Combination Wrench	
640450	2	15mm Long Pattern Mirror Polish Combination Wrench	
640488	2	14mm Long Pattern Mirror Polish Combination Wrench	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	1	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	28	Peg Hooks	
690605	28	Label Holder	





#430992 - Pliers & Wrenches


Part#	Peg Qty.	Description	BAR 1
640393	2	8 in. Long Nose Pliers	
640395	2	8 in. Slip Joint Pliers	
640388	2	8 in. Groove Joint Pliers	
640389	2	10 in. Groove Joint Pliers	
640390	2	12 in. Groove Joint Pliers	

Part#	Peg Qty.	Description	BAR 2
640413	2	4-1/2 in. Mini Linesman Pliers	
640412	2	4 in. Mini Diagonal Pliers	
640409	2	5 in. Mini Long Nose Pliers	
640411	2	5 in. Mini Bent Nose Pliers	
640410	2	5 in. Mini Needle Nose Pliers	
640392	2	6 in. Long Nose Pliers	
640394	2	6 in. Slip Joint Pliers	
640386	2	6 in. Diagonal Pliers	
640387	2	7 in. Diagonal Pliers	
640391	2	7 in. Linesman Pliers	

Part#	Peg Qty.	Description	BAR 3
644040	2	6 in. Adjustable Wrench	
644041	2	8 in. Adjustable Wrench	
644042	2	10 in. Adjustable Wrench	
644043	2	12 in. Adjustable Wrench	
640863	2	11 in. Long Reach Hose Clamp Pliers	
640862	2	11 in. Long Reach Bent Nose Pliers	

Part#	Peg Qty.	Description	BAR 4
944039	2	4 in. Adjustable Wrench	
645014	2	5 in. Curved Jaw Locking Pliers	
645015	2	6 in. Long Nose Locking Pliers	
646539	2	7 in. Curved Jaw Locking Pliers	
646541	2	9 in. Long Nose Locking Pliers	
645540	2	10 in. Curved Jaw Locking Pliers	
645016	2	10 in. Pivot Jaw Locking Pliers	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	2	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	28	Peg Hooks	
690605	28	Label Holder	



#430993 - Drivers & Flare Nut Wrenches

Part#	Peg Qty.	Description	BAR 1
644036	2	9 x 10mm Flare Nut Wrench	
644037	2	11 x 12mm Flare Nut Wrench	
644038	2	13 x 14mm Flare Nut Wrench	
644039	2	15 x 17mm Flare Nut Wrench	
640597	2	19 x 21mm Flare Nut Wrench	
640085	2	3/8 in. x 7/16 in. Flare Nut Wrench	
644034	2	1/2 in. x 9/16 in. Flare Nut Wrench	
644035	2	5/8 in. x 11/16 in. Flare Nut Wrench	
640184	2	3/4 in. x 7/8 in. Flare Nut Wrench	

Part#	Peg Qty.	Description	BAR 2
646016	2	T-10 Torx® Bit Driver	
646017	2	T-15 Torx® Bit Driver	
646018	2	T-20 Torx® Bit Driver	
646019	2	T-25 Torx® Bit Driver	
646020	2	T-27 Torx® Bit Driver	
646021	2	T-30 Torx® Bit Driver	
646022	2	T-40 Torx® Bit Driver	
646011	2	1/4 in. x 1-1/2 in. Slotted Screwdriver	
646007	2	1/8 in. x 3 in. Slotted Screwdriver	
646003	2	#2 x 1-1/2 in. Phillips Screwdriver	
646000	2	#0 x 3 in. Phillips Screwdriver	
646002	2	#1 x 3 in. Phillips Screwdriver	
646004	2	#2 x 4 in. Phillips Screwdriver	

Part#	Peg Qty.	Description	BAR 3
646005	2	#2 x 6 in. Phillips Screwdriver	
646006	2	#3 x 6 in. Phillips Screwdriver	
646038	2	#3 x 8 in. Phillips Screwdriver	
646046	2	5 Pc. Torx® Bit Driver Set	
646012	2	1/4 in. x 4 in. Slotted Screwdriver	
646010	2	3/16 in. x 6 in. Slotted Screwdriver	
646013	2	1/4 in. x 6 in. Slotted Screwdriver	
646014	2	5/16 in. x 6 in. Slotted Screwdriver	
646015	2	3/8 in. x 8 in. Slotted Screwdriver	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	1	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	32	Peg Hooks	
690605	32	Label Holder	

Tool Boards

#430994 - 3/8 In. & 1/2 In. Drive Impact Sockets & Accessories

Part#	Peg Qty.	Description	BAR 1
647249	1	3/8 in. Dr. 10mm Standard Impact 6 pt. Socket	
647250	1	3/8 in. Dr. 11mm Standard Impact 6 pt. Socket	
647251	1	3/8 in. Dr. 12mm Standard Impact 6 pt. Socket	
647252	1	3/8 in. Dr. 13mm Standard Impact 6 pt. Socket	
647253	1	3/8 in. Dr. 14mm Standard Impact 6 pt. Socket	
647254	1	3/8 in. Dr. 15mm Standard Impact 6 pt. Socket	
647255	1	3/8 in. Dr. 16mm Standard Impact 6 pt. Socket	
647256	1	3/8 in. Dr. 17mm Standard Impact 6 pt. Socket	
647257	1	3/8 in. Dr. 18mm Standard Impact 6 pt. Socket	
647258	1	3/8 in. Dr. 19mm Standard Impact 6 pt. Socket	


Part#	Peg Qty.	Description	BAR 2
644259	1	3/8 in. Dr. 10mm Deep Well Impact 6 pt. Socket	
647266	1	3/8 in. Dr. 11mm Deep Well Impact 6 pt. Socket	
647146	1	3/8 in. Dr. 12mm Deep Well Impact 6 pt. Socket	
647147	1	3/8 in. Dr. 13mm Deep Well Impact 6 pt. Socket	
647148	1	3/8 in. Dr. 14mm Deep Well Impact 6 pt. Socket	
647149	1	3/8 in. Dr. 15mm Deep Well Impact 6 pt. Socket	
647150	1	3/8 in. Dr. 16mm Deep Well Impact 6 pt. Socket	
647267	1	3/8 in. Dr. 17mm Deep Well Impact 6 pt. Socket	
647268	1	3/8 in. Dr. 18mm Deep Well Impact 6 pt. Socket	
647269	1	3/8 in. Dr. 19mm Deep Well Impact 6 pt. Socket	


Part#	Peg Qty.	Description	BAR 3
647242	1	3/8 in. Dr. 3/8 in. Standard Impact 6 pt. Socket	
647243	1	3/8 in. Dr. 7/16 in. Standard Impact 6 pt. Socket	
647244	1	3/8 in. Dr. 1/2 in. Standard Impact 6 pt. Socket	
647245	1	3/8 in. Dr. 9/16 in. Standard Impact 6 pt. Socket	
647246	1	3/8 in. Dr. 5/8 in. Standard Impact 6 pt. Socket	
647247	1	3/8 in. Dr. 11/16 in. Standard Impact 6 pt. Socket	
647248	1	3/8 in. Dr. 3/4 in. Standard Impact 6 pt. Socket	
647451	1	3/8 in. Dr. 13/16 in. Standard Impact 6 pt. Socket	
647452	1	3/8 in. Dr. 7/8 in. Standard Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 4
647272	1	3/8 in. Dr. 3/8 in. Deep Well Impact 6 pt. Socket	
647273	1	3/8 in. Dr. 7/16 in. Deep Well Impact 6 pt. Socket	
647141	1	3/8 in. Dr. 1/2 in. Deep Well Impact 6 pt. Socket	
647142	1	3/8 in. Dr. 9/16 in. Deep Well Impact 6 pt. Socket	
647143	1	3/8 in. Dr. 5/8 in. Deep Well Impact 6 pt. Socket	
647144	1	3/8 in. Dr. 11/16 in. Deep Well Impact 6 pt. Socket	
647145	1	3/8 in. Dr. 3/4 in. Deep Well Impact 6 pt. Socket	
647610	1	3/8 in. Dr. 13/16 in. Deep Well Impact 6 pt. Socket	
647611	1	3/8 in. Dr. 7/8 in. Deep Well Impact 6 pt. Socket	
641163	2	1/2 in. Dr. Flip Impact Socket 3/4 in. x 13/16 in.	

Part#	Peg Qty.	Description	BAR 5
641164	2	1/2 in. Dr. Flip Impact Socket 19mm x 21mm	
647097	2	1/2 in. Dr. F x 3/8 in. dr. M Impact Adapter	
647096	2	3/8 in. Dr. F x 1/2 in. dr. M Impact Adapter	
647137	1	1/2 in. Dr. F x 3/4 in. dr. M Impact Adapter	
647575	2	3/8 in. Dr. Impact Universal Joint	
647274	1	3/8 in. Dr. 3 in. Impact Extension	
647138	2	1/2 in. Dr. Impact Universal Joint	
647283	2	1/2 in. Dr. 3 in. Impact Extension	
647098	2	1/2 in. Dr. 5 in. Impact Extension	
647140	1	1/2 in. Dr. 10 in. Impact Extension	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	3	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	49	Peg Hooks	
690605	49	Label Holder	





#430995 - 1/2 In. Impact Sockets & Accessories

Part#	Peg Qty.	Description	BAR 1
647279	2	1/2 in. Dr. 10mm Standard Impact 6 pt. Socket	
647291	2	1/2 in. Dr. 11mm Standard Impact 6 pt. Socket	
647292	2	1/2 in. Dr. 12mm Standard Impact 6 pt. Socket	
647160	2	1/2 in. Dr. 13mm Standard Impact 6 pt. Socket	
647161	2	1/2 in. Dr. 14mm Standard Impact 6 pt. Socket	
647162	2	1/2 in. Dr. 15mm Standard Impact 6 pt. Socket	
647163	2	1/2 in. Dr. 16mm Standard Impact 6 pt. Socket	
647164	2	1/2 in. Dr. 17mm Standard Impact 6 pt. Socket	
647165	2	1/2 in. Dr. 18mm Standard Impact 6 pt. Socket	
647166	2	1/2 in. Dr. 19mm Standard Impact 6 pt. Socket	
647280	2	1/2 in. Dr. 20mm Standard Impact 6 pt. Socket	
647167	2	1/2 in. Dr. 21mm Standard Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 2
647168	2	1/2 in. Dr. 22mm Standard Impact 6 pt. Socket	
647169	2	1/2 in. Dr. 24mm Standard Impact 6 pt. Socket	
647293	2	1/2 in. Dr. 27mm Standard Impact 6 pt. Socket	
647446	2	1/2 in. Dr. 30mm Standard Impact 6 pt. Socket	
647282	2	1/2 in. Dr. 7/16 in. Standard Impact 6 pt. Socket	
647151	2	1/2 in. Dr. 1/2 in. Standard Impact 6 pt. Socket	
647152	2	1/2 in. Dr. 9/16 in. Standard Impact 6 pt. Socket	
647153	2	1/2 in. Dr. 5/8 in. Standard Impact 6 pt. Socket	
647154	2	1/2 in. Dr. 11/16 in. Standard Impact 6 pt. Socket	
647155	2	1/2 in. Dr. 3/4 in. Standard Impact 6 pt. Socket	
647156	2	1/2 in. Dr. 13/16 in. Standard Impact 6 pt. Socket	
647157	2	1/2 in. Dr. 7/8 in. Standard Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 3
647158	2	1/2 in. Dr. 15/16 in. Standard Impact 6 pt. Socket	
647159	2	1/2 in. Dr. 1 in. Standard Impact 6 pt. Socket	
647294	2	1/2 in. Dr. 1-1/16 in. Standard Impact 6 pt. Socket	
647295	2	1/2 in. Dr. 1-1/8 in. Deep Well Impact 6 pt. Socket	
647296	2	1/2 in. Dr. 1-1/4 in. Deep Well Impact 6 pt. Socket	
647288	2	1/2 in. Dr. 10mm Deep Well Impact 6 pt. Socket	
647289	2	1/2 in. Dr. 11mm Deep Well Impact 6 pt. Socket	
647181	2	1/2 in. Dr. 12mm Deep Well Impact 6 pt. Socket	
647182	2	1/2 in. Dr. 13mm Deep Well Impact 6 pt. Socket	
647183	2	1/2 in. Dr. 14mm Deep Well Impact 6 pt. Socket	
647184	2	1/2 in. Dr. 15mm Deep Well Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 4
647185	2	1/2 in. Dr. 16mm Deep Well Impact 6 pt. Socket	
647186	2	1/2 in. Dr. 17mm Deep Well Impact 6 pt. Socket	
647187	2	1/2 in. Dr. 18mm Deep Well Impact 6 pt. Socket	
647188	2	1/2 in. Dr. 19mm Deep Well Impact 6 pt. Socket	
647192	2	1/2 in. Dr. 20mm Deep Well Impact 6 pt. Socket	
647189	2	1/2 in. Dr. 21mm Deep Well Impact 6 pt. Socket	
647190	2	1/2 in. Dr. 22mm Deep Well Impact 6 pt. Socket	
647191	2	1/2 in. Dr. 24mm Deep Well Impact 6 pt. Socket	
647193	2	1/2 in. Dr. 26mm Deep Well Impact 6 pt. Socket	
647576	2	1/2 in. Dr. 27mm Deep Well Impact 6 pt. Socket	
647607	2	1/2 in. Dr. 30mm Deep Well Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 5
647282	2	1/2 in. Dr. 7/16 in. Deep Well Impact 6 pt. Socket	
647151	2	1/2 in. Dr. 1/2 in. Deep Well Impact 6 pt. Socket	
647152	2	1/2 in. Dr. 9/16 in. Deep Well Impact 6 pt. Socket	
647153	2	1/2 in. Dr. 5/8 in. Deep Well Impact 6 pt. Socket	
647154	2	1/2 in. Dr. 11/16 in. Deep Well Impact 6 pt. Socket	
647155	2	1/2 in. Dr. 3/4 in. Deep Well Impact 6 pt. Socket	
647156	2	1/2 in. Dr. 13/16 in. Deep Well Impact 6 pt. Socket	
647157	2	1/2 in. Dr. 7/8 in. Deep Well Impact 6 pt. Socket	
647159	2	1/2 in. Dr. 1 in. Deep Well Impact 6 pt. Socket	
647194	2	1/2 in. Dr. 1-1/16 in. Deep Well Impact 6 pt. Socket	
647179	2	1/2 in. Dr. 1-1/8 in. Deep Well Impact 6 pt. Socket	
647180	2	1/2 in. Dr. 1-1/4 in. Deep Well Impact 6 pt. Socket	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	2	1 in. Crossbar	
691451	3	3 in. Crossbar	
691831	58	Peg Hooks	
690605	58	Label Holder	

#430996 - 16 Ft. Tool Assortment Planogram



#430997 - 12 Ft. Tool Assortment Planogram



#430998 - 8 Ft. Tool Assortment Planogram



#430999 - 4 Ft. Tool Assortment Planogram



Part#	Description	Qty	4'	8'	12'	16'
Quick Release Gear-to-Gear Ratchets						
#640508	- 1/4 in. 36 Tooth	2	•	•	•	•
#649997	- 1/4 in. 60 Tooth	2			•	•
#649985	- 1/4 in. 72 Tooth	2	•	•	•	
#641520	- 3/8 in. 36 Tooth	2	•	•	•	•
#649998	- 3/8 in. 60 Tooth	2			•	•
#649986	- 3/8 in. 72 Tooth	2	•	•	•	
#642509	- 1/2 in. 36 Tooth	2	•	•	•	•
#649999	- 1/2 in. 60 Tooth	2			•	•
#649987	- 1/2 in. 72 Tooth	2	•	•	•	
#643500	- 3/4 in. 40 Tooth	1				•
Stubby & Finger Ratchets						
#940926	- 1/4 in. x 3/8 in. Extendable Stubby	2		•	•	•
#640931	- 1/4 in. x 3/8 in. Stubby	2		•	•	•
#641514	- 3/8 in. Stubby	2		•	•	•
#940967	- 3/8 in. Extendable Stubby	2		•	•	•
#641515	- 3/8 in. Finger	2		•	•	•
Flex-Head Ratchets						
#641506	- 3/8 in.	2		•	•	•
Spin Disc Ratchets						
#641505	- 3/8 in.	2	•	•	•	•
#642505	- 1/2 in.	2	•	•	•	•
Breaker Bars						
#641504	- 3/8 in. Dr. 10 in.	2	•			•
#642504	- 1/2 in. Dr. 12 in.	2	•	•	•	•
#640853	- 1/2 in. Dr. 18 in.	2	•	•	•	•
#640854	- 1/2 in. Dr. 24 in.	2			•	•
#649990	- 1/2 in. Dr. 24 in.	2			•	•
#641700	- 1/2 in. Dr. 24 in. Ratcheting	2			•	•
#643502	- 3/4 in. Dr. 19 in.	1				•
#640057	- 4 Pc. 3/8 in. Tune-Up Kit	2		•	•	•
Sliding T-Bars						
#643503	- 3/4 in.	1				•
Torque Wrenches						
#644998	- 3/8 in. Dr. Micrometer	1		•	•	•
#644999	- 1/2 in. Dr. Micrometer	1			•	•
#644044	- 1/2 in. Dr. Needle	1			•	•
Spinner Handles						
#640182	- 1/4 in.	2		•	•	•
Extensions						
#640504	- 1/4 in. x 6 in.	2	•	•	•	•
#640842	- 3 Pc. Set 1/4 in.	2	•	•	•	•
#641501	- 3/8 in. x 3 in.	2	•	•	•	•
#641502	- 3/8 in. x 6 in.	2	•	•	•	•
#641503	- 3/8 in. x 10 in.	2	•	•	•	•
#941505	- 3/8 in. x 18 in.	2		•	•	•
#640844	- 4 Pc. Set 3/8 in.	2			•	•
#640857	- 3 Pc. Set 3/8 in. Wobble	2	•	•	•	•
#642502	- 1/2 in. x 5 in.	2	•	•	•	•
#647098	- 1/2 in. x 5 in. Impact	2	•	•	•	•
#642503	- 1/2 in. x 10 in.	2	•	•	•	•
#647140	- 1/2 in. x 10 in. Impact	2	•	•	•	•
#640846	- 3 Pc. Set 1/2 in.	2	•	•	•	•
#640856	- 3 Pc. Set 1/2 in. Wobble	2		•	•	•
#643504	- 3/4 in. x 4 in.	1				•
#647199	- 1 in. x 4 in. Impact	1				•
Adapters						
#940500	- 1/4 in. F x 3/8 in. M	2	•	•	•	•
#640505	- 3/8 in. F x 1/4 in. M	2	•	•	•	•
#641500	- 3/8 in. F x 1/2 in. M	2	•	•	•	•
#647096	- 3/8 in. F x 1/2 in. M Impact	2	•	•	•	•
#642500	- 1/2 in. F x 3/8 in. M	2	•	•	•	•
#647097	- 1/2 in. F x 3/8 in. M Impact	2	•	•	•	•
#942501	- 1/2 in. F x 3/4 in. M	2	•			•
#643506	- 3/4 in. F x 1/2 in. M	2				•
#643507	- 3/4 in. F x 1 in. M	2				•
#640848	- 4 Pc. Adapter Set	2	•	•	•	•
#640859	- 7 Pc. Adapter & U-Joint Set	2		•	•	•
#647095	- 7 Pc. Impact Adapter &	2				•

Part#	Description	Qty	4'	8'	12'	16'
Universal Joints						
#640503	- 1/4 in.	2	•		•	•
#641507	- 3/8 in.	2	•	•	•	•
#641120	- 3/8 in. Impact	2			•	•
#642506	- 1/2 in.	2	•	•	•	•
#647138	- 1/2 in. Impact	2	•	•	•	•
#643508	- 3/4 in.	1				•
#640858	- 3 Pc. Universal Joint Set	2		•	•	•
Socket Rails						
#640506	- 1/4 in. Dr. Socket Rail	2			•	•
#941121	- 1/4 in. Dr. Anodized Socket Rail	2		•	•	•
#641509	- 3/8 in. Dr. Socket Rail	2		•	•	•
#941122	- 3/8 in. Dr. Anodized Socket Rail	2		•	•	•
#642507	- 1/2 in. Dr. Socket Rail	2			•	•
#941123	- 1/2 in. Dr. Anodized Socket Rail	2		•	•	•
1/4 In. Drive 6 Pt. Deep Well Sockets						
#648292	- 9/32 in.	2			•	•
#648293	- 5/16 in.	2			•	•
#648294	- 11/32 in.	2			•	•
#648295	- 3/8 in.	2			•	•
#648296	- 7/16 in.	2			•	•
#648297	- 1/2 in.	2			•	•
#648298	- 6 mm	2			•	•
#648299	- 7 mm	2			•	•
#648300	- 8 mm	2			•	•
#648301	- 9 mm	2			•	•
#648302	- 10 mm	2			•	•
#648303	- 11 mm	2			•	•
#648304	- 12 mm	2			•	•
1/4 In. Drive Bit Sockets - Torx®						
#648679	- T-10	2			•	•
#648324	- T-15	2			•	•
#648325	- T-20	2			•	•
#648326	- T-25	2			•	•
#648327	- T-27	2			•	•
#648328	- T-30	2			•	•
1/4 In. Drive Standard Socket Sets						
#640497	- 11 Pc. SAE	2		•	•	•
#640498	- 11 Pc. Metric	2		•	•	•
1/4 In. Drive Deep Well Socket Sets						
#640499	- 10 Pc. SAE	2		•	•	•
#640538	- 10 Pc. Metric	2	•	•	•	•
3/8 In. Drive 12 Pt. Standard Sockets						
#641000	- 1/4 in.	2		•	•	•
#641001	- 5/16 in.	2	•	•	•	•
#641002	- 3/8 in.	2	•	•	•	•
#641003	- 7/16 in.	2	•	•	•	•
#641004	- 1/2 in.	2	•	•	•	•
#641005	- 9/16 in.	2	•	•	•	•
#641006	- 5/8 in.	2	•	•	•	•
#641007	- 11/16 in.	2		•	•	•
#641008	- 3/4 in.	2		•	•	•
#641009	- 13/16 in.	2		•	•	•
#641010	- 7/8 in.	2		•	•	•
#641011	- 6 mm	2		•	•	•
#641012	- 7 mm	2		•	•	•
#641013	- 8 mm	2	•	•	•	•
#641014	- 9 mm	2	•	•	•	•
#641015	- 10 mm	2	•	•	•	•
#641016	- 11 mm	2	•	•	•	•
#641017	- 12 mm	2	•	•	•	•
#641018	- 13 mm	2	•	•	•	•
#641019	- 14 mm	2	•	•	•	•
#641020	- 15 mm	2	•	•	•	•
#641021	- 16 mm	2		•	•	•
3/8 In. Drive 12 Pt. Standard Sockets						
#641022	- 17 mm	2	•	•	•	•
#641023	- 18 mm	2	•	•	•	•
#641024	- 19 mm	2		•	•	•
#641025	- 21 mm	2		•	•	•

Planogram Contents

Part#	Description	Qty	4'	8'	12'	16'
3/8 In. Drive 12 Pt. Standard Sockets						
#641221	- 22 mm	2		•	•	•
3/8 In. Drive 6 Pt. Deep Well Sockets						
#648215	- 5/16 in.	2		•	•	•
#641200	- 3/8 in.	2	•	•	•	•
#641201	- 7/16 in.	2	•	•	•	•
#641202	- 1/2 in.	2	•	•	•	•
#641203	- 9/16 in.	2	•	•	•	•
#641204	- 5/8 in.	2	•	•	•	•
#641205	- 11/16 in.	2		•	•	•
#641206	- 3/4 in.	2	•	•	•	•
#641207	- 13/16 in.	2	•	•	•	•
#641208	- 7/8 in.	2	•	•	•	•
#641224	- 6 mm	2		•	•	•
#641225	- 7 mm	2		•	•	•
#641210	- 10 mm	2	•	•	•	•
#641211	- 11 mm	2		•	•	•
#641212	- 12 mm	2	•	•	•	•
#641213	- 13 mm	2	•	•	•	•
#641214	- 14 mm	2	•	•	•	•
#641215	- 15 mm	2	•	•	•	•
#641216	- 16 mm	2		•	•	•
#641217	- 17 mm	2	•	•	•	•
#641218	- 18 mm	2	•	•	•	•
#641219	- 19 mm	2	•	•	•	•
3/8 In. Drive 6 Pt. Standard Impact Sockets						
#647254	- 15 mm	2				•
3/8 In. Drive 6 Pt. Deep Well Impact Sockets						
#647141	- 1/2 in.	2				•
#647142	- 9/16 in.	2				•
#647143	- 5/8 in.	2				•
#647144	- 11/16 in.	2				•
#647145	- 3/4 in.	2				•
#647146	- 12 mm	2				•
#647147	- 13 mm	2				•
#647148	- 14 mm	2				•
#647149	- 15 mm	2				•
#647150	- 16 mm	2				•
3/8 In. Drive Bit Sockets - Hex						
#648430	- 5/32 in.	2		•	•	•
#640349	- 3/16 in.	2	•		•	•
#640350	- 7/32 in.	2			•	•
#648662	- 1/4 in.	2			•	•
#640554	- 5/16 in.	2			•	•
#641400	- 3/8 in.	2	•		•	•
#648323	- 3 mm	2			•	•
#648418	- 4 mm	2			•	•
#640347	- 5 mm	2			•	•
#640556	- 6 mm	2			•	•
#648664	- 7 mm	2			•	•
#648665	- 8 mm	2			•	•
#648425	- 9 mm	2				•
3/8 In. Drive Bit Sockets - Torx®						
#641402	- T-40	2	•		•	•
#641403	- T-45	2	•	•	•	•
#641408	- T-47	2		•	•	•
#641404	- T-50	2	•	•	•	•
3/8 In. Drive Splined Socket Sets						
#641990	- 8 Pc. SAE	2				•
#641991	- 8 Pc. Metric	2				•
3/8 In. Bit Socket Sets - Hex						
#648661	- 7 Pc. SAE	2		•	•	•
#648663	- 7 Pc. Metric	2			•	•
#642402	- 8 Pc. SAE Wobble	2		•	•	•
#642403	- 8 Pc. Metric Wobble	2		•	•	•
1/2 In. Drive 12 Pt. Standard Sockets						
#642000	- 1/2 in.	2	•	•	•	•
#642001	- 9/16 in.	2	•	•	•	•

Part#	Description	Qty	4'	8'	12'	16'
1/2 In. Drive 12 Pt. Standard Sockets						
#642002	- 5/8 in.	2	•	•	•	•
#642303	- 11/16 in.	2		•	•	•
#642003	- 3/4 in.	2	•	•	•	•
#642004	- 13/16 in.	2	•	•	•	•
#642005	- 7/8 in.	2	•	•	•	•
#642006	- 15/16 in.	2	•	•	•	•
#642007	- 1 in.	2	•	•	•	•
#642008	- 1-1/16 in.	2	•	•	•	•
#642009	- 1-1/8 in.	2	•	•	•	•
#642010	- 1-3/16 in.	2	•	•	•	•
#642011	- 1-1/4 in.	2	•	•	•	•
#642012	- 14 mm	2	•	•	•	•
#642013	- 15 mm	2	•	•	•	•
#642014	- 16 mm	2	•	•	•	•
#642015	- 17 mm	2	•	•	•	•
#642016	- 18 mm	2	•	•	•	•
#642017	- 19 mm	2	•	•	•	•
#642018	- 20 mm	2		•	•	•
#642019	- 21 mm	2	•	•	•	•
#642020	- 22 mm	2	•	•	•	•
#642021	- 23 mm	2	•	•	•	•
#642022	- 24 mm	2		•	•	•
#642023	- 26 mm	2		•	•	•
#642034	- 27 mm	2		•	•	•
#648216	- 28 mm	2		•	•	•
#642035	- 29 mm	2		•	•	•
#642025	- 32 mm	2		•	•	•
#642026	- 34 mm	2		•	•	•
#642027	- 35 mm	2		•	•	•
#642028	- 36 mm	2		•	•	•
1/2 In. Drive 6 Pt. Deep Well Sockets						
#642200	- 9/16 in.	2	•	•	•	•
#642201	- 5/8 in.	2	•	•	•	•
#642202	- 11/16 in.	2	•	•	•	•
#642203	- 3/4 in.	2	•	•	•	•
#642204	- 13/16 in.	2	•	•	•	•
#642205	- 7/8 in.	2	•	•	•	•
#642206	- 15/16 in.	2	•	•	•	•
#642207	- 1 in.	2	•	•	•	•
#648217	- 1-1/16 in.	2	•	•	•	•
#642215	- 1-1/8 in.	2	•	•	•	•
#642216	- 1-1/4 in.	2	•	•	•	•
#642208	- 14 mm	2	•	•	•	•
#642209	- 15 mm	2	•	•	•	•
#642210	- 16 mm	2	•	•	•	•
#642211	- 17 mm	2	•	•	•	•
#642212	- 18 mm	2	•	•	•	•
#642213	- 19 mm	2	•	•	•	•
#642214	- 20 mm	2	•	•	•	•
#640836	- 21 mm	2		•	•	•
#640837	- 22 mm	2	•		•	•
#640838	- 23 mm	2	•		•	•
#640840	- 24 mm	2	•		•	•
#640841	- 27 mm	2	•			•
1/2 In. Drive 6 Pt. Deep Well Sockets Sets						
#640056	- 8 Pc. SAE	2		•	•	•
#640055	- 8 Pc. Metric	2		•	•	•
1/2 In. Drive 6 Pt. Standard Impact Sockets						
#647151	- 1/2 in.	2				•
#647152	- 9/16 in.	2				•
#647153	- 5/8 in.	2				•
#647154	- 11/16 in.	2				•
#647155	- 3/4 in.	2				•
#647156	- 13/16 in.	2				•
#647157	- 7/8 in.	2				•
#647158	- 15/16 in.	2				•
#647159	- 1 in.	2				•
#647160	- 13 mm	2				•

Part#	Description	Qty	4'	8'	12'	16'
1/2 In. Drive 6 Pt. Standard Impact Sockets						
#647161	- 14 mm	2				•
#647162	- 15 mm	2				•
#647163	- 16 mm	2				•
#647164	- 17 mm	2				•
#647165	- 18 mm	2				•
#647166	- 19 mm	2				•
#647167	- 21 mm	2				•
#647168	- 22 mm	2				•
#647169	- 24 mm	2				•
1/2 In. Drive 6 Pt. Standard Impact Socket Sets						
#940837	- 18 Pc. SAE	2			•	•
#940838	- 18 Pc. Metric	2			•	•
1/2 In. Drive 6 Pt. Deep Well Impact Sockets						
#647170	- 1/2 in.	2	•	•	•	•
#647171	- 9/16 in.	2	•	•	•	•
#647172	- 5/8 in.	2	•	•	•	•
#647173	- 11/16 in.	2		•	•	•
#647174	- 3/4 in.	2		•	•	•
#647175	- 13/16 in.	2	•	•	•	•
#647176	- 7/8 in.	2	•	•	•	•
#647177	- 15/16 in.	2			•	•
#647178	- 1 in.	2	•		•	•
#647179	- 1-1/8 in.	2			•	•
#647180	- 1-1/4 in.	2			•	•
#647181	- 12 mm	2				•
#647182	- 13 mm	2				•
#647183	- 14 mm	2	•		•	•
#647184	- 15 mm	2	•		•	•
#647185	- 16 mm	2			•	•
#647186	- 17 mm	2	•	•	•	•
#647187	- 18 mm	2	•	•	•	•
#647188	- 19 mm	2	•	•	•	•
#647192	- 20 mm			•	•	•
#647189	- 21 mm	2	•	•	•	•
#647190	- 22 mm	2	•	•	•	•
#647191	- 24 mm	2	•	•	•	•
#647193	- 26 mm	2		•	•	•
1/2 In. Drive 6 Pt. Deep Well Impact Socket Sets						
#647049	- 11 Pc. SAE	2	•	•	•	•
#647048	- 11 Pc. Metric	2	•	•	•	•
1/2 In. Drive 6 Pt. Flip Impact Sockets						
#641163	- 3/4 in. x 13/16 in.	2				•
1/2 In. Drive Bit Sockets - Torx®						
#642400	- T-55	2		•	•	•
#642401	- T-60	2		•	•	•
#940363	- T-70	2		•	•	•
3/4 In. Drive 12 Pt. Standard Sockets						
#643207	- 1-5/16 in.	2				•
#643208	- 1-3/8 in.	2				•
#643209	- 1-7/16 in.	2				•
#643210	- 1-1/2 in.	2				•
#643211	- 1-9/16 in.	2				•
#643212	- 1-5/8 in.	2				•
Spark Plug Sockets & Tools						
#643000	- 3/8 in. x 5/8 in.	2			•	•
#643002	- 3/8 in. x 5/8 in. U-Joint	2		•	•	•
#643001	- 3/8 in. x 13/16 in.	2		•	•	•
#643003	- 3/8 in. x 13/16 in. U-Joint	2		•	•	•
#643006	- 3/8 in. x 3/4 in.	2		•	•	•
#643009	- 3/8 in. x 18mm	2		•	•	•
#641853	- 3/8 in. x 13/16 in. Swivel Socket	2		•	•	•
#641852	- 3/8 in. x 5/8 in. Swivel Socket	2		•	•	•
#641870	- 2 Pc. 3/8 in. Magnetic Socket Set	2		•	•	•
#643004	- 1/2 in. x 5/8 in.	2		•	•	•
#643005	- 1/2 in. x 13/16 in.	2		•	•	•

Part#	Description	Qty	4'	8'	12'	16'
Spark Plug Sockets & Tools						
#648576	- 5/8 in. T-Handle	2			•	•
#648577	- 13/16 in. T-Handle	2			•	•
Bit Socket Sets - Torx®						
#641869	- 3 Pc. 1/4 in. & 3/8 in. Dr.	2				•
#648677	- 6 Pc. 3/8 in. & 1/2 in. Dr.	2		•	•	•
#940146	- 13 Pc. 1/4 in., 3/8 in. & 1/2 in. Dr.	2		•	•	•
Socket Sets						
#640397	- 24 Pc. 1/4 in. SAE & Metric	2				•
#940835	- 30 Pc. 1/4 in. SAE	2		•	•	•
#940836	- 30 Pc. 1/4 in. Metric	2			•	
#941106	- 34 Pc. 1/4 in. SAE & Metric	2		•	•	•
#640381	- 26 Pc. 3/8 in. SAE & Metric	2		•	•	•
#640071	- 33 Pc. 1/4 in. & 3/8 in. SAE & Metric	2	•	•	•	•
#941107	- 33 Pc. 1/4 in. & 3/8 in. SAE & Metric	2		•	•	•
#941109	- 53 Pc. 1/4 in. & 3/8 in. SAE & Metric	2		•		•
#640743	- 61 Pc. 1/4 in. & 3/8 in. SAE & Metric	2	•		•	•
#646546	- 71 Pc. 1/4 in. & 3/8 in. SAE & Metric	2			•	•
#941108	- 25 Pc. 3/8 in. & 1/2 in. SAE & Metric	2		•	•	•
#941110	- 100 Pc. 3/8 in. & 1/2 in. SAE & Metric	2		•	•	•
#640076	- 82 Pc. 1/4 in., 3/8 in. & 1/2 in. SAE & Metric	2	•	•	•	•
#640987	- 145 Pc. 1/4 in., 3/8 in. & 1/2 in. SAE & Metric	2				•
#640745	- 161 Pc. 1/4 in., 3/8 in. & 1/2 in. SAE & Metric	2				•
Adjustable Wrenches						
#944039	- 4 in.	2			•	•
#644040	- 6 in.	2		•	•	•
#644041	- 8 in.	2	•	•	•	•
#644042	- 10 in.	2	•	•	•	•
#644043	- 12 in.	2	•	•	•	•
Mirror-Polish Combination Wrenches - Standard Length						
#644140	- 1/4 in.	2	•	•	•	•
#644141	- 5/16 in.	2	•	•	•	•
#644142	- 3/8 in.	2	•	•	•	•
#644143	- 7/16 in.	2	•	•	•	•
#644144	- 1/2 in.	2	•	•	•	•
#644145	- 9/16 in.	2	•	•	•	•
#644146	- 5/8 in.	2	•	•	•	•
#640894	- 11/16 in.	2		•	•	•
#644147	- 3/4 in.	2	•	•	•	•
#644148	- 13/16 in.	2	•	•	•	•
#644149	- 7/8 in.	2	•	•	•	•
#644150	- 15/16 in.	2	•	•	•	•
#644152	- 1 in.	2		•	•	•
#644153	- 1-1/16 in.	2		•	•	•
#644154	- 1-1/8 in.	2		•	•	•
#644155	- 1-1/4 in.	2		•	•	•
#644110	- 6 mm	2		•	•	•
#644111	- 7 mm	2	•	•	•	•
Mirror-Polish Combination Wrenches - Standard Length						
#644112	- 8 mm	2	•	•	•	•
#644113	- 9 mm	2	•	•	•	•
#644114	- 10 mm	2	•	•	•	•
#644115	- 11 mm	2	•	•	•	•
#644116	- 12 mm	2	•	•	•	•
#644117	- 13 mm	2	•	•	•	•
#644118	- 14 mm	2	•	•	•	•
#644119	- 15 mm	2	•	•	•	•
#644120	- 16 mm	2	•	•	•	•
#644121	- 17 mm	2	•	•	•	•
#644122	- 18 mm	2	•	•	•	•
#644123	- 19 mm	2	•	•	•	•
#644125	- 21 mm	2		•	•	•

Planogram Contents

Part#	Description	Qty	4'	8'	12'	16'
Mirror-Polish Combination Wrenches						
- Standard Length						
#644126	- 22 mm	2		•	•	•
#644127	- 23 mm	2		•	•	•
#644128	- 24 mm	2		•	•	•
#644129	- 25 mm	2			•	
#644130	- 26 mm	2			•	
#644131	- 27 mm	2			•	
#644132	- 28 mm	2			•	
#644134	- 30 mm	2			•	
#644135	- 32 mm	2			•	
Mirror-Polish Combination Wrenches						
- Extended Length						
#640476	- 5/16 in.	2			•	•
#640477	- 3/8 in.	2			•	•
#640440	- 7/16 in.	2			•	•
#640441	- 1/2 in.	2			•	•
#640442	- 9/16 in.	2			•	•
#640443	- 5/8 in.	2			•	•
#940483	- 6 mm	2			•	•
#640484	- 7 mm	2			•	•
#640485	- 8 mm	2			•	•
#640486	- 9 mm	2			•	•
#640447	- 10 mm	2			•	•
#640487	- 11 mm	2			•	•
#640449	- 13 mm	2			•	•
#640488	- 14 mm	2			•	•
#640450	- 15 mm	2			•	•
#640451	- 16 mm	2			•	•
Combination Wrench Sets						
#640078	- 6 Pc. SAE	2				•
#640203	- 7 Pc. SAE Stubby	2				•
#640204	- 7 Pc. Metric Stubby	2				•
#640077	- 7 Pc. Metric	2			•	•
#640378	- 11 Pc. Metric	2			•	•
#640377	- 11 Pc. SAE	2		•	•	•
#640079	- 5 Pc. SAE	2				•
#640080	- 7 Pc. Metric	2				•
#640990	- 7 Pc. SAE Ratcheting	2		•	•	•
#640991	- 7 Pc. Metric Ratcheting	2		•		•
#941132	- 7 Pc. Metric Universal	2				•
#941131	- 7 Pc. SAE Universal	2				•
#940829	- 32 Pc. SAE & Metric	2	•	•	•	•
Flare Nut Wrenches						
#640085	- 3/8 in. x 7/16 in.	2	•	•	•	•
#644034	- 1/2 in. x 9/16 in.	2	•	•	•	•
#644035	- 5/8 in. x 11/16 in.	2	•	•	•	•
#644036	- 9 x 10 mm	2	•	•	•	•
#644037	- 11 x 12 mm	2	•	•	•	•
#644038	- 13 x 14 mm	2	•	•	•	•
Flare Nut Wrench Sets						
#640185	- 4 Pc. SAE	2		•	•	•
#640186	- 4 Pc. Metric	2			•	•
Box End Wrench Sets						
#644505	- 5 Pc. SAE	2			•	•
#644506	- 5 Pc. Metric	2			•	•
Hex Key Wrench Sets						
#940785	- 9 Pc. SAE Ball End Folding	2		•		•
#940784	- 8 Pc. Metric Ball End Folding	2		•		
#941070	- 9 Pc. SAE Short Arm Ball End	2				•
#640081	- 9 Pc. SAE Long Arm Ball End	2			•	•
#941069	- 9 Pc. Metric Short Arm Ball End	2				•
#640082	- 9 Pc. Metric Long Arm Ball End	2			•	•
#940201	- 10 Pc. SAE T-Handle	2				•
#940202	- 10 Pc. Metric T-Handle	2				•
Torx® Key Wrench Sets						
#640685	- 6 Pc. L-Type Torx® Wrench Set	2				•
#941142	- 7 Pc. Folding	2		•	•	•
#940786	- 7 Pc. Folding	2		•	•	•

Part#	Description	Qty	4'	8'	12'	16'
Pliers						
#640412	- 4 in. Diagonal	2		•	•	•
#640413	- 4-1/2 in. Linesman	2		•	•	•
#640409	- 5 in. Long Nose	2		•	•	•
#640411	- 5 in. Bent Nose Pliers	2		•		
#640410	- 6 in. Needle Nose	2		•	•	•
#640394	- 6 in. Slip Joint	2	•	•	•	•
#640395	- 8 in. Slip Joint	2	•	•	•	•
#640391	- 7 in. Linesman	2	•		•	•
#640386	- 6 in. Diagonal	2	•	•	•	•
#640387	- 7 in. Diagonal	2	•	•	•	•
#640392	- 6 in. Long Nose	2	•	•	•	•
#640393	- 8 in. Long Nose	2	•		•	•
#640388	- 8 in. Groove Joint	2	•	•	•	•
#640389	- 10" Groove Joint	2	•	•	•	•
#640390	- 12" Groove Joint	2		•	•	•
#645014	- 5 in. Locking	2			•	•
#646539	- 7 in. Locking	2			•	•
#646540	- 10 in. Locking	2			•	•
#645015	- 6 in. Long Nose Locking	2			•	•
#646541	- 9 in. Long Nose Locking	2				•
#645016	- 10 in. Locking Pivot Jaw	2				•
#640860	- 11 in. Long Reach	2			•	•
#640862	- 11 in. 90 Degree Long Reach	2				•
#640863	- 11 in. Hose Jaw	2				•
#640985	- 5 Pc. Locking Pliers Set	2				•
Slotted Screwdrivers						
#646007	- 1/8 in. x 3 in.	2	•	•	•	•
#646009	- 3/16 in. x 3 in.	2	•	•	•	•
#646010	- 3/16 in. x 6 in.	2	•	•	•	•
#646011	- 1/4 in. x 1-1/2 in.	2	•	•	•	•
#646012	- 1/4 in. x 4 in.	2	•	•	•	•
#646013	- 1/4 in. x 6 in.	2		•	•	•
#646014	- 5/16 in. x 6 in.	2		•	•	•
#646015	- 3/8 in. x 8 in.	2		•	•	•
Phillips Screwdrivers						
#646000	- #0 x 3 in.	2	•	•	•	•
#646002	- #1 x 3 in.	2	•	•	•	•
#646003	- #2 x 1-1/2 in.	2	•	•	•	•
#646004	- #2 x 4 in.	2	•	•	•	•
#646005	- #2 x 6 in.	2	•	•	•	•
#646038	- #3 x 8 in.	2	•	•	•	•
Torx® Screwdrivers						
#646016	- T-10	2	•	•	•	•
#646017	- T-15	2	•	•	•	•
#646018	- T-20	2	•	•	•	•
#646019	- T-25	2	•	•	•	•
#646020	- T-27	2		•	•	•
#646021	- T-30	2	•	•	•	•
#646022	- T-40	2		•	•	•
Screwdriver, Bit Driver & Bit Sets						
#646048	- 2 Pc. Pocket Screwdriver Set	2			•	•
#646500	- 5 Pc. Screwdriver Set	2		•	•	•
#646046	- 5 Pc. Torx® Screwdriver Set	2				•
#646507	- 6 Pc. Precision Screwdriver Set	2				•
#646516	- 24 Pc. Bit Driver Set	2				•
#646506	- 10 Pc. Bit Set	2			•	•
#646501	- 10 Pc. Tamper-Proof Bit Set	2			•	•
#941129	- 13 Pc. Tamper-Proof Torx® Bit Set	2			•	•
#941128	- 13 Pc. SAE Hex Bit Set	2		•	•	•
#941127	- 13 Pc. Metric Hex Bit Set	2		•	•	•
#940668	- 36 Piece Bit Set	2	•	•	•	•
Striking Tools						
#648335	- 16 oz. Soft Face Hammer	2				•
#648332	- 2.5 lb. Hand Drilling Hammer	2				•
Tape Measures						
#940984	- 25' x 1 in.	2				•
#940983	- 2 Pc. Set 12' & 25'	2	•	•	•	•
Miscellaneous						

Category

Category	Page
Adapters	
- 1/4 Inch Drive	17-18
- 3/8 Inch Drive	22-23
- 1/2 Inch Drive	26-27
- 3/4 Inch Drive	29
- 1 Inch Drive	30
Adjustable Wrenches	67
Bottle Jacks	97
Breaker Bars	
- 1/4 Inch Drive	3
- 3/8 Inch Drive	6
- 1/2 Inch Drive	9-10
- 3/4 Inch Drive	11
- 1 Inch Drive	12
Combination Wrenches	68-71
Crowsfoot Wrenches	72
Cutters	95
Diagonal Pliers	81
Engine Stands	105
Extensions	
- 1/4 Inch Drive	16-17
- 3/8 Inch Drive	20-22
- 1/2 Inch Drive	25-26
- 3/4 Inch Drive	29
- 1 Inch Drive	30
Flare Nut Wrenches	71-72
Flex Handles	
- 1/4 Inch Drive	3
- 3/8 Inch Drive	6
- 1/2 Inch Drive	9-10
- 3/4 Inch Drive	11
- 1 Inch Drive	12
Floor Creepers	106-107
Floor Jacks	98-101
Groove Joint Pliers	81
Hacksaw	93
Hammers	94-95
Hex Key Wrenches	76-78
Impact Driver	28
Jack Stands	100-101, 103

Category	Page
Linesman Pliers	82
Locking Pliers	82-83
Long Nose Pliers	82
Long Reach Pliers	83
Lug Wrenches	109-111
Mini Pliers	80
Nut Drivers	89
Phillips Screwdrivers	86-87
Planograms	124-127
Pliers	
- Mini	80
- Slip Joint	81
- Diagonal	81
- Groove Joint	81
- Long Nose	82
- Linesman	82
- Locking	82-83
- Long Reach	83
- Hose Clamp	83
Ratchets	
- 1/4 Inch Drive	2-4
- 3/8 Inch Drive	5-8
- 1/2 Inch Drive	9-10
- 3/4 Inch Drive	11
- 1 Inch Drive	11
Robertson Screwdrivers	88
Screwdrivers	
- Slotted	85-86
- Phillips	86-87
- Torx®	87
- Square/Robertson	88
- Sets	89-93
Seats	107
Shop Cranes	104
Sliding T-Bar Handles	
- 1/4 Inch Drive	3
- 3/8 Inch Drive	8
- 1/2 Inch Drive	10
- 3/4 Inch Drive	11
- 1 Inch Drive	12
Slip Joint Pliers	81
Slotted Screwdrivers	85-86

Category	Page
Sockets	
- 1/4 Inch Drive	32-34
- 3/8 Inch Drive	35-42
- 1/2 Inch Drive	43-49
- 3/4 Inch Drive	50
- 1 Inch Drive	50
Socket Storage	
- 1/4 Inch Drive	19
- 3/8 Inch Drive	24
- 1/2 Inch Drive	28
Square Screwdrivers	88
Tire Step	106
Tool Board Merchandisers	113-122
Tool Sets	
- 1/4 Inch Drive	52-53
- 3/8 Inch Drive	54-55
- 1/2 Inch Drive	60-61
- Mixed Drives	56-59, 62-65
Torque Wrenches	13-14
Torque Adapters	13-14
Torx® Screwdrivers	87
Universal Joints	
- 1/4 Inch Drive	18
- 3/8 Inch Drive	23-24
- 1/2 Inch Drive	27
- 3/4 Inch Drive	29
- 1 Inch Drive	30
Vehicle Dollies	108
Wrenches	
- Adjustable	67
- Combination	68-71
- Crowsfoot	71-72
- Flare Nut	71-72
- Hex Key	76-78
- Sets	72-78

Numerical

Part#	Page
620260	106
620343	107
620422	100
620470	100
620471	100
640046	34
640048	33
640049	34
640050	38
640051	39
640052	41
640055	47
640056	46
640071	56
640072	57
640073	58
640076	62
640077	73
640078	72
640079	72
640080	73
640081	77
640082	77
640085	72
640087	33
640138	54
640139	54
640145	70
640146	70
640147	70
640148	70
640149	70
640150	70
640151	70
640152	70
640153	70
640154	70
640155	70
640156	70
640157	70
640158	70
640159	70
640160	70
640161	70
640162	70
640163	70
640164	70
640181	98
640182	4
640185	76
640186	76
640187	60
640188	60
640189	54
640190	54
640194	63
640195	64
640200	2
640203	74

Part#	Page
640204	74
640347	38
640349	37
640350	37
640355	43
640377	72
640378	73
640381	55
640382	61
640386	81
640387	81
640388	81
640389	81
640390	81
640391	82
640392	82
640393	82
640394	81
640395	81
640397	52
640398	98
640399	103
640404	103
640405	97
640407	97
640409	80
640410	80
640411	80
640412	80
640413	80
640436	74
640437	74
640440	69
640441	69
640442	69
640443	69
640444	69
640445	69
640446	69
640447	69
640448	69
640449	69
640450	69
640451	69
640452	69
640453	69
640470	104
640475	69
640476	69
640477	69
640478	69
640479	69
640480	69
640481	69
640482	69
640483	69
640484	69
640485	69
640486	69

Part#	Page
640487	69
640488	69
640489	69
640490	69
640491	69
640492	69
640493	69
640494	69
640495	69
640497	33
640498	33
640499	33
640500	2
640501	2
640502	2
640503	18
640504	16
640505	23
640506	19
640508	2
640511	6
640513	9
640532	75
640533	75
640538	34
640552	16
640554	37
640556	38
640743	57
640744	59
640745	64
640746	65
640749	55
640751	106
640752	106
640753	102
640776	110
640808	98
640816	101
640818	99
640819	102
640834	107
640836	44
640837	44
640838	44
640840	44
640841	44
640842	17
640844	22
640846	26
640847	26
640848	18
640848	23
640848	27
640849	22
640850	20
640851	21
640852	21
640853	10

Part#	Page
640854	10
640855	40
640856	26
640857	22
640858	18
640858	24
640858	27
640859	18
640859	23
640859	27
640860	83
640862	83
640863	83
640869	109
640870	110
640871	109
640872	110
640873	109
640874	109
640875	110
640876	109
640879	109
640894	68
640905	97
640906	98
640910	98
640911	97
640912	101
640923	3
640923	6
640924	7
640925	7
640925	10
640926	3
640926	7
640927	4
640927	7
640928	3
640930	7
640931	4
640931	7
640940	106
640947	80
640948	94
640949	92
640959	95
640971	100
640981	107
640990	74
640991	74
640992	76
640993	76
640999	104
641000	35
641001	35
641002	35
641003	35
641004	35
641005	35

Part#	Page
641006	35
641007	35
641008	35
641009	35
641010	35
641011	35
641012	35
641013	35
641014	35
641015	35
641016	35
641017	35
641018	35
641019	35
641020	35
641021	35
641022	35
641023	35
641024	35
641025	35
641123	70
641126	70
641127	70
641128	70
641132	18
641132	23
641132	27
641170	107
641172	105
641184	110
641188	101
641189	101
641200	35
641201	35
641202	35
641203	35
641204	35
641205	35
641206	35
641207	35
641208	35
641209	36
641210	36
641211	36
641212	36
641213	36
641214	36
641215	36
641216	36
641217	36
641218	36
641219	36
641220	36
641221	35
641224	36
641225	36
641226	36
641250	109
641252	109

Numerical

Part#	Page
641254	— 109
641266	— 111
641268	— 111
641319	— 36
641388	— 109
641389	— 109
641395	— 81
641396	— 105
641397	— 105
641400	— 37
641401	— 38
641402	— 37
641403	— 37
641404	— 37
641408	— 37
641432	— 13
641434	— 14
641500	— 23
641501	— 20
641502	— 20
641503	— 21
641504	— 6
641505	— 5
641506	— 5
641507	— 24
641509	— 24
641510	— 22
641511	— 8
641511	— 20
641514	— 5
641515	— 5
641520	— 6
641523	— 21
641524	— 21
641569	— 8
641572	— 70
641672	— 70
641673	— 70
641681	— 70
641682	— 70
641683	— 70
641684	— 70
641685	— 70
641686	— 69
641687	— 69
641688	— 69
641689	— 17
641690	— 32
641691	— 37
641692	— 37
641700	— 10
641705	— 54
641706	— 55
641707	— 60
641708	— 60
641709	— 60
641710	— 61
641712	— 61
641713	— 61

Part#	Page
641714	— 61
641715	— 40
641716	— 38
641717	— 38
641718	— 46
641719	— 46
641720	— 30
641721	— 32
641722	— 32
641723	— 32
641724	— 32
641725	— 32
641726	— 37
641728	— 37
641729	— 37
641730	— 37
641731	— 37
641732	— 37
641733	— 37
641734	— 37
641735	— 37
641736	— 37
641737	— 37
641738	— 46
641739	— 46
641742	— 3
641743	— 22
641744	— 20
641745	— 46
641746	— 46
641747	— 47
641748	— 47
641749	— 47
641750	— 47
641751	— 71
641752	— 71
641753	— 71
641754	— 71
641755	— 71
641756	— 72
641757	— 72
641758	— 72
641759	— 72
641760	— 72
641761	— 72
641762	— 72
641763	— 43
641764	— 43
641765	— 50
641766	— 50
641767	— 50
641768	— 50
641769	— 50
641770	— 50
641774	— 50
641776	— 50
641778	— 50
641779	— 50
641780	— 50

Part#	Page
641781	— 70
641782	— 70
641783	— 70
641784	— 70
641785	— 70
641786	— 70
641787	— 70
641788	— 70
641789	— 70
641790	— 70
641791	— 70
641792	— 70
641793	— 70
641794	— 70
641795	— 70
641796	— 16
641797	— 16
641798	— 17
641799	— 17
641800	— 17
641801	— 17
641802	— 21
641803	— 22
641804	— 22
641805	— 25
641806	— 26
641807	— 26
641809	— 72
641810	— 72
641811	— 72
641812	— 72
641813	— 72
641814	— 72
641815	— 72
641816	— 72
641817	— 72
641818	— 72
641819	— 72
641820	— 72
641821	— 72
641822	— 72
641823	— 72
641824	— 72
641825	— 72
641826	— 72
641827	— 72
641828	— 72
641829	— 72
641831	— 72
641832	— 72
641833	— 72
641834	— 72
641835	— 72
641836	— 72
641837	— 72
641838	— 72
641839	— 72
641840	— 72
641841	— 72

Part#	Page
641842	— 72
641843	— 72
641844	— 72
641845	— 72
641846	— 72
641847	— 72
641848	— 72
641849	— 72
641865	— 72
641866	— 72
641874	— 11
641977	— 60
641990	— 40
641991	— 40
642000	— 43
642001	— 43
642002	— 43
642003	— 43
642004	— 43
642005	— 43
642006	— 43
642007	— 43
642008	— 43
642009	— 43
642010	— 43
642011	— 43
642012	— 43
642013	— 43
642014	— 43
642015	— 43
642016	— 43
642017	— 43
642018	— 43
642019	— 43
642020	— 43
642021	— 43
642022	— 43
642023	— 43
642024	— 43
642025	— 43
642026	— 43
642027	— 43
642028	— 43
642030	— 43
642031	— 43
642032	— 43
642034	— 43
642035	— 43
642038	— 43
642039	— 43
642200	— 44
642201	— 44
642202	— 44
642203	— 44
642204	— 44
642205	— 44
642206	— 44
642207	— 44
642208	— 44

Part#	Page
642209	— 44
642210	— 44
642211	— 44
642212	— 44
642213	— 44
642214	— 44
642215	— 44
642216	— 44
642217	— 44
642218	— 44
642219	— 44
642220	— 44
642323	— 44
642324	— 44
642344	— 44
642400	— 45
642401	— 45
642402	— 41
642403	— 42
642404	— 41
642405	— 41
642500	— 26
642501	— 25
642502	— 25
642503	— 25
642504	— 9
642505	— 9
642506	— 27
642507	— 28
642509	— 9
643000	— 37
643001	— 37
643002	— 37
643003	— 37
643004	— 45
643005	— 45
643006	— 37
643007	— 37
643008	— 37
643009	— 37
643010	— 37
643200	— 49
643201	— 49
643202	— 49
643203	— 49
643204	— 49
643205	— 49
643206	— 49
643207	— 49
643208	— 49
643209	— 49
643210	— 49
643211	— 49
643212	— 49
643213	— 49
643214	— 49
643215	— 49
643216	— 49
643218	— 49

Numerical

Part#	Page
643219	— 49
643220	— 49
643221	— 49
643222	— 49
643224	— 49
643227	— 49
643228	— 49
643229	— 49
643230	— 49
643231	— 49
643232	— 49
643233	— 49
643234	— 49
643235	— 49
643236	— 49
643237	— 49
643238	— 49
643239	— 49
643240	— 49
643241	— 49
643242	— 49
643244	— 49
643245	— 49
643500	— 11
643501	— 29
643502	— 11
643503	— 11
643504	— 29
643505	— 29
643506	— 29
643507	— 29
643508	— 29
644000	— 68
644001	— 68
644002	— 68
644003	— 68
644004	— 68
644005	— 68
644006	— 68
644007	— 68
644008	— 68
644009	— 68
644010	— 68
644011	— 68
644012	— 68
644013	— 68
644014	— 68
644015	— 68
644016	— 68
644017	— 68
644018	— 68
644019	— 68
644020	— 68
644021	— 68
644022	— 68
644023	— 68
644024	— 68
644025	— 68
644026	— 68

Part#	Page
644027	— 68
644028	— 68
644029	— 68
644030	— 68
644031	— 68
644032	— 68
644033	— 68
644034	— 72
644035	— 72
644036	— 72
644037	— 72
644038	— 72
644040	— 67
644041	— 67
644042	— 67
644043	— 67
644044	— 13
644049	— 68
644060	— 68
644061	— 68
644062	— 68
644063	— 68
644064	— 68
644065	— 68
644110	— 69
644111	— 69
644112	— 69
644113	— 69
644114	— 69
644115	— 69
644116	— 69
644117	— 69
644118	— 69
644119	— 69
644120	— 69
644121	— 69
644122	— 69
644123	— 69
644124	— 69
644125	— 69
644126	— 69
644127	— 69
644128	— 69
644129	— 69
644130	— 69
644131	— 69
644132	— 69
644133	— 69
644134	— 69
644135	— 69
644140	— 68
644141	— 68
644142	— 68
644143	— 68
644144	— 68
644145	— 68
644146	— 68
644147	— 68
644148	— 68

Part#	Page
644149	— 68
644150	— 68
644152	— 68
644153	— 68
644154	— 68
644155	— 68
644505	— 76
644506	— 76
644998	— 13
644999	— 13
645008	— 39
645009	— 39
645014	— 82
645015	— 82
645016	— 83
645018	— 41
645019	— 42
645020	— 34
645020	— 42
646000	— 86
646002	— 86
646003	— 86
646004	— 86
646005	— 86
646006	— 86
646007	— 85
646009	— 85
646010	— 85
646011	— 85
646012	— 85
646013	— 85
646014	— 85
646015	— 86
646016	— 87
646017	— 87
646018	— 87
646019	— 87
646020	— 87
646021	— 87
646026	— 91
646038	— 87
646040	— 92
646041	— 91
646042	— 91
646043	— 91
646045	— 90
646046	— 90
646047	— 90
646048	— 89
646049	— 90
646050	— 88
646051	— 88
646052	— 88
646053	— 88
646054	— 88
646055	— 88
646056	— 88
646057	— 88
646200	— 8

Part#	Page
646500	— 90
646501	— 93
646506	— 93
646507	— 92
646516	— 92
646522	— 90
646523	— 90
646528	— 92
646539	— 82
646540	— 82
646541	— 83
646546	— 58
647008	— 108
647009	— 105
647022	— 49
647048	— 48
647049	— 48
647095	— 18
647095	— 23
647095	— 28
647096	— 23
647097	— 26
647098	— 25
647121	— 46
647122	— 46
647123	— 46
647124	— 46
647125	— 46
647126	— 46
647127	— 46
647137	— 27
647138	— 27
647140	— 25
647141	— 36
647142	— 36
647143	— 36
647144	— 36
647145	— 36
647146	— 36
647147	— 36
647148	— 36
647149	— 36
647150	— 36
647151	— 44
647152	— 44
647153	— 44
647154	— 44
647155	— 44
647156	— 44
647157	— 44
647158	— 44
647159	— 44
647160	— 45
647161	— 45
647162	— 45
647163	— 45
647164	— 45
647165	— 45
647166	— 45

Part#	Page
647167	— 45
647168	— 45
647170	— 45
647171	— 45
647172	— 45
647173	— 45
647174	— 45
647175	— 45
647176	— 45
647177	— 45
647178	— 45
647179	— 45
647180	— 45
647181	— 45
647182	— 45
647183	— 45
647184	— 45
647185	— 45
647186	— 45
647187	— 45
647188	— 45
647189	— 45
647190	— 45
647191	— 45
647192	— 45
647193	— 45
647194	— 45
647195	— 50
647196	— 50
647198	— 30
647201	— 29
647207	— 40
647208	— 40
647210	— 32
647211	— 32
647212	— 32
647213	— 32
647214	— 32
647215	— 32
647216	— 37
647217	— 37
647218	— 37
647219	— 37
647220	— 37
647221	— 37
647222	— 37
647223	— 37
647224	— 37
647225	— 37
647226	— 37
647227	— 37
647228	— 37
647229	— 37
647230	— 16
647231	— 16
647232	— 16
647233	— 18
647234	— 17
647235	— 38

Numerical

Part#	Page
647236	— 38
647237	— 38
647238	— 38
647239	— 38
647240	— 38
647241	— 38
647242	— 36
647243	— 36
647244	— 36
647245	— 36
647246	— 36
647247	— 36
647248	— 36
647249	— 36
647250	— 36
647251	— 36
647252	— 36
647253	— 36
647254	— 36
647255	— 36
647256	— 36
647257	— 36
647258	— 36
647259	— 36
647266	— 36
647267	— 36
647268	— 36
647269	— 36
647270	— 36
647272	— 36
647273	— 36
647274	— 20
647277	— 45
647278	— 45
647279	— 45
647280	— 45
647281	— 45
647282	— 44
647283	— 25
647286	— 45
647287	— 45
647288	— 45
647289	— 45
647290	— 45
647291	— 45
647292	— 45
647293	— 45
647294	— 44
647295	— 44
647296	— 44
647297	— 45
647298	— 34
647298	— 53
647299	— 48
647355	— 48
647356	— 39
647357	— 39
647359	— 40
647397	— 105

Part#	Page
647501	— 97
647503	— 97
647504	— 97
647505	— 97
647506	— 97
647511	— 103
647512	— 103
647513	— 105
647514	— 105
647519	— 104
647520	— 102
647521	— 102
647527	— 97
647529	— 103
647530	— 99
647575	— 24
647580	— 99
647582	— 106
647587	— 102
647593	— 99
647596	— 108
647610	— 36
647611	— 36
648001	— 95
648002	— 92
648004	— 32
648108	— 33
648195	— 33
648209	— 32
648215	— 35
648216	— 43
648217	— 44
648270	— 32
648271	— 32
648272	— 32
648273	— 32
648274	— 32
648275	— 32
648276	— 32
648277	— 32
648278	— 32
648279	— 32
648280	— 32
648281	— 32
648282	— 32
648283	— 32
648284	— 32
648285	— 32
648286	— 32
648287	— 32
648288	— 32
648289	— 32
648290	— 32
648291	— 32
648292	— 32
648293	— 32
648294	— 32
648295	— 32
648296	— 32

Part#	Page
648297	— 32
648298	— 32
648299	— 32
648300	— 32
648301	— 32
648302	— 32
648303	— 32
648304	— 32
648306	— 32
648310	— 32
648311	— 32
648323	— 38
648324	— 33
648325	— 33
648326	— 33
648327	— 33
648328	— 33
648329	— 94
648330	— 94
648331	— 94
648332	— 95
648334	— 94
648335	— 94
648336	— 94
648418	— 38
648425	— 38
648430	— 37
648453	— 33
648496	— 33
648497	— 33
648498	— 33
648499	— 33
648502	— 33
648503	— 33
648512	— 37
648513	— 37
648516	— 37
648524	— 37
648661	— 41
648662	— 37
648663	— 41
648664	— 38
648665	— 38
648679	— 33
649985	— 2
649986	— 6
649987	— 9
649989	— 5
649990	— 10
649991	— 3
649992	— 10
649993	— 10
649994	— 11
649995	— 11
649996	— 11
649997	— 2
649998	— 6
649999	— 9
940008	— 100

Part#	Page
940021	— 35
940022	— 35
940023	— 35
940024	— 35
940025	— 35
940026	— 35
940027	— 35
940028	— 35
940029	— 35
940030	— 35
940031	— 35
940032	— 35
940033	— 35
940034	— 35
940038	— 35
940044	— 35
940045	— 35
940046	— 35
940047	— 35
940048	— 35
940049	— 35
940050	— 35
940051	— 35
940052	— 35
940055	— 36
940056	— 36
940057	— 36
940058	— 36
940059	— 36
940060	— 36
940061	— 36
940062	— 36
940063	— 36
940064	— 36
940065	— 36
940066	— 36
940067	— 36
940068	— 36
940069	— 36
940073	— 43
940074	— 43
940075	— 43
940076	— 43
940077	— 43
940078	— 43
940079	— 43
940080	— 43
940081	— 43
940082	— 43
940083	— 43
940084	— 43
940085	— 43
940086	— 43
940087	— 43
940088	— 43
940089	— 43
940090	— 43
940091	— 43
940092	— 43

Part#	Page
940093	— 43
940094	— 43
940095	— 43
940096	— 43
940097	— 43
940098	— 43
940099	— 43
940100	— 43
940101	— 43
940102	— 43
940103	— 43
940104	— 43
940105	— 43
940106	— 43
940107	— 43
940108	— 43
940109	— 43
940110	— 43
940111	— 43
940112	— 43
940121	— 44
940123	— 44
940130	— 44
940131	— 44
940132	— 44
940133	— 44
940134	— 44
940135	— 44
940136	— 44
940137	— 44
940138	— 44
940139	— 44
940140	— 44
940142	— 44
940143	— 37
940146	— 34
940146	— 42
940151	— 44
940152	— 44
940153	— 44
940154	— 44
940155	— 44
940156	— 44
940157	— 44
940158	— 44
940159	— 44
940160	— 44
940161	— 44
940162	— 44
940163	— 44
940164	— 44
940165	— 44
940168	— 44
940173	— 44
940175	— 44
940176	— 38
940177	— 39
940180	— 38
940181	— 39

Numerical

Part#	Page
940182	99
940185	46
940189	39
940192	104
940193	35
940200	77
940201	76
940202	77
940307	68
940311	68
940312	68
940313	68
940314	68
940315	68
940316	68
940317	68
940318	68
940319	68
940322	68
940323	68
940326	89
940327	89
940329	89
940330	89
940340	89
940345	85
940363	45
940364	43
940365	52
940367	52
940372	54
940373	55
940409	28
940410	19
940411	24
940434	48
940435	48
940436	48
940466	73
940467	73
940468	73
940469	73
940478	3
940483	69
940484	95
940500	17
940504	3
940506	93
940513	95
940520	9
940526	35
940527	35
940528	35
940529	35
940530	35
940531	35
940532	35
940533	35
940551	86

Part#	Page
940558	109
940559	109
940560	110
940585	29
940586	29
940587	30
940623	50
940626	50
940663	109
940750	91
940760	89
940831	58
940832	55
940833	56
940834	56
940835	52
940836	52
940837	48
940838	48
940949	78
940953	78
940954	78
940962	14
940963	13
940967	6
940995	44
940996	44
941033	43
941034	43
941039	111
941040	45
941040	111
941041	45
941041	111
941042	45
941042	111
941043	45
941043	111
941044	45
941044	111
941055	109
941056	109
941062	75
941063	75
941067	75
941068	75
941069	77
941070	77
941071	78
941075	78
941103	45
941103	111
941104	45
941104	111
941106	53
941107	56
941108	62
941109	57
941110	63

Part#	Page
941127	93
941128	93
941129	93
941130	93
941162	91
941171	91
941203	77
941206	75
941207	74
941324	68
941500	20
941504	21
941505	21
941506	20
941508	8
941515	5
941516	5
941517	5
942500	25
942501	26
943243	49
943245	49
944001	14
944002	13
944003	14
944004	14
944039	67
948308	32
948309	32



ALLTRADE TOOLS LLC • 1431 Via Plata, Long Beach, CA 90810-1462
Toll Free 800/368-6653, In CA 310/522-9008 • FAX 310/522-9066
www.alltradetools.com

© Copyright 2011, ALLTRADE TOOLS LLC Rev. 1 Form 868