

Pull'R

HOLDING COMPANY, LLC

2012 Catalog



"Tools That Work
For People That Work"™



Work Gear with Attitude™

Extreme Work Gear

Durable, reinforced ballistic material, multiple pockets, rubber logo. All dimensions given as length x width x height. Tools not included.

Tool Storage

01064 Extreme Fatback™ Bucket Tool Organizer

- Dimensions: 12-in. x 12-in. x 12-in.
- Patented drill holster
- 64 total pockets: 35 exterior, 29 interior
- Rain and dust cover included



06053 Extreme Hopalong™ GateMouth® Tool Bag

- Dimensions: 13.5-in. x 8-in. x 10-in.
- Pockets: 14 total
- Double padded shoulder strap
- Removable tool pack



06054 Extreme "Who's Your Daddy"™ Maintenance Tote

- Dimensions: 26-in. x 11-in. x 11-in.
- Pockets: 14 exterior, 12 interior
- 2 large zipper pouches
- 8 elastic holsters
- 24-in. level and 24-in. horizontal hand saw storage pocket



06149 Extreme "Big Daddy"™ GateMouth® Tool Bag

- Dimensions: 24-in. x 11-in. x 9-in.
- Pockets: 14 total
- Beefy shoulder strap for massive loads



06500 Extreme Tool Boss®

- Dimensions: 17-in. x 9-in. x 15-in.
- Heavy duty bag with non slip rubber feet and vinyl bottom
- Pockets: 48 total



54017 Extreme "Sparky"™ Utility Tool Pouch

- Dimensions: 10-in. x 5.5-in. x 14.25-in.
- Pockets: 14 total
- 3-way carrying system: belt, handle or shoulder (should strap not included)
- Tape measure clip, carabineer, T-chain tape roll holder



54018 Extreme "Sparky-Outside-the-Box"™ Utility Tool Pouch

- Dimensions: 12-in. x 12-in. x 15-in.
- Pockets: 9 exterior, 8 Interior, 14 nail bit, 28 elastic straps
- Removable "Junk Drawer" pouch
- Large interior compartments





Work Gear with Attitude™

Extreme Work Gear

Durable, reinforced ballistic material, multiple pockets, rubber logo. All dimensions given as length x width x height



55035

Extreme Mullet Buster™ Tool Rig

- Dimensions: 30-in. x 13-in. x 5-in.
- Padded suspenders
- Tapered deep pockets for extra capacity
- Fits up to 52-in. waist

54096

Extreme CYA™ Rear Guard Tool Pouch

- Dimensions: 6-in. x 2.5-in. x 10.5-in.
- Pockets: 7 total
- Larger than other competitors rear guard pouches
- Built-in bit, tape and cell phone holder



61199

Extreme “No Butts About it”™ Suspenders

- Padded shoulder straps with heavy-duty clips
- Built-in tape and cell phone holder



Knee Pads

94000

Extreme “Gel” Knee Pads

- Dimensions: 6.5-in. x 3-in. x 8.75-in.
- High quality gel core for added comfort and length of time
- Rubberized, sewn cap protects surfaces from being marred and scratched



96000

Extreme “No-Rock”™ Gel Knee Pads

- Dimensions: 7-in. x 3-in. x 9-in.
- Gel-Dome technology allows displacement of gel to the areas of the knee that need it most
- Rubberized, sewn cap protects surfaces from being marred and scratched



95000

Extreme Pro Gel Knee Pads

- Dimensions: 7.5-in. x 3.75-in. x 10-in.
- Gel-Dome technology, blown rubber, for maximum shock resistance
- Patented cross hatched Velcro® closure
- Super lightweight construction for ultimate comfort



97000

Extreme Gel Concrete Knee Pads

- Dimensions: 7-in. x 3-in. x 8-in.
- Gel-Dome technology allows displacement of gel to the areas of the knee that need it most
- Accordion construction with non-marring cap surface prevents sliding or slipping





Organizing Your World ... One Tool at a Time™

Most Bucket Boss products made of 600D rugged rip-stop material, with rubber logo.
All dimensions given as length x width x height

Bucket Tool Organizers

01024

Bucket Boss® 24

- Dimensions: 12-in. diameter, 10-in. height
- Pockets: 17 exterior, 7 interior
- Large interior pockets to hold spray cans or larger hand tools

01035

Bucket Boss® 35

- Dimensions: 12-in. diameter, 10-in. height
- Pockets: 27 exterior, 8 interior
- Large interior pockets to hold spray cans or larger hand tools
- Interior hammer loop

01044

Bucket Boss® 44

- Dimensions: 12-in. diameter, 10-in. height
- Pockets: 30 exterior, 14 interior
- Large interior pockets to hold spray cans or larger hand tools
- Interior hammer loop, exterior tape loop

01056

Bucket Boss® 56

- Dimensions: 12-in. diameter, 10-in. height
- Pockets: 38 exterior, 18 interior
- Large interior pockets to hold spray cans or larger hand tools
- Drill holder, tape loop, tape measure holder

03061

Stacker Pocket

- Dimensions: 12-in. diameter, 10-in. height
- Pockets: 27 exterior
- Straps onto the outside of any 5 gallon bucket

40516

Pro Rolling Tool Organizer

- Dimensions: 18.6-in. x 11-in. x 9-in.
- Weight Capacity: 35 lbs.
- Pockets: 38 exterior, 21 interior
- Drill holster with bit holders
- 2 Hammer loops
- Handle extends to 39-in.

25002

Parachute Bag

- Dimensions: 11-in. diameter, 5-in. height
- Pockets: 6 interior
- Stacks 3-4 deep in most 5 gallon buckets
- Rip cord closure

25005

Super Chute Parts Bag

- Dimensions: 10-in. diameter, 6.5-in. height
- Pockets: 13 exterior, 6 interior
- Rip cord closure

10010

Bucket Seat Pro® Lid

- Dimensions: 12-in. diameter x 2-in. height
- 6 Compartments organize fasteners, small tools and parts
- Two removable dividers

10002

4.5 Gallon Bucket

- Dimensions: 12-in. diameter x 14.5-in. height

15051

Bucket Stacker®

- Dimensions: 12-in. diameter x 4.75-in. height
- 4 Compartments organize small parts
- Stacks 4-5 deep in most 5 gallon buckets

15054

SuperStacker™

- Dimensions: 10.5-in. diameter x 6-in. height
- 44% More capacity than our traditional BucketStacker™
- Great for larger parts such as plumbing fittings

08010

Bucket Grip™

- Works with all Bucket Boss® tool organizers
- Larger, more comfortable handle for 5 gallon buckets

40504

Bucket Stacker® System

- Dimensions: 12-in. diameter, 14.75-in. height
- Easily transport around the house or to a job site
- Heavy-duty bucket, Bucket Seat Pro® & 3 Super-Stacker™ parts trays stack neatly in or out of bucket

40509

Ultimate Tool Box™

- Dimensions: 12-in. diameter, 14.75-in. height
- Heavy-duty bucket, Stacker Pocket, Bucket Seat Pro® and 2 SuperStacker™ parts trays included





Organizing Your World ... One Tool at a Time™

Most Bucket Boss products made of 600D rugged rip-stop material, with rubber logo.
All dimensions given as length x width x height

Tool Bags

06007

GateMouth® Jr.

- Dimensions: 13-in. x 10-in. x 8-in.
- Pockets: 6 exterior, 15 interior
- Ideal for mid-sized power tools, cords and accessories
- Super-wide GateMouth® design



06049

GateMouth® Long Boy

- Dimensions: 24-in. x 11-in. x 9-in.
- Pockets: 6 exterior, 9 interior
- External level straps
- Adjustable internal divider keeps tools secure and organized



06065

Pro GateMouth® Jr.

- Dimensions: 13-in. x 10-in. x 9.5-in.
- Pockets: 10 exterior, 17 interior
- 30% Larger than GateMouth® Jr.
- Designed to fit today's bigger drills
- Includes adjustable padded shoulder strap



06048

GateMouth® Gunner Bag

- Dimensions: 22-in. x 5-in. x 15-in.
- Pockets: 6 interior
- Extra capacity for full-head framing nailers
- Padded sides protect tools, rigid bottom retains shape



06004

GateMouth®

- Dimensions: 17-in. x 9-in. x 12-in.
- Pockets: 10 exterior, 10 interior
- Ideal for mid-sized power tools, cords and accessories
- Shoulder straps keep hands free



06088

GateMouth® Open Face™

- Dimensions: 14-in. x 5-in. x 9-in.
- Pockets: 29 total
- Measuring tape clip, electrical tape holder, and tool clip
- Large interior with removable partition



06066

Pro GateMouth®

- Dimensions: 18-in. x 10-in. x 12-in.
- Pockets: 8 exterior, 12 interior
- 20% Larger than GateMouth®
- Beefy shoulder strap for massive loads



06400

Tool Boss®

- Dimensions: 17-in. x 9-in. x 15-in.
- Pockets: 2 exterior, 48 interior
- Heavy duty bag with non slip rubber feet and vinyl bottom



06067

Pro Super GateMouth®

- Dimensions: 19.5-in. x 12-in. x 14-in.
- Pockets: 38 exterior, 14 interior
- Special inside end pockets for plastic parts cases or other bulky items
- Beefy shoulder strap for massive loads
- Outside web straps for levels



88838

GateMouth® & GateMouth® Jr. Combo Pack

- A myriad of display options from end caps to full pallet displays
- Includes our 06004 GateMouth® & 06007 GateMouth® Jr. bags





Organizing Your World ... One Tool at a Time™

Most Bucket Boss products made of 600D rugged rip-stop material, with rubber logo.
All dimensions given as length x width x height

Cable Bags

06009

Jumper Cable Bag

- Dimensions: 14-in radius, 3-in. wide
- Fits in neatly with spare wheel
- Also works great for tow straps, pneumatic hose and extension cords



06100

Cable & Tool Bag

- Dimensions: 15-in. x 13-in. x 3-in.
- 9 Interior pockets cradle tools, flashlight, road flares
- Mesh pouch for gloves, rags, etc.
- Large compartment for jumper cables



Cooler Bags

30014

14-in. Canvas Cooler Bag

- Dimensions: 14-in. x 7.5-in. x 10-in.
- Pockets: 5 exterior
- Zipper closure, plus quick access Velcro® lid
- Insulated to keep food and beverages cool



30017

17-in. Canvas Cooler Bag

- Dimensions: 17-in. x 9-in. x 11-in.
- Pockets: 5 exterior
- Zipper closure, plus quick access Velcro® lid
- Includes adjustable shoulder strap
- Insulated to keep food and beverages cool



Tote Bag

37538BB

12-in. Tool Tote

- Dimensions: 12-in. x 11.5-in. x 10.5-in.
- Pockets: 4 exterior, 16 Elastic Loops
- 3 Mesh Netted External Pockets
- Metal Tape Measure Clip
- Steel handle with foam rubber grip
- 2 Velcro® straps to hold levels



Contractor Organizers

06005

Contractor's Briefcase®

- Dimensions: 16-in. x 6-in. x 12.5-in.
- Plenty of room for plans, file folders and notebooks
- 1 outside pocket, 24 interior pockets
- Room for basic tools such as screwdrivers, tape measures and cell phones



06092

Deluxe Contractor's Briefcase®

- Dimensions: 17-in. x 6-in. x 13-in.
- 1 outside pocket, 15 interior pockets
- Fully padded middle section designed for laptops and cables
- Wide shoulder strap with extra padding



57021

Contractor's Portfolio Organizer

- Dimensions: 13-in. x 2-in. x 12-in.
- 10 interior pockets
- Carries the essentials for a job-site visit
- Zipper enclosure
- Interior pocket for standard size folders





Organizing Your World ... One Tool at a Time™

Most Bucket Boss products made of 600D rugged rip-stop material, with rubber logo.
All dimensions given as length x width x height

Rigs & Pouches

55031

Handy Belt, Brown

- Dimensions: 28-in. x 4.5-in. x 10-in.
- Pockets: 12 total pockets
- Hammer loop & one other tool loop



55033

Builder's Rig

- Dimensions: 29.5-in. x 4.5-in. x 11-in.
- Pockets: 21 total pockets
- Moveable pouches
- Padded, adjustable belt with reinforced spine



55039

Builder's Rig Airlift

- Dimensions: 30-in. x 4.5-in. x 13.5-in.
- Pockets: 27 total pockets
- Padded, adjustable shoulder harness with 2 layers breathable foam
- Fits up to 48-in. waist



54016

Nail and Tool Pouch with Belt

- Dimensions: 13-in. x 4.5-in. x 12-in.
- Pockets: 14 total pockets
- Adjustable belt
- Cell phone holder



55010

Electrician's Pouch

- Dimensions: 10-in. x 4-in. x 10.5-in.
- Pockets: 5 total pockets
- Adjustable belt
- Tape measure clip, tool clip, tape holder and hammer holder



55043

Tool Holder

- Dimensions: 15.5-in. x 4-in. x 11-in.
- Pockets: 4 total pockets
- Adjustable belt
- 2 tool loops



Suspenders & Belts

56002

Back Support (Medium)

- Size: 32-in. to 38-in.

56000

Back Support (Large)

- Size: 38-in. to 47-in.

56001

Back Support (X-Large)

- Size: 46-in. to 56-in.
- Easy sliding adjustable clips



61100

Liar's™ Suspenders

- 2-in. elastic straps
- Yardstick design with over-bite clips



61120

Web Suspenders, Black

- Industrial grade clips
- Genuine leather cross brace patch



61121

Web Suspenders, Navy

- Industrial grade clips
- Genuine leather cross brace patch



54015

Padded Belt

- Dimensions: 2-in. wide
- Rigid spine won't crush under load
- Buckle adjust from both sides to fit 30-in. to 52-in. waists



55147

Work Belt Poly Web

- Dimensions: 2-in. wide
- Comfortable polyester webbing
- Fits up to 56-in. waist





Organizing Your World ... One Tool at a Time™

Most Bucket Boss products made of 600D rugged rip-stop material, with rubber logo.
All dimensions given as length x width x height

Accessories

07003

Wrench Roll

- Dimensions: 27-in. x 1.25-in. x 22.5-in.
- Pockets: 14 total pockets
- Fits 3/8-in to 1.25-in., or 6 mm to 32 mm wrenches



07004

Duckwear Tool Roll

- Dimensions:
Rolled: 3.5-in diameter, 14.5-in. length
Opened: 26-in. x 14-in. x 1-in.
- Pockets: 22 pockets, 17 loops
- Carry handle



54005

Pneumatic Nail Sleeve

- Dimensions: 4-in. x 1.75-in. x 12.5-in.
- Holds full and broken nail clips
- Padded for leg protection



54006

Drill Holster - Right Handed

- Dimensions: 10-in. x 1-in. x 16-in.
- Pockets: 4 total
- Padded design holds layout square and small tools



54008

Hammer Holder

- Dimensions: 4.75-in. x 2.75-in. x 6-in.
- Traditional loop style
- Reinforced back will not sag



54011

Tape Measure Holder with Belt

- Dimensions: 6.5-in. x 1.5-in. x 9-in.
- Huge reversed tapered pouch
- Holds up to 50-in. tape, chalk box



54041

Double Barrel™ Tool Sheath

- Dimensions: 4-in. x 1.5-in. x 9.5-in.
- Use for small flash lights, utility knives
- Elastic channel holds pens, pencils, etc.
- 2-in. stainless steel spring clip



54042

Utility Knife Sheath

- Dimensions: 3.75-in. x 1.25-in. x 11-in.
- Designed to hold fixed and retractable knives
- Elastic channel holds pencils, markers, etc.
- 2-in. stainless steel spring clip



54045

Rear Guard™ Tool Sheath

- Dimensions: 6-in. x 1.5-in. x 11-in.
- Pockets: 5 total
- Clip loop attaches tape roll and keys
- Padded and reinforced pouch slips into back pants pocket



54046

Layout Square Scabbard

- Dimensions: 11-in. x 1.5-in. x 8.5-in.
- Pockets: 4 total
- Padded design holds layout square and small tools
- Reinforced pocket edges holds tape measure



54073

Portable Pocket Pouch

- Dimensions: 6.5-in. x 1.5-in. x 8-in.
- Designed to carry fasteners or a tape measure
- Elastic loops hold a pen, pencil or screwdriver



54050

3 Canvas Bags

- Dimensions: 9-in. x 6.5-in. x 2-in. Large bag
8.5-in. x 3.75-in. x 1.25-in. Medium bag
7.125-in. x 6.5-in. x 1.25-in. Small bag
- Carabineer hold bags together
- Zipper close on each bag



54066

Meathook™ Tool Holder

- Dimensions: 7.4-in. x 3.6-in. x 1-in.
- Holds most cordless tools and nailers
- Hook rotates 360°
- 2-in. stainless steel clip fits most tool belts and pouches



99981

Mug Boss®

- Dimensions: 10-11-in. adjustable diameter, 4.5-in. height
- Pockets: 12 total
- Fits most 10-12 oz. mugs





Organizing Your World ... One Tool at a Time™

Most Bucket Boss products made of 600D rugged rip-stop material, with rubber logo.
All dimensions given as length x width x height

Aprons

81100

2 Pocket Waist Nail Apron

- Dimensions: 18.75-in. x .125-in. x 8.25-in.
- Full coverage apron for home or shop
- Two large waist pockets
- Breathable cotton fabric



82105

5 Pocket Duckwear Waist Apron

- Dimensions: 22.25-in. x .25-in. x 9.25-in.
- Bar tacked seams
- Dual hammer loops



81204

Shop Apron

- Overall size: 28-in. x 35-in.
- Full coverage apron for home or shop
- One large waist pocket and one small bib pocket



81105

5 Pocket Waist Apron

- Dimensions: 20.25-in. x .5-in. x 8.25-in.
- Three large waist pockets and two small pockets
- Breathable cotton fabric



83100

13 Pocket Super Waist Apron

- Dimensions: 23.75-in. x 9.5-in.
- 27-in. to 54-in. waist size
- Full adjustable belt with quick release buckle
- Bar tacked seams



82208

8 Pocket Bib Apron

- Overall size: 23.75-in. x 23.75-in.
- Full coverage apron for home or shop
- Bar tacked seams
- Dual hammer loops



83200

16 Pocket Super Waist Apron

- Overall size: 23.75-in. x 21-in.
- Full coverage apron for home or shop
- Full adjustable belt with quick release buckle
- Bar tacked seams, dual hammer loops



Cell Phone Holders

Cell phone features:

Secure, quick-access flap closure, stainless steel spring clip attaches to your tool belt or directly to pants or belt, and dense padding for protection on the job site.

54000

Cell Phone Holder

- Dimensions:
3-in. x 1.75-in. x 6.5-in.



54019

Large Cell Phone Holder

- Dimensions:
3.5-in. x 1.75-in. x 6.5-in.



54070

Cordless Cell Phone Holder

- Dimensions:
3.25-in. x 2.25-in. x 8.25-in.



54071

2-Way Radio Holster

- Dimensions:
3.5-in. x 2.25-in. x 5.75-in.



99110

Black Cell Phone Holder

- Dimensions:
3.5-in. x 1.75-in. x 5.5-in.





Organizing Your World ... One Tool at a Time™

Most Bucket Boss products made of 600D rugged rip-stop material, with rubber logo.
All dimensions given as length x width x height

Knee Pads

93082

Knee Keepers2™ Knee Pad

- Dimensions: 6.75-in. x 1-in. x 7.5-in.
- Molded foam
- Tricot lining
- Medical grade elastic



93081

Knee Keepers™ Knee Pad

- Dimensions: 6-in. x 1.5-in. x 7.5-in.
- Thick polyethylene foam
- Wide design fits all knees
- Water-resistant



91012

Pro Pad Knee Pads

- Dimensions: 6.25-in. x 2.25-in. x 9-in.
- Stitched-on swivel cap
- Extra long straps
- Medical grade elastic



92012

Power Pad Knee Pads

- Dimensions: 7.25-in. x 1.75-in. x 9-in.
- Exclusive XL hard-shell cap
- 60% more contact area than traditional pads
- Medical grade elastic



93012

Power Pad™ Soft Shell Knee Pad

- Dimensions: 6.5-in. x 2-in. x 8.5-in.
- Non-marring soft-shell
- Rugged double elastic straps
- Tread pattern helps grip surfaces



93010

Pro Flooring Knee Pads

- Dimensions: 7.5-in. x 3-in. x 9-in.
- All Fabric covering to prevent scratching or marring
- Extra long straps
- Medical grade elastic



93070

Concrete Knee Pads

- Dimensions: 7-in. x 3.75-in. x 8.5-in.
- Flexible accordion construction for superior comfort
- Rubberized cap protects work surfaces from being marred and scratched



92013

Pro Leather Knee Pads

- Dimensions: 6.75-in. x 3-in. x 9-in.
- Rugged top grain leather construction with reinforced rivets
- Thick leather cap, absorbent felt lining
- Adjustable leather straps



92015

Air Gel™ Mojo Knee Pads

- Dimensions: 5.5-in. x 3-in. x 7.5-in.
- Rubberized cap protects work surfaces from being marred and scratched
- Brushed nylon and Dryz® mesh and foam interior for comfortable moisture management



93090

Air Gel™ Knee Pads

- Dimensions: 6.5-in. x 2.5-in. x 8-in.
- Super-resilient AIR-GEL™ padding conforms to knee
- Anatomically-curved straps prevent bunching and binding





Organizing Your World ... One Tool at a Time™

All dimensions given as length x width x height

Pouches

54483CN

Canvas 2 Pocket Drywall Bag

- Dimensions: 9.5-in. x 3.25-in. x 12-in.
- Pockets: 2 large
- Durable canvas construction with reinforced suede leather
- Fits onto any 2" wide work belt



54061CN

Canvas 8 Pocket Nail & Tool Bag

- Dimensions: 10-in. x 4.5-in. x 12-in.
- Durable canvas construction with reinforced suede leather
- Pockets: 2 large & 6 small utility
- 2 Plated steel hammer loops



54064CN

Canvas 10 Pocket Pouch

- Dimensions: 10.5-in. x 4-in. x 12-in.
- Durable canvas construction with reinforced suede leather
- Pockets: 4 large & 6 small utility
- 2 top grain leather hammer loops



54463SP

Suede Single Pocket Small Parts Bag

- Dimensions: 6-in. x 3-in. x 5.5-in.
- Heavy duty suede leather construction
- Metal belt clip



54483SP

Suede 2 Pocket Drywall Bag

- Dimensions: 9.5-in. x 2-in. x 13-in.
- Heavy duty suede leather construction with reinforced rivets
- Pockets: 2 large
- Fits onto any 2" wide work belt



Pouches

54489SP

Suede 3 Pocket Nail & Tool Bag with Belt

- Dimensions: 12-in. x 3.5-in. x 10.25-in.
- Heavy duty suede leather construction with reinforced rivets
- Pockets: 2 large, 1 small utility
- 2 Top grain leather tool loops



54063

10 Pocket Suede Leather Pouch

- Dimensions: 10-in. x 4.5-in. x 12-in.
- Heavy duty suede leather construction with reinforced rivets
- Pockets: 4 large & 6 small utility
- 2 Plated steel hammer loops



54064

Top Grain 10 Pocket Pouch

- Dimensions: 10-in. x 4.5-in. x 12-in.
- Rugged top grain leather construction with reinforced rivets
- Pockets: 4 large & 6 small utility
- 2 Plated steel hammer loops



88723

Oil Tan 9 Pocket Nail Bag

- Dimensions: 10-in. x 4-in. x 11-in.
- Professional top grain oil tanned leather construction with reinforced rivets
- Pockets: 2 large & 7 small utility
- 2 Top grain leather hammer loops



88064

Oil Tan 10 Pocket Nail Bag

- Dimensions: 10.5-in. x 4.75-in. x 12.25-in.
- Professional oil tanned leather construction with reinforced rivets
- Pockets: 4 large & 6 small utility
- 2 Plated steel hammer loops





Organizing Your World ... One Tool at a Time™

All dimensions given as length x width x height

Aprons

53015CN

Canvas 11 Pocket Carpenter's Apron

- Dimensions: 25-in. x 4-in. x 9-in.
- Durable canvas construction with reinforced suede leather
- Pockets: 4 large & 7 small utility
- 2 Top grain leather hammer loops



53493SP

Suede 8 Pocket Waist Apron

- Dimensions: 22.5-in. x 3.5-in. x 9-in.
- Heavy duty suede leather construction with reinforced rivets
- Pockets: 4 large & 3 smaller utility
- Top grain leather hammer loop & tape measure holder



55015

11 Pocket Top Grain Tool Apron

- Dimensions: 26-in. x 3.5-in. x 11-in.
- Rugged top grain leather construction with reinforced rivets
- Pockets: 4 large & 7 small utility
- 2 Plated steel hammer loops



55149

Suede 11 Pocket Carpenter Apron

- Dimensions: 21-in. x 3.5-in. x 11-in.
- Heavy duty suede leather construction with reinforced rivets
- Pockets: 4 large & 7 small utility
- 2 Plated steel hammer loops



Saddle Leather Tool Holders

55115

Electrician's Pouch

- Dimensions: 10.5-in. x 3-in. x 9-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Large divided main pocket for variety of tools
- Metal tape clip and quick release tool snap



55481

Multi-Pocket Box Shape Pouch

- Dimensions: 8.25-in. x 4.75-in. x 10-in.
- Professional top grain saddle leather construction with reinforced rivets
- Tape measure holder
- Steel plated hammer holder



55485

8 Pocket Drywall Pouch

- Dimensions: 10-in. x 4.5-in. x 11.25-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Steel plated hammer loop
- Small tape measure pocket



55902

2 Pocket Linesman Tool Holder

- Dimensions: 5.75-in. x 2.75-in. x 10.25-in.
- Professional top grain saddle leather construction with reinforced rivets
- 3 Small utility tool holders
- Fits most 2-in. work belts



55124

Drill Holster

- Dimensions: 11.5-in. x 1.5-in. x 9-in.
- Professional top grain saddle leather construction with reinforced rivets
- 3 Drill bit pockets
- Adjustable safety snap fits most drills



55126

Measuring Tape Holder

- Dimensions: 6-in. x 4.5-in. x 3-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Fits up to 3" work belt





Organizing Your World ... One Tool at a Time™

All dimensions given as length x width x height

Leather Accessories

55068

Fiber Lined Knife Sheath

- Dimensions: 3.1-in. x 1.25-in. x 8.75-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Strong protective lining protects you from injury
- Fits up to 3-in. tool belts

55132

Fiber Lined Utility Sheath

- Dimensions: 3.5-in. x 1.5-in. x 9.5-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Fiber lining prevents blade cut-through
- Fits up to 3" work belt

55130

Open End Pliers and Tool Holder

- Dimensions: 3.5-in. x 1-in. x 8-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Fits up to 3-in. tool belts

55145

Pliers Pouch Narrow

- Dimensions: 3-in. x 0.5-in. x 8.5-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Fiber lining prevents blade cut-through
- Fits up to 3" work belt

55153

Pliers Holder, Round Bottom

- Dimensions: 3.75-in. x 1-in. x 9-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Designed to fit pliers and other small hand tools

55518

Round Bottom Pliers Holder with Snap

- Dimensions: 3.38-in. x 1.5-in. x 9.5-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Fits up to 3-in. tool belts



55155

Box Pouch

- Dimensions: 4.75-in. x 1-in. x 7.5-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Fits up to 3-in. tool belts



55127

Swinging Hammer Holder

- Dimensions: 8-in. x 2.5-in. x 5-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Swinging construction keeps hammer vertical while bending or kneeling
- Fits up to 3-in. tool belts



55128

Hammer Holder

- Dimensions: 8-in. x 3-in. x 5-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Fits up to 3-in. tool belts



55839

Snapper Hammer Holder

- Dimensions: 4.25-in. x 2.25-in. x 6.75-in.
- Rugged top grain saddle leather construction with reinforced rivets
- Fits up to 3-in. tool belts



55110 - 2-in. Work Belt

- Fits 29-in. to 36-in. waist



55111 - 2-in. Work Belt

- Fits 37-in. to 46-in. waist
- Rugged top grain saddle leather construction with reinforced rivets
- Can hold most tool pouches and nail bags

55133 - 1.75-in. Work Belt

- Fits 29-in. to 36-in. waist



55134 - 1.75-in. Work Belt

- Fits 37-in. to 46-in. waist
- Rugged top grain saddle leather construction with reinforced rivets
- Steel, single-tongue roller buckle

55150 - 3-in. Tapered Belt

- Fits 29-in. to 36-in. waist



55151 - 3-in. Tapered Belt

- Fits 37-in. to 46-in. waist
- Rugged top grain saddle leather construction with reinforced rivets
- Steel, double-tongue roller buckle

88962 - 2.75-in. Oil Tan Belt

- Fits 29-in. to 36-in. waist

88963 - 2.75-in. Oil Tan Belt

- Fits 37-in. to 46-in. waist
- Rugged oil tanned leather construction with reinforced rivets
- Steel, double-tongue roller buckle






Quality & Precision that's Dead On!™

Titanium Hammer

Dead On Titanium Framing Hammer

- Titanium reinforced spine beams
- Embedded over-strike
- Cast precision head
- Carbon fiber encased handle
- Magnetic nail set



Model	Face	Head Weight	Handle Length	Handle Style	Overall Length	Overall Weight
DO-Ti7	Milled	16 oz.	16-in.	Curved	18-in.	1.6 lbs.
DO-Ti7S	Smooth	16 oz.	16-in.	Curved	18-in.	1.6 lbs.

Steel Hammers

Dead On Steel Hammer

- Patent pending "tuning fork" design "ZEROvibe" eliminates most vibration before it gets to the handle.
- We took our original nail set idea and turned it upside down to provide better accuracy and safety.
- Unique Front of Head Nail Pull
- Stronger Shaft: Our patent pending "I-Beam" design creates incredible shaft strength.



Model	Face	Head Weight	Handle Length	Handle Style	Overall Length	Overall Weight
DOS16S	Smooth	16 oz.	12-in.	Straight	14-in.	1.7 lbs.
DOS16M	Milled	16 oz.	12-in.	Straight	14-in.	1.7 lbs.
DOS22S	Smooth	22 oz.	14-in.	Straight	18-in.	2.2 lbs.
DOS22M	Milled	22 oz.	14-in.	Straight	18-in.	2.2 lbs.
DOS24S	Smooth	24 oz.	14-in.	Straight	18-in.	2.65 lbs.
DOS24M	Milled	24 oz.	14-in.	Straight	18-in.	2.65 lbs.

Investment Cast Hammers

Dead On® & Death Stick® Hammers

- No doubt the painted hickory handle will catch your eye. The head is an S-7 investment cast. S-7 tool steel is harder and tougher than standard 1060 steel, and investment casting guarantees precision.
- Finest grade hickory handle and magnetic head nail set.



Model	Face	Head Weight	Handle Length	Handle Style	Overall Length	Overall Weight
DO21	Milled	21 oz.	16-in.	Straight	18-in.	2.0 lbs.
DO21C	Milled	21 oz.	16-in.	Curved	18-in.	2.0 lbs.
DO24	Milled	24 oz.	16-in.	Straight	18-in.	2.3 lbs.
DO24C	Milled	24 oz.	16-in.	Curved	18-in.	2.3 lbs.
DS21	Milled	21 oz.	16-in.	Straight	18-in.	2.0 lbs.
DS21C	Milled	21 oz.	16-in.	Curved	18-in.	2.0 lbs.
DS24	Milled	24 oz.	16-in.	Straight	18-in.	2.3 lbs.
DS24C	Milled	24 oz.	16-in.	Curved	18-in.	2.3 lbs.



Quality & Precision that's Dead On!™

Graphite Wrapped Hammers

Dead On® Graphite Wrapped Hammers

Hickory is, and always will be, the most desirable hammer handle material, because it feels good. No matter what the other hammer manufacturers tell you about steel, fiberglass and anti-vibration hocus-pocus, there ain't nothin' like good ol' hickory. Dead On graphite-wrapped hickory handles deliver the feel of hickory and the strength of fiberglass. Includes magnetic head nail set.



	Model	Face	Head Weight	Handle Length	Handle Style	Overall Length	Overall Weight
A	DO21-G	Milled	21 oz.	16-in.	Straight	18-in.	2.0 lbs.
B	DO21C-G	Milled	21 oz.	16-in.	Curved	18-in.	2.0 lbs.
C	DO24-G	Milled	24 oz.	16-in.	Straight	18-in.	2.3 lbs.
D	DO24C-G	Milled	24 oz.	16-in.	Curved	18-in.	2.3 lbs.

Graphite Hammers

Dead On Graphite Shaft Hammers

- Graphite used in shaft for increased strength
- Diamond plate pattern used on grip for additional gripping power
- Drop forged & polished head
- DO16-GS has a claw head and DO20-GS has a straight head



	Model	Face	Head Weight	Handle Length	Handle Style	Claw	Overall Length	Overall Weight
	DO16-GS	Smooth	16 oz.	11-in.	Curved	Curved	13-in.	1.7 lbs.
	DO20-GS	Smooth	20 oz.	11-in.	Curved	Straight	13-in.	1.8 lbs.

Hammer Handles

Handles are available for all Dead On®/Death Stick® hammers. Including: Standard Hickory and Graphite-Wrapped Hickory in 18" Straight and 19" curved..

- A DORH/DSRH - Dead On® and Death Stick® 18" straight hickory
- B DORHC/DSRHC - Dead On® and Death Stick® 18" curved hickory
- C RHG - Dead On® 18" graphite-wrapped hickory straight
- D RHGC - Dead On® 18" graphite-wrapped hickory curved





Quality & Precision that's Dead On!™

Forged Chrome Hammers

Dead On Chrome Hammers

- Heavy-duty tool steel & triple heat treatment is critical to the durability and performance of Dead On® hammers. The head and claws are seriously hardened, while the center is "drawn-back." The softer center acts as a shock absorber greatly reducing the chance of cracked or broken claws.
- Finest grade hickory handle
- Cylindrical Wedges expand the hickory in a 360° direction eliminating voids
- Magnetic nail starter



Model	Face	Head Weight	Handle Length	Handle Style	Overall Length	Overall Weight
DO8C	Smooth	8 oz.	10.5-in.	Curved	12-in.	0.9 lbs.
DO12	Smooth	12 oz.	11-in.	Straight	13-in.	1.3 lbs.
DO12C	Smooth	12 oz.	11-in.	Curved	13-in.	1.45 lbs.
DO16	Smooth	16 oz.	12.5-in.	Straight	14-in.	1.6 lbs.
DO16C	Smooth	16 oz.	12.5-in.	Curved	14-in.	1.7 lbs.
DOC-21	Milled	21 oz.	16-in.	Straight	18-in.	1.75 lbs.
DOC-21C	Milled	21 oz.	16-in.	Curved	18-in.	1.8 lbs.
DOC-24	Milled	24 oz.	16-in.	Straight	18-in.	1.85 lbs.
DOC-24C	Milled	24 oz.	16-in.	Curved	18-in.	1.9 lbs.

Specialty Hammers

Dead On Reinforced Chrome Hammer

- Reinforced hammer head for more durability
- Precision balanced
- Finest grade hickory handle
- Cylindrical Wedges expand the hickory in a 360° direction eliminating voids
- Magnetic nail starter



Model	Face	Head Weight	Handle Length	Handle Style	Overall Length	Overall Weight
DOC-21SB	Milled	21 oz.	16-in.	Curved	18-in.	1.9 lbs

Dead On Drywall Hammer

- Precision balanced
- Hickory handle reduces vibration
- 1045 tool steel
- High mirror chrome polish
- Anti-slip Lacquer at bottom of handle



Model	Face	Head Weight	Handle Length	Handle Style	Overall Length	Overall Weight
DO12DW	Milled	12 oz.	11.5-in.	Straight	13-in.	1.5 lbs.

Dead On Shingle Hammer

- Mirror chrome polish
- Leather thong
- Milled Face
- 3 hole gauge
- Nail slot



Model	Face	Head Weight	Handle Length	Handle Style	Overall Length	Overall Weight
DO14SH	Milled	14 oz.	12-in.	Straight	13.5-in.	1.8 lbs.



Quality & Precision that's Dead On!™

Annihilator™



Annihilator™ 14-in. & 18-in. Wrecking/Utility Bars

- Demolition Hammer - Use for breaking down hard surfaces, as well as other general hammer uses. Includes Dead On® bottle opener.
- Adjusts board into proper positions before tacking. Use on standard board sizes.
- Rip through dry wall, wood slots, shingles and strip conduit.
- Our overall weight-to-length ratio creates the same perfect "balance".
- Use the wrench for releasing concrete forms and other general uses.
- Chisel, smash, crack and chip away at tile, brick or for other pry bar uses.

	Model	Face	Bar Length	Overall Length	Overall Weight
A	AN-14	Smooth	9-in.	14-in.	2.0 lbs.
B	AN-18	Smooth	12-in.	18-in.	3.7 lbs.

Exhumers™

Exhumer™ Nail Pullers

Buried the nail in the wrong board?


No worries, just dig it up with the Death Stick® Exhumer.

Lose your circular saw wrench?

No problem, the Exhumer's got one built right in

Need a drink?

We can't help you there, but if you find a bottle, the Exhumer also comes with a handy bottle opener



Back view of Exhumer™

	Model	Bar Length	Overall Length	Overall Weight
C	EX-8	6.75-in.	8.6-in.	1.0 lbs.
D	EX-9	8.75-in.	10.6-in.	1.3 lbs.
E	EX-9CL	9.5-in.	10.5-in.	0.8 lbs.
F	EX-12	10.75-in.	12.6-in.	2.0 lbs.
G	EX-14	12.75-in.	14.6-in.	2.3 lbs.



Quality & Precision that's Dead On!™


Most Dead On Professional products made of Ballistic Boss® Tex fabric, PVC reinforced and industrial grade hardware, with rubber logo.
All dimensions given as length x width x height

Work Gear

DOP-01064

Bucket Tool Organizer

- Dimensions: 12-in. diameter, 10-in. height.
- Pockets: 41 exterior, 23 interior
- Large interior pockets to hold spray cans or larger hand tools
- Patented drill holster



DOP-55036

Nail Bag

- Dimensions: 9.5-in. x 9.5-in. x 12.5-in.
- Pockets: 25 total
- Belt fits 29-in. to 51-in. waist
- Heavy-duty waist belt
- Includes Meathook™ Drill Holder, angle hammer holder and tape roll holder



DOP-06053

Tool Bag

- Dimensions: 15-in. x 8.5-in. x 10.5-in.
- Pockets: 12 exterior, 3 interior, plus 6 interior tool elastic holders
- Detachable utility bag with belt
- Non-marring rubber feet



Knee Pads

DOP-95000

All Terrain Knee Pads

- Dimensions: 7.5-in. x 3.75-in. x 10-in.
- Gel-Dome technology, blown rubber for maximum shock resistance
- Patented cross hatched Velcro® closure



DOP-96000

Dead On® No Rock™ Gel Knee Pads

- Dimensions: 7-in. x 3-in. x 9-in.
- Gel-Dome technology, blown rubber for maximum shock resistance
- Rubberized, sewn cap protects surfaces from being marred and scratched





Quality & Precision that's Dead On!™

Most Dead On® products made of 600D rugged rip-stop material, with embroidered logo. All dimensions given as length x width x height.

Work Gear

DO-01045

Snake Pit™ 45 Pocket Bucket Tool Organizer

- Dimensions: 12-in. diameter, 10-in. height
- Pockets: 35 exterior, 9 interior
- Large interior pockets to hold spray cans or larger hand tools
- Interior hammer loop, exterior tape loop
- Built-in drill holster with drill bit pockets



DO-06007

Son Of A Freakin' Bag™

- Dimensions: 13-in. x 10-in. x 8-in.
- Pockets: 6 exterior, 15 interior
- Ideal for mid-sized power tools, cords and accessories
- Super-wide GateMouth® design



DO-06008

Tomb™ Tool Bag

- Dimensions: 15-in. x 8-in. x 9.5-in.
- Durable utility bag for small hand tools
- Wide GateMouth® design
- Four medium exterior pouches with Velcro® close



DO-06048

Skully The Kid™ Nail Gun Organizer Bag

- Dimensions: 22-in. x 4-in. x 14-in.
- Extra capacity for full-head framing nailers
- Padded sides protect tools, rigid bottom retains shape
- Easy carrying handle and shoulder strap



DO-06053

Cauldron™ Tool Bag

- Dimensions: 13.5-in. x 8-in. x 10-in.
- Pockets: 14 total
- Double padded shoulder strap
- Removable tool pack



DO-06400

Crypt™ Tool Bag

- Dimensions: 17-in. x 15-in. x 9-in.
- Combo GateMouth® bag and tool organizer
- Pockets: 48 total
- Heavy duty bag with non slip rubber feet and vinyl bottom



DO-FR

Professional Framer's Rig

Complete Tool Belt System with integrated back support and work suspenders

- Dimensions: 37-in. x 15-in. x 5-in.
- 30 total pockets for nail and tool storage
- Heavy duty fabric for maximum durability
- Moisture-wicking mesh liner
- Rafter square pocket



DO-06092

Dead On® Briefcase Daily Organization

- Dimensions: 17-in. x 6-in. x 13-in.
- Fully padded middle section designed for lap tops and cables
- Wide shoulder strap with extra padding



DO-88838

Killer Kombo 2-in-1 GateMouth® Bag Combo Pack

- Dimensions: Bag 1 - 17-in. x 9-in x 12-in.
Bag 2 - 13-in. x 9-in x 8-in.
- Super-wide GateMouth® design
- Ideal for mid-sized power tools, cords and accessories
- Shoulder straps keep hands free



DO-MB16

Just A Freakin' Bag™

- Dimensions: 16-in. x 12-in. x 7-in.
- Pockets: 10 exterior, 12 interior
- Heavy duty, 18oz. cotton belting fabric
- WRMR water-mildew-resistant treatment
- Wrap around web handle for maximum strength
- Adjustable shoulder strap



DO-54017

Shocker™ Utility Tote

- Dimensions: 10-in. x 5.5-in. x 14.25-in.
- Durable utility pouch with multiple pockets (16)
- Heavy-duty waist belt
- Utility knife pocket with built-in reinforcement
- 3-way carrying system: belt, handle, shoulder (shoulder strap not included)





Quality & Precision that's Dead On!™

Most Dead On® products made of 600D rugged rip-stop material, with embroidered logo. All dimensions given as length x width x height.

Work Gear

DO-NB13 The Abyss™

- Dimensions: 12.5-in. x 12.5-in. x 3.5-in.
- Pockets: 13 total, 2 loops and 5 interior elastic bands
- Large boxed front nail pouch
- Compatible with Dead On® Framer's Rig System



DO-83100 Gutt Wrap™

- Dimensions: 23-in. x .5-in. x 9-in.
- Pockets: 13 total
- Adjustable belt, quick-release buckle
- Bar tacked at seams
- Dual hammer loops



DO-54045 Butt Guard™ Tool Holder

- Dimensions: 6-in. x 1.25-in. x 10.5-in.
- 4 front pockets hold tools, pencils, wallet and more
- Clip loop attaches tape roll and keys
- Snap loop secures to belt or bag handle
- Easily slips into your back pocket



DO-BBAG Butt Bag™

- Dimensions: 8-in. x 1.75-in. x 11-in.
- Single pouch for nails, tools and small parts
- Compatible with Dead On® Framer's Rig System



DO-500 Death Grip™ Hammer Holder

- Dimensions: 5.5-in. x 2.5-in. x 11-in.
- Angled steel loop holds hammer securely
- Washer backed rivets to prevent loop pull-through
- Compatible with Dead On® Framer's Rig System



DOGH Dead On® Gun Hook

- Easily install on your Hitachi NR83A or NR90AC
- When installed, the forks on the Gun Hook are positioned to cleverly hook on a rafter or your nail bags.



DO-600 Death Grip™ Suspenders

- Dead On® black leather center patch
- 2" webbing and elastic straps
- Clips to tool belt or pants



DO-300 Killer Chiller™

- Dimensions: 13-in. x 8.5-in. x 10-in.
- Dual insulated compartments for cold and warm storage
- Exterior zip mesh accessory pocket
- Waterproof fabric



DO-TH Killer Precision™

- Dimensions: 4.5-in. x 2.5-in. x 7-in.
- Molded shape for fast in and out
- Locking strap with snap
- Dual fastening system - clip on or use on belt loop



DO-400S Cell Phone Holder

- Dimensions: 400S - 3.25-in. x 1.75-in. x 5.25-in.
- Dimensions: 400L - 3.25-in. x 1.75-in. x 6-in.
- Stretch mesh front fit most phones
- Dual fastening system - clip on or use belt loop



Knee Pads

DO-93090 Scorpion™ Knee Pads

- Dimensions: 7-in. x 3-in. x 8.5-in.
- Rubberized cap protects work surface from scratching or marring
- Ultra lightweight breathable straps, adjustable Velcro® closure
- High quality Gel foam for added comfort and increased life of product



DO-94000 Zombie™ Knee Pads

- Dimensions: 7-in. x 2.5-in. x 8.5-in.
- Patent pending Gel-Dome technology allows displacement of gel to the areas of the knee that need it most
- No Rock™ pad provides stability
- Ultra lightweight breathable straps, adjustable cross hatch Velcro® straps





Quality & Precision that's Dead On!™

Most Dead On® products made of 600D rugged rip-stop material, with embroidered logo. All dimensions given as length x width x height.

Dead On® Gloves

DO-801L/XL Ripper™ Heavy-Duty Cut Finger Gloves

- Cut finger style for maximum dexterity and touch
- 2 mm thick palm pads for extra cushioning
- Durable Asphalt PVC palm reinforcement



DO-802L/XL Black Widow™ Heavy-Duty Full Finger Gloves

- Full finger style for maximum protection
- Two 3 mm thick palm pads for extra cushioning
- Durable Asphalt PVC palm reinforcement



DO-803L/XL Python™ Anti-vibe Gloves

- Full finger style for maximum protection
- Three 3 mm thick palm pads for extra cushioning
- Super durable non-slip PVC palm reinforcement



DO-804L/XL Morgue™ Heavy-Duty All Weather Gloves

- Full finger style for maximum protection
- Full reinforcement at critical finger stress points
- Thick palm pad for maximum cushioning



Screamin' Skull Hats

DOH-B2 Black Poly Blend Hat

- 50% acrylic, 50% polyester
- Embroidered Skull logo
- One size fits all



DOH-B3 Black Cotton Hat

- 100% woven cotton
- Off-centered embroidered Skull logo
- Elastic back for comfortable fit
- One size fits all



DOH-C Camouflage Denim Hat

- 100% cotton denim
- Embroidered Skull logo
- Adjustable size for custom fit



Screamin' Skull Beanies

DO-BNE1 Dead On Beanie Waffle Knit

- 50% acrylic, 50% polyester
- Embroidered Skull logo
- One size fits all



DO-BNE2 Dead On Knit Beanie

- 100% polyester
- Embroidered Skull logo
- One size fits all



DO-BNE3 Dead On Beanie Fleece

- 100% woven acrylic
- Embroidered Skull logo
- One size fits all





Quality & Precision that's Dead On!™

Dead On® T-Shirts

All Dead On® T-Shirts are available in L, XL & XXL and are made of heavy weight, 100% cotton fabric.

A - DSTBUSA

American To The Bone (Black)

- Available in L, XL & XXL
- Heavy weight, 100% cotton



B - DSTUSA

American To The Bone (White)

- Available in L, XL & XXL
- Heavy weight, 100% cotton



- C - DSTRUSTY**
Dead On® Rusty
(Long Sleeves)
D - DSTBLOOD
Blood Spattered

- E - DSTBACID**
Acid Rain (Black)
F - DSTEVILI
Evil Eye

- G - DSTXSTORM**
Lightning Cross
H - DSTIRONX
Iron Cross

- I - DSTSTORM**
Lightning Storm
J - DSTSHOCK
Lightning Shock

- K - DSTACID**
Acid Rain (White)
L - DSTSKULLY
This Job Is Killing Me



Hoodie



DOSWETHB Dead On Hoodie

- Pullover hooded fleece sweatshirt with embroidered skull logo
- Available in S, M, L, XL & XXL

Eye Shields

All Eye Shields meet ANSI Z87.1+ standards and have 99% UVA & UVB protection.



DOESC Cobalt™

- Comfortable fit, impact resistant with excellent orbital protection
- Polarized lens



DOESP Paradox™

- Light mirrored lens adds to contemporary style with rubber nose piece and non-slip temples



DOESV Voltage™

- Color lens adds to contemporary style with rubber nose piece and non-slip temples

Cable Pow'R Pulls

**LIFETIME
WARRANTY**



1 Ton Cable Puller

Model #: 144S-6


Weight: 7.63 lbs
Cable Length: 12 ft.
Cable Lift: 12 ft.
Cable Diameter: 3/16-in.
Leverage: 15:1



2 Ton Cable Puller

Model #: 144SB-6

Weight: 8.75 lbs
Cable Length: 12 ft.
Cable Lift: 6 ft.
Cable Diameter: 3/16-in.
Leverage: 30:1



1 & 2 Ton Cable Puller

Model #: 144C-6

Weight: 9.13 lbs
Cable Length: 12 ft. (1 & 2 Ton)
Cable Lift: 12 ft. (1 Ton), 6 ft (2 Ton)
Cable Diameter: 3/16-in.
Leverage: 15:1 (1 Ton), 30:1 (2 Ton)



3/4 Ton Cable Puller

Model #: 264S-5

Weight: 7.86 lbs
Cable Length: 22 ft.
Cable Lift: 22 ft.
Cable Diameter: 5/32-in.
Leverage: 15:1



For over 60 years, Maasdam® has produced Pow'R-Pulls to exacting standards. Using only premium components, we produce the finest quality winch/puller available, backed by a full Lifetime Warranty - a first for domestic winches.

Features:

- 1 piece, aluminum alloy ratchet wheel
- High strength, electro-plated steel parts
- "Notch-at-a-time" letdown
- Drop forged steel slip hooks
- Non-slip plastic grip
- OSHA recommended safety latches
- Uses galvanized, aircraft quality cable



Heavy-Duty Pow'R Pulls

**LIFETIME
WARRANTY**



3 Ton Cable Puller

Model #: 6000S


Weight: 29.0 lbs
Cable Length: 12 ft.
Cable Lift: 12 ft.
Cable Diameter: 5/16-in.
Leverage: 35:1



4 Ton Cable Puller

Model #: 8000SB

Weight: 34 lbs
Cable Length: 6 ft.
Cable Lift: 6 ft.
Cable Diameter: 5/16-in.
Leverage: 65:1



Features:

- 1 piece, aluminum alloy ratchet wheel
- High strength, electro-plated steel parts
- Galvanized 5/16" Aircraft Cable
- "Notch-at-a-time" letdown
- Drop forged steel slip hooks
- Permanent, non-slip plastic grip
- 8000SB has patented compound lever

Suggested Applications:

- Lifting construction material
- Erecting buildings and towers
- Moving, placing and installing heavy equipment
- Tightening conveyor belts
- Clearing debris



Aircraft Cable Ratings



Cable Swaging

Method of securely inserting aircraft cable into terminal end for everlasting bond.

AIRCRAFT CABLE RATINGS

- Based on military specs
- 7-in. x 19-in. galvanized aircraft cable

Cable Diameter	Minimum Breaking Strength Tested
3/16-in.	4,200 lbs.
5/32-in.	2,800 lbs.
1/8-in.	2,000 lbs.

Long Haul Rope Pow'R Pulls

**LIFETIME
WARRANTY**



3/4 Ton Rope Puller

Model #: A-0

Weight: 7.0 lbs.
Rope Length: No Rope
Rope Lift: No Rope
Rope Diameter: No Rope.
Leverage: 10:1



3/4 Ton Rope Puller

Model #: A-20

Weight: 8.8 lbs
Rope Length: 20 ft.
Rope Lift: 20 ft.
Rope Diameter: 1/2-in.
Leverage: 10:1



3/4 Ton Rope Puller

Model #: A-50

Weight: 11.25 lbs
Rope Length: 50 ft.
Rope Lift: 50 ft.
Rope Diameter: 1/2-in.
Leverage: 10:1



3/4 Ton Rope Puller

Model #: A-100

Weight: 14.31 lbs
Rope Length: 100 ft.
Rope Lift: 100 ft.
Rope Diameter: 1/2-in.
Leverage: 10:1



Features:

- Manufactured to the same exacting standards as our cable pullers
- Uses highway approved, 1/2" diameter wear resistant Dacron® polyester rope - twisted or braided
- Can accommodate an unlimited length of rope

Suggested Applications:

- Recovering vehicles
- Securing material to trucks
- Handling logs, trees and stumps
- Moving boats and trailers
- Transporting furniture
- Clearing debris



Strap Pow'R Pulls

**LIFETIME
WARRANTY**



1 Ton Strap Puller

Model #: WS-1

Weight: 7.22 lbs
Strap Length: 12 ft.
Strap Lift: 11 ft. 6-in.
Strap Width: 1-in.
Leverage: 10:1



2 Ton Strap Puller

Model #: WS-2

Weight: 8.33 lbs
Strap Length: 12 ft.
Strap Lift: 5 ft. 8-in.
Strap Width: 1-in.
Leverage: 20:1



1 Ton Strap Puller

Model #: WS-25

Weight: 7.67 lbs
Strap Length: 25 ft.
Strap Lift: 10 ft.
Strap Width: 1-in.
Leverage: 10:1



Features:

- Flexible strapping material conforms to and controls the load - non-conductive properties
- Precision-cast aluminum alloy ratchet wheel - one piece construction
- Interlocking, precision fit, steel alloy pawls with safety spacer sleeve
- Cold rolled, high strength, tempered steel frame and handle
- Drop-forged steel slip hooks with OSHA recommended safety latches
- Heavy gauge steel, reinforced ratchet guard
- Aircraft-type, heat treated bolts
- High tensile, fully rotating steel swivel
- Trouble free, "Notch-at-a-time" letdown
- Permanent, comfortable, non-slip grip

Suggested Applications:

- Vehicle recovery/rescue
- Securing motorcycles/ATV's
- Race car/auto tie down
- Animal loading assistance
- Furniture/appliance moving





Maasdam — The Original.
Often Imitated...Never Duplicated™

CAL Series

EZ Winch Unit Features:

- 1/2 – 1 ton capacity, 5 – 10 foot reach
- Portable fold away unit takes up very little space, convenient storage, dimensions: 12-in. x 4-in. x 9-in.
- Easy storage plastic molded case - No loose metal parts to mar or scratch
- OSHA approved safety latches so hooks stay connected
- Snap block included for easy conversion from 1,000 to 2,000 lb. pull.

EZ2000

1/2 to 1 Ton Capacity

Weight: 7.34 lbs

Cable Length: 5 - 10 ft.

Cable Lift: 5 ft. (max.)

Cable Diameter: 3/16-in.



CAL Unit Features:

- Galvanized, aircraft quality cable
- Double locking drive pawls
- Drop-forged steel frame galvanized against rust
- Forged steel hooks with OSHA recommended safety latches
- Oversized steel safety guard
- Reliable stainless steel springs
- Automatic let-down with safety catch
- Cable guide guards against excessive wear

CAL-1

1 Ton Capacity

Weight: 7.5 lbs.

Cable Length: 12 ft.

Cable Lift: 12 ft.

Cable Diameter: 3/16-in.



CAL-2

2 Ton Capacity

Weight: 9.0 lbs

Cable Length: 12 ft.

Cable Lift: 6 ft.

Cable Diameter: 3/16-in.



CAL-3

3 Ton Capacity

Weight: 9.5 lbs

Cable Length: 6 ft.

Cable Lift: 6 ft.

Cable Diameter: 3/16-in.



CAL-4

4 Ton Capacity

Weight: 10.5 lbs

Cable Length: 6 ft.

Cable Lift: 6 ft.

Cable Diameter: 3/16-in.



Model #: 1130

Size: 48-in.

Weight: 28.5 lbs.

Model #: 1235

Size: 60-in.

Weight: 29.0 lbs.



Maasdam®'s **8,000 lb. Capacity Jacks**, like all our pullers and products, are the best available. Built with a designed "Safety Link," the Maasdam Jackall® is the "Jack with More"! Larger base for greater stability. "Safety Link" mechanism that prevents abuse, misuse and makes operations safer. When safety and dependability matter most, continue to rely on Maasdam®.

Features:

- Lift, pull, winch, push, hoist from 50 up to 8000 lbs. (4 tons)*
- Precision cast components, long life & trouble free operating
- Hot roll-formed, alloy steel beam is made strong and reliable
- Beam holes accommodate attachment of clevis pins, chains, bolts, ropes, etc.
- Hollow, special high tensile steel handle locks against beam for convenient storage
- Extra large 38-1/2 sq. in. base is heavily ribbed for strength and load stability

*Maximum capacity reached within 12-in. of base.

Capacity decreases as distance from base increases.



Jack Accessories

Model #: 1313

Jack Rack

Weight: 2.7 lbs.



Model #: 1323

Jack Quick Clamp

Weight: 1.6 lbs.



Model #: 1390

Jack Adapter

Weight: 1.0 lbs.



Model #: 1333

Jack Maintenance Kit

Weight: 1.0 lbs.



Maasdam — The Original.
Often Imitated...Never Duplicated™

All dimensions given as length x width x height

Post Puller

Model #: PP-100

Dimensions: 36.5-in. x 6-in. x 5-in.

Weight: 14.0 lbs.

- Easy to use—attaches to most posts or stakes in seconds
- Perfect balance maximizes the user's leverage while minimizing effort
- Pulls post straight out of the ground—does not bend post, so it can be reused
- Cost effective—no need to rent or buy heavy equipment



Replacement Ropes & Straps



Rope Only - Supplied with 1/4-in. hook

Part No.	Length	Diameter	Weight
3973	20 ft.	1/2-in.	1.81 lbs.
3973-50	50 ft.	1/2-in.	4.25 lbs.
3973-100	100 ft.	1/2-in.	5.63 lbs.



Strap Only - Supplied with 1/4-in. hook

Part No.	Length	Width	Weight
6010-1WS	12 ft.	1-in.	0.75 lbs.
6010-25WS	25 ft.	1-in.	1.1 lbs.
6010-2WS (no hook)	12 ft.	1-in.	0.75 lbs.

Fencing Tools

Fence Stretcher

Model #: 8060

Dimensions: 17.37-in. x 1-in. x 4-in.

Weight: 2.0 lbs.

- Tightens tension bar toward end of post for easy tie-off
- Self locking action allows easier two handed tie-off
- Universal adjustment for posts from 1-3/8-in. - 4-in.



Fence Pull Chain

Model #: 8035-10

Chain length: 58-in.

Weight: 4.9 lbs.

- Perfect Pow'R-Pull accessory for stretching chain link fence - 1/2 ton (1000 lbs.) rating
- Grab lock fits tension bars
- Adjustable 53-in. grade 30 proof coil chain



Wire Grip

Model #: 8050-10

Dimensions: 7.25-in. x 3.25-in. x .87-in.

Weight: 4.9 lbs.

- Handles smooth or barbed wire up to 5/16-in. (#9 wire)
- Cam action insures tighter lock
- Shields and protects hand from barbed wire
- 1000 lb. (1/2 ton) capacity
- Cast malleable iron, plated to prevent rusting



10-in. Round Nose Pliers

Model #: 8080R

Dimensions: 10-in. x 1.5-in. x .75-in.

Weight: 1.5 lbs.

- Extended nose allows greater reach
- Smooth working action



Pow'R Reach

Pow'R-Reach Cable Extender

Model #: 8106

Size: 6-ft.

Weight: 0.75 lbs.

- Extensions for cable Pow'R-Pulls
- 3/16-in. vinyl coated aircraft cable with cable eye on each end



Pow'R-Reach Cable Extender

Model #: 8112

Size: 12-ft.

Weight: 1.2 lbs.

- Extensions for cable Pow'R-Pulls
- 3/16-in. vinyl coated aircraft cable with cable eye on each end



Pow'R-Reach Strap Extender

Model #: SC12

Size: 12-ft.

Weight: 0.5 lbs.

- Extensions for strap Pow'R-Pulls
- Loops on both end - use loop-to-hook or as a slip knot
- Idea for wrapping around posts or trees




Replacement Kits

Handle Assembly Replacement Kit Model #: MPPHRK

Kit includes:

- A - 9000 - Handle assembly
- B - 7968AU - Leaf Spring
- C - 7968B - Screw

For Cable and Rope Pullers




Frame Assembly Replacement Kit Model #: MPPFRK

Kit includes:

- D - 9100 - Frame assembly
- E - 7978 - Cable guide
- F - 7981 - Guide bolt
- G - 7981A - Nut

For Cable Pullers



Ratchet Wheel Replacement Kit Model #: MPPRWRK

Kit includes:

- H - 7963X - Ratchet wheel
- I - 7963A - Set Screw
- J - 7985 - Cable retainer spring
- K - 7988 - Ratchet wheel bolt
- L - 7981A - Nut
- M - 7987 - Ratchet wheel spacer sleeve

For Cable Pullers




Rope Puller Replacement Kit Model #: MPPRPRK

Kit includes:

- N - 3961 - Frame Assembly
- O - 3962 - Ratchet Wheel
- P - 3965 - Guide
- Q - 7981 - Guide bolt
- R - 7981A - Nut
- S - 7987 - Ratchet wheel spacer sleeve
- T - 7988 - Ratchet wheel bolt


For Rope Pullers



Strap Puller Replacement Kit Model #: MPPSPRK

Kit includes:

- U - 6000W - Ratchet Wheel
- V - 7988 - Ratchet wheel bolt
- W - 7981A - Nut
- X - 7987 - Ratchet wheel spacer sleeve



Cable Puller Parts

Model #: 9700BX

12-ft. cable for 144-S, SB, C & D
Weight: 1.0 lbs.



Model #: 9704BX

22-ft. cable for 264S-5
Weight: 1.25 lbs.



1/4-in. Hook Kit

Model #: 7977J

7973 - 1/4-in. Hook
7977A - Yoke
7980 - Swivel body bolt & nut
Weight: 0.54 lbs.



Model #: 7975J

Swivel 1/4-in. hook assembly
for 1 ton unit
Weight: 0.88 lbs.



Model #: 7975JA

Swivel 5/16-in. hook assembly
for 2 ton unit
Weight: 1.0 lbs.



Model #: 8049

Snap block with 5/16-in. hook
Use with Cable Puller
Weight: 1.25 lbs.



Strap Puller Parts

Model #: 6020

Snap block with 5/16-in. hook -
Strap Puller
Weight: 1.25 lbs.



Load Binders

Mini Bind'R Features:

- Forged steel mini binder, for use with cable, chain or rope.
- Swivel hook
- 7 inch handle

Mini Tightener Bind'R 175#

Model #: 48979M

Weight: 1.1 lbs.
Min-Max Chain Size: 1/4-in.
Take Up: 3.5-in.
Handle Length: 7-in.
WLL: 175 lbs.
Proof Load: 350 lbs.
Ultimate Strength: 525 lbs.



Mini Tightener Bind'R 250#

Model #: 48919M

Weight: 1.1 lbs.
Min-Max Chain Size: 1/4-in.
Take Up: 3.5-in.
Handle Length: 7-in.
WLL: 250 lbs.
Proof Load: 500 lbs.
Ultimate Strength: 750 lbs.



Mini Tightener Bind'R 375#

Model #: 48949M

Weight: 1.25 lbs.
Min-Max Chain Size: 1/4-in.
Take Up: 3.5-in.
Handle Length: 7-in.
WLL: 375 lbs.
Proof Load: 750 lbs.
Ultimate Strength: 1,500 lbs.



Transport Bind'R Features:

- Forged steel, quenched and tempered
- Ball and socket swivel joints at hook assemblies permit a straight line pull
- Binder toggles away from the load
- Extra heavy construction at leverage points to prevent spreading

3/8-in. Transport Binder

Model #: 48311M

Weight: 7.45 lbs.
Min-Max Chain Size: 1/2-in. to 5/8-in.
Take Up: 4.75-in.
Handle Length: 21-in.
WLL: 5,400 lbs.
Proof Load: 10,800 lbs.
Ultimate Strength: 19,000 lbs.



Pro Load Bind'R Features:

- Forged steel, quenched and tempered
- Ball and socket swivel joints at hook assemblies permit a straight line pull
- Binder toggles away from the load
- Extra heavy construction at leverage points to prevent spreading

1/4-in. Malleable Pro Load Binder

Model #: 48304M

Weight: 2.75 lbs.
Min-Max Chain Size: 1/4-in.
Take Up: 4-in.
Handle Length: 11-in.
WLL: 2,600 lbs.
Proof Load: 5,200 lbs.
Ultimate Strength: 9,200 lbs.



3/8-in. Malleable Pro Load Binder

Model #: 48305M

Weight: 6.55 lbs.
Min-Max Chain Size: 5/16-in. to 3/8-in.
Take Up: 4.5-in.
Handle Length: 16-in.
WLL: 5,400 lbs.
Proof Load: 10,800 lbs.
Ultimate Strength: 19,000 lbs.



1/2-in. Pro Load Binder

Model #: 48306M

Weight: 10.5 lbs.
Min-Max Chain Size: 3/8-in. to 1/2-in.
Take Up: 4.5-in.
Handle Length: 16.5-in.
WLL: 9,200 lbs.
Proof Load: 18,400 lbs.
Ultimate Strength: 33,000 lbs.



Pro Ratchet Load Bind'R Features:

- Continuous take-up feature, infinite adjustment gets the last link of chain
- One-piece assembly, no nuts and bolts to loosen
- Ratchet spring rust proofed
- All load bearing or holding parts forged
- Easy operating positive ratchet

1/4-in. Pro Ratchet Load Binder

Model #: 48364M


Weight: 3.1 lbs.
Min-Max Chain Size: 1/4-in.
Take Up: 6.5-in.
Handle Length: 8.5-in.
WLL: 2,600 lbs.
Proof Load: 5,200 lbs.
Ultimate Strength: 9,200 lbs.



3/8-in. Pro Ratchet Load Binder

Model #: 48810M

Weight: 9.25 lbs.
Min-Max Chain Size: 3/8-in.
Take Up: 8.63-in.
Handle Length: 8.63-in.
WLL: 5,400 lbs.
Proof Load: 10,800 lbs.
Ultimate Strength: 19,000 lbs.





Maasdam — The Original.
Often Imitated...Never Duplicated™

Applications:

For low headroom use:

- Automotive engines, riding lawn mowers, snowmobiles, industrial equipment, machinery, generators, heavy scenery, sound equipment and many more!

All dimensions given as length x width x height

Manual Chain Hoists

Manual Chain Hoist Features:

- Economical hand chain hoist designed for years of trouble free service.
- Steel construction with powder coating.
- Lightweight, compact design for tight applications.
- Needle bearing for smooth operations.
- Completely enclosed brake system for precise load spotting.
- Conforms to ANSI/ASME B30.21-1999

Lever Hoists

Lever Chain Hoist Features:

- Automatic brake system holds load in any position
- Freewheeling feature without load for quick load attachment
- All steel construction with durable powder-coat finish
- Drop forged hooks with heavy-duty safety latches swivel 360° for easy rigging
- Conforms to ANSI/ASME B30.21-1999

48500

1/2 Ton Capacity

Weight: 22.0 lbs.

Lift: 10 ft.

Hook size: 1-1/8-in.

Housing dimensions:

5.75-in. x 5-in. x 6.25-in.

Housing and Hook length: 10.5-in.



48510

1 Ton Capacity

Weight: 22.75 lbs.

Lift: 10 ft.

Hook size: 1-1/8-in.

Housing dimensions:

5.75-in. x 5-in. x 6.25-in.

Housing and Hook length: 10.5-in.



48520

2 Ton Capacity

Weight: 32.0 lbs.

Lift: 10 ft.

Hook size: 1-1/4-in.

Housing dimensions:

6.75-in. x 6-in. x 7.25-in.

Housing and Hook length: 13.25-in.



48600

3/4 Ton Capacity

Weight: 15.25 lbs.

Lift: 5 ft.

Hook size: 1-1/4-in.

Housing dimensions:

5-in. x 3.75-in. x 4.75-in.

Handle length: 12-in.



48610

1-1/2 Ton Capacity

Weight: 26.5 lbs.

Lift: 5 ft.

Hook size: 1-3/8-in.

Housing dimensions:


6-in. x 4.5-in. x 5.25-in.

Handle length: 16.75-in.



All dimensions given as length x width x height

Aluminum Racing Jack



L.E.D. light detail



MPL1444

1½ Ton Capacity Lightweight Aluminum Jack with L.E.D. Lighting

Maximum Load Capacity: 1-1/2 Tons (3000 lbs.)

Lifting Range: 3-1/2 in. to 14-3/4 in.

Saddle Dimensions: 4 in. diameter

Size: 22-3/4 in. x 9-7/8 in. x 5-1/4 in.

Weight: 26.4 lbs.

Features:

- Low profile design for vehicles with minimal ground clearance, light equipment
- 6 super bright LED lights illuminate the undercarriage of any vehicle
- 3 "AA" batteries included
- Automatic 60 second shutoff switch in convenient location
- Light weight aluminum components, carrying handles for easy portability
- Swivel casters for maneuvering and smooth positioning
- Speedily lifts with minimal strokes to chassis
- Meets ANSI/ASME standard requirements

Floor Jacks



Foot Pump detail



MPL1447

3½ Ton Capacity Heavy Duty Garage Jack (Foot Pump w/Sleeve)

Maximum Load Capacity: 3-1/2 Tons (7000 lbs.)

Lifting Range: 4-1/2 in. to 21 in.

Saddle Dimensions: 4-5/8 in. diameter.

Size: 31 in. x 14-1/2 in. x 7 in.

Weight: 99 lbs.

Features:

- Low-long chassis design for stability
- Twin pump provides speed to load and power for lift
- Use foot pump for quick and easy lifting
- Positive action universal joint release valve for control
- Swivel casters for maneuvering and smooth positioning
- Meets ANSI/ASME standard requirements

Trolley Jack



MPL4136

2 Ton Capacity Trolley Jack

Maximum Load Capacity: 2 Tons (4000 lbs.)

Lifting Range: 3 in. to 13 in.

Saddle Dimensions: 1.875 in. diameter

Size: 17-1/2 in. x 7-3/4 in. x 5-1/2 in.

Weight: 18.3 lbs.

Features:

- Small frame for easy maneuverability and lightweight design
- Removable pump handle for easy storage and ease of lowering jack
- Swivel casters for maneuvering and smooth positioning
- Swiveling saddle to adjust placement for stability
- Carrying handle for easy portability
- Meets ANSI/ASME standard requirements



MPL1449-HD

3 Ton Capacity Commercial Grade SUV/Equipment Jack (Foot Pump w/Sleeve)

Maximum Load Capacity: 3 Tons (6000 lbs.)

Lifting Range: 7.5 in. to 21 in.

Saddle Dimensions: 2.28 in. diameter

Size: 25 in. x 10 in. x 7-1/2 in.

Weight: 45 lbs.

Features:

- 360° swivel saddle for solid load contact, adjustable saddle height
- Rust resistant finish for long life
- Heavy gauge steel frame provides strength and durability
- Ball bearing swivel casters for easy jack positioning
- Handle with extra large grip for added comfort
- Meets ANSI/ASME standard requirements

All dimensions given as length x width x height

Bottle Jacks

MPL2B

Maximum Load Capacity: 2 Tons (4,000 lbs.)
Lifting Range: 7-1/2-in. to 13-9/16-in.
Saddle Dimensions: 3/4-in. diameter
Weight: 6.5 lbs.

- Adjustable load saddle
- Meets ANSI standard requirements



MPL4B

Maximum Load Capacity: 4 Tons (8,000 lbs.)
Lifting Range: 7-5/8-in. to 14-5/8-in.
Saddle Dimensions: 1 in. diameter
Weight: 8.0 lbs.

- Adjustable load saddle
- Meets ANSI standard requirements



MPL6B

Maximum Load Capacity: 6 Tons (12,000 lbs.)
Lifting Range: 8-1/2-in. to 16-1/4-in.
Saddle Dimensions: 1-1/4-in. diameter
Weight: 7.9 lbs.

- Adjustable load saddle
- Meets ANSI standard requirements



MPL8B

Maximum Load Capacity: 8 Tons (16,000 lbs.)
Lifting Range: 8-1/2-in. to 17-in.
Saddle Dimensions: 1-3/8-in. diameter
Weight: 13.5 lbs.

- Adjustable load saddle
- Meets ANSI standard requirements
- Carrying handle



MPL12B

Maximum Load Capacity: 12 Tons (24,000 lbs.)
Lifting Range: 9-1/2-in. to 18-7/16-in.
Saddle Dimensions: 1-5/8-in. diameter
Weight: 13.1 lbs.

- Adjustable load saddle
- Meets ANSI standard requirements
- Carrying handle



MPL20B

Maximum Load Capacity: 20 Tons (40,000 lbs.)
Lifting Range: 9-1/2-in. to 17-in.
Saddle Dimensions: 1-7/8-in. diameter
Weight: 19.2 lbs.

- Adjustable load saddle
- Meets ANSI standard requirements
- Carrying handle



Jack Stands

MPL4117

2 Ton Jack Stand

Maximum Load Capacity: 2 Tons (4,000 lbs.)
Lifting Range: 10.5-in. to 17-in.
Base Dimensions: 7-in. x 7.5-in.
Weight: 11 lbs.

- Heavy-duty steel base with anti-sink feet
- Use with SUV, light truck and automobiles
- Iron saddle
- Extended reach
- Meets ANSI/ASME standard requirements



MPL4124-HD

3 Ton Jack Stand

Maximum Load Capacity: 3 Tons (6,000 lbs.)
Lifting Range: 12-in. to 17.5-in.
Base Dimensions: 7.5-in. x 8.25-in.
Weight: 12 lbs. (6 lbs. each)

- Heavy-duty steel base with anti-sink feet
- Use with SUV, light truck and automobiles
- Iron saddle
- Extended reach
- Meets ANSI/ASME standard requirements



Draw Bars

Made of high quality forged steel and painted with a rust resistant powder coating.
All dimensions given as length x width x height

MPT001

Tri-Ball Draw Bar

1-7/8 in. Ball: Max Trailer 2,000 lbs., Max Tongue 200 lbs.
2 in. Ball: Max Trailer 6,000 lbs., Max Tongue 600 lbs.
2-5/16 in. Ball: Max Trailer 10,000 lbs., Max Tongue 1,000 lbs.
Extension: 8 in.
Weight: 8.5 lbs.



MPT002

Receiver Adapter

1-1/4 in. to 2 in. Adapter
Max Trailer Weight: 3,500 lbs.
Extension: 6 in.
Wt: 8.5 lbs.



MPT003

Draw Bar

Drop: 5-1/4 in. Bar Length: 11-1/2 in.
Rise: 4 in. Hole Size: 1 in.
Max Trailer Weight: 5,000 lbs.
Max Tongue Weight: 500 lbs.
Wt: 7.65 lbs.



MPT004

Draw Bar

Drop: 2-1/2 in. Bar Length: 9-3/4 in.
Rise: 2 in. Hole Size: 3/4 in.
Max Trailer Weight: 2,000 lbs.
Max Tongue Weight: 200 lbs.
Wt: 4.2 lbs.



MPT005

Draw Bar

Drop: 2 in. Bar Length: 8-1/2 in.
Rise: 3/4 in. Hole Size: 1 in.
Max Trailer Weight: 6,000 lbs.
Max Tongue Weight: 600 lbs.
Wt: 5.55 lbs.



MPT006

Draw Bar

Drop: 3-1/4 in. Bar Length: 9-1/2 in.
Rise: 2 in. Hole Size: 1 in.
Max Trailer Weight: 5,000 lbs.
Max Tongue Weight: 500 lbs.
Wt: 6.1 lbs.



MPT007

Draw Bar Kit*

Drop: 2 in. Bar Length: 8-1/2 in.
Rise: 3/4 in. Hole Size: 1 in.
Max Trailer Weight: 6,000 lbs.
Max Tongue Weight: 600 lbs.
Wt: 8.0 lbs.

*Includes pin and clip. Ball size is 2 in. diameter



MPT008


Draw Bar Kit*

Drop: 3-1/4 in. Bar Length: 9-1/2 in.
Rise: 2 in. Hole Size: 1 in.
Max Trailer Weight: 5,000 lbs.
Max Tongue Weight: 500 lbs.
Wt: 8.55 lbs.

*Includes pin and clip. Ball size is 2 in. diameter



Drawbar may be used in either Drop or Rise position



On level ground, your trailer should be level, or slightly nose down, when connected properly.
Select a drawbar with the proper drop or rise to achieve this position

Trailer Jack

MPT300

1 Ton Convertible Top Wind Trailer Jack

- Quickly converts from wheel jack to stationary jack
 - 2,000 lbs. lifting capacity
 - 10 in. lifting range
 - Heavy-duty steel base
 - 5-1/2 in. Wheel Diameter
 - Makes trailer lifting, leveling and adjusting easier
 - Takes hassle out of hitching/unhitching your trailer
 - Includes welding mount plate
- Wt: 10.20 lbs.



Chrome Hitch Balls

MPT010

Ball Size: 2 in.
Weight: 2.10 lbs.
Thread Size: 1 in.
Color: Grey
Max Trailer Wt.: 6,000 lbs.
Max Tongue Wt.: 600 lbs.
Shank Length: 2 in.



MPT020

Ball Size: 1-7/8 in.
Weight: 1.60 lbs.
Thread Size: 3/4 in.
Color: Yellow
Max Trailer Wt.: 2,000 lbs.
Max Tongue Wt.: 200 lbs.
Shank Length: 2-3/8 in.



MPT030

Ball Size: 2 in.
Weight: 1.80 lbs.
Thread Size: 3/4 in.
Color: Yellow
Max Trailer Wt.: 3,500 lbs.
Max Tongue Wt.: 350 lbs.
Shank Length: 2 in.



MPT040

Ball Size: 2-5/16 in.
Weight: 2.85 lbs.
Thread Size: 1 in.
Color: Grey
Max Trailer Wt.: 6,000 lbs.
Max Tongue Wt.: 600 lbs.
Shank Length: 2 in.



MPT050

Ball Size: 1-7/8 in.
Weight: 1.85 lbs.
Thread Size: 1 in.
Color: Grey
Max Trailer Wt.: 2,000 lbs.
Max Tongue Wt.: 200 lbs.
Shank Length: 2 in.



Made of strength forged steel and protected by chrome plating. They also come with a protective ball cover and color coding cap equipped with a unique hanging system.

All dimensions given as length x width x height

Model No. - MPT060

Interchangeable 3-Ball Hitch System

3 Hitch Ball Sizes:
1-7/8-in., 2-in., 2-5/16-in.
Max Capacity: 8,000 lbs.
Shank Length: 2-3/8-in.
Durable Chrome Finish



Wiring

Model No. - MPT201

Trailer Wiring Kit 4-Way Flat 12-in. Connector


Trailer end only
Wt: 0.10 lbs.



Model No. - MPT203

Trailer Wiring Kit 4-Way Flat 60-in. Connector

Vehicle and Trailer end
Wt: 0.20 lbs.



Model No. - MPT204

Trailer Wiring Kit 4-Way Flat 60-in. Connector

Vehicle end only
Wt: 0.20 lbs.



Model No. - MPT200

Trailer Wiring Adapter 7-Way Blade to 5-Way Flat

Vehicle and Trailer end
Wt: 0.30 lbs.



Model No. - MPT202

Trailer Wiring Adapter 7-Way Blade to 4-Way Flat

Vehicle and Trailer end
Wt: 0.20 lbs.



All dimensions given as length x width x height

Security

Model No. - MPT100 Solidlock with 15 ft. Cable and Lock

- Attached to bumper, trailer, truck bed with existing hardware
 - 5 locking points, weave in and out of anything needing to be secured
 - Loop the cable through items and secure it with the included padlock - Perfect for multiple bicycles
 - Coated cable
 - Anchor thread size: 5/16-18
- Wt: 2.15 lbs.



Model No. - MPT105 36-in. Trailer Safety Chain with 1/4 inch Diaper Link

- Chain has 5,000 lbs. rating
 - Link has 1,500 lbs. rating
- Wt: 1.90 lbs.



Model No. - MPT108 Universal Coupler Lock

- Protects hitch from being damaged, as well as preventing trailer tow away theft.
- Wt: 2.90 lbs.



Model No. - MPT103 Adjustable Coupler Lock

- Adjusts to 5/8-in. & 1-in.
 - Includes two keys
- Wt: 0.25 lbs.



Model No. - MPT101 Dual Bent Pin Receiver with Coupler Lock

- 1/2-in. & 5/8-in. pins
 - 2 keys for coupler lock
- Wt: 1.40 lbs.



Model No. - MPT102 1/2 in. & 5/8 in. Combo Universal Receiver Lock

- O-Ring sealed locking head
 - Sleeve converts from 1/2 in. to 5/8 in.
 - Comes with 2 keys
- Wt: 0.75 lbs.



Model No. - MPT104 1/2 in. & 5/8 in. Combo Anti-Theft Receiver Lock

- Sleeve converts from 1/2 in. to 5/8 in.
 - Includes two keys
- Wt: 0.70 lbs.



Model No. - MPT106 1/2 in. Hitch Pin with Clip

Wt: 0.25 lbs.



Model No. - MPT107 5/8 in. Hitch Pin with Clip

Wt: 0.45 lbs.





Tools That Work...For People That Work.™

About Us



In this world full of cheap knock-offs, goofy marketing gimmicks and shoddy craftsmanship, one company dares to challenge conventional practices. Our customers are tough people with tough jobs. They deserve tough tools with attitude. **Pull'R Holding Company, LLC** was formed to bring the highest quality and most innovative branded products to these tough customers. Our tools are synonymous with quality and reliability at a fair price. Great care is taken in crafting our products to the exacting standards required and sought after by our professional customer base.

“Tools That Work For People That Work™” is the driving principle that guides us each and every day. From the superior quality and innovation of our tools, to our fresh, exciting merchandising and packaging, we satisfy our toughest customers.

With **Bucket Boss®** we have a brand that has long been the professionals' choice for tool organization. Quality, function and style are the driving principles that make Bucket Boss the leader in tool storage needs. At Bucket Boss we will **“Organize your World One Tool at a Time.™”**

Founded on the simple principle that even serious tools can be fun, **Dead On®** Tools is the professionals' brand of choice. When superior quality and performance coupled with a desire to look good on the job are needed, Dead On offers tools that have **“Quality and Precision that's Dead On.™”**

Our **Maasdam Pow'R-Pull®** line is celebrating 60+ years of excellence. Maasdam is the premier name in material handling. Simply put, Maasdam tools are **“Often imitated, never duplicated.™”**

And just like any good contractor worth the sawdust in his pockets, our products do what they say they'll do, period. From **Bucket Boss Extreme™** tool organizers, to **Dead On®** hammers, to **Maasdam®** come-a-longs and jacks, we make products that meet the challenge, day in and day out.

So, if you're a serious do-it-yourselfer, an industry professional, or a retailer looking for a new supplier, **Pull'R Holding Company, LLC** gets the job done with **“Tools That Work For People That Work.™”**



Vision

We provide Great Tools that Make a Difference, Without Compromise.

GREAT TOOLS - establishes the framework of what types of products we offer (tools) but is not limiting (a tool box can be a tool if it is designed to enhance our customers' productivity). Great denotes our continuing efforts of excellence in the areas of quality, innovation and responsiveness.

MAKE A DIFFERENCE - conveys to us our intent to be innovative, differentiated, value-enhancing and contributing in our customers' performance of his work.

WITHOUT COMPROMISE - this establishes the importance of maintaining our values of sustainable growth, product quality, customer satisfaction, employee satisfaction, fiscal responsibility, and operating legally.

Mission

Our mission is to provide high quality, innovative tools to the market place. By leading in design and functionality, through a constant focus on end-user needs, we will provide "Tools That Work For People That Work.™" We will strive for excellence in all that we do while maintaining high levels of customer and employee satisfaction. We will expect nothing but greatness of ourselves and our partners. We will strive to "do the right thing" at all times.

Core Values

People – Maintain high degree of customer and employee satisfaction.

Quality – Emphasis on quality in all aspects of the business (i.e. products, services, processes).

Customer Intimacy – Be close to our customers and end users. Design products and marketing programs with their needs in mind.

Innovation – Continuous product, packaging and merchandising development.

Reliability – Make each customer interface a positive one. Maintain consistency and quality in all products and processes.

Fiscal Responsibility – Business decisions are made within the boundaries of reasonable financial ratios, business continuity and growth, and financial prudence.

Do The Right Thing – Stay within the boundaries of law, decency and fairness in all matters.

Pull'R Holding Company, LLC.

415 East State Parkway, Schaumburg, IL 60173

1-888-797-7855 • Fax 847-228-6021

www.pullr.com