



PYLE[®]
audio.com

2014
Home





Pyle Home

| | |
|---|-----|
| TVs / Monitors | 184 |
| Projectors | 185 |
| Projector Screens & Mounts | 188 |
| TV Wall Mounts | 190 |
| Wall Plates (HDMI & Multi-Component)..... | 198 |
| Home Theater Systems | 199 |
| Home Theater Towers | 201 |
| iPod / iPhone / iPad Docking Systems..... | 203 |
| Bluetooth Receivers / Portable Speakers | 205 |
| Turntables..... | 208 |
| Tablet PC / iPad Stands & Mounts..... | 213 |
| Classical Themed Phone Systems | 216 |
| Astro Tablet | 217 |
| Astro Power Banks | 218 |
| Headphone Amplifiers..... | 219 |
| Headphones / Headsets..... | 220 |
| Voice Recorders / Hearing Assistance | 223 |
| Receivers | 224 |
| Home Amplifiers..... | 226 |
| Mini Amplifiers | 228 |
| Digital Tuners /Speaker Selectors..... | 232 |
| Hanging / Ceiling Speakers..... | 234 |
| In-Wall / In-Ceiling Speakers..... | 235 |
| Bookshelf / Wall Mount Speakers..... | 238 |
| Weather Proof Indoor / Outdoor Speakers..... | 239 |
| Indoor / Outdoor PA Horn Speakers..... | 240 |
| Home Theater Subwoofers..... | 241 |
| Wall Plates / In-Wall Control | 241 |
| Steam Cleaners / Steam Press..... | 242 |



Pyle Meters

| | |
|---|-----|
| Step Up - Step Down / Voltage Converters 259..... | 259 |
| Multimeters / Network & Cable Testers 260..... | 260 |
| Voltage / Metal / Temperature / Humidity 261..... | 261 |
| Anemometer / Tachometer / Light Meters 262 | 262 |
| Manometers / Sound / Distance Meters 263..... | 263 |



Pyle Covers

| | |
|---------------------------|-----|
| Armor Shield Covers | 264 |
|---------------------------|-----|



Hi-Definition LCD Flat Panel TVs

- Hi-Definition LCD TV
- NTSC Auto Color System
- 16:9 (Widescreen) Screen Aspect Ratio
- Built-In Analog (NTSC)/Digital (HD/ATSC) Tuners
- 16.7 Million Color High Resolution Display
- HDTV Compatible: 480i, 480p, 720p, 1080i
- Progressive Scan CCD, V-Chip
- Built-In Speakers 2 x 3W
- Removable Base Stand
- VESA Wall Mount Compatible (Bracket not Included)
- Multi Language OSD:
 - (English/French/German/Italian/Spanish)
- RF Cable Input
- Headphone Audio Line output
- MPEG Digital Media player
- Includes Full Function Remote Control
- AC Input: 110V/240 Voltage Selectable
- Input Options: AV, VGA, HDMI and more!



NEW

| Model | Size | Video Modes |
|-----------------|-------|-------------------------------|
| <i>PTC157LE</i> | 15.6" | 480i 480p 720p 1080i |
| <i>PTC159LD</i> | 15.6" | |
| <i>PTC197LE</i> | 18.5" | |
| <i>PTC199LD</i> | 19" | |
| <i>PTC239LD</i> | 22" | |
| <i>PTC339LD</i> | 32" | |

In-Wall Mount LCD Flat Panel Monitors

(Home & Mobile Use)

- BNC Connector
- 300:1 Contrast Ratio
- Power Supply: DC 12V
- PAL/NTSC Auto Color System
- Video Input: RCA, VGA & VESA
- TFT LCD Wall-Mountable Screen
- Viewing Angle: 40° Up - 70° Down - 70° Left & Right
- Wireless Remote Control and In-Wall Mounting Bracket Included



| Model | Size | Resolution |
|-----------------|-------|------------|
| <i>PLVW9IW</i> | 9.2" | 640 x 234 |
| <i>PLVW10IW</i> | 10.4" | 640 x 480 |
| <i>PLVW15IW</i> | 15" | 1024 x 768 |
| <i>PLVW17IW</i> | 17" | 1280 x 800 |
| <i>PLVW19IW</i> | 19" | 1440 x 900 |

Widescreen High Resolution Portable Monitor w/ Built-In Multimedia Disc, MP3, MP4 Players, USB Port & SD Card Slot Readers

- ID3 Tag Compatible
- High Resolution TFT LCD Screen Display
- Supports Multi Regional PAL/NTSC
- Support USB Key/SD Memory Card
- RCA Audio/Video Line Input & Output
- Includes Full Function Remote Control
- Built-In Rechargeable Battery
- Adjustable/Foldable Viewing Angle Screen with Rotation
- Compatible with DVD, DVD-R, DVD-RW, VCD, MP3, MP4 (720P & Under), CD-R, CD-RW, JPEG, JPG, DIVX, AVI, MPG, VOB, RMVB, MOV, FLV, OGG Vorbis, ASF, DAT



| Model | Size | Resolution |
|--------------|------|------------|
| <i>PDH7</i> | 7" | 480 x 234 |
| <i>PDH9</i> | 9" | 600 x 234 |
| <i>PDH14</i> | 14" | 1366 x 768 |

PRJHD198

Home Theater Multimedia Widescreen Projector - Up To 100-Inch Viewing Screen, Built-In Speakers, USB/SD Media Player & PC Connection Compatible

- Build-in Speaker
- Contrast: 800:1
- Resolution: 800 x 600
- Machine Power: 200 Watt
- Screen Size: 60-100 Inch
- Aspect Ratio: 16:9 or 4:3
- Lamp Life: 6000-8000 Hours
- Illumination Level: 1800 Lumen
- Projection System: 5 Inch TFT LCD
- Supports: (1024 x 768) 720p, 1080p

- Working Voltage: AC 90-110 V 50 HZ
- Projection Lighting Source: 6000-8000 Hours
- Supports International Signal Systems & Languages
- Lens: 3 Flake Broad Band Film Plating & High Definition Focus
- Interface: AV, S-video, VGA, HDMI, Component Video, SCART, USB/SD Media Reader, Audio Input & Outputs
- Dimensions: 11H x 6W x 15D



PRJHD66

Home Theater Multimedia Widescreen Projector - Up To 100-Inch Viewing Screen, Built-In Speakers, USB Flash Reader & PC Connection Compatible

- Contrast: 800:1
- Built-in Speaker
- Aspect Ratio: 16:9 or 4:3
- Screen Size: 60-100 Inch
- Machine Power: 200 Watt
- Lamp Life: 6000-8000 Hours
- Illumination Level: 1800 Lumen
- Projection System: 5 Inch TFT LCD
- Working Voltage: AC 90-110 V 50 HZ

- Projection Lighting Source: 6000-8000 Hours
- Resolution: (640 x 480) Supports 720p & 1080i
- Signal System: Supporting International System
- Supports International Signal Systems & Languages
- Lens: 3 Flake Broad Band Film Plating & High Definition Focus
- Interface: AV, VGA, HDMI (x2), Component Video & Audio Outputs
- Dimensions: 11H x 6W x 15D



PRJLE60

Portable LED Projector for Gaming TV Shows Movies and Sports at Up To 100 Inches

- Projector Uses LED Lighting For Maximum Brightness and Clarity
- 3.2 TFT LCD Renders Your Video In Beautiful Color
- 50 W Lamp Lasts Up To 20000 Hours
- Perfect for Video Games, TV Shows, Movies, or Sports
- Lens Focus: 125 mm
- Native Resolution: 640x480
- Supports 800x600 and 1024x768 Inputs

- Inputs: Component Video, VGA, HDMI
- Brightness: 2500 Lumens (ANSI)
- Up To 15 Degrees Trapezoidal Correction
- Built-In Stereo Speakers
- Supports Projector Screens From 50 to 100 Inches
- Includes Remote Control, Power Cable, AV Cable, and Lens Tissue Wipes
- Runs On 110-240 V / 50-60 Hz





PRJLE55

LED Widescreen Projector with Up To 100-Inch Viewing Screen, Built-In Speakers & Supports 1080p

- Contrast: 800:1
- Manual Focus Lens
- Aspect Ratio: 16:9 or 4:3
- Illumination Level: 1800 Lumen
- Projection Lighting Source: LED
- Display Source: 7 Single LCD Panel
- Viewing Screen Size: 60- 100 Inches
- Working Voltage: AC 110V - 220V 50/60HZ

- Built-in Speaker & Earphone Audio Output
- Supports International Signal Systems & Languages
- Output Resolution: 800 x 480 Maximum Support 1080p
- Interface: AV(RCA), HDMI, VGA, S-Video, Component Video, Audio Inputs & Outputs
- Dimensions: 17.16H x 11.25W x 4.92D



PRJLE44

LED Widescreen Projector - Up To 100-Inch Viewing Screen, Built-In Speakers

- Contrast: 800:1
- Manual Focus Lens
- Aspect Ratio: 16:9 or 4:3
- Interface: AV(RCA), HDMI, VGA
- Illumination Level: 1800 Lumen
- Viewing Screen Size: 60- 100 Inch
- Working Voltage: AC 110V-220V 50/60HZ

- Single Panel Projection Lighting Source
- Built-in speaker & Earphone Audio Output
- Signal System: Supporting International System
- Supports International Signal Systems & Languages
- Native Resolution: 800 x 480, Maximum Support 1080p
- Dimensions: 17.16H x 11.25W x 4.92D



PRJV66

Home Theater Multimedia Widescreen Projector - Up To 100-Inch Viewing Screen, Built-In Speakers & PC Connection Compatible

- Contrast: 600:1
- Built-in Speaker
- Lamp Life: 6000 hours
- Screen Size: 60-100 Inch
- Machine Power: 200 Watt
- Aspect Ratio: 16:9 or 4:3
- Illumination Level: 1200 Lumen
- Interface: AV, S-Video, VGA & RF

- Projection System: 5 Inch TFT LCD
- Working Voltage: AC 90-110 V 50 HZ
- Resolution: 640*480 Support: 800*600
- Projection Lighting Source: 6000-8000 Hours
- Supports International Signal Systems & Languages
- Dimensions: 11H x 6W x 15D



PRJLE84H

High-Definition Widescreen Projector with Up To 120-Inch Viewing Screen, Built-In Speakers, USB Flash Reader & Accepts 1080p Signal

- Contrast: 1200:1
- Manual Focus Lens
- Aspect Ratio: 16:9 or 4:3
- Illumination Level: 1800 Lumen
- Built-in USB Flash Drive Reader
- Screen Size: 60 - 120 Inches
- Single Panel Projection Lighting Source
- Built-in speaker & Earphone Audio Output

- Working Voltage: AC 110V/220V 50/60HZ
- Signal System: Supporting International System
- Supports International Signal Systems & Languages
- Output Resolution: 1280 x 800 - Maximum Support 1080p
- Interface: AV(RCA), HDMI, VGA, YPBPR, HD, USB, & AUDIO IN



PRJD901

Widescreen LED Projector with up to 140-Inch Viewing Screen, Built-In Speakers, USB Flash Reader & Supports 1080p

- Contrast: 1,000:1
- 3.8 x 200mm Manual Focus Lens
- Aspect Ratio: 16:9 or 4:3
- Illumination Level: 2,200 Lumen
- Built-in USB Flash Drive Reader
- Screen Size: Adjustable 50 - 140 Inches
- LED Projection Lighting Source
- Built-in Stereo Speakers
- Native Resolution: 640 x 480 - Support 720p, 1080p
- Interface: AV(RCA), HDMI x 2, USB x 2, VGA, RCA AV, YPBPR HD, & Audio Line Output

- USB Support (Video/Picture/Audio): MPG, MPG-1, MPG-2, MPG-4, AVI, MP4, DIV, TS, TRP, MKV, MOV, WMV, RM, RMVB, JPEG, BMP
- Lamp: LED 100 Watt, 50,000 Hour Life
- Includes Wireless Remote Control
- Supports International Signal Systems & Languages
- Working Voltage: AC 100V/240V 50/60HZ
- Includes Remote Control, Power Cable, VGA Cable, RCA Cable and Lens Dust Cover
- Power Consumption: 140 Watt
- Unit Dimensions: 12.99 x 10.12 x 4.13

NEW



PRJD902

Widescreen LED Projector with up to 140-Inch Viewing Screen, Built-In Speakers, USB Flash Reader & Supports 1080p

- Contrast: 1,200:1
- 3.8 x 185mm Manual Focus Lens
- Aspect Ratio: 16:9 or 4:3
- Illumination Level: 2,200 Lumen
- Built-in USB Flash Drive Reader
- Screen Size: Adjustable 50 - 140 Inches
- LED Projection Lighting Source
- Built-in Stereo Speakers
- Native Resolution: 800 x 600 - Support 720p, 1080p
- Interface: AV(RCA), HDMI x 2, USB x 2, VGA, RCA AV, YPBPR HD, USB, & Audio Line Output
- USB Support (Video/Picture/Audio): MPG, MPG-1, MPG-2, MPG-4, AVI, MP4, DIV, TS, TRP, MKV, MOV, WMV, RM, RMVB, JPEG, BMP

- Lamp: LED 100 Watt, 50,000 Hour Life
- Adjustable Keystone to easily correct non-perpendicular viewing screen
- Adjustable focus to match all viewing environments
- Compact light weight design
- Unit easily and securely mounts to ceiling
- Includes Wireless Remote Control
- Supports International Signal Systems & Languages
- Working Voltage: AC 100V/240V - 50/60Hz
- Includes Remote Control, Power Cable, VGA Cable, RCA Cable and Lens Dust Cover
- Power Consumption: 140 Watt
- Unit Dimensions: 12.99 x 10.12 x 4.13

NEW



PRJD904

Widescreen LED Projector with up to 100-Inch Viewing Screen, Built-In Speakers, USB Flash Reader & Supports 1080p

- Contrast: 1200:1
- 3.8 x 130mm Manual Focus Lens
- Aspect Ratio: 16:9 or 4:3
- Illumination Level: 1,500 Lumen
- Built-in USB Flash Drive Reader
- Screen Size: Adjustable 50 - 100 Inches
- LED Projection Lighting Source
- Built-in Stereo Speakers
- Supports International Signal Systems & Languages
- Native Resolution: 640 x 480 - Support 720p, 1080p
- Interface: AV(RCA), HDMI, USB, VGA, RCA AV,

- YPBPR HD, USB, & Audio Line Output
- USB Support (Video/Picture/Audio): MPG, MPG-1, MPG-2, MPG-4, AVI, MP4, DIV, TS, TRP, MKV, MOV, WMV, RM, RMVB, JPEG, BMP
- Lamp: LED 50 Watt, 50,000 Hour Life
- Includes Remote Control, Power Cable, VGA Cable, RCA Cable and Lens Dust Cover
- Working Voltage: AC 110V/240V - 50/60Hz
- Power Consumption: 90 Watt
- Unit Dimensions: 8.97 x 6.53 x 3.74

NEW



PRJD905

Widescreen LED Projector with up to 120-Inch Viewing Screen, Built-In Speakers, USB Flash Reader & Supports 1080p

- Contrast: 900:1
- 3.8 x 170mm Manual Focus Lens
- Aspect Ratio: 16:9 or 4:3
- Illumination Level: 1,800 Lumen
- Built-in USB Flash Drive Reader
- Screen Size: Adjustable 50 - 120 Inches
- LED Projection Lighting Source
- Built-in Stereo Speakers
- Supports International Signal Systems & Languages
- Native Resolution: 640 x 480 - Support 720p, 1080p

- Interface: AV(RCA), HDMI, VGA, RCA AV, S-Video, & Audio Line Output
- Lamp: LED 100 Watt, 50,000 Hour Life
- Includes Wireless Remote Control
- Working Voltage: AC 110V/240V - 50/60Hz
- Includes Remote Control, Power Cable, VGA Cable, RCA Cable and Lens Dust Cover
- Power Consumption: 120 Watt
- Unit Dimensions: 12.99 x 9.45 x 4.33

NEW



PRJLE33

Portable LED Projector for Gaming TV Shows Movies and Sports at Up To 100 Inches / Supports HD Input

- Projector Uses LED Lamp For Maximum Brightness and Clarity
- 5 TFT LCD Panel Renders Your Video In Beautiful Color
- 100 Watt Lamp Lasts Up To 20000 Hours
- Perfect for Video Games, TV Shows, Movies or Sports
- Output Resolution: 800x600
- Supports 720p and 1080p Inputs
- Inputs: 2 x HDMI, Component Video, VGA, S-Video, TV

- Brightness: 2500 Lumens (ANSI)
- Color Temperature: 9300 K
- Up To 15 Degrees Trapezoidal Correction
- Built-In Stereo Speakers
- Supports Projector Screens From 60 to 100 Inches
- Includes Remote Control, Power Cable, AV Cable, VGA Cable, Spare Fuse
- Runs On 110-240 V / 50-60 Hz



PRJG45

Multimedia Home Theater Gaming Mini Projector, Supports Home PC/ Laptop VGA, AV and HDMI Inputs also SD and USB Flash Drives

- Projector is Perfect for Gaming and All Your Home Theater Needs
- The Bright LED Lamp Lasts Much Longer Than Conventional Lamps and Provides Excellent Picture Quality
- Connects Directly to Your DVD, Gaming Console, PC or Laptop Computer
- Multi-Function Interface: VGA, AV, SD, USB, HDMI Inputs
- Precise Manual Adjusting Focus
- Picture Size Ranges From 17" to 67" inches
- This Projector is Small, Portable and Light Weight

- (Only 1.01 lbs.)
- Low Power Consumption at 41 Watts
- 12V Vehicle Power Supply Supported, Easy To Use
- Native Resolution: 320 to 240
- Brightness: 40 Lumens
- Contrast Ratio: 300:1
- Distance: 3.3'-12.5' feet
- AC Adapter Power: 12V, 2A
- 3.55mm Stereo Audio Output
- Projector Size: 5" x 5" x 2.2" inches
- Powered By 12V DC or 110V - 220V AC





PRJCM6

Universal Projector Ceiling Mount Bracket with Rotation & Tilt Adjustments 100% Assembled & Quick Release Mechanism (White)

- Universal mounting patterns
- Compatible with virtually any standard projectors
- Securely holds projectors weighing up to 30 lbs. (13.6 Kg)
- Unique mounting mechanism allows for angled ceiling installations (up to 60 degrees)
- Quick release mechanism for easy installation and fast device release
- Internal cable management system conceals and protects wires
- Perfect for the home or office
- Pitch and Roll Adjustment: ± 20 degrees
- Designed not to interfere with ventilation or cooling fans
- Durable and polished mounting assembly kit (Color: White)
- Unit Dimensions: 13.81 W x 13.81 D x 8.14 H



NEW

PRJCM3

Universal Projector Ceiling Mount Kit with Telescoping Height and Angle Adjustment (White)

- Compatible with virtually any standard projectors
- Versatile mount extension and angle adjustment configurations
- Securely holds devices up to 17.63 lbs. (8.0Kg)
- Telescoping Height Adjustment: 11.81 - 25.60
- Conceals and protects cables
- Perfect for the home or office
- Includes mounting hardware and accessories
- Size adjustable to ensure projector compatibility
- Designed not to interfere with ventilation or cooling fans
- Horizontal, vertical and height (angle and tilt) adjustments
- Durable and polished mounting assembly kit



NEW

PRJTPS35

Universal Platform Projector Stand/Trolley with Height, Angle, Tilt Adjustments and Rolling Wheel Base

- Safely and Securely Position Your Projector or Other Device
- Easily Adjust and Tighten Tray Height
- Transport and Move Your with Rolling Wheel-X Base
- Powder Coated Surface Treatment and Durable Design(4) Rolling Caster Wheels with (2) locking brakes
- Projector Tray Size: 15 x 17
- Adjustable Height: 31.5 to 47.2
- Projector Platform Rotation: 360°Adjustable Angle and Tilt: 0° ~ 15°
- Loading Capacity: 22 Lbs.
- Quick and Easy Setup
- Perfect for the Home or Office



NEW

PRJTPS25

Universal Lightweight Portable Aluminum Travel Tripod Stand / Holder for Cameras, Digital Cameras, Video Cameras, etc.

- Works with Cameras, Video Cameras, Digital Cameras, etc.
- Universal Bolt Pattern Compatible with Most Standard Devices
- Built-in Alignment Level
- 3-Way Adjustable Pan Head
- (3) Individual Pivoting Section Legs
- Lightweight Aluminum Alloy Construction
- Quick-Lock Lever System for Fast and Easy Adjustments
- Anti-Slip Rubber Grip Leg Tips
- Maximum Height Setting: 42.9-Inches
- Minimum Height Setting: 14.1-Inches
- Securely Holds Devices up to 5.5 Lbs.
- Weight: 0.92 Lbs.
- Quick and Easy Setup
- Portable and Perfect for Travel



NEW

PRJSER1696

96" (47Hx84W) Manual Projector Widescreen Format (16:9) Screen

- Format: 16:9
- View area: 47 84
- Material: Matte White
- Gain: 1.1
- Best viewing angle: 120°
- Other specialty: Mildew Resistant/Flame Retardant/
- Surface can be cleaned
- Special used for: School /Business/Home
- Package size: 5.12 X 6.3 X 94.49
- G.W: 11KG
- Housing size: 3.15 X 4.72 X 79.92



NEW



Universal Floor Standing Portable Fold-Out Roll-Up Tripod Manual Projector Screen

- Matte White Projector Screen
- Lightweight, Portable and Durable
- Premium Viewing Surface Matte Fabric
- Fold-Out Steel Tripod and Roll-Up Screen Style
- Perfect Design for Traveling / Mobile Presentations
- Black Masking Border for Optimum Image Focus and Alignment
- Allows for Clear and Vivid Image / Video Capture
- Simple Installation and Operation
- Aluminum Case Screen Housing
- Matte Fabric Thickness: 4.5mm
- Auto-Locking Pull Feature
- Quick and Easy Setup
- Perfect for the Home or Office

| Model | Size | Screen Dimensions |
|-----------------|------|-------------------|
| <i>PRJTP72</i> | 72" | 43.3" x 57.1" |
| <i>PRJTP84</i> | 84" | 50.0" x 66.9" |
| <i>PRJTP100</i> | 100" | 59.8" x 79.9" |

NEW



Universal 72-Inch Roll-Down Pull-Down Manual Projection Screen

- Matte White Projector Screen
- Auto-Locking Roll Down Feature
- Adjustable Screen Height: Screen can be Adjusted/Stopped at any Point
- Projection Viewing Surface Easily Pulls Down and Retracts
- Black Masking Border for Optimum Image Focus and Alignment
- Allows for Clear and Vivid Image and Video Capture
- (2) Top Loops that Hook onto Screws, Nails, Bolts etc.
- Easy Operation and Durable Construction
- Designed for Ceiling and Wall Mounting
- Premium Viewing Surface Matt Fabric
- Simple Installation and Operation
- Perfect for the Home or Office
- Pull-Down and Project
- Matte White Projection Fabric Thickness: 4.0mm

| Model | Size | Screen Dimensions |
|------------------|------|-------------------|
| <i>PRJSM7206</i> | 72" | 42.5" x 56.6" |
| <i>PRJSM9406</i> | 84" | 50.3" x 67.3" |
| <i>PRJSM1006</i> | 100" | 59.8" x 79.9" |

NEW



Universal Floor Standing Portable Roll-Up Pull-Out Manual Projector Screen

- Matte White Projector Screen
- Lightweight, Portable and Durable
- Fold-Out and Roll-Up Screen Style
- Premium Viewing Surface Matte Fabric
- Perfect Design for Traveling / Mobile Presentations
- Black Masking Border for Optimum Image Focus and Alignment
- Allows for Clear and Vivid Image and Video Capture
- Double-Sided Viewing Screen Options
- Simple Installation and Operation
- Aluminum Case Screen Housing
- Auto-Locking Pull Feature
- Quick and Easy Setup
- Perfect for the Home or Office

| Model | Size | Screen Dimensions |
|------------------|------|-------------------|
| <i>PRJSF7208</i> | 72" | 42.9" x 57.8" |
| <i>PRJSF1009</i> | 100" | 59.8" x 79.9" |




PLEDTKIT1
PLEDTKIT2
PLEDTKIT3



PSPSW116S



PSW111



PSW101CM



PSW112

PLEDTKIT1

Super Slim Low-profile TV Mount Fits 26"-42" Inch Tv, HDMI Cable, and Screen Cleaner Kit

- HDMI Cable
- High Definition Screen Cleaner
- Super Slim Flat Panel TV Wall Mount

- Only 12.8mm From The Wall
- Easy Lock and Release System
- Including Integrated Bubble Level

- Fits VESA Size from 100x100mm to 400x400mm
- For 26 - 42 Flat Panel TV
- Supports Up To 80 Lbs.

PLEDTKIT2

Low Profile TV Wall Mount for Most 32" - 60" LCD, LED, Plasma, HDTV Flat Panel TV , Universal Wall Mounts Bracket

- HDMI Cable
- High Definition Screen Cleaner
- Super Slim Flat Panel TV Wall Mount

- Only 0.5 Inches From The Wall
- Easy Lock and Release System
- Including Integrated Bubble Level

- Fits VESA Size from 100x100mm to 600x400mm
- For 32 - 60 Flat Panel TV
- Supports Up To 125 Lbs.

PLEDTKIT3

Super Slim Profile TV Wall Mount Fixed for 32" to 60" inch LED or LCD TVs HDMI Cable, And Screen Cleaner Included

- HDMI Cable
- High Definition Screen Cleaner
- Super Slim Flat Panel TV Wall Mount

- Only 0.5 Inches From The Wall
- Easy Lock and Release System
- Including Integrated Bubble Level

- Fits VESA Size from 100x100mm to 800x600mm
- For 32 - 60 Flat Panel TV
- Supports Up To 150 Lbs.

PSPSW116S

23"-37" Flat Panel TV Articulating Wall Mount

- Universal Flat Panel Flush Mount For 23" To 37" Screens
- Universal Brackets Easily Hook Onto Wall Plate for

- Fast installation
- Weight Capacity: 165.34 Pounds
- Interface Size: 18.90" X 13.70"

- Distance to the Wall: 3.74"-10.43"
- Dimensions: 20.79" X 13.70" 10.43"

PSW101CM

36" - 65" Universal Flat Panel Tilting TV Wall Mount

- Universal mount fits virtually any 36 to 65 screen
- Compatible with LCD, LED, plasma & other flat panel screens
- One touch tilt for effortless positioning and screen adjustment
- Universal brackets easily hook onto wall plate for

- fast installation
- Up to 12° of horizontal adjustment after screen is mounted
- Mounts to wood, metal studs, concrete cinder blocks
- Mounting hardware included

- Weight Capacity: 132.27lbs (60kg)
- Interface size: 31 x 24
- Distance to the wall 3.2
- Viewing adjustment: 5°-15°

PSW111

31"-55" Flat Panel Articulating TV Wall Mount

- Universal Design Fits Virtually Any 32-55 Display
- Universal Brackets Easily Hook onto the wall Plate

- for Fast Installation
- Built-In Bubble Level in Wall Plate

- Max Load: 150 Lbs
- 0-12° Tilt Adjustment

PSW112

36" - 55" Flat Panel TV Flush Wall Mount Brackets

- Solid heavy gauge steel construction
- Durable powder coated finish (Black or Silver)

- Includes complete hardware kit for easy installation
- Weight Capacity: 165lbs (75kg)

- Interface size: 27.5 x 20
- Distance to the wall: 2



PSW113



PSW117ET1



PSW128ST



PSW228



PSW229



PSW320MF



PSW321MT

PSW113

32"-55" Flat Panel Tilting TV Wall Mount

- Universal Design Fit Virtually Any 32-55 Display
- Brackets Easily hook onto Wall Plate for Fast

- Installation
- Built-In Bubble Level in Wall Plate

- MAX Load: 150 Lbs
- 0-12 ° Tilt Adjustment

PSW117ET1

36" to 65" Flat Panel Tilted TV Wall Mount

- Universal Mounts Fits Virtually Any 36To 65Plasma Or LCD Flat Panel Screen
- Universal Brackets Easily Hook Onto The Wall Plate For Fast Installation

- Tilt And Leveling Adjustments
- Built In Leveler System
- Max Load 132lbs
- Vesa: 31.5 X 23.6

- Distance To The Wall: 3.3
- Product Dimension: 33.3 X 24.8 X 3
- Package Dimension: 34.8 X 12.6 X 9.1
- Gross/Net Weight:39.7/30.9 lbs

PSW128ST

23" to 37" Ultra Thin Flat Panel Flush/Tilt TV Wall Mount

- Universal Mounts Fits Virtually Any 23 To 37Plasma Or LCD Flat Panel Screen
- Universal Brackets Easily Hook Onto The Wall Plate For Fast Installation

- Max Load 77 Lbs
- Vesa: 400 X 400
- Distance To The Wall: 1.45
- Product Dimension: 17.87" X 16.93" X 1.3"

- Package Dimesion: 19.6" 9.57" X 12.8"
- Gross/ Net Weight: 43.6/ 41.4 Lbs

PSW228

23" to 36" Flat Panel LCD/LED TV Tilting Wall Mount

- universal Mounts fits Virtually any 23 to 36 Plasma or LCD Flat Panel Screen
- Universal Brackets Easily Hook onto The Wall Plate For Fast Installation

- Tilt and Leveling Adjustments
- Max load:88Lbs
- Vesa: 19.7 x 15.7
- Distance to the Wall 3.3

- Product Dimension: 21.5 x 16.9 x 3.3
- Package Dimesnion: 23.2 x 16.7 x9.1
- Gross/Net Weight: 40.5/32.6lbs

PSW229

36" to 55" Flat Panel LCD/LED TV Tilting Wall Mount

- universal Mounts fits Virtually any 36 to 65 Plasma or LCD Flat Panel Screen
- Universal Brackets Easily Hook onto The Wall Plate For Fast Installation

- Tilt and Leveling Adjustments
- Max load:132 Lbs
- Vesa: 31.5 x 23.6-31.5 x 15.7
- Distance to the Wall 3.3

- Product Dimension: 33.3 x 24.8 x 3.3
- Package Dimesnion: 34.8 x12.6 x9.1
- Gross/Net Weight: 40.5/36.9lbs

PSW320MF

Universal Flat Panel LCD/LED Tv Wall Mount Flush for 42" to 65" Screens

- Universal Flat Panel Flush Mount for Screens
- Universal Brackets easily hook onto Installation
- Laveling Adjustments

- Max Load: 132 Lbs
- Vesa: 31.5 x 23.6
- Distance to the Wall: 1.0

- Product Dimension: 37.6 x 24.8 x 1.0
- Package Dimension:38.9 x8.5 x6.7
- Gross/ Net Weight: 28.6/21.6Lbs

PSW321MT

Universal Tilting Flat Panel Tv Wall Mount Flush for 42" to 65" Screens

- Universal Tilting Flat Panel Flush Mount for 42 to 65 Screens
- Universal Brackets easily hook onto the Wall Plate for fast Installation

- Laveling Adjustments
- Max Load: 165 Lbs
- Vesa: 31.5 x 23.6
- Distance to the Wall: 3.3

- Product Dimension: 37.6 x 24.8 x 3.3
- Package Dimension:38.9 x11.8 x9.3
- Gross/ Net Weight: 33/23.8Lbs



PSW323ST



PSW445T



PSW446F




PSW448F



PSW449T



PSW578UT



PSW588UT

PSW323ST Universal Tilting Flat Tv Panel Flush for Wall Mount 26" to 42" Screens

- Universal Tilting Flat Panel Flush Mount Screens
- Universal Brackets easily hook onto the installation
- Leveling Adjustments
- Max Load: 132 Lbs
- Vesa: 19.7 x 15.8
- Distance to the Wall: 3.3
- Product Dimension: 25.8 x 16.9 x 3.3
- Package Dimension: 26.8 x 8.5 x 2.0
- Gross/ Net Weight: 9.9/7.3 Lbs

PSW445T 14" to 37" Flat Panel Tilt TV Wall Mount

- Universal mount fits virtually any 14 to 37TV
- Compatible with LCD, LED, plasma, and other flat panel screens
- Universal brackets easily hook onto the wall plate for fast installation
- Tilt and Leveling Adjustments
- Built In Leveler System
- Max Load: 77.2lbs
- Vesa: 7.87 x 7.87
- Distance To The Wall: 2.7
- Product Dimension: 9.4 X 9.1 X 2.7
- Package Dimension: 18.3 X 10.6 X 9.1
- Gross/Net Weight: 35.3/26.5 lbs

PSW446F 10" to 32" Flat Panel TV Wall Mount

- Universal mount fits virtually any 10To 32 TV
- Compatible with LCD, LED, plasma and other flat panel screen
- Universal wishbone fixed mount
- Universal brackets easily hook onto the wall plate
- For fast installation
- Portrait or landscape viewing
- Built-in leveler system
- Max Load: 77lbs
- Vesa: 7.87 x 7.87
- Distance To The Wall: 1
- Product Dimension: 13.6 X 10.7 X 1
- Package Dimension: 18.1 X 14.8 X 9.3
- Gross/Net Weight: 25.4/23.1 lbs

PSW448F 23" to 36" Flat Panel TV Wall Mount

- Universal Mounts Fits Virtually Any 23To 36Plasma Or LCD Flat Panel Screen
- Universal Brackets Easily Hook Onto the Wall Plate For Fast Installation
- Built In Leveler System
- Max Load: 132lbs
- Vesa: 15.7x11.8
- Distance To The Wall: 1
- Product Dimension: 17.3 X 13 X 1
- Package Dimension: 15 X 18.7 X 8.9
- Gross/Net Weight: 48.5/35 lbs

PSW449T 23" to 36" Flat Panel Tilt TV Wall Mount

- Universal Mounts Fits Virtually Any 23To 36Plasma Or LCD Flat Panel Screen
- Universal Brackets Easily Hook Onto The Wall Plate For Fast Installation Tilt And Leveling
- Adjustments
- Built In Leveler System
- Max Load: 132lbs
- Vesa: 15.7 X 11.8
- Distance To The Wall: 2.76
- Product Dimension: 17.3 X 13 X 2.76
- Package Dimension: 20.9 X 18.5 X 9.1
- Gross/Net Weight: 43/33 lbs

PSW578UT 23" to 37" Flat Panel Ultra-Thin TV Wall Mount

- Universal Mount Fits Virtually any 23 To 37 Plasma or LCD Flat Panel Screen
- Universal Brackets easily hooks onto the wall plate for fast installation
- Max Load: 77.21lbs
- Vesa: 15.7 x 11.8
- Distance to the wall: 0.6
- Product Dimension: 15.7 x 13.0 x 0.6
- Package Dimension: 19.2 x 8.2 x 1.8
- Gross/Net weight: 4.6/ 4.0 lbs

PSW588UT 32" to 50" Flat Panel Ultra-Thin TV Wall Mount

- Universal mount fits virtually any 32 To 50 TVs
- Compatible with LCD, LED, plasma and other flat panel screens
- Universal Brackets easily hooks onto the wall plate
- for fast installation
- Max Load: 99 lbs
- Vesa: 23.6 x 15.7
- Distance to the wall: 0.6
- Product Dimension: 23.6 x 16.9 x 0.6
- Package Dimension: 27.3 x 8.2 x 1.8
- Gross/Net weight: 6.4/ 5.3 lbs



PSW601AT



PSW602AT



PSW701F



PSW701S



PSW801T



PSW802T



PSW974S

PSW601AT 32" to 50" Flat Panel Articulating TV Wall Mount

- Universal mounts fits virtually any 32 To 50 Plasma or LCD flat panel screen
- Universal brackets easily hook onto the wall plate for fast installation

- Tilt and leveling adjustments
- Built in leveler system
- Max load: 132lbs
- Vesa: 23.6x15.7

- Distance to the wall: 5.8-20.3
- Product dimension: 28.3x16.9x5.8
- Package dimension: 30.9x12.4x12.6
- Gross/Net weight: 59.4/55 lbs

PSW602AT 42" to 65" Flat Panel Articulating TV Wall Mount

- Universal mounts fits virtually any 42 To 65 Plasma or LCD flat panel screen
- Universal brackets easily hook onto the wall plate for fast installation

- Tilt and leveling adjustments
- Built in leveler system
- Max load: 132lbs
- Vesa: 31.50x19.7

- Distance to the wall: 5.83-20.28
- Product dimension: 36.22 x 20.87 x 5.83
- Package dimension: 39.2x12.6x12.6
- Gross/Net weight: 71.1/67.3lbs

PSW701F 23" - 50" Flat Panel Flush Wall Mount With Built In Level

- 23" to 50" Flat Panel Flush Mount
- Adjustable Pivot Points Provide Tension Control
- Pre-Assembled for Quik Intallation

- All Necessary Hardware Included
- Max Load: 165 Pounds
- Vesa: 23.6" x 15.7"

- Distance to the Wall: 1.2"
- Gross/Net Weight: 8.8/5.5 Pounds
- Dimensions: 26.4" x 16.9" x 1.2"

PSW710S 14" to 37" Flat Panel Triple Arm Articulating Tilt & Swivel TV Wall Mount

- Universal mounts fits virtually any 14 to 37 Plasma or LCD flat panel screen
- Universal brackets easily hook onto the wall plate for fast installation

- Max load: 55 lbs
- Vesa: 7.8 X 7.8 / 7.8X 3.9
- Distance to the wall: 2.8- 15.6
- Product dimension: 9.8x 9.8x 2.8

- Package dimension: 12 x 10.6x 3.1
- Gross/Net weight: 7.26/5.94 lbs

PSW801T 23" - 50" Flat Panel Tilting Wall Mount With Built In Level

- 23" to 50" Flat Panel Tilted Mount
- Universal Brackets Easily hook Onto the Wall Plate for Fast Installation

- Tilt and Leveling Adjustments
- Max Load: 165 Pounds
- Vesa: 23.6" x 15.7"

- Distance To The Wall: 2.8"
- Gross/Net Weight: 12.3/9.0 Pounds
- Dimensions: 26.4" x 19.6" x 2.76"

PSW802T 36" - 70" Flat Panel Tilting Wall Mount With Built In Level

- 36" to 70" Flat Panel Tiltable Mount
- Universal Brackets Easily Hook onto the Wall Plate for Fast Installation

- Tilt and Leveling Adjustments
- Max Load: 165 Pounds
- Vesa: 35.4" x 23.6"

- Distance to Wall: 2.8"
- Gross/Net Weight: 79.37/74.96 Pounds
- Dimensions: 38.19" x 25.59" x 2.76"

PSW974S 26" to 42" Flat Panel Articulating TV Wall Mount

- Universal Mounts Fits Virtually Any 26 To 42 Plasma Or LCD Flat Panel Screen
- Universal Brackets Easily Hook Onto The Wall Plate For Fast Installation

- Tilt and Leveling Adjustments
- Built In Leveler System
- Max Load 88lbs Vesa: 15.7 X 11.8
- Distance To The Wall: 4.9-14.8

- Product Dimension: 17.3 X 13.2 X 4.9
- Package Dimension: 20.1 X 19.7 X 8.5
- Gross/Net Weight: 39.7/37.5lbs



PSW976S



PSWLB273



PSWLB371



PSWLB372



PSWLB243



PSWLE54



PSWLE59

PSW976S 32" to 50" Flat Panel Articulating TV Wall Mount

- Universal Mounts Fits Virtually Any 32 To 50 Plasma Or LCD Flat Panel Screen
- Universal Brackets Easily Hook Onto the Wall Plate For Fast Installation
- Tilt and Leveling Adjustments Built In Leveler System
- Max Load 132.2lbs
- Vesa: 23.6 X 15.8
- Distance To The Wall: 5.7-15.8
- Product Dimension: 28.3X 16.9X1 5.8
- Package Dimension: 30.3X 12X 9.8
- Gross/Net Weight: 48.5/44 lbs

PSWLB273 15"- 32" Flat Panel Dual Arm Cantilever TV Wall Mount

- Universal Mounts Fits LCD Display up to 32
- Built-In Leveler System
- VESA Standard: 50 x 50 mm, 75 x 75mm, 100 x 100mm
- MAX Load: 44 Lbs
- 180 ° Swivel Left and Right
- 20 ° up and down

PSWLB371 10" - 24" Universal Triple Arm Swivel/Articulating LCD TV Wall Mount

- Universal Flat TV Mount For 10" To 24" Screens
- Universal Brackets Easily Hook Onto Wall Plate
- Adjustable Pivot Points Provides Tension Control
- Pre-assembled For Quick Installation
- Weight Capacity 50Lbs
- Interface Size 4 x 4
- Distance to the Wall: 3.5" -16"
- Dimensions: 4.7" X 4.7" X 3.5"

PSWLB372 10"- 24" Dual Arm Flat Panel TV Adjustable Full Motion Arm Wall Mount

- Universal Flat Panel Flush Mount For 10" To 24" Screens
- Universal Brackets Easily Hook Onto Wall Plate for Fast installation
- Distance to the Wall: 3.14" - 9.84"
- Dimensions: 9.8" X 7.09" X 3.94"

PWLB243 10" to 24" Flat Panel Articulating TV Wall Mount

- Universal mounts fits virtually any 10 To 24 Plasma or LCD flat panel screen
- Universal brackets easily hook onto the wall plate for fast installation
- Built in leveler system
- Max load: 33lbs
- Vesa: 3.94x3.94
- Distance to the wall: 3.1
- Product dimension: 4.53x4.92x3.07
- Package dimension: 28.3x13.3x10.8
- Gross/Net weight: 48.5/36.6 lbs

PSWLE54 23"-46" Flat Panel LCD TV Wall Mount

- Universal mounts fits virtually any 23 To 46 Plasma or LCD flat panel screen
- Universal brackets easily hook onto the wall Plate for fast installation
- Steel construction keeps your television safe And secure
- Built in leveler system
- Max load: 66 lbs
- Vesa: 15.75 — 15.75
- Distance to the wall: 0.98
- Product dimension: 17.52—16.93—0.98
- Package dimension: 19.09—5.12—12.21
- Gross/Net weight: 36.3 / 34.9lbs

PSWLE59 32"-55" Flat Panel Low Profile Tilt LED/LCD TV Wall Mount

- Extremely ultra-thin tilt mounts for LED or LCD TV
- Steel construction keeps your television safe And secure
- Space-saving design keeps your TV close to the Wall
- Max load: 66 lbs
- Vesa: 23.63— 19.69 and 3.94—3.94
- Distance to the wall: 1.10
- Product dimension: 29.33—20.87—1.10
- Package dimension: 31.89—8.27—10.36
- Gross/Net weight: 40.4 / 39.1lbs



PSXPT006



PSW521XLF




PSW531XLT



PSW611MUT



PSW651LT1



PSW658MF



PSW661LF1

PSXPT006

14" - 37" Flat Panel TV Tilting Wall Mount

- Universal Flat Panel Flush Mount For 14" To 37" Screens
- Universal Brackets Easily Hook Onto Wall Plate for

- Fast installation
- Weight Capacity: 77.16 Pounds
- Interface Size: 9.84" x 11.81"

- Dimensions: 13.39" X 11.26" X 2.36"

PSW521XLF

Universal TV Mount - fits virtually any 50" to 80" TVs including the latest Plasma, LED, LCD, 3D, Smart & other flat panel TVs

- Universal brackets easily hook onto the wall plate for fast installation
- Built in leveler system

- Max load: 176lbs
- Vesa: 31.5x23.6
- Distance to the wall: 1.9

- Product dimension: 40.2x24.8x1.9
- Package dimension: 41.9x13.7x2.6

PSW531XLT

Universal TV Mount - fits virtually any 50" to 80" TVs including the latest Plasma, LED, LCD, 3D, Smart & other flat panel TVs

- Universal brackets easily hook onto the wall plate for fast installation
- Tilt and leveling adjustments

- Built in leveler system
- Max load: 176lbs
- Vesa: 31.5x23.6

- Distance to the wall: 3.1
- Product dimension: 40.2x24.8x3.1
- Package dimension: 41.9x13.7x3.5

PSW611MUT

Universal TV Mount - fits virtually any 32" to 47" TVs including the latest Plasma, LED, LCD, 3D, Smart & other flat panel TVs

- Universal mounts fits virtually any 32 To 47 Smart / 3D / Interactive TV
- Gas spring inside, providing fluid, light-touch adjustments

- Built in leveler system
- Max load: 22-55 lbs
- Vesa: 15.7x15.7
- Distance to the wall: 2.9 - 17.6

- Product dimension: 17.5 x 15.7 x 2.9
- Package dimension: 19.9 x 17.1 x 4.3

PSW651LT1

Universal Easy Touch TV Tilting Wall Mount - fits virtually any 37" to 55" TV including the latest Plasma, LED, LCD, 3D, Smart & other flat panel versions

- Smart/3D/Interactive TV Wall Mount
- Universal mounts fits virtually any 37 to 55 Smart/3D/Interactive TV.
- Gas spring inside, providing fluid, light-touch

- adjustments.
- Built in level system
- Max load: 44-77 lbs
- Vesa: 23.6 x 15.7

- Distance to the wall: 2.4
- Product dimension: 30.8 x 16.9 x 2.4

PSW658MF

Universal TV Mount - fits virtually any 32" to 55" TVs including the latest Plasma, LED, LCD, 3D, Smart & other flat panel TVs

- Universal mounts fits virtually any 32 To 55 Plasma or LCD flat panel screen
- Universal brackets easily hook onto the wall plate fast installation

- Built in leveler system
- Max load: 77lbs
- Vesa: 23.6 x 15.7
- Distance to the wall: 1

- Product dimension: 25.5 x 16.5 x 1
- Package dimension: 26.2 x 8.8 x 1

PSW661LF1

Universal TV Mount - fits virtually any 37" to 55" TVs including the latest Plasma, LED, LCD, 3D, Smart & other flat panel TVs

- Universal mounts fits virtually any 37 To 55 Smart / 3D / Interactive TV
- Built in leveler system

- Max load: 44-77 lbs
- Vesa: 23.6 x 15.7
- Distance to the wall: 2.2

- Product dimension: 30.8 x 17.2 x 2.2
- Package dimension: 29.5 x 12.8 x 3.5



PSW678MT



PSW681MF1



PSW691MT1



PSW668ST



PSW601SUT



PSW648SF

PSW678MT

Universal TV Mount - fits virtually any 32" to 55" TVs including the latest Plasma, LED, LCD, 3D, Smart & other flat panel TVs

- Universal mounts fits virtually any 32 To 55 Plasma or LCD flat panel screen
- Universal brackets easily hook onto the wall plate for fast installation

- Tilt and leveling adjustments
- Built in leveler system
- Max load: 77lbs
- Vesa: 23.6 x 15.7

- Distance to the wall: 1
- Product dimension: 25.5 x 16.5 x 1
- Package dimension: 26.2 x 8.8 x 1

PSW681MF1

Universal TV Mount - fits virtually any 32" to 47" TVs including the latest Plasma, LED, LCD, 3D, Smart & other flat panel TVs

- Universal mounts fits virtually any 32 To 47 Smart / 3D / Interactive TV
- Built in leveler system

- Max load: 26.4 - 55 lbs
- Vesa: 15.7 x 15.7
- Distance to the wall: 2.2

- Product dimension: 22.9 x 17.2 x 2.2
- Package dimension: 29.5 x 12.8 x 3.5

PSW691MT1

Universal TV Mount - fits virtually any 32" to 47" TVs including the latest Plasma, LED, LCD, 3D, Smart & other flat panel TVs

- Universal mounts fits virtually any 32 To 47 Smart / 3D / Interactive TV
- Gas spring inside, providing fluid, light-touch adjustments

- Built in leveler system
- Max load: 26.4-55 lbs
- Vesa: 15.7 x 15.7
- Distance to the wall: 2.4

- Product dimension: 23.0 x 17.2 x 2.4
- Package dimension: 29.5 x 12.8 x 3.5

PSW668ST

Universal Tilting TV Mount for 26-Inch to 47-Inch Plasma, LED, LCD, 3D TVs

- Universal mounts fits virtually any 26 To 47 Plasma or LCD flat panel screen
- Universal brackets easily hook onto the wall plate for fast installation

- Tilt and leveling adjustments
- Built in leveler system
- Max load: 66lbs
- Vesa: 15.7 x 15.7

- Distance to the wall: 1
- Product dimension: 17.8 x 16.5 x 1
- Package dimension: 18.5 x 8.8 x 1

PSW601SUT

37" to 55" Aluminum Flat Panel Ultra-Thin TV Wall Mount

- Smart Mount for LCD, LED, 3D, Smart TVs and other flat-panel TVs
- Fits virtually any 37" to 55" TV sold today
- Gas spring equipped, providing fluid height

- adjustments
- Swivel & Angle free tilting
- Position Locking system
- Cable management system

- Vesa Size: 200 x 200
- Heavy load capacity and minimal wall-to-TV-distance mount

PSW648SF

Universal TV Flush Wall Mount - fits virtually any 26" to 47" TV including the latest Plasma, LED, LCD, 3D, Smart & other flat panel versions

- Smart/3D/Interactive TV Wall Mount
- Universal mounts fits virtually any 26 to 47 Smart/3D/Interactive TV.

- Built in level system
- Max load: 66 lbs
- Vesa: 15.7 x 15.7

- Distance to the wall: 1
- Product dimension: 17.8 x 16.5 x 1

PSW986XAT Universal Articulating TV Wall Mount - fits virtually any 50" to 80" TV including the latest Plasma, LED, LCD, 3D, Smart & other flat panel versions

- Universal mounts fits virtually any 50 to 80 plasma or LCD flat panel screen..
- Universal brackets easily hook onto the wall plate for fast installation.
- Tilting and level adjustments


- Built in level system
- Max load: 176 lbs
- Vesa: 31.5 x 23.6
- Distance to the wall: 6.3-24
- Product dimension: 36.2 x 24.8 x 6.3



PSXPT003M 36" - 55" Flat Panel TV Tilting Wall Mount

- Universal Mounts fits virtually any 36 to 55 plasma/ LCD flat Panel Screen
- One Touch tilt for effortless positioning and adjustment of the screen
- Up to 12 of horizontal adjustment after screen is mounted
- Mounts to wood/Metal studs, concrete cinder blocks

- Universal brackets easily hook onto wall plate for fast installation
- Weight Capacity: 165lbs (75kg)
- Interface size: 28 x 19
- Distance to the wall 2.95
- Viewing adjustment: 5°-15°



PHDMIKT1 HDTV Audio/Video Cable Connection Kit Compatible w/ Plasma, LCD/LED/DLP/DVD and Audio Players

- 1@6ft AV Cable (3r-3r), Gold Plated
- 1@6ft Component Cable(3r-3r), Gold Plated
- 1@6ft Audio Cable (2r-2r), Gold Plated
- 1@6ft HDMI Cable, Gold Plated

- 1@6ft Toslink Cable
- 1@6ft S-Video Cable, Gold Plated
- 1@6ft HDMI To DVI Male Adaptor, Gold Plated
- PACKED COLOR GIFT BOX



PHDMIKT2 HDTV Cleaning kit w/ 2 HHDMI High Definition Cables/Component Video High Definition Cables/Optical Audio Hi-Def Cable

- 2@ 6ft Gold HDMI Cable, Gold Metal Plug, With Braids
- 1@ 6ft Gold Component Cable, Gold Metal Plugs, With Braids

- 1@6ft Toslink Cable, Gold Metal Plugs, With Braids
- 1@Screen Cleaner With Clothes
- PACKED BLISTER PACKING



Complete Product Catalog



For more detailed product-specific information and more great models visit www.PyleAudio.com



PHDMF1

Single HDMI Wall Plate



PHDMF2

Dual HDMI



PHDMIW1

Single HDMI Wall Plate
90 Degree Exit Port



PHDM2RJRF1

HDMI/Mono RCA Audio
Coaxial/Dual Ethernet



PHDM2RB2

HDMI/Mono RCA Audio
Coaxial/Dual Ethernet



PHDMRB2

Dual HDMI Wall Plate
90 Degree Exit Ports



PHDMRBC2

HDMI/Stereo (Dual)
RCA Audio Combo



PHDMRBC3

HDMI/3 (RGB/RCA)
Component Combo



PHDMRCF3

HDMI/ 3 (RGB/RCA) Component Combo Wall Plate

- HDMI jack and RGB jack wall Plate
- Feed-Thru HDMI Wall Plate
- Designed For In-Wall HDMI Cable Routing For Commercial Or Residential
- Suitable For Home Theater Hi-Def Installs
- Delivers High-Bandwidth, Uncompressed Video And Multi-Channel Digital Audio Between HDMI Compliant Devices Including DVD Player / Recorders, Set-Top Boxes And Digital TVs
- Supports High Resolution Display Up To 1080p

- HDMI Female To HDMI Female Ports
- Use with RGB Component Video Cables
- (3) Gold plated Color-Coded RCA Jacks (Red/Green/Blue)
- Provides wall mounted RGB/RCA connection for one device to your video system
- Mounts to Standard Electrical Box
- High Impact ABS Plastic
- Attractive Decora style white wall plate



PHIW71

7.1 Home Theater Fourteen Post Binding/Banana Plug with Dual RCA Subwoofer Posts Wall Plate White (14 Posts/Polarity for 7 Speakers)

- Provides Wall Mounted Wire Connection For Seven Speakers To Your Stereo System
- Seven Speaker Wall Mount Clean Wire Connection
- In-Wall Speaker To Amplifier Connection
- 14 Gold Plated, Color Coded(+/-) Terminals

- Banana Plug Compatible
- Dual Sub-Woofer RCA Line-Level Connection.
- Mounts To Standard Electrical Box
- Attractive Decora Style White Wall Plate



PSPHD42

PSP To HDMI Converter With Up-Scaling (Full Screen)

- Input: 1 X PSP In (Component Video And Audio From PSP Pass Through A VGA Interface)
- Output: 1 X HDMI, 1 X 3.5mm Audio
- It Achieves Full-Screen Display Of Sony Playstation Portable On HDTV And HD LCD, While Normal Conversion Or Direct Connection Can Not Be Done
- It Is With Up-Scaling Function Up-Scales PSP Output Resolution 480P To HDMI 720P, Offering You HD Video Game

- Motion Compensated 3D Wavelet Video Coding Technology Is Applied To Make The Converted Picture Richer In Color More Vivid And Free From Flicker Or Delay For Fast-Moving Video
- HDMI Output: 720P @ 60Hz
- Compatible With All Kinds Of HDMI Displays
- Product Dimension: 4.3(L) X 3.3(W) X 1.1(H)
- AC Adapter 110/220V Included



PT598AS

5.1 Channel 350 Watt Digital Home Theater AM/FM Receiver Surround Sound Package w/ Subwoofer/Center Channel & 4 x Two Way Directional Satellite speakers

- 5.1 Channel Amplifier
- Built-In AM/FM Radio
- 2 MIC Input, Treble & Bass of MIC Adjustable, Independent MIC Volume Control
- Over Current Protection, Short Circuit Protection & Over Voltage Protection
- 12 Preset Radio Station
- Full Remote Control
- VFD Display
- Power Input: AC 115V 60Hz/230V 50Hz

- Power Output: 300W L,R Channel (4 Ohm); 50W for Center, Surround L & Surround R (4 Ohm)
- In-Out Selector: 3 Stereo RCA Inputs, AM/FM Radio, 1 DVD Input, 2 Microphone Inputs
- Output: 5 Channel Speaker Output Terminal for Left, Right, Center, Front Left, Front Right & Subwoofer
- Net Weight: 40.0 Lbs
- Gross Weight: 46.3 Lbs
- Dimensions: 25.2 x 20.3 x 16.5



PT628A

400-Watt 5.1 Channel Home Theater System with AM/FM Tuner, CD, DVD & MP3 Player Compatible

- THD: 0.1%
- S/N Ratio: 85dB
- Digital VFD Display
- DVD & CD Compatible
- MP3 & MP4 Compatible
- 400 Watts Total Power
- Gold Capped A/V Cables & Wires
- Subwoofer: 150 Watts, 10 Long Throw Driver
- Control EQ, All Functions From Remote Control
- Receiver Includes Amplifier, Pre-Amp, AM/FM Tuner

- Satellites and Center Speaker: 250 Watts (5x50 W), 3 Drivers
- Frequency Response: Satellite 150Hz-20kHz, Subwoofer 50Hz-330Hz
- Satellite Speaker Dimensions: 5.89 x 2.75 x 8.84
- Center Channel Dimensions: 5.89 x 2.75 x 14.14
- Subwoofer Dimensions (DxWxH): 16.50 x 14.54 x 11.00
- Gross Weight: 36.4 Lbs.



PT678HBA

400 Watts 5.1 Channel HDMI Home Theater System With Bluetooth Audio Playback, AM/FM Tuner

- 2 HDMI Digital Inputs, 1 Digital HDMI Output
- 3D Pass-Thru HDMI Technology
- Bluetooth Audio Playback - Stream From Your iPhone, iPad, iPod, Android
- Receiver Includes Amplifier, Pre-Amp, AM/FM Tuner
- 400 Watts Total Power
- Subwoofer: 150 Watts, 10 Long Throw Driver
- Satellites and Center Speaker: 250 Watts (5x50 W), 3 Drivers
- Control EQ, All Functions From Remote Control
- Digital VFD Display

- Gold Capped A/V Cables & Wires
- MP3 & MP4 Compatible
- DVD & CD Compatible
- Frequency Response: Satellite 150Hz-20kHz, Subwoofer 50Hz-330Hz
- S/N Ratio: 85dB
- THD: 0.1%
- Subwoofer Dimensions: 16.50D x 14.54W x 11.00H
- Satellite Speaker Dimensions: 5.89D x 2.75W x 8.84H
- Center Channel Dimensions: 5.89D x 2.75W x 14.14H



PT798SBA

7.1 Channel Home Theater System with Satellite Speakers, Center Channel, Subwoofer, Bluetooth, FM Tuner

- THD: 0.1%
- S/N Ratio: 85dB
- Digital VFD Display
- DVD & CD Compatible
- MP3 & MP4 Compatible
- 500 Watts Total Power
- Gold Capped A/V Cables & Wires
- Subwoofer: 150 Watts, 10 Long Throw Driver
- Control EQ, All Functions From Remote Control
- Receiver Includes Amplifier, Pre-Amp, FM Tuner

- Bluetooth Audio Playback - Connect To iPhone, iPod, Android
- Satellites and Center Speaker: 350 Watts (7x50 W), 3 Drivers
- Frequency Response: Satellite 150Hz-20kHz, Subwoofer 50Hz -330Hz
- Subwoofer Dimensions (DxWxH): 16.50 x 14.93 x 10.22
- Satellite Speaker Dimensions: 5.50 x 5.50 x 11.39
- Center Channel Dimensions: 9.23 x 4.71 x 3.06



PHS51P

5.1 Home Theater Passive Audio System Four Satellite, Center Channel & 10Subwoofer

- 200 Watt Subwoofer with Built-in Crossover Network
- 10 Long Throw Subwoofer Driver Subwoofer
- Efficiency: 88db Speaker
- Impedance (Satellite/Center/Sub): 8 Ohm Magnetically
- Shielded Center Channel Satellite/Center
- Frequency Response: 150Hz - 20Khz Subwoofer
- Frequency Response: 50Hz - 330Hz Satellite/Center
- Speaker Size: 3

- Subwoofer Speaker Size: 10
- Piano Black ABS Plastic Satellite & Center Channel
- Piano Black Wooden Subwoofer Enclosure Satellite Speaker
- Dimensions: 6.3H x 4.7W x 3D Center Channel
- Speaker Dimensions: 3H x 9.2W x 4.7D
- Subwoofer Speaker Dimensions: 14.3H x 7.87W x 20.6D Piano Black Finish





PSB6AI

2.1 Multi-media Audio System System Power (MAX):100 Watts

- atellite:
- 2-way Hi-Fi speaker system
- 4 midwoofer with shielded magnet design
- 13mm mylar dome tweeter with shielded magnet design
- 6 dB/Oct Crossover for Hi-pass
- Frequency range: 100~21KHz
- MDF with PVC striffen finish enclosure
- Fast-On spring terminal
- 5.3(W)x4.92(D)x7.87(H) Subwoofer:
- 6.5 High Power subwoofer, 8 Ohms, with Shielded
- Woofer Magnet: 11 Oz Ferrite
- Frequency range: 30~120KHz
- MDF with PVC striffen .nish enclosure

- 5.3(W)x4.92(D)x7.87(H) Amplifier:
- 10 Watts x 2 RMS @ 8 Ohms (20Wx2 dynamic power) for satellite
- 30 Watts RMS @ 8 Ohm (60W dynamic power) for subwoofer
- Total Harmonic Distortion< 0.5%
- Signal to Noise Ratio >84dB
- Standby Power:=1W
- Source: iPod / DVD RCA / TV RCA / Game RCA / Video
- Power supply: +19VDC, 3.2A, 100V-239V AC
- Remote: IR Card Remote Control
- System Weight:14.33 lbs



iPod Touch Not Included

PHSA5

5.1 Home Theater Speaker System With Active Subwoofer and Five Satellite Speakers

- 100W Active Subwoofer with Built-In Auto-Gain Control
- Stereo RCA Line-In Input
- Stereo RCA Line-Out
- 10 Long Throw Driver
- Crossover Slope Adjusted to 80Hz
- Impedance: 4-8 Ohms
- Magnetically Shielded Center Speaker
- S/N Ratio: 85dB
- THD: 0.1%
- Output power: Subwoofer 100W

- Frequency Range: Satellites - 150Hz-20kHz, Subwoofer - 50Hz-330Hz
- Drive Unit: Satellites - 3 Inch, Subwoofer - 10 Inch
- Subwoofer Dimensions (DxWxH): 7.9 x 20.7 x 14.4
- L,R Channel Dimensions: 3.1 x 4.7 x 6.3
- Surround Channel Dimensions: 3.1 x 4.7 x 6.3
- Center Channel Dimensions: 9.3 x 4.7 x 3.1
- Materials: Satellites - Plastic, Subwoofer - Wood
- Weight: 35.3 lbs
- Color: Piano Black Lacquer Finish



PSB90I

iPhone/iPod 2.1 Soundbar Docking System with Aux-In and Video Output

- Play and Charge Your iPod or iPhone
- RCA L/R Audio-In Jacks for Stereo Connection
- 3.5mm Aux-In Jack for MP3 Player Connection
- Full Function Remote Control

- Composite Video Output For Playing Videos on TV
- 2x10W Output + 30W Subwoofer
- Bass Control
- Unit Dimensions: 4.75H x 7D x 40L



iPhone Not Included

PSBV100

5-Way Soundbar System With FM Radio, SRS 3D Sound, Four Auxillary Inputs (Piano Black)

- Runs On 110 V Power
- S/N (A Weight): 80dB
- SRS 3D Sound Technology
- Speaker Impedance: 8 Ohm
- Power Supply: AC~120V, 60Hz
- Fully Functional Remote Control
- Piano Black Wood-Crafted Finish
- THD (1kHz, 1W, 8 Ohm): 0.5%
- FM Radio with 30 Station Presets

- Input Sensitivity: 400mV(±) 50mV
- Frequency Response: 20Hz - 20KHz
- Channel Separated Rate(1kHz): 40dB
- Max Output Power: 150 Watt (75 W x 2)
- Three Auxillary RCA Inputs, One 3.5mm Auxillary Input
- 5-Way Sound: One 5.25 Woofer, Two 3 Full Range Speakers, Two 1 Tweeters
- Dimensions: 23.6 x 9.8 x 4.7



PSBV200BT 300 Watt Bluetooth Soundbar w/USB/SD/FM Radio & Wireless Remote

- Piano-Black Finish Wooden Case & Front Panel Blue Backlight LCD Display
- Bluetooth Wireless Audio Streaming capability from Most Bluetooth enabled devices
- USB 2.0 Host & SD/MMC for external moving Harddrive/Flashdrive. Plays MP3, & WMA Music Formats
- Aux1, Aux2, PC/MP3 Audio Inputs
- Source Selection, Play/Pause/ Bluetooth/Standby/ Volume +/- On board Control
- 5 Speaker Total: 1 x 5.25 Mid Woofer, 2 x 3 Full Range Speaker, & 2 x 1 Vocal Tweeter
- Wireless Handheld Remote Control

- Frequency Response: 20Hz-20KHz
- Input Sensitivity: 800mV
- S/N Ratio:>70dB
- Channel Separation Rate (1kHz):>40dB
- Power Output: 300 Watts Peak / 150 Watts RMS
- Woofer Impedance: 8 Ohm
- Tweeter & Full Range Speakers: 4 Ohm THD (1kHz,1W,8Ohm):<0.5%
- Bluetooth Version 2.0+EDR
- Power Supply: DC 18V/2.5A
- Unit Dimensions: H: 4.7 x W: 9.8 x L: 23.8
- Unit Weight: 11.7 LBS



PSBV400 6-Way 300 Watt Multi-Source Wall/Shelf Mount Sound Bar w/USB, SD, MP3, FM Tuner

- Piano black finish painted wooden case, front panel with blue backlight LCD display.
- 300 Watts Peak Output/ 150W RMS Output
- FM stereo radio with auto search and can store 30 Preset stations.
- USB 2.0 host and SD/MMC connector for external moving HD, flash drive, SD/MMC card, can play MPEG1 (dat, mpg), MPEG2 (vob, mpg), MPEG4 (avi, divx, xvid) movies, MP3, WMA, WAV, AC3 music and

- JPEG/JPG photos.
- CD, AUX1, AUX2, PC/MP3 INPUTS.
- RCA video input and video output to transfer your DVD video to TV set.
- 2 x 4 woofer, 4 x 3 full range speaker.
- With wireless remote control.
- With integrated wall mount.
- Unit dimensions: 5.6 H x 5.6 W x 39.4L
- Unit weight: 22.5 lbs



PHST80IP 2.1 Channel Sound Tower System - Works with All iPods, iPads & iPhones

- THD: 0.1%
- Alarm/Clock Control
- 2.1 Channel Amplifier
- 600 Watts Output Power
- Component Video Output
- 85 dB Signal Ratio Range
- Full Function Remote Control

- Independent Channel Control
- Dimensions (WxDxH): 9.4 x 11.4 x 39.4
- Output Power: L/R - 12W, Subwoofer - 26W
- Drive Unit: L/R Channel - 2 x 3, Subwoofer - 5
- Frequency: L/R - 150Hz-20KHz, Subwoofer - 50Hz-280Hz



PHIT84BK iPod/iPhone 2.1 Tower Docking Speaker System with FM Radio

- Play and Charge Your iPod or iPhone
- RCA L/R Audio-In Jacks for Stereo Connection
- 3.5mm Aux-In Jack for MP3 Player Connection
- Tune FM Radio With 20 Presets

- Full Function Remote Control
- Composite Video Output For Playing Videos on TV
- 2x10W Output + 30W Subwoofer
- Bass Control



PHIBT85BK 2.1 Channel Bluetooth Tower Speaker System with USB/SD Card Readers, MP3/AUX Input & FM Radio

- Bluetooth 2.0 (A2DPV Support)
- Play And Stream Your Music From Any Bluetooth Device
- RCA L/R Audio-In Jacks for Stereo Connections (2 Pairs)
- 3.5mm Aux-In Jack for MP3 Player/Smartphone Connection

- USB Flash & SD Card Readers for Audio Playback
- 2 x 60W Output + 120W Subwoofer
- EQ Audio Settings Adjustments
- Tune FM Radio with 20 Presets
- LCD Control Panel Display
- Remote Control Included
- Power: AC-110V





PHST90i

600 Watt Digital 2.1 Channel Home Theater Tower w/ iPod/iPhone Docking Station

- iPod/iPhone/MP3/AUX Input
- Built-in FM Radio With Memory
- Alarm Clock Control and Time
- 2.1 Channel amplifier
- Real 2.1 Channel output
- Full Function Remote Control
- Independent Control of Each Channel
- iPod/iPhone Can be Controlled Through Remote
- iPod/iPhone Charged Automatically
- Touch Key Control System
- LCD display
- Output power: 600 Watts
- L (150Watts x 1) R (150Watts x 1) Subwoofer (300Watt)
- Frequency: L,R 150Hz-20kHz Subwoofer 50Hz-180Hz
- Mid Range Driver: Dual 3.5 Inch
- Tweeter: Dual 3.5 inch
- Subwoofer: 8 inch
- S/N: 85dB
- THD: 0.1%
- Wood Construction w/ Beautiful Exterior
- Power: DC 21 Volts w/ 110V Adapter
- Dimensions: 5.43"D x 17.3"W x 40.15"H



PHST90iBGL



PHST90iCW



PHST90iBK

PHST92i

600 Watt Digital 2.1 Channel Home Theater Tower w/ iPod/iPhone Docking Station

- iPod/iPhone/MP3/AUX Input
- Built-in FM Radio With Memory
- Alarm Clock Control and Time
- 2.1 Channel amplifier
- Real 2.1 Channel output
- Full Function Remote Control
- Independent Control of Each Channel
- iPod Can be Controlled Through Remote
- iPod Charged Automatically
- Touch Key Control System
- LCD display
- Output power: 600 Watts
- L (150Watts x 1) R (150Watts x 1) Subwoofer (300Watt)
- Frequency: L,R 150Hz-20kHz Subwoofer 50Hz-180Hz
- Mid Range Driver: Dual 3.5 Inch
- Tweeter: Dual 3.5 inch
- Subwoofer: 8 inch
- S/N: 85dB
- THD: 0.1%
- Wood Construction w/ Beautiful Exterior
- Power: DC 21 Volts w/ 110V Adapter
- Dimensions: 11.5"D x 15.2"W x 41.75"H



PHST92iBGL



PHST92iBGL



PHST92iBGL

PHST94iP

600 Watt Digital 2.1 Channel Home Theater Tower w/ iPod/iPhone Docking Station

- iPod/iPhone/iPad/MP3 AUX Input
- S-Video Output
- Built-In FM Radio with Memory
- Alarm Clock Control and Time
- 2.1 Channel Amplifier
- Real 2.1 Channel Output
- Full Function Remote Control
- Independent Control of Each Channel
- iPod/iPhone/iPad can be Controlled Through Remote
- iPod/iPhone/iPad Charged Automatically
- Touch Key Control System
- LCD Display
- Output Power 600 Watts
- L (150W x 1) R (150W x 1) Subwoofer (300W x 1)
- Frequency: L,R 150Hz - 20kHz Subwoofer 50Hz - 280Hz
- Mid Range Driver: dual 3.5 Inch
- Tweeter: DUAL 1.0 inch
- Subwoofer: 8 inch
- S/N: 85dB
- THD: 0.1%
- Wood Construction w/ Beautiful Exterior
- Dimensions: 43" x 20.3" x 11"
- Weight: 41.9 Lbs



PHST94iPGL



PHST94iPGL



PHST94iPBK

PHST96iP 600 Watt Digital 2.1 Channel Home Theater Tower w/ iPod/iPhone Docking Station

- iPod/iPhone/iPad/MP3 AUX Input
- S-Video Output
- Built-In FM Radio with Memory
- Alarm Clock Control & Time
- 2.1 Channel Amplifier
- Real 2.1 Channel Output
- Full Function Remote Control
- Independent Control of Each Channel
- iPod/iPhone/iPad Can Be Controlled Through Remote
- iPod/iPhone/iPad Charged Automatically
- Touch Key Control System
- LCD Display
- Output Power: 600Watts
- L (150W x 1) R (150W x 1) Subwoofer (300w X 1)
- Frequency: L, R 150Hz-20KHz Subwoofer 50Hz-280Hz
- Mid Range Driver: Dual 3.5 Inch
- Tweeter: Dual 1.0 Inch
- Subwoofer: 8 Inch
- S/N: 85dB
- THD: 0.1%
- Wood Construction w/ Beautiful Exterior
- Dimensions: 15.2" x 11.4" x 42.1"
- Net Weight: 35.8 Lbs
- Note: iPod Touch does not work with this tower



PHST96iPGL



PHST96iPCW



PHST96iPBK

PIWPD3 iPod iPhone4 4S Dock with wireless Speakers with Aux Input For All Other Mp3 Players / Android Phones And iPhone 5

- Compatible player and charger for iPod/iPhone
- 2 Wireless Speakers with Built-In Rechargeable Lithium Batteries
- 3 Transmission Channels for Low Interference
- Speaker Power: 2x3 Watts
- 30 Meters (100 Feet) Transmission Range

- Volume Control Button on Each Speaker
- Changable Color Light on Each Speaker
- 3.5mm Aux-In Jack
- Video Out
- Automatic Tuning On Speakers
- Remote Control and 110-240V AC Adaptor Included



PIP711 Digital 2-Way Stereo Speaker System for iPods, iPads & iPhones, 300 Watt Power, Remote Control & Line-In

- Charges Your Apple Device When Docked
- Fully Functional Wireless Remote Control
- Output Power: 300 Watt Max, 150 Watt RMS
- Connect Any Digital Music Player Via 3.5mm Jack
- Compatible with Most iPad, iPod & iPhone Models
- Use Component Video Output to Play Video on Your TV

- Full-Range Sound: Dual 5 Woofers & Dual 3/4 Tweeters
- Frequency Response: 150 Hz - 20 kHz. S/N Ratio: 85 dB
- THD: 0.1%. Weight: 13 Lbs.



iPod Not Included

PICL36B iPod iPhone Dock Clock Radio with FM Radio, LED Nightlight, Dual Alarm Clock & AUX Input for Samsung Galaxy, iPhone 5 and Other Devices

- Backlit Illuminated LCD Display
- Apple 30 Pin Connector Compatible with iPhones & iPods
- Set Wake Up Alarm to Play Your iPod/iPhone, Radio, Buzzer
- 4 Level Brightness Adjustable LED Nightlight
- FM Stereo Radio with PLL Digital Tuning System
- Easy Push Button Controls
- Play, Pause, Stop, Forward, Backward, Skip, Search, Volume +/-
- 3.5mm AUX-IN Jack for Connecting External Devices
- 12/24 Hour Clock Display

- 2.25 Full Range Speaker
- Enjoy up to 20 Station Presets
- Clock Back Up Battery (1 x CR2025 Battery Included)
- 120 Minute Sleep Mode/ Snooze 9 Minute with level Dimmer
- Includes Remote Control & AC/DC Adaptor 100~240V (12V1.5A)
- Apple 30 Pin Connector(5V1A) Compatible with 30-Pin Devices: iPhone(3G/3GS/4G/4GS) iTouch(2Gen/3Gen/4Gen) Nano(1Gen/2Gen/3Gen/4Gen/5Gen/6Gen)
- Dimensions: 5.51L x 7.40H x 3.44W





PHSCI20B

iPod/iPhone Alarm Clock Radio With High-Performance 2.1 Channel 200 Watts Speakers & Am/Fm Tuner

- Compatibility: iPod Mini 1G; iPod Nano 1G/2G/3G/4G/5G/iPod 3G/4G/5G/5.5G/6G/ iPod Touch(Generation 1 & Generation 2) iPhone
- Aux Input Jack Allows Connection of Other Audio Devices, Such As MP3 and CD Players, Desktop Computers, Satellite Radio and Laptops
- Includes AM/FM Radio, Clock, Alarm, And RF Remote With Full iPod Navigation
- Radio Memory Station: AM 9 Station / FM 9 Stations
- sleep timer 5MIN/15MIN/30MIN
- Alarm Allows One To Wake Up To An iPhone, iPod,

- AM/FM Radio, Or Buzzer
- Fully Function Remote Control
- LCD Display
- Equalizer Function Control
- Automatic Gain Control
- SRS-3D Level Control
- Color: Black
- Dimensions: 9.45" D 14.4 W 4.88 H
- Weight: 8 LBS;
- Total Power Output: 200 Watts
- Power Source: 18V , 1.6A 110V



iPhone Not Included

PHSCI20W

200 Watts High-Performance 2.1 Channel AM/FM Clock Radio Speaker With iPod / Iphone Docking Station(White)

- Compatibility: iPod Mini 1G; iPod Nano 1G, 2G, 3G, 4G, 5G; iPod 3G, 4G, 5G, 5.5G, 6G; iPod Touch(Generation 1 & Generation 2) iPhone
- Aux Input Jack Allows Connection of Other Audio Devices, Such As MP3 and CD Players, Desktop Computers, Satellite Radio and Laptops
- Includes AM/FM Radio, Clock, Alarm, And RF Remote With Full iPod Navigation
- Radio Memory Station: AM 9 Station / FM 9 Stations
- sleep timer 5MIN/15MIN/30MIN
- Alarm Allows One To Wake Up To An iPhone, iPod, AM/FM Radio, Or Buzzer

- Fully Function Remote Control
- LCD Display
- Equalizer Function Control
- Automatic Gain Control
- SRS-3D Level Control
- Color: White
- Dimensions: 8.16D 9.45W 4.88H
- Weight: 8 LBS;
- Total Power Output: 200 Watts
- Power Source: 18V , 1.6A 110V



iPhone Not Included

PIPDSP20

iPod/iTouch/iPhone Audio Docking Portable Speaker System

- High Grade Speaker and Digital Amplifier for Superior Sound Quality
- Side Air Vent for Optimal Bass
- Elegant Cloth with Aluminum Trim Panel Design
- Slide Out Rear Stand for Added Support and Comfortable Use
- Side Up Back Support for Extra Safe Device Docking/Support

- Plays and Charges most iPods, iPod Touch and iPhone
- Fast 1A Charging for iPhone
- AC Operation using Separate AC-Adaptor (Included)
- Top Panel Electronic Volume Controls
- Low Power Consumption with Smart Auto-Off/On Power
- Total Power Output: 15 Watts



PIDOCK1

Universal iPod/iPhone Docking Station For Audio Output Charging - Sync W/iTunes And Remote control

- Dock Station With Remote For iPods
- Listen To Your Music On Your Home Stereo System
- Synchronize With iTunes On Your Personal Computer
- Stereo Audio Out

- Remote Control System
- Includes Audio and Charging Cablesli>Power Source Voltage: 100-240v 5V Output



iPhone Not Included

PIPADK1

Universal iPod/ipad/iPhone Docking Station For Audio Output Charging - Sync W/iTunes And Remote control

- Conveniently dock & charge your iPhone, iPad, or iPod
- Using the USB port, sync with iTunes while your device is connected
- Stereo audio out (3.5mm jack)
- Control the music with the included wireless remote control
- Construction material: Plastic
- Power Source Voltage: 100-240v 5V Output
- Dimensions: 3.77 x 2.13 x 0.83



iPad Not Included

PIPADK2

Universal iPod/ipad/iPhone Docking Station For Audio & Video Output Charging - Sync W/iTunes And Remote control

- Conveniently dock & charge your iPhone, iPad, or iPod
- Using the USB port, sync with iTunes while your device is connected
- Stereo audio out (3.5mm jack)
- Control the music with the included wireless remote control
- Component video output
- Construction material: Plastic
- Voltage: 100-240 5 Volt Output
- Dimensions: 3.77 x 2.13 x 0.83



iPhone Not Included

PIPADK3

Universal iPod,iPhone & iPad Multimedia Entertainment Docking Station with Remote Control (Black)

- Compatible with all iPods, iPhones & iPads (lightning to 30-pin adapter not included)
- Stereo Audio Output
- Component Video Output
- USB Host/Device Control
- HDMI Output
- Mini USB Port
- Standard USB Port
- Dock charges your iDevice
- Wireless Remote Control Included
- Connect and stream media directly to your TV
- Voltage: 100-240v 5V Output
- Size: 5.5" W x 3.9" D x 1.2" H



PBTR20

Universal Mini Bluetooth Transmitter with 3.5mm Headphone Input

- Broadcast Bluetooth Audio Transmissions from Devices That do Not have Bluetooth
- Wirelessly Transmits Audio Streaming Sound from Your Stereo Device to Any Bluetooth Enabled Receiver, Headphones or Speakers
- Transmit Music and Sound from Your TV, iPod, Tablet, Mp3 player or Any Other Device that Does not Have Bluetooth
- Compatible with Any Stereo Device with 3.5mm Headphone Jack, Such as TV/PC/CD/iPod/MP3/MP4 etc....
- Enjoy Your Music Without the Restriction of Wires
- Watch Your TV Quietly and Wirelessly in Full Stereo
- Transmitter will Automatically Search for Bluetooth Stereo Receiver and Finish Connection
- Every Time the Transmitter is Switched on, it Will Automatically Connect to Last Connected Device.
- Transmitter will Automatically Switch Off if no Devices Can be Connected Within 5 Minutes.
- Portable Bluetooth Stereo Transmitter Powered by Built-in Rechargeable Lithium-ion Battery.
- Will Broadcast Wirelessly up to a Range of 32' feet
- Bluetooth Version 2.1
- Working Time: 5-7 Hours
- Charging Time: 2-3 Hours
- Standby Time: 168-240 Hours
- Dimensions: 2.13"x 0.98"x 0.43" inches
- Weight: .35 oz.



NEW

PBTR30

Bluetooth Receiver Adapter with Streaming Audio and Built-in Microphone for Call Answering, 3.5mm Jack, and Rechargeable Battery

- Connect to any Stereo or Speaker System with 3.5mm Jack to Enable Bluetooth Audio Streaming
- Play and Control Music Wirelessly from Your iPod/MP3 Player, iPhone/Smartphone, iPad etc.
- Works with Headphones, Home Theater System, Car Stereos etc.
- Can be Controlled with All Bluetooth Enabled Devices
- Built-in Mic for Hands-Free Calls
- Excellent Wireless Signal Range
- Supports A2DP Stereo Bluetooth For Superior Music Quality
- Charging Jack: Mini USB (DC 5V)
- Built-In Rechargeable Battery
- AUX 3.5mm Cable (Included)
- LED Indicator Light
- Technical Specs Bluetooth Version: Bluetooth V3.0
- Working Range Up To: 35 Feet
- Standby Time: 144-192 Hours
- Working Time: 6 - 8 Hours
- Charging Time: 1-2 Hours
- Dimension: 2.12 x .98 x .43
- Weight: 8g



NEW



PBTR60

Wireless Bluetooth 30-Pin iPod Docking Receiver Adapter and Call Answering Built-in Microphone, 3.5mm Jack and Rechargeable Battery

NEW

- Connect to Any 30-Pin Apple Dock to Enable Wireless Audio Streaming
- Play and Control Music Wirelessly from Your iPod/MP3 Player, iPhone/Smartphone, iPad etc.
- AUX Jack Allows Connection to Car Stereos, Headphones, Amplifiers, Home Theater Systems, etc.
- Can be Controlled with All Bluetooth Enabled Devices
- Connects to All 30-Pin iPhone, iPod, iPad Docking/Audio Systems
- Built-in Mic for Hands-Free Calls
- Excellent Wireless Signal Range
- Supports A2DP Stereo Bluetooth for Superior Music Quality
- Ability to Pair with 2 Mobile/Smartphones at the Same Time
- Built-In Rechargeable Battery
- AUX 3.5mm Cable (Included)
- 3.5mm AUX Line Out Jack
- LED Indicator Light
- Technical Specs
- Bluetooth Version: Bluetooth V3.0
- Working Range Up To: 35 Feet
- Standby Time: 144-192 Hours
- Working Time: 6 - 8 Hours
- Charging Time: 1-2 Hours
- Dimension: 2.12 x .98 x .43



PBTR70

Bluetooth A2DP Streaming Audio Interface (Music/Audio) Receiver Adapter for 30-Pin Apple iPod/iPhone/iPad Docking Station

- Easily add Bluetooth wireless streaming to your speakers, stereo system or docking station
- Works with and enables Bluetooth for devices like iPads, iPods, iPhones, Androids, BlackBerry, PCs, Video game consoles, Bluetooth Cell Phones & much more
- Extends the range from which you can play music via Bluetooth connection
- 3.5mm/1/8 Aux input allows the connection of additional devices
- Connects to Apple 30 Pin Docks
- 3 Level LED illumination to confirm visual Bluetooth Interface (Red/Blue/Flashing Blue)
- Control your music wirelessly throughout your home
- Transmission distance: up to 10 meters (33 feet)
- Unit Dimensions: 2.15H x 2.15W x 0.45D



PBS2BK

Bluetooth Mini Speaker with Hands-Free Call Answering and Music Streaming, AUX-In, 8 Hour Playback (Black)

- Built-in Bluetooth Technology
- Enjoy Call Answering, Hands-Free Talking or Stream Music
- Compatible with all Bluetooth-Enabled Devices
- Works with iPhone, iPad, Android, BlackBerry, MP3 Players, Tablets, etc.
- Connect to Virtually Any Audio Device via AUX 3.5mm Input
- Integrated Stereo Sound with Rich Bass Response
- Includes USB Charging Cable
- Rechargeable Lithium-Ion Battery
- Battery Life: 8 Hours
- Control Song Selection and Volume Wirelessly
- Durable Aluminum Alloy Body



PBS2SL

Bluetooth Mini Speaker with Hands-Free Call Answering and Music Streaming, AUX-In, 8 Hour Playback (Silver)

- Built-in Bluetooth Technology
- Enjoy Call Answering, Hands-Free Talking or Stream Music
- Compatible with all Bluetooth-Enabled Devices
- Works with iPhone, iPad, Android, BlackBerry, MP3 Players, Tablets, etc.
- Connect to Virtually Any Audio Device via AUX 3.5mm Input
- Integrated Stereo Sound with Rich Bass Response
- Includes USB Charging Cable
- Rechargeable Lithium-Ion Battery
- Battery Life: 8 Hours
- Control Song Selection and Volume Wirelessly
- Durable Aluminum Alloy Body



PBS9BK

Bluetooth Mini Cube Speaker With Handsfree Phone Function, Aux-In, 8 Hours Of Playback

- Bluetooth Wireless Module Compatible With Many Smartphones
- iPhone, iPad, Android, BlackBerry, All Bluetooth-Enabled Music Players
- Supports Bluetooth Stereo For Rich Sound And Superb Bass Response
- Rechargeable Lithium-Ion Battery Lasts Up To 8 Hours, Charges Via USB

- Answer Calls With Bluetooth Hands Free Function
- Play, Pause, Previous, Next Functions Over Bluetooth
- Connect Virtually Any Audio Device Via 3.5mm Aux-In Jack
- Constructed From Durable Aluminum Alloy
- Bluetooth Profiles Supported: A2DP, AVRCP
- Color: Black
- Dimensions: 2.4 H x 2.4 W x 3.2 D



PMS2

Mini Capsule Rechargeable Speaker for iPod/MP3 Players, PC, Tablets, etc.

- Plays all iPod/iPhone models and other audio devices with 3.5-mm audio jack
- Perfect replacement for laptop speakers
- Unique vacuum bass design for surprising volume and bass response
- Fits in your Hand / Pocket for ultimate portability
- Built in li-ion rechargeable batteries
- Frequency response 100HZ-20KHZ
- Battery Charge time:DC 5V 200MAH-300 MAH around 2.5 hours; USB 4 hours
- Plays On Fully Charged 8 hours
- Dimensions:2" D x 1.4" W x 2.2"H



PMS2B



PMS2R

Red

PMS2W

White

PMS5DB

Bass Expanding Rechargeable Mini Speakers Pair for iPod/MP3/Computers (Black)

- Plays all iPod/iPhone models and other audio devices with 3.5-mm audio jack
- Perfect replacement for laptop speakers
- Unique vacuum bass design for surprising volume and bass response
- Fits in your Hand / Pocket for ultimate portability
- Built in li-ion rechargeable batteries

- Frequency response 100HZ-20KHZ
- Battery Charge time:DC 5V 200MAH-300 MAH around 2.5 hours;USB 4 hours
- Plays On Fully Charged 8 hours
- Dimensions:2 D x 1.4 W x 2.2H
- Color: Black



PSPFM1

Portable MP3 Speaker Player With Lithium Rechargeable Battery, LED Display, MP3/Micro SD/USB/Laptop, FM Radio, Aux Input (BLUE COLOR)

- LED Screen Display Track Information
- Supports Micro SD Cards and USB Sticks (MP3 Format) To Play Back Your Favorite Music
- FM Radio Function with Auto Search
- Line-In for Any Digital Music Player (iPod, iPhone, iPad, Android, MP3 Player)
- Headphone Jack for Private Listening
- Built-In Rechargeable Lithium Battery
- Material: Plastic
- Dimension: 5 X 3.2 X 1.6
- Speaker Power: 20 Watts
- Frequency Response: 90 Hz-20 KHz
- Battery Capacity: 600mah



PSPFM1R



PSPFM1B



PSPFM1BL

PSR6

NEW

Hanging Waterproof AM/FM Shower Clock Radio

- AM/FM Manual Tuner
- Built in Digital Clock with LCD Readout
- Hanging Hook integrated design
- Marine Grade Water/Steam Proof: IP67 waterproof rated
- Rotary Volume Control
- Built-in Analog Tuner & Extended Reach Antenna
- Requires 3xAA Batteries (Not Included)
- Dimensions: 5.35H x 3.14W x 1.65D



PSR9

NEW

Fog Free Oval Shaving Mirror Water Resistant Shower AM/FM Clock Radio & Alarm

- AM/FM High Sensitivity Manual Tuner
- Built in Digital Alarm Clock with LCD Readout
- Ultra Slim Design Shelf and Wall Mountable
- Marine Grade Water/Steam Proof
- Chrome Accent Easy Push Button Control Rotary Knobs
- Rotary Volume Control
- Fog Free Oval Shaving Mirror
- Built-in Analog Tuner & Extended Antenna
- Requires 4xAA Batteries (Not Included)
- Dimensions:0.98H x 7.09W x 6.22D





PSBT25

Gator Sound Waterproof Bluetooth Shower Speaker and SpeakerPhone with Built-in Microphone for Call Answering

- Built-in Bluetooth Technology
- Enjoy Call Answering, Hands-Free Talking or Stream Music
- Compatible with all Bluetooth-Enabled Devices
- Works with iPhone, iPad, Android, BlackBerry, MP3 Players, Tablets, etc.
- Connect to Virtually Any Audio Device via AUX 3.5mm

- Input
- Integrated Stereo Sound with Rich Bass Response
- Includes USB Charging Cable
- Rechargeable Lithium-Ion Battery
- Battery Life: 8 Hours
- Control Song Selection and Volume Wirelessly
- Durable Aluminum Alloy Body



PLTTB9U

USB Turntable with direct-to-digital USB/SD Card Encoder & Built-in AM/FM Radio conversion

- Turn your Records Into MP3s
- 3 speed (33 1/3/45 and 78 RPM) turntables
- Built-in adapter for 45 RPM LP included
- ceramic cartridge with diamond needle
- Two built-in full range speakers 4 OHMS, 30 Watts
- USB/SD encoder that can easily record old vinyl or other Aux in audio onto flash drive or SD/MMC card through USB/SD sockets in MP3 formats

- play your music (mp3 and wma)pre-stored on SD/ MMC card ,USB drive or M3 player through USB/SD host.
- AM/FM stereo radio
- Strong strengthened semi-transparent dust cover
- AC 110V 60HZ
- Dimensions: 15.5 x 11 x 4.7



PNGTT1R

Classic Horn Phonograph/Turntable With USB-To-PC Connection And Aux-In (Mahogany)

- Classic Turntable With PC Recording Function
- USB Connection to Enable Recording to PC or MAC
- Files Can Be Saved In MP3, WAV, OGG, WMA, etc. Formats
- Auto Return
- Auto Stop
- RCA Stereo Audio Out

- RCA Stereo Audio In
- Ceramic Cartridge
- Belt Drive
- AC Power: 120 V 60 Hz
- 2 Mid-range/Bass Speakers, 1 Treble Speaker For Full Sound
- Color: Mahogany



PTCD8US

Retro Style Turntable With CD/Radio/USB/SD/MP3/ WMA and Vinyl to MP3 Encoding (Silver)

- Two Speed (33/45 RPM) Turntable
- 3" Built-In Speaker
- Plays CDs and MP3s from USB/SD
- AM/FM Radio (FM 88 - 108 Mhz, AM 540 - 1600 kHz)
- USB/SD Card Slots - Play MP3s or Encode Vinyl to MP3
- Converts Vinyl, Direct to USB/SD Card
- X-Bass Control System

- Radio Dial Scale With Amber Backlight
- Rotary Volume Control
- RCA Line Out
- 3.5mm Headphone Jack
- Wireless Remote Control
- LCD Display With Blue Backlight
- Power Source: AC 110
- Dimensions: 12.24 (W) x 12.36 (D) 6.61 (H)



PTCD8UB

Retro Style Turntable Plays AM/FM Radio, MP3/WMA via USB/SD Card Readers, and Vinyl-to-MP3 Encoding Function (Black)

- Two Speed (33/45 RPM) Turntable
- 3" Built-In Speaker
- Plays CDs and MP3s from USB/SD
- AM/FM Radio (FM 88 - 108 Mhz, AM 540 - 1600 kHz)
- USB/SD Card Slots - Play MP3s or Encode Vinyl to MP3
- Converts Vinyl, Direct to USB/SD Card
- X-Bass Control System

- Radio Dial Scale With Amber Backlight
- Rotary Volume Control
- RCA Line Out
- 3.5mm Headphone Jack
- Wireless Remote Control
- LCD Display With Blue Backlight
- Power Source: AC 110
- Dimensions: 12.24 (W) x 12.36 (D) 6.61 (H)



PTR8UR

Retro-Style Turntable - Plays Radio, MP3s via USB & SD Memory with Vinyl-to-MP3 Encoding (Red)

- AM/FM Radio
- RCA Line Out
- 3" Built-in Speakers
- X-Bass Control System
- USB & SD Memory Slots
- 45 RPM Adaptor Included
- Power Source: AC 110/220V
- Illuminated Front Dial Display
- LCD Display with Blue Backlight

- Vinyl to MP3 Recording Function
- Radio Dial Scale with Amber Backlight
- Wireless Remote Control Playback Configuration
- 3.5mm AUX Input Jack & 3.5mm Headphone Jack
- Three speeds (33-1/3, 45, and 78 RPM) to Ensure You Enjoy All Your Favorite Vinyl Records
- Dimensions: 15.98 (W) x 13.62 (D) x 8.66 (H)



PTR8UB

Retro Turntable with AUX Input/Radio/USB/SD/MP3 and Vinyl-to-MP3 Encoding (Black)

- 3 Speed 33/45/78 RPM Selectable Turntable
- USB/SD For MP3 Playback
- USB/SD Card Slots - Play MP3s or Encode Vinyl to MP3
- 3 Built-In Speaker
- AM/FM Radio (FM 88 - 108 Mhz, AM 540 - 1600 kHz)
- X-Bass Control System

- Radio Dial Scale With Amber Backlight
- Rotary Volume Control
- RCA Line Out
- 3.5mm Headphone Jack
- LCD Display With Blue Backlight
- Runs On 110 V AC
- Color: Black



PTTCDS7U

Vintage Styled Turntable - Plays AM/FM Radio, Cassettes, CDs, and MP3s - USB/SD Direct Record and Aux Input For iPod/MP3 Players (Mahogany)

- AM/FM Radio
- Built-in Speakers
- RCA Line Outputs
- Front-Loading CD Tray
- Read-Out Analog Radio
- 45 RPM Adaptor Included
- Power Source: AC 110/220V

- LCD Display with Blue Backlight
- Direct USB/SD Turntable Encoding
- Cassette Playback with Single Key Slot-in Design
- 3.5mm AUX Input Jack & 3.5mm Headphone Jack
- Three speeds (33-1/3, 45, and 78 RPM) to Ensure You Enjoy All Your Favorite Vinyl Records



PTTCS9U

Classic Retro Style Turntable - Plays AM/FM Radio, Cassettes & MP3s - USB/SD Direct Record Function & Aux Input For iPod/MP3 Players

- AM/FM Radio
- RCA Line Outputs
- Built-in Speakers
- 45 RPM Adaptor Included
- Power Source: AC 110/220V
- Digital Read-Out Analog Radio
- LCD Display with Blue Backlight

- Direct USB/SD Turntable Encoding
- Cassette Playback with Single Key Slot-in Design
- 3.5mm AUX Input Jack & 3.5mm Headphone Jack
- Three speeds (33-1/3, 45, and 78 RPM) to Ensure You Enjoy All Your Favorite Vinyl Records





PTCWTRS80 Floor Standing Retro Vintage Turntable Entertainment Center with CD, AM/FM Radio, iPod Aux Input Double Cassette Deck

- 2 x 75 Watts Output
- full-range stereo speakers
- CD Player
- Aux Input To Play All Mp3 Player And iPods, Phones
- Am Fm PLL Tuning Radio With 10 Station AM And 10 Stations Fm Memory

- 3 Speed 33/45/78 RPM Selectable Turntable
- Double Cassette Deck
- Includes easy-to-read LED display and dynamic
- Beautifully Constructed MDF Wooden Walnut Color Cabinet
- Runs on 110 V AC



PTTC4U Multifunction Turntable With MP3 Recording, USB-to-PC, Cassette Playback, Rechargeable Battery

- Three Speed Belt-Driven Turntable Fit For 33, 45, and 78 RPM
- Jewel Stylus with Ceramic Stereo Cartridge
- 45 RPM Adapter
- Automatic and Manual Stop Selection
- USB Port For Converting Vinyl and Cassette to MP3 via Your PC
- One Key Cassette Player Deck

- Two Built-In Stereo Speakers
- Stereo RCA Output
- Power On/Off With Rotary Volume Control
- 3.5mm Aux-In Jack
- Rechargeable Battery
- USB Cable and Free Audacity Software Included For Vinyl-to-MP3
- Dimensions: 12.72 x 11.97 x 6.30



PTCDS1U Classical Turntable with AM/FM Radio CD/Cassette & USB Recording

- Phono/Radio/CD player/USB record/Cassette
- AM/FM Radio
- Front loading, single CD, drawer type
- CD/MP3/CD-R/CD-RW discs compatible
- USB record
- USB encoder that can easily record old vinyl or other Aux in audio onto Flash Drive Through USB Socket in MP3 Formats
- play Your Music (mp3 and wma)Pre-stored on ,USB Drive or MP3 Player Through USB Port

- 3 speed turntable 33-1/3, 45, 78 RPM
- Ceramic stereo cartridge
- Auto return
- Audio output power: 2.5W(max)
- 3.5mm Aux in jack
- Remote control for CD/USB
- 2 speaker
- AC Power
- Dimensions: 20.08"X13.39"X8.86"



PTCDS2UI Classical Turntable with AM/FM Radio/ CD/ Cassette/ USB Recording & iPod Player

- Phono/Radio/CD player/USB record/Cassette
- AM/FM Radio
- Front loading, single CD, drawer type
- CD/MP3/CD-R/CD-RW discs compatible
- USB record
- USB encoder that can easily record old vinyl or other Aux in audio onto Flash Drive Through USB Socket in MP3 Formats
- play Your Music (mp3 and wma)Pre-stored on ,USB Drive or MP3 Player Through USB Port

- 3 speed turntable 33-1/3, 45, 78 RPM
- Ceramic stereo cartridge
- Auto return
- Audio output power: 2.5W(max)
- iPod player
- Remote control for CD/USB
- 2 speaker
- AC Power
- Dimensions: 20.08"X13.39"X8.86"



PTCDCS3UIP **Classical Trumpet Horn Turntable/Phonograph with AM/FM Radio
CD/Cassette/USB Players & Direct to USB Recording**

- Belt Drive
- USB Record
- 110 Volt AC Power
- Acoustic Trumpet Horn
- Ceramic Stereo Cartridge
- AM/FM Radio with Stereo
- 45 RPM Adaptor Included
- Audio Output Power: 2 Speaker

- Front-Loading, Single CD Drawer
- Phono, Radio, CD & Cassette Players
- 3 Speed Turntable 33-1/3, 45, 78 RPM
- CD, MP3, CD-R/CD-RW Disc Compatible
- Wireless Remote control Playback Configuration
- Play Your Favorite MP3 Song from USB Flash Drives
- Dimensions: 15.55 X 11.81 X 31.49



PVNP4CD **Vintage Phonograph Horn Turntable With CD, Cassette,
AM/FM, Aux-In, USB-to-PC Recording**

- Handmade High Quality Wood Veneer Cabinet
- Speaker: Full Size Brass Horn
- 3 Speed Turntable: 33, 45, 78 RPM
- USB Jack For PC Connection - Record Your Vinyl to MP3
- Drawer CD Player
- Analog AM/FM Tuner

- Slot-in Cassette
- Front Panel 3.5mm Aux-In Jack
- 3.5mm Headphone Jack
- Stereo RCA Output
- USB Cable and Free Audacity Software Included For Vinyl-to-MP3
- Dimensions: 31.49 x 21.65 x 19.69



PTCDS7UIB **Retro Vintage Turntable System with Built-in Speakers - Plays AM/FM
Radio, CD, Cassette & MP3s - USB Card & SD Memory Slots, Vinyl-to-MP3
Encoding & Built-in Slide-Out iPod/MP3 Player Compartment (Black)**

- AM/FM Radio
- 45 RPM Adaptor Included
- Power Source: AC 110/220V
- Illuminated Front Dial Display
- LCD Display with Blue Backlight
- Front-Loading Single CD Drawer
- Compatible with CD-R/CD-RW Discs

- Wireless Remote Control Playback Configuration
- 3.5mm AUX Input Jack & 3.5mm Headphone Jack
- Cassette Playback with Single Key Slot-in Design
- Three speeds (33-1/3, 45, and 78 RPM) to Ensure You Enjoy All Your Favorite Vinyl Records
- Dimensions: 15.98 (W) x 13.62 (D) x 8.66 (H)



PLTTB8UI **Classical Vinyl Turntable Record Player With PC Encoding/
iPod Player/AUX Input & Dual Fold-Out Speaker System**

- Rugged suitcase with Dual fold-out speakers
- USB connection to enable recording with PC
- Can be saved with MP3/WAV and OGG VORBIS in the computer
- Auto return
- Auto Stop Phonograph

- Headphone output
- 110 Volt AC power
- 45 rpm adaptor included Software, USB cable & Aux in cable & AC adapter
- Dimensions: 20.62 x 13.14 x 7.24



PTTCSM60 **Turntable Boombox Multimedia System - Plays AM/FM Radio, CDs,
Cassettes, MP3s, - USB/SD Memory Ports & Vinyl-to-MP3 Encoding**

- 150 Watt Output
- RCA Line Outputs
- 3.5mm AUX Input Jack
- 45 RPM Adaptor Included
- Analogue Tuning Radio (FM)
- Bookshelf Speakers Included
- Direct USB/SD Turntable Encoding
- Compatible with CD-R/CD-RW Discs

- Wireless Remote Control Playback Configuration
- 3.5mm AUX Input Jack & 3.5mm Headphone Jack
- Front-Loading, Single CD Drawer and Dual Cassette Decks
- Three Speeds (33-1/3, 45, and 78 RPM) Record Playing Speeds
- Dimensions (Main Unit): 12.49 x 11.39 x 10.53
- Dimensions (Speaker): 5.73 x 6.28 x 8.84





PTCDS7UIW

Retro Vintage Turntable System with Built-in Speakers - Plays AM/FM Radio, CD, Cassette & MP3s - USB Card & SD Memory Slots, Vinyl-to-MP3 Encoding & Built-in Slide-Out iPod/MP3 Player Compartment (Wood Finish)

- AM/FM Radio
- 45 RPM Adaptor Included
- Power Source: AC 110/220V
- Front-Loading Single CD Drawer
- Illuminated Front Dial Display
- LCD Display with Blue Backlight
- Compatible with CD-R/CD-RW Discs

- Wireless Remote Control Playback Configuration
- 3.5mm AUX Input Jack & 3.5mm Headphone Jack
- Cassette Playback with Single Key Slot-in Design
- Three speeds (33-1/3, 45, and 78 RPM) to Ensure You Enjoy All Your Favorite Vinyl Records
- Dimensions: 15.98 (W) x 13.62 (D) x 8.66 (H)



PTCDS5U

Vintage Turntable With CD/Cassette/Radio/Aux-In/USB/SD/MP3 and Vinyl-to-MP3 Encoding

- Two Speed (33/45 RPM) Turntable
- Plays CDs and MP3s from USB/SD
- AM/FM Radio (FM 88 - 108 Mhz, AM 540 - 1600 kHz)
- Cassette Playback With Single Key Design
- USB/SD Card Slots - Play MP3s or Encode Vinyl to MP3
- Converts Vinyl, Cassette Direct to USB/SD Card
- 3.5mm Auxillary Input Jack

- Extra Bass Control System
- Dial Scale With Illumination
- Rotary Volume Control
- Remote Control for CD with 12 Buttons
- 3.5mm Headphone Jack
- LCD Display With Blue Backlight
- Power Source: AC 110 / 220 V
- Dimensions: 15.98 (W) x 13.62 (D) x 8.66 (H)



PVNTT6UMR

Vintage Style Phonograph/Turntable With USB-To-PC Connection (Mahogany)

- 3 Speeds (33, 45, 72 RPM)
- Music Can Be Transferred to PC or Mac via USB Connection
- Files Can Be Saved In MP3, WAV, OGG, WMA, etc. Formats
- Handcrafted Wooden Cabinet
- High Quality Sounds

- Auto Stop Phonograph
- Ceramic Cartridge
- Belt Drive
- AC Power: 120 V 60 Hz
- RCA Line-Out for Audio Amplifier
- RCA Line-In for Auxillary Input
- Color: Mahogany



PVNTT6UMT

Vintage Style Phonograph/Turntable With USB-To-PC Connection (Dark Maple)

- 3 Speeds (33, 45, 72 RPM)
- Music Can Be Transferred to PC or Mac via USB Connection
- Files Can Be Saved In MP3, WAV, OGG, WMA, etc. Formats
- Handcrafted Wooden Cabinet
- High Quality Sounds

- Auto Stop Phonograph
- Ceramic Cartridge
- Belt Drive
- AC Power: 120 V 60 Hz
- RCA Line-Out for Audio Amplifier
- RCA Line-In for Auxillary Input
- Color: Dark Maple



PVNTTR22

Retro Belt-Drive Turntable With Three Speeds and AM/FM Radio

- 3 Speed Turntable: 33, 45, 78 RPM
- Ceramic Stereo Cartridge
- 45 RPM Adapter
- Two Built-in Stereo Speakers
- AM/FM Radio

- 3.5mm Aux-In Jack
- Stereo RCA Output
- AC Power Supply
- Dimensions: 12.60 x 10.63 x 4.72



PVTT2U

Retro Belt-Drive Turntable With USB-to-PC Connection, Rechargeable Battery

- 3 Speed Turntable: 33, 45, 78 RPM
- Ceramic Stereo Cartridge
- 45 RPM Adapter
- Two Built-in Stereo Anti-Magnetic Speakers
- USB Port For Connection to PC - Convert Vinyl to MP3
- Stereo RCA Output
- Rechargeable Battery
- Free Audacity Software Included For Vinyl-to-MP3
- Dimensions: 10.63 x 13.78 x 4.33



PVTT2UBK



PVTT2UGR



PVTT2UOR



PVTT2UWD

PVNT7U

Retro Style Turntable With USB-to-PC

- Wooden Cabinet with Plastic Dust Cover
- Three Speeds: 33, 45, 78 RPM
- 45 RPM Adapter
- Automatic and Manual Stop
- Two Built-in Full Range Speakers

- Ceramic Stereo Cartridge
- Stereo RCA Output
- Free Audacity and USB Cable Included For Vinyl-to-MP3 Conversion
- Dimensions: 12.60 x 11.02 x 3.54



PMKSPAD2

Universal Tablet PC/Android/Kindle/iPad Floor Stand For Music, Reading, Bedside Use, Fitness Use

- Fits Any Tablet From 8.0 To 10.1 Inches In Size
- Use With Reading Apps, Music Apps, Internet Browsing, Watching Video
- Height Adjustability: 3.6 - 4.9 Feet
- 360° Rotatable Flexible Metal Hose
- 300° Rotatable Tablet Gripper

- High Brightness LED Lamp With Dimmer
- Also Holds Your iPhone/Android Phone
- USB Port To Charge Your Phone with Your USB Charger
- DC 5 Volt





PMKSPAD35

Universal Tablet iPad, Kindle, Android, eReader, Samsung Galaxy Nexus Floor Stand Holder with Adjustable/Bendable Swivel Gooseneck and Sturdy Base

- Metal Construction with Sturdy, Stable Tempered Glass Base for Maximum Stability
- Securely Holds Any Tablet From 8.0 to 10.1 Inches
- Position Your Device Exactly Where You Want
- Adjustable, Bendable, Flexible Gooseneck Arm
- Quickly Mount and Un-Mount Your Device
- 300° Rotating Tablet Holder with Rubber Grips

- Also Includes iPhone/Smartphone, MP3 Player Holder
- Allows for Horizontal / Vertical Tablet Positioning
- Used for Reading, Books, Music, Instrument Apps, Note Taking, Presentations, etc.
- Perfect for the Home or Office
- Height Adjustable: 3.28 - 4.53 Feet
- Base Dimensions: 1.15 x 1.15 Feet - 4.53 Feet Tall



NEW

PSPAD15

Gooseneck Seat Desk Bolt Clamp Mount Bracket Tablet Holder For All iPads, Kindle, Androids, eReaders, Nexus, Samsung Galaxy Table/Surface Clamp, Swivel/Adjustable Gooseneck Arm, LED Lights, & USB Charge Port

- Stand Securely Holds Your Device in Place
- Position and Adjust Device to Your Desired Location
- Adjustable and Swivel Gooseneck Arm Allows for Flexibility
- Fits Any Tablet From 8.0 to 10.1
- Quickly and Easily Mount and un-Mount Your Device
- 300° Rotatable Tablet Holder with Rubber Grips
- Vice Grip Clamps Attaches to Tables, Desks, Night

- Stands, Headboards, End Tables, etc.
- Bright LED Lamps with Dimmer Adjustment Knob
- USB Port To Charge Your Device (DC 5V)
- Used for Reading, Instrument Apps, Note Taking, Presentations, etc.
- Allows for Vertical / Horizontal Tablet Positioning
- Perfect for the Home or Office
- Gooseneck Arm Extends up to 30.7



NEW

PSPAD05

Universal Tablet Holder / Wall Mount with Retractable, Adjustable, Extendable and Rotating Holder Arm with Panel & Arm Tilt

- Works with virtually any tablet
- Safely and Securely Position Your Device Where You Want
- (Compatible with iPad 2nd, 3rd, & 4th Generations, Galaxy, Kindle, Samsung, Androids, etc.)
- Fits Tablets from 8.9" - 10.4"
- Di-Cast Joint Connecting Aluminum Arms
- Does Not Interfere with Tablet Operation or Button Controls
- Soft Silicone Feet Hold Your Device without Causing

- Damage
- Easily Mount and Un-Mount Your Device Quickly and Easily
- 360° Rotation Allows for Portrait and Landscape Viewing
- Rugged, Durable and Secure Construction
- Includes Hardware Mounting Screws
- Panel Tilt: $\pm 125^\circ$
- Arm Tilt: $\pm 100^\circ$
- Perfect for the Home or Office



NEW

PSPAD08

Universal iPad and Tablet Stand / Holder with Adjustable, Flexible, Bendable Gooseneck and Vice Grip Clamp for Attachment

- Works with virtually any tablet
- Fits Tablets from 8.9" - 10.4"
- Safely and Securely Position Your Device Where You Want
- (Compatible with iPad 2nd, 3rd, & 4th Generations, Galaxy, Kindle, etc.)
- Stable Locking Clamp Base Attaches to Tables, Nightstands, Countertops, etc.

- Flexible Swivel Gooseneck Arm
- Easily Mount and Un-Mount Your Device Quickly and Easily
- 360° Rotation Allows for Portrait and Landscape Viewing
- Rugged, Durable and Secure Construction
- Perfect for the Home or Office



NEW

**Tamper-Proof Anti-Theft iPad Kiosk Safe Security
Desk Table Stand, Holder, Public Display Case
with Cable Management for iPads 2/3/4**

- Anti-Theft Countertop Kiosk For iPad 2nd, 3rd, & 4th Generations
- Secure Tamper-Proof iPad Security
- Home Button Accessible
- Tilt Adjustable Case
- Landscape or Portrait iPad Mounting
- Internal Cable Routing and Cable Management
- Foam Padding Inside to Prevent Damage and Scratches
- Includes Anchors & Screws to Properly Secure Base
- Rugged, Durable, Heavy-Duty Construction
- Perfect for Public or Office Installations

NEW
PSPADLK12



PSPADLK45



PSPADLK55



PTPAD10

**Portable Tablet Stand / Holder Adjustable & Hand Grip Reclining For
iPad, Kindle, Android, eReader Samsung Galaxy, Google Nexus etc.**

- Quickly and Easily Mount and Un-Mount Your Device
- Safely and Securely Holds Your Device on Tables/ Desks
- Provides Safe, Sturdy, Stable, & Comfortable Use
- Angle Adjustable and Reclining for Viewing & Typing: 110° Recline
- Use it for Reading, Books, Music, Instrument Apps, Note Taking, Presentations, etc.

- Ergonomically Designed, Rotatable Anti-Slip Handle
- Works For Both Landscape & Portrait Viewing
- Present Content Comfortably and On The Go
- Fits Any Tablet or Smartphone From 4.17 to 7.87 In Width
- Fits iPhone, iPad, Galaxy, Nook, etc.
- Perfect for the Home or Office
- Dimensions: 4.72 x 6.3



NEW

PMKSPAD6LK

**Tempered Glass Base Rotating Anti-Theft Key Lock Tablet
iPad, Kindle, Android, eReader, Samsung Galaxy Nexus Floor
Stand Holder with Adjustable/Bendable Swivel Gooseneck**

- Telescoping Floor Stand Holds Your Tablet and Your Mobile Phone or Mp3 Player Securely Handsfree
- Fits iPad, Kindle, Android, Nexus & Samsung Tablets, from 8.0 to 10.1 inches in size
- Also Holds Your Mobile Phone or Mp3 Player Directly Under Your Tablet to Easily Send Data Between the Two
- Unique Design Has Built in USB Charging and Interface Cable for your Tablet
- Easily Adjustable Viewing Angle with 360 Degree Rotatable Flexible Metal Hose

- 300 Degree Rotatable Tablet Holder Rotates Freely Between Portrait and Landscape Orientation
- Telescoping Column for Height Adjustment, from 43.5 to 58.5 inches
- Innovative Anti-Theft Lock Design with Key
- Tempered Glass Base for Stability and Durability
- Dimensions: 4.53 Feet Tall - Base: 1.15" x 1.15" x 0.05"
- USB Input power: 5V / 600mA ~ 2000mA
- Weight: 7.5 lbs.
- Color: Black



NEW

PMKSPAD4LK

**Universal Tri-pod 360 Degrees Bendable Swivel Gooseneck Anti-Theft Key Lock
Telescoping Floor iPad, Kindle, Android, Nexus & Samsung Tablet Stand**

- Telescoping Floor Stand Holds Your Computer Tablet and Your Cell Phone or Mp3 Player Securely Hands-free
- Fits iPad, Kindle, Android, Nexus & Samsung Tablets, from 8.0 to 10.1 inches in size
- Also Holds Your Mobile Phone or Mp3 Player Directly Under Your Tablet to Easily Send Data Between the Two
- Unique Design Has Built in USB Charging and Interface Cable for your Tablet

- Easily Adjustable Viewing Angle with 360 Degree Rotatable Flexible Metal Hose
- 300 Degree Rotatable Tablet Holder Rotates Freely Between Portrait and Landscape Orientation
- Telescoping Column for Height Adjustment, from 43.5 to 58.5 inches
- Innovative Anti-Theft Lock Design with Key
- Tri-Pod Base for Stability
- USB Input power: 5V / 600mA ~ 2000mA
- Color: Black



NEW



PRT15 Classical Themed Home Phone System with Audio Input Jack

- Tone/Pulse Switch
- Last Number Redial & Flash Function
- Classic Design with Modern Technology
- Ringer High/Low Ringer Volume Selection
- Transfer Between Landline And Mobile Phones
- Eliminate up to 99% of Wireless Device Radiation
- Compatible with Mobile/Smartphones with 3.5mm Jacks
- Handcrafted Real Wood Base With Brushed Copper Accents
- One Button Pick-Up/Hang-Up Landline And Mobile Phone, Directly From Dial Pad



PRT25i Classical Themed Home Phone System with Audio Input Jack

- Tone/Pulse Switch
- Last Number Redial & Flash Function
- Classic Design with Modern Technology
- Ringer High/Low Ringer Volume Selection
- Transfer Between Landline And Mobile Phones
- Eliminate up to 99% of Wireless Device Radiation
- Compatible with Mobile/Smartphones with 3.5mm Jacks
- Handcrafted Real Wood Base With Brushed Copper Accents
- One Button Pick-Up/Hang-Up Landline And Mobile Phone, Directly From Dial Pad



PRT35i Classical Themed Home Phone System with Audio Input Jack and 30-Pin Apple Dock

- Tone/Pulse Switch
- Built-in iPhone Dock
- Last Number Redial & Flash Function
- Classic Design with Modern Technology
- Ringer High/Low Ringer Volume Selection
- Transfer Between Landline And Mobile Phones
- Eliminate up to 99% of Wireless Device Radiation
- Compatible with Mobile/Smartphones with 3.5mm Jacks
- Handcrafted Real Wood Base With Brushed Copper Accents
- One Button Pick-Up/Hang-Up Landline And Mobile Phone, Directly From Dial Pad



PRT55i Classical Themed Home Phone System with Audio Input Jack

- Tone/Pulse Switch
- Last Number Redial & Flash Function
- Classic Design with Modern Technology
- Ringer High/Low Ringer Volume Selection
- Transfer Between Landline And Mobile Phones
- Eliminate up to 99% of Wireless Device Radiation
- Compatible with Mobile/Smartphones with 3.5mm Jacks
- Handcrafted Real Wood Base With Brushed Copper Accents
- One Button Pick-Up/Hang-Up Landline And Mobile Phone, Directly From Dial Pad



PRT45

Retro Themed Country-Style Wall Mount Telephone

- Tone/Pulse Switch
- Touch-Tone Buttons
- Last Number Redial Function
- Classic Design with Modern Technology
- Ringer High/Low Ringer Volume Selection
- Functional Crank Handle And Box, As Introduced In The 1920s
- Handcrafted Wood and Veneer Construction With Brushed Bronze-Plated Hardware
- Country Wall Phone with Classic Design: Authentic Reproduction of Early American Heritage Telephones





Android Touch Screen Digital 3D Graphics Wi-Fi Tablet



- Processor Chips with 3D Graphic Acceleration
- Multi-Touch Capacitive Screen with 4-Direction Gravity Sensing
- High-Speed Wireless Network: 802.11 b/g/n
- Micro SD Port (Supports up to 32GB)
- Integrated Flash Player
- Built-in Storage Capacity
- Built-in DDR3 RAM

- Compatible with the Latest Android Apps - Download & Install
- Select Models Have Up to 8-Hour Battery Life
- Headphone Jack & Side-Button Volume Control
- Enjoy your favorite music, videos and pictures
- File Compatibility: MP3, MP4, WMA, WAV, AVI, WMV, MOV, JPG, JPEG and much more

For more detailed specifications, product-specific information and models visit www.PyleAudio.com


| Model | Size | Processor | Operating System | Storage Capacity | Bluetooth |
|------------------------------------|-------|------------|------------------|------------------|-----------|
| PTBL72BC | 7" | 1.2GHz A13 | Android 4.0 | 4 GB | Yes |
| PTBL72BCEU (European Model) | 7" | 1.2GHz A13 | Android 4.0 | 4 GB | Yes |
| PTBL7C | 7" | 1.2GHz A13 | Android 4.0 | 4 GB | |
| PTBL7CEU (European Model) | 7" | 1.2GHz A13 | Android 4.0 | 4 GB | |
| PTBL92BC | 9" | 1.2GHz A13 | Android 4.0 | 8 GB | Yes |
| PTBL92BCEU (European Model) | 9" | 1.2GHz A13 | Android 4.0 | 8 GB | Yes |
| PTBL9C | 9" | 1.2GHz A8 | Android 4.0 | 8 GB | |
| PTBL9CEU (European Model) | 9" | 1.2GHz A8 | Android 4.0 | 8 GB | |
| PTBL9CUK (UK Model) | 9" | 1.2GHz A8 | Android 4.0 | 8 GB | |
| PTBL10C | 10.1" | 1.2GHz A9 | Android 4.1 | 8 GB | |
| PTBL10CEU (European Model) | 10.1" | 1.2GHz A9 | Android 4.1 | 8 GB | |

*European (EU) and UK Astro models include compatible power adapters respectively.



ASTRO

PBC Power Banks



For more detailed specifications, product-specific information and models visit www.PyleAudio.com

| | Model | Battery Power (mAh) | Universal Adapters Included |
|---|-----------------|---------------------|-----------------------------|
| A | <i>PBC10000</i> | 10,000 | Yes |
| B | <i>PBC5200</i> | 5,200 | Yes |
| C | <i>PBC6600</i> | 6,600 | |
| D | <i>PBC5300</i> | 5,200 | |
| E | <i>PBC5100</i> | 5,200 | |
| F | <i>PBC5000</i> | 5,000 | Yes |
| G | <i>PBC3000</i> | 3,000 | Yes |



PHA15

3.5mm / 1/8 150 Watt Mono Audio Amplifier

- 3.5mm / 1/8" Male Audio Input
- 1 Channel Speaker Audio Output
- 15W x 1 RMS Audio Output 150W x 1 Peak Audio Output

- 4 Ohm Stable
- Designed for use with all audio players with 3.5mm /1/8 audio outputs mp3, Ipod, etc.



PHA25

3.5mm / 1/8 2 Channel 300 Watt Stereo Audio Amplifier

- 3.5mm / 1/8" Male Audio Input
- 2 Channel Speaker Audio Output
- 15W x 2 RMS Audio Output /150W x 2 Peak Audio Output

- 4 Ohm Stable
- Designed for use with all audio players with 3.5mm /1/8 audio outputs mp3, Ipod, etc.



PHE1AB

iPod/iPhone Headphone Amplifier

- Designed for iPod/iPhone,
- Improves the sound quality with the line out from the dock
- Build in high quality Texas Instruments headphone amplifier Intergrated Circuit
- High power output to drive high impedance or low sensitivity headphones or earphones
- Easy control of the playback of the iPod/iPhone while the player stays securely in your pocket
- Compatible with iPod Nano, iPod Video, iPod Touch, iPhone, all generations & all versions
- Easy & simple to use, plug and play
- Powered by the iPod/iPhone (no charging or battery needed)

- With a built-in clip, you can clip it onto anything
- Output Power: 100mW (16 ohms Loaded), 12mW (300 ohms Loaded)
- Signal to Noise Ratio: =98dB (A weight)
- Distortion:<0.009% (10mW)
- Frequency Response: 10Hz ~ 80KHz
- Suitable Headphone Impedance: 16 ohms ~ 300 ohms
- Power Supply: Use iPod/iPhone power 3.3V
- Line control dimesions: 48mmx14mmx10.7mm
- AMP dock: 33.8mmx30.8mmx7.8mm
- Length: 800mm(Line Exposed)
- Weight: 20g



PHE1AW

iPod/iPhone Headphone Amplifier (White Color)

- Designed for iPod/iPhone,
- Improves the sound quality with the line out from the dock
- Build in high quality Texas Instruments headphone amplifier Intergrated Circuit
- High power output to drive high impedance or low sensitivity headphones or earphones
- Easy control of the playback of the iPod/iPhone while the player stays securely in your pocket
- Compatible with iPod Nano, iPod Video, iPod Touch, iPhone, all generations & all versions
- Easy & simple to use, plug and play
- Powered by the iPod/iPhone (no charging or battery needed)

- With a built-in clip, you can clip it onto anything
- Output Power: 100mW (16 ohms Loaded), 12mW (300 ohms Loaded)
- Signal to Noise Ratio: =98dB (A weight)
- Distortion:<0.009% (10mW)
- Frequency Response: 10Hz ~ 80KHz
- Suitable Headphone Impedance: 16 ohms ~ 300 ohms
- Power Supply: Use iPod/iPhone power 3.3V
- Line control dimesions: 48mmx14mmx10.7mm
- AMP dock: 33.8mmx30.8mmx7.8mm
- Length: 800mm(Line Exposed)
- Weight: 20g



PHE5AB

Bass Boosting Portable Headphone Amplifier (Black Color)

- Designed for High Impedance and Low Sensitivity Headphones
- Easy to Carry and Use In The Outdoors
- Increases Your Headphones Bass & Sound
- New Amplifier IC with Higher S/N and Lower Distortion
- Portable Headphone Amp for iPod, MP3 Player,

- Laptop or Mobile Phone
- Boost Volume and Reduce Battery Drain of Portable Players
- Built-In Rechargeable Battery (Charged Via USB)
- Robust Metal Casing For Everyday Use
- Ultra Low Signal to Noise and Distortion Specification





PHE5AS

Bass Boosting Portable Headphone Amplifier (Silver Color)

- Designed for High Impedance and Low Sensitivity Headphones
- Easy to Carry and Use In The Outdoors
- Increases Your Headphones Bass & Sound
- New Amplifier IC with Higher S/N and Lower Distortion
- Portable Headphone Amp for iPod, MP3 Player,

- Laptop or Mobile Phone
- Boost Volume and Reduce Battery Drain of Portable Players
- Built-In Rechargeable Battery (Charged Via USB)
- Robust Metal Casing For Everyday Use
- Ultra Low Signal to Noise and Distortion Specification



PHE7AB

USB DAC and Portable Headphone Amplifier Black

- USB audio decoding and output for PC, functioning as a high quality external USB soundcard
- Texas Instruments PCM2706 serves as USB receiver. For better sound quality, a Wolfson WM8740 serves as digital-to-analog convertor (DAC), pairing with a high performance operational amplifier from ADI for the DAC circuit
- Built-in headphone amplifier utilizing AD8692 and Texas Instruments TPA6130A as pre- and power-amp for high performance, good resolution, low distortion, and powerful output
- Standard 3.5mm stereo line-in jack for portable amplification with conventional audio source
- Dual 3.5mm headphone output jack. Convenient design makes it easy to share music between two listeners
- Easy to use digital volume control function with great precision and channel balance
- Built-in EQ for 3 levels of Bass Boost
- Built-in rechargeable 1050 mAh Li-ion battery for 80 hours of continuous operation
- Quality anodized aluminum satin finish case design,

- small and compact, ideal to be wrapped together with digital audio player
- User selectable USB charging function to help prolong battery lifespan and lower distortion from power supply circuit
- User definable startup volume memory and maximum volume limiter to protect user from hearing damage due to loud volume
- Automatic keylock feature
- User definable sleep timer function and total runtime display
- Output Power: 150mW (16Ω) 16mW (300Ω)
- Headphone Impedance Range: 16 Ω ~ 300 Ω
- SNR: =95dB (A weight) on line-in, =100dB (A weight) on USB-in
- Distortion: <0.009% (10mW) on line-in, <0.008% (10mW) on USB-in
- Frequency Range: 10Hz ~ 1000KHz
- Power Supply: Rechargeable Li-ion battery
- Recharging: USB 5V DC 400mA
- Size: 96mmx55mmx15.5mm
- Weight: 100g



PHPMC2

Stereo PC Multimedia Headset/Microphone

- Speech Recognition Headset And Boom Microphone
- Direct Noise Canceling Microphone Technology
- Adjustable Headband; Adjustable Boom Arm
- Full-Range Stereo Sound
- Convenient In-Line Volume Control
- Frequency Response: 20-22,000Hz / Impedance

- Headset: 32ohms
- Impedance Microphone: 1.5k Ohms, Sensitivity
- Microphone: -58db±2db
- 3.5mm Plug
- Cable Length: 6ft



PHPMCU10

Multimedia/Gaming USB Headset With Noise-Canceling Microphone

- Gives Unique 3-D, 360 Sound Experience
- Eliminates the Need for A Sound Card
- Windows/Mac Compatible
- With In-Line Mute/Volume Control
- Adjustable Headband for Perfect Fit
- Adjustable, Bendable and Pivotable Microphone
- In-Line Volume Control

- Plug Type: USB 2.0
- Cable Length: 6ft
- Speaker Driver Diameter: ~40mm
- Sensitivity (S.P.L): 105db±3db/Mw / Impedance: 32 Ohms ± 15%/
- Frequency Response: 20Hz~20,000Hz



PHPNC15

Folding Noise-Canceling Headphones

- Noise Canceling Feature Reduces Background Noise In Any Environment
- Ideal for Airplane, Train And Bus Use
- Closed-Style, Dynamic Headphone with 40mm Driver
- Foldable Headband Allows Phones to Fold Down To A Small Size For Convenient Storage
- Active Noise Canceling Headphones Reduce Outside

- Ambient Noise By 83.4%
- Noise Cancellation Can Be Switched On/Of
- Frequency Response: 20~20K Hz, Impedance: 32 Ohms, Sensitivity: 110db \pm 2db/Mw
- Cable Length: 1.5m
- Plug: 3.5mm Stereo + Dual Mono Adaptor
- Power Source: 2 X AAA Batteries



PHPNC45

High-Fidelity Noise-Canceling Headphones With Carrying Case

- Reduces Ambient Noise By 95%
- Ergonomically Designed For Maximum Comfortable Listening Experience
- Up To 20dB Of Noise Cancellation; Effectively Reduces Aircraft Or Subway Engine Noise
- Larger 40mm Driver With Clear Sound And Well Defined Bass
- Frequency Response: 30 - 20000 Hz
- Speaker Type: 40mm Mylar

- Cone Impedance: 32ohm
- Noise Reduced Over Frequencies 70 - 1200 Hz
- 2 X AAA Batteries Required
- Cable Length: Detachable 1.0m
- Connects With 3.5mm Stereo Jack
- Included Accessories: Detachable Audio Cable, 1/4-Inch Stereo-Plug Adapter, Dual-Plug Adapter (For Airplane), Hard Carry Case



PHPNC65

Comfort Zone Sound High-Fidelity Noise-Canceling Headphones with Carrying Case

- Reduces Ambient Noise By 97%
- Up to 20dB of Noise Cancellation
- Convenient Foldable Swivel Design
- Ergonomic Design for Maximum Comfort
- Effectively Reduces Aircraft Or Subway Engine Noise
- Larger 40mm Driver With Clear Sound and Well Defined Bass
- Noise Reduced Over Frequencies 70 - 1200 Hz
- Headphone Driver Unit: Open Air
- Frequency Response: 30 - 20000 Hz
- Speaker Type: 40mm Mylar
- Cone Impedance: 32Ohm

- 2 X AAA Batteries Required
- Cable Length: Detachable 1.0m
- 1/8 Stereo Mini Plug Compatibility
- Connects With 3.5mm Stereo Jack
- Sensitivity: (db): 102/mw
- 30mm Dynamic Closed Type
- 30HZ-20,000HZ
- 33 Ohms@1K
- Accessories Included: Detachable Audio Cable, 1/4-Inch Stereo-Plug Adapter, Dual-Plug Adapter (for airplane use) and Hard Carry Case



PHPNC85

Comfort Zone Sound High-Fidelity Noise-Canceling Headphones with Carrying Case

- Reduces Ambient Noise By 97%
- Up to 20dB of Noise Cancellation
- Convenient Foldable Swivel Design
- Ergonomic Design for Maximum Comfort
- Effectively Reduces Aircraft Or Subway Engine Noise
- Larger 40mm Driver With Clear Sound and Well Defined Bass
- Noise Reduced Over Frequencies 70 - 1200 Hz
- Headphone Driver Unit: Open Air
- Frequency Response: 30 - 20000 Hz
- Speaker Type: 40mm Mylar
- Cone Impedance: 32Ohm

- 2 X AAA Batteries Required
- Cable Length: Detachable 1.0m
- 1/8 Stereo Mini Plug Compatibility
- Connects With 3.5mm Stereo Jack
- Sensitivity: (db): 102/mw
- 30mm Dynamic Closed Type
- 30HZ-20,000HZ
- 33 Ohms@1K
- Accessories Included: Detachable Audio Cable, 1/4-Inch Stereo-Plug Adapter, Dual-Plug Adapter (for airplane use) and Hard Carry Case





PPCM20

Wireless Headset/Headphones With Base Station and USB Transmitter for PC/Mac For Video/Voice Chat

- Advanced Wireless And Digital Technologies Provides Stereo Hi-Fidelity Without Wires
- PC With USB Audio Streaming Capability Through USB Port
- Microphone Function Via USB
- Devices With Audio Out Connectors Like TV, iPod, MP3, MP4, CD Player, Etc. Can Also Be Connected
- When Fully Charged, The Built-In Rechargeable Battery Can Support About 8 Hours Operation Time
- Mini USB Transmitter
- Active Noise Reduction Function
- Rechargeable Batteries Built-In To Headset

- USB To MINI-USB 5PIN Charging Cable
- Frequency Carrier: 2.4ghz
- Reception Range: 10m 360°
- Transmit Power: 4dbm
- Frequency Range: 2.4G ~ 2.48ghz
- Frequency Response: 20- 20000Hz
- S/N Ratio: >80db
- Distortion:<0.1%
- Working Power: 3.5-4.2V
- Speaker Size: 30mm
- Headset Size: 2.16 x 5.12 x 5.71
- Headset Weight: 8 Oz.



PHBT35

Stereo Bluetooth Streaming Wireless Headphones with Built-in Microphone - Works with All Bluetooth-Enabled Phones & Devices

- Built-in Bluetooth technology you can stream audio directly from your Bluetooth enabled device with
- Crystal clear wireless performance - Works with iPhone, Blackberry, Droid, iPads, Tablets and more
- Take Calls with Built-in Microphone
- Talk Time: Up to 7 hours
- Standby time: Up to 180 hours
- Frequency: 2400.0 - 2483.5MHZ
- Music Playing Time: Up to 6 hours
- Noise-Canceling Stereo Sound Drivers
- Built-in Version 3.0 Bluetooth technology

- Listen to your favorite music from Bluetooth-enabled devices
- Unlock more possibilities - Can be paired with 2 mobile phones
- Bluetooth Profiles Supported: Headset, Hands-Free, A2DP & AVRCP
- Average Charging Time: Up to 6 hours
- Dimensions (unfolded): 7.6" (L) — 6.5" (W) — 2.7" (H)
- Dimensions (folded): 7.6" (L) — 6.5" (W) — 1.5" (H)



PHPW2

FM Hi-fi Wireless Headphones with Extreme Bass

- Wireless Reception from TV
- Wired Reception to Mp3 Player
- FM Radio and Wired Reception from PC, CD, DVD Players
- Reception Frequency Range: 85MHz~108MHz
- Driver Size: 40mm
- Sensitivity (S.P.L): 105dB±3dB/MW (at 1 KHz)

- Impedance: 32 Ohms ± 15%
- Frequency Response: 20~20,000Hz
- Signal/Noise Ratio: >50dB
- Headphone: DC 3V (2x1.5V AAA batteries)
- Transmitter: DC 3V (2x1.5V AAA batteries)
- Maximum operation distance: 100FT, 360°



PHPW5

Professional 5 in 1 Wireless Headphone System

- Wireless Headphone Suitable for Listening to Any Device with an Audio Output
- Wireless Monitor for Monitoring Sound from Any Room (e.g., Monitoring Baby)
- High Powered Signal with Effective Long Range

- Built in Microphone for Web Chat
- Hi-Fi & Bass Effect for Superior Sound Performance
- Built in FM Radio
- Product Dimensions: 6.8 x 3.3 x 8.4
- Weight .63Lbs



PHPHA56

Infrared Wireless Listening Hearing Assistance System with Rechargeable Battery & Power Charging Dock Station

- Noise Reduction Circuitry To Reduce Background Noise
- Low Pass Filter To Reduce High Frequencies
- Limiter Circuitry To Eliminate Peaks In The Signal
- Powerful IR Transmitter
- Lithium-Ion Charge & Auto Switch-Off Function Receiver High S/N, Noise Reduction Function (=70dB)
- Balance Adjustment & Tone Adjustment
- Normal Hearing Aid Function
- Wired Headphone With Hearing Aid
- Built-In Lithium-Ion Battery
- Docking Station Recharges Transmitters



NEW

PHPHA66



PIH20

UHF Wireless Headphones with iPhone/iPod Dock Transmitter and Aux Input

- Universal iPod Dock Plays And Charges All Docking iPod Models
- Auxiliary Connection Lets You Listen To Non-Docking iPod Models, TV/CD/DVD/MP3 Or Any Audio Systems
- Several Headphones Can Be Used Simultaneously With One iPod Transmitter
- Working Distance Up To 150 Feet With Our Latest RF Wireless Technology
- Auto Mute And Auto Running Function Available For Headphones

- Double PLL System For Ultimate Frequency Stability
- Active Noise Reduction System For Crystal Clear Sound
- System: UHF/RF
- Carrier Frequency: 915mhz
- S/N Ratio: 75db (Minimum)
- Channel Separation: 35db (Minimum)
- Distortion: 1% (Maximum)
- Frequency Response: 30 - 20,000Hz
- Power Supply Of Transmitter: DC12V 150mA
- Power Supply Of Headphone: 2 AAA Batteries



iPhone Not Included

PIH30R

UHF Wireless Stereo Headphone with Wireless iPhone/iPod Dock Transmitter and RF Remote Control

- UHF Wireless Stereo Headphone With Wireless iPod Dock Transmitter And RF Remote Control
- Universal iPod Dock Plays And Charges All Docking iPod Models
- Auxiliary Connection Lets You Listen To Non-Docking iPod Models, TV/CD/DVD/MP3 Or Any Audio System
- Remote Offers Many Buttons For Easy Control And More From Across The Room.
- Remote Can Be Used Threw Walls
- Several Headphones Can Be Used Simultaneously With One iPod Transmitter
- Working Distance Up To 150 Feet With Our Latest RF Wireless Technology

- Auto Mute And Auto Running Function Available For Headphones
- Double PLL System For Ultimate Frequency Stability
- Active Noise Reduction System For Crystal Clear Sound
- System: UHF Carrier Frequency: 915mhz
- S/N Ratio: 75db (Minimum)
- Channel Separation: 35db (Minimum)
- Distortion: 1% (Maximum)
- Frequency Response: 30 - 20,000Hz
- Power Supply Of Transmitter: DC12V 150ma
- Power Supply Of Headphone: 2 AAA Batteries
- Power Supply Of Remote Control: Button Batter



iPhone Not Included

PVR200

Digital Voice Recorder with 4GB Built-in Memory, Headphone Jack, LCD Display & Built-in Speaker

- 4GB Built-in Flash Memory Up to 272 hours recording time
- Recording Mode Selectable (SP/LP)
- Records files in (.wav) format
- Voice-Activated-System Recording stops when sound stops
- Storage up to 99 Files
- Easy to Search / Scroll File folders & Hold Feature
- Display Multi-functional Full Function LCD

- Built-in Speaker, & Built-in Microphone
- Low battery indicator, & Batteries level indicator
- Headphone Jack (3.5mm / 1/8)
- Includes USB Data Transfer Cable
- Powered by 2 x AAA Batteries (not included)
- Battery Life: Record 13.5 Hours / Playback Headphone 9 Hours / Playback Speaker 3.5 Hours
- Unit size: 4.25H x 1.18W x 0.59D



NEW

PVR300

Rechargeable Digital Voice Recorder with USB & PC Interface, Built-in Rechargeable Battery, Micro SD Slot, 4GB Built-in Memory & Headphone Jack

- Micro SD card Slot (Supports up to 8Gb)
- 4GB Built-in Flash Memory Up to 580 hours recording time (LP)
- Recording Mode Selectable (SHQ/HQ/SP/LP)
- USB Interface USB Connector Slides Out for Data Transfer and Charging
- Wave Encoding/Playback Records files in Wave format.
- Voice-Activated-System - Recording stops when sound stops.
- 3 File folder Storage (A/B/C) Each folder can store up

- To 999 Files (2,997 Total)
- Easy to Search / Scroll File folders & Hold Feature
- Display Multi-functional Full Function LCD
- Built-in speaker, & Built-in microphone
- Low battery indicator, & Batteries level indicator
- Headphone Jack (3.5mm / 1/8)
- Mini USB 5 Pin PC Interface
- Built-in Rechargeable Battery (Polymer 3.7V 320mAh)
- Battery Life: Record 12 Hours / Playback Headphone 11 Hours / Playback Speaker 4 Hours
- Unit size: 3.62H x 1.18W x 0.51D

NEW





PT260A

200 Watts Digital AM/FM Stereo Receiver

- Stereo Amplifier
- Power Main: 50W x 2 @ 8 Ohm, 100W x 2 @ 4 Ohm
- Audio Inputs with A/B Speaker Outputs
- AM/FM Radio with Digital Display Screen
- Auto Scan, Memory, Radio Station PREVIOUS/NEXT control
- 50 Radio Station Pre-Set Memory
- Main Channel Volume, Balance, Treble, Bass & Gain

- Controls
- Microphone Volume, Bass, Treble & Echo Controls
- Two Microphone Input Jacks
- Three RCA Input Source
- 110V/220V Power Switch
- AM/FM Antenna and Remote Control Included
- Dimension: 17 x 11.5 x 4.7
- Weight: 14.3 LBS



PT380AU

200 Watt Digital Home Stereo Receiver System with USB Flash Reader

- Powers 4 loudspeakers
- USB reader function
- AM/FM radio with digital display screen
- Auto scan, radio station PRE/NEXT control
- Remote control included
- 50 radio station pre-set memory
- Volume/balance/treble/bass gain control for main

- channel
- Volume/bass/treble/echo control for microphone
- Two microphone input jacks
- Two RCA input source
- 110V/220V power switch
- AM/FM antenna included



PT390AU

300 Watt Digital Home Stereo Receiver System with USB/SD Memory Readers

- Powers 4 loudspeakers
- USB flash reader
- AM/FM radio with digital display screen
- Auto scan, radio station PRE/NEXT control
- Remote control included
- 50 radio station pre-set memory
- Volume/balance/treble/bass gain control for main

- channel
- Volume/bass/treble/echo control for microphone
- Two microphone input jacks
- Two RCA input source
- 110V/220V power switch
- AM/FM antenna included



PT560AU

300 Watts Digital AM/FM/USB Stereo Receiver

- Power main: 150W x 2 @ 8 ohm; 300W x 2 @ 4 ohm
- AM/FM Tuner W/Digital Display Screen
- AUTO SCAN, MEMORY, Radio Stations Pre/Next control
- Play/Pause/PRE/Next/Stop Control for USB Function
- Volume/Bass/Treble/Balance control for Main Channel
- Volume/Bass/Treble/Echo Control for Microphone
- Stereo Receiver Amplifier With four Speaker Output (A/B) binding post terminals
- Stereo Amplifier With A/B Speaker Output
- AM/FM Radio With Digital Display Screen

- 50 Radio Station Pre-Set Memory
- USB flash drive Reader function
- Control For Main Channel
- TWO RCA Input Source
- Three RCA Input Source
- Control For Microphone
- Two Microphone input Jack
- Remote Control Included
- 110V/220V Power Switch
- Dimension: 19 x 11.4 x 4.7
- Weight: 11.5 LBS



PT570AU

5.1 Channel 350 Watt Amplifier Receiver with Built-In AM/FM Radio, USB Flash & SD Card Readers

- VFD Display
- 2 Microphone Inputs
- Built-In AM/FM Radio
- 5.1 Channel Amplifier
- 12 Preset Radio Station
- Wireless Remote Control
- Built-In USB and SD Audio

- Total Power Output: 350 Watt
- Treble/Bass & Independent MIC Volume Controls
- Over Current, Short Circuit, & Over Voltage Protection
- Input Selectors: 3 Stereo RCA Selector, 1 AM/FM Radio, 1 USB port & 1 SD Memory Card Slot
- Output: 5 Channel Speaker Output Terminals for L, R, Center, SL, SR, And 1 Line Out for Subwoofer



PT530A

Two Channel 350 Watts Built-In AM/FM Radio Amplifier Receiver

- 2 Channel Amplifier
- Built-In AM/FM Radio
- 2 MIC Input, Treble and Bass of MIC Adjustable, Independent MIC Volume Control
- Over Current Protection, Short Circuit Protection And Over Voltage Protection
- 12 Preset Radio Station

- Full Remote Control
- VFD Display
- Power Output: 350W for L, R Channel (4 Ohms)
- Input Selector: 3 Stereo RCA Selector, 1 AM/FM Radio, 2 Microphone Input
- Output: 2 Channel Speaker Output Terminal for L, R
- Dimensions: 19.7 x 15.7 x 7.7



PT980AUH

7.1 channel 350 Watts Build-In AM/FM Radio /USB/SD card HDMI Amplifier Receiver

- 7.1 Channel Amplifier.
- 4 HDMI Input Port and 1 HDMI Output Port for HDMI Receiver and HDMI Switcher (With 3D Pass Through).
- One Key Switch Function Between HDMI Receiver and HDMI Switcher.
- Built-In AM/FM Radio.
- Built-In USB and SD Audio.
- 2 MIC Input, Treble and Bass of MIC Adjustable, Independent MIC Volume Control.
- Over Current Protection, Short Circuit Protection And Over Voltage Protection.

- 12 Preset Radio Station.
- Full Remote Control.
- VFD Display.
- Power Output: 300W for L,R Channel (4 Ohm) 50W for Center, Surround L and Surround R(4 Ohm), side Surround L and side Surround R(4 Ohm).
- Inout Selector: 4 in 1 out HDMI Selector, 3 Stereo RCA Selector, 1AM/FM Radio, 1 USB/SD, 2 Microphone Input.
- Output: 7 Channel Speaker Output Terminal for L, R, Center, SL, SR,RR,RL And 1 line Out for Subwoofer.



PT595AUBT

Bluetooth 5.1 Channel HDMI Digital Amplifier Receiver, 350 Watt, USB/SD Readers, AM/FM Radio

- 5.1 Channel Home Theater Amplifier
- Bluetooth for Wireless Audio Streaming (Compatible with Any Bluetooth Media, (iPhone, Android, Smartphone, iPad, Tablet, PC, etc.)
- (4) HDMI Inputs & (1)HDMI Output (compatible with Xbox , Platstation, Wii, DVD Bluray, Satellite TV Receiver, PC or Laptop)
- Total Output Power: 350 Watt (4 Ohm)
- SD Memory Card & USB Flash Drive Readers
- AM/FM Radio - 12 Station Preset Memory
- (2) Microphone Inputs
- VFD Digital Display Panel with Input Selector

- Headphone Jack
- Remote Control Included
- Output Terminals: front (L), front (R), Center, side (L), side (R), Subwoofer
- Mic Volume, Echo, Treble, Bass, Master Volume Controls
- Over Current, Voltage & Speaker Short Protection
- HDMI V 1.4 with 3D Pass Through Technology
- Bluetooth V2.1+EDR Module
- Power: AC 150V 60Hz/230V 50Hz
- Weight: 17.6 lbs.
- Dimensions (WxDxH): 16.9 x 12.9 x 5.1 inches



PT588AB

5.1 Channel Home Receiver with AM/FM, HDMI and Bluetooth

- 5.1 Channel Amplifier
- Bluetooth Compatible - Play Music From a Digital Music Player or Phone
- 4 HDMI Inputs, 1 HDMI Output
- 3D Passthru Compatible
- One Key Switch Function Between HDMI Receiver and HDMI Switcher
- Built-In AM/FM Radio with 12 Presets
- Built-In Bluetooth Receiver

- 2 Mic Inputs With Volume, Treble, Bass, Delay and Echo Controls - Perfect for Karaoke
- Over Current, Short Circuit, and Over Voltage Protection
- Wireless Remote Control Included
- VFD Display
- Dimensions (WxDxH): 16.9 x 13.0 x 4.92
- Color: Black



PT590AU

5.1 Channel 350 Watts Built-In AM/FM Radio/USB/SD Card HDMI Amplifier Receiver W/3D Pass-Thru

- 5.1 Channel Amplifier
- 4 HDMI Input Port and 1 HDMI Output Port for HDMI Receiver and HDMI Switcher (With 3D Pass Through)
- One Key Switch Function Between HDMI Receiver and HDMI Switcher
- Built-In AM/FM Radio
- Built-In USB and SD Audio
- 2 MIC Input, Treble and Bass of MIC Adjustable, Independent MIC Volume Control
- Over Current Protection, Short Circuit Protection And Over Voltage Protection
- 12 Preset Radio Station
- Full Remote Control

- VFD Display
- Total Power Output: 350 Watts
- 300 Watts L/R Channel (4ohm) 50W for Center, Surround L and Surround R(4Ohm)
- Inout Selector: 4 in 1 out HDMI Selector, 3 Stereo RCA Selector, 1AM/FM Radio, 1 USB/SD 2 Microphone Input
- 3D Pass Thru
- Output: 5 Channel Speaker Output Terminal for L,R,Center, SL, SR, And 1 line Out for Subwoofer
- Dimensions: 16.9 x 6 x 12.9
- Total Power Consumption: 300W
- 110v Power



PT270AIU

300 Watt Stereo Receiver with Built-In iPod Docking Station -AM-FM Tuner, USB Flash & SD Card Readers & Subwoofer Control

- Auto Station Seek
- A/B Speaker Output
- 110-220V Switchable
- USB/SD Card MP3 Player
- 50 Radio Station Memory
- Inputs: RCA (1 Audio Source)
- Total Power Output: 600 Watt
- AM/FM Quartz Synthesized Tuner
- Separate Subwoofer Gain Controls
- Digital Fluorescent Output Display Meter

- Microphone Volume, Tone & Echo Controls
- 2 Mono RCA Dedicated for Subwoofer Output
- Outputs: Banana Binding Post (to Speakers)
- iPod / MP3 Input with Included Connection Cable
- iPod Docking Station, Suitable for All iPod & iPhone Models
- (USB, SD Memory & iPod Not Included)
- 150 Watt x 2 @ 8 Ohms
- 175 Watt x 2 @ 4 Ohms



PT4601AIU

500 Watt Stereo Receiver AM-FM Tuner/USB/SD/ iPod Docking Station & Subwoofer Control

- iPod docking station, suitable for all iPod & iPhone (iPod not included)
- USB/SD Card MP3 Player
- A/B Speaker Output
- Separate gain control for subwoofer
- 50 Radio Station Memory
- Microphone Volume/Tone/Echo Control
- 500 watt peak power
- 200 watts x 2 @ 8 ohms RMS

- 100 watts x 2 @ 4 ohms RMS
- Inputs: RCA (2 audio sources)
- Outputs: Banana binding post (to speakers)
- 2 mono RCA dedicated for subwoofer output
- Digital fluorescent output display meter
- iPod / MP3 input with cable
- 110-220V Switchable
- AM/FM Quartz Synthesized Tuner
- Auto Station Seek



iPod Is Not Included



PD1000A 1000 Watt AM-FM Receiver w/ Built-in DVD/MP3/USB

- Powers 4 Loud Speakers
- Separate Gain Control for DVD/ Tuner/ USB/ MP3
- Multi Media Disc Formats Compatible (DVD/CD/VCD/ CD-R/CD-RW/MP4)
- Digital Colorful Fluorescent Display
- 50 Stations AM/FM Memory Presets, Auto Station Seek/Store
- AUX Input (iPod/MP3 w/ Cable)
- USB Reader Function (For Use w/ Portable USB Drives)
- A/B Audio Switch

- AM/FM Quartz Synthesized Radio Tuner
- Visual Power Level DB Display
- Subwoofer Line Audio Output
- RGB/RCA/S-Video Outputs
- 1000 Watts Peak Power
- 200 Watts x 2 @ 8 Ohms
- 360 Watts x 2 @ 4 Ohms
- 450 Watts x 2 @ 2 Ohms
- 110/220 Volt Switchable Power Source
- Unit Dimensions: 16.92W x 5.12H x 12D



PD3000A 3000 Watt AM-FM Receiver w/ Built-In DVD/MP3/USB

- Powers 4 Loud Speakers
- Separate Gain Control for DVD/ Tuner/ USB/ MP3
- Multi Media Disc Formats Compatible (DVD/CD/VCD/ CD-R/CD-RW/MP4)
- Digital Colorful Fluorescent Display
- 50 Stations AM/FM Memory Presets, Auto Station Seek/Store
- AUX Input (iPod/MP3 w/ Cable)
- USB Reader Function (For Use w/ Portable USB Drives)
- AM/FM Quartz Synthesized Radio Tuner

- Visual Power Level DB Display
- Subwoofer Line Audio Output
- A/B Audio Switch
- RGB/RCA/S-Video Outputs
- 3000 Watts Peak Power
- 300 Watts x 2 @ 8 Ohms
- 550 Watts x 2 @ 4 Ohms
- 800 Watts x 2 @ 2 Ohms
- 110/220 Volt Switchable Power Source
- Unit Dimensions: 16.92W x 5.12H x 12D



PT600A 300W Stereo Receiver / Amplifier

- 6 Inputs Tuner, Tape, CD, Aux, AV1, AV2
- Mic Input with Level Control
- Multifunction Remote Control
- Preset EQ Pop, Rock, Classic, Flat
- Bass Treble Controls
- Front Panel Headphone Jack
- Data Link Ports Interfaces with Compatible

- Components
- Binding Post Speaker Connections
- External EQ Send/Return Loop
- Frequency Response: 20 to 20 KHz
- Rack Mounting Hardware Included
- 110V/220V Switchable
- Dimensions: 16.5W x 5.5H x 9D



PT1100 1000 Watt Power Amplifier

- 1000 watts peak power
- 450 watts @ 2 ohms
- 360 watts @ 4 ohms
- 200 watts @ 8 ohms
- Inputs: RCA (4 audio sources)
- 1 RCA dedicated for record line output
- Two Microphones Input Jacks
- Master Volume Controls w/Blue LED

- Heavy Duty Fan Cooling
- A/B Speaker Selector
- Removable rack-mount brackets
- 3U Height w/ Remote
- 110-220V Switchable
- Dimensions: 19W x 5.1H x 12.1D
- Weight: 14.3 lbs (6.5 kg)



PT8000CH 19 Rack Mount 8000 Watt 8 Channel Stereo/Mono Amplifier

- 1000 Watts Peak x 8 Channel Output
- Five Color LED Display Graphic Volume Display
- 4 Channel Capable Bridgeable Amplifier
- Independent Channel Level Controls
- Each Channel can be set is a Left/Right/Mono of the Bus/AUX Input
- Adjoining Channels are Bridgeable


- Individual Channel protection circuitry.
- Pass Through Output Allows Linking(Daisy-Chaining) of Additional Amplifiers
- 5 Way Speaker Binding Posts (Banana Plug) Outputs
- 4U Rack Space
- Dimension: 19W x 19.3D x 7.1H
- Weight: 48.5 LBS



PAMP1000 160 Watt Home Stereo Power Amplifier

- Power On/Off Switch & LED Indicator
- Speaker A/B Channel Selectors & LED Indicators
- Balance Control
- Volume Control
- Auto On Switch
- Auto Input Switching
- 2 Stereo Line Inputs
- 1 Stereo Line Output

- Stereo/Bridged Mode Selector
- Speaker A/B Binding Post Terminals
- Bridgeable Output
- Replaceable Fuse
- Unswitched 200W Max AC Outlet
- 110/220 Voltage Selector
- Detachable Power AC Input
- Dimensions: 16.5W x 2.36H x 8.2D



PD450A

Professional PA Amplifier w/Built In DVD/CD/MP3/USB/70v Output

- With USB Port, DVD Player (Anti-Shock)
- Compatibility with DVD/CD/CD-R/CD-RW/MP3
- Output Regulation: Less than 2dB no Load to Full Load
- Speaker Output: 4 Ohm(20V) 8 Ohm(28.3V) 16 Ohm(40V) 70V Line Out: 1V±0.3V
- Frequency Response: 20Hz a 20Khz
- Harmonic Distortion: 1%

- S/N Ratio: < 75dB
- 2 Mic Input with Volume Control
- 1 AUX Input with Volume Control
- DVD/AUX Volume Control
- 400 Watts
- Indicator: LED Output Level Master
- AC Power Supply: 110-127/220-240 AC 50/60 Hz
- DC Power Supply: 12V or 24V Battery



PD750A

Professional PA Amplifier w/Built In DVD/CD/MP3/USB/70v output

- With USB Port, DVD Player (Anti-Shock)
- Compatibility with DVD/CD/CD-R/CD-RW/MP3
- Output Regulation: Less than 2dB no Load to Full Load
- Speaker Output: 4 Ohm(20V) 8 Ohm(28.3V) 16 Ohm(40V) 70V Line Out: 1V±0.3V
- Frequency Response: 20Hz a 20Khz
- Harmonic Distortion: 1%
- S/N Ratio: 75dB

- 2 Mic Input with Volume Control
- 1 AUX Input with Volume Control
- DVD/AUX Volume Control
- 700 Watts
- Tone Controls: ± 10dB at 100Hz Treble ±10dB at 10KHz
- Indicator: LED Output Level Master
- AC Power Supply: 110-127/220-240 AC 50/60 Hz
- DC Power Supply: 12V or 24V Battery



PT720A

1000 Watts AM/FM/ Tuner Hybrid Amplifier W/ 70V Output

- 1000 Watts Peak Power
- 450 watts @ 2 ohms
- 360 watts @ 4 ohms
- 200 watts @ 8 ohms
- IPOD/MP3 Input With 3.5MM Cable
- 110-220V Switchable
- Digital Fluorescent Output Display Meter
- AM/FM Quartz Synthesized Tuner

- Auto Scan, PRE/NEXT/MEMORY/STORE For Radio Stations, 50 Stations Storage
- Removable Rack-Mount Brackets
- Separate Level Control
- All Blue LED /Lights Gain Control Through LED DIMMER
- Remote Control Included



PCM20A

40 Watt Power Amplifier w/ 25 & 70 Volt Output

- Power On/Off Switch & LED Indicator
- MIC 1 Output Level Control
- MIC 2 Output Level Control
- AUX Output Level Control
- Bass and Treble Tone Controls
- MIC 1 Front Located 1/4" Input Jack
- MIC 2 Front Located 1/4" Input Jack

- AUX Front Located 1/4" Input Jack
- MIC 1 Auto Talkover
- Speaker Terminals (COM/8-Ohm/25V/70V)
- Replaceable Fuse
- 110/220 Voltage Selector
- Detachable AC Power Input
- Dimensions: 7.87W x 3.15H x 5.9D



PCM60A

100 Watt Power Amplifier w/ 25 & 70 Volt Output

- Power On/Off Switch & LED Indicator
- AUX 1/MIC 1 Output Level Control
- AUX 2/MIC 2 Output Level Control
- AUX 3/MIC 3 Output Level Control
- Bass and Treble Tone Controls
- Contour Control on/off Loudness Switch
- AUX RCA Output
- AUX 1/AUX2/AUX 3 RCA Input
- AUX/MIC Input Selector Switch
- Mute Terminals
- MIC 1/MIC 2/MIC 3 Terminals (MIC 1 Auto Talkover)
- TEL/PAGING Terminals
- Paging Output Level Control

- MIC/TEL VOX Level Control (Internal)
- MIC 1 XLR Connector
- MIC 1 VOX (Auto-Talkover) Switch
- Monitor 600-Ohm 1V Terminals (Music On Hold)
- Monitor 1W 8-Ohm Terminals (Music On Hold)
- Monitor Output Level Control (Music On Hold)
- Speaker Terminals (COM/4-ohm/8-Ohm/16-Ohm/25V/70V)
- Replaceable Fuse
- Unswitched 500W Max AC Outlet
- 110/220 Voltage Selector
- Detachable AC Power Input
- Dimensions: 16.93W x 3.46H x 10.51D



PMSA20

50 Watt PA Mini Amplifier

- 50 Watts RMS
- Impedance 4/8 ohms
- Power On/Off Switch with LED indicator
- MIC 1 / MIC 2/ AUX 1/4 Inputs
- Individual Volume Controls

- Removable AC Cord
- Power Input: AC 110V 60HZ
- Power Input: DC 12V Inlet
- Dimensions: 2.5H x 8W x 7.9D





PT110

80 WATT AC/DC Microphone PA Mono Amplifier w/ 70V Output & Mic Talkover

- 1/4 Phone Jack
- LED Level Display
- Master Volume Control
- Tone Control
- Mix Bus Jacks
- Front 3.5mm AUX CD Input Jack
- MIC 1/MIC 2 Talkover
- DC 12V Inlet
- Phono/Aux Volume Control

- Mic 1 Mic 2 Volume Controls
- Mic 1 Mic 2 6.35mm Connectors
- Voltage Selector 110/220V
- Removable AC Cord
- Unswitched AC Outlet
- Phono/Aux/RCA Input Jacks
- Phono/Aux Input Selector
- Variety of Speaker Outputs Terminal
- Dimensions: 3 1/3 H x 12 3/4 W x 8 9/10 D



PT210

120 WATT MICROPHONE PA Mono Amplifier w/70V Output & Mic Talkover

- Power On/Off with LED Indicator
- 1/4 Phone Jack
- LED Level Display
- Master Volume Control
- High/Mid/Low Tone Controls
- Front 3.5mm AUX CD Input Jack
- MIC 1 Talkover
- Phono/Aux Volume Control
- Mic 1 Mic 2 Volume Controls

- Mic 1 Mic 2 6.35mm Connectors
- Voltage Selector 110/220V
- Removable AC Cord
- Unswitched AC Outlet
- Mix Bus Jacks
- Phono/Aux/RCA Input Jacks
- Phono/Aux Input Selector
- Variety of Speaker Outputs Terminal
- Dimensions: 3 1/3 H x 12 3/4 W x 8 9/10 D



PT510

240 Watt Public Address Power Amplifier with 70V Output & Mic Talkover, USB/SD Card MP3 Player, Built-in FM Radio & LED Display

- Built-in USB/SD Card Readers
- FM Tuner with EQ/Volume Control
- Media Mode Selector Function
- 4 Ohm/8 Ohm - 70 Volt/100 Volt Speaker Outputs Terminals
- Tuner Down/Up/Scan Button Functions
- Power On/Off with Red LED Indicator
- Master Volume Rotary Control
- High/Mid/Low Tone Level Controls
- Front 3.5mm AUX Input Jack for iPod/MP3 Players

- MIC 1 Talk-Over Feature
- Phono/AUX Volume Input Control
- Mic 1/Mic 2 Volume Controls
- Mic 1 /Mic 2/AUX-IN 6.35mm/ 1/4 Input Connectors
- AUX-IN RCA Input Jack
- Voltage Selector 110/220V
- Removable AC Power Cord
- Un-Switched AC Power Outlet for Optional Equipment
- Built in Retractable Antenna for FM Tuner
- Dimensions: 12.6 H x 7.48 W x 3.15 D



PT610

19 Rack Mount 600 Watt Power Amplifier/Mixer w/ 70V Output & Mic Talkover

- 5 Channel Mixer
- 4 Mic Inputs XLR & 1/4 Combo Jack
- 2 Line Inputs RCA
- CH4 Mic/Line Switchable
- Effects Loop RCA In/Out
- Front 3.5mm AUX CD Input Jack
- 4 ohm, 8 ohm, 16 ohm & 70V Screw Terminals
- 8 ohm 1/4 and Binding Post Outputs
- Illuminated VU Output Level Meter
- Feedback Filter with Rotary Control

- MIC 1 Talkover
- Headphone Output
- Rotary Channel & Master Level Controls
- Thermal Overload Protection w/ Indicator
- Clip LED Indicator
- Ground Screw
- 2U Rack Mountable
- 110/220 Voltage Selector
- Dimensions: 4 3/16 H x 19.0 W x 12 D
- Weight: 22.3 lbs



PT710

19 Rack Mount 2000 Watt PA Amplifier with 3 Way Frequency Selectors

- Three XLR Microphone Input Jack with Sensitivity Selector (25dB, 35dB, 45dB) and Frequency Selector (200, 300, 400)
- Three Line Input (RCA / 1/4 TPS Balanced Jack / 3.5mm Input Jack) with Frequency Selector (50Hz, 100Hz, 200Hz)
- Three Output (one RCA, two 1/4 TPS Balanced Jack)
- 80 Watts RMS @ 8 Ohms
- 120 Watts RMS @ 4 Ohms
- 2000 Watts Peak @ 4 Ohms
- S/N: 102dB
- Master Volume/Low/High Control for main Channel
- MIC Volume Control with Frequency Selector (500, 1K, 3K, 7K, 10K) +15dB Special Frequency Volume Provider Selector
- Repeat/Echo/Delay Control for Microphone Echo
- 3 Combo Microphone Inputs XLR / 1/4 Jacks
- +18 Volts Phantom Power Switch
- 3 Gain/Sensitivity Microphone Input Selector

- (25db-35db-45db)
- Echo Delay Repeat Controls For Microphone Inputs
- 2 RCA Plug Line Level Input
- 1 x 1/4 €∞ TPS Balanced Audio Input
- 3 x Microphone Inputs With Frequency And Sensitivity Controls
- 3.5 mm Aux Audio Input
- L.E.D. Level Meter Output
- Send And Return Jacks 1/4
- 2 RCA Audio Record Line Output
- Line Bass And Treble Controls
- Master Volume Control
- 2 Channels Or Bridged Speaker Output
- Cooling Fan
- Rack Mount Brackets
- 110V/220V Switch-able Power Source
- Dimensions: 19w X 3.1h X 12d
- Weight: 14.3 Lbs



PVA2

60 Watts Hi-Fi Mini Stereo Amplifier

- Power Output: 2 x 12w (8 Ohm, RMS)
- Power Output: 2 x 24w (4 Ohms RMS)
- Power Output: 60w Max Peak
- 2 Microphone Inputs
- 2 Mic Volume Controls
- Echo Control
- DVD VCD-CD Tape Karaoke Input Selector
- Treble/Bass Controls
- Master Volume Control

- Power Voltage: 110v
- Frequency Range: 20-20khz
- Input Sensitivity/Impedance: 265mv/1khz
- S/N Ratio: 77db
- Input Sensitivity Of Microphone: 8mv
- Thd: 0.3 % (1khz/1w)
- Power Supply: 110v
- Dimensions: 3.3 X 9.8 X 9.1



PVA3U

60 Watts/ Hi-Fi Mini Amplifier USB/SD Card Player

- USB-SD/MMC-Card Slot Player
- Compatible With MP3/WMA Files With Shuffle Function
- ID3 Tag Display
- USB/Card, CD, Tuner, AUX Audio Input Selector
- Separate Bass And Treble Controls
- Surround Sound Switch
- Output Power: 2 X 15w (Rms) At 8ohm
- Power Output: 2 X 30w (Rms) At 4 Ohms

- Power Output: 60watts Max Peak And 1% Distortion
- Signal-To-Noise Ratio: 76dB Thd: 0.2%
- Sensitivity: 340mv
- Frequency Response: 100-10kHz +/-2
- (Size 4 X 2cm) With Remote Control
- With Shuffle Function
- Power Supply: 110v
- Dimensions: (H)2.5x(W)7.8x (D)5.9



PCA1

Mini 2X15 W Stereo Power Amplifier

- 2X15W Peak At 4-Ohm
- Power On Led Indicator
- Master Volume Control
- RCA Cable L/R Input
- Four Push Type Speaker L/R Terminals

- Compatible With Any Audio/Computerize Devices (MP3) Via 3.5mm To RCA Converter.
- 110/220 Voltage Selector
- Dimensions: 5.61(W) X 2.17(H) X 4.21(D)



PCA2

Stereo Power Amplifier - 2 x 40 Watt Power with RCA Inputs and Push Type Speaker Outputs

- Harmonic Distortion: 0.3%
- 2 x 40 Watt Peak at 4-Ohm
- Blue LED Output Level Display
- Frequency Response: 20Hz-40kHz
- Power Fuse: 1.5 A, 250V Fast-Acting (5 x 20mm)

- Power Requirement: 120V AC 50Hz/230V AC 50Hz
- Tone Controls: Bass & Treble: +/-10dB (100Hz/10kHz)
- Dimensions: 6.3" W x 2.72" D x 4.7" H (190 x 70 x 137mm)



PCA3

Stereo Power Amplifier - 2 x 75 Watt Power with RCA Inputs and Push Type Speaker Terminals

- RCA Jack Input
- 2 x 75 Watt MAX Power
- Push Type Speaker Outputs
- Blue LED Output Level Display
- Power On/Off Switch and LED Indicator

- Treble, Bass and Master Volume Controls
- Compatible With Audio/Computerize Devices (MP3 Players) Via 3.5mm To RCA Converter
- Dimensions: 7.48W x 2.87H x 5.39D



PCA4

Mini 2x120 Watt Stereo Power Amplifier

- 2x120W at 4 Ohm
- Blue LED Output Level Display
- Power on LED Indicator
- 3.5mm Aux CD/MP3 Input Jack
- Treble and Bass Control

- Master Volume Control
- RCA L/R Input
- Four Push Type Speaker L/R Terminals
- 110/220 Voltage Selector
- Dimensions: 8.27W x 2.72H x 5.39D



PCAU11

Mini 2x15 Watt Stereo Power Amplifier w/ USB Input

- 2x15W Peak at 4-ohm
- Compatible w/ USB Memory Sticks & MP3 Files
- Power on LED Indicator
- USB Reader Function
- Master Volume Control

- RCA Cable L/R Input
- Four Push Type Speaker L/R Terminals
- 110/220 Voltage Selector
- Dimensions: 5.61W x 2.17H x 4.21D

NEW





PCAU22

Mini 2x40 Watt Stereo Power Amplifier w/ USB Input

NEW

- 2x40W Peak at 4 Ohm
- Compatible w/ USB Memory Sticks & MP3 Files
- Power on LED Indicator
- Treble and Bass Control
- Master Volume Control

- RCA L/R Input
- Four Push Type Speaker L/R Terminals
- 110/220 Voltage Selector
- Dimensions: 6.30W x 2.72H x 4.72D



PCAU33

Mini 2 x 75 Watts Stereo Power Amplifier With USB Input

NEW

- 2x75W Peak at 4-ohm
- Blue LED Output Level Display
- Power on LED Indicator
- USB Reader Function
- Treble and Bass Controls
- Master Volume Control

- RCA L/R Input
- Four Push Type Speaker L/R Terminals
- Compatible with Walkman and Computerized Devices (MP3) via 3.5mm to RCA Converter
- 110/220 Voltage Selector
- Dimensions: 7.48W x 2.87H x 5.39D



PCAU44

Mini 2x120 Watt Stereo Power Amplifier w/ USB & CD Input

NEW

- 2x120W Peak at 4 Ohm
- Compatible w/ USB Memory Sticks & MP3 Files
- Blue LED Output Level Display
- Power on LED Indicator
- 3.5mm Aux CD/MP3 Input Jack
- Treble and Bass Controls

- Master Volume Control
- RCA L/R Input
- Four Push Type Speaker L/R Terminals
- 110/220 Voltage Selector
- Dimensions: 8.27W x 2.72H x 5.39D



PTA1

Mini 2 X 15 Watt Stereo Power Amplifier with AUX, CD & Mic Inputs

- Headphone Output
- 2 x 15 Watt MAX Power
- 115/230 Voltage Selector
- AUX/CD Input and Selector
- Push Type Speaker Outputs
- Total Harmonic Distortion: 0.3%

- Master Volume and Balance Controls
- Power On/Off Switch and LED Indicator
- MIC 1/4 Jack Input and Volume Control
- Switchable Mic Pager and Mixing (Karaoke) Modes
- Dimensions: 7.48W x 2.76H x 5.39D



PTA2

Mini Stereo Power Amplifier - 2 x 40 Watt with AUX, CD & Mic Inputs

- RCA REC Output
- Balance Control
- 1/4" Mic Input Jack
- Power On LED Indicator
- Headphone Output Jack
- 110/220 Voltage Selector

- 2 X 40 Watt Max At 4-Ohm
- Four Push Type Speaker L/R Terminals
- Switchable Mic Pager And Mixing Modes
- Switchable RCA Inputs: AUX1, AUX2 & CD
- Bass, Treble, Master Volume & Mic Controls
- Dimensions: 7.48W x 2.76H x 5.39D



PTA4

Mini Stereo Power Amplifier - 2 x 120 Watt with AUX, CD & Mic Inputs

- RCA REC Output
- 1/4 MIC Input Jack
- 1/4 Headphone Jack
- Power On LED Indicator
- 110/220 Voltage Selector
- 2 x 120 Watt Peak at 4-Ohm
- Blue LED Output Level Display

- 3.5mm Aux CD/MP3 Input Jack
- Switchable MIC Pager & Mixing Modes
- Four Push Type Speaker L/R Terminals
- Switchable AUX1/AUX2/CD and RCA Input
- Bass, Treble, Balance, Master & Mic Volume Controls
- Dimensions: 8.27W x 2.72H x 5.39D



PTAU23

Mini Stereo Power Amplifier - 2 x 40 Watt with USB, AUX, CD & Mic Inputs

- RCA REC Output
- 1/4" Phone Jack
- 1/4" MIC Input Jack
- USB Reader Function
- Power On LED Indicator
- 110/220 Voltage Selector
- AUX1, AUX2, CD & RCA Inputs

- 2 x 40 Watt Peak at 4-Ohm
- Four Push Type Speaker L/R Terminals
- Switchable MIC Payer and Mixing Modes
- Switchable AUX1, AUX2, CD, USB Inputs
- Bass, Treble, Balance, Master & Mic Volume Controls
- Dimensions: 7.48W x 2.72H x 5.39D



PTAU45

Stereo Power Amplifier - 2 x 120 Watt with USB, AUX, CD & Mic Inputs

- RCA REC Output
- 1/4 MIC Input Jack
- 1/4 Headphone Jack
- USB Reader Function
- Power ON LED Indicator
- 2 x 120 Watt MAX Power
- 110/220 Voltage Selector

- AUX1, AUX2, CD, RCA Input
- Blue LED Output Level Display
- 3.5mm Aux CD/MP3 Input Jack
- Switchable AUX1, AUX2, CD/USB Input
- Four Push Type Speaker L/R Terminals
- Bass, Treble, Balance, Master Volume & MIC Controls
- Dimensions: 8.27W x 2.72H x 5.39D



PTAU55

Stereo Power Amplifier - 2 x 120 Watt with Blue LED Display, USB/SD/MMC CARD, AUX, CD & Mic Inputs

- Blue LED display
- Double-decoder MP3 function compatible
- USB flash memory reader MP3/WMA file compatibility
- RCA REC output
- 1/4 MIC input jack
- 1/4 Headphone output jack
- Power ON/OFF & output LED indicators

- Balance, treble, bass and master volume controls
- Mic volume control
- 3.5mm Aux CD/MP3 input jack
- Switchable AUX1, AUX2, CD/USB inputs
- Four push-type speaker L/R terminals
- 110/220 voltage selector
- Dimensions: 8.27W x 2.72H x 5.39D



PCAU15A

Mini 2x15 Watt Stereo Power Amplifier with USB/SD Readers, AUX, CD Inputs & LED Display

- Blue LED Display for Media Playback Information
- Double Decoder Digital Media Function with Remote Control
- Built-in USB & SD Card Readers
- Compatible with MP3/WMA Files
- Power On LED Indicator
- Master Volume Control

- RCA Cable L/R Input
- 3.5mm/1/8 AUX Input Jack for iPod/iPhone/iPad/CD/MP3 Players
- Four Push Type Speaker L/R Terminals
- 110/220 Voltage Selector
- Dimensions: 5.61W x 2.17H x 4.21D



PCAU25A

Mini 2x40 Watt Stereo Power Amplifier with USB/SD Card Readers, AUX/CD Inputs & LED Display

- Blue LED Screen for Media Playback Information
- Double Decoder Digital Media Function with Remote Control
- Compatible with MP3/WMA Files
- Built-in USB & SD Card Readers
- Power on Blue LED Circle Indicator
- Treble & Bass Control

- Master Volume Control
- RCA Cable L/R Input
- 3.5mm/1/8 AUX Input Jack for iPod/iPhone/iPad/CD/MP3 Players
- Four Push Type Speaker L/R Terminals
- 110/220 Voltage Selector
- Dimensions: 6.30W x 2.72H x 4.72D



PCAU35A

Mini 2x75 Watt Stereo Power Amplifier with USB/SD Card Readers, AUX, CD Inputs & LED Display

- Blue LED Screen for Media Playback Information
- Double Decoder Digital Media Function with Remote Control
- Built-in USB/SD Memory Card Readers
- Compatible with MP3/WMA Files
- Power on Blue LED Circle Indicator
- Blue LED Output Level Indicators
- Treble, Bass, and Master Volume Controls

- RCA Cable L/R Input
- 3.5mm/1/8 AUX Input Jack for iPod, iPhone, iPad, CD/MP3 Player
- Four Push Type Speaker L/R Terminals
- Compatible with More Audio/Computer Devices via 3.5mm To RCA Converter
- 110/220 Voltage Selector
- Dimensions: 7.48W x 2.87H x 5.39D



PCAU46A

Mini 2x120 Watt Stereo Power Amplifier with USB/SD Card Readers, AUX, CD Inputs & LED Display

- Blue LED Display for Media Playback Information
- Double Decoder Digital Media Function with Remote Control
- Built-in USB/SD Memory Card Readers
- Compatible with MP3/WMA Files
- Blue LED Output Level Indicators
- Power On/Off Switch LED Indicator
- Treble, Bass, and Master Volume Controls

- 3.5mm/1/8 AUX Input Jack for iPod/iPhone/iPad/CD/MP3 Players
- Connect More Audio/Computer Devices Via 3.5mm to RCA Converter
- Four Push Type Speaker L/R Terminals
- RCA Cable L/R Input
- Dimensions: 7.48W x 2.87H x 5.39D
- 110/220 Voltage Selector





PCM30A

60 Watt Power Amplifier w/ 25 & 70 Volt Output

- Power On/Off Switch & LED Indicator
- MIC 1 Output Level Control
- MIC 2/AUX Output Level Control
- Bass and Treble Tone Controls
- AUX RCA Input
- MIC 2/AUX Input Selector Switch
- MIC 1/MIC 2 Terminals (MIC 1 Auto Talkover)
- Mute Terminals
- Monitor 600-Ohm 1V Terminals (Music On Hold)
- Monitor 1W 8-Ohm Terminals (Music On Hold)
- Monitor Output Level Control (Music On Hold)

- TEL/PAGING Terminals
- Paging Output Level Control
- MIC/TEL VOX Level Control (Internal)
- Speaker Terminals (COM/4-ohm/8-Ohm/16-Ohm/25V/70V)
- Replaceable Fuse
- Unswitched 500W Max AC Outlet
- 110/220 Voltage Selector
- Detachable AC Power Input
- Dimensions: WxHxD: 10.7W x 3.46H x 8.86D



PT504

Rack Mount Am/Fm Digital Tuner W/Auto Start Feature

- 60 (AM+FM) radio station storage
- Tuning/Pre/Next /Auto scan/Store and
- 1-10+ select keys for tuner
- Rack mount brackets
- 110/220V Switchable

- Clock display(am/pm),can start or off at a set time
- Remote control
- Dimensions: 19w x 9.4h x 1.6d
- Weight: 3.5 lbs



PT652T

Digital PLL Quartz Radio Tuner

- AM/FM Quartz Synthesized Tuner
- 20 Station Memory Presets 10 FM / 10 AM
- Auto Station Scanning
- Digital Fluorescent Display
- Mono/Stereo Selector
- Digital Link Interface for Connecting to PT600A

- RCA Preamp Output
- External FM & AM Antennas Included
- Frequency Response: 40 to 14 KHz
- Dimensions: 16.53W x 3.66D x 10.03H
- Rack Mounting Hardware Included
- 110V/220V Switchable



PT649D

Dual Cassette Deck

- Auto Stop
- Normal and High Speed Dubbing
- Dynamic Noise Reduction
- CrO2 Tape Selector
- 3 Digit Tape Counter
- Recording Level Control
- Dual Color Multifunction Fluorescent Display

- Rec/Play Level Meters
- Auto tape Selector
- RCA Line Inputs and Outputs
- Digital Link Interface for Connecting to PT600A
- Rack Mounting Hardware Included
- 110V/220V Switchable
- Dimensions: 16.53W x 5.11H x 8.66D



PT659DU

Dual Stereo Cassette Deck w/Tape USB to MP3 Converter

- Normal/High Speed copy function (Direct-dubbing from Cassette in two speeds)
- Dynamic Noise Suppression
- Supports CrO2 tapes
- Auto-stop function
- Quickly transfer music on your tapes to MP3 format

- on your computer
- CrO2 tape selector
- RCA inputs and outputs
- PC and Mac compatible
- Power supply voltage: 110V~60Hz
- Dimensions:16.54(W) x 8.46"(D)x 5.32(H)



PSPVC4

4 Channel High Power Stereo Speaker Selector W/volume Control

- Up to 4 Separate Speaker Pairs to your Stereo System
- Accepts Speaker Wires Up to 14- Gauge
- Handles 100Watts Per Channel with Speaker Systems that have a Minimum Impedance of 8 Ohms

- Protection Circuitry Keeps it Running Smoothly
- Individual Speaker Volume Control
- Support Two Stereo Amplifiers
- Frequency Response: 20Hz-20KHz
- Dimensions: 16.92(W) x 3.03(H) x 6.29(D)



PSPVC6

6 Channel High Power Stereo Speaker Selector W/Volume Control

- Up to 6 Separate Speaker Pairs to your Stereo System
- Accepts Speaker Wires Up to 14- Gauge
- Handles 100Watts Per Channel with Speaker Systems that have a Minimum Impedance of 8 Ohms

- Protection Circuitry Keeps it Running Smoothly
- Individual Speaker Volume Control
- Support Two Stereo Amplifiers
- Frequency Response: 20Hz-20KHz
- Dimensions: 16.92(W) x 3.03(H) x 6.29(D)



PSS4

4 Channel High Power Stereo Speaker Selector

- Up to 4 Separate Speaker Pairs to Your Stereo System
- Accepts Speaker Wires up to 14-Gauge
- Handles 100Watts per Channel w/ Speaker Systems

- That Have Minimum Impedance of 8 Ohms
- Protection Circuitry Keeps It Running Smoothly
- Frequency Response: 20Hz-20KHz
- Dimensions: 7.48(W) x 1.97(H) x 4.72(D)



PSS6

6 Channel High Power Stereo Speaker Selector

- Up to 6 Separate Speaker Pairs to Your Stereo System
- Accepts Speaker Wires up to 14-Gauge
- Handles 100Watts per Channel w/ Speaker Systems

- That Have Minimum Impedance of 8 Ohms
- Protection Circuitry Keeps It Running Smoothly
- Frequency Response: 20Hz-20KHz
- Dimensions: 9.05(W) x 1.85(H) x 5.90(D)



PSS8

8 Channel High Power Stereo Speaker Selector

- Up To 8 Separate Speakers Pair To Your Stereo System.
- Accepts Speaker Wires Up To 14-Gauge.
- Handles 100 Watts Per Channel With Speaker Systems That Have A Minimum Impedance Of 8

- Ohms.
- Protection Circuitry Keeps It Running Smoothly
- Frequency Response: 20Hz-20KHz
- Dimensions 12.8 X 2.04 X 6.12

NEW



PYLE

Audio

www.PyleAudio.com



facebook.com/pyle.audiousa



twitter.com/pyleaudio



youtube.com/user/pyleaudio1

Complete Product Catalog



For more detailed product-specific information and more great models visit www.PyleAudio.com



Ceiling Hanging Pendant Speaker w/ 70V Transformers

- 5 20 Watts Speaker Indoor Ceiling Hanging Mount
- Power/Load Rating: 20watts
- Nominal Impedance: 8 Ohms
- 70 Volt Transformer Tapping @ 10 / 5 / 2.5

- Frequency Range: 130 Hz - 17 KHz
- PL I(@ 1w/1m): 90db
- Mounting Bracket & Hardware Included
- Simply Hang Speaker with Included Chain

| Model | Size | Watt Power | Color |
|----------------|------|------------|-------|
| <i>PRJS56W</i> | 5" | 20 | White |
| <i>PRJS56B</i> | 5" | 20 | Black |
| <i>PRJS66W</i> | 6.5" | 40 | White |
| <i>PRJS66B</i> | 6.5" | 40 | Black |



Ceiling Hanging Mount 5 Ball Pendent Speakers

- Indoor Ceiling Hanging Mount
- Nominal Impedance: 8 Ohms
- Frequency Range: 180 Hz - 15 KHz

- SPL(@ 1W/1m): 90db
- Mounting Bracket & Hardware Included

| Model | Size | Watt Power | Color |
|---------------|------|------------|-------|
| <i>PBS50B</i> | 5" | 100 | Black |
| <i>PBS5TB</i> | 5" | 75 | Black |
| <i>PBS80W</i> | 6.5" | 100 | White |



Wiring Combo Speaker Systems - In-Ceiling Speaker /Volume Contro/Speaker Wall Plate Kits

- One Pair of In-Ceiling Speakers
- Co-axial Speakers w/ Mylar Tweeter
- 50 Feet of Sepecially Rated 16 Gauge/ 4 Conductor Speaker Cable
- Stereo In-Wall Mounted Rotary Volume Control

- Enables the User to Control the Volume of the Room They are Located
- Provides Clean Wall Jack
- Connections for One Pair of Speakers to Your Audio System

| Model | Size | Watt Power |
|----------------|-------|------------|
| <i>PHSKIT5</i> | 5.25" | 200 |
| <i>PHSKIT6</i> | 6.5" | 250 |
| <i>PHSKIT8</i> | 8.0" | 300 |



PCSB5

Pair of 5 1/4 Pre-Construction Speaker Brackets

- 5 1/4 inch In-Ceiling Speaker bracket
- For Uses in a New Construction Projects
- Serves as Place Holder

- Metal Wings Easy to Mount at Any Framing Situation
- With Virtually No Rise In Drywall Depth



NEW

For more detailed specifications, product-specific information and models visit www.PyleAudio.com



PDIC81RD



PDIC81RDBK



PDIC81RDSL

In-Wall / In-Ceiling Flush Mount Round / Circle 2-Way Speakers

| Model | Size | Color | Peak Watt Power | Speaker Type | Sold As |
|-------------------|-------|--------|-----------------|--------------|---------|
| PDIC51RD | 5.25" | White | 150 | 2-Way | Pair |
| PDIC51RDBK | 5.25" | Black | 150 | 2-Way | Pair |
| PDIC51RDSL | 5.25" | Silver | 150 | 2-Way | Pair |
| PDIC61RD | 6.5" | White | 200 | 2-Way | Pair |
| PDIC61RDBK | 6.5" | Black | 200 | 2-Way | Pair |
| PDIC61RDSL | 6.5" | Silver | 200 | 2-Way | Pair |
| PDIC81RD | 8" | White | 250 | 2-Way | Pair |
| PDIC81RDBK | 8" | Black | 250 | 2-Way | Pair |
| PDIC81RDSL | 8" | Silver | 250 | 2-Way | Pair |
| PDIC60 | 6.5" | White | 250 | 2-Way | Pair |
| PDIC60T* | 6.5" | White | 250 | 2-Way | Pair |
| PDIC80 | 8" | White | 300 | 2-Way | Pair |
| PDIC80T* | 8" | White | 300 | 2-Way | Pair |
| PDICS54* | 5" | White | 100 | 2-Way | Single |
| PDICS64* | 6.5" | White | 150 | 2-Way | Single |
| PDICS82 | 8" | White | 150 | 2-Way | Single |
| PDICS6* | 6.5" | White | 120 | 2-Way | Single |
| PDICS8* | 8" | White | 200 | 2-Way | Single |

* Symbol indicate speakers including built-in 70 Volt transformers.



PIC6E



PIC6E

In-Wall / In-Ceiling Flush Mount Round / Circle Speakers

| Model | Size | Peak Watt Power | Feature | Sold As | Color |
|----------------|-------|-----------------|-------------------------|---------|-------|
| <i>PWRC51</i> | 5.25" | 200 | Weather-Proof | Pair | White |
| <i>PWRC61</i> | 6.5" | 300 | Weather-Proof | Pair | White |
| <i>PWRC81</i> | 8" | 400 | Weather-Proof | Pair | White |
| <i>PWRC52</i> | 5.25" | 200 | Dual Channel/Voice Coil | Single | White |
| <i>PWRC62</i> | 6.5" | 300 | Dual Channel/Voice Coil | Single | White |
| <i>PWRC82</i> | 8" | 400 | Dual Channel/Voice Coil | Single | White |
| <i>PDPC52</i> | 5.25" | 150 | Dome Tweeter | Pair | White |
| <i>PDPC62</i> | 6.5" | 200 | Dome Tweeter | Pair | White |
| <i>PDPC82</i> | 5" | 250 | Dome Tweeter | Pair | White |
| <i>PDPC5T*</i> | 5" | 200 | Long Throw Woofer | Single | White |
| <i>PDPC6T*</i> | 6.5" | 250 | Long Throw Woofer | Single | White |
| <i>PDPC8T*</i> | 8" | 300 | Long Throw Woofer | Single | White |
| <i>PIC62A+</i> | 6.5" | 250 | High Performance | Pair | White |
| <i>PIC6E+</i> | 6.5" | 250 | High Performance | Pair | White |
| <i>PIC8E+</i> | 8" | 300 | High Performance | Pair | White |

“+” Symbol indicate speakers including built-in adjustable treble control.
 “*” Symbol indicate speakers including built-in 70 Volt transformers.

NEW

For more detailed specifications, product-specific information and models visit www.PyleAudio.com



PDIW65



PDIW65BK



PDIW65SL

In-Wall / In-Ceiling Flush Mount Square / Rectangle Speakers / Subwoofers

| Model | Size | Peak Watt Power | Feature | Sold As | Color |
|-------------------|--------|-----------------|----------------------|---------|--------|
| PDIW52 | 5.25" | 200 | Dome Tweeter | Pair | White |
| PDIW62 | 6.5" | 250 | Dome Tweeter | Pair | White |
| PDIW55 | 5.25" | 150 | Dome Tweeter | Pair | White |
| PDIW55BK | 5.25" | 150 | Dome Tweeter | Pair | Black |
| PDIW55SL | 5.25" | 150 | Dome Tweeter | Pair | Silver |
| PDIW65 | 6.5" | 200 | Polymer Tweeter | Pair | White |
| PDIW65BK | 6.5" | 200 | Polymer Tweeter | Pair | Black |
| PDIW65SL | 6.5" | 200 | Polymer Tweeter | Pair | Silver |
| PDIWCS56 | 5.25" | 300 | Long Throw Woofer | Single | White |
| PDIWCS56BK | 5.25" | 300 | Long Throw Woofer | Single | Black |
| PDIWCS56SL | 5.25" | 300 | Long Throw Woofer | Single | Silver |
| PDIW57 | 5" | 300 | Long Throw Woofer | Pair | White |
| PDIW67 | 6.5" | 360 | Long Throw Woofer | Pair | White |
| PDIW87 | 8" | 400 | Long Throw Woofer | Pair | White |
| PDIWCS62 | 6.5" | 360 | Electronic Crossover | Single | White |
| PDIC65SQ | 6.5" | 200 | Dome Tweeter | Pair | White |
| PDIWS8 | 8" | 300 | Subwoofer | Single | White |
| PDIWS10 | 10" | 360 | Subwoofer | Single | White |
| PDIWS12 | 12" | 400 | Subwoofer | Single | White |
| PDIWS28 | 8" x 2 | 600 | Dual Subwoofers | Single | White |



PHSTD1 Adjustable Height Home Theater Speaker Stands



PDMN58



PCB4BK



PCB4WT

Bookshelf / Wall Mount Speakers

| Model | Size | Peak Watt Power | Feature | Sold As | Color |
|---------------|-------|-----------------|-------------------|---------|-------|
| <i>PCB3BK</i> | 3" | 100 | Mini Speakers | Pair | Black |
| <i>PCB3WT</i> | 3" | 100 | Mini Speakers | Pair | White |
| <i>PCB4BK</i> | 4" | 200 | Full Range | Pair | Black |
| <i>PCB4WT</i> | 4" | 200 | Full Range | Pair | White |
| <i>PDMN38</i> | 3.5" | 300 | Long Throw Woofer | Pair | Black |
| <i>PDMN48</i> | 5" | 400 | Long Throw Woofer | Pair | Black |
| <i>PDMN58</i> | 6.5" | 500 | Long Throw Woofer | Pair | Black |
| <i>PDMN68</i> | 8" | 400 | Long Throw Woofer | Pair | Black |
| <i>PDWT5*</i> | 5.25" | 35 | PA Speaker | Single | White |
| <i>PDWT6*</i> | 6.5" | 50 | PA Speaker | Sinle | White |


“” Symbol indicate speakers including built-in 70 Volt transformers.



PDWR30W



PDWR50B



PDWP5WT



PDWP5BK

Weather Proof Indoor / Outdoor Wall Mountable Speakers

| Model | Size | Peak Watt Power | Feature | Sold As | Color |
|----------------|--------|-----------------|-------------------|---------|-------|
| <i>PDWP5BK</i> | 5" | 150 | Crossover Network | Pair | Black |
| <i>PDWP5WT</i> | 5" | 150 | Crossover Network | Pair | White |
| <i>PDWR30B</i> | 3.5" | 300 | Long Throw Woofer | Pair | Black |
| <i>PDWR30W</i> | 3.5" | 300 | Long Throw Woofer | Pair | White |
| <i>PDWR40B</i> | 5.25" | 400 | Long Throw Woofer | Pair | Black |
| <i>PDWR40W</i> | 5.25" | 400 | Long Throw Woofer | Pair | White |
| <i>PDWR50B</i> | 6.5" | 500 | Long Throw Woofer | Pair | Black |
| <i>PDWR50W</i> | 6.5" | 500 | Long Throw Woofer | Pair | White |
| <i>PDWR33</i> | 3.5" | 200 | Dome Tweeter | Pair | White |
| <i>PDWR53</i> | 5.25" | 250 | Dome Tweeter | Pair | White |
| <i>PDWR63</i> | 6.5" | 350 | Dome Tweeter | Pair | White |
| <i>PDWR3T*</i> | 3.5" | 200 | Long Throw Woofer | Pair | White |
| <i>PDWR5T*</i> | 5.25" | 250 | Long Throw Woofer | Pair | White |
| <i>PDWR6T*</i> | 6.5" | 350 | Long Throw Woofer | Pair | White |
| <i>PDWR68B</i> | 3" x 3 | 500 | Wide Angle Sound | Pair | Black |
| <i>PDWR68W</i> | 3" x 3 | 500 | Wide Angle Sound | Pair | White |

* Symbol indicate speakers including built-in 70 Volt transformers.



PHSP6K



PHSP4



PHSP30TA



PHSP20

Indoor / Outdoor PA Horn Speakers

| Model | Size | Watt Power | Ohms | Transformer | Color |
|-----------------|-------|------------|------|-------------|-------|
| PHSP10TA | 5.6" | 10 | 8 | 70V | White |
| PHSP4 | 6" | 50 | 8 | - | White |
| PHSP5 | 8" | 65 | 8 | - | White |
| PHSP6K | 6.3" | 25 | 8 | - | Grey |
| PHSP8K | 8.1" | 50 | 8 | - | Grey |
| PHSP30TA | 9.4" | 30 | 8 | 70V | White |
| PHSP101T | 9.7" | 20 | 8 | 70V | Grey |
| PHSP121T | 11" | 30 | 8 | 70V | Grey |
| PHSP12 | 12.7" | 60 | 16 | 70-100V | Grey |
| PHSP131T | 13.5" | 50 | 8 | 70V | Grey |
| PHSP16 | 16" | 80 | 16 | 70-100V | Grey |
| PHSP20 | 19.5" | 100 | 16 | 70-100V | Grey |

Active Powered Home Theater Subwoofers

| Model | Size | Watt Power | Amp Class | Dimensions |
|----------------|------|------------|-----------|--------------------|
| <i>PDSB10A</i> | 10" | 100 | AB | 11.8 x 16.5 x 13.8 |
| <i>PDSB12A</i> | 12" | 150 | AB | 14.0 x 18.1 x 15.7 |
| <i>PDSB15A</i> | 15" | 250 | H | 19.7 x 21.2 x 19.7 |



PVC1

Rotary Volume Control Knob



PVC2

Impedance Matching
Slide Volume Control



PVC3

High Power Mono Volume
Control With Relay Circuit



PVCKT5

Wall Mount Rotary Volume Control
Knob (3 Color Wall Plate)



PVCD15

Right and Left Speaker Dual Knob
Independent Volume Control



PVCS2

In-Wall A/B Source
Selector Switch



PVCS5

In-Wall A/B Speaker/
Source Switch



PVC8U

In-Wall Music Amp with iPod/
MP3 Player Input, USB/SD Card
Readers & LCD Display



PVC10ABT

Bluetooth Streaming Music
Amp with iPod/MP3 Input,
USB/SD Card Readers





PSTM40

Pure Clean Steam Vibrating Floor Mop Deodorizer and Sanitizer with Vibration for Deep Cleaning

- Vibration Function to Lift Dirt & Stains
- Naturally Cleans with Hot Steam Vapor
- Deodorizes and Sanitizes While you Clean
- Works on All Sealed Hard Floor Surfaces
- Quickly Sanitizes and Disinfects
- Produces Superheated Steam
- Simple Operation Single-Touch Steam Activation
- Triangular Design for Easy Cleaning in Tight Corners
- Includes Heavy-Duty Microfiber Cleaning Pads
- Tested to Kill 99.9% of Germs and Bacteria
- Uses Tap Water - No Chemicals or Cleaning Solutions Required
- Removable 19 oz. Refillable Water Tank
- Built-in 1500 Watt Heating Element
- Works on Wood, Vinyl, Tile and Carpet
- Comes with Carpet Glider Cleaning Attachment
- Accessory and Reusable Microfiber Cleaning Pads
- Foldable Handle for Convenient Storage

PSTM50

Pure Clean Steam Floor Mop & Sweeper Deodorizer and Sanitizer for Deep Cleaning

- Naturally Cleans with Hot Steam Vapor
- Deodorizes and Sanitizes While you Clean
- Works on All Sealed Hard Floor Surfaces
- Quickly Sanitizes and Disinfects
- Produces Superheated Steam
- Simple Operation Single-Touch Steam Activation
- Includes Heavy-Duty Microfiber Cleaning Pads
- Tested to Kill 99.9% of Germs and Bacteria
- Uses Tap Water - No Chemicals or Cleaning Solutions Required
- Removable 19 oz. Refillable Water Tank
- Built-in 1500 Watt Heating Element
- Easy to Clean and Removable Dirt Container
- Simple Toe-Touch Activated Sweeper
- Works on Wood, Vinyl, Tile and Carpet
- Comes with Carpet Glider Cleaning Attachment
- Accessory and Microfiber Cleaning Pads

PSTM60

Pure Clean Steam Dual Floor Mop & Sweeper Deodorizer and Sanitizer for Deep Cleaning

- Naturally Cleans with Hot Steam Vapor
- Deodorizes and Sanitizes While you Clean
- Works on All Sealed Hard Floor Surfaces
- Quickly Sanitizes and Disinfects
- Adjustable Steam Controls
- Produces Superheated Steam
- Simple Operation Single-Touch Steam Activation
- Includes Heavy-Duty Microfiber Cleaning Pads
- Tested to Kill 99.9% of Germs and Bacteria
- Uses Tap Water - No Chemicals or Cleaning Solutions Required
- Removable 19 oz. Refillable Water Tank & Dirt Container
- Digital Steam Control Settings
- Built-in 1500 Watt Heating Element
- Easy to Clean Removable Dirt Container
- 180 Degree Low-Profile Swivel Head
- Simple Toe-Touch Activated Sweeper
- Foldable Handle for Convenient Storage
- Works on Wood, Vinyl, Tile and Carpet
- Comes with Carpet Glider Cleaning Attachment

PSTMH10

Pure Clean Handheld Steam Birdie Multipurpose Steam Cleaner for Deodorizing and Disinfecting

- Naturally Cleans with Hot Steam Vapor
- Deodorizes and Sanitizes While you Clean
- Quickly Disinfects - Removes Dirt & Grime
- Produces Superheated Steam
- Lightweight, Portable and Easy to Use
- Tested to Kill 99.9% of Germs and Bacteria
- Simple Operation Single-Touch Steam Activation
- Uses Tap Water - No Chemicals or Cleaning Solutions Required
- Includes Garment Attachment for Use on Clothing
- Comes with (9) Piece Accessory Kit Including Jet Nozzle Attachment
- Use it a home, on the car or on the boat
- Built-in 1500 Watt Heating Element
- Perfect for Your Home, Car or Boat
- Dimensions: 11.0 x 6.1 x 10.0 Inches
- Power Cord Length: 16.4 ft.

PSTMP90

Pure Clean Table Top Steam Press with Steam Burst Function & Adjustable Temperature Selection

- 50% Faster Than Traditional Ironing
- Safe for Nylon, Silk Rayon, Wool, Cotton, Linen, etc.
- Non-Stick and Anti-Shine Ironing Surface Coating
- Even Pressure Ensures Sharp, Long-Lasting Creases
- Quickly Steam Press and Remove Wrinkles
- Variable Temperature Selection
- Multiple Dry-Heat & Steam Settings for Different Fabrics
- Easy-to-Use and Safe One-Hand Operation
- Extra Gentle Against Fabrics Like Silk
- Steam Burst Function Blasts Away Wrinkles (5) Times the Size of Regular Irons
- Iron Surface Size: 22 x 9
- Ready Indicator Lights
- Auto Shut-Off Safety Feature
- 10 oz. Refillable Water Tank
- 1350 Watt Power
- Accessory Kit Includes Spray Bottle, Pressing Cushion and Water Fill Cup

PSTMP95

Pure Clean Digital Table Top Steam Press with Steam Burst Function & Adjustable Temperature

- 50% Faster Than Traditional Ironing
- Safe for Nylon, Silk Rayon, Wool, Cotton, Linen, and more
- Non-Stick and Anti-Shine Ironing Surface Coating
- Even Pressure Ensures Sharp, Long-Lasting Creases
- Steam Burst Function Blasts Away Wrinkles
- Advanced Digital Control Center
- Variable Temperature Selection
- Quickly Steam Press and Remove Wrinkles
- Multiple Dry-Heat & Steam Settings for Different Fabrics
- Easy-to-Use and Safe One-Hand Operation
- Extra Gentle Against Fabrics Like Silk
- (7) Times the Size of Regular Irons
- Iron Surface Size: 22 x 10
- Ready Indicator Lights
- Auto Shut-Off Safety Feature
- 10 oz. Refillable Water Tank
- Accessories Included: Spray Bottle, Pressing Cushion & Water Fill Cup

NEW

PVTC Step Up / Step Down - Voltage Converters / Transformers



PVTC320U



PVTC2020U



PVTC5000U

| Model | Maximum Rating |
|------------------|------------------|
| PVTC120U | 100 Watt |
| PVTC300U | 300 Watt |
| PVTC320U | 500 Watt |
| PVTC1000U | 1000 Watt |
| PVTC2020U | 2000 Watt |
| PVTC3000U | 3000 Watt |
| PVTC5000U | 5000 Watt |



Going abroad ? Plan on using your computer, cell phone, hair dryer, other gadget or appliance? The PVTC series step up/down voltage transformers offer you a safe, dependable, cost-effective and easy solution to converting voltages from 110-120 volts up to 220-240 volts or from 220-240 volts down to 110-120 volts for both home use and commercial applications. The PVTC series come available with efficient and high-power handling ratings, heavy-duty power cord, standard US 3-prong plug, and an American to European outlet adaptor. Additional features include 5V standard USB jack for easy charging smaller devices, ability for outputs to be used simultaneously & continuously and fuse protection. Visit PyleAudio.com and search the model number to learn more!

PVAR2000 2000 Watt Step Up and Step Down Voltage Converter Transformer - AC 110/220V

- Converts 110/120 V to 220/240V OR Converts 220/240V to 110/120 V
- On/Off switch with indicator lam
- Analog voltage meter
- Integrated automatic protection circuit
- Easy to carry with attached handled
- Dimensions: 8"H X 14"L X 13"W
- Product Weight: 26 Lbs

NEW



PVAR5000 5000 Watt Step Up and Step Down Voltage Converter Transformer - AC 110/220V

- Converts 110/120V to 220/240V OR converts 220/240V to 110/120V
- 5 outlets located on front (outlets accept 3 or 2 prong US plugs and 2 prong Euro/Asian plugs)
- Voltage Converter/Transformer with Stabilizer, good for countries with unstable voltage supply
- Heavy duty metal casing and durable design, Easy to carry with attached handle
- On/Off switch with indicator lamp
- Dimensions: 14.76"H x 15.55"L x 10.43"W

NEW



PVKT130 Travel Voltage Converter Transformer 50-1600 Watt Kit with Worldwide Socket Plug Adapters Step Down 220/240V to 110/120V

- Use your appliances worldwide
- Lets you use U.S. 110/120 Volt appliances in 220/240 Volt outlets
- Allows your electronic devices to be plugged into outlets in other countries
- Includes (1) selectable watt converter with 6 adapter plugs
- Adapters are compatible in over 150 countries worldwide
- Includes travel case with color-coded map to show each adaptor's compatibility locations
- Perfect for vacations, business trips, traveling, etc.



NEW



PDMT28



NEW

PDMT29



NEW

PLTM35



NEW

Digital Multimeters

| Model | Description |
|---------------|--|
| PDMT28 | Digital Backlit LCD Multimeter, AC, DC, Volt, Current, Resistance, Transistor and Range - Protective Rubber Case |
| PDMT29 | Digital LCD Multimeter, AC, DC, Volt, Current, Resistance, and Range - Rubber Case And Stand |
| PDMT38 | Digital LCD AC, DC, Volt, Current, Resistance, and Range Multimeter - Rubber Case, Test Leads And Stand |
| PLTM35 | Mini Digital LCD Multimeter Measures DC Voltage, AC Voltage, DC Current, Resistance and Diode Levels |
| PLTM40 | Digital Backlit LCD Multimeter for AC, DC, Volt, Current, Resistance, Transistor and Range Measurement |
| PCMT20 | Digital AC/DC Auto-Ranging Clamp Meter |



PHCT65



PHCT55



PHCT205



PHCT85

Network / Cable / Telephone Line / HDMI Testers

| Model | Description |
|----------------|--|
| PHCT45 | Network Cable Tester |
| PHCT55 | Telephone Wire Cable Tester For Testing Continuity with Sender and Receiver |
| PHCT65 | LAN/Ethernet/Telephone Cable Tracker & Tester |
| PHCT70 | Network Cable Tester for UTP, STP, BNC Coaxial, Telephone Continuity, Short Circuit, Open Connection |
| PHCT85 | HDMI High Definition Cable Tester |
| PHCT205 | Network Cable Tester for UTP, FTP, BNC Coaxial, Telephone Continuity, Short Circuit, Open Connection |



NEW

PMD24



NEW

PMD43



NEW

PTV17



PDT35

Voltage / Metal / Stud Detectors and Electrical Testers

| Model | Description |
|--------------|--|
| PMD24 | Handheld Stud / Metal/ Voltage Detector W/ Sensitivity Adjustment, Center Location, LED & Audible Alerts |
| PMD43 | Handheld Metal/Voltage Detector W/ LED And Sound Alert, Sensitivity Adjustment |
| PTV17 | Voltage Detector W/ LED And Sound Alert, 90 ~ 1000V AC, IP54 and IEX1010 Rated |
| PDT35 | Electrical Tester For Voltage and Continuity |



NEW

PIRT30



NEW

PTHM15



PTHM20



PHHT15



PCTL01

Digital Temperature / Humidity Meters and Thermometers

| Model | Description |
|---------------|---|
| PIRT25 | Compact Infrared Thermometer With Laser Targeting |
| PIRT30 | High Temperature Infrared Thermometer with Type K Input |
| PMIR15 | Mini Infrared Thermometer with Laser Pointer |
| PTHM15 | Mini Temperature and Humidity Meter With Dew Point and Wet Bulb Temperature |
| PTHM20 | Temperature and Humidity Meter With Dew Point and Wet Bulb Temperature |
| PHHT15 | Indoor Digital Hygro-Thermometer |
| PCTL01 | Pipe Clamp Temperature Lead |



NEW

PMA82



NEW

PMA85



NEW

PMA90

Digital Anemometers

| Model | Description |
|------------------|--|
| NEW PMA82 | Digital Anemometer & Thermometer - For Measuring Wind Speed |
| NEW PMA85 | Digital Anemometer - Measures Wind And Temperature |
| NEW PMA90 | Digital Anemometer / Thermometer - Air Velocity, Air Flow, Temperature |



NEW

PLMT21



PLMT15

Digital Lux / Light Meters

| Model | Description |
|-------------------|---|
| NEW PLMT12 | Handheld Lux Light Meter Photometer - 20,000 Lux range, 2x Per Second Sampling |
| NEW PLMT15 | Handheld Lux Light Meter Photometer - 200,000 Lux Range, 2X Per Second Sampling |
| NEW PLMT21 | Handheld Lux Light Meter Photometer - 20,000 Lux range, 2x Per Second Sampling |

NEW



PLT26

NEW



PST30



PST43

Digital Tachometers

| Model | Description |
|------------------|--|
| NEW PLT26 | Professional Digital Non Contact Laser Tachometer - LCD Display, 99,999 RPM Range |
| NEW PST30 | Digital LED Non Contact Stroboscope Tachometer - Backlit LCD Display, 19,999 RPM Range |
| NEW PST43 | Precision Non-Contact Laser Tachometer - Extended RPM Range, Digital LCD Screen |



PCMM05



PMD74



PDMM15

Manometers / Carbon Monoxide / Microwave Leakage Meters

| Model | Description |
|---------------|--|
| <i>PCMM05</i> | Carbon Monoxide Meter |
| <i>PMD74</i> | Microwave Leakage Detector |
| <i>PDMM01</i> | Digital Manometer with 11 Units of Measure |
| <i>PDMM15</i> | Digital Manometer - Pressure Measuring |



PSPL01



PSPL03



PSPL25

Digital Sound Level Meters

| Model | Description |
|---------------|--|
| <i>PSPL01</i> | Mini Digital Sound Level Meter |
| <i>PSPL03</i> | Mini Sound Level Meter with A Frequency Weighting |
| <i>PSPL25</i> | Sound Level Meter with A and C Frequency Weighting |



PLDM18
PLDM22

Digital Laser Distance Meters

| Model | Description |
|---------------|--|
| <i>PLDM18</i> | Handheld Laser Distance Meter - Backlit LCD Display, Direct / Indirect, Volume, Area Measuring |
| <i>PLDM22</i> | Handheld Laser Distance Meter - Backlit LCD Display, Direct / Indirect, Volume, Area Measuring |



PCVTB



PCVHB



PCVSPB



PCVHP



| Model | Cover Type | Length (feet) | Beam Width (inches) |
|-----------|---------------|---------------|---------------------|
| PCVTB110 | Boat (V-Hull) | 12'-14' | 68" |
| PCVTB111 | Boat (V-Hull) | 14'-16' | 75" |
| PCVTB112 | Boat (V-Hull) | 14'-16' | 90" |
| PCVTB113 | Boat (V-Hull) | 16'-18.5' | 98" |
| PCVTB114 | Boat (V-Hull) | 17'-19' | 102" |
| PCVTB115 | Boat (V-Hull) | 20'-22' | 106" |
| PCVHB220 | Boat (V-Hull) | 14'-16' | 75" |
| PCVHB221 | Boat (V-Hull) | 14'-16' | 90" |
| PCVHB222 | Boat (V-Hull) | 16'-18.5' | 98" |
| PCVHB223 | Boat (V-Hull) | 17'-19' | 102" |
| PCVHB224 | Boat (V-Hull) | 20'-22' | 106" |
| PCVHB225 | Boat (V-Hull) | 22'-24' | 116" |
| PCVSPB330 | Boat (V-Hull) | 14'-16' | 75" |
| PCVSPB331 | Boat (V-Hull) | 14'-16' | 90" |
| PCVSPB332 | Boat (V-Hull) | 16'-18.5' | 98" |
| PCVSPB333 | Boat (V-Hull) | 17'-19' | 102" |
| PCVSPB334 | Boat (V-Hull) | 20'-22' | 106" |
| PCVSPB335 | Boat (V-Hull) | 22'-24' | 116" |
| PCVHP440 | Pontoon | 17'-20' | 96" |
| PCVHP441 | Pontoon | 21'-24' | 96" |
| PCVHP442 | Pontoon | 25'-28' | 96" |



PCVCAR



PCVSUV



PCVM



| Model | Cover Type | Length (feet) | Fits Sizes Up to |
|-----------|------------|---------------|------------------|
| PCVCAR12 | Car | 12' | - |
| PCVCAR13 | Car | 13.1' | - |
| PCVCAR14 | Car | 14.3' | - |
| PCVCAR15 | Car | 15' | - |
| PCVCAR16 | Car | 16.5' | - |
| PCVCAR17 | Car | 17.8' | - |
| PCVCAR19 | Car | 19' | - |
| PCVCAR22 | Car | 22' | - |
| PCVSUV136 | SUV | 13.6' | - |
| PCVSUV152 | SUV | 15.2' | - |
| PCVSUV162 | SUV | 16.2' | - |
| PCVSUV172 | SUV | 17.2' | - |
| PCVSUV182 | SUV | 18.2' | - |
| PCVSUV192 | SUV | 19' | - |
| PCVSUV202 | SUV | 20' | - |
| PCVMC10 | Motorcycle | - | 1100cc |
| PCVMC12 | Motorcycle | - | 1500cc |
| PCVMC20 | Motorcycle | - | 1100cc |
| PCVMC22 | Motorcycle | - | 1500cc |
| PCVMC30 | Motorcycle | - | 500-1400cc |
| PCVMC32 | Motorcycle | - | 500-1100cc |
| PCVM34 | Motorcycle | - | 1500cc |



PCVGFCT



PCVGFCSO



PCVGCE



PCVGFCP



| Model | Cover Type | Color |
|------------|--------------------|-------|
| PCVGFCT60 | 2 Passenger | Olive |
| PCVGFCT61 | 4 Passenger | Olive |
| PCVGFCT62 | 2 Passenger | Camo |
| PCVGFCT63 | 4 Passenger | Camo |
| PCVGFCT64 | 2 Passenger | Tan |
| PCVGFCT65 | 4 Passenger | Tan |
| PCVGFCSO20 | 2 Passenger | Olive |
| PCVGFCSO21 | 4 Passenger | Olive |
| PCVGFCSO22 | 2 Passenger | Camo |
| PCVGFCSO23 | 4 Passenger | Camo |
| PCVGFCSO24 | 2 Passenger | Tan |
| PCVGFCSO25 | 4 Passenger | Tan |
| PCVGCE30 | 2 Passenger | Tan |
| PCVGCE31 | 4 Passenger | Tan |
| PCVGCE33 | 2 Passenger | Camo |
| PCVGCE34 | 4 Passenger | Camo |
| PCVGCE36 | 2 Passenger | Olive |
| PCVGCE37 | 4 Passenger | Olive |
| PCVGFYM70 | Yamaha Models | Tan |
| PCVGFYM71 | Yamaha Models | Camo |
| PCVGFCP90 | President Club Car | Tan |
| PCVGFCP91 | President Club Car | Camo |

Armor Shield



Miscellaneous Covers

PCVATV



PCVSC



PCVUTV



PCVLM



| Model | Cover Type | Size / Fits Up To | Color |
|-----------|--------------------|---------------------------|--------|
| PCVATV20 | ATV | 82"L x 48"W x 31.5"H | Olive |
| PCVATV22 | ATV | 86.5"L x 49"W x 33.5"H | Olive |
| PCVATC30 | ATV | 82"L x 48"W x 31.5"H | Camo |
| PCVATC32 | ATV | 86.5"L x 49"W x 33.5"H | Camo |
| PCVSC40 | Scooter / Vespa | 48"L x 22"W x 44"H | Silver |
| PCVSC42 | Scooter / Vespa | 60"L x 32"W x 44"H | Silver |
| PCVSC44 | Scooter / Vespa | 81"L x 38"W x 55"H | Silver |
| PCVUTV10 | UTV | Universal (without Cabin) | Olive |
| PCVUTV12 | UTV | Universal (with Cabin) | Olive |
| PCVUTV13 | UTV | Universal (without Cabin) | Camo |
| PCVUTV14 | UTV | Universal (with Cabin) | Camo |
| PCVSNB30 | Snow Blower | Universal | Black |
| PCVDT45 | Lawn Tractor | Universal | Black |
| PCVLTR11 | Lawn Tractor | Universal | Olive |
| PCVLM36 | Lawn Mower | Universal | Black |
| PCVLTRS6 | Tractor Seat Cover | Small | Black |
| PCVLTRM8 | Tractor Seat Cover | Medium | Black |
| PCVAC1 | Air Compressor | Universal | Black |
| PCVPW3 | Pressure Washer | Universal | Black |
| PCVGNM6 | Generator | Medium | Black |
| PCVGNL8 | Generator | Large | Black |
| PCVGNLXL9 | Generator | Extra Large | Black |
| PCVACM20 | Air Conditioner | Medium | Black |
| PCVACL22 | Air Conditioner | Large | Black |
| PCVACXL24 | Air Conditioner | Extra Large | Black |



| Model | Cover Type | Size / Fits Up To |
|------------|------------------------|-------------------------|
| PCVUMB11 | Umbrella | Diameter: 13" |
| PCVUMB22 | Umbrella | Diameter: 10" |
| PVCCH18 | Chair | 28.5"L x 25.5"W x 26"H |
| PVCCH20 | Chair | 32.5"L x 25.5"W x 34"H |
| PVCCH22 | Stack of Chairs | 33.5"L x 25.5"W x 45"H |
| PVCCH24 | Adirondack Chair | 33.5"L x 31.5"W x 36"H |
| PVCCH26 | Chair | 33.5"L x 38"W x 31"H |
| PVCCH28 | Rocker Chairs | 32.5"L x 27.5"W x 39"H |
| PVCCH30 | Lounge / Chaise Chairs | 66"L x 28"W x 27.5"H |
| PVCCH32 | Lounge / Chaise Chairs | 66"L x 33.5"W x 33"H |
| PVCCH34 | Lounge / Chaise Chairs | 78"L x 33.5"W x 33"H |
| PVCTBLCH40 | Table & Chairs | 78"L x 58"W x 23"H |
| PVCTBLCH42 | Table & Chairs | 108"L x 58"W x 23"H |
| PVCTBLCH44 | Table & Chairs | 128"L x 82"W x 23"H |
| PVCTBLCH46 | Table & Chairs | 70" Diameter x 23"H |
| PVCTBLCH48 | Table & Chairs | 94" Diameter x 23"H |
| PVCTBLCH50 | Table & Chairs | 54" Diameter x 23"H |
| PVCTBLCH52 | Table & Chairs | 60" Diameter x 23"H |
| PVCTBLCH54 | Table & Chairs | 60" Diameter x 29"H |
| PVCTBL60 | Table | 72"L x 44"W x 23"H |
| PVCTBL62 | Table | 50" Diameter x 23"H |
| PVCTBN70 | Loveseat & Sofa | 58"L x 35.5"W x 31"H |
| PVCTBN72 | Loveseat & Sofa | 76"L x 32.5"W x 33"H |
| PVCTBN74 | Loveseat & Sofa | 88"L x 32.5"W x 33"H |
| PVCTBN76 | Bench | 50"L x 28.5"W x 30"H |
| PVCCB68 | Bench & Chair | 45.5"L x 13.75"W x 20"H |
| PVCOT78 | Table / Ottoman | 21"L x 21"W x 17"H |
| PVCOT80 | Table / Ottoman | 26"L x 26"W x 17"H |
| PVCOT82 | Table / Ottoman | 32"L x 22"W x 17"H |
| PVCOT84 | Table / Ottoman | 38"L x 28"W x 17"H |
| PVCSN86 | Canopy Swings | 78"L x 60"W x 72"H |
| PVCIQT88 | Island Grill | 37"L x 27"W x 24"H |
| PVCIQT90 | Island Grill | 45"L x 29"W x 26"H |
| PVCIQT92 | Island Grill | 57"L x 29"W x 26"H |
| PVCFP93 | Fire Pit | Diameter: 44" |
| PVCFP94 | Fire Pit | Diameter: 60" |
| PVCFP95 | Fire Pit | 40"W x 40"W |
| PVCFP96 | Fire Pit | 35.5"H |
| PVCFP97 | Fire Pit | 28.5"H |
| PVCLG81 | Log Rack | 48"L x 24"W x 42"H |
| PVCLG83 | Log Rack | 96"L x 24"W x 42"H |
| PVCLG85 | Log Rack Bag | 40"L x 25" |

PVCCH



PVCTBLCH



PVCTBL



PVCOT



PVCIQT



For more product-specific information and more great models visit:

PyleAudio.com

PYLE®



Follow us on

YouTube



Visit us @ Pyleaudio.com

PYLE®

1600 63rd Street . Brooklyn . NY 11204 . 718 535-1800 . Fax: 718 236-2400