

## PC/Computer Cables, Devices & Accessories

Quiktron's variety of PC/Computer cables, devices and accessories provide PC desktop and laptop users increased functionality, flexibility, and value for their home or office systems.

From All-Lines cables to UXGA monitor cables and everything in between, Quiktron has the right products and accessories to enhance virtually any computer application. No other manufacturer provides the same product depth, quality, service, and expertise as Quiktron.

Wireless networking has become common place over the past eight years. To leverage this trend of wireless technology, Quiktron has developed and released wireless VGA and wireless USB solutions that enable PC users to connect to monitors and USB peripherals using standards-based protocols. By using these protocols, our products are fully compatible with all other products that use the same set of standards, providing our customers the ability to integrate our solutions into their existing infrastructure.

### In This Section:

- Monitor & Projector ..... 123-129
- Splitters & Extenders..... 130-133
- Keyboard & Mouse ..... 134
- Wireless Solutions ..... 135-136
- Serial & Parallel ..... 137-138
- All-Lines ..... 139
- USB ..... 140-150
- Power Cords ..... 151-156
- Cable Management ..... 157

pg. 123



pg. 135



pg. 148



pg. 150



# MONITOR & PROJECTOR



## Pro Series Monitor & Projector Cables

Provides a reliable crisp and distortion free video connection between your source device and display.

### Features:

- Supports resolution of 1600x1200 pixels (UXGA) and beyond
- Constructed of premium grade double-shielded video cable
- Three internal coax lines for red, green and blue
- 125% foil shielding; 90% tinned copper braid shielding
- Ferrites protect against EMI/RFI interference
- Lifetime warranty

### Pro Series Monitor & Projector Cables

| Part #          | Description  |
|-----------------|--|
| 2001-28030-003* | 3ft Pro Series HD15 M/M UXGA Monitor Cable             |
| 2001-28011-006  | 6ft Pro Series HD15 M/M UXGA Monitor Cable             |
| 2001-28012-010  | 10ft Pro Series HD15 M/M UXGA Monitor Cable            |
| 2001-28013-015  | 15ft Pro Series HD15 M/M UXGA Monitor Cable            |
| 2001-28014-025  | 25ft Pro Series HD15 M/M UXGA Monitor Cable            |
| 2001-28015-035  | 35ft Pro Series HD15 M/M UXGA Monitor Cable            |
| 2001-28016-050  | 50ft Pro Series HD15 M/M UXGA Monitor Cable            |
| 2001-28017-075  | 75ft Pro Series HD15 M/M UXGA Monitor Cable            |
| 2001-28018-100  | 100ft Pro Series HD15 M/M UXGA Monitor Cable           |
| 2002-28000-003* | 3ft Pro Series HD15 M/F UXGA Monitor Extension Cable   |
| 2002-28001-006  | 6ft Pro Series HD15 M/F UXGA Monitor Extension Cable   |
| 2002-28002-010  | 10ft Pro Series HD15 M/F UXGA Monitor Extension Cable  |
| 2002-28003-015  | 15ft Pro Series HD15 M/F UXGA Monitor Extension Cable  |
| 2002-28004-025  | 25ft Pro Series HD15 M/F UXGA Monitor Extension Cable  |
| 2002-28005-035  | 35ft Pro Series HD15 M/F UXGA Monitor Extension Cable  |
| 2002-28006-050  | 50ft Pro Series HD15 M/F UXGA Monitor Extension Cable  |
| 2002-28007-075  | 75ft Pro Series HD15 M/F UXGA Monitor Extension Cable  |
| 2002-28008-100  | 100ft Pro Series HD15 M/F UXGA Monitor Extension Cable |

## Pro Series Plenum Rated UXGA Monitor & Projector Cables

A necessity when installing video systems in commercial and educational facilities.

### Features:

- CMP-rated cable jacket
- Low-smoke PVC outer jacket and FEP, Teflon® inner insulator
- (3) 28AWG coax cables, (3) 26AWG twisted pairs, (2) 26 AWG conductors
- Metal HD15 connector housing
- Lifetime warranty

### Pro Series Plenum Rated UXGA Monitor & Projector Cables

| Part #          | Description   |
|-----------------|---|
| 2003-40255-015  | 15ft Pro Series Plenum HD15 M/M UXGA Monitor/Projector Cable  |
| 2003-40256-030  | 30ft Pro Series Plenum HD15 M/M UXGA Monitor/Projector Cable  |
| 2003-40262-035  | 35ft Pro Series Plenum HD15 M/M UXGA Monitor/Projector Cable  |
| 2003-40257-050  | 50ft Pro Series Plenum HD15 M/M UXGA Monitor/Projector Cable  |
| 2003-40258-075  | 75ft Pro Series Plenum HD15 M/M UXGA Monitor/Projector Cable  |
| 2003-40259-100  | 100ft Pro Series Plenum HD15 M/M UXGA Monitor/Projector Cable |
| 2003-40260-125  | 125ft Pro Series Plenum HD15 M/M UXGA Monitor/Projector Cable |
| 2003-40261-150  | 150ft Pro Series Plenum HD15 M/M UXGA Monitor/Projector Cable |
| 2004-40681-015* | 15ft Pro Series Plenum HD15 M/M UXGA Cable with 3.5mm Audio   |
| 2004-40682-025  | 25ft Pro Series Plenum HD15 M/M UXGA Cable with 3.5mm Audio   |
| 2004-40683-035  | 35ft Pro Series Plenum HD15 M/M UXGA Cable with 3.5mm Audio   |
| 2004-40684-050  | 50ft Pro Series Plenum HD15 M/M UXGA Cable with 3.5mm Audio   |
| 2004-40685-075  | 75ft Pro Series Plenum HD15 M/M UXGA Cable with 3.5mm Audio   |
| 2004-40686-015  | 15ft Pro Series Plenum HD15 M/F UXGA Cable with 3.5mm Audio   |
| 2004-40687-025  | 25ft Pro Series Plenum HD15 M/F UXGA Cable with 3.5mm Audio   |
| 2004-40688-035  | 35ft Pro Series Plenum HD15 M/F UXGA Cable with 3.5mm Audio   |
| 2004-40689-050  | 50ft Pro Series Plenum HD15 M/F UXGA Cable with 3.5mm Audio   |
| 2004-40690-075  | 75ft Pro Series Plenum HD15 M/F UXGA Cable with 3.5mm Audio   |
| 2004-40248-015  | 15ft Pro Series Plenum HD15 M/F UXGA Extension Cable          |
| 2004-40249-030  | 30ft Pro Series Plenum HD15 M/F UXGA Extension Cable          |
| 2004-40263-035  | 35ft Pro Series Plenum HD15 M/F UXGA Extension Cable          |
| 2004-40250-050  | 50ft Pro Series Plenum HD15 M/F UXGA Extension Cable          |
| 2004-40251-075  | 75ft Pro Series Plenum HD15 M/F UXGA Extension Cable          |
| 2004-40252-100  | 100ft Pro Series Plenum HD15 M/F UXGA Extension Cable         |
| 2004-40253-125  | 125ft Pro Series Plenum HD15 M/F UXGA Extension Cable         |
| 2004-40254-150  | 150ft Pro Series Plenum HD15 M/F UXGA Extension Cable         |





## Plenum Rated M/M SXGA Monitor & Projector Cables—Rounded Low Profile Connector

Low profile HD15 connectors for easier in-wall installation.

### Features:

- CMP-rated plenum jacket
- Small-diameter cable (1/4in diameter)
- CMP-rated plenum jacket
- Designed to meet stringent building codes for placement of low voltage wiring within a commercial environment
- Lifetime warranty

### Plenum Rated M/M SXGA Monitor & Projector Cables Rounded Low Profile Connector

| Part #          | Description   |
|-----------------|---|
| 2003-40091-015* | 15ft Plenum rated HD15 SXGA M/M Monitor/Projector Cable |
| 2003-40092-025  | 25ft Plenum rated HD15 SXGA M/M Monitor/Projector Cable |
| 2003-40093-035  | 35ft Plenum rated HD15 SXGA M/M Monitor/Projector Cable |
| 2003-40094-050  | 50ft Plenum rated HD15 SXGA M/M Monitor/Projector Cable |
| 2003-40095-075  | 75ft Plenum rated HD15 SXGA M/M Monitor/Projector Cable |
| 2001-40175-015* | 15ft Plenum rated HD15 SXGA + 3.5mm M/M Monitor Cable   |
| 2001-40176-025  | 25ft Plenum rated HD15 SXGA + 3.5mm M/M Monitor Cable   |
| 2001-40177-035  | 35ft Plenum rated HD15 SXGA + 3.5mm M/M Monitor Cable   |
| 2001-40178-050  | 50ft Plenum rated HD15 SXGA + 3.5mm M/M Monitor Cable   |
| 2001-40179-075  | 75ft Plenum rated HD15 SXGA + 3.5mm M/M Monitor Cable   |

### Plenum Rated M/M SXGA Monitor/Projector Cables—Classic Series

| Part #          | Description  |
|-----------------|--|
| 2003-40510-015* | 15ft Plenum rated M/M SXGA Monitor/Projector Cable Low Profile |
| 2003-40511-025  | 25ft Plenum rated M/M SXGA Monitor/Projector Cable Low Profile |
| 2003-40512-035  | 35ft Plenum rated M/M SXGA Monitor/Projector Cable Low Profile |
| 2003-40513-050  | 50ft Plenum rated M/M SXGA Monitor/Projector Cable Low Profile |
| 2003-40514-075  | 75ft Plenum rated M/M SXGA Monitor/Projector Cable Low Profile |

Note: This cable carries RGBHV signals only and requires a one-time setup to ensure proper video resolution.



## CMG-Rated M/M SXGA Monitor & Projector Cables—Rounded Low Profile Connector

Provides easier in-wall installation where CMG rating is required.

### Features:

- Low profile HD15 connectors (1 1/4in total depth)
- Small-diameter cable (1/4in diameter)
- (3) 30AWG coax cables with (1) 26AWG pair
- Designed to meet stringent building codes for placement of low voltage wiring within a commercial environment
- Tinned copper braiding provides 92% shielding

### CMG-Rated M/M SXGA Monitor & Projector Cables Rounded Low Profile Connector

| Part #          | Description   |
|-----------------|---|
| 2001-40140-003* | 3ft HD15 SXGA M/M Monitor/Projector Cable                         |
| 2001-40141-006  | 6ft HD15 SXGA M/M Monitor/Projector Cable                         |
| 2001-40142-010  | 10ft HD15 SXGA M/M Monitor/Projector Cable                        |
| 2001-40143-012  | 12ft HD15 SXGA M/M Monitor/Projector Cable                        |
| 2001-40125-015  | 15ft HD15 SXGA M/M Monitor/Projector Cable                        |
| 2001-40126-025  | 25ft HD15 SXGA M/M Monitor/Projector Cable                        |
| 2001-40127-035  | 35ft HD15 SXGA M/M Monitor/Projector Cable                        |
| 2001-40128-050  | 50ft HD15 SXGA M/M Monitor/Projector Cable                        |
| 2001-40129-075  | 75ft HD15 SXGA M/M Monitor/Projector Cable                        |
| 2001-40147-003* | 3ft HD15 SXGA + 3.5mm M/M Monitor Cable                           |
| 2001-40148-006  | 6ft HD15 SXGA + 3.5mm M/M Monitor Cable                           |
| 2001-40149-010  | 10ft HD15 SXGA + 3.5mm M/M Monitor Cable                          |
| 2001-40150-012  | 12ft HD15 SXGA + 3.5mm M/M Monitor Cable                          |
| 2001-40154-015  | 15ft HD15 SXGA + 3.5mm M/M Monitor Cable                          |
| 2001-40155-025  | 25ft HD15 SXGA + 3.5mm M/M Monitor Cable                          |
| 2001-40156-035  | 35ft HD15 SXGA + 3.5mm M/M Monitor Cable                          |
| 2001-40157-050  | 50ft HD15 SXGA + 3.5mm M/M Monitor Cable                          |
| 2001-40158-075  | 75ft HD15 SXGA + 3.5mm M/M Monitor Cable                          |
| 2001-40196-003  | 3ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable  |
| 2001-40197-006  | 6ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable  |
| 2001-40198-010  | 10ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable |
| 2001-40199-012  | 12ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable |
| 2001-40180-015  | 15ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable |
| 2001-40181-025  | 25ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable |
| 2001-40182-035  | 35ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable |
| 2001-40183-050  | 50ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable |
| 2001-40184-075  | 75ft HD15 SXGA + Composite Video + Stereo Audio + 3.5mm M/M Cable |

Note: This cable carries RGBHV signals only and requires a one-time setup to ensure proper video resolution.

FIBER

COPPER

RAPIDRUN

AUDIO/VIDEO

PC/COMPUTER

# MONITOR & PROJECTOR

## SXGA Angled Monitor & Projector Cables

Angled connector enables easy installation even in the tightest spots.

### Features:

- Connectors: HD15 male to angled HD15 male or female
- Constructed from (3) coax, (3) 28AWG twisted pairs, and (2) 28AWG conductors for precise signal reproduction
- Lifetime warranty

### 45° Angled VGA Cables

| Part #         | Description  |
|----------------|--|
| 2011-35010-001 | 1ft SXGA Angled Monitor/Projector Cable            |
| 2011-35011-003 | 3ft SXGA Angled Monitor/Projector Cable            |
| 2011-35003-006 | 6ft SXGA Angled Monitor/Projector Cable            |
| 2011-35004-010 | 10ft SXGA Angled Monitor/Projector Cable           |
| 2011-35005-015 | 15ft SXGA Angled Monitor/Projector Cable           |
| 2011-35006-025 | 25ft SXGA Angled Monitor/Projector Cable           |
| 2011-35008-050 | 50ft SXGA Angled Monitor/Projector Cable           |
| 2011-35019-001 | 1ft SXGA Angled Monitor/Projector Extension Cable  |
| 2011-35020-003 | 3ft SXGA Angled Monitor/Projector Extension Cable  |
| 2011-35012-006 | 6ft SXGA Angled Monitor/Projector Extension Cable  |
| 2011-35013-010 | 10ft SXGA Angled Monitor/Projector Extension Cable |
| 2011-35014-015 | 15ft SXGA Angled Monitor/Projector Extension Cable |
| 2011-35015-025 | 25ft SXGA Angled Monitor/Projector Extension Cable |
| 2011-35017-050 | 50ft SXGA Angled Monitor/Projector Extension Cable |

### 90° Downward Angled VGA Cables

| Part #         | Description   |
|----------------|---|
| 2011-52014-001 | 1ft Premium Shielded HD15 M/M SXGA Monitor Cable            |
| 2011-52015-003 | 3ft Premium Shielded HD15 M/M SXGA Monitor Cable            |
| 2011-52016-006 | 6ft Premium Shielded HD15 M/M SXGA Monitor Cable            |
| 2011-52017-010 | 10ft Premium Shielded HD15 M/M SXGA Monitor Cable           |
| 2011-52018-015 | 15ft Premium Shielded HD15 M/M SXGA Monitor Cable           |
| 2011-52019-025 | 25ft Premium Shielded HD15 M/M SXGA Monitor Cable           |
| 2011-52020-050 | 50ft Premium Shielded HD15 M/M SXGA Monitor Cable           |
| 2011-52021-001 | 1ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable  |
| 2011-52022-003 | 3ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable  |
| 2011-52023-006 | 6ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable  |
| 2011-52024-010 | 10ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable |
| 2011-52025-015 | 15ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable |
| 2011-52026-025 | 25ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable |
| 2011-52027-050 | 50ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable |

### 90° Upward Angled VGA Cables

|                |   |
|----------------|---|
| 2011-52000-001 | 1ft Premium Shielded HD15 M/M SXGA Monitor Extension Cable  |
| 2011-52001-003 | 3ft Premium Shielded HD15 M/M SXGA Monitor Extension Cable  |
| 2011-52002-006 | 6ft Premium Shielded HD15 M/M SXGA Monitor Extension Cable  |
| 2011-52003-010 | 10ft Premium Shielded HD15 M/M SXGA Monitor Extension Cable |
| 2011-52004-015 | 15ft Premium Shielded HD15 M/M SXGA Monitor Extension Cable |
| 2011-52005-025 | 25ft Premium Shielded HD15 M/M SXGA Monitor Extension Cable |
| 2011-52006-050 | 50ft Premium Shielded HD15 M/M SXGA Monitor Extension Cable |
| 2011-52007-001 | 1ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable  |
| 2011-52008-003 | 3ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable  |
| 2011-52009-006 | 6ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable  |
| 2011-52010-010 | 10ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable |
| 2011-52011-015 | 15ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable |
| 2011-52012-025 | 25ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable |
| 2011-52013-050 | 50ft Premium Shielded HD15 M/F SXGA Monitor Extension Cable |



\*2011-52057-001



\*2011-52050-001

## VGA270° Cables

Rotating connectors for almost any orientation with your monitor; UXGA resolution; up to 100ft long.

### Features:

- Rotating 270° connectors on each end move from side to side in almost a complete circle
- Oversized slotted thumbscrews make connecting to your equipment easy
- Constructed of (3) coax and (4) twisted pair and an overall foil and braid shield to support the highest video resolutions
- Low profile connectors designed for tight spaces
- "Click-stops" every 90°

### VGA270° Cables

| Part #          | Description  |
|-----------------|--|
| 2001-52091-001  | 6in VGA270° HD15 M/M UXGA Monitor Cable            |
| 2011-52057-001* | 1ft VGA270° HD15 M/M UXGA Monitor Cable            |
| 2011-52058-003  | 3ft VGA270° HD15 M/M UXGA Monitor Cable            |
| 2011-52059-006  | 6ft VGA270° HD15 M/M UXGA Monitor Cable            |
| 2011-52060-010  | 10ft VGA270° HD15 M/M UXGA Monitor Cable           |
| 2011-52061-015  | 15ft VGA270° HD15 M/M UXGA Monitor Cable           |
| 2011-52062-025  | 25ft VGA270° HD15 M/M UXGA Monitor Cable           |
| 2011-52063-050  | 50ft VGA270° HD15 M/M UXGA Monitor Cable           |
| 2001-52090-100  | 100ft VGA270° HD15 M/M UXGA Monitor Cable          |
| 2011-52050-001* | 1ft VGA270° HD15 M/F UXGA Monitor Extension Cable  |
| 2011-52051-003  | 3ft VGA270° HD15 M/F UXGA Monitor Extension Cable  |
| 2011-52052-006  | 6ft VGA270° HD15 M/F UXGA Monitor Extension Cable  |
| 2011-52053-010  | 10ft VGA270° HD15 M/F UXGA Monitor Extension Cable |
| 2011-52054-015  | 15ft VGA270° HD15 M/F UXGA Monitor Extension Cable |
| 2011-52055-025  | 25ft VGA270° HD15 M/F UXGA Monitor Extension Cable |
| 2011-52056-050  | 50ft VGA 270 HD15 M/F UXGA Monitor Extension Cable |



## Flexima™ HD15 M/M UXGA Monitor Cables

Thin ultra-flexible design makes installations in tight spaces easy! Plus, it's rated for in-wall installation.

### Features:

- Connectors: HD15 male to HD15 male
- CL3-rated jacket suitable for outside wall and for in-wall applications
- Highly flexible jacket ideal for installation into tight spaces
- Constructed from premium grade double-shielded twisted pairs and triple-shielded coax
- Ferrites protect from EMI/RFI interference
- Accommodates cable runs up to 100ft without a booster (for most cases)
- Lifetime warranty

### Flexima HD15 M/M UXGA Monitor Cables

| Part #          | Description  |
|-----------------|--|
| 2001-28243-006* | 6ft Flexima HD15 M/M Monitor Cable                             |
| 2001-28244-012  | 12ft Flexima HD15 M/M Monitor Cable                            |
| 2001-28245-025  | 25ft Flexima HD15 M/M Monitor Cable                            |
| 2001-28246-035  | 35ft Flexima HD15 M/M Monitor Cable                            |
| 2001-28247-050  | 50ft Flexima HD15 M/M Monitor Cable                            |
| 2001-28248-075  | 75ft Flexima HD15 M/M Monitor Cable                            |
| 2001-28249-100  | 100ft Flexima HD15 M/M Monitor Cable                           |
| 2001-28250-006* | 6ft Flexima HD15 UXGA + 3.5mm Stereo Audio M/M Monitor Cable   |
| 2001-28251-012  | 12ft Flexima HD15 UXGA + 3.5mm Stereo Audio M/M Monitor Cable  |
| 2001-28252-025  | 25ft Flexima HD15 UXGA + 3.5mm Stereo Audio M/M Monitor Cable  |
| 2001-28253-035  | 35ft Flexima HD15 UXGA + 3.5mm Stereo Audio M/M Monitor Cable  |
| 2001-28254-050  | 50ft Flexima HD15 UXGA + 3.5mm Stereo Audio M/M Monitor Cable  |
| 2001-28255-075  | 75ft Flexima HD15 UXGA + 3.5mm Stereo Audio M/M Monitor Cable  |
| 2001-28256-100  | 100ft Flexima HD15 UXGA + 3.5mm Stereo Audio M/M Monitor Cable |



## Value Series™ HD15 SVGA Monitor Cables

Value Series SVGA Monitor Cables are ideal for short distance applications such as an office environment.

### Features:

- Maximum recommended resolution of 800x600 pixels
- Foil shielded to protect from EMI/RFI interference
- Constructed from 28-gauge wire
- Designed for short cable runs
- Lifetime warranty

### Value Series HD15 SVGA Monitor & Projector Cables

| Part #          | Description   |
|-----------------|---|
| 2008-02717-006* | 6ft Value Series HD15 M/F SVGA Monitor Extension Cable  |
| 2008-02718-010  | 10ft Value Series HD15 M/F SVGA Monitor Extension Cable |
| 2008-02719-015  | 15ft Value Series HD15 M/F SVGA Monitor Extension Cable |
| 2008-02635-006  | 6ft Value Series HD15 M/M SVGA Monitor Cable            |
| 2008-09455-010  | 10ft Value Series HD15 M/M SVGA Monitor Cable           |
| 22008-09618-015 | 15ft Value Series HD15 M/M SVGA Monitor Cable           |
| 2008-25246-001  | 8in Value Series HD15 Male to (2) HD15 Female Y-Cable   |

FIBER

COPPER

RAPIDRUN

AUDIO/VIDEO

PC/COMPUTER



\*2201-02561-006



\*2226-54164-003

## HD15 to 5-BNC SXGA Monitor Cables

High-Resolution HD15 to 5-BNC Video Cables are designed to work with monitors, HDTV and other video applications.

### Features:

- Premium quality 28AWG tinned-copper mini-coax conductor delivers accurate resolution and color
- BNC connectors provide cable matched 75-Ohm impedance
- Shielded with 100% Mylar® foil and 85% copper braid that is soldered 360° to the connector shell
- Color-coded monitor signals provide for easy identification of red, green, and blue leads with horizontal and vertical sync
- Constructed from UL 2919 rated wire
- Lifetime warranty

### HD15 to 5-BNC SXGA Monitor Cables

| Part #          | Description                                     |
|-----------------|---|
| 2201-02561-006* | 6ft SXGA HD15 Male to 5-BNC Male Monitor Cable  |
| 2201-07573-010  | 10ft SXGA HD15 Male to 5-BNC Male Monitor Cable |
| 2201-07574-015  | 15ft HD15 Male to 5-BNC Male Monitor Cable      |

## Mini DisplayPort™ Cables

Connect your Mini DisplayPort source to any Mini DisplayPort display; ideal for plugging in your new Mac® or monitor with WUXGA resolution!

### Features:

- Mini DisplayPort can drive resolutions up to 2560×1600 pixels
- This cable supports all Mini DisplayPort requirements per the VESA standard
- Lifetime warranty

### Mini DisplayPort Cables

| Part #          | Description                                     |
|-----------------|---|
| 2226-54164-003* | 1m Mini DisplayPort 1.1 Cable (3.2ft)           |
| 2226-54165-006  | 2m Mini DisplayPort 1.1 Cable (6.5ft)           |
| 2226-54166-009  | 3m Mini DisplayPort 1.1 Cable (9.8ft)           |
| 2226-54167-003  | 1m Mini DisplayPort 1.1 Extension Cable (3.2ft) |
| 2226-54168-006  | 2m Mini DisplayPort 1.1 Extension Cable (6.5ft) |
| 2226-54169-009  | 3m Mini DisplayPort 1.1 Extension Cable (9.8ft) |



\*2226-54180-003



\*2014-52092-6IN

## DisplayPort™ Adapter Cables

Use this DisplayPort to HDMI cable to connect a DisplayPort source directly to an HDMI display.

### Features:

- The passive design will support a 1920 x 1080 resolution up to 3 meters
- Great for applications when you want to connect a newer laptop or desktop to an HDMI-enabled display
- Lifetime warranty

| DisplayPort Adapter Cables |  |
|----------------------------|--|
| Part #                     | Description  |
| 2226-54180-003*            | 3m DisplayPort 1.1 Male to HDMI Male Cable (3.2ft)     |
| 2226-54181-006             | 6m DisplayPort 1.1 Male to HDMI Male Cable (6.5ft)     |
| 2226-54182-009             | 9m DisplayPort 1.1 Male to HDMI Male Cable (9.8ft)     |
| 2226-54183-003             | 3m DisplayPort 1.1 Male to DVI-D Male Cable (3.2ft)    |
| 2226-54184-006             | 6m DisplayPort 1.1 Male to DVI-D Male Cable (6.5ft)    |
| 2226-54185-009             | 9m DisplayPort 1.1 Male to DVI-D Male Cable (9.8ft)    |
| 2226-54186-003             | 3m DisplayPort 1.1 Male to HD15 VGA Male Cable (3.2ft) |
| 2226-54187-006             | 6m DisplayPort 1.1 Male to HD15 VGA Male Cable (6.5ft) |
| 2226-54188-009             | 9m DisplayPort 1.1 Male to HD15 VGA Male Cable (9.8ft) |

## Panel Mount HD15 SXGA Monitor Cables

Fixed VGA connections where you need them.

### Features:

- Molded hood provides easy connection to a faceplate or machined port
- Constructed of premium grade shielded video cable which uses a combination of coax and twisted pair
- Accommodates cable runs up to 100ft without a booster (in most cases)
- Ideal for kiosks, table top plates and custom applications

| Panel Mount HD15 SXGA Monitor Cables |   |
|--------------------------------------|---|
| Part #                               | Description   |
| 2014-52092-6IN*                      | 6in Panel Mount HD15 M/F SXGA Monitor Extension Cable       |
| 2014-52093-001                       | 1ft Panel Mount HD15 M/F SXGA Monitor Extension Cable       |
| 2014-52094-003                       | 3ft Panel Mount HD15 M/F SXGA Monitor Extension Cable       |
| 2014-52095-006                       | 6ft Panel Mount HD15 M/F SXGA Monitor Extension Cable       |
| 2014-52096-010                       | 10ft Panel Mount HD15 M/F SXGA Monitor Extension Cable      |
| 2014-52097-015                       | 15ft Panel Mount HD15 M/F SXGA Monitor Extension Cable      |
| 2014-52098-025                       | 25ft Panel Mount HD15 M/F SXGA Monitor Extension Cable      |
| 2014-52099-035                       | 35ft Panel Mount HD15 M/F SXGA Monitor Extension Cable      |
| 2014-52100-050                       | 50ft Panel Mount HD15 M/F SXGA Monitor Extension Cable      |
| 2014-52101-075                       | 75ft Panel Mount HD15 M/F SXGA Monitor Extension Cable      |
| 2014-52102-100                       | 100ft Panel Mount HD15 M/F SXGA Monitor Extension Cable     |
| 2014-52103-015                       | 15ft Plenum Rated Panel Mount HD15 M/F UXGA Extension Cable |
| 2014-52104-035                       | 35ft Plenum Rated Panel Mount HD15 M/F UXGA Extension Cable |
| 2014-52105-050                       | 50ft Plenum Rated Panel Mount HD15 M/F UXGA Extension Cable |

FIBER

COPPER

RAPIDRUN

AUDIO/VIDEO

PC/COMPUTER



# MONITOR & PROJECTOR



\*2102-26911-006



\*2102-26946-006

## Value Series™ DVI Cables

Value Series DVI-D Digital Cables from Quiktron deliver the high performance, high-bandwidth interface needed for digital video displays at an economical price.

### Features:

- Shielded undermold protects against EMI/RFI interference
- Gold-plated contacts for greater conductivity
- PC and Mac® compatible; also suitable for HDTV applications
- These precision-engineered cables are fully compliant with the DVI standard defined by DDWG
- Allows high speed transmission up to 9.9Gbps
- Lifetime warranty

| Value Series DVI Cables |   |
|-------------------------|---|
| Part #                  | Description   |
| 2102-26912-003          | 3.3ft 1m Value Series DVI-D M/M Digital Video Cable           |
| 2102-26911-006*         | 9.8ft 3m Value Series DVI-D M/M Digital Video Cable           |
| 2102-29527-016          | 16ft 5m Value Series DVI-D M/M Digital Video Cable            |
| 2102-26913-003          | 3.3ft 1m Value Series DVI-D M/F Digital Video Extension Cable |
| 2102-26950-006          | 6.6ft 2m Value Series DVI-D M/F Digital Video Extension Cable |
| 2102-26951-009          | 9.8ft 3m Value Series DVI-D M/F Digital Video Extension Cable |
| 2102-27602-ADT          | DVI-D Male to Female Video Adapter                            |
| 2102-26946-006*         | 6.6ft 2m Value Series DVI-I M/M Digital Video Cable           |
| 2102-26947-010          | 9.8ft 3m Value Series DVI-I M/M Digital Video Cable           |
| 2102-29528-016          | 16ft 5m Value Series DVI-I M/M Digital Video Cable            |
| 2104-26954-006          | 6.6ft 2m Value Series DVI-A Male to HD15 Male VGA Analog      |
| 2104-26955-009          | 9.8ft 3m Value Series DVI-A Male to HD15 Male VGA Analog      |
| 2104-25823-016          | 16ft 5m Value Series DVI-A Male to HD15 Male VGA Analog       |
| 2104-26957-ADT          | DVI Female to HD15 Male VGA Video Adapter                     |



\*2001-52109-003

## HD15 UXGA + 3.5mm Audio M/M Monitor Cable

Quickly connect your PC to a video display system. Use it with projectors, flat screen monitors, KVM switches with audio, speakers or a microphone for video presentations and classroom environments.

### Features:

- Supports resolutions up to 1600x1200 pixels
- Supports distances up to 100ft

| Panel Mount HD15 SXGA Monitor Cables |   |
|--------------------------------------|---|
| Part #                               | Description                                     |
| 2001-52109-003*                      | 3ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable   |
| 2001-52110-006                       | 6ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable   |
| 2001-52111-010                       | 10ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable  |
| 2001-52112-012                       | 12ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable  |
| 2001-52113-015                       | 15ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable  |
| 2001-52114-025                       | 25ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable  |
| 2001-52115-035                       | 35ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable  |
| 2001-52116-050                       | 50ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable  |
| 2001-52117-075                       | 75ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable  |
| 2001-52118-100                       | 100ft HD15 UXGA + 3.5mm Audio M/M Monitor Cable |



\*2006-29550-ADT



\*2006-29587-ADT

## UXGA Monitor Splitters & Extenders

Universal VGA (UXGA resolution) splits up to 8 ports; send signal up to 210ft.

### Features:

- Enables one PC to be displayed on multiple monitors simultaneously
- Extends transmission distance up to 210ft
- No software or configuration required
- Color-coded connectors: HD15 male input, HD15 female output
- Durable all-metal housing
- Power and activity LED indicators
- 1920x1440 @80Hz maximum resolution
- Free technical support and 1 year warranty

### UXGA Monitor Splitters & Extenders

| Part #          | Description  |
|-----------------|--|
| 2006-29550-ADT* | 2-Port UXGA Monitor Splitter/Extender                  |
| 2006-29551-ADT  | 4-Port UXGA Monitor Splitter/Extender                  |
| 2006-29552-ADT  | 8-Port UXGA Monitor Splitter/Extender                  |
| 2006-39967-ADT  | 2-Port UXGA Monitor Splitter/Extender with 3.5mm Audio |
| 2006-39968-ADT  | 4-Port UXGA Monitor Splitter/Extender with 3.5mm Audio |

## TruLink® 2-Port UXGA Monitor Splitter Cable

The TruLink 2-Port Monitor Splitter is an excellent solution for distributing video across two displays.

### Features:

- Compact USB-powered splitter extends signal up to 210ft
- Maximum resolution: UXGA 1600x1200 pixels
- Video bandwidth: 300MHz

### TruLink 2-Port UXGA Monitor Splitter Cable

| Part #          | Description   |
|-----------------|---|
| 2006-29587-ADT* | 11in TruLink 2-Port UXGA Monitor Splitter Cable         |
| 2006-29588-ADT  | 11in TruLink 2-Port UXGA + 3.5mm Monitor Splitter Cable |

# SPLITTERS & EXTENDERS



\*2006-39973-ADT



\*2006-39971-000

## TruLink® UXGA Video/Audio Matrix Switches

Split your video and audio signals from multiple sources to multiple destinations.

### Features:

- Broadcasts the audio and video outputs from up to two computers to multiple displays
- Simultaneously display an image from one source to one of the monitors and an image from the second source to the second monitor
- Built-in video signal enhancement allows monitors to be placed up to 164 feet away
- Supports video resolutions up to 2048x1536
- Maximum bandwidth of 450MHz
- Audio output: 0.5V~1.0V9
- Input connectors: (2) HD15 Female and (2) 3.5mm stereo jacks
- Output connectors: (2) HD15 Female and (2) 3.5mm stereo audio jacks

### TruLink UXGA Video/Audio Matrix Switches

| Part #          | Description  |
|-----------------|--|
| 2006-39973-ADT* | TruLink 2x2 UXGA Video/Audio Matrix Switch                 |
| 2006-39974-ADT  | TruLink 4x4 UXGA Video/Audio Matrix Switch                 |
| 2006-39983-ADT  | Rack Mount Kit for 4x4 VGA Matrix Switch (#2006-39974-ADT) |

## TruLink® UXGA Monitor Switcher & Extenders

Display video output from two computers on a single monitor or projector.

### Features:

- Display up to four computer's video outputs on one monitor or projector
- Cascadable
- Boosts video signal up to 210ft
- PC selection via push buttons or IR remote control
- IR remote control allows you to switch outputs from up to 6ft away
- Supports video resolutions up to 2048x1536
- Suitable for VGA, SVGA, XGA, SXGA, UXGA, and MultiSync® monitors
- Maximum bandwidth of 450MHz
- Input connectors: (2) HD15 male; Output connectors: (1) HD15 female

### TruLink UXGA Monitor Switcher & Extenders

| Part #          | Description  |
|-----------------|--|
| 2006-39971-000* | TruLink 2-Port UXGA Monitor Switch/Extender with Audio |
| 2006-39972-000  | TruLink 4-Port UXGA Monitor Switch/Extender with Audio |



\*2006-39901-ADT



\*2006-29503-ADT

## TruLink® QXGA Monitor Switcher & Extenders

The TruLink QXGA Switcher/Extender allows you to display two computer video outputs on one monitor or projector. Daisy-chain up to three switchers to expand the number of computers you can connect. With the built-in video signal enhancement, you can place the monitor up to 100 feet away while maintaining your video quality. No software is required and PC selection is easy.

### Features:

- Display video output from two computers on a single monitor or projector
- PC selection via push buttons
- Built-in video signal enhancement allows monitors to be placed up to 100 feet away
- Input: (2) HD15 female; Output: (1) HD15 female

### TruLink QXGA Monitor Switcher & Extenders

| Part #          | Description                                 |
|-----------------|---|
| 2006-39901-ADT* | TruLink 2-Port QXGA Monitor Switch/Extender |
| 2006-39902-ADT  | TruLink 4-Port QXGA Monitor Switch/Extender |

## TruLink® UXGA Monitor Splitters & Extender

Distribute any video signal to two different video outputs, while maintaining vivid picture quality. Though powerful, this splitter is easy to use; just connect the cables, and you're ready to go! Also suitable for XGA, SVGA, VGA and MultiSync® resolution monitors. Daisy-chain multiple units together for even more outputs.

### Features:

- Video Bandwidth: 350MHz
- Maximum Resolution: 1920x1440 pixels at 80Hz
- Boosts high resolution video signal up to 210ft
- Durable all metal housing
- Color-coded connectors for input and outputs

### TruLink UXGA Monitor Splitters & Extender

| Part #          | Description  |
|-----------------|--|
| 2006-29503-ADT* | TruLink 2-port UXGA Monitor Splitter/Extender (Female Input) |
| 2006-29504-ADT  | TruLink 4-port UXGA Monitor Splitter/Extender (Female Input) |

FIBER

COPPER

RAPIDRUN

AUDIO/VIDEO

PC/COMPUTER





\*2006-54129-ADT

## DisplayPort™ Male to HD15 VGA Female Adapter Cable

This adapter converts a DisplayPort signal for viewing on a VGA-equipped display. Connect the adapter directly to the PC. Then use your VGA cable between the adapter and the display, and enjoy PC video content on virtually any VGA display.

### Features:

- 8in dangle-style adapter
- Nickel-plated display port connector
- Molded VGA connector
- 28AWG copper wire
- All Mylar® shielding to protect against EMI/RFI

### DisplayPort Male to HD15 VGA Female Adapter Cable

| Part #          | Description   |
|-----------------|---|
| 2006-54129-ADT* | 8in DisplayPort Male to HD15 VGA Female Adapter Cable |



\*2006-29539-ADT

## TruLink® VGA Signal Booster

Place your VGA monitor up to 210ft from your source.

### Features:

- Daisy-chain 2 TruLink signal boosters to extend the signal up to 420 feet
- Supports video resolutions up to 1920x1440@60Hz
- Suitable for VGA, SVGA, XGA, SXGA, UXGA and MultiSync® monitors
- Extend your VGA signal up to 210ft from your PC

### TruLink VGA Signal Booster

| Part #          | Description                |
|-----------------|----------------------------|
| 2006-29539-ADT* | TruLink VGA Signal Booster |



\*2307-02715-006



\*2307-24742-006

## Keyboard & Mouse Cables

Organize your work area for maximum comfort and efficiency.

### Features:

- The male to female extension cable allows you to open up space between components by extending your mouse or keyboard cable
- Each cable is constructed with top quality foil shielded wire to prevent EMI/RFI interference
- Fully molded to ensure excellent strain relief
- Connectors: 6-pin Mini DIN male to 6-pin Mini DIN female

| Keyboard & Mouse Cables |  |
|-------------------------|--|
| Part #                  | Description  |
| 2307-02715-006*         | 6ft PS/2 M/F Keyboard/Mouse Extension Cable        |
| 2307-02714-006          | 6ft PS/2 M/F Keyboard/Mouse Coiled Extension Cable |
| 2307-04999-010          | 10ft S/2 M/F Keyboard/Mouse Extension Cable        |
| 2307-09469-015          | 15ft PS/2 M/F Keyboard/Mouse Extension Cable       |
| 2307-09470-025          | 25ft PS/2 M/F Keyboard/Mouse Extension Cable       |
| 2307-02692-006          | 6ft PS/2 M/M Keyboard/Mouse Cable                  |
| 2307-09471-010          | 10ft PS/2 M/M Keyboard/Mouse Cable                 |
| 2307-09472-015          | 15ft PS/2 M/M Keyboard/Mouse Cable                 |
| 2307-09619-25           | 25ft PS/2 M/M Keyboard/Mouse Cable                 |
| 2311-02709-006          | 6ft AT M/M Keyboard Cable                          |
| 2311-02476-ADT          | AT Female to PS/2 Male Keyboard Adapter            |
| 2311-02475-ADT          | AT Male to PS/2 Female Keyboard Adapter            |

## 3-in-1 Desktop Extension Cables

Extend the reach of your keyboard, video and mouse in a single cable.

### Features:

- Eliminates the inherent cable clutter associated with multiple discrete extension cables
- PC-99 color-coded connectors for plug-and-play installation
- Single cable construction extends VGA, PS/2 keyboard and mouse
- Overall foil and woven braid shielding for complete protection
- Individually shielded coaxial VGA lines for crisp, quality video
- SXGA supports 1280x1024 resolution

| 3-in-1 Desktop Extension Cables |   |
|---------------------------------|---|
| Part #                          | Description                                       |
| 2307-24742-006*                 | 6ft 3-in-1 SXGA and PS/2 Desktop Extension Cable  |
| 2307-24743-010                  | 10ft 3-in-1 SXGA and PS/2 Desktop Extension Cable |
| 2307-24744-015                  | 15ft 3-in-1 SXGA and PS/2 Desktop Extension Cable |
| 2307-24745-030                  | 30ft 3-in-1 SXGA and PS/2 Desktop Extension Cable |

## 3-in-1 Universal KVM Cables

Connect each of your PCs to a KVM switch with a single cable; Universal design.

### Features:

- Single cable construction connects VGA, PS/2 Keyboard and mouse
- PC-99 color-coded connectors for plug and play installation
- Flexible, rugged PVC unibody jacket for safety and durability
- Individually shielded coaxial VGA lines for crisp, quality video
- Overall foil and woven braid shielding for complete protection
- SXGA supports 1280x1024 resolution

| 3-in-1 Universal KVM Cables |   |
|-----------------------------|---|
| Part #                      | Description                                     |
| 2303-25142-004              | 4ft 3-in-1 Universal HD15 M/M + PS/2 KVM Cable  |
| 2303-23473-006              | 6ft 3-in-1 Universal HD15 M/M + PS/2 KVM Cable  |
| 2303-23474-008              | 8ft 3-in-1 Universal HD15 M/M + PS/2 KVM Cable  |
| 2303-24068-010              | 10ft 3-in-1 Universal HD15 M/M + PS/2 KVM Cable |
| 2303-23475-015              | 15ft 3-in-1 Universal HD15 M/M + PS/2 KVM Cable |
| 2303-23884-030              | 30ft 3-in-1 Universal HD15 M/M + PS/2 KVM Cable |
| 2303-21956-006              | 6ft 3-in-1 Universal HD15 M/F + PS/2 KVM Cable  |
| 2303-21957-010              | 10ft 3-in-1 Universal HD15 M/F + PS/2 KVM Cable |
| 2303-21958-015              | 15ft 3-in-1 Universal HD15 M/F + PS/2 KVM Cable |



\*2403-29354-ADT

## TruLink® Wireless USB to HDMI Kit

The TruLink USB to HDMI Kit provides a powerful solution to stream audio and video to a remote monitor, projector or television. Engineered to incorporate Ultra Wideband technology, this kit allows for in-room wireless connectivity up to 30 feet (line of sight) between the computer and display. Setup is simple and usage is seamless because all required video drivers are embedded in the host adapter, ensuring a quick, plug and play experience. Our new "Quick Link" feature allows additional users with host adapters to quickly connect to the device adapter with no additional steps required to "pair" the devices. This highly secure wireless connection is ideal for classrooms and conference rooms, or to display audio/video content from your laptop to your home entertainment system. Two flexible device adapter mounting options are included; a desk mount and a wall mount.

### Features:

- Supports up to UXGA (1600x1200 pixels) and WSXGA (1680x1050 pixels) video resolutions with audio
- Video streaming up to 720p (720p only available at resolution 1024x768 pixels or lower)
- CD-less auto-install driver installation for PC (for Windows® only)
- Ultra Wideband operates in the frequency of 6.3GHz to 7.9GHz (WiMedia™ Band Group 3)

### TruLink Wireless USB to HDMI Kit

| Part #          | Description                      |
|-----------------|----------------------------------|
| 2403-29354-ADT* | TruLink Wireless USB to HDMI Kit |



\*2403-29355-ADT

## TruLink® Wireless USB to VGA + Audio Kit

The second generation of the TruLink USB to VGA+ 3.5mm Kit provides a powerful solution to stream audio and video to a remote monitor, projector or television. Engineered to incorporate Ultra Wideband technology, this kit allows for in-room wireless connectivity up to 30 feet (line of sight) between the computer and display. Setup is simple and usage is seamless because all required video drivers are embedded in the host adapter, ensuring a quick, plug and play experience. Our new "Quick Link" feature allows additional users with host adapters to quickly connect to the device adapter with no additional steps required to "pair" the devices. This highly secure wireless connection is ideal for classrooms and conference rooms, or to display audio/video content from your laptop to your home entertainment system. Two flexible device adapter mounting options are included; a desk mount and a wall mount.

### Features:

- Supports up to UXGA (1600x1200 pixels) and WSXGA (1680x1050 pixels) video resolutions with audio
- Video streaming up to 720p (720p only available at resolution 1024x768 pixels or lower)
- CD-less auto-install driver installation for PC (for Windows® only)
- Ultra Wideband operates in the frequency of 6.3GHz to 7.9GHz (WiMedia™ Band Group 3)

### TruLink Wireless USB to VGA + Audio Kit

| Part #          | Description                             |
|-----------------|---|
| 2403-29355-ADT* | TruLink Wireless USB to VGA + Audio Kit |



\*2403-29356-ADT

## TruLink® Wireless USB to VGA Kit

The second generation of the TruLink USB to VGA Kit provides a powerful solution to stream video to a remote monitor, projector or television. Engineered to incorporate Ultra Wideband technology, this kit allows for in-room wireless connectivity up to 30 feet (line of sight) between the computer and display. Setup is simple and usage is seamless because all required video drivers are embedded in the host adapter, ensuring a quick, plug and play experience. Our new "Quick Link" feature allows additional users with host adapters to quickly connect to the device adapter with no additional steps required to "pair" the devices. This highly secure wireless connection is ideal for classrooms and conference rooms, or to display video content from your laptop to your home entertainment system. Two flexible device adapter mounting options are included; a desk mount and a wall mount.

### Features:

- Supports up to UXGA (1600x1200 pixels) and WSXGA (1680x1050 pixels) video resolutions with audio
- Video streaming up to 720p (720p only available at resolution 1024x768 pixels or lower)
- CD-less auto-install driver installation for PC (for Windows® only)
- Ultra Wideband operates in the frequency of 6.3GHz to 7.9GHz (WiMedia™ Band Group 3)

### TruLink Wireless USB to VGA Kit

| Part #          | Description                     |
|-----------------|---------------------------------|
| 2403-29356-ADT* | TruLink Wireless USB to VGA Kit |



\*2403-29505-ADT

\*2403-29506-ADT

## TruLink® Wireless Digital Signage Distribution System

The TruLink Wireless Digital Signage Distribution System (WSDSDS) enables video with stereo audio to be distributed and synchronized wirelessly across multiple displays. The 802.11a/g wireless capabilities allow easy installation of digital signs in locations where running cables is difficult. For added flexibility, the WSDSDS can be used in wired mode that utilizes standard Cat5/6 cables - ideal for situations where you need to place the monitors long distances from the media player. The WSDSDS supports up to 32 screens wirelessly or can be used in wired mode to support up to 1,000 screens. The high degree of flexibility and ease of setup allow digital signage displays to be placed virtually anywhere.

### Features:

- Supports up to 32 screens wirelessly (1,000 screens in wired mode)
- Supports resolutions up to 1280x1024 pixels @ 20 ft/s or 1024x768 pixels at 30 ft/s
- Supports Wired LAN (10Base-T/100Base-TX) and Wireless LAN (IEEE802.11a/g: Infrastructure/Ad hoc mode)

### TruLink Wireless Digital Signage Distribution System

| Part #          | Description  |
|-----------------|--|
| 2403-29505-ADT* | TruLink Wireless Digital Signage Distribution System Transmitter |
| 2403-29506-ADT* | TruLink Wireless Digital Signage Distribution System Receiver    |

FIBER

COPPER

RAPIDRUN

AUDIO/VIDEO

PC/COMPUTER



# SERIAL & PARALLEL



\*2301-03087-006



\*2308-06103-006



\*2301-03019-006



\*2308-02300-006

## Modem & Null Modem Cables

Connects an external modem to a PC computer via the DB25 serial port.

### Features:

- Fully molded and foil shielded to protect against EMI/RFI interference
- Custom lengths and pin-outs available. Contact your local distributor or Quiktron representative

## IEEE 1284 DB25 Parallel Cables

Works with printers, scanners and other IEEE 1284 peripherals.

### Features:

- Provides increased speed and functionality over standard parallel cabling
- Greater protection against EMI/RFI interference
- Many additional lengths available in stock. Contact your local distributor or Quiktron representative
- Lifetime warranty

### Modem & Null Modem Cables

| Part #          | Description                         |
|-----------------|-------------------------------------|
| 2301-03087-006* | 6ft DB25 M/F Modem Cable            |
| 2301-03088-010  | 10ft DB25 M/F Modem Cable           |
| 2301-02518-006  | 6ft DB9F to DB25M Modem Cable       |
| 2301-02519-010  | 10ft DB9F to DB25M Modem Cable      |
| 2301-03019-006* | 6ft DB25M to DB9F Null Modem Cable  |
| 2301-03020-010  | 10ft DB25M to DB9F Null Modem Cable |
| 2301-03044-006  | 6ft DB9 F/F Null Modem Cable        |
| 2301-03045-010  | 10ft DB9 F/F Null Modem Cable       |

### IEEE 1284 DB25 Parallel Cables

| Part #          | Description  |
|-----------------|--|
| 2308-06103-006* | 6ft IEEE 1284 DB25 M/M Parallel Cable                    |
| 2308-06104-010  | 10ft IEEE 1284 DB25 M/M Parallel Cable                   |
| 2308-06099-006  | 6ft IEEE 1284 DB25 M/F Parallel Printer Extension Cable  |
| 2308-06100-010  | 10ft IEEE 1284 DB25 M/F Parallel Printer Extension Cable |
| 2308-02300-006* | 6ft IEEE 1284 DB25M to C36M Parallel Printer Cable       |
| 2308-06091-010  | 10ft IEEE 1284 DB25M to C36M Parallel Printer Cable      |
| 2308-02301-012  | 12ft IEEE 1284 DB25M to C36M Parallel Printer Cable      |
| 2308-06092-020  | 20ft IEEE 1284 DB25M to C36M Parallel Printer Cable      |
| 2308-02302-006  | 6ft IEEE 1284 DB25M to MC36M Parallel Printer Cable      |
| 2308-06096-010  | 10ft IEEE 1284 DB25M to MC36M Parallel Printer Cable     |



\*2403-16898-ADT



\*2002-40350-020



\*2302-52066-001



\*2302-52073-001

## USB to C36 IEEE 1284 Parallel Printer Adapter

Attach your high-speed IEEE 1284 printer to your USB port.

### Features:

- Connectors: One USB A to Centronics 36 male
- 6ft cable length
- Perfect for inkjet, laser and other high speed printers
- Auto negotiates hardware recognition for faster protocol setup
- Fully plug-and-play compatible
- Compliant with USB 1.0 specifications
- Compatible with Windows® 98, ME, 2000, XP, Vista and 7
- Includes manual

### USB to C36 IEEE 1284 Parallel Printer Adapter

| Part #         | Description                                       |
|----------------|---|
| 2403-16898-ADT | 6ft USB to C36 IEEE 1284 Parallel Printer Adapter |

## SMART™ Whiteboard Extension Cable

Attach your high-speed IEEE 1284 printer to your USB port.

### Features:

- Works with SMART models SB660i3, SB680i3, UF55 and UF55w
- CL2-rated for in-wall installation

### SMART Whiteboard Extension Cable

| Part #          | Description                               |
|-----------------|---|
| 2002-40350-020* | 20ft SMART Whiteboard ECP Extension Cable |
| 2002-40351-030  | 30ft SMART Whiteboard ECP Extension Cable |

## Serial270™ All-Lines & Null Modem Cables

The 270° DB9 connector on each end rotates from side to side in almost a complete circle.

### Features:

- Rotating 270° connectors on each end move from side to side in almost a complete circle
- Oversized thumbscrews are slotted for easy connection to equipment
- Fully shielded to prevent EMI/RFI interference

### Serial270 All Lines & Null Modem Cables

| Part #          | Description                                      |
|-----------------|--|
| 2302-52073-001* | 1ft Serial270 DB9 F/F All-Lines Cable            |
| 2302-52074-003  | 3ft Serial270 DB9 F/F All-Lines Cable            |
| 2302-52075-006  | 6ft Serial270 DB9 F/F All-Lines Cable            |
| 2302-52076-010  | 10ft Serial270 DB9 F/F All-Lines Cable           |
| 2302-52077-015  | 15ft Serial270 DB9 F/F All-Lines Cable           |
| 2302-52078-025  | 25ft Serial270 DB9 F/F All-Lines Cable           |
| 2302-52079-050  | 50ft Serial270 DB9 F/F All-Lines Cable           |
| 2302-52080-001  | 1ft Serial270 DB9 F/F Null Modem Cable           |
| 2302-52081-003  | 3ft Serial270 DB9 F/F Null Modem Cable           |
| 2302-52082-006  | 6ft Serial270 DB9 F/F Null Modem Cable           |
| 2302-52083-010  | 10ft Serial270 DB9 F/F Null Modem Cable          |
| 2302-52084-015  | 15ft Serial270 DB9 F/F Null Modem Cable          |
| 2302-52085-025  | 25ft Serial270 DB9 F/F Null Modem Cable          |
| 2302-52086-050  | 50ft Serial270 DB9 F/F Null Modem Cable          |
| 2302-52066-001* | 1ft Serial270 DB9 M/F All-Lines Extension Cable  |
| 2302-52067-003  | 3ft Serial270 DB9 M/F All-Lines Extension Cable  |
| 2302-52068-006  | 6ft Serial270 DB9 M/F All-Lines Extension Cable  |
| 2302-52069-010  | 10ft Serial270 DB9 M/F All-Lines Extension Cable |
| 2302-52070-015  | 15ft Serial270 DB9 M/F All-Lines Extension Cable |
| 2302-52071-025  | 25ft Serial270 DB9 M/F All-Lines Extension Cable |
| 2302-52072-050  | 50ft Serial270 DB9 M/F All-Lines Extension Cable |

# ALL-LINES & USB

## All-Lines Cables

Extend or replace your DB9 or DB25 cable.

### Features:

- Fully shielded to prevent unwanted EMI/RFI interference
- Fully molded connectors with thumbscrews provide you with a quick and easy connection every time
- Custom lengths and pin-outs also available
- Lifetime warranty

### All-Lines Cables

| Part #         | Description                                     |
|----------------|---|
| 2302-25215-001 | 1ft DB9 F/F All-Lines Cable - Beige             |
| 2302-25217-003 | 3ft DB9 F/F All-Lines Cable - Beige             |
| 2302-02694-006 | 6ft DB9 F/F All-Lines Cable - Beige             |
| 2302-02695-010 | 10ft DB9 F/F All-Lines Cable - Beige            |
| 2302-09448-015 | 15ft DB9 F/F All-Lines Cable - Beige            |
| 2302-25212-001 | 1ft DB9 M/F All-Lines Extension Cable - Beige   |
| 2302-02711-006 | 6ft DB9 M/F All-Lines Extension Cable - Beige   |
| 2302-02712-010 | 10ft DB9 M/F All-Lines Extension Cable - Beige  |
| 2302-02713-015 | 15ft DB9 M/F All-Lines Extension Cable - Beige  |
| 2302-09452-025 | 25ft DB9 M/F All-Lines Extension Cable - Beige  |
| 2302-09453-050 | 50ft DB9 M/F All-Lines Extension Cable - Beige  |
| 2302-17612-100 | 100ft DB9 M/F All-Lines Extension Cable - Beige |
| 2302-25219-001 | 1ft DB9 M/M All-Lines Cable - Beige             |
| 2302-25221-003 | 3ft DB9 M/M All-Lines Cable - Beige             |
| 2302-02697-006 | 6ft DB9 M/M All-Lines Cable - Beige             |
| 2302-09449-010 | 10ft DB9 M/M All-Lines Cable - Beige            |
| 2302-09450-015 | 15ft DB9 M/M All-Lines Cable - Beige            |
| 2302-09451-025 | 25ft DB9 M/M All-Lines Cable - Beige            |
| 2302-25214-001 | 1ft DB9 F/F All-Lines Cable - Black             |
| 2302-25216-003 | 3ft DB9 F/F All-Lines Cable - Black             |
| 2302-52035-006 | 6ft DB9 F/F All-Lines Cable - Black             |
| 2302-52036-010 | 10ft DB9 F/F All-Lines Cable - Black            |
| 2302-52037-015 | 15ft DB9 F/F All-Lines Cable - Black            |
| 2302-25211-001 | 1ft DB9 M/F All-Lines Extension Cable - Black   |
| 2302-25213-003 | 3ft DB9 M/F All-Lines Extension Cable - Black   |
| 2302-52030-006 | 6ft DB9 M/F All-Lines Extension Cable - Black   |
| 2302-52031-010 | 10ft DB9 M/F All-Lines Extension Cable - Black  |
| 2302-52032-015 | 15ft DB9 M/F All-Lines Extension Cable - Black  |
| 2302-52033-025 | 25ft DB9 M/F All-Lines Extension Cable - Black  |
| 2302-52034-050 | 50ft DB9 M/F All-Lines Extension Cable - Black  |
| 2302-25218-001 | 1ft DB9 M/M Cable - Black                       |
| 2302-25220-003 | 3ft DB9 M/M Cable - Black                       |
| 2309-02664-003 | 3ft DB25 M/M All-Lines Cable - Beige            |
| 2309-02665-006 | 6ft DB25 M/M All-Lines Cable - Beige            |
| 2309-02666-010 | 10ft DB25 M/M All-Lines Cable - Beige           |
| 2309-02668-015 | 15ft DB25 M/M All-Lines Cable - Beige           |
| 2309-02670-025 | 25ft DB25 M/M All-Lines Cable - Beige           |
| 2309-02653-001 | 1ft DB25 M/F All-Lines Extension Cable - Beige  |
| 2309-02654-003 | 3ft DB25 M/F All-Lines Extension Cable - Beige  |
| 2309-02655-006 | 6ft DB25 M/F All-Lines Extension Cable - Beige  |
| 2309-02656-010 | 10ft DB25 M/F All-Lines Extension Cable - Beige |
| 2309-02658-015 | 15ft DB25 M/F All-Lines Extension Cable - Beige |
| 2309-02660-025 | 25ft DB25 M/F All-Lines Extension Cable - Beige |
| 2309-02643-003 | 3ft DB25 F/F All-Lines Cable - Beige            |
| 2309-02644-006 | 6ft DB25 F/F All-Lines Cable - Beige            |
| 2309-02645-010 | 10ft DB25 F/F All-Lines Cable - Beige           |
| 2309-02647-015 | 15ft DB25 F/F All-Lines Cable - Beige           |



## USB Device Cables


Connects your USB device to your USB hub, PC or Mac®.

### Features:

- Transfer rates up to 480Mbps depending on USB version of host computer
- Make plug-and-play connections for such devices as keyboards, mice, cameras, webcams, phones/mobile devices, printers and other USB peripherals
- PC and Mac® compatible
- Compatible with USB specifications 1.0, 1.1 and 2.0

### USB Device Cables

| Part #          | Description   |
|-----------------|---|
| 2401-13171-003* | 3.3ft USB 2.0 A/B Cable                               |
| 2401-13172-006  | 6.6ft USB 2.0 A/B Cable                               |
| 2401-13400-010  | 9.8ft USB 2.0 A/B Cable                               |
| 2401-13401-016  | 16ft USB 2.0 A/B Cable                                |
| 2401-27329-003* | 3.3ft USB 2.0 A/Mini-B Cable                          |
| 2401-27005-006  | 6.6ft USB 2.0 A/Mini-B Cable                          |
| 2401-39978-017  | 5m USB 2.0 A Male to A Female Active Extension Cable  |
| 2401-39000-040  | 12m USB 2.0 A Male to A Female Active Extension Cable |
| 2402-19003-003  | 3.3ft USB A/A 2.0 Extension Cable                     |
| 2402-19018-006  | 6.6ft USB A/A 2.0 Extension Cable                     |
| 2402-26686-010  | 9.8ft USB A/A 2.0 Extension Cable                     |
| 2402-39978-016  | 16.4ft USB A/A 2.0 Active Extension Cable             |
| 2402-52106-003  | 3.3ft USB 2.0 A/A Extension Cable - Black             |
| 2402-52107-006  | 6.6ft USB 2.0 A/A Extension Cable - Black             |
| 2402-52108-010  | 9.8ft USB 2.0 A/A Extension Cable - Black             |
| 2401-27361-003  | 3.3ft USB 2.0 A Male to Micro-USB A Male Cable        |
| 2401-27362-006  | 6.6ft USB 2.0 A Male to Micro-USB A Male Cable        |
| 2401-27363-010  | 9.8ft USB 2.0 A Male to Micro-USB A Male Cable        |
| 2401-27364-003  | 3.3ft USB 2.0 A Male to Micro-USB B Male Cable        |
| 2401-27365-006  | 6.6ft USB 2.0 A Male to Micro-USB B Male Cable        |
| 2401-27366-010  | 9.8ft USB 2.0 A Male to Micro-USB B Male Cable        |



### Panel Mount USB 2.0

Build USB 2.0 functionality into a custom system with a secure and efficient fixed port. Provide access to a PC, printer, projector or other USB device with minimal exposure or repositioning. From basic port reroutes in a PC, to connections at podiums and kiosks, a panel mount cable is the right solution to keep your connection clean and professional.

#### Features:

- Supports high speed USB 2.0 devices and is backwards compliant with full speed USB 1.1 and low speed USB 1.0
- PC and Mac® compatible

#### Panel Mount USB 2.0

| Part #          | Description  |
|-----------------|--|
| 2403-28060-001  | 6in Panel Mount USB 2.0 A Male to A Female Cable   |
| 2403-28061-001  | 1ft Panel Mount USB 2.0 A Male to A Female Cable   |
| 2403-28062-002  | 1.5ft Panel Mount USB 2.0 A Male to A Female Cable |
| 2403-28063-002  | 2ft Panel Mount USB 2.0 A Male to A Female Cable   |
| 2403-28064-003* | 3ft Panel Mount USB 2.0 A Male to A Female Cable   |
| 2403-28065-001  | 6in Panel Mount USB 2.0 A Female to B Male Cable   |
| 2403-28066-001  | 1ft Panel Mount USB 2.0 A Female to B Male Cable   |
| 2403-28067-002  | 1.5ft Panel Mount USB 2.0 A Female to B Male Cable |
| 2403-28068-002  | 2ft Panel Mount USB 2.0 A Female to B Male Cable   |
| 2403-28069-003  | 3ft Panel Mount USB 2.0 A Female to B Male Cable   |
| 2403-28070-001  | 6in Panel Mount USB 2.0 B Female to B Male cable   |
| 2403-28071-001  | 1ft Panel Mount USB 2.0 B Female to B Male cable   |
| 2403-28072-002  | 1.5ft Panel Mount USB 2.0 B Female to B Male cable |
| 2403-28073-002  | 2ft Panel Mount USB 2.0 B Female to B Male cable   |
| 2403-28074-003* | 3ft Panel Mount USB 2.0 B Female to B Male cable   |



\*2403-30504-ADT

### USB 2.0 to IDE & Serial ATA Drive Adapter

The USB 2.0 to IDE or Serial ATA Drive Adapter turns any IDE or SATA drive into a convenient external drive. Simply connect one IDE/ATAPI or SATA-based mass storage device through a USB port to easily transfer files from a computer or notebook, back up files or store large file archives on an external hard drive.

#### Features:

- Connectors:
  - Input: USB A male port
  - Outputs: One IDC 40-pin female port for 3.5" and 5.25" drives, one IDC 44-pin female port for 2.5" drives, and one 7-pin female SATA port for SATA drives
- High speed up to 480 Mbps data transfer rate
- Integrated USB transceiver
- Supports USB suspend/resume and remote wake-up
- Included 5V;1A power supply supports both SATA power and the standard 4-pin Molex® power connectors
- On/Off switch on power supply lets you shut off attached drive without having to disconnect when not in use

#### USB 2.0 to IDE & Serial ATA Drive Adapter

| Part #          | Description                                |
|-----------------|--|
| 2403-30504-ADT* | USB 2.0 to IDE or Serial ATA Drive Adapter |

FIBER

COPPER

RAPIDRUN

AUDIO/VIDEO

PC/COMPUTER





\*2403-30510-ADT

## TruLink® USB 2.0 to Video Adapters

The TruLink USB to HDMI and VGA Adapter is a flexible solution for connecting laptops or desktops to monitors and/or displays using both analog (VGA) and digital (HDMI) signals. The adapter supports primary, extended, mirror and rotated displays modes and allows for the addition of up to six displays with minimal configuration and without any additional graphics cards. Its compact size also makes it portable so you can use it anywhere.

### Features:

- Supports both VGA and HDMI with audio
- USB powered
- Compact size makes it ultra portable

### USB 2.0 to Video Adapters

| Part #          | Description                                |
|-----------------|--|
| 2403-30510-ADT* | TruLink USB 2.0 to HDMI and VGA with Audio |
| 2403-30539-ADT  | TruLink USB 2.0 to VGA/DVI Adapter         |
| 2403-30540-ADT  | TruLink USB 2.0 to VGA/XGA Adapter Cable   |



\*2403-39997-ADT

## USB 2.0 A Male to A Male Active Extension Cable

This USB active extension cable actively buffers the incoming and outgoing signals to ensure compliance with the USB 2.0 specification for electrical and timing minimums. Both low and high speed USB devices will function equally well with this USB active extension cable. This cable is ideal for electronic whiteboard applications when the distance is greater than five meters.

### Features:

- Connector 1: USB type A male; Connector 2: USB type A male
- Extend a USB device up to 16ft from a computer
- Ideal for electronic whiteboard applications when the distance is greater than 5m

### USB 2.0 A Male to A Male Active Extension Cable

| Part #         | Description  |
|----------------|--|
| 2403-39997-016 | 5m USB 2.0 A Male to A Male Active Extension Cable |

\*2403-26886-ADT



### USB to DB9 Serial Adapters

Great for PDAs and digital cameras! Convert DB9 serial devices to USB with this 9-pin to USB adapter.

#### Features:

- Connectors: USB A to DB9 male
- Cable length: 18in
- Supports automatic handshake mode
- Over 230kbps data transfer rate
- Supports remote wake-up and power management
- 96 byte buffer each for upstream and downstream data flow
- Easy installation
- Works with cellular phones, PDA, digital cameras, modems and ISDN terminal adapters
- Frees your RS232 ports for other uses
- No IRQs, no IRQ configurations

#### USB to DB9 Serial Adapters

| Part #          | Description                          |
|-----------------|--------------------------------------|
| 2403-26886-ADT* | USB to DB9 RS232 Serial Adapter      |
| 2403-26478-ADT  | USB to Dual DB9 RS232 Serial Adapter |

\*2403-22429-ADT



### USB to DB25 Serial Adapter

Easily convert your DB25 serial device to USB.

#### Features:

- Connectors: USB A to DB25 male
- Connect directly to USB port on computer or to a USB hub with included 6ft cable
- Fully compliant with USB 1.1 specifications
- Supports baud rates from 1200 to 115.6K
- Works with modems, ISDN-TA modems, digital cameras, barcode readers, Palm® III and V, tablets, label writers, fingerprint verifications, security systems and POS equipment
- Requires Windows® 98, ME, 2000, XP, Vista or 7

#### USB to DB25 Serial Adapter

| Part #          | Description                       |
|-----------------|-----------------------------------|
| 2403-22429-ADT* | USB to DB25 RS-232 Serial Adapter |

This product creates a virtual serial port. It is not intended to connect a parallel printer/device to a USB port.



\*2403-16899-ADT

## USB to DB25 IEEE 1284 Parallel Adapter Cable

Use a USB port on your PC or hub to connect a parallel printer.

### Features:

- Connectors: USB A male to DB25 female
- Connects to the parallel cable from your device to a USB port on your computer
- Perfect for inkjet, laser and other high-speed printers; compatible with our parallel interface peripherals
- Compliant with USB 1.0 specifications
- Compatible with Windows® 98, ME, 2000, XP, Vista and 7
- This product is not intended for use with multifunction (printer, scanner, copier combo) printers

### USB to DB25 IEEE 1284 Parallel Adapter Cable

| Part #         | Description                             |
|----------------|---|
| 2403-16899-ADT | 6ft USB to C36 Parallel Printer Adapter |



\*2403-39987-ADT

## TruLink® Wireless USB 2.0 Transfer Adapter Cable

This USB High Speed File Transfer Adapter Cable is the ultimate file and data sharing solution for PC and MAC® users. The Go! Suite utility software is already embedded on the High Speed USB File Transfer Adapter and will automatically load onto your system. Transfer e-mail, music, photos, videos and document files from one computer to another. The High Speed USB File Transfer Adapter allows you to quickly transfer music or video files to a friend's computer. No external power is required; supported by bus power from either USB port.

### Features:

- PC and Mac® compatible
- Fast transfer rate of up to 480Mbps
- Two easy steps of operation - simply connect and transfer
- No file size or media capacity limitations such as those found with external media cards

### TruLink Wireless USB 2.0 Transfer Adapter Cable

| Part #          | Description                                 |
|-----------------|---|
| 2403-39987-ADT* | 6ft Wireless USB 2.0 Transfer Adapter Cable |



\*2403-29597-ADT

### TruLink® Wireless USB Superbooster Extender Kit

The Wireless USB Superbooster Extender lets you break free of the cables and 15ft length limitations of traditional USB cables. Wirelessly connect a PC to a USB device such as a printer, scanner or camera. Access your USB device from across the room, in another room or on another floor up to 150ft away. This is ideal for situations where you need a longer range wireless connection that does not need to be "line of sight" like other wireless technologies.

#### Features:

- Wireless specification: 2.4GHz, Direct Sequence Spread Spectrum (DSSS), internal antenna
- Wirelessly extend the distance of your USB devices up to 150ft

#### TruLink Wireless USB Superbooster Extender Kit

| Part #          | Description                                    |
|-----------------|--|
| 2403-29597-ADT* | TruLink Wireless USB Superbooster Extender Kit |



\*2403-29341-ADT

### Superbooster USB Over Cat5 Extender

The Superbooster USB over Cat5 Extender enables USB devices to be located up to 150ft away from the host computer.

#### Features:

- Ideal for use with USB cameras, printers, web cams, keyboard/mouse extensions and any other USB device
- Bus-powered so no external power source is required
- Uses standard Cat5/Cat5e/Cat6 patch cord (not included) for ease of use and flexibility
- Compliant with USB Specification 1.1
- Connectors:
  - Base Connectors: USB Type A male; RJ45 female
  - Remote Connectors: USB Type A female; RJ45 female

#### Superbooster USB over Cat5 Extender

| Part #          | Description  |
|-----------------|--|
| 2403-29341-ADT* | Superbooster USB 1.1 over Cat5 Extender - Dongle Kit                 |
| 2403-29348-ADT  | Superbooster USB 1.1 over Cat5 Extender - Transmitter                |
| 2403-29346-ADT  | Superbooster USB 1.1 over Cat5 Extender - 2-Port Receiver            |
| 2403-29345-ADT  | Superbooster USB 1.1 over Cat5 Extender - Wall Plate 2-Port Receiver |
| 2403-29347-ADT  | Superbooster USB 1.1 over Cat5 Extender - 4-Port Receiver            |
| 2403-29342-ADT  | Superbooster USB 1.1 over Cat5 Extender - Wall Plate Kit             |
| 2403-29344-ADT  | Superbooster USB 1.1 over Cat5 Extender - Wall Plate Transmitter     |





\*2403-29350-ADT

USB Superbooster Dongle

One component of a complete solution that, when paired with a transmitter (sold separately), conquers USB length limits. This solution extends the signal of a USB device to a host computer up to 150ft, enabling you to place your USB projector, interactive whiteboard, camera, printer, web cam, hub or other USB device exactly where you want it!

Features:

- Single port receiver has a very small form factor
- Ideal for inline connections behind whiteboards, desks or shelves
- Compliant with USB Specification 1.1

| USB Superbooster Dongle |   |
|-------------------------|---|
| Part #                  | Description   |
| 2403-29350-ADT*         | 1-Port USB Superbooster Dongle – Receiver                           |
| 2403-29353-ADT          | 1-Port USB Superbooster Dongle RJ45 Female to USB B Male – Receiver |



\*2403-29349-ADT

USB Keystone Extender Insert – Transmitter

Our USB Superbooster Keystone Insert is powerful yet simple. The keystone type transmitter unit works in conjunction with Quiktron wall plates and surface boxes or any standard keystone and angled multimedia wall plate or patch panel. The overall solution consists of this keystone insert, and your choice of a compatible receiver that is sold separately: the 1-port dongle (#2403-29350-ADT or #2403-29353-ADT), the 2-port Decora®-compatible wall plate (#2403-29345-ADT), the 2-port dongle (#2403-29346-ADT) or, the 4-port dongle (#2403-29347-ADT).

Features:

- Compliant with USB specification 1.1
- Plug-and-play; no special drivers to install

| USB Keystone Extender Insert – Transmitter |  |
|--|--|
| Part #                                     | Description                                |
| 2403-29349-ADT*                            | USB Keystone Extender Insert – Transmitter |



\*2403-32185-ADT

### USB to PS/2 Keyboard/Mouse Adapter

Allows you to use your PS/2 compatible mouse and keyboard on a USB port.

#### Features:

- Connectors: (1) USB A, (2) mini-DIN 6-pin sockets
- Connect directly to a USB port on your computer or to a USB hub
- Fully compliant with USB 1.1 specifications
- Easy to install; plug-and-play compatible
- Color-coded connectors for easy identification
- Ideal for notebooks
- No power adapter is needed
- Supports Microsoft® Intellimouse and compatible mice
- Requires standard PS/2 mouse driver
- Windows® 98, ME, 2000, XP, Vista compatible
- Works with PC, Mac® and Sun® platforms

#### USB to PS/2 Keyboard/Mouse Adapter

| Part #          | Description                                 |
|-----------------|---|
| 2403-32185-ADT* | 1ft USB to Dual PS/2 Keyboard/Mouse Adapter |



\*2403-39969-ADT

### TruLink® VGA/USB + PS/2 KVM Over Cat5 Extender

Extend the distance between your KVM and your computers up to 230ft over Cat5. The TruLink KVM over Cat5 Extender is a robust solution that allows you to extend the distance between your KVM switch and your VGA monitor, keyboard and mouse.

#### Features:

- Extend the distance of your keyboard, monitor and mouse to 230ft
- Keep your computers in a secure, remote location while allowing access to the console
- Plug-and-play solution
- Works with your existing VGA/USB or VGA/PS/2KVM switch
- VGA resolutions of up to 1600x1200 @ 75Hz (depending on distance)

#### TruLink VGA/USB + PS/2 KVM over Cat5 Extender

| Part #          | Description                                   |
|-----------------|---|
| 2403-39969-ADT* | TruLink VGA/USB + PS/2 KVM over Cat5 Extender |
| 2403-39970-ADT  | TruLink VGA + PS/2 KVM over Cat5 Extender     |

FIBER

COPPER


RAPIDRUN

AUDIO/VIDEO

PC/COMPUTER



\*2401-54170-003



\*2401-29055-ADT

## USB 3.0 Cables

Just plug-and-play for hard drive enclosures, printers, modems, cameras and other SuperSpeed USB peripherals. This cable provides a transfer rate of up to 4.8Gbps when connected with a USB 3.0 compliant host and device. Foil and braid shielding reduces EMI/RFI interference and twisted pair construction helps reduce crosstalk thus ensuring SuperSpeed, error-free data transfer. Protective overmolded connector is color-coded blue to highlight USB 3.0 connectivity compatibility.

### Features:

- PC and Mac® compatible
- USB 3.0 technology provides 4.8Gbps
- Backwards compliant with high speed USB 2.0 devices (480Mbps) as well as USB 1.1

### USB 3.0 Cables

| Part #          | Description                                     |
|-----------------|---|
| 2401-54170-003* | 1m USB 3.0 A Male to A Male Cable (3.2ft)       |
| 2401-54171-006  | 2m USB 3.0 A Male to A Male Cable (6.5ft)       |
| 2401-54172-009  | 3m USB 3.0 A Male to A Male Cable (9.8ft)       |
| 2401-54173-003  | 1m USB 3.0 A Male to B Male Cable (3.2ft)       |
| 2401-54174-006  | 2m USB 3.0 A Male to B Male Cable (6.6ft)       |
| 2401-54175-009  | 3m USB 3.0 A Male to B Male Cable (9.8ft)       |
| 2401-54176-003  | 1m USB 3.0 A Male to Micro B Male Cable (3.2ft) |
| 2401-54177-006  | 2m USB 3.0 A Male to Micro B Male Cable (6.5ft) |
| 2401-54178-009  | 3m USB 3.0 A Male to Micro B Male Cable (9.8ft) |

## 2-Port USB 3.0 SuperSpeed PCI-E Card

This 2-Port USB 3.0 SuperSpeed PCI Express Card adds SuperSpeed USB capabilities to your computer. Simply install this card into an available PCI-E slot on your computer to add two USB 3.0 SuperSpeed ports. SuperSpeed USB supports transfer rates up to 4.8Gbps - that's up to 10 times faster than USB 2.0!

### Features:

- Quickly add two USB 3.0 connections to your desktop
- Type A connections are backwards compatible to USB 2.0 and USB 1.1

### 2-Port USB 3.0 SuperSpeed PCI-E Card

| Part #          | Description                          |
|-----------------|--------------------------------------|
| 2401-29055-ADT* | 2-Port USB 3.0 SuperSpeed PCI-E Card |



\*2404-29059-000

TruLink® 2-Port USB 3.0 Express Card

The TruLink USB 3.0 Express Card enhances the performance of transmission making it exceptionally faster than existing 2.0 devices. It is the ideal interface for transferring extremely large amounts of data from USB 3.0/2.0 compliant products such as video cameras, hard drives or MP3 players.

Features:

- Compatible with the USB 3.0 specification
- Plug-and-play functionality
- CE and FCC approved

TruLink 2-Port USB 3.0 Express Card

| Part #          | Description                         |
|-----------------|-------------------------------------|
| 2404-29059-000* | TruLink 2-Port USB 3.0 Express Card |



\*2401-53877-ADT



\*2401-53880-ADT

TruLink® USB 2.0 Superbooster Extender

Designed specifically for use in commercial environments, the TruLink USB 2.0 Superbooster is the only USB 2.0 solution on the market that is available in both a dongle and wall plate version. The wall plate and dongle can be interchanged to fit the needs of any installation requiring high performance and maximum flexibility.

Features:

- Full USB 2.0 speed and power
- Integrated UTP power inserter technology
- Interchangeable design with swappable components – wall plates and dongles
- Extends USB from 16.4ft up to 328ft over Cat5/6 (UTP/STP, solid/stranded)

TruLink USB 2.0 Superbooster Extender

| Part #          | Description   |
|-----------------|---|
| 2401-53877-ADT* | TruLink USB 2.0 Superbooster Wall Plate to Wall Plate Kit |
| 2401-53878-ADT  | TruLink USB 2.0 Superbooster Wall Plate to Dongle Kit     |
| 2401-53879-ADT  | TruLink USB 2.0 Superbooster Dongle to Wall Plate Kit     |
| 2401-53880-ADT* | TruLink USB 2.0 Superbooster Dongle to Dongle Kit         |



\*2404-29056-ADT



\*2401-29060-ADT

## TruLink® 4-Port USB 3.0 SuperSpeed Hub

The TruLink 4-Port USB 3.0 SuperSpeed Hub allows for easy connection of up to four USB 3.0 devices to your computer, such as an MP3 players, digital cameras or hard drives. The streamlined, sleek and compact design is the perfect solution for USB port expansion. The removable aluminum base can be hard-mounted to your desk. The hub easily slides from the base, and makes it convenient for travel as well.

### Features:

- Compatible with the USB 3.0 specification
- Plug-and-play functionality
- (1) upstream and (4) downstream USB 3.0 ports
- CE and FCC approved

### TruLink 4-Port USB 3.0 Hub

| Part #         | Description                           |
|----------------|---------------------------------------|
| 2404-29056-ADT | TruLink 4-Port USB 3.0 SuperSpeed Hub |

## TruLink® USB 3.0 Hard Drive Enclosure

The TruLink USB 3.0 2.5" Hard Drive Enclosure Kit provides a durable and convenient housing for external drives used for storing and transferring large data, music, video and other files. Supporting data transfer rates of up to 5Gbps, this external HDD enclosure delivers access to files at lightning fast speeds - 10x that of USB 2.0, and 60% faster than SATA II eSATA. Since the USB 3.0 interface is backwards compatible with USB 2.0 and 1.1, the enclosure can be used with older computers with transfer speeds of 480Mbps and 12Mbps.

### Features:

- Compatible with the USB 3.0 specification
- Plug-and-play functionality
- (1) upstream and (4) downstream USB 3.0 ports
- CE and FCC approved

### TruLink USB 3.0 Hard Drive Enclosure

| Part #          | Description                               |
|-----------------|---|
| 2401-29060-ADT* | TruLink USB 3.0 2.5" Hard Drive Enclosure |





\*2401-28653-ADT



\*2215-52088-ADT

## TruLink® USB Universal Docking Station

The TruLink Desktop Docking Station adds convenience and flexibility to any office environment – whether at home or at work. With universal connectivity capability, it acts as a central hub for nearly any model of laptop, netbook or desktop using peripherals. This makes it a valuable addition particularly in settings when disparate brands of equipment are used or computer equipment is swapped out frequently.

### Features:

- A single USB connection controls the analog/digital video, four additional USB ports, ethernet connection and audio input/output
- Uses USB 2.0 speeds so performance is smooth and reliable
- Video resolutions up to 1900x1200 are supported through the DVI-I connection which easily converts to VGA using the included adapter
- CE and FCC approved

### TruLink USB Universal Docking Station

| Part #          | Description                            |
|-----------------|--|
| 2401-28653-ADT* | TruLink USB Universal Docking Stations |

## TruLink® 2 and 4-Port DVI & USB KVM with Audio

Take control of up to four PC's and free your desktop from clutter with the TruLink 2 or 4-Port DVI and USB KVM with Audio. This powerful and compact KVM solution provides everything you need to control up to four PCs from a single DVI monitor, USB keyboard, USB mouse, and speaker set. The small footprint of the switch makes it perfect for desktop applications.

### Features:

- Supports video resolutions up to 1920x1200
- Provides full keyboard and mouse emulation to prevent system lock-ups
- No software required
- LEDs clearly indicate which system is selected

### TruLink 2 and 4-Port DVI & USB KVM with Audio

| Part #          | Description                             |
|-----------------|---|
| 2215-52088-ADT* | TruLink 2-Port DVI & USB KVM with Audio |
| 2215-52089-ADT  | TruLink 4-Port DVI & USB KVM with Audio |

FIBER

COPPER

RAPIDRUN

AUDIO/VIDEO

PC/COMPUTER

# POWER CORDS



\*2306-29804-002



\*2306-03147-001

## Flat Plug Extension Power Cords

An ideal solution for easily plugging into surge protectors and UPS outlets.

### Features:

- Cable Type: Heavy-duty 18AWG
- One male flat 3-prong grounded plug (NEMA 5-15-P) to one female 3-prong grounded plug (NEMA 5-15-R)
- Design: Female connector plugs directly into device power cables, and male connector plugs into standard outlets
- Lifetime warranty

### Flat Plug Extension Power Cords

| Part #          | Description                          |
|-----------------|--------------------------------------|
| 2306-29804-002* | 1.5ft Flat Plug Extension Power Cord |
| 2306-29814-003  | 3ft Flat Plug Extension Power Cord   |
| 2306-29815-006  | 6ft Flat Plug Extension Power Cord   |

## Monitor Power Adapter Cords

Automatically turn your monitor on and off with the computer system's main power switch; requires auxiliary power connector.

### Features:

- Cable Type: Heavy-Duty 18AWG
- Connectors: 3-pin Shroud male to 3-Prong Grounded Plug female
- Application: Female connector plugs into device, and male connector plugs into auxiliary power port on power supply for auto power when the system is turned on
- Rated: 10 Amps
- Lifetime warranty

### Monitor Power Adapter Cords

| Part #          | Description                     |
|-----------------|---------------------------------|
| 2306-03147-001* | 1ft Monitor Power Adapter Cord  |
| 2306-29935-002  | 2ft Monitor Power Adapter Cord  |
| 2306-03132-003  | 3ft Monitor Power Adapter Cord  |
| 2306-29936-004  | 4ft Monitor Power Adapter Cord  |
| 2306-29937-005  | 5ft Monitor Power Adapter Cord  |
| 2306-03148-006  | 6ft Monitor Power Adapter Cord  |
| 2306-29938-008  | 8ft Monitor Power Adapter Cord  |
| 2306-29939-010  | 10ft Monitor Power Adapter Cord |
| 2306-03149-015  | 15ft Monitor Power Adapter Cord |



\*2306-30538-002

\*2306-27400-006

## Pass-Through Power Cords

Plug in your power cable without losing an outlet.

### Features:

- Cable Type: Heavy-duty 16AWG
- Connectors: 3-pin shroud female (IEC320C13R) to (1) male 3-prong grounded plug (NEMA 5-15-P) with female pass-through
- Compatibility: Computers, monitors, scanners, printers and other devices that use a 3-pin shroud power connector
- Lifetime warranty

### Pass-Through Power Cords

| Part #          | Description                           |
|-----------------|---------------------------------------|
| 2306-30538-003* | 3ft Pass-Through Universal Power Cord |
| 2306-30536-006  | 6ft Pass-Through Universal Power Cord |

## Slotted Power Cords

Replacement power cord for notebooks and other non-polarized devices.

### Features:

- Cable Type: Heavy-Duty 18AWG
- Design: Female connector plugs directly into device, and male connector plugs into standard outlet
- Compatibility: Notebooks, VCRs and other devices that use a 2-slot or 3-slot power cable
- Lifetime warranty

### Slotted Power Cords

| Part #          | Description                         |
|-----------------|-------------------------------------|
| 2306-27398-006  | 6ft Non-Polarized 2-Slot Power Cord |
| 2306-27399-006  | 6ft Polarized 2-Slot Power Cord     |
| 2306-27400-006* | 6ft 3-Slot Notebook Power Cord      |



\*2306-29802-002

## 16AWG 1-to-2 Power Cord Splitter

Replace your overused or misplaced power cable, or just manage your power more efficiently. This handy cable features a male 3-prong plug which splits to two female 3-prong shrouds. Simply plug the power cord's male prong into a standard outlet, and you're ready to power multiple electronic devices.

### Features:

- Cable Type: Heavy-duty 16AWG
- Design: Male prong connector plugs directly into a standard outlet, and can power multiple electronic devices
- Lifetime warranty

### 16AWG 1-to-2 Power Cord Splitters

| Part #          | Description   |
|-----------------|---|
| 2306-29802-002* | 1.5ft 16AWG 1-to-2 Power Cord Splitter  |
| 2306-29805-003  | 3ft 16AWG 1-to-2 Power Cord Splitter  |
| 2306-29819-006  | 6ft 16AWG 1-to-2 Power Cord Splitter  |
| 2306-29803-002  | 1.5ft 16AWG 1-to-4 Power Cord Splitter  |
| 2306-29806-003  | 3ft 16AWG 1-to-4 Power Cord Splitter  |
| 2306-29808-006  | 6ft 16AWG 1-to-4 Power Cord Splitter  |
| 2306-29810-002  | 1.5ft 1-to-2 Power Cord Splitter - NEMA 5-15P to (1) NEMA 5-15R and (1) IEC320C13 |
| 2306-29811-003  | 3ft 1-to-2 Power Cord Splitter - NEMA 5-15P to (1) NEMA 5-15R and (1) IEC320C13   |
| 2306-29812-006  | 6ft 1-to-2 Power Cord Splitter - NEMA 5-15P to (1) NEMA 5-15R and (1) IEC320C13   |
| 2306-29818-006  | 6ft 1-to-2 Power Cord Splitter - IEC320C14 to (2) IEC320C13                       |



\*2306-29917-004

## 16AWG 250 Volt Computer Power Extension Cord

Plug in our power cord extension cord to make your work environment more flexible and efficient. This heavy-duty 16 AWG cord features a fully molded design for maximum durability and long life.

### Features:

- Cable Type: Heavy-duty 16AWG
- Connectors: 3-pin male (IEC320C14) to 3-pin female (IEC320C13)
- Design: Female connector plugs directly into device while the male connector plugs into an existing cable
- Lifetime warranty

### 16AWG 250 Volt Computer Power Extension Cord

| Part #          | Description                                      |
|-----------------|--|
| 2306-29917-004* | 4ft 16AWG 250 Volt Computer Power Extension Cord |

## 14AWG 250 Volt Computer Power Extension Cord

This heavy-duty 14 AWG cord is designed to work with monitors, scanners, printers, and other devices that use the 3-pin male-to-female shroud power connector. Plus it features a fully molded design for maximum durability and long life.

### Features:

- Cable Type: Heavy-duty 14AWG
- Connectors: 3-pin male (IEC320C14) to 3-pin female (IEC320C13)
- Design: Female connector plugs directly into device while the male connector plugs into an existing cable
- Lifetime warranty

### 14AWG 250 Volt Computer Power Extension Cord

| Part #         | Description                                       |
|----------------|---|
| 2306-30821-006 | 6ft 14AWG 250 Volt Computer Power Extension Cord  |
| 2306-30822-010 | 10ft 14AWG 250 Volt Computer Power Extension Cord |

# POWER CORDS



\*2306-53407-012

## 18AWG Computer Power Extension Cord

Make your work environment more flexible and efficient. This heavy-duty 18 AWG cord is designed to work with monitors, scanners, printers and other devices that use the 3-pin male-to-female shroud power connector.

### Features:

- Cable Type: Heavy-duty 18AWG
- Connectors: 3-pin female (IEC320C13) to 3-pin male (IEC320C14)
- Design: Female connector plugs directly into device while the male connector plugs into another power cord
- Application: Replacement power cord
- Lifetime warranty

### 18AWG Computer Power Extension Cord

| Part #          | Description                              |
|-----------------|--|
| 2306-03140-001  | 1ft 18AWG Computer Power Extension Cord  |
| 2306-03142-002  | 2ft 18AWG Computer Power Extension Cord  |
| 2306-03120-003  | 3ft 18AWG Computer Power Extension Cord  |
| 2306-03145-004  | 4ft 18AWG Computer Power Extension Cord  |
| 2306-29933-005  | 5ft 18 AWG Computer Power Extension Cord |
| 2306-03141-006  | 6ft 18AWG Computer Power Extension Cord  |
| 2306-29934-008  | 8ft 18AWG Computer Power Extension Cord  |
| 2306-03143-010  | 10ft 18AWG Computer Power Extension Cord |
| 2306-20941-015  | 15ft 18AWG Computer Power Extension Cord |
| 2306-53407-012* | 12ft 18AWG Computer Power Extension Cord |



\*2306-03137-001

## 18AWG Outlet Saver Power Extension Cord

This outlet saver cord keeps your surge strip and UPS outlets from being blocked by bulky AC transformers. It is designed to work with power transformers, computers, monitors, scanners, printers and other devices that use the 3-pin male-to-female shroud power connector.

### Features:

- Cable Type: Heavy-duty 18AWG
- Connectors: 3-prong grounded female (NEMA 5-15R) to 3-prong grounded male (NEMA 5-15P)
- Design: Female connector plugs directly into device power cable while the male connector plugs into a standard outlet
- Lifetime warranty

### 18AWG Outlet Saver Power Extension Cords

| Part #          | Description                                  |
|-----------------|--|
| 2306-03137-001* | 1ft 18AWG Outlet Saver Power Extension Cord  |
| 2306-29929-002  | 2ft 18AWG Outlet Saver Power Extension Cord  |
| 2306-03114-003  | 3ft 18AWG Outlet Saver Power Extension Cord  |
| 2306-29930-004  | 4ft 18AWG Outlet Saver Power Extension Cord  |
| 2306-29931-005  | 5ft 18AWG Outlet Saver Power Extension Cord  |
| 2306-03115-006  | 6ft 18AWG Outlet Saver Power Extension Cord  |
| 2306-29932-008  | 8ft 18AWG Outlet Saver Power Extension Cord  |
| 2306-03116-010  | 10ft 18AWG Outlet Saver Power Extension Cord |
| 2306-53408-012  | 12ft 18AWG Outlet Saver Power Extension Cord |
| 2306-03117-015  | 15ft 18AWG Outlet Saver Power Extension Cord |
| 2306-53410-025  | 25ft 18AWG Outlet Saver Power Extension Cord |



## 18AWG Universal Power Cords

Replace your overused or misplaced power cable, or just get some extra cords for convenience. This universal power cord is designed to work with most PCs, monitors, scanners, printers and other devices that use the 3-pin shroud power connector.

### Features:

- Cable Type: Heavy-duty 18AWG
- Connectors: 3-pin female (IEC320C13) to 3-prong grounded male (NEMA 5-15P)
- Design: Female connector plugs directly into device while the male connector plugs into a standard outlet
- Lifetime warranty

### 18AWG Universal Power Cords

| Part #          | Description                     |
|-----------------|---------------------------------|
| 2306-24240-001* | 1ft 18AWG Universal Power Cord  |
| 2306-29925-002  | 2ft 18AWG Universal Power Cord  |
| 2306-03129-003  | 3ft 18AWG Universal Power Cord  |
| 2306-29926-004  | 4ft 18AWG Universal Power Cord  |
| 2306-29927-005  | 5ft 18AWG Universal Power Cord  |
| 2306-03130-006  | 6ft 18AWG Universal Power Cord  |
| 2306-29928-008  | 8ft 18AWG Universal Power Cord  |
| 2306-03134-010  | 10ft 18AWG Universal Power Cord |
| 2306-53406-012  | 12ft 18AWG Universal Power Cord |
| 2306-09482-015  | 15ft 18AWG Universal Power Cord |

### 18AWG Universal Flat Panel Cords

| Part #          | Description                                 |
|-----------------|---|
| 2306-27900-002* | 1.5ft 18AWG Universal Flat Panel Power Cord |
| 2306-27901-003  | 3ft 18AWG Universal Flat Panel Power Cord   |

## 18AWG Universal Right Angle Power Cords

Replace your overused or misplaced power cable, or just get some extra cords for convenience. This universal right-angled power cord is ideal for tight areas and will plug into PCs, monitors, scanners, printers and other devices that use the 3-pin shroud power connector.

### Features:

- Cable Type: Heavy-duty 18AWG
- Connectors: 3-pin female (IEC320C13R) to 3-prong grounded plug male (NEMA 5-15P)
- Design: Female connector plugs directly into device while the male connector plugs into a standard outlet
- Lifetime warranty

### 18AWG Universal Right Angle Power Cords

| Part #          | Description                                 |
|-----------------|---|
| 2306-03152-008  | 6ft 18AWG Universal Right Angle Power Cord  |
| 2306-27909-010  | 10ft 18AWG Universal Right Angle Power Cord |
| 2306-53409-012* | 12ft 18AWG Universal Right Angle Power Cord |
| 2306-28593-014  | 14ft 18AWG Universal Right Angle Power Cord |



# POWER CORDS



## Hospital Grade Power Cord (NEMA 5-15P to IEC320C13)

Power cords used in hospitals and other medical settings must conform to strict standards for grounding reliability, assembly integrity, strength and durability, as well as regulatory standards such as NEMA and IEC specifications. These standards are in place to ensure that power cords are safe and reliable for use in demanding hospital environments. The hospital grade power cord selection offers one of the broadest selections available on the market. This universal C13 series is designed to work with most PCs, monitors, scanners, printers and many other devices that are powered via the industry standard 3-pin C14 connector inlet.

### Features:

- Optional black or clear connector color selection
- Available in 14, 16 and 18AWG gauge selections
- Hospital grade UL and CSA certification
- Complete selection of length and gauge stock availability
- Input: NEMA 5-15P connector; Output: IEC 320 C-13 connector
- Lifetime warranty

### Hospital Grade Power Cord (NEMA 5-15P to IEC320C13)

| Part #          | Description                                  |
|-----------------|--|
| 2306-48000-025* | 25ft 14AWG Hospital Grade Power Cord - Black |
| 2306-48001-002  | 2ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48002-002  | 2ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48003-006  | 6ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48004-006  | 6ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48005-008  | 8ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48006-008  | 8ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48007-010  | 10ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48008-010  | 10ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48009-012  | 12ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48010-012  | 12ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48011-015  | 15ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48012-015  | 15ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48013-002  | 2ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48014-002  | 2ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48015-006  | 6ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48016-006* | 6ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48017-008  | 8ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48018-008  | 8ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48019-010  | 10ft 18AWG Hospital Grade Power Cord - Black |
| 2306-48020-010  | 10ft 18AWG Hospital Grade Power Cord - Gray  |



## Hospital Grade Power Cord (NEMA 5-15P to ROJ 125V)

Power cords used in hospitals and other medical settings must conform to strict standards for grounding reliability, assembly integrity, strength and durability, as well as regulatory standards such as NEMA and IEC specifications. These standards are in place to ensure that power cords are safe and reliable for use in demanding hospital environments. The hospital grade power cord selection offers one of the broadest selections available on the market. The Remove Outer Jacket (ROJ) configuration is designed for non-detachable powered equipment that is typically found in a laboratory environment.

### Features:

- Optional black or clear 5-15P connector color selection
- Available in 16 and 18AWG gauge selections
- Hospital grade UL and CSA certification
- Complete selection of length and gauge stock availability
- Input: NEMA 5-15P connector; Output: ROJ
- Lifetime warranty

### Hospital Grade Power Cord (NEMA 5-15P to ROJ 125V)

| Part #          | Description                                  |
|-----------------|--|
| 2306-48021-002* | 2ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48022-002  | 2ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48023-006  | 6ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48024-006* | 6ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48025-008  | 8ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48026-008  | 8ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48027-010  | 10ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48028-010  | 10ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48029-012  | 12ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48030-012  | 12ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48031-015  | 15ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48032-015  | 15ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48033-002  | 2ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48034-002  | 2ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48035-006  | 6ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48036-006  | 6ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48037-008  | 8ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48038-008  | 8ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48039-010  | 10ft 18AWG Hospital Grade Power Cord - Black |
| 2306-48040-010  | 10ft 18AWG Hospital Grade Power Cord - Gray  |



## Hospital Grade Power Cord (NEMA 5-15P to IEC320C13R)

Power cords used in hospitals and other medical settings must conform to strict standards for grounding reliability, assembly integrity, strength and durability, as well as regulatory standards such as NEMA and IEC specifications. These standards are in place to ensure that power cords are safe and reliable for use in demanding hospital environments. The hospital grade power cord selection offers one of the broadest selections available on the market. This universal C13 series is designed to work with many other devices that are powered via the industry standard 3-pin C14 connector inlet. The low profile right angle connector design allows for convenient equipment placement in tight spots.

### Features:

- Low profile right angle C13R device connection
- Optional black or clear connector color selection
- Available in 16 and 18AWG gauge selections
- Hospital grade UL and CSA certification
- Complete selection of length and gauge stock availability
- Input: NEMA 5-15P connector; Output: IEC320 C-13R connector
- Lifetime warranty

### Hospital Grade Power Cord (NEMA 5-15P to IEC320C13R)

| Part #          | Description                                  |
|-----------------|--|
| 2306-48041-002* | 2ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48042-002  | 2ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48043-006  | 6ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48044-006* | 6ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48045-008  | 8ft 16AWG Hospital Grade Power Cord - Black  |
| 2306-48046-008  | 8ft 16AWG Hospital Grade Power Cord - Gray   |
| 2306-48047-010  | 10ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48048-010  | 10ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48049-012  | 12ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48050-012  | 12ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48051-015  | 15ft 16AWG Hospital Grade Power Cord - Black |
| 2306-48052-015  | 15ft 16AWG Hospital Grade Power Cord - Gray  |
| 2306-48053-002  | 2ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48054-002  | 2ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48055-006  | 6ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48056-006  | 6ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48057-008  | 8ft 18AWG Hospital Grade Power Cord - Black  |
| 2306-48058-008  | 8ft 18AWG Hospital Grade Power Cord - Gray   |
| 2306-48059-010  | 10ft 18AWG Hospital Grade Power Cord - Black |
| 2306-48060-010  | 10ft 18AWG Hospital Grade Power Cord - Gray  |



## Hospital Grade Power Cord (NEMA 5-15P to NEMA 5-15R)

Power cords used in hospitals and other medical settings must conform to strict standards for grounding reliability, assembly integrity, strength and durability, as well as regulatory standards such as NEMA and IEC specifications. These standards are in place to ensure that power cords are safe and reliable for use in demanding hospital environments. The hospital grade power cord selection offers one of the broadest selections available on the market. This line is outdoor rated to provide sunlight resistance and wet weather rating compliance. This is the perfect solution for power extension in outdoor or wet areas, maintenance or cleaning equipment, and temporary power extension for equipment relocation.

### Features:

- Outdoor rated orange color visibility
- Available in 16AWG gauge
- Hospital grade UL and CSA certification
- Complete selection of length and gauge stock availability
- Input: NEMA 5-15P connector; Output: NEMA 5-15R connector
- Lifetime warranty

### Hospital Grade Power Cord (NEMA 5-15P to NEMA 5-15R)

| Part #          | Description   |
|-----------------|---|
| 2306-48061-050* | 50ft 16AWG Hospital Grade Power Extension Cord - Orange |
| 2306-48062-075  | 75ft 16AWG Hospital Grade Power Extension Cord - Orange |

# CABLE MANAGEMENT



## Cable Ties, Tie Saddles, Mounts & Cable Clamps

Quiktron offers a variety of accessories to complement our products.

### Cable Ties, Tie Saddles, Mounts & Cable Clamps

| Part #          | Description                      |
|-----------------|----------------------------------|
| 2601-43032-000  | 4in Cable Ties Natural 100-Pk    |
| 2601-43033-000  | 6in Cable Ties Natural 100-Pk    |
| 2601-43034-000  | 7.5in Cable Ties Natural 100-Pk  |
| 2601-43035-000  | 11.5in Cable Ties Natural 100-Pk |
| 2601-43036-000  | 4in Cable Ties Black 100-Pk      |
| 2601-43037-000  | 6in Cable Ties Black 100-Pk      |
| 2601-43038-000  | 7.5in Cable Ties Black 100-Pk    |
| 2601-43039-000  | 11.5in Cable Ties Black 100-Pk   |
| 2601-43200-000  | 4in Cable Ties Gray 100-Pk       |
| 2601-43201-000  | 6in Cable Ties Gray 100-Pk       |
| 2601-43202-000  | 7.5in Cable Ties Gray 100-Pk     |
| 2601-43203-000  | 11.5in Cable Ties Gray 100-Pk    |
| 2601-43204-000  | 4in Cable Ties Red 100-Pk        |
| 2601-43205-000  | 6in Cable Ties Red 100-Pk        |
| 2601-43206-000  | 7.5in Cable Ties Red 100-Pk      |
| 2601-43207-000  | 11.5in Cable Ties Red 100-Pk     |
| 2601-43208-000  | 4in Cable Ties Yellow 100-Pk     |
| 2601-43209-000  | 6in Cable Ties Yellow 100-Pk     |
| 2601-43210-000  | 7.5in Cable Ties Yellow 100-Pk   |
| 2601-43211-000  | 11.5in Cable Ties Yellow 100-Pk  |
| 2601-43212-000  | 4in Cable Ties Blue 100-Pk       |
| 2601-43213-000  | 6in Cable Ties Blue 100-Pk       |
| 2601-43214-000  | 7.5in Cable Ties Blue 100-Pk     |
| 2601-43215-000  | 11.5in Cable Ties Blue 100-Pk    |
| 2601-43040-000  | 6in Mountable Cable Ties 50-Pk   |
| 2601-43041-000  | 8in Mountable Cable Ties 50-Pk   |
| 2601-43042-000  | 4in Releasable Cable Ties        |
| 2601-43043-000  | 6in Releasable Cable Ties        |
| 2601-43044-000  | 7.5in Releasable Cable Ties      |
| 2601-43045-000  | 11.5in Releasable Cable Ties     |
| 2601-43032-000  | Cable Ties Saddles 25-Pk         |
| 2601-43033-000  | Cable Ties Mounts 25-Pk          |
| 2601-43048-000  | .125in Cable Clamp 50-Pk         |
| 2601-43049-000  | .25in Cable Clamp 50-Pk          |
| 2601-43050-000  | .5in Cable Clamp 50-Pk           |
| 2601-43052-000* | .5in Adhesive Cable Clamp 50-Pk  |
| 2601-43053-000  | .68in Adhesive Cable Clamp 50-Pk |



## Hook & Loop Cable Wrap & Binding Straps

### Features:

- Constructed of high strength, nylon hook and loop to securely organize cables
- Self-attaching design lets you use and reuse
- Cut off the right amount of cable wrap from the bulk reel
- Lifetime warranty

### Hook & Loop Cable Wrap

| Part #          | Description                       |
|-----------------|-----------------------------------|
| 2601-29852-010* | 10ft Hook & Loop Cable Wrap-Black |
| 2601-29853-025  | 25ft Hook & Loop Cable Wrap-Black |

### Hook & Loop Cable Binding Straps

| Part #          | Description  |
|-----------------|--|
| 2601-29854-001* | 11in Hook & Loop Cable Binding Straps-Black                  |
| 2601-29856-001  | 6ftx1.75in Hook & Loop Cable Binding Straps-Red/Green/Yellow |
| 2601-29857-001  | 0.75in Hook & Loop Cable Binding Straps-Orange/Violet/White  |