

LAMP HOLDERS

DIE CAST

Applications

- For outdoor or indoor lighting use
- May be used with Bell® cluster covers and boxes


Product Features

- Rugged metallic construction
- State-of-the-art powder coat finish provides maximum weatherability and scratch-resistance
- Locking swivel knuckle assures positive lamp positioning and provides pin-point directional aiming
- Extra long wire leads for easy hook-up
- Each lampholder supplied with a porcelain socket, inside gasket, 1/2" locknut and multi-lingual instructions

Compliances


-  – Standard 1598
-  – Certified C22.2 No. 18

5613 SERIES



LAMP HOLDERS

5606 SERIES, 5612-0



ORDERING INFORMATION - DIMENSIONS


LAMP HOLDERS AND ACCESSORIES FOR 75-150 WATT PAR 38 LAMPS

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5606-0	Gray	Lampholder	Shrink	30	
5606-1	White	Lampholder	Shrink	30	
5606-2	Bronze	Lampholder	Shrink	30	
5606-5	Gray	Lampholder	Carded	6	
5606-6	White	Lampholder	Carded	6	
5606-7	Bronze	Lampholder	Carded	6	
5612-0	Gray	Lampholder w/gasket	Shrink	30	
5611-0	—	Outer gasket only, replacement gasket for 5612-0	Polybag	30	
5615-0	—	Wire guard only	Shrink	5	


ARCHITECTURAL LAMP HOLDERS FOR 75-150 WATT PAR 38 LAMPS

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5613-0	Gray	Lampholder	Shrink	4	
5613-1	White	Lampholder	Shrink	4	
5613-2	Bronze	Lampholder	Shrink	4	

CATALOG NO. 5611-0



CATALOG NO. 5615-0



C32

LAMP HOLDERS

WEATHERPROOF BOXES,
COVERS AND LIGHTING**Portable Lampholder****Application**

- For general outdoor lighting use

Portable Lampholder**Product Features**

- Rugged die-cast construction
- State-of-the-art powder coat finish provides maximum weatherability and scratch-resistance
- Locking swivel knuckle assures positive lamp positioning and provides pin-point directional aiming

Portable Lampholder**Compliances****Bullet Lampholder****Application**

- For general outdoor lighting use
- May be used with BELL cluster covers and boxes

Bullet Lampholder**Product Features**

- Rugged die cast
- Locking swivel knuckle
- Assure positive lamp positioning and provides pinpoint directional aiming
- Includes installation hardware and multilingual instructions

Bullet Lampholder**Compliances**

5792-0





5820-8

ORDERING INFORMATION - DIMENSIONS**PORTABLE LAMP HOLDER ASSEMBLY**

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5792-0	Gray	Spike, 6 ft. cord & plug	Polybag	12	

BULLET LAMP HOLDERS - FOR 75-150 WATT PAR 38 AND R-40 LAMPS

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5820-8	Green	Lampholder	Boxed	2	

PORTABLE LAMP HOLDER ASSEMBLY 5792-0**BULLET LAMP HOLDER ASSEMBLY 5820-8**

LAMPHOLDER COMBINATIONS

Application

- For use with Bell® single-gang rectangular or round weatherproof boxes


Product Features

- Rugged metallic construction
- State-of-the-art powder coat finish provides maximum weatherability and scratch-resistance
- Each combination kit is a complete weatherproof installation — no need to purchase separate components
- Includes installation hardware, gasket, and multi-lingual instructions


Compliances

-  – Standard 1598
-  – Certified C22.2 No. 18

5620 SERIES



5621 SERIES



5620-0

5624-0 TO 5624-6

5621-0 TO 5621-6

5625-0 TO 5625-7

WEATHERPROOF BOXES,
COVERS AND LIGHTING

ORDERING INFORMATION - DIMENSIONS


RECTANGULAR COVER – COMBINATIONS FOR 75-150 WATT PAR 38 LAMPS

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5620-0	Gray	(1) Lampholder	Shrink	8	
5621-0	Gray	(2) Lampholders	Shrink	8	
5621-5	Gray	(2) Lampholders	Carded	4	
5621-6	White	(2) Lampholders	Carded	4	


4" ROUND COVER – COMBINATIONS FOR 75-150 WATT PAR 38 LAMPS

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5624-0	Gray	(1) Lampholder	Shrink	8	
5624-1	White	(1) Lampholder	Shrink	8	
5624-2	Bronze	(1) Lampholder	Shrink	8	
5624-5	Gray	(1) Lampholder	Carded	4	
5624-6	White	(1) Lampholder	Carded	4	
5625-0	Gray	(2) Lampholders	Shrink	8	
5625-1	White	(2) Lampholders	Shrink	8	
5625-2	Bronze	(2) Lampholders	Shrink	8	
5625-5	Gray	(2) Lampholders	Carded	4	
5625-6	White	(2) Lampholders	Carded	4	
5625-7	Bronze	(2) Lampholders	Carded	4	

5624 SERIES



5625 SERIES



C34

LIGHT KITS

WEATHERPROOF BOXES,
COVERS AND LIGHTING**Application**

- For general use in wet, damp, or dry locations

Product Features

- Each kit is a complete weatherproof installation — no need to purchase separate components
- Each kit includes easy-to-follow multi-lingual instructions
- All kit components are described in the preceding pages

Compliances

-  – Standard 1598
-  – Certified C22.2 No.18



5883-5 TO 5883-6



5818-5 TO 5818-6

ORDERING INFORMATION - DIMENSIONS**RECTANGULAR LIGHT KITS FOR 75-150 WATT PAR 38 LAMPS**

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5883-5	Gray	Box, cover, photocell & (2) lampholders	Boxed	4	
5883-6	White	Box, cover, photocell & (2) lampholders	Boxed	4	
5818-5	Gray	Box, cover & (2) lampholders	Boxed	4	
5818-6	White	Box, cover & (2) lampholders	Boxed	4	

LIGHT KITS

Application

- For general use in wet, damp, or dry locations

Product Features

- Each kit is a complete weatherproof installation — no need to purchase separate components
- Each kit includes easy-to-follow multi-lingual instructions
- All kit components are described in the preceding pages

Compliances

-  – Standard 1598
-  – Certified C22.2 No. 18



5829-5 TO 5829-6



5876-5 TO 5876-6

WEATHERPROOF BOXES,
COVERS AND LIGHTING

ORDERING INFORMATION - DIMENSIONS

4" ROUND LIGHT KITS FOR 75-150 WATT PAR 38 LAMPS

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5829-5	Gray	Box, cover & (2) lampholders	Boxed	4	
5829-6	White	Box, cover & (2) lampholders	Boxed	4	
5876-5	Gray	Box, cover & (2) architectural lampholders	Boxed	4	
5876-6	White	Box, cover & (2) architectural lampholders	Boxed	4	

C36**GARDEN LIGHTS****DIE CAST ZINC****WEATHERPROOF BOXES,
COVERS AND LIGHTING****Application**

- For accent lighting along walkways, driveways, terraces, porches and garden areas


Product Features

- Rugged die cast construction
- State-of-the-art powder coat finish provides maximum weatherability and scratch-resistance
- Includes screw-in clear glass globe, wire connectors, gasket, and multi-lingual instructions
- Three-tier lights accept 40W maximum lamps
- Four-tier lights accept 60W maximum lamps

Compliances

-  **UL**

CAT. NO. 5884-8



5884-8



5893-8

ORDERING INFORMATION - DIMENSIONS**INCANDESCENT TYPE THREADED 1/2" NPT - 18" LEADS**

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5884-8	Green	3-Tier	Box	2	
5893-8	Green	4-Tier	Box	2	

DIMENSIONS

CATALOG NUMBER	DIA.	HEIGHT
5884-8	6"	7"
5893-8	6"	8-3/4"


ACCESSORIES

REPLACEMENT GLOBES

Replacement Globes Application

- For use with Bell® garden lights

REPLACEMENT GLOBE



5694-0

5695-0

WEATHERPROOF BOXES,
COVERS AND LIGHTING

ORDERING INFORMATION - DIMENSIONS

REPLACEMENT GLOBES FOR GARDEN LIGHTS					
CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5694-0	Clear	For 3-tier	Carton	4	
5695-0	Clear	For 4-tier	Carton	4	



C38**ACCESSORIES****PHOTOCELL****WEATHERPROOF BOXES,
COVERS AND LIGHTING****Nite Switch Automatic Controls
Application**

- Nite switches are used for sunset activated automatic control of night lighting — Nite switches may be used to control porch lights, garden lights, post lanterns, barn lights, loading dock lights, outdoor signs and the like

**Nite Switch Automatic Controls
Product Features**

- Durable weatherproof construction
- Built-in time delay prevents operation triggered by auto headlamps or other temporary light flashes

**Nite Switch Automatic Controls
Compliances**

- 

**5638-5****ORDERING INFORMATION - DIMENSIONS****NITE SWITCH AUTOMATIC CONTROLS – 2000 WATTS**

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5638-5	Gray	Swivel Switch, locknut 2000W Tungsten 1800VA Ballast 120V 50-60HZ	Carded	6	

ACCESSORIES

CLOSURE PLUGS

Closure Plugs Application

- For use with Bell® weatherproof boxes, extension adapters, cluster covers and round splice boxes to seal off unused outlets

Closure Plugs Product Feature

- Gray closure plugs are zinc die cast
- White and bronze closure plugs are nonmetallic



5269-0 to 5269-9
5270-0 to 5270-9, 5271-0

WEATHERPROOF BOXES,
COVERS AND LIGHTING

ORDERING INFORMATION - DIMENSIONS

CLOSURE PLUGS					
CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5269-0	Gray	1/2" NPT	75 Polybags of 4	75 bags*	
5269-1	White	1/2" NPT	75 Polybags of 4	75 bags*	
5269-2	Bronze	1/2" NPT	75 Polybags of 4	75 bags*	
5269-5	Gray	1/2" NPT	12 Cards of 3	12 cards**	
5269-6	White	1/2" NPT	12 Cards of 3	12 cards**	
5269-7	Bronze	1/2" NPT	12 Cards of 3	12 cards**	
5269-9	Gray	1/2" NPT	Bulk	1000	—
5270-0	Gray	3/4" NPT	75 Polybags of 4	75 bags*	
5270-5	Gray	3/4" NPT	12 Cards of 3	12 cards**	
5270-9	Gray	3/4" NPT	Bulk	1000	—
5271-0	Gray	1" NPT	75 Polybags of 4	75 bags*	

*Order in standard package bag quantities only – not per piece

**Order in standard package card quantities only – not per piece

C40**ACCESSORIES****ROUND CLOSURE PLATES - MOUNTING LUGS**
**WEATHERPROOF BOXES,
COVERS AND LIGHTING**
Round Closure Plates Application




- Use in dry locations for closure of unused ceiling outlets

Round Closure Plates**Product Features**

- Rugged metallic construction
- State-of-the-art powder coat paint finish provides a scratch-resistant surface

Round Closure Plates

-  – UL Listed

**5652-1****5653-1****5654-1****5302-0****ROUND CLOSURE PLATES****CATALOG NO. 5652-1****CATALOG NO. 5653-1****CATALOG NO. 5654-1****ORDERING INFORMATION - DIMENSIONS****5" ROUND CLOSURE PLATES – STEEL**


CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5652-1	Off White	Screw & universal mount strap	Shrink	10	
5653-1	Off White	(2) 8 - 32 screws, direct mount to fixture outlet box	Shrink	10	
5654-1	Off White	Fixture stud & universal mount strap	Shrink	10	

BOX MOUNTING LUGS & SCREWS

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5302-0	—	—	100 Polybags of 2	100	

BOX MOUNTING LUG**CATALOG NO. 5302-0**

1/4" DIA. (2-HOLES)



ACCESSORIES


REPLACEMENT GASKETS

Application


- Replacement gaskets for Bell® weatherproof covers and lampholders

Product Features


- Each gasket has cut outs for a toggle switch, duplex receptacle and 1.406" dia. round receptacle
- Remove the cut outs for the duplex and round receptacles for a GFCI receptacle opening



5019-0




5017-0




5020-0

WEATHERPROOF BOXES,
COVERS AND LIGHTING

CATALOG NO. 5019-0



CATALOG NO. 5020-0



ORDERING INFORMATION - DIMENSIONS

RECTANGULAR BOX/COVER GASKETS

CATALOG NUMBER	COLOR	DESCRIPTION	PKG. TYPE	STD. PKG.	UPC BAR CODE
5019-0	Black	1-Gang	20 Cello bags of 2	20	
5020-0	Black	2-Gang	20 Cello bags of 2	20	
5017-0	Black	1 Gang cover gasket, 4 Lampholder gaskets & 1 Round cover gasket	20 Cello bags	20	

CATALOG NO. 5017-0

