


ATV WINCHES AND ACCESSORIES



MULTIPLE USES



HEAD FOR ADVENTURE™

NEW: Handlebar Rocker Switch

NEW: Quick Mount System

NEW: Mounting Kits

INSIDE:

ATV 2500

ATV 3000

ATV Accessories



New winching at
your fingertips



RAMSEY ATV

0.9 HP 12V DC efficient permanent magnet motor with 36% less AMP draw than the competition for 2500 lbs. models

50 ft. of 3/16" galvanized aircraft cable with replaceable clevis hook

6 ft. 6 gauge battery cables with connectors

Weather resistant contactor assembly

*Wireless remote that operates winch 50 ft. away

*Patent Pending

The **ATV Series** has all the dependability that off-road enthusiasts have come to expect from Ramsey Winch. And the **ATV Series** is the only one that comes complete with a wireless remote control.

FEATURES

- » Remote Control Options
 - ▶ Patent-pending wireless remote control to operate the winch from 50 ft. away and manual toggle switch
 - ▶ Remote mounted manual rotary switch control available for ATV 2500 model only
 - ▶ Handlebar rocker switch control
- » Proven and efficient three-stage planetary gear system design
- » 0.9 HP 12V DC efficient permanent magnet motor with significantly less AMP draw than the competition
- » Output planetary gear system has 50% greater gear contact surface than the competition for increased strength and durability
- » Large knob cam action clutch for free spooling
- » 50 ft. of 3/16" galvanized aircraft cable with replaceable clevis hook
- » Full load cable anchor for maximum pulling distance
- » Weather resistant contactor assembly - ATV 2500 and 3000 wireless and handlebar rocker switch packages
- » Optional automatic load-holding brake for strength and reliability, Part # 256116
- » 6 ft. (1.83 M) 6 gauge battery cables with connectors
- » 4-way roller fairlead - ATV 2500 and 3000 wireless and handlebar rocker switch packages
- » Hawse fairlead - ATV 2500 manual rotary remote packages
- » Limited lifetime warranty
- » Made in the USA 

RAMSEY ATV2500

36% Less

AMP Draw

Proven and efficient three-stage planetary gear system design



Part # 115004
Includes ATV 2500 with
handlebar rocker switch



Part # 115002 & 115003...Includes
ATV 2500 with remote mounted
manual rotary switch control



Part # 115000...Includes ATV 2500
with wireless remote

SPECIFICATIONS

Rated line pull (single line) 2,500 lbs. (1,133 kgs)

Gear reduction ratio . . . 136:1 (12V)

Motor Permanent Magnet - 0.9 hp (12V) DC


Overall dimensions . . . (LxWxH) 13.19" x 4.50" x 4.83"
(335 MM x 114 MM x 123 MM)

Drum size Diameter 1.75" (44 MM)
Length 2.97" (76 MM)

Weight 21 lbs. (9.5 kgs)

Cable supplied 50 ft. (15 M) of 3/16" (4.8 MM)
galvanized aircraft cable with
replaceable clevis hook

Mounting bolt pattern . . 3.00 ± .015 IN x 4.88 ± .015 IN
(76.2 MM x 124.0 MM)



COMPARISON CHART

Ramsey ATV 2500 vs. Brand X

Ramsey ATV 2500							
Line Pull	lbs. kgs.	NO LOAD	500 227	1000 453	1500 680	2000 906	2500 1133
Line Speed	fpm. mpm.	20.8 6.3	17.6 5.3	15 4.5	12.3 3.8	10.2 3.0	8.5 2.6
Motor Current (amps)		18	45	63	84	96	121
Brand X							
Line Pull	lbs. kgs.	NO LOAD	500 227	1000 455	1500 682	2000 907	2500 1134
Line Speed	fpm. mpm.	23 7.1	20 6.1	16 4.9	11 3.4	7 2.1	4 1.2
Motor Current (amps)		15	43	70	102	145	188

Line Speed & Amp Draw - First Layer

Line Pull	lbs. kgs	NO LOAD	500 227	1000 453	1500 680	2000 906	2500 1133
Line Speed	fpm mpm	20.8 6.3	17.6 5.3	15 4.5	12.3 3.8	10.2 3.0	8.5 2.6
Motor Current	amps	18	45	63	84	96	121

Line Pull & Cable Capacity

Layer of Cable		1	2	3	4	5
Rated Line Pull	lbs. kgs	2500 1133	2090 947	1800 815	1580 716	1400 634
Cable Capacity per Layer	ft. m	7 2.12	15 4.56	25 7.6	37 11.3	50 15.2

ATV 2500 R 12V - wireless remote Part # 115000

ATV 2500 H 12V - manual switch remote . . Part # 115002

ATV 2500 R 12V - manual switch remote . . Part # 115003

ATV 2500 R 12V - handlebar rocker switch . Part # 115004

R - 4-way roller fairlead

H - Hawse fairlead

Note: Fairlead does not
attach directly to winch.

Check out even more products and information at www.ramsey.com.

RAMSEY ATV3000

Output planetary gear system has 50% greater gear contact surface than the competition for increased strength and durability

**20% Less
AMP Draw**



Part # 110264...Includes ATV 3000 with handlebar rocker switch



Part # 110262...Includes ATV 3000 with wireless remote

SPECIFICATIONS

Rated line pull (single line) 3,000 lbs. (1,360 kgs)

Gear reduction ratio . . . 136:1 (12V)

Motor Permanent Magnet - 0.9 hp (12V) DC


Overall dimensions . . . (LxWxH) 13.19" x 4.50" x 4.83"
(335 MM x 114 MM x 123 MM)

Drum size Diameter 1.75" (44 MM)
Length 2.97" (76 MM)

Weight 21 lbs. (9.5 kgs)

Cable supplied 50 ft. (15 M) of 3/16" (4.8 MM)
galvanized aircraft cable with
replaceable clevis hook

Mounting bolt pattern . . 3.00 ± .015 IN x 4.88 ± .015 IN
(76.2 MM x 124.0 MM)



COMPARISON CHART

Ramsey ATV 3000 vs. Brand X

Ramsey ATV 3000								
Line Pull	lbs. kgs.	NO LOAD	500 227	1000 453	1500 680	2000 906	2500 1133	3000 1360
Line Speed	fpm. mpm.	20.8 6.3	17.6 5.3	15 4.5	12.3 3.8	10.2 3.0	8.5 2.6	5.0 1.5
Motor Current (amps)		18	45	63	84	96	121	150
Brand X								
Line Pull	lbs. kgs.	NO LOAD	500 227	1000 455	1500 682	2000 907	2500 1134	N/A
Line Speed	fpm. mpm.	23 7.1	20 6.1	16 4.9	11 3.4	7 2.1	4 1.2	N/A
Motor Current (amps)		15	43	70	102	145	188	N/A

Line Speed & Amp Draw - First Layer


Line Pull	lbs. kgs.	NO LOAD	500 227	1000 453	1500 680	2000 906	2500 1133	3000 1360
Line Speed	fpm. mpm.	20.8 6.3	17.6 5.3	15 4.5	12.3 3.8	10.2 3.0	8.5 2.6	5.0 1.5
Motor Current	amps	18	45	63	84	96	121	150

Line Pull & Cable Capacity

Layer of Cable		1	2	3	4	5
Rated Line Pull per Layer	lbs. kgs.	3000 1360	2500 1133	2100 952	1890 857	1680 761
Cable Capacity per Layer	ft. m	7 2.12	15 4.56	25 7.6	37 11.3	50 15.2
ATV 3000 R 12V - wireless remote Part # 110262						
ATV 3000 R 12V - handlebar rocker switch. Part # 110264						

R - 4-way roller fairlead

RAMSEY Accessories



WIRELESS REMOTE CONTROL

Features

- ▶ Patent-pending design
- ▶ Remote range up to 50 ft.
- ▶ Transmitter equipped with long-life battery and power saver circuit
- ▶ Additional transmitters available to operate receiver
- ▶ Works on virtually all electric ATV winches
- ▶ Installs in minutes
- ▶ Transmitter replacement battery readily available

ATV Aftermarket Wireless

Description	Part Number
Wireless remote for Superwinch TI 500 and ATV 2000.	251203
Wireless remote for Superwinch X1, X2, X1F, X2F, EX1 and Warn A2000 with no hand held remote	251204
Wireless remote for Warn A2500.	251205
Wireless remote for Superwinch X1, X2, X1F, X2F, EX1 with hand held remote	251206
Wireless remote for Ramsey ATV 2500 (Part # 115002)	251204



Wireless Remote Extension Wire

This wire extension gives you greater options for mounting the wireless and contactor further away from each other. The 6' wire extension allows the wireless receiver to be mounted in the front and the contactor in the rear of an ATV.

6' extension wire for wireless remote Part # 251232

Battery Wire Extension

8' of 6 gauge battery wire extensions. Needed when mounting Ramsey ATV winches on utility vehicles with rear battery location. Part # 251233

Contactor

Weather resistant contactor for the ATV 2500 and ATV 3000 models. Compact design makes installation simple Part # 251234

Fairleads

Hawse fairlead for ATV winch series. Part # 251075
Roller fairlead for ATV winch series Part # 251236

Brake Kit

ATV brake kit. Part # 256116

Note: Dismantling of winch is necessary to install brake. Instructions included in brake kit. Standard tool set required for installation.

Handlebar Rocker Switch

The rocker switch is an easy way to operate your winch from your ATV handlebars.

Handlebar rocker switch remote for ATV 2500 winch with manual switch remote. Kit includes switch, mounting bracket, contactor, and mounting hardware. Part # 256117

Handlebar rocker switch remote for ATV 2500 and 3000 winch models with wireless remote. Kit includes switch, mounting bracket, and mounting hardware Part # 256118

Replacement Remote Control Switch

Remote mounted manual rotary switch control . . . Part # 299727

Check out even more products and information at www.ramsey.com.

RAMSEY Accessories



Durable black
Cordura® nylon bag.
Part # 251109

Leather faced work gloves
with protective cuffs
Part # 251108

8' x 1" (2,4m x 2,5 cm) tow
strap / tree trunk protector
Part # 251240

Forged steel shackle
Part # 251244

8,000 lbs. maximum capacity swivel side plate
shackle-type snatch block that doubles the
winch pulling power Part # 251243

ATV Winch Accessory Kit

Before you hit the trail, make sure you have your ATV winch accessory kit. The ATV winch accessory kit comes with a 8,000 lbs. (3,628,77 Kgs) maximum capacity swivel side plate shackle-type snatch block, forged steel shackle, 8' x 1" (2,4m x 2,5 cm) tree trunk saver / tow strap, leather faced work gloves with protective cuffs and a durable black Cordura® nylon bag.

Part Number 251072

Maximum Cable Diameter: 3/16" (4.8 MM)

Maximum Capacity: 8,000 lbs. (3,628.77 kgs)

Winch Rating: 4,000 lbs. (1,814.3 kgs) or below models

Weight 6 lbs.

Components of the kit are also available individually


ATV Quick Mount Kit

Do you need versatility? We have the answer. Now you can move your winch to the front or rear of your ATV. The ATV QM (Quick Mount) Kit includes the following:

24" wire assembly for winch, 132" wire assembly for the front and rear of ATV, QM winch tray, hitch pin, 2 dust covers. Part # 251076

Note: Kit does not include front or rear mounting kit receivers for ATV. Contact your local ATV dealer for front and rear mounting kit receiver availability.

ATV Quick Mount Kit
Part # 251076



RAMSEY Accessories



ATV Mounting Systems

Description	Part Number	Description	Part Number
Arctic Cat		Polaris (con't)	
250, 300, 400 4x2 & 4x4, 500 4x4,		Sportsman 400L 4x4,	
Bear Cat 454 4x4; 98-01	298005	Magnum 425 2x4, 4x4 & 4x6; 93-01	298021
250, 300, 375, 400, 500 4x2 & 4x4; 02-03	298006	Xpress 300 2x4; 97-01	298022
Honda		Ranger 6x6; 98-02	298024
Rincon 650 4x4; 03	298041	Ranger 2x4, 4x4 & 6x6; 03	298050
Rubicon 500 4x4; 00-03	298007	Trail Boss 325 2x4; 99-01	298025
Four Trax 450 ES, 450S, 400 Forman 4x4; 98-03	298008	700 Twin; 02-03	298026
Rancher 350 ES, S 4x4; 99-03	298009	Sportsman 600 4x4; 03	298026
Recon 250, 250ES 2x4; 97-03	298010	Trail Boss 325 2x4; 02	298040
Kawasaki		Suzuki	
Prairie 400 4x4; 99-02	298011	Ozark 250 2x4; 02-03	298044
Prairie 300 4x2 & 4x4; 99-02	298012	Eiger 400 4x2 & 4x4	
Bayou 400 4x4; 93-99	298013	(Automatic & Standard); 02-03	298016
Bayou 300 2x4 & 4x4; 89-03	298014	King Quad 300 4x4; 01-03	298030
Bayou 250 2x4; 03	298042	Quad Runner 250 4x4; 01-03	298030
Prairie 650; 02-03	298015	Vinson 500 4x2 & 4x4; 02-03	298031
Prairie 360 4x4; 03	298043	Quad Runner 160 2x4; 03	298032
Mule 2510 Diesel 4x4; 02	298045	Quad Master 500 4x2 & 4x4,	
Mule 3000 2x4, 3020 2x4; 02	298046	Quad Runner 500 4x4; 98-02	298032
Mule 3010 4x4; 02	298047	Yamaha	
Polaris		Big Bear 400 4x4; 00-03	298034
Magnum 325 4x4, 500 4x4; 99-03	298018	Kodiak 400 2x4 & 4x4; 00-03	298035
Xplorer 250, 300, 400, 400L, 500 4x4; 96-03	298018	Kodiak 450 4x4; 03	298049
Sportsman 335, 400, 500 4x4; 93-03	298018	Grizzly 600 4x4; 98-02	298036
Xpedition 325, 425, 4x4; 99-03	298018	Bear Tracker 2x4; 98-03	298037
Xpress 400L 4x4; 97-03	298018	Wolverine 4x4; 97-03	298038
Magnum 330 2x4 & 4x4; 03	298018	Yamaha Grizzly 660 4x4; 02-03	298039
Magnum 325 2x4; 99-02	298019		

WARNING Products are not to be used to lift, support, or otherwise transport persons! The winches described herein are neither designed nor intended for use or application to equipment used in the lifting, moving, or transportation of persons. Winches shown are solely and exclusively designed for vehicle mounted or non-industrial applications. Use in other applications will void warranty. Information on Ramsey industrial winches with line pull ratings from 3,000 to 100,000 lbs. is available at www.ramsey.com or from your Ramsey Distributor.

Check out even more products and information at www.ramsey.com.

Faster Line Speed

TWICE AS FAST



Not just fast! How about twice as fast as the other guys' ATV winch. That's twice as fast out of the mud, over the boulders or out of the ravine. It means more time on the trail and less time winching.

The ATV winch series from Ramsey means faster line speed, less amp draw, and wireless operation all in one package.




Lower Amp Draw

36% LESS



Less is more in this case, 36% less. Less amp draw means you can winch longer and more often and still be able to start your ATV when finished!

The ATV winch series from Ramsey means faster line speed, less amp draw, and wireless operation all in one package.



RAMSEY WINCH
Head For Adventure™
Get all the details at ramseyatv.com.

Wireless Remote

GO WIRELESS



We've cut the wires and gone wireless with our ATV winch series. No more standing in mud up to your eyeballs trying to get unstuck. Just head for high ground and start winching.

The ATV winch series from Ramsey means faster line speed, less amp draw, and wireless operation all in one package.



RAMSEY WINCH

HEAD FOR ADVENTURE™

1600 N. Garnett Rd., Tulsa, OK 74116 USA
P O Box 581510, Tulsa, OK 74158-1510 USA
918-438-2760 || FAX 918-438-6688
ramsey.com



Distributed by:

For the name of your nearest Ramsey dealer visit us at www.ramsey.com

© 2003 RAMSEY WINCH Printed in USA
PN915036 PG01035