# **RED WING HASSLEFREE**

Safety Footwear Catalog

Within this catalog you will find detailed product information and everything you need to confidently select Red Wing as your safety footwear partner.

This PDF utilizes hot-links to make navigation quick and easy. Simply go to the Table of Contents page and click on the section you would like to view. Once there, you can click on the "Return to Table of Contents" button, located at the bottom of each page, if you would like to browse for another item. If you are interested in a specific style number, hot-links have also been added to the index page for your convenience.

TABLE OF CONTENTS (click here)



INDEX (click here)

# HassieFree SAFETY FOOTWEAR PROGRAM



WORK IS OUR WORK.











SELECTION > SERVICE > CONVENIENCE

Our dedicated, professional, full-service staff is ready to help you and your employees with all your footwear needs. No more headaches for you. We take pride in our ability to offer a solution-driven footwear program to our customers.

We understand that providing a quality product is only half the value of partnership—which is why we are dedicated to providing a comprehensive safety footwear program. From administrative support, through product selection, a wide distribution network, and one of the most comprehensive limited warranties in the industry—our focus is on helping you keep your employees safe. (See page 136 for details.)

# Support that puts your needs first:

- HassleFree® personal service from program administration to employee purchase.
- Billing, reporting, and invoicing services tailored to meet the specific needs of all employees and locations.
- We can provide a comprehensive National Account program for those companies with multiple facilities or a locally-managed account through your neighborhood Red Wing retailer.
- We also offer a customized mail-order program for fast, easy delivery of shoes to your employees.

# Unbeatable range of product, size and price:

Three brands that offer solutions for all your footwear needs, including the premium Red Wing® brand, the Irish Setter Work and WORX® brands.







- We satisfy those "hard-to-fit" employees with industry-specific, purpose-built styles and a truly comprehensive range of sizes and widths.
- Over 250 industry-specific, purpose-built designs
- Incentive pricing structures designed to offer the most competitive prices available to preferred accounts.
- All safety toe footwear is ASTM F2413-11 approved.



# Over 1,500 RETAIL LOCATIONS and 170 MOBILE SHOE STORES.

# **Retail stores for most locations**

- Local service from over 440 Red Wing Stores / Industrial Centers
- Over 1,000 authorized Red Wing retailers for a national presence your employees will find convenient.
- In-plant Red Wing Store (available where applicable).
- National retail presence means convenience for your employees wherever they are located. (Visit redwingsafety.com and click on the "Store Locator" to find the participating Red Wing dealer near you).
- Personal service by sales people trained to match your employees to the right fit, task, and price.
- Our Industrial Centers stand ready to provide an extensive selection of safety footwear from Industrial Warehouse Showrooms, as well as act as a base from which our on-site Mobile Shoe Store services originate.


# Mobile Shoe Stores for everywhere else

- We have over 170 Mobile Shoe Stores nationwide ready to bring our store to your company's doorstep.
- Each Mobile Shoe Store is staffed by a Red Wing Certified Fit Specialist, who will ensure the right product and the right fit.
- We customize our Mobile Shoe Store inventory to meet the demands of your workplace environment. Mobile Shoe Stores are stocked with premium footwear by Red Wing®, Irish Setter Work and WORX®.
- For information about our Mobile Shoe Stores, call 1.888.873.5546.

# See us online at REDWINGSAFETY.COM



More tools, full product listings and improved access to Red Wing team members from anywhere with an internet connection.





Store Locator lets you find the participating Red Wing Shoes retail outlet nearest you.
www.redwingsafety.com/storelocator

[ Customer web portals coming soon | online ordering | account management | reports ]

# **RED WING Safety Footwear**

# Over 25 DEDICATED MANAGERS throughout the UNITED STATES and CANADA

# **LOUIS ACEVES**

Industrial Sales Manager (408) 315-9749 (cell) (408) 453-6364 (fax) louis aceves@redwingshoes.com

#### TONY BONANNO

Territory Sales Manager (608) 393-4230 (cell) (800) 324-3068 (fax) tony.bonanno@redwingshoes.com

## **LEWIS BOOTH**

Industrial Sales Manager (407) 212-9499 (cell) (407) 673-9664 (fax) lewis.booth@redwingshoes.com

## **PHIL BOTT**

Territory Sales Manager (303) 475-2052 (cell) (720) 367-5008 (fax) phil.bott@redwingshoes.com

## **CHARLIE CAVANAUGH**

Territory Sales Manager (775) 750-3059 (cell) charlie.cavanaugh@redwingshoes.com

## JOHN CULVES

Industrial Sales Manager (478) 973-3336 (cell) john.culves@redwingshoes.com

#### **BRIAN DUERINCK**

Industrial Sales Manager (815) 355-4242 (cell) (815) 714-2960 (fax) brian.duerinck@redwingshoes.com

## **GEORGE FREITAS**

Industrial Sales Manager (619) 508-5125 (cell) (949) 458-8241 (fax) george.freitas@redwingshoes.com

## JASON GUIDROZ

Industrial Sales Manager (651) 315-9440 (cell) (662) 393-3938 (fax) jason.guidroz@redwingshoes.com

# 10. SKIP HEBERT

Industrial Sales Manager (225) 276-6054 (cell) (225) 749-2265 (fax) skip.hebert@redwingshoes.com

# 11. PAT HOSTETTER

Industrial Sales Manager (317) 698-3952 (cell) (317) 458-0145 (fax) pat.hostetter@redwingshoes.com

## 12. RICK HOVER

Industrial Sales Manager (651) 309-7059 (cell) rick.hover@redwingshoes.com

## 13. ED HOYAS

Industrial Sales Manager (847) 471-4052 (cell) (734) 457-2854 (fax) ed.hoyas@redwingshoes.com

# 14. BOB LEWIS

Industrial Sales Manager (801) 821-0426 (cell) bob.lewis@redwingshoes.com

# 15. JIM MALONEY

Industrial Sales Manager (724) 799-0193 (cell) jim.maloney@redwingshoes.com

# 16. JERRY MARITATO

Territory Sales Manager (651) 764-1524 (cell) (218) 236-0239 (fax) jerry.maritato@redwingshoes.com

## 17. MARK MORGAN

Territory Sales Manager (803) 718-2408 (cell) (803) 753-9356 (fax) mark.morgan@redwingshoes.com

# DAN MCCAULEY

Territory Sales Manager (770) 480-1188 (cell) dan.mccauley@redwingshoes.com

## WAYNE ORR

Industrial Sales Manager (301) 928-2523 (cell) (240) 238-2908 (fax) wayne.orr@redwingshoes.com

# RANDY PELOQUIN

Territory Sales Manager (513) 378-1782 (cell) (614) 540-7406 (fax) randy.peloquin@redwingshoes.com

## 21. DON POPE

Industrial Sales Manager (720) 427-8115 (cell) don.pope@redwingshoes.com

## 22. GEORGE PUGH

Territory Sales Manager (310) 489-7931 (cell) george.pugh@redwingshoes.com

## **BRIAN RATAY**

Industrial Sales Manager (617) 590-7492 (cell) (617) 507-0545 (fax) brian.ratay@redwingshoes.com

# 24. JACLYN SHARP

Industrial Sales Manager (713) 210-9627 (cell) (281) 466-2490 (fax) jaclyn.sharp@redwingshoes.com

# 25. RANDY SILCIO

Industrial Sales Manager (225) 975-1883 (cell)

# 27. KIRK VAN GUILDER

Industrial Sales Manager (971) 240-8780 (cell) (702) 974-1236 (fax) kirk.vanguilder@redwingshoes.com

# 28. RICK WAKEFIELD

Industrial Sales Manager (848) 250-3145 (cell) (732) 909-2568 (fax) rick.wakefield@redwingshoes.com

## 29. HANK ZIEBOL

Territory Sales Manager (515) 290-3878 (cell) (515) 233-9313 (fax) hank.ziebol@redwingshoes.com

# NATIONAL ACCOUNTS MANAGER - West

#### DAVID HULL

(651) 385-6567 (office) (612) 802-4299 (cell) (651) 385-1796 (fax) david.hull@redwingshoes.com

## NATIONAL ACCOUNTS MANAGER - East

## ALI WEHRMAN

(603) 664-2925 (office) (603) 365-9695 (cell) ali.wehrman@redwingshoes.com

## CANADA


## DAVID GREULICH

(226) 972-4403 (cell) david.greulich@redwingshoes.com

## DIRECTOR OF INDUSTRIAL BUSINESS -NORTH AMERICA

## Jeff Goodwin

651-385-1235 (office) 651-206-6564 (cell) 651-385-1166 (fax) jeff.goodwin@redwingshoes.com



# **RED WING Safety Footwear and Protective Workwear**

# **GLOBAL PPE SOLUTIONS** available anywhere in the world



# Red Wing's ability to provide global solutions offers advantages you won't find with other companies:

- Global reach allows us to provide you with purpose-built product and superior customer service wherever you might be—from Africa, Asia, and Australia to the Americas, Europe and Russia.
- Total body protection for even the most extreme environments—workwear, footwear and accessories. Red Wing offers over 450 purpose-built styles and also has custom solutions available for customers with special requirements.
- Compliance with global safety standards: EN ISO and NFPA for flame-resistant workwear and ASTM, EN ISO for footwear. Many products also comply with Australian, Singapore, CSA and Brazilian standards.
- Many Red Wing footwear styles meet multiple, global safety standards, making it easy for safety managers to source footwear for employees in multiple locations around the world.
- Local Red Wing Global Solutions Experts for personal service and support.
- Regional and local service from an extensive global network of long-standing Red Wing distribution partners in over 100 countires—most offer substantial footwear and workwear inventory so your employees can find the fit and features they require without extensive wait time.
- Red Wing has strategically located offices/distribution hubs in Red Wing, MN, Houston, TX, United Arab Emirates, Scotland, the Netherlands, Norway and Moscow to help ensure timely product delivery.

# **International Safety**

For those in need of a global PPE solution, Red Wing Global Solutions Experts stand ready.



2014 Global Solutions: PPE Product and Service Catalog



# Proven protection in the heat of the moment.

We start with Goodyear welt construction and flame resistant (FR) treated Red Wing leather for maximum protection. Details like Kevlar stitching, a heat resistant (HRO) sole, 8" tongue gusset and a TPU metguard provide protection. Cotton laces disintegrate in molten metal, allowing a quick exit in the worst-case scenario. These boots are nothing if not prepared for the worst.



A common molten metal dip test for footwear stipulates two seconds of submersion in six inches of molten metal. To pass the test, no molten metal can infiltrate the boot and there can be no separation of the upper from the sole.

# Think Comfort Outside the Box.

These boots are engineered so you can be light and fast on your feet, with comfort and durability provided by handsewn opanka construction. Tough Red Wing leather, abrasion-resistant ForceGuard™ toe bumpers and an enlarged, oblique toe provide all-day protection, while airmesh ankle panels ensure lightweight breathability. Tough polyurethane insole and midsole with rubber outsole add strength and flexibility. And the versatile, non-marking sole with moderate tread pattern is meant to go anywhere. These boots are a perfect fit for light-duty work, manufacturing and warehousing occupations.



Available in an 8-inch height Style 4493, Page 51

# **IRISH SETTER WORK New Products**

# Western Work Style

Work boots don't have to lack style. They also don't have to be heavy. With RPM technology, a composite material that significantly reduces weight, these boots are engineered for stability, strength and comfort—without the extra weight.



Style 83910 Page 65

Style 83912 Page 68

# **Hard Core Cold**

Cold, wet feet are productivity killers. With Thermal Boost™ technology providing an insulation buffer between feet and cold surfaces, these Pac boots are perfect for those working in extreme cold or wet environments.



Style 89004 Page 72

# **Going the Extra Mile**

Thoughtful design, great flexibility and aggressive soles go a long way to making general duty jobs a whole lot easier. Lightweight materials, superior ArmaTec™ toe protection and StableFlex® construction make these oxfords an ideal choice for lightduty work.



Style 83102 Page 20





Red Wing FlexForce™ technology combines increased flexibility in the forefoot with a stable platform in the heel. A superior dual-construction process incorporates a welted heel for extra stability, with flexible cement construction in the forefoot for added cushion and a comfortable fit. Elements from our exclusive DynaForce® insole are built in to reduce underfoot pressure.





Durable welt heel provides stability.

Cement forefoot provides flexibility.







# **Excellence through innovation and technology**

Leading-edge technologies are built into Red Wing boots to protect workers from occupational hazards and enhance foot comfort on the job. These videos detail some of the technologies used to craft purpose-built Red Wing footwear.

FlexForce Outsole is one of our latest technologies, while Red Wing Waterproofing and Leather are genuine staples of the brand.



**Red Wing Waterproof** 



FlexForce™ Outsole



Genuine Red Wing Leather





ForceShield™



DynaForce®



KingToe®



**BOA®** Closure System



Or see all of these technologies online at rwsc.co/techvid >

# RED WING Proprietary Technology Reference Red Wing work footwear is renowned for leading-

edge and proprietary technologies that ensure premium performance for the life of the product. These proprietary technologies ensure comfortable protection for modern craftsmen.



# FORCESHIELD™

Flexible impact absorption

A revolutionary thin, soft material that offers amazing impact absorption yet it is flexible and comfortable. ForceShield provides protection from dangerous workplace drop and impact hazards while meeting ASTM standards.



Force from impact is dissipated.



# **DYNAFORCE®**

Reduces underfoot pressure

A built-in insole system that absorbs pressure and provides overall support, stability and comfort. It reduces underfoot pressure and blocks painful pressure points by redistributing them evenly across the foot.



Absorbs pressure, provides support.



#### FLEXFORCE™

Flexible forefoot, stable heel

A superior dual-construction process that incorporates a welted heel for extra stability, with flexible cement construction in the forefoot for a stable and comfortable fit.







## FORCEGUARD™

Added protection for durability

This technology is a protective covering that provides long-wearing abrasion, oil and chemical resistance on critical areas of the boot.



Rubber covering for durability.



# COMFORTFORCE™

Removable footbed

This removable footbed features unique Venturi air perforations to help keep feet cool and dry all day. The special weave pattern helps channel the energy caused by walking, and the arch is curved to add extra comfort.



Provides extra comfort



KING TOE®

More toe room

Larger toe box provides 44% more toe room and comfort than our standard work boots.




44% more toe room



# **RED WING WATERPROOF**

3-layers for waterproof protection

This system uses a 3-layer approach to keep feet dry. 1 - Linings help move moisture away from the foot to keep it dry. 2 - Foam provides cushioning and a comfortable fit. 3 - A waterproof bootie is a barrier to keep water out. Tricot, a protective material, is applied to the outside of the bootie to ensure a complete waterproof system.



Perspiration moves away from the foot while water stays out.

# SUPERSOLE® 2.0

Comfort inside. Durable outside.

Dual density urethane sole with inner sole for cushioning, and outer sole that provides durable protection. It delivers maximum comfort, while providing top performance in traction, abrasion resistance, oil/chemical resistance.



Top performing premium sole.



# HEAT-RESISTANT OUTSOLES

Performance on hot surfaces

Soles that have been designed and tested to perform on high heat surfaces. Soles identified as HRO are heat resistant to melting at a minimum of 475° Fahrenheit.



Durable sole resists melting



# RPM TECHNOLOGY

Lightweight, durable sole material

A breakthrough composite material that significantly reduces the weight of the boot, providing extreme comfort and added endurance. Engineered to provide the durability and strength of traditional materials without the extra weight.

Lightweight support and durability

RED WING LIMITED WARRANTY AND 30 DAY UNCONDITIONAL COMFORT GUARANTEE.

All Red Wing branded footwear products carry one of the most comprehensive limited warranties in the industry. Please refer to page 136 for specific details on the Red Wing Shoes, Irish Setter Work and WORX warranties.

All Red Wing Shoes come with a 30 Day Unconditional Comfort Guarantee, refer to page 136 for details.



# RED WING SHOES Handcrafted Leathers WORK IS CRAFTSMANSHIF The Leather Will Teach You Leather cutting is a precise hands-on job that involves **Red Wing Exclusive Leathers** evaluating a leather hide and cutting from that hide specific by S.B. Foot Tanning Co. pieces used to build a Red Wing boot. It is a job that requires a Building the highest quality work footwear starts with the human touch and a discerning eye. Listen to Red Wing's skilled leather cutters explain their work and its importance in building highest quality leather. For more than a century, the master durable Red Wing work boots. tanners at S.B. Foot Tanning Co., owned by Red Wing Shoe Co., have practiced their craft and honed their skills in Red Wing, Minnesota near the banks of the Mississippi River. The leather they craft possesses a natural beauty and unmatched durability. Crafting a raw, natural material into a perfect piece of finished leather is no easy task. Using only hides from U.S. raised cattle, the tannery selects only those with minimal surface imperfections and flaws in them to ensure premium quality. As every hide is unique, it takes a watchful eye and a sensitive touch that only come from years of experience. All Red Wing leathers are tested in our own laboratory to make sure they meet the demands of the toughest work site. NG DEPT Congratulations to S.B. Foot for being named

2013 Tannery of the Year for the America's Region.





# WATCH THE RED WING PRODUCT TESTING VIDEO


Red Wing product testing is the last quality check our products and materials undergo before they are introduced to our customers. Red Wing uses rigorous methods to ensure that component materials and finished products meet or exceed industry standards and uphold the company's reputation for producing high quality, purpose-built work footwear. After passing Red Wing's standards, all Red Wing safety footwear is tested by an independent third party laboratory and certified to meet ASTM standards. For more in-depth information regarding the testing and updated ASTM standards, please refer to pages 134-135.



View our video series
Scan with your smart phone or visit:
rwsc.co/testingvid >



Toe Cap Compression Testing




**Puncture Resistant Testing** 

# Red Wing testing includes:

Impact Resistance
Compression Resistance
Metatarsal Protection
Puncture Resistance
Electric Shock Resistance
Static Dissipation
Conductivity







# **Over a Century of Excellence**

For over a century, our commitment to excellence has been handed down to generations of shoemakers. Today, a third generation of employees continues this tradition by using the same premium craftsmanship and attention to detail. Triple-stitched seams, sturdy welt construction and rich leathers are signature elements of a Red Wing boot.

U.S. manufacturing continues to be an important part of our one-hundred-plus-year heritage. More than 60% of Red Wing brand footwear is either made entirely in the U.S. or is assembled in the U.S. with imported materials. Less than 40% of Red Wing styles are made complete elsewhere, at a time when 98% of all footwear sold in the U.S. today is made offshore.

For competitive reasons, Red Wing will continue to make select footwear styles outside the U.S. However, the company is committed to maintaining its U.S. production capabilities.

All Red Wing branded footwear, regardless where it's manufactured, meets Red Wing's high standards for quality, fit and performance.



# Made in U.S.A.

Identifying marks can be found throughout this catalog for your reference.

# MADE USA

Entire footwear style and materials are manufactured in the USA.

# MADE USA W/IMPORTED IN THE USA

Footwear materials are imported and then manufactured in the USA.

# ASSEMBLED USA W/IMPORTED COMPONENTS

Footwear components are imported and then assembled in the USA.

# 77 SAFETY TOE STYLES

SEE PAGE 122-129. Red Wing manufactures over 120 made/assembled safety and soft toe styles in the U.S.A.

# **VIDEO SERIES: INSIDE OUR U.S. MANUFACTURING**



# **Crafting Sole Molds**

Red Wing sole molds are developed for new and existing boot styles, and created on-site at Red Wing's manufacturing facility.



# The Factory


Meet the team that crafts 5,000 pairs of boots with pride every day in Red Wing, Minnesota.



# The Puritan Stitch Machine

Red Wing still uses Puritan stitch machines which have been in service for over 80 years, due to the unparalleled quality they produce.

rwee en/vidane :



# we are the purpose-built footwear experts.









# Irish Setter Work Rugged and Attractive

By combining the best of Red Wing's work and safety DNA with Irish Setter's distinctive style, we bring a full line of footwear that's purpose-built for the job site. This complete line includes a wide variety of styles—soft toe, safety toe, heavy-duty to casual—all featuring rich leathers, brass hardware and contrast stitching. And of course, the quality built into all Red Wing boots is evident in the details. Irish Setter Work is infused with the features that make Red Wing the best choice for the job site.










# Performance footwear at a value price

WORX products are built with the kind of craftsmanship needed to survive tough jobs and long days. They deliver a fit and feel well beyond the price. The WORX brand addresses the need for minimizing costs, and adequately meets protective footwear needs. WORX footwear is "industrial strength" and designed to stand up to the rugged conditions of the workplace. Our WORX brand provides an expanded selection for the more price-conscious individual.



Made to order sizes are highlighted in red. Allow 7-14 days for delivery.

#### 6701 **RED WING Men's** Oxford

**UPPER**: Polyurethane Coated Leather

FOOTBED: SD Cushion SHANK: Non-metallic

**LAST**: 202

**construction**: Cement

ASTM F2413-11, M/I/75/C/75, SD RATING: CARE: Leather Protector, Shoe Cream D 7-12,13,14 EE 6-12 EEE 7-12 SIZES:













#### 8701 **RED WING Men's** Oxford

**UPPER**: Polyurethane Coated Leather

FOOTBED: SD Cushion SHANK: Steel **LAST**: 202

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, SD Leather Protector, Shoe Cream CARE: SIZES: D 7-12,13,14 EE 6-12 EEE 7-12





Sole Resistanc	o Chart	
Suie Resistant	e Gilai t	
Grip-Tec®		
Slip	Best	
0il/Gas	Best	
Chemicals	Good	
Abrasions	Better	
Heat	Good	200
Non-Marking	Yes	











# NEW

#### 5022 WORX Men's Oxford







Slip

Heat

Oil/Gas

Chemicals

Abrasions



FOOTBED: Removable Polyurethane-SD SHANK: Nylon LAST: 882

**CONSTRUCTION**: Cement

**UPPER**: Full Grain Leather

ASTM F2413-11, M/I/75/C/75, SD RATING: Leather Protector, Polish CARE: SIZES: M 7-12,13,14 WW 8-12,13





**UPPER:** Full Grain, Water-Resistant Leather FOOTBED: Leather Covered Polyurethane

SHANK: H-Tech Stabilizer

**LAST**: 700

**CONSTRUCTION:** Strobel Stitched - Cement

ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, Shoe Cream SIZES: B 10-12,13 D 7-12,13,14 EE 7-12,13









**UPPER:** Full Grain Leather

FOOTBED: Leather Covered Polyurethane

SHANK: H-Tech Stabilizer

**LAST:** 700

**CONSTRUCTION:** Strobel Stitched - Cement ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Shoe Cream CARE: SIZES: B 10-12,13 D 7-12,13,14 EE 7-12,13





ST EH

# Sole Resistance Chart **TPU-PU Omni Comfort**

TI O I O OIIIIII OOIIIIOIC	
Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes



ASSEMBLED USA W/IMPORTED COMPONENTS



**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 882** 

**CONSTRUCTION**: Cement

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, Polish CARE: SIZES: M 7-12,13,14 WW 8-12,13





#### Sole Resistance Chart **SSRT Diamond** Best Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA









1.888.873.5546

#### 83102 IRISH SETTER WORK Men's Oxford



Sole Resistance Chart Rubber-RPM Diamond Tred

Slip Oil/Gas Best Chemicals Best **Abrasions** Best Heat Better



Non-Marking Yes

MADE IN CHINA



**UPPER:** Full Grain Leather and Abrasion Resistant Mesh

FOOTBED: Removable Polyurethane SHANK: Non-metallic

**LAST: 157** 

construction: Cement - Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH

CARE: **Leather Protector** 

SIZES: D 8-12,13,14,15,16 EE 8-12,13







83104 IRISH SETTER WORK Men's Oxford

**UPPER:** Full Grain Leather and Abrasion Resistant Mesh

FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 157

construction: Cement - Welt

ASTM F2413-11, M/I/75/C/75, EH

**Leather Protector** CARE: SIZES: D 8-12,13,14 EE 8-12,13







Sole Resistance Chart

Non-Marking

Rubber-RPM Diamond Tred Slip Oil/Gas Bes Chemicals Abrasions Best Heat Better

Yes



MADE IN CHINA



**UPPER:** Full Grain Nubuck Leather FOOTBED: Removable Polyurethane-SD

SHANK: Steel LAST: 882 **CONSTRUCTION**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, SD

**Leather Protector** CARE:

SIZES: M 6-12,13,14 WW 8-12,13



AT EH



oolo Rosistanoo onart	
SSRT	
Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

Sole Resistance Chart



MADE IN CHINA



5504 WORX Men's Slip-On

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic

LAST: 882

**CONSTRUCTION**: Cement

ASTM F2413-11. M/I/75/C/75. SD RATING: Leather Protector, Polish CARE: SIZES: M 6-12,13,14 WW 8-12,13





# Sole Resistance Chart **SSRT Diamond**

Slip Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes



MADE IN CHINA




Steel Toe Casco de Acero



Aluminum Toe Casco de Aluminio



Electrical Hazard Di-Eléctrico



# 6700 RED WING Men's Slip-On

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

LAST: 224

construction: Opanka

RATING: ASTM F2413-11, M/I/75/C/75, SD CARE: Leather Protector, Shoe Cream

**SIZES:** B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13

RW



MADE IN VIETNAM

# 6702 RED WING Men's Slip-On

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic LAST: 224 CONSTRUCTION: Opanka

RATING: ASTM F2413-11, M/I/75/C/75, SD CARE: Leather Protector, Shoe Cream

**SIZES:** B 10-12,13,14 D 6-12,13,14,15 EE 8-12,13

R W LEATHER



AT

MADE IN VIETNAM

# 6703 RED WING Men's Oxford

**UPPER:** Full Grain, Water-Resistant Leather **FOOTBED:** Nylon Covered Polyurethane SD

SHANK: Non-metallic

LAST: 224

construction: Opanka

RATING: ASTM F2413-11, M/I/75/C/75, SD CARE: Leather Protector, Shoe Cream

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13

CUSHIN

 $\mathbf{R} \mid \mathbf{W}$ 



Sole Resistance Chart

Forager

Slip

Heat

Oil/Gas

Chemicals

**Abrasions** 

Non-Marking

MADE IN VIETNAM

# 6704 RED WING Men's Oxford

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

LAST: 224


construction: Opanka

RATING: ASTM F2413-11, M/I/75/C/75, SD CARE: Leather Protector, Shoe Cream

SIZES: B 10-12,13,14 D 6-12,13,14,15 EE 8-12,13 H 8-12,13

CUSHIN R W













Best

Best

Best

Best

No

Better

#### 6618 **RED WING Men's Oxford**

**11** 



# Sole Resistance Chart Maxum® Lite SD Cross Country Slip Better

Oil/Gas Better Chemicals Better Best Abrasions Heat Good Non-Marking Yes



**UPPER**: Full Grain, Water-Resistant Leather

FOOTBED: FoamTech™ SD

**LAST**: 216

**CONSTRUCTION**: Cement

ASTM F2413-11. M/I/75/C/75. SD Leather Protector, Shoe Cream CARE:

SIZES: B 9-12,13,14 D 6-12,13,14,15 E 7-12 EEE 6-12,13,14

R W EATHER



#### 6659 **RED WING Men's Oxford**

**UPPER:** Full Grain Leather FOOTBED: FoamTech™ SD

**LAST**: 216

**construction**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, SD CARE: Leather Protector, Shoe Cream

SIZES: B 10-12,13 D 8-12,13,14 E 8-12 EEE 8-12,13,14







#### 6633 **RED WING Men's Oxford**

**UPPER:** Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 801** 

**construction**: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Shoe Cream CARE: D 7-12,13,14,15 EE 8-12,13,14 SIZES:

KING TOE R W



ST 🛂

# **Sole Resistance Chart**

#### **TPU-PU Galaxy** Slip Better Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good

Non-Marking

Yes

MADE IN CHINA



**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

LAST: 801

**CONSTRUCTION:** Direct Attach

ASTM F2413-11. M/I/75/C/75. EH

**Leather Protector** CARE:

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

KING TOE R W



MADE IN CHINA


















#### 6510 WORX Men's Oxford

**UPPER**: Polyurethane Coated Leather

FOOTBED: Removable EVA SHANK: Non-metallic

**LAST: 882** 

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH RATING: CARE: Leather Protector, Polish SIZES: M 7-12,13,14 WW 8-12,13







Sole Resistance Chart





#### 3533 **RED WING Men's Oxford**

**UPPER:** Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 801** 


construction: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH, CSA Grade 1, ESR Rated, PR

Leather Protector, Shoe Cream CARE. SIZES: D 6-12,13,14,15 EE 8-12,13,14

SWEN-FLEX KING TOE R W





Heat

Non-Marking



MADE IN CHINA

#### 5411 WORX Men's Oxford

**UPPER:** Full Grain Tumbled Leather FOOTBED: Removable Polyurethane-SD

SHANK: Steel **LAST: 882** 

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, SD Leather Protector, Polish CARE: M 7-12,13,14 WW 8-12,13 SIZES:



ST EH

ST EH PR



#### Sole Resistance Chart **Crosscut Wedge** Slip Best Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA



#### 4407 **RED WING Men's Oxford**

UPPER: Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® SHANK: Fiberglass

**LAST: 504** 

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11. M/I/75/C/75. EH Boot Oil, Leather Protector CARE: SIZES: D 7-12,13,14 E 6-12,13 EEE 5-12,13





















#### 4408 **RED WING Men's Oxford**

**UPPER**: Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® SHANK: Fiberglass **LAST: 504** 

**CONSTRUCTION:** SuperSole® Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, Shoe Cream SIZES: D 7-12,13,14,15 EE 6-12,13 EEE 5-12





# ST EH

# Sole Resistance Chart





MADE USA

#### 6550 WORX Men's Oxford

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic **LAST: 882 construction**: Cement

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Polish CARE:

SIZES: M 7-12,13,14,15 WW 8-12,13,14,15





#### Sole Resistance Chart **SSRT Diamond** Slip **Best** Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA



83300 IRISH SETTER WORK Men's Romeo

UPPER: USA Made Full Grain, Waterproof Leather

FOOTBED: Removable Polyurethane

SHANK: Steel LAST: CH-05

construction: Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH Boot Oil, Leather Protector CARE: SIZES: D 8-12,13,14 EE 8-12,13,14







Rubber-EVA Treker		
Slip	Best	Á
Oil/Gas	Best	
Chemicals	Best	
Abrasions	Best	
Heat	Best	
Non-Marking	Yes	
		•

MADE IN CHINA

#### 6707 **RED WING Men's Chukka**

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST: 224** 

construction: Opanka

ASTM F2413-11. M/I/75/C/75. SD Leather Protector, Shoe Cream CARE:

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13

 $R \mid W$ 







MADE IN VIETNAM






Aluminum Toe Casco de Aluminio



Non-Metallic Toe Casco No Metálico





#### 5413 WORX Men's Chukka

UPPER: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Steel **LAST**: 882

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, SD RATING: CARE: Leather Protector, Polish SIZES: M 7-12,13,14 WW 8-12,13







NEW

#### 5014 WORX Men's Chukka

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Nylon **LAST: 882** 

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, SD Leather Protector, Polish CARE: SIZES: M 7-12,13,14 WW 8-12,13







#### **Sole Resistance Chart Rubber-EVA Motility** Slip Best Oil/Gas Best Chemicals Best **Abrasions** Best Heat Best Non-Marking Yes

MADE IN CHINA



#### 6692 **RED WING Men's Chukka**

**UPPER**: Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 228** 

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ CARE: SIZES: D 8-12,13 EE 8-12,13





#### **Sole Resistance Chart Rubber Ranger** Slip Best Oil/Gas Good Chemicals Best **Abrasions** Best Heat Better Non-Marking Yes

MADE IN CHINA



**UPPER**: Polyurethane Coated Leather

FOOTBED: Removable EVA SHANK: Non-metallic

LAST: 882

construction: Cement

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, Polish CARE: SIZES: M 5-12,13,14,15,16 WW 8-12,13









MADE IN CHINA













#### 6514 WORX Men's Chukka

**UPPER**: Polyurethane Coated Leather

FOOTBED: Removable EVA SHANK: Non-metallic

**LAST**: 882

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Polish M 7-12,13,14 WW 8-12,13 CARE: SIZES:







#### Sole Resistance Chart **Bid Rubber Cup** Best Slip Oil/Gas Good Chemicals Better Best Abrasions Heat Best Non-Marking Yes

MADE IN CHINA



**UPPER:** Full Grain, Water-Resistant Leather

FOOTBED: FoamTech™ SD

**LAST**: 216

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, SD Leather Protector, Mink Oil, Silicone CARE:

SIZES: B 9-12,13,14 D 7-12,13,14,15 E 8-12 EEE 7-12,13,14

R W LEATHER
















Made to order sizes are highlighted in red. Allow 7-14 days for delivery.



**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic

**LAST: 228** 

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, SD RATING: Leather Protector, Shoe Cream CARE: D 7-12,13,14 EE 8-12,13 SIZES:





#### Sole Resistance Chart **Rubber-EVA Viper** Slip Best Oil/Gas Better Chemicals Best **Abrasions** Best Heat Better Non-Marking No





#### 6337 **RED WING Men's** Athletic

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic

**LAST**: 228

**construction**: Cement

ASTM F2413-11, M/I/75/C/75, SD Leather Protector, Shoe Cream CARE:

B 10-12,13,14 D 6-12,13,14,15,16 EE 8-12,13,14 H 8-12,13 SIZES:





Rubber-EVA Viper		
Slip	Best	
Oil/Gas	Better	
Chemicals	Best	
Abrasions	Best	
Heat	Better	
Non-Marking	No	

Sole Resistance Chart



MADE IN CHINA







#### 6640 **RED WING Men's** Athletic

FOOTBED: Nylon Covered Polyurethane

**UPPER**: Full Grain Leather

SHANK: Non-metallic











**LAST**: 882 **CONSTRUCTION**: Cement RATING: CARE:

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Shoe Cream SIZES:

D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13







MADE IN CHINA



**UPPER:** Synthetic Leather and Nylon Mesh FOOTBED: Removable Polyurethane SHANK: Non-metallic

**LAST**: 228 **CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH SIZES: M 7-12,13,14,15 WW 8-12,13,14





#### **Rubber-EVA Viper** Slip Oil/Gas Better Chemicals Best Abrasions Best Heat Good

No

Non-Marking

Sole Resistance Chart



MADE IN VIETNAM



#### 5009 WORX Men's Athletic

**UPPER**: Synthetic Leather and Nylon Mesh FOOTBED: Removable Polyurethane

SHANK: Non-metallic

LAST: 228

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH RATING: SIZES: M 7-12,13,14,15 WW 8-12,13,14





AT EH

#### **Rubber-EVA Viper** Slip Oil/Gas Better Chemicals Best **Abrasions** Best Heat Good Non-Marking No

Sole Resistance Chart



MADE IN VIETNAM



**UPPER**: Synthetic Leather and Nylon Mesh FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 228

**CONSTRUCTION**: Cement

ASTM F2413-11. M/I/75/C/75. EH SIZES: M 7-12,13,14,15 WW 8-12,13,14





Sole Resistance Chart

MADE IN VIETNAM
















#### 5012 WORX Men's Athletic

**UPPER:** Synthetic Leather and Nylon Mesh





Sole Resistance Chart

Non-Marking No

MADE IN VIETNAM



FOOTBED: Removable Polyurethane SHANK: Non-metallic **LAST**: 228 **CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH RATING: SIZES: M 7-12,13,14,15 WW 8-12,13,14

SIZES:

5509 WORX Men's Athletic

**UPPER:** Suede Leather and Nylon Mesh FOOTBED: Removable Polyurethane-SD

SHANK: Steel **LAST: 882** 

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, SD CARE: **Leather Protector** 

M 6-12,13,14,15 WW 8-12,13







MADE IN CHINA



6555 WORX Men's Athletic

**UPPER:** Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 882** 

**construction**: Cement

ASTM F2413-11, M/I/75/C/75, EH M 7-12,13,14 WW 8-12,13 SIZES:





Sole Resistance Chart		
SSRT Diamond		2
Slip	Best	
Oil/Gas	Best	823
Chemicals	Best	200
Abrasions	Best	and the same
Heat	Good	200
Non-Marking	Yes	88

MADE IN CHINA



# 5373 Black / 5374 Brown work Men's Athletic

**UPPER**: Nubuck Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Steel LAST: 882

construction: Cement

ASTM F2413-11. M/I/75/C/75. SD

**Leather Protector** CARE: SIZES:

M 7-12,13,14 WW 8-12,13




MADE IN CHINA











5500 WORX Men's Athletic







Best

No





FOOTBED: Removable Polyurethane SHANK: Steel **LAST: 882** 

**UPPER:** Full Grain Leather

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, Polish

SIZES: M 7-12,13,14,15,16 WW 8-12,13,14,15,16

HR**b** 



5501 WORX Men's 5-inch Hiker Boot

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane

shank: Steel **LAST: 882** 

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Polish CARE:

M 6-12,13,14,15,16 WW 8-12,13,14,15,16 SIZES:

HR**b** 



Heat

Non-Marking





MADE IN CHINA



5301 WORX Men's 5-inch Hiker Boot

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Steel LAST: 882

**construction**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Polish CARE: SIZES: M 8-12,13,14 WW 8-12,13,14

HR



# **Sole Resistance Chart Rubber-PU Falcon**

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	No



MADE IN CHINA



**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

LAST: 882

**CONSTRUCTION**: Cement

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, Polish CARE: SIZES: M 7-12,13,14,15 WW 8-12,13,14,15 **Sole Resistance Chart** 



Non-Marking



MADE IN CHINA












Non-Metallic Toe Casco No Metálico





Yes

30



6556 WORX Men's 5-inch Hiker Boot

**UPPER**: Polyurethane Coated Leather

SHANK: Non-metallic

**LAST: 882** 

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH RATING: SIZES: M 7-12,13,14 WW 8-12,13

FOOTBED: Removable Polyurethane



AT EH

AT EH ()



Sole Resistance Chart **SSRT Diamond** Best Slip Best Oil/Gas Chemicals Best Abrasions Best Heat Good Non-Marking Yes

#### 6672 **RED WING Men's Athletic**

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Steel **LAST: 221** 

construction: Cement

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ CARE:

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14















MADE IN CHINA

#### 6691 **RED WING Men's Athletic**

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 221** 

construction: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH

Leather Protector, NaturSeal™, Shoe Cream CARE:

SIZES: D 7-12,13,14,15 EE 8-12,13,14











Sole Resistance Chart

Extensity™ Rubber



MADE IN CHINA

Made to Order

#### 6667 **RED WING Men's** 5-inch Hiker Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: TC-Tech **LAST**: 697

**CONSTRUCTION:** Strobel Stitched - Cement

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™, Silicone CARE:

SIZES: EE 6-12,13,14

















ST EH

Made to Order

#### 6668 RED WING Men's 5-inch Hiker Boot

ASTM F2413-11, M/I/75/C/75, EH


**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

**CONSTRUCTION:** Strobel Stitched - Cement



NT EH ()









Leather Protector, NaturSeal™, Silicone SIZES: EE 7-12,13,14

SHANK: TC-Tech

**LAST: 697** 

RATING:

CARE:



HR

ASSEMBLED W/IMPORTED COMPONENTS



6680 RED WING Men's 5-inch Hiker Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: TC-Tech **LAST: 697** 

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH CARE:

Leather Protector, NaturSeal™, Shoe Cream SIZES: B 9-12,13,14,15 D 6-12,13,14,15 EE 7-12,13,14 H 8-12,13













6681 RED WING Men's 5-inch Hiker Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: TC-Tech **LAST:** 697

**CONSTRUCTION:** Strobel Stitched - Cement RATING: ASTM F2413-11, M/I/75/C/75, EH

Leather Protector, NaturSeal  $^{\scriptscriptstyle\mathsf{TM}}$ , Shoe Cream CARE:

B 9-12,13,14,15 D 6-12,13,14,15 EE 6-12,13,14 H 8-12,13 SIZES:













6674 RED WING Men's 6-inch Hiker Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

shank: Steel **LAST: 221** 

**CONSTRUCTION**: Cement

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE:

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14















MADE IN CHINA












AT EH ()





#### 6690 RED WING Men's 6-inch Hiker Boot

**UPPER**: Full Grain, Waterproof Leather

FOOTBED: Nylon Covered Polyurethane











**CONSTRUCTION**: Cement

SHANK: Steel

**LAST: 221** 

ASTM F2413-11, M/I/75/C/75, EH RATING:

CARE: Leather Protector, NaturSeal™, Shoe Cream SIZES: D 7-12,13,14,15 EE 8-12,13,14

R W







2205 RED WING Men's 6-inch Hiker Boot

**UPPER:** Full Grain Leather FOOTBED: Removable EVA SHANK: Non-metallic **LAST: 221 CONSTRUCTION:** Cement

ASTM F2413-11, M/I/75/C/75, EH **Leather Protector** CARF. SIZES: D 8-12,13,14 EE 8-12,13

HR



Slip Best Oil/Gas Best Chemicals Best **Abrasions** Better Heat Best Non-Marking Yes



MADE IN CHINA



3501 **RED WING Men's** 5-inch Hiker Boot

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 882** 

**CONSTRUCTION:** Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH, CSA Grade 1, ESR Rated, PR

Leather Protector, Shoe Cream CARE:

SIZES: D 7-12,13,14,15 E 8-12,13,14 EEE 8-12,13





Sole Resistance Chart **Rubber-PU Falcon** 

NT EH PR

NT EH PR

Slip Best Oil/Gas Best Chemicals Better **Abrasions** Best Heat Best Non-Marking No



MADE IN CHINA



**UPPER**: Oiled Nubuck Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 882** 

**CONSTRUCTION:** Cement

ASTM F2413-11, M/I/75/C/75, EH, CSA Grade 1, ESR Rated, PR

**Leather Protector** CARE:

SIZES: D 7-12,13,14,15 E 8-12,13,14 EEE 8-12,13



SWEN-FLEX® HR



MADE IN CHINA







Waterproof A Prueba de Agua/Impermeable





#### 6670 **RED WING Men's** 6-inch Hiker Boot

ASTM F2413-11, M/I/75/C/75, EH

Leather Protector, NaturSeal™

**UPPER**: Suede, Waterproof Leather FOOTBED: Removable EVA









#### Sole Resistance Chart Rubber-EVA Xplorer Slip Best Oil/Gas Best Best Chemicals Abrasions Better Heat Best

Yes

Non-Marking





SIZES: D 8-12,13,14 EE 8-12,13

HR**b** 

SHANK: Non-metallic

**CONSTRUCTION**: Cement

**LAST**: 220

RATING:

CARE:

83400 IRISH SETTER WORK Men's 6-inch Hiker Boot





ST EH ()







**UPPER**: Polyurethane Coated Leather

FOOTBED: Removable EVA SHANK: Non-metallic **LAST: 221 CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH CARE: **Leather Protector** SIZES: D 7-12,13,14,15 EE 7-12,13

ULTRA CARMA HRU

MADE IN CHINA



83402 IRISH SETTER WORK Men's 5-inch Hiker Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

LAST: 220

construction: Cement - Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal" CARE: SIZES: D 8-12,13,14 EE 8-12,13













Sole Resistance Chart Vibram® Rubber-PU XClaim TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes



MADE IN CHINA

Made to order sizes are highlighted in red. Allow 7-14 days for delivery.



5266 WORX Men's 6-inch Boot

**UPPER**: Full Grain Leather and Abrasion Resistant Nylon

FOOTBED: Removable Polyurethane SHANK: Non-metallic

**LAST**: 691

**CONSTRUCTION**: Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Polish CARE: SIZES: M 4-12,13,14 WW 8-12,13





#### PU Cascade I Slip Better Oil/Gas Best Chemicals Best Abrasions Best Heat Good Non-Marking Yes

**Sole Resistance Chart** 





2241 **RED WING Men's** 6-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST**: 800

**construction**: Direct Attach

ASTM F2413-11, M/I/75/C/75, SD Leather Protector, NaturSeal™ CARE: SIZES: D 6-12,13,14 EE 8-12,13,14

KING TOE R W





TPU-PU Galaxy	,
Slip	Better
0il/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good

Non-Marking

Sole Resistance Chart



MADE IN CHINA





Waterproof A Prueba de Agua/Impermeable



Yes

**UPPER:** Full Grain, Water-Resistant Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

LAST: 800

**CONSTRUCTION:** Direct Attach

ASTM F2413-11. M/I/75/C/75. EH RATING:

CARE: Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14

KING TOE R W





Sole Resistance Chart **TPU-PU Galaxy** Slip Better Oil/Gas Best Chemicals Best **Best Abrasions** Heat Good Non-Marking Yes

MADE IN CHINA



### 2235 RED WING Men's 6-inch Boot

**UPPER:** Full Grain Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

LAST: 800

**CONSTRUCTION**: Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, EH

CARE: **Leather Protector** 

SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 7-12,13,14 H 8-12,13,14

KING TÖE





### Sole Resistance Chart **TPU-PU Galaxy** Slip Oil/Gas Chemicals Best **Abrasions** Best Heat Good

Yes

Non-Marking



MADE IN CHINA



# 5618 Black / 5616 Brown WORX Men's 6-inch Boot

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 800

construction: Cement

RATING: ASTM F2413-11. M/I/75/C/75. EH Leather Protector, Polish CARE: M 8-12,13,14 WW 8-12,13 SIZES:

KING TÖE



ST EH



COIO INCOICIAITOC CITAT C		
PU Tri Tred		Á
Slip	Best	
Oil/Gas	Best	B
Chemicals	Best	п
Abrasions	Best	ı
Heat	Good	ı
Non-Marking	Yes	K
		•

Sole Resistance Chart

Sole Resistance Chart



MADE IN CHINA

### 2245 **RED WING Men's** 6-inch Boot

**UPPER:** Full Grain, Water-Resistant Leather

SHANK: Steel LAST: 522

construction: SuperSole® Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH Boot Oil. Leather Protector CARE:

SIZES: B 9-12,13,14 D 7-12,13,14,15,16 E 8-12,13 EE 6-7½,8-12,13

EEE 6,6½,7-12,13,14,15,16




























# 2223 (Black) / 2226 (Brown) RED WING Men's 6-inch Boot









Yes

Non-Marking

Sole Resistance Chart



MADE USA WIMPORTED MATERIALS

**UPPER:** Full Grain Black Turbo Vegas Leather Full Grain Turbo Vegas Leather

FOOTBED: Redbed<sup>™</sup> featuring Agion® anti-microbial treatment

SHANK: Fiberglass **LAST**: 694

construction: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH CARE: Boot Oil, Leather Protector, Shoe Cream

A 10-12,13 B 9-12,13,14,15 C 9-12,13 D 6,6½,7-12,13,14,15,16

E 8-12,13 EE 5-6½,7-12,13,14,15 H 8-12,13 (2223) A 10-12,13 B 9-12,13,14,15 C 9-12,13 D 6-12,13,14,15,16 E 8-12,13 EE 5,5½,6-12,13,14,15 H 8-12,13 (2226)











### 2220 RED WING Men's 6-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

**CONSTRUCTION:** Direct Attach

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

KING TÖE







### Sole Resistance Chart Vibram® Galactic Fire and Ice Slip Oil/Gas Best Chemicals Best Abrasions Best Heat Best

Yes

Non-Marking



MADE IN CHINA



### 3510 **RED WING Men's** 6-inch Romeo

**UPPER:** Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

1AST: 800

construction: Direct Attach

RATING: ASTM F2413-11. M/I/75/C/75. EH CSA Grade 1, ESR Rated, PR

Leather Protector, Shoe Cream

SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13



CARE:







# Sole Resistance Chart

NT EH PR

ST EH

and Ice		
Slip	Best	
Oil/Gas	Best	
Chemicals	Best	
Abrasions	Best	
Heat	Best	
Non-Marking	Yes	



MADE IN CHINA



**UPPER:** Full Grain, Oil Tanned Leather FOOTBED: Removable Polyurethane

SHANK: Steel LAST: 702

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, Polish CARE: SIZES: M 7-12,13,14 WW 8-12,13



Good

Yes

MADE IN CHINA











Heat

Non-Marking



### 5425 WORX Men's 6-inch Romeo

**UPPER:** Oiled Nubuck Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 702** 

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, EH RATING:

CARE: **Leather Protector** SIZES: M 7-12,13,14 WW 8-12,13





Sole Resistance Chart **ENDURANCE Arrowhead** Slip Good Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA



### 83612 IRISH SETTER WORK Men's 6-inch Boot

**UPPER:** Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 691

**CONSTRUCTION**: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, Shoe Cream D 7-12,13,14 EE 7-12,13,14 SIZES:





### **Sole Resistance Chart PU V-Grip** Slip Better Oil/Gas Best Chemicals Best Best **Abrasions** Heat Good Non-Marking Yes

MADE IN CHINA



### 83608 IRISH SETTER WORK Men's 6-inch Boot

**UPPER:** Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 691

**CONSTRUCTION:** Direct Attach Non-Welt ASTM F2413-11, M/I/75/C/75, EH RATING:

**Leather Protector** CARE:

D 7-12,13,14 EE 7-12,13,14 SIZES:





### Sole Resistance Chart **PU V-Grip** Slip Better Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA



### 83604 IRISH SETTER WORK Men's 6-inch Boot

**UPPER**: Full Grain Leather FOOTBED: Removable Polyurethane

shank: Steel **LAST**: 694

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11. M/I/75/C/75. EH RATING: Boot Oil, Leather Protector CARE: SIZES: D 8-12,13,14 EE 8-12,13,14





Sole Resistance Chart		
ENDURANCE A	rowhead	
Slip	Good	
Oil/Gas	Best	
Chemicals	Best	NAME OF TAXABLE PARTY.
Abrasions	Best	and the
Heat	Good	
Non-Marking	Yes	

MADE IN CHINA





Aluminum Toe Casco de Aluminio



Non-Metallic Toe Casco No Metálico







### 83606 IRISH SETTER WORK Men's 6-inch Boot



### Sole Resistance Chart Rubber-EVA **Traction Tred** Slip Best Oil/Gas Best Chemicals Good Abrasions Best Heat Best Non-Marking Yes

**UPPER**: USA Made Full Grain, Waterproof Leather

FOOTBED: Removable Polyurethane LAST: IS-108H

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH Boot Oil, Leather Protector CARE: D 7-12,13,14 EE 7-12,13



MADE IN CHINA









**UPPER:** Full Grain Leather **SHANK**: Fiberglass **LAST: 522** 

construction: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: CARE: Boot Oil, Leather Protector SIZES: D 7-12,13 E 7-12,13 EEE 8-12



Sole Resistance Chart









### 2406 **RED WING Men's** 6-inch Boot

**UPPER:** Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® SHANK: Fiberglass

**LAST: 694** 

CONSTRUCTION: Dual Density Supersole® Welt RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal® CARE: SIZES:

A 10-12,13,14 B 8-12,13,14,15 C 8-12,13

D 6-12,13,14,15,16 E 7-12,13 EE 6-12,13,14,15 H 7-12,13,14,15









MADE USA











UPPER: Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® SHANK: Fiberglass **LAST: 694** 

construction: Dual Density Supersole® Welt ASTM F2413-11. M/I/75/C/75. EH

Leather Protector, NaturSeal™ CARE: SIZES: B 16,17,18 D 17,18 EE 16,17,18
























**UPPER:** Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® **SHANK:** Fiberglass **LAST**: 503

construction: Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: CARE: Boot Oil, Leather Protector

SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 EEE 8-12,13











**Rubber-PU Scout** Slip Oil/Gas Best Chemicals Good **Abrasions** Best Heat Best Non-Marking Yes



MADE USA WIMPORTED IN THE USA MATERIALS



### 5661 WORX Men's 6-inch Boot

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Steel **LAST**: 694

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, SD RATING:

CARE: Boot Oil, Polish

M 7-12,13,14 WW 8-12,13 SIZES:





### **ENDURANCE Arrowhead** Slip Good Oil/Gas Best Chemicals Best Best Abrasions Heat Good Non-Marking Yes

Sole Resistance Chart

MADE IN CHINA



### 5335 WORX Men's 6-inch Boot

**UPPER:** Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 702** 

**CONSTRUCTION:** Goodyear Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH

Boot Oil, Polish CARE:

M 8-12,13,14 WW 8-12,13 SIZES:





Sole Resistance Chart		
StarGrip® Men	s	
Slip	Best	
Oil/Gas	Best	
Chemicals	Best	A1000
Abrasions	Best	1
Heat	Better	100000
Non-Marking	Yes	

MADE IN CHINA



### 5608 WORX Men's 6-inch Boot

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 800** 

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11. M/I/75/C/75. EH

**Leather Protector** CARE:

SIZES: M 7-12,13,14 WW 8-12,13,14

KING TOE







MADE IN CHINA






Aluminum Toe Casco de Aluminio



**Electrical Hazard** Di-Eléctrico





# 5609 WORX Men's 6-inch Boot


**UPPER**: Polyurethane Coated Leather **FOOTBED**: Removable Polyurethane

shank: Steel last: 800

**CONSTRUCTION:** Direct Attach Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, Polish SIZES: M 7-12,13,14 WW 8-12,13

KING TÖE



Heat

ST EH PR

ST EH PR

ST EH PR

Non-Marking

MADE IN CHINA



# 3526 RED WING Men's 6-inch Boot

UPPER: Full Grain Leather

**FOOTBED**: Redbed<sup>™</sup> featuring Agion<sup>®</sup> anti-microbial treatment

SHANK: Fiberglass

**LAST**: 694

 $\textbf{construction} \colon SuperSole^{\circledR} \ Welt$ 

RATING: ASTM F2413-11, M/I/75/C/75, EH, CSA Grade 1, ESR Rated, PR

**CARE:** Boot Oil, Leather Protector

**SIZES:** D 7-12,13,14 EE 7-12,13,14 H 8-12,13











Good

Yes





# 5800 WORX Men's 6-inch Boot

**UPPER:** Full Grain, Oil Tanned Leather **FOOTBED:** Removable Polyurethane

shank: Steel last: 800

**CONSTRUCTION:** Direct Attach Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH

CSA Grade 1, ESR Rated, PR
Boot Oil, Leather Protector
SIZES: M 7-12,13,14 WW 8-12,13



KING TÕE



MADE IN CHINA



# 3507 RED WING Men's 6-inch Boot

**UPPER**: Full Grain, Waterproof Leather

FOOTBED: ComfortForce® SHANK: Fiberglass LAST: 694

**CONSTRUCTION:** Dual Density Supersole® Welt **RATING:** ASTM F2413-11. M/I/75/C/75. EH

NG: ASIM F2413-11, M/I/75/C/75, EH CSA Grade 1, ESR Rated, PR :: Leather Protector, NaturSeal™, Shoe Cream

CARE: Leather Protector, NaturSeal™, Shoe Cream SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13











# Aztec SuperSole® 2.0 Slip Better Oil/Gas Best Chemicals Best Abrasions Best Heat Good Non-Marking Yes













FOOTBED: Nylon Covered Polyurethane







### **TPU-PU Galaxy** Slip Better Oil/Gas Best Chemicals Best **Abrasions**

Best Heat Good Non-Marking Yes

MADE IN CHINA



**LAST: 800 CONSTRUCTION:** Direct Attach

**UPPER**: Full Grain Leather

SHANK: Non-metallic

ASTM F2413-11, M/I/75/C/75, EH RATING: CSA Grade 1, ESR Rated, PR CARE: **Leather Protector** 

D 6-12,13,14,15 EE 8-12,13,14 SIZES:

SWEN-FLEX" KING TÖE



### 83624 IRISH SETTER WORK Men's 6-inch Boot

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 800

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, EH CARE: Boot Oil, Leather Protector D 7-12,13,14,15 EE 7-12,13,14 SIZES:

KING TÕE





### **ENDURANCE Cross Wire** Slip Good Oil/Gas Best Chemicals Better **Abrasions** Best Heat Good Non-Marking Yes

Sole Resistance Chart



MADE IN CHINA



### 83626 IRISH SETTER WORK Men's 6-inch Boot

**UPPER:** Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 800** 

**CONSTRUCTION:** Direct Attach Welt

RATING: ASTM F2413-11. M/I/75/C/75. EH Leather Protector, Shoe Cream CARE: D 7-12,13,14 EE 7-12,13,14 SIZES:

KING TÖE





ENDURANCE Cross Wire		
Slip	Good	
Oil/Gas	Best	
Chemicals	Better	
Abrasions	Best	
Heat	Good	
Non-Marking	Yes	

**Sole Resistance Chart** 



MADE IN CHINA



**NEW** 

### 2294 **RED WING Men's** 6-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 224** 

construction: Opanka

ASTM F2413-11. M/I/75/C/75. EH RATING:

**Leather Protector** CARE:

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13















MADE IN VIETNAM









42



AT EH (



Sole Resistance Chart Rubber-PU Shredder Slip Best Oil/Gas Best Chemicals Good Abrasions Best Heat Best

Yes

Non-Marking

MADE IN VIETNAM



FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic **LAST: 224** 

construction: Opanka

**UPPER:** Full Grain Leather

ASTM F2413-11, M/I/75/C/75, EH RATING:

**Leather Protector** 

SIZES: D 7-12,13,14,15 EE 8-12,13 H 8-12,13











### 2401 **RED WING Men's** 6-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST**: 157

construction: Cement - Welt

ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, NaturSeal

B 9-12,13,14 D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14 SIZES:



















MADE IN CHINA



### 83618 IRISH SETTER WORK Men's 6-inch Boot

**UPPER:** Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 691** 

**CONSTRUCTION:** Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal CARE: SIZES: D 7-12,13,14 EE 7-12,13,14

ULTRA DRY









MADE IN CHINA



**UPPER**: Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 694** 

**CONSTRUCTION**: Direct Attach

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE: SIZES: D 7-12,13,14 EE 8-12,13

ULTRA DRY®









Yes

MADE IN CHINA







Waterproof A Prueba de Agua/Impermeable



43



### 83600 IRISH SETTER WORK Men's 6-inch Boot

UPPER: USA Made Full Grain, Waterproof Leather

ASTM F2413-11. M/I/75/C/75. EH

Leather Protector, NaturSeal™

D 8-12,13,14 EE 8-12,13,14

FOOTBED: Removable Polyurethane

**CONSTRUCTION:** Direct Attach Welt

SHANK: Non-metallic

LAST: 702-3E-2

CARE:

SIZES:













MADE IN CHINA



ULTRA DRY®



### 5611 WORX Men's 6-inch Boot

FOOTBED: Removable Polyurethane

**UPPER:** Full Grain, Waterproof Leather and Abrasion Resistant Nylon

NT EH (







**Sole Resistance Chart** PU Cascade I



Slip Oil/Gas Chemicals **Abrasions** Heat Non-Marking

MADE IN CHINA



ASTM F2413-11, M/I/75/C/75, EH Leather Protector, Polish SIZES: M 7-12,13,14 WW 8-12,13



**LAST**: 691



**CONSTRUCTION**: Direct Attach

SHANK: Non-metallic





FOOTBED: Removable Polyurethane

shank: Steel **LAST: 800** 

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, EH RATING:

CARE: Silicone

M 8-12,13,14 WW 8-12,13 SIZES:



KING TÖE









Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA



5632 WORX Men's 6-inch Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 702

construction: Goodyear Welt

ASTM F2413-11. M/I/75/C/75. EH RATING: Leather Protector, NaturSeal™ CARE: SIZES: M 7-12,13,14 WW 8-12,13,14





















MADE IN CHINA



Casco de Acero





**Electrical Hazard** Di-Eléctrico





**UPPER:** Full Grain, Waterproof Leather









MADE USA W/IMPORTED MATERIALS

Leather Protector, NaturSeal™

ASTM F2413-11, M/I/75/C/75, EH

**CONSTRUCTION**: SuperSole® Welt

SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 H 8-12,13



**LAST: 694** 

RATING:

CARE:

SHANK: Fiberglass





FOOTBED: Redbed<sup>™</sup> featuring Agion® anti-microbial treatment





### 971 RED WING Men's 6-inch Boot

**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce® SHANK: Non-metallic

**LAST**: 694

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream

SIZES: D 7-12,13,14 EE 8-12,13









# ST EH ()

### Vibram® Lug TC-4 Plus Slip Oil/Gas Best Chemicals Best Abrasions Best Heat Best Non-Marking Yes

Sole Resistance Chart



MADE IN CHINA



### 2240 **RED WING Men's** 6-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

construction: Direct Attach

ASTM F2413-11, M/I/75/C/75. EH RATING: Leather Protector, NaturSeal® CARE:

B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13 SIZES:





Sole Resistance Chart NT EH

### **TPU-PU Galaxy** Slip Better Oil/Gas Best Chemicals Best Abrasions Best Heat Good Non-Marking Yes



MADE IN CHINA



# **RED WING Men's** 6-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Cambrelle® Covered Polyurethane

SHANK: Non-metallic

**LAST: 691** 

**CONSTRUCTION**: Direct Attach

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE: SIZES: D 7-12,13,14,15 EE 8-12,13,14




















MADE IN CHINA













**UPPER:** Full Grain, Waterproof Leather

FOOTBED: Nylon Covered Polyurethane









Slip Oil/Gas Best Chemicals Best Best **Abrasions** Heat Best Non-Marking Yes



MADE IN CHINA



D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SHANK: Non-metallic

**CONSTRUCTION:** Direct Attach

**LAST: 800** 

RATING:

CARE:

SIZES:

ASTM F2413-11, M/I/75/C/75, EH

CSA Grade 1, ESR Rated, PR Leather Protector, NaturSeal™

SWEN-FLEX KING TOE GUARD LEATHER HRU





ST EH ()

ST EH ()

### 2404 **RED WING Men's** 6-inch Boot

**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce® **SHANK:** Fiberglass

**LAST:** 694

**CONSTRUCTION:** Dual Density Supersole® Welt ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™

B 10-12,13,14 D 7-12,13,14,15 E 8-12,13 EEE 8-12,13 SIZES:



















### 83610 IRISH SETTER WORK Men's 6-inch Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 220

**CONSTRUCTION:** Cement - Welt

RATING: ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE: D 8-12,13,14 EE 8-12,13 SIZES:

ULTRA DRY®











# Sole Resistance Chart

Vibram® Rubber-PU XClaim TC-4 Plus Slip Best Oil/Gas Best Chemicals Better **Abrasions** Best Heat Best Non-Marking Yes



MADE IN CHINA





**UPPER**: Nubuck, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 694

**CONSTRUCTION:** Direct Attach

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE: SIZES: D 7-12,13,14 EE 8-12,13

Thinsulate Ultra 400 gram



















MADE IN CHINA



46



Aluminum Toe Casco de Aluminio



Non-Metallic Toe Casco No Metálico





Made to Order

### 4425 **RED WING Men's 6-inch Boot**

**UPPER:** Full Grain, Waterproof Leather











Slip

Heat

Non-Marking



Yes



FOOTBED: ComfortForce® SHANK: Fiberglass **LAST: 694** CONSTRUCTION: Dual Density Supersole® Welt ASTM F2413-11, M/I/75/C/75, EH RATING: Leather Protector, NaturSeal" SIZES: D 7-12,13,14,15 E 8-12,13 EEE 8-12,13,14









MADE USA



2206 **RED WING Men's** 6-inch Boot

**UPPER:** Full Grain, Waterproof Leather

**FOOTBED**: Redbed<sup>™</sup> featuring Agion® anti-microbial treatment

SHANK: Fiberglass **LAST**: 694

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

















MADE USA W/IMPORTED IN THE USA MATERIALS



5620 WORX Men's 6-inch Boot

**UPPER**: Polyurethane Coated Waterproof Leather

FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 800** 

**CONSTRUCTION:** Cement

ASTM F2413-11, M/I/75/C/75, EH RATING:

Leather Protector CARE: M 8-12,13,14 WW 8-12,13 SIZES:

Thinsulate 200 gram

KING TÕE











Sole Resistance Chart



MADE IN CHINA



2260 **RED WING Men's** 6-inch Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

**CONSTRUCTION**: Direct Attach

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE:

SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13



Thinsulate Ulin KING TOE R W 400 gram





MADE IN CHINA







Waterproof A Prueba de Agua/Impermeable



NT EH ()

47




**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce®









Best

Yes

Best

Best

Best

Best

Yes

Better

Heat

Non-Marking

Sole Resistance Chart

Vibram® Rubber-PU XClaim TC-4 Plus

Slip

Oil/Gas

Chemicals

**Abrasions** 

Non-Marking

Heat



MADE IN CHINA



**CONSTRUCTION**: Goodyear Leather Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: CARE: Leather Protector, NaturSeal™ SIZES: D 7-12,13,14 EE 8-12,13 H 8-12,13



SHANK: Steel

**LAST:** 694











### 4411 RED WING Men's 6-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic


**LAST: 157** 

**CONSTRUCTION:** Cement - Welt

ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, NaturSeal™

D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14 SIZES:















AT EH ()





MADE IN CHINA



### 2233 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain, Water-Resistant Leather

SHANK: Steel **LAST: 522** 

construction: SuperSole® Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH CARE: Boot Oil, Leather Protector

AA 10-12,13,14 A 10-12,13,14 B 8-12,13,14,15,16 C 8-12,13 D SIZES: 5-12,13,14,15,16,17,18 E 6-12,13,14 EE 7-12,13,14 EEE 6-12,13,14,15,16







### Mini Lug SuperSole® Slip Good Oil/Gas Best Chemicals Better **Abrasions** Better Heat Good

Non-Marking







### 2202 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain Leather FOOTBED: ComfortForce®

SHANK: Steel **LAST**: 199

**CONSTRUCTION**: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH RATING:

CARE: **Leather Protector** 

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14









Diamond Back SuperSole®	
Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes









Aluminum Toe Casco de Aluminio



Non-Metallic Toe Casco No Metálico



**Electrical Hazard** Di-Eléctrico









Chemicals

Abrasions

Non-Marking

Yes

Heat



construction: Direct Attach ASTM F2413-11. M/I/75/C/75. EH RATING:

FOOTBED: Nylon Covered Polyurethane

**Leather Protector** 

**UPPER:** Full Grain Leather

SHANK: Non-metallic

**LAST**: 800

SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 7-12,13,14 H 8-12,13,14

KING TÖE

MADE IN CHINA



### 2238 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain Leather

FOOTBED: Redbed™ featuring Agion® anti-microbial treatment

SHANK: Fiberglass **LAST**: 694

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH Boot Oil, Leather Protector

SIZES: A 10-12,13,14 B 9-12,13,14,15 C 9-12,13 D 6-12,13,14,15,16

E 8,8½,9-12,13 EE 6,6½,7-12,13,14,15 H 8-12,13















# 2408 / 82408 (Made to Order) RED WING Men's 8-inch Boot

**UPPER:** Full Grain, Water-Resistant Leather





Aztec SuperSole® 2.0 Slip Better Oil/Gas Best Chemicals Best Abrasions Best Heat Good Non-Marking Yes

Sole Resistance Chart



FOOTBED: ComfortForce®

SHANK: Fiberglass **LAST: 694 CONSTRUCTION:** Dual Density Supersole® Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™

B 8-12,13,14,15,16,17,18 D 6-12,13,14,15,16,17,18 E 8-12,13 SIZES:

EE 7-12,13,14,15,16,17,18 H 8-12,13,14,15











# 2264



**Rubber-PU Scout** Slip Best Oil/Gas Best Chemicals Good Abrasions Best Heat Best

Non-Marking

Sole Resistance Chart



**RED WING Men's 8-inch Boot** 

UPPER: Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® **SHANK:** Fiberglass **LAST: 503** 

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH CARE: Boot Oil, Leather Protector SIZES:

B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 EEE 8-12,13









Yes



### 5553 WORX Men's 8-inch Boot



Sole Resistance Chart Rubber Cup Slip Oil/Gas Best Chemicals Best **Abrasions** Best Best Heat Non-Marking Yes

**UPPER**: Polyurethane Coated Leather and Abrasion Resistant Nylon FOOTBED: Removable Polyurethane

SHANK: Steel LAST: 882

**CONSTRUCTION**: Cement

ASTM F2413-11. M/I/75/C/75. EH RATING: CARE: Leather Protector, Polish SIZES: M 7-12,13 WW 8-12,13

HR**b** 

MADE IN CHINA



### 5290 WORX Men's 8-inch Boot

**UPPER**: Full Grain Leather and Abrasion Resistant Nylon

FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 691

**CONSTRUCTION**: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH RATING: CARE: Leather Protector, Polish SIZES: M 7-12,13,14 WW 8-12,13





### PU Cascade I Slip Better Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA



### 5808 WORX Men's 8-inch Boot

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 800

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, EH RATING:

CARE: **Leather Protector** M 8-12,13,14 WW 8-12,13 SIZES:

KING TÖE





### **ENDURANCE Cross Wire** Good Slip Oil/Gas Best Chemicals **Abrasions** Best Heat Good Non-Marking

Sole Resistance Chart



MADE IN CHINA



### 4474 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain Leather

FOOTBED: Nylon Covered Polyurethane

**LAST: 594** 

**CONSTRUCTION**: Goodyear Leather Welt ASTM F2413-11, M/I/75/C/75, EH Boot Oil, Leather Protector CARE:

SIZES: B 10-12,13,14 D 7-12,13,14 EE 7-12,13,14















MADE IN CHINA

















Rubber-PU Shredder Slip Best Oil/Gas Best Chemicals Good Abrasions Best Heat

Non-Marking

Sole Resistance Chart



FOOTBED: Nylon Covered Polyurethane SHANK: Non-metallic **LAST: 224** 

**UPPER:** Full Grain Leather

construction: Opanka

ASTM F2413-11, M/I/75/C/75, EH RATING:

**Leather Protector** 

CUSHIN





MADE IN CHINA



83804 IRISH SETTER WORK Men's 8-inch Boot

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 694

construction: Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, EH Boot Oil, Leather Protector SIZES: D 8-12,13,14 EE 8-12,13,14





### Sole Resistance Chart **ENDURANCE Arrowhead** Slip Good Oil/Gas Best Chemicals Best Abrasions Best Heat Good Non-Marking Yes





83824 IRISH SETTER WORK Men's 8-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 800** 

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, EH Boot Oil, Leather Protector CARE: SIZES: D 7-12,13,14 EE 7-12,13,14

KING TÖE



ST EH PR



### Sole Resistance Chart **ENDURANCE Cross Wire** Good Slip Oil/Gas Best Chemicals Better **Abrasions** Best Heat Good Non-Marking Yes



MADE IN CHINA



### 3508 **RED WING Men's 8-inch Boot**

UPPER: Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® SHANK: Fiberglass **LAST: 694** 

construction: Dual Density Supersole® Welt RATING:

ASTM F2413-11, M/I/75/C/75, EH CSA Grade 1, ESR Rated, PR Leather Protector, NaturSeal™ CARE:

B 10-12,13,14 D 7-12,13,14,15,16 EE 7-12,13,14 H 8-12,13 SIZES:






























**UPPER:** Full Grain Turbo Vegas Leather

FOOTBED: Redbed™ featuring Agion® anti-microbial treatment

**SHANK**: Fiberglass

**LAST:** 694

**CONSTRUCTION:** Dual Density Supersole® Welt ASTM F2413-11, M/I/75/C/75, EH RATING: CSA Grade 1, ESR Rated, PR Leather Protector, NaturSeal™ CARE:

SIZES: D 8-12,13,14 EE 8-12,13,14 H 8-12,13



















### 3539 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

**CONSTRUCTION:** Direct Attach

ASTM F2413-11, M/I/75/C/75, EH CSA Grade 1, ESR Rated, PR RATING:

CARE: **Leather Protector** SIZES: D 6-12,13,14,15 EE 8-12,13,14



SWEN-FLEX" KING TOE









MADE IN CHINA



### 3568 **RED WING Men's 8-inch Boot**

**UPPER**: Full Grain Leather

FOOTBED: Redbed™ featuring Agion® anti-microbial treatment

**LAST: 694** 

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH RATING:

CSA Grade 1, ESR Rated, PR Boot Oil, Leather Protector D 8-12,13,14 EE 8-12,13,14



CARE:

SIZES:

SWEN-FLEX® (











Sole Resistance Chart Mesa SuperSole® Wedge









5801 WORX Men's 8-inch Boot

**UPPER**: Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 800** 

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11. M/I/75/C/75. EH

CSA Grade 1, ESR Rated, PR Boot Oil, Leather Protector M 7-12,13,14 WW 8-12,13



CARE:

KING TÕE













MADE IN CHINA



52



Aluminum Toe Casco de Aluminio



Non-Metallic Toe Casco No Metálico







**UPPER:** Full Grain, Waterproof Leather

SHANK: Fiberglass

**LAST: 522** 

**CONSTRUCTION**: SuperSole® Welt

ASTM F 2413-11, M I/75 C/75, EH PR Leather Protector, NaturSeal  $^{\scriptscriptstyle\mathsf{TM}}$ , Shoe Cream CARE: B 9-12,13,14 D 4-12,13,14 E 8-12 EEE 8-12









Non-Marking

Yes





### 5803 WORX Men's 8-inch Boot

**UPPER**: High Abrasion Resistant Brown Cordura® Nylon

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 800** 

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, EH

Silicone


SIZES: M 4-12,13,14 WW 8-12,13



KING TÖE









MADE IN CHINA



### 83800 IRISH SETTER WORK Men's 8-inch Boot

UPPER: USA Made Full Grain, Waterproof Leather

FOOTBED: Removable Polyurethane

SHANK: Non-metallic LAST: 702-3E-2

**CONSTRUCTION:** Direct Attach Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, NaturSeal SIZES: D 8-12,13,14 EE 8-12,13,14









ST EH ()





Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Better
Non-Marking	Yes



MADE IN CHINA



### 4414 **RED WING Men's 8-inch Boot**

**UPPER**: Full Grain, Waterproof Leather

**FOOTBED**: Redbed<sup>™</sup> featuring Agion<sup>®</sup> anti-microbial treatment

SHANK: Fiberglass **LAST: 694** 

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE:

SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

























**UPPER:** Brown Cordura® FOOTBED: ComfortForce® **SHANK:** Fiberglass

**LAST:** 694

**CONSTRUCTION:** Dual Density Supersole® Welt ASTM F2413-11, M/I/75/C/75, EH RATING:

CARE: Silicone

SIZES: D 4-12,13,14,15 EE 6-12,13,14













**Dual Density Mini Lug II** Slip Better Oil/Gas Best Chemicals Best

Sole Resistance Chart





ASSEMBLED WIMPORTED COMPONENTS



2280 **RED WING Men's 8-inch Boot** 

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

**CONSTRUCTION**: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH CARE: Leather Protector, NaturSeal™

D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13 SIZES:



KING TOE R W







# **TPU-PU Galaxy**





MADE IN CHINA



2492 **RED WING Men's 8-inch Boot** 

UPPER: Brown Cordura®

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

**CONSTRUCTION:** Direct Attach

ASTM F2413-11, M/I/75/C/75, EH RATING:

CARE: Silicone

D 7-12,13,14,15 EE 8-12,13,14 SIZES:









NT EH ()

AT EH





and Ice		
Slip	Best	
Oil/Gas	Best	
Chemicals	Best	
Abrasions	Best	
Heat	Best	
Non-Marking	Yes	

Sole Resistance Chart

Vibram® Rubber-PU XClaim TC-4 Plus



MADE IN CHINA



2409 **RED WING Men's 8-inch Boot** 

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 157** 

**CONSTRUCTION:** Cement - Welt

ASTM F2413-11. M/I/75/C/75. EH RATING: Leather Protector, NaturSeal™ CARE:

SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14



















Slip

Oil/Gas



MADE IN CHINA







Non-Metallic Toe Casco No Metálico





Best

Best

Best

Best

Yes







ST EH PR

NT EH PR







Yes

Non-Marking



MADE USA W/IMPORTED IN THE USA MATERIALS



**UPPER:** Full Grain, Waterproof Leather

FOOTBED: Nylon Covered Polyurethane SHANK: Fiberglass

**LAST: 694** 

**CONSTRUCTION**: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH CSA Grade 1, ESR Rated, PR RATING:

Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream CARE: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13 SIZES: Zipper kits for this footwear style are available for purchase (96227).

8 fits sizes 7-9½, 11 fits sizes 10-12, 14 fits sizes 13+.











### 2414 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce® SHANK: Fiberglass

**LAST**: 694 CONSTRUCTION: Dual Density Supersole® Welt

ASTM F2413-11, M/I/75/C/75, EH CSA Grade 1, ESR Rated, PR Leather Protector, NaturSeal™ CARE:

B 10-12,13,14 D 7-12,13,14,15 E 7-12,13 EEE 7-12,13,14



















### 3512 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

1AST: 800

construction: Direct Attach

RATING: ASTM F2413-11. M/I/75/C/75. EH

CSA Grade 1, ESR Rated, PR Leather Protector, NaturSeal™

D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13 SIZES:



CARE:



SWEN-FLEX KING TOE GUARD LEATHER HRU









Sole Resistance Chart



MADE IN CHINA



### 83816 IRISH SETTER WORK Men's 8-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 694** 

construction: Direct Attach

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal® CARE: SIZES: D 7-12,13,14 EE 8-12,13

ULTRA Thinsulate Ultra 400 gram





MADE IN CHINA







Waterproof A Prueba de Agua/Impermeable



AT EH ()

55





ST EH ()

NT EH ()









Vibram® Montana TC-4 Plus Slip Oil/Gas Chemicals Abrasions Heat

Non-Marking

MADE IN CHINA

**UPPER:** Full Grain, Waterproof Leather FOOTBED: ComfortForce® SHANK: Steel **LAST: 694** 

**CONSTRUCTION:** Goodyear Leather Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: Leather Protector, NaturSeal™ CARE: SIZES: D 7-12,13,14 EE 8-12,13 H 8-12,13















5432 WORX Men's 8-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel LAST: 702

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal" SIZES: M 8-12,13,14 WW 8-12,13









MADE IN CHINA



### 2244 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

construction: Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal® CARE:

D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13 SIZES:









Sole Resistance Chart





MADE IN CHINA



### 83814 IRISH SETTER WORK Men's 8-Inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 220** 

**CONSTRUCTION:** Cement - Welt

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal CARE: SIZES: D 8-12,13,14 EE 8-12,13

Thinsulate Ultra ULTRA 400 gram











ST EH

# Sole Resistance Chart Vibram® Rubber-PU XClaim TC-4 Plus






MADE IN CHINA



56





Non-Metallic Toe Casco No Metálico







**UPPER:** Full Grain, Waterproof Leather











Heat Good Non-Marking Yes

MADE USA W/IMPORTED IN THE USA MATERIALS



SHANK: Fiberglass **LAST: 694 CONSTRUCTION**: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: Leather Protector, NaturSeal™

SIZES: B 10-12,13,14 D 7-12,13,14,15,16 EE 7-12,13,14 H 8-12,13







FOOTBED: Redbed<sup>™</sup> featuring Agion® anti-microbial treatment







### 4413 **RED WING Men's 8-inch Boot**

UPPER: Full Grain, Waterproof Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

















**LAST: 157 CONSTRUCTION:** Cement - Welt CARE:

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™

D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14 SIZES:



















MADE IN CHINA



### 2412 **RED WING Men's 8-inch Boot**













AZIEC Supersole 2.0		
Slip	Better	
Oil/Gas	Best	
Chemicals	Best	
Abrasions	Best	
Heat	Good	
Non-Marking	Yes	



Thinsulate Ultra 400 gram



ASTM F2413-11, M/I/75/C/75, EH CSA Grade 1, ESR Rated, PR Leather Protector, NaturSeal™













### 2416 **RED WING Men's 8-inch Boot**

construction: Dual Density Supersole® Welt

ASTM F2413-11. M/I/75/C/75. EH

CSA Grade 1, ESR Rated, PR

**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce®

SHANK: Fiberglass

**LAST: 694** 

CARE:













Oil/Gas Chemicals **Abrasions** Heat Non-Marking Yes

MADE USA



400 gram















Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream






**UPPER:** Full Grain, Waterproof Leather











**Abrasions** 

Non-Marking

Heat



Best Best Best Yes

MADE IN CHINA



D 7-12,13,14,15 EE 8-12,13,14

FOOTBED: ComfortForce®

construction: Goodyear Welt

SHANK: Steel

**LAST:** 610

RATING:

CARE:

SIZES:

ASTM F2413-11, M/I/75/C/75, EH CSA Grade 1, ESR Rated, PR



Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream









AT EH (



83826 IRISH SETTER WORK Men's 9-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel LAST: IS-108H

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ D 8-12,13,14 EE 8-12,13,14 SIZES:











Oil/Gas Best Chemicals Better **Abrasions** Best Best Heat Non-Marking No



MADE IN CHINA



83828 IRISH SETTER WORK Men's 9-inch Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel LAST: IS-108H

**CONSTRUCTION:** Goodyear Welt

RATING: ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE: D 8-12,13,14 EE 8-12,13,14 SIZES:









Sole Resistance Chart

# Flathead Bob

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	No



MADE IN CHINA



3548 **RED WING Men's 9-inch Boot** 

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

**CONSTRUCTION**: Direct Attach

ASTM F2413-11. M/I/75/C/75. EH

CSA Grade 1, ESR Rated, PR Leather Protector, NaturSeal™

SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13



CARE:

Thinsulate Ultra 800 gram



SWEN-FLEX<sup>®</sup> KING TÖE





NT EH PR








MADE IN CHINA



58












Yes



Made to order sizes are highlighted in red. Allow 7-14 days for delivery.



83818 IRISH SETTER WORK Men's 8-inch Logger Boot

**UPPER:** USA Made Full Grain Leather **FOOTBED:** Removable Polyurethane

shank: Steel LAST: 800LG

construction: Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: Leather Protector, Shoe Cream D 8-12,13,14 EE 8-12,13 CARE: SIZES:

KING TOE TROUT BROOK









### Stars and Bars Logger Slip Best Oil/Gas Best Chemicals Best **Abrasions** Best Heat Best Non-Marking Yes

Sole Resistance Chart





2218 **RED WING Men's** 9-inch Logger-Lineman Boot

**UPPER**: Full Grain, Water-Resistant Leather

SHANK: Lineman Steel

**LAST**: 50

construction: Goodyear Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH CARE: Boot Oil, Leather Protector

B 9-12,13,14 D 6-12,13,14,15,16 E 8-12,13 EE 8-12,13,14 SIZES:











Vibram® Logger		
Slip	Best	
Oil/Gas	Best	
Chemicals	Better	
Abrasions	Best	
Heat	Best	
Non-Marking	Yes	

















### 4420 **RED WING Men's** 9-inch Logger Boot







Sole Resistance Chart Vibram® 360 Logger TC-4 Plus Slip Oil/Gas Best Chemicals Better **Abrasions** Best Heat Best

Yes

Non-Marking



MADE IN CHINA

**LAST**: 634 **CONSTRUCTION**: Goodyear Leather Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ CARE: SIZES: D 7-12,13,14,15 EE 8-12,13,14











83808 IRISH SETTER WORK Men's 8-inch Logger Boot

**UPPER:** USA Made Full Grain, Waterproof Leather

ASTM F2413-11, M/I/75/C/75, EH

D 8-12,13,14,15 EE 8-12,13,14

Leather Protector, NaturSeal™









ULTRA DRY®

RATING:

CARE:



FOOTBED: Removable Polyurethane

**CONSTRUCTION:** Goodyear Welt

SHANK: Lineman Steel



MADE IN CHINA



2215 RED WING Men's 9-inch Logger-Lineman Boot













Sole Resistance Chart



B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13





ST EH

MADE USA







ASTM F2413-11, M/75/C/75, Mt/75 EH PR

Leather Protector, NaturSeal  $^{\scriptscriptstyle\mathsf{TM}}$ , Shoe Cream
















SHANK: Lineman Steel

LAST: 50

construction: Goodyear Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH Boot Oil. Leather Protector CARE:

SIZES: B 9-12,13,14 D 6-12,13,14,15 EE 7-12,13,14





































83810 IRISH SETTER WORK Men's 8-inch Logger Boot





ST EH () (\*

ST EH () (





MADE IN CHINA

FOOTBED: Removable Polyurethane SHANK: Lineman Steel

**LAST: 634** 

**CONSTRUCTION:** Goodyear Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ CARF: SIZES: D 8-12,13,14,15 EE 8-12,13,14

400 gram







4416 **RED WING Men's** 9-inch Logger Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Lineman Steel

**LAST**: 634

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: Leather Protector, NaturSeal™ CARE: D 7-12,13,14,15 EE 8-12,13,14 SIZES:











Heat

Non-Marking

Best Best Yes

MADE IN CHINA



2292 RED WING Men's 10-inch Logger Boot

**UPPER:** Full Grain, Waterproof Leather

SHANK: Lineman Steel

LAST: 50

**CONSTRUCTION:** Goodyear Leather Welt ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal CARE:

B 9-12,13,14 D 8-12,13,14 E 8-12 EEE 8-12,13 SIZES:

















4417 RED WING Men's 9-inch Logger Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Lineman Steel

**LAST: 634** 

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11. M/I/75/C/75. EH Leather Protector, NaturSeal™ CARE: SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 9-12,13













MADE IN CHINA







Waterproof A Prueba de Agua/Impermeable



**51** EH ()

# Logger/Lineman



## RED WING Men's 9-inch Logger-Lineman Boot 🗤 🖽 📭 м 🕚 🛞 4415

ASTM F2413-11, M/75/C/75, Mt/75 EH PR

Leather Protector, NaturSeal™













# Sole Resistance Chart Vibram® Tacoma Fire and Ice Slip Better

Oil/Gas Best Chemicals Best **Abrasions** Best Heat Best Non-Marking Yes



LAST: 53

CARE:

SIZES:

Thinsulate Ultro SWEN-FLEX CUSHIN PROCESSING 400 gram

**UPPER**: Full Grain, Waterproof Leather **FOOTBED**: ComfortForce®

**CONSTRUCTION**: Goodyear Leather Welt

SHANK: Lineman Steel



B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13















### 2221 RED WING Men's 10-inch Lineman Boot



**UPPER**: Full Grain, Water-Resistant Leather

SHANK: Lineman Steel

LAST: 50

**CONSTRUCTION**: Goodyear Leather Welt ASTM F2413-11, M/I/75/C/75, EH RATING: CARE: Boot Oil, Leather Protector B 10-12,13 D 7-12,13 EE 8-12 SIZES:











62





2274 RED WING Men's 11-inch Pull-On Boot

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST**: 800

construction: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH RATING:

**Leather Protector** CARE:

B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14 SIZES:

KING TÖE





### **TPU-PU Galaxy** Slip Better Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good

Non-Marking

Sole Resistance Chart



MADE IN CHINA

# 2231 / 82231 (Made to order) RED WING Men's 11-inch Pull-On Boot

**UPPER**: Full Grain, Water-Resistant Leather

SHANK: Steel **LAST**: 522

construction: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: CARE: Boot Oil, Leather Protector

AA 10-12,13,14 A 10-12,13,14 B 4-12,13,14,15,16,17,18 C 8-12,13 SIZES: D 5-12,13,14,15,16,17,18 E 6-12,13,14 EE 7-12,13,14,15,16,17,18

EEE 6-12,13,14,15,16





Yes











### 2214 RED WING Men's 11-inch Pull-On Boot

**UPPER**: Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce®

SHANK: Steel **LAST**: 515

**CONSTRUCTION**: Goodyear Leather Welt ASTM F2413-11, M I/75 C/75 Boot Oil, Leather Protector CARF: SIZES: D 7-12,13 E 8-12 EEE 8-12,13









### Sole Resistance Chart Vibram® Laramie TC-4 Best Slip Oil/Gas Best Chemicals Best

Best

Best

Yes

**Abrasions** 

Non-Marking

Heat

ST EH

ST EH



MADE USA



### 4470 RED WING Men's 11-inch Pull-On Boot

**UPPER:** Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce®

SHANK: Steel **LAST**: 199

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: Boot Oil, Leather Protector CARE:

B 9-12,13,14 D 6½-12,13,14,15 E 8-11 EE 7-12,13,14 SIZES:













### 4471 RED WING Men's 11-inch Pull-On Boot

**UPPER:** Full Grain Leather FOOTBED: ComfortForce®

SHANK: Steel **LAST**: 199

construction: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH RATING:

Leather Protector, NaturSeal  $^{\scriptscriptstyle\mathsf{TM}}$ , Shoe Cream CARE:

B 9-12,13,14 D 6½,7-12,13,14,15 E 8-11 EE 7,7½,7-12,13,14 SIZES:











MADE USA



### 2254 RED WING Men's 11-inch Pull-On Boot

**UPPER**: Full Grain Leather

FOOTBED: Single density ComfortForce®

SHANK: Fiberglass **LAST**: 696

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11. M/I/75/C/75. EH Boot Oil, Leather Protector CARE: SIZES: B 10-12,13 D 7-12,13,14 EE 7-12,13




























### 83910 IRISH SETTER WORK Men's 11-inch Pull-On

ASTM F2413-11, M/I/75/C/75, EH

D 8-12,13,14 EE 8-12,13

Leather Protector





No

Non-Marking



HR

**UPPER**: Full Grain Leather

SHANK: Non-metallic

construction: Opanka

**LAST: 224** 

CARE:

SIZES:

FOOTBED: Nylon Covered Polyurethane

**Leather Protector** 

**UPPER**: Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

construction: Welt

**LAST: IS-435** 

RATING:

CARF:

SIZES:

MADE IN CHINA



### 2297 RED WING Men's 11-inch Pull-On Boot

ASTM F2413-11, M/I/75/C/75, EH

AT



Sole Resistance Chart

Rubber-PU Shredder Best Oil/Gas Best Chemicals Good Abrasions Best Heat Best Non-Marking Yes

GUARD LEATHER HR

MADE IN VIETNAM



83902 IRISH SETTER WORK Men's 11-inch Pull-On Boot

UPPER: USA Made Full Grain, Tumbled Leather Leather

ASTM F2413-11, M/I/75/C/75, EH

D 8-12,13,14 EE 8-12,13,14

B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13





Kubber-i o comitort ii		
Slip	Best	
Oil/Gas	Best	
Chemicals	Better	
Abrasions	Better	
Heat	Better	
Non-Marking	Yes	

Sole Resistance Chart Rubber-PU Comfort Trek

FOOTBED: Removable Polyurethane

**CONSTRUCTION:** Direct Attach Welt

Shoe Cream

SHANK: Non-metallic LAST: 702-2EW-2

RATING:

CARE:

SIZES:



83904 IRISH SETTER WORK Men's 11-inch Pull-On Boot





ENDURANCE AFFOWNE		
Slip	Good	
Oil/Gas	Best	
Chemicals	Best	
Abrasions	Best	
Heat	Good	
Non-Marking	Yes	

Sole Resistance Chart



SHANK: Steel

**LAST**: 696

**CONSTRUCTION:** Direct Attach Welt

**UPPER**: Full Grain Leather

ASTM F2413-11. M/I/75/C/75. EH Boot Oil, Leather Protector CARE: SIZES: D 8-12,13,14 EE 8-12,13,14

MADE IN CHINA





Waterproof A Prueba de Agua/Impermeable





### 83908 IRISH SETTER WORK Men's 9-inch Pull-On



Sole Resistance Chart **Rubber-EVA Traction Tred** Best Slip Oil/Gas Best Chemicals Good **Abrasions** Best Heat Best

Yes

Non-Marking

**UPPER**: USA Made Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

**LAST**: 696

**CONSTRUCTION**: Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: Boot Oil, Leather Protector CARE: D 7-12,13,14 EE 7-12,13 SIZES:







### 2405 RED WING Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Water-Resistant Leather FOOTBED: ComfortForce®

**SHANK:** Fiberglass **LAST**: 696

**CONSTRUCTION:** Dual Density Supersole® Welt ASTM F2413-11. M/I/75/C/75. EH RATING: Boot Oil, Leather Protector CARE:

B 9-12,13,14 D 7-12,13,14,15 EE 6-12,13,14 H 8-12,13 SIZES:













### 2249 RED WING Men's 10-inch Pull-On Boot

**UPPER:** Full Grain Leather FOOTBED: ComfortForce® SHANK: Fiberglass **LAST**: 696

construction: SuperSole® Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH Boot Oil, Leather Protector CARE:

B 9-12,13,14,15 D 6,6½,7-12,13,14,15 EE 6,6½, 7-12,13,14,15 SIZES:

H 8-12,13



















**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST:** 702

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11. M/I/75/C/75. EH

**Leather Protector** CARE: SIZES: M 7-12,13,14 WW 8-12,13

**Sole Resistance Chart** ST EH





MADE IN CHINA









**NEW** 



2259 RED WING Men's 11-inch Pull-On Boot

ASTM F2413-11, M/I/75/C/75, EH

Boot Oil, Leather Protector

D 7-12,13,14 EE 8-12,13

ST EH

ST EH

Sure-Trak® SuperSole® Good Oil/Gas Best Chemicals Better **Abrasions** Better Heat Good Non-Marking Yes

Sole Resistance Chart



R W LEATHER







2201 RED WING Men's 11-inch Pull-On Boot

**UPPER**: Full Grain Leather FOOTBED: ComfortForce® SHANK: Steel

**LAST: 199** 

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH

**Leather Protector** CARE:

B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14 SIZES:









MADE USA W/IMPORTED MATERIALS



988 RED WING Men's 10-inch Pull-On Boot

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 696** 

construction: Goodyear Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal" CARE: SIZES: D 7-12,13,14 EE 8-12,13













3505 RED WING Men's 11-inch Pull-On Boot

UPPER: Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® SHANK: Fiberglass **LAST: 696** 

CONSTRUCTION: Dual Density Supersole® Welt

ASTM F2413-11, M/I/75/C/75, EH, CSA Grade 1, ESR Rated, PR

Leather Protector, NaturSeal CARE:

SIZES: D 7-12,13,14,15 EE 7-12,13 H 8-12,13




















ST EH PR

67



4448 RED WING Men's 11-inch Pull-On Boot

ASTM F2413-11, M/I/75/C/75, EH

Leather Protector, NaturSeal™







Sole Resistance Chart Vibram® Rubber-PU XClaim TC-4 Plus







**LAST**: 230

RATING:

CARF:

SIZES:



**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce®

**SHANK:** Fiberglass

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**CONSTRUCTION:** Cement - Welt



B 9-12,13,14 D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14







MADE IN CHINA



### 2230 RED WING Men's 11-inch Pull-On Boot







Sole Resistance Chart

Mini Lug SuperSole® Slip Good





B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13 SIZES:



CARE:

**LAST**: 696



**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce®

SHANK: Fiberglass

**LAST**: 696

RATING:

CARE:

**CONSTRUCTION:** SuperSole® Welt



ASTM F2413-11, M/I/75/C/75, EH

Leather Protector, NaturSeal™







2270 RED WING Men's 11-inch Pull-On Boot

ASTM F2413-11, M/I/75/C/75, EH













Leather Protector, NaturSeal™ B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13 SIZES:





construction: SuperSole® Welt











### 83912 IRISH SETTER WORK Men's 11-inch Pull-On









KUDDER-KPM KOPER		
Slip	Best	
0il/Gas	Best	
Chemicals	Best	
Abrasions	Best	
Heat	Best	
Non-Marking	Yes	



ASTM F2413-11. M/I/75/C/75. EH

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

**Leather Protector** CARE:

SHANK: Non-metallic **LAST: IS-435 construction**: Welt

D 8-12,13,14,15,16 EE 8-12,13,14



SIZES:









83914 IRISH SETTER WORK Men's 12-inch Pull On

ASTM F2413-11, M/I/75/C/75, EH

D 7-12,13,14 EE 8-12,13











**UPPER**: Cordura®

SHANK: Steel

**LAST:** 702

SIZES:

FOOTBED: Removable Polyurethane

**CONSTRUCTION:** Direct Attach Welt

ULTRA DRY







83906 IRISH SETTER WORK Men's 11-inch Pull-On EH (









XClaim TC-4 Plus Slip Oil/Gas Chemicals Abrasions Heat Non-Marking

MADE IN CHINA



**UPPER**: Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane SHANK: Non-metallic

**LAST**: 229

**CONSTRUCTION:** Cement - Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ CARE: D 8-12,13,14 EE 8-12,13 SIZES:

ULTRA DRY®









5700 WORX Men's 10-inch Pull-On Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 696** 

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: Leather Protector, NaturSeal® CARE: M 8-12,13,14 WW 8-12,13 SIZES:













2499 RED WING Men's 12-inch Pull-On Boot

UPPER: Cordura® FOOTBED: ComfortForce® SHANK: Fiberglass **LAST: 696** 

**CONSTRUCTION:** Direct Attach Welt

ASTM F2413-11. M/I/75/C/75. EH SIZES: D 7-12,13,14,15 EE 8-12,13















MADE IN CHINA







Waterproof A Prueba de Agua/Impermeable





### 6500 WORX Men's 10-inch Pull-On Boot

ASTM F2413-11, M/I/75/C/75, EH

M 8-12,13,14 WW 8-12,13







### **ENDURANCE Cross Wire** Good Oil/Gas Best Chemicals Better **Abrasions** Best Heat Good

Yes

Non-Marking



MADE IN CHINA



FOOTBED: Removable Polyurethane

**CONSTRUCTION:** Direct Attach Welt

Silicone

**UPPER**: Cordura®

SHANK: Steel

**LAST: 702** 

RATING:

CARF:

SIZES:



### 4212 RED WING Men's 11-inch Pull-On Boot

ST EH ()







**Rubber-PU Barbed Wire** Slip Best Oil/Gas Best

**Sole Resistance Chart** 





MADE IN CHINA



**LAST**: 200-3 construction: Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ CARE: D 8-12,13,14 EE 8-12,13 SIZES:

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane



SHANK: Steel















Yes

Non-Marking

Sole Resistance Chart



MADE IN CHINA



UPPER: USA Made Full Grain, Waterproof Leather and Abrasion Resistant Nylon

FOOTBED: Removable Polyurethane

SHANK: Non-metallic LAST: 702-2EW-2

construction: Direct Attach Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ CARE: SIZES: D 8-12,13,14 EE 8-12,13,14



SHANK: Steel **LAST**: 522

RATING:

CARE: SIZES:





UPPER: Full Grain, Water-Resistant Leather

construction: SuperSole® Welt



ASTM F2413-11, M/I/75/C/75, EH Boot Oil. Leather Protector









Mini Lug SuperSole®		Á
Slip	Good	A
Oil/Gas	Best	
Chemicals	Better	
Abrasions	Better	
Heat	Good	
Non-Marking	Yes	-

Thinsulate Ultra



D 6-12,13,14 EE 7-12,13,14











400 gram









2250 RED WING Men's 11-inch Pull-On Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane













Thinsulate Ultra Protect GUARD R W LEATHER HRU

ASTM F2413-11, M/I/75/C/75, EH

Leather Protector, NaturSeal™



SHANK: Non-metallic

construction: Cement - Welt

**LAST**: 230

RATING:

CARF:

SIZES:



D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14







ST EH () (\*

ST EH () (\*)





4445 RED WING Men's 11-inch Pull-On Boot

**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce® SHANK: Fiberglass **LAST:** 696

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH Leather Protector, NaturSeal™ CARE:

B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13 SIZES:

















2271 RED WING Men's 11-inch Pull-On Boot

**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce® SHANK: Fiberglass **LAST: 696** 

construction: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH RATING: Leather Protector, NaturSeal CARE: D 7-12,13,14,15 EE 8-12,13 H 8-12,13 SIZES:



















3049 RED WING Men's 17-inch Pac Boot

**UPPER**: Polyurethane Coated Waterproof Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 222** 

construction: Cement

ASTM F2413-11, M I/75 C/75, SD

NaturSeal™ CARE: SIZES: EE 6-12,13,14,15












MADE IN CHINA







Waterproof A Prueba de Agua/Impermeable





89000 IRISH SETTER WORK Men's 12-inch Pull-On Boot

**UPPER:** Vulcanized Rubber and 4.5 mm Neoprene

ASTM F2413-11, M/I/75/C/75, EH

FOOTBED: Removable Polyurethane

E 7,8-12,13,14,15







Non-Marking No

MADE IN CHINA



HR

construction: Vulcanized

SHANK: Steel

LAST: JEX-ST

SIZES:



89002 IRISH SETTER WORK Men's 15-inch Pull-On Boot

**UPPER**: Vulcanized Rubber and 4.5 mm Neoprene

ASTM F2413-11, M/I/75/C/75, EH

FOOTBED: Removable Polyurethane

E 7,8-12,13,14,15

ST EH ()







Sole Resistance Chart



**UPPER**: Polyurethane

SHANK: Non-metallic

**CONSTRUCTION**: Injection

LAST: ISH-777

construction: Vulcanized

SHANK: Steel

LAST: JEX-ST

SIZES:

MADE IN CHINA



89004 IRISH SETTER WORK Men's 15-Inch Pull-On

FOOTBED: Removable 12mm Felt/Wool Liner

RATING: ASTM F2413-11, M/I/75/C/75, EH

D 8,9,10,11,12,13,14

NT EH ()









Sole Resistance Chart



MADE IN CHINA

THERMAL BOOST

SIZES:



RED WING Men's 17-inch Pull-On Boot











MADE USA W/IMPORTED IN THE USA MATERIALS



**UPPER**: Polyurethane

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 300** 

**CONSTRUCTION:** Direct Attach Non-Welt

RATING: ASTM F 2413-11. M/I/75/C/75. EH PR

D 7,8-12,13,14,15

This style is designed so that wearers can easily fold over the upper, or trim to a 15-inch boot.



4479

**UPPER**: Full Grain Leather FOOTBED: Nylon Covered Polyurethane SHANK: Non-metallic

**LAST**: 801

construction: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 RATING: CARE: Leather Protector, NaturSeal™ D 7-12,13,14 EE 8-12,13 SIZES:

**RED WING Men's** Oxford







Sole Resistance Chart





MADE IN CHINA



**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 882

**construction**: Cement

ASTM F2413-11, M/I/75/C/75, EH, Mt/75

Leather Protector, Polish CARE: SIZES: M 7-12,13,14 WW 8-12,13





Best
Best
Best
Best
Good

Non-Marking

Sole Resistance Chart



MADE IN CHINA











#### 4472 **RED WING Men's** 5-inch Hiker Boot





NT EH MT







**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: TC-Tech **LAST**: 697

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH, Mt/75 Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream CARE:

SIZES: B 9-12,13,14,15 D 6-12,13,14,15 EE 7-12,13,14 H 8-12,13











5601 WORX Men's 5-inch Boot

**UPPER**: Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 882

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 RATING:

Leather Protector, Polish CARE: M 4-12,13,14 WW 8-12,13,14 SIZES:





MADE IN CHINA



5584 WORX Men's 5-inch Boot

**UPPER**: Nubuck Leather

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 882

**CONSTRUCTION**: Cement

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 RATING:

**Leather Protector** CARE:

M 4-12,13,14,15,16 WW 8-12,13,14 SIZES:

HR



ST EH MT





MADE IN CHINA



5586 WORX Men's 6-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel LAST: 702-2

construction: Goodyear Welt

ASTM F2413-11. M/I/75/C/75. EH . Mt/75 RATING:

Boot Oil, Polish CARE: SIZES: W 4-12,13

HR**b** 



MADE IN CHINA


















## 5610 WORX Men's 6-inch Boot

UPPER: Full Grain Leather

FOOTBED: Removable Polyurethane

shank: Steel last: 800

**CONSTRUCTION**: Direct Attach Welt

**RATING:** ASTM F2413-11, M/I/75/C/75, EH, Mt/75

**CARE**: Leather Protector

**SIZES:** M 4-12,13,14,15,16 WW 8-12,13,14

KING TOE GOODHUE



ST EH MT

GT EH MT

ST EH MT

ST EH MT

MADE IN CHINA



## 5613 WORX Men's 6-inch Boot

UPPER: Full Grain Leather

FOOTBED: Removable Polyurethane

shank: Steel Last: 800

**CONSTRUCTION:** Direct Attach Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH, Mt/75

CARE: Leather Protector

 $\textbf{SIZES:} \qquad \text{M } 7\text{-}12,13,14 \text{ WW } 8\text{-}12,13,14$ 

KING TOE GOODHUE HR



MADE IN CHINA



## 5686 RED WING Men's 6-inch Boot

**UPPER:** Full Grain Leather **FOOTBED:** Removable Polyurethane

shank: Steel last: 703

construction: Goodyear Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH , Mt/75 CARE: Boot Oil, Leather Protector

SIZES: M 7-12,13,14 WW 8-12,13,14

RW

**HR** 





MADE IN CHINA



## 4483 RED WING Men's 6-inch Boot

UPPER: Full Grain Leather FOOTBED: ComfortForce® SHANK: Fiberglass

LAST: 694

construction: Goodyear Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH, Mt/75

**CARE**: Boot Oil, Leather Protector

SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 6-12,13,14,15 H 7-12,13,14,15

























4456 **RED WING Men's** 6-inch Boot

ASTM F2413-11, M/I/75/C/75, EH, Mt/75

D 7-12,13,14,15 EE 8-12,13,14

FOOTBED: Nylon Covered Polyurethane

Leather Protector

**UPPER**: Full Grain Leather

**CONSTRUCTION**: Direct Attach

SHANK: Non-metallic

**LAST: 800** 

RATING:

CARE:

SIZES:

KING TÖE



Sole Resistance Chart **TPU-PU Galaxy** 





MADE IN CHINA

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 703

5486

construction: Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH, Mt/75

WORX Men's 6-inch Boot

Boot Oil, Leather Protector CARE: M 7-12,13,14 WW 8-12,13 SIZES:

HR







MADE IN CHINA



4421 **RED WING Men's** 6-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Cambrelle® Covered Polyurethane

SHANK: Non-metallic

**LAST**: 691

**construction**: Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, EH, Mt/75 Leather Protector, NaturSeal™ CARE:

SIZES: D 8-12,13,14 EE 8-12,13



Sole Resistance Chart NT EH MT



	_
Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
leat	Best
Non-Marking	Yes



MADE IN CHINA



5626 WORX Men's 6-inch Boot

**UPPER**: Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 703

construction: Goodyear Welt

ASTM F2413-11. M/I/75/C/75. EH . Mt/75

Boot Oil, Leather Protector CARE: SIZES: M 6-12,13,14 WW 8-12,13


HR**b** 



Non-Marking

MADE IN CHINA








Non-Metallic Toe Casco No Metálico



ST EH MT



No



#### 4433 **RED WING Men's** 6-inch Boot



NT EH MT ()







Oil/Gas

Chemicals

**Abrasions** 

Non-Marking

Heat



SHANK: Fiberglass **LAST: 694 CONSTRUCTION**: SuperSole® Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH, Mt/75 Leather Protector, Mink Oil, NaturSeal™ CARF:

SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 H 8-12,13















4431 **RED WING Men's** 6-inch Boot

**UPPER**: Abrasion Resistant Nylon and TPU FOOTBED: Cambrelle® Covered Polyurethane

SHANK: Non-metallic LAST: CH-691CT construction: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 RATING:

CARE: Silicone

D 7-12,13,14 EE 8-12,13 SIZES:











MADE IN CHINA



5489 WORX Men's 8-inch Boot

**UPPER:** Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 703** 

construction: Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 RATING:

Boot Oil, Leather Protector CARE: SIZES: M 8-12,13,14 WW 8-12,13

















5889 **RED WING Men's 8-inch Boot** 

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 703

**CONSTRUCTION**: Goodyear Welt

ASTM F2413-11. M/I/75/C/75. EH . Mt/75 Boot Oil, Leather Protector CARE:

SIZES: M 7-12,13,14 WW 8-12,13,14










MADE IN CHINA













#### 4422 **RED WING Men's 8-inch Boot**

**UPPER:** Full Grain Leather

FOOTBED: Cambrelle® Covered Polyurethane

SHANK: Non-metallic

**LAST**: 691

**CONSTRUCTION**: Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, EH, Mt/75 Leather Protector, NaturSeal™ CARE: SIZES: D 8-12,13,14 EE 8-12,13









Sole Resistance Chart Rubber-PU Auger Slip **Best** Oil/Gas Best Chemicals Best **Abrasions** Best

Best

Yes

Heat

Non-Marking



MADE IN CHINA



#### 5828 WORX Men's 8-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 703

construction: Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH, Mt/75

Boot Oil, Leather Protector CARE: M 7-12,13,14 WW 8-12,13 SIZES:

HR







**Abrasions** 

Non-Marking

Heat

**Sole Resistance Chart** 



MADE IN CHINA



5810 WORX Men's 8-inch Boot

**UPPER:** Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 800** 

**CONSTRUCTION:** Direct Attach Welt

RATING: ASTM F2413-11, M/I/75/C/75, EH, Mt/75

**Leather Protector** CARE:

M 7-12,13,14 WW 8-12,13,14 SIZES:

KING TOE GOODHUE









Sole Resistance Chart **ENDURANCE Cross Wire** 

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes



MADE IN CHINA



4435 **RED WING Men's 8-inch Boot** 

**UPPER**: Full Grain, Waterproof Leather

FOOTBED: Redbed<sup>™</sup> featuring Agion® anti-microbial treatment

SHANK: Fiberglass **LAST**: 694

**CONSTRUCTION**: SuperSole® Welt

ASTM F2413-11. M/I/75/C/75. EH . Mt/75 Leather Protector, Mink Oil, NaturSeal™ CARE: SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13


































#### 4492 **RED WING Men's 8-Inch Boot**

**UPPER:** Full Grain Leather

FOOTBED: ComfortForce® SHANK: Fiberglass **LAST**: 694

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 CARF: Boot Oil. Leather Protector SIZES: D 7-12,13,14,15 EE 8-12,13,14







ST EH MT

NT EH MT ()





4440 **RED WING Men's 8-inch Boot** 

**UPPER**: Abrasion Resistant Nylon and TPU FOOTBED: Cambrelle® Covered Polyurethane

SHANK: Non-metallic LAST: CH-691CT construction: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 RATING:

CARE: Silicone

D 7-12,13,14 EE 8-12,13 SIZES:











MADE IN CHINA



3530 RED WING Men's 8-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

**CONSTRUCTION:** Direct Attach

ASTM F2413-11, M/I/75/C/75, EH, Mt/75, CSA Grade 1, ESR Rated, PR RATING:

Leather Protector, NaturSeal<sup>†</sup> CARE:

SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13











MADE IN CHINA



83820 IRISH SETTER WORK Men's 9-inch Boot

UPPER: USA Made Full Grain, Waterproof Leather







NT EH PR MT







SHANK: Non-metallic **LAST: 222** construction: Cement

ASTM F2413-11. M/75/C/75. Mt/75 EH PR Leather Protector, NaturSeal® CARE:

SIZES: D 7-12,13,14 EE 8-12,13,14

FOOTBED: Nylon Covered Polyurethane


ULTRA Thinsulate Ultra 1000 gram












MADE IN CHINA













#### 4499 **RED WING Men's 10-inch Boot**













MADE IN CHINA



**CONSTRUCTION**: Goodyear Leather Welt

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Cambrelle® Covered Polyurethane

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 Leather Protector, NaturSeal™ CARF: SIZES: D 7-12,13,14,15,16 EE 8-12,13,14



SHANK: Steel

**LAST**: 694

SHANK: Steel

**LAST: 694** 













#### 4489 **RED WING Men's 10-inch Boot**

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Cambrelle® Covered Polyurethane











Sole Resistance Chart



MADE IN CHINA



Thinsulate Ultra 400 gram

construction: Goodyear Welt



D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

ASTM F2413-11, M/I/75/C/75, EH, Mt/75

Leather Protector, NaturSeal™









ST EH PR MT () (\*)



#### 4495 **RED WING Men's 12-inch Boot**

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Steel **LAST: 800** 

**CONSTRUCTION:** Goodyear Leather Welt

ASTM F2413-11, M/75/C/75, Mt/75 EH PR RATING: Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream CARE: SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13















NT EH PR MT ()







Sole Resistance Chart

Best

Best

Best

Best

Best

Yes

Vibram® Montana

TC-4 Plus

Slip

Oil/Gas

Chemicals

Abrasions

Non-Marking

Heat

MADE IN CHINA



FOOTBED: ComfortForce® SHANK: Lineman Steel

LAST: 53

construction: Goodyear Welt

ASTM F2413-11. M/75/C/75. Mt/75 EH PR Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream CARE:

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

















Sole Resistance Chart


















RED WING Men's 9-inch Logger-Lineman Boot 🗤 🖪 📭 🔼 🚺 🔇 4415

ASTM F2413-11, M/75/C/75, Mt/75 EH PR


















Leather Protector, NaturSeal™



B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13







EH MT

ST EH MT ()







5829 WORX Men's 10-inch Pull-On Boot

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel LAST: 702-2

**CONSTRUCTION:** Goodyear Welt

ASTM F2413-11, M/I/75/C/75, EH, Mt/75

Boot Oil, Leather Protector CARE: M 7-12,13,14 W 7-12,13 SIZES:





MADE IN CHINA



4436 RED WING Men's 11-inch Pull-On Boot

UPPER: Full Grain, Waterproof Leather FOOTBED: Redbed™ featuring Agion® anti-microbial treatment

SHANK: Fiberglass **LAST: 699** 

construction: SuperSole® Welt

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 RATING: Leather Protector, Mink Oil, NaturSeal™ CARE:

B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13 SIZES:

















4449 RED WING Men's 11-inch Pull-On Boot

**UPPER:** Abrasion Resistant Nylon and TPU FOOTBED: Cambrelle® Covered Polyurethane

SHANK: Non-metallic **LAST: SF-691** 

construction: Direct Attach

ASTM F2413-11, M/I/75/C/75, EH, Mt/75

CARE: Silicone

SIZES: D 7-12,13,14 EE 8-12,13









MADE IN CHINA







Waterproof A Prueba de Agua/Impermeable



NT EH MT

## **Metatarsal Guard**



4494 RED WING Men's 11-inch Pull-On Boot

**UPPER**: Full Grain, Waterproof Leather

FOOTBED: ComfortForce®

SHANK: Steel

**LAST**: 696













CARE:

SIZES:



construction: Goodyear Welt



D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

ASTM F2413-11, M/I/75/C/75, EH, Mt/75

Leather Protector, NaturSeal™





MADE USA W/IMPORTED IN THE USA MATERIALS



4481 RED WING Men's 11-inch Pull-On Boot ST EH MT











Sole Resistance Chart



**construction**: Goodyear Welt

**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce®

SHANK: Steel

**LAST**: 696

ASTM F2413-11, M/I/75/C/75, EH, Mt/75 Leather Protector, NaturSeal™ CARE:

SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14



Thinsulate Ultra 400 gram


















## 2321 (Black) / 2322 (Brown) RED WING Women's Slip-On

UPPER: Full Grain Leather FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST**: 302

construction: Opanka

ASTM F2413-11, F/I/75/C/75, SD Leather Protector, Shoe Cream CARE: B 5-10,11 D 5-10 EE 5-10 SIZES:

R W LEATHER





Forager	
Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

Sole Resistance Chart



#### 2323 **RED WING Women's** Oxford

**UPPER**: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST**: 302

construction: Opanka

ASTM F2413-11, F/I/75/C/75, SD Leather Protector, Shoe Cream CARE: SIZES: B 5-10,11 D 5-10 EE 5-10









Sole Resistanc	e Chart	
Forager		SAN'S
Slip	Best	
Oil/Gas	Best	
Chemicals	Best	
Abrasions	Best	6
Heat	Better	
Non-Marking	No	

MADE IN VIETNAM



Static-Dissipative Anti-Estática







#### 2324 **RED WING Women's Oxford**

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic **LAST**: 302

**UPPER**: Full Grain Leather

construction: Opanka

RATING: ASTM F2413-11, F/I/75/C/75, SD CARE: Leather Protector, Shoe Cream SIZES: B 5-10,11 D 5-10 EE 5-10







Forager

Slip

Heat

Oil/Gas

Sole Resistance Chart Best Best Chemicals Best Abrasions Best Better Non-Marking No



#### 5107 WORX Women's Slip-On

**UPPER**: Oiled Nubuck Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic **LAST**: 882 **CONSTRUCTION**: Cement

ASTM F2413-11, F/I/75/C/75, SD

**Leather Protector** CARE: SIZES: M 6-10,11 WW 6-10





2016	RESISTANC	e Gliai i	
SSR	T		
Slip		Best	
0il/	Gas	Best	
Che	micals	Best	400
Abra	asions	Best	100
Hea	t	Good	200
Non	-Marking	Yes	<b>68</b>

MADE IN CHINA



#### 2382 **RED WING Women's Oxford**

**UPPER:** Full Grain, Water-Resistant Leather

FOOTBED: SD Foil-Felt Cushion

SHANK: Steel **LAST**: 323

**CONSTRUCTION**: Cement

ASTM F2413-11, F/I/75/C/75, SD RATING: Leather Protector, Shoe Cream CARE:

SIZES: D 4-10





#### Sole Resistance Chart **Tuffy SD Urethane** Slip Better Oil/Gas Best Chemicals Better **Abrasions** Better Heat Good Non-Marking Yes



#### 5430 WORX Women's Oxford

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Steel LAST: JDHHB **CONSTRUCTION**: Cement

ASTM F2413-11. F/I/75/C/75. SD CARE: Leather Protector, Polish SIZES: M 4-10,11 W 6-10





### Sole Resistance Chart **Crosscut Wedge** Slip Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA














## NEW

#### 5103 WORX Women's Oxford

FOOTBED: Removable Polyurethane-SD











LAST: 882 **CONSTRUCTION**: Cement

SHANK: Nylon

UPPER: Full Grain Leather

ASTM F2413-11, F/I/75/C/75, SD RATING: CARE: Leather Protector, Polish SIZES: M 5-10,11 WW 6-10

#### 5505 WORX Women's Athletic

ΞH ST

**Sole Resistance Chart** 

Rubber-PU Falcon Best Slip Oil/Gas Best Chemicals Better **Abrasions** Best Heat Best



Non-Marking

MADE IN CHINA



**UPPER:** Full Grain Leather FOOTBED: Removable Polyurethane shank: Steel

**LAST: 882** 

**CONSTRUCTION**: Cement

ASTM F2413-11, F/I/75/C/75, EH CARE: Leather Protector, Polish SIZES: M 5-10,11 WW 6-10

HR**b** 

#### 5344 WORX Women's Athletic





StarGrip® Womens

AT EH

otal alip iron	
Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Bette
Non-Marking	Vas

Sole Resistance Chart

Best

Best

Best

Good

No

Better

**Rubber-EVA Viper** 

Slip

Oil/Gas

Chemicals

Abrasions

Non-Marking

Heat

Sole Resistance Chart



MADE IN CHINA



**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Non-metallic LAST: 882

**construction**: Cement

RATING: ASTM F2413-11, F/I/75/C/75, EH CARE: Leather Protector, Polish SIZES: M 6-10,11 W 6-10

5108 WORX Women's Athletic

**UPPER:** Synthetic Leather and Nylon Mesh FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 228** 

construction: Cement

ASTM F2413-11. F/I/75/C/75. EH

**Leather Protector** CARE: SIZES: M 5-10,11 W 6-10



MADE IN VIETNAM









#### 5111 WORX Women's Athletic

FOOTBED: Removable Polyurethane

**UPPER:** Synthetic Leather and Nylon Mesh

SHANK: Non-metallic

**LAST**: 228

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, F/I/75/C/75, EH

SIZES: M 5-10,11 W 6-10





**Rubber-EVA Viper** Best Slip Oil/Gas Better Chemicals Best Abrasions Best

Good

No

Sole Resistance Chart



MADE IN VIETNAM



## **RED WING Women's Athletic**

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic **LAST: 228** 

**construction**: Cement

ASTM F2413-11, F/I/75/C/75, EH Leather Protector, Shoe Cream CARE: SIZES: B 5-10,11 D 5-10 EE 5-10





Heat

Non-Marking

#### **Rubber-EVA Viper** Slip Oil/Gas Better Chemicals Best **Abrasions** Best Heat Better Non-Marking Yes

MADE IN CHINA



#### 2337 **RED WING Women's Athletic**

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic

**LAST: 228** 

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, F/I/75/C/75, SD Leather Protector, Shoe Cream CARE: B 5-10,11 D 5-10 EE 5-10 SIZES:





## **Sole Resistance Chart**





MADE IN CHINA



#### 6553 WORX Women's Athletic

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

LAST: 882

**CONSTRUCTION**: Cement

ASTM F2413-11. F/I/75/C/75. EH Leather Protector, Polish CARE: SIZES: M 6-10,11 WW 6-10





## Sole Resistance Chart **SSRT Diamond**





MADE IN CHINA













#### 5110 WORX Women's Athletic







Yes

NT EH



Oil/Gas

Heat

Non-Marking



**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane SHANK: Non-metallic

**LAST: 882** 

**CONSTRUCTION**: Cement

ASTM F2413-11, F/I/75/C/75, EH RATING: CARE: Leather Protector, Polish SIZES: M 5-10,11 WW 6-10



#### 5433 WORX Women's Chukka

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Steel LAST: JDHHB

**CONSTRUCTION**: Cement

ASTM F2413-11, F/I/75/C/75, SD Leather Protector, Polish CARE: SIZES: M 4-10,11 W 6-10





**Sole Resistance Chart** 



MADE IN CHINA



#### 5169 WORX Women's 6-inch Hiker Boot

**UPPER**: Suede Leather FOOTBED: Removable EVA SHANK: Non-metallic **LAST: 220** 

**CONSTRUCTION**: Cement

RATING: ASTM F2413-11, F/I/75/C/75, EH

Leather Protector, Nubuck/Suede Cleaner Kit CARE:

SIZES: M 5-10,11 WW 6-10

HR





#### **Rubber-EVA Xplorer** Slip Best Oil/Gas Best Chemicals Best **Abrasions** Better Heat Best Non-Marking Yes

**Sole Resistance Chart** 



MADE IN VIETNAM



**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: TC-Tech **LAST**: 697

construction: Cement

ASTM F2413-11. F/I/75/C/75. EH

Leather Protector, NaturSeal™, Shoe Cream CARE:

SIZES: B 5-10 D 5-10 EE 6-10









Non-Marking














NT EH

Yes



#### 2326 **RED WING Women's** 6-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Redbed<sup>™</sup> featuring Agion® anti-microbial treatment

**SHANK**: Fiberglass **LAST**: 100

**CONSTRUCTION:** SuperSole® Welt

ASTM F2413-11, F/I/75/C/75, EH RATING: CARE: Boot Oil, Leather Protector SIZES: B 6-10 D 6-10 EE 4-6½,7-10









ST EH

Sole Resistance Chart Horizon™ SuperSole® Good Slip Oil/Gas Best Chemicals Better Abrasions Better Heat Good Non-Marking Yes





#### 5345 WORX Women's 6-inch Boot

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane

shank: Steel **LAST: 702** 

construction: Goodyear Welt

ASTM F2413-11, F/I/75/C/75, EH

Boot Oil, Polish CARE: SIZES: M 6-10,11 W 6-10







MADE IN CHINA



#### 2340 **RED WING Women's** 5-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

LAST: 800

**construction**: Direct Attach

RATING: ASTM F2413-11, F/I/75/C/75, EH Leather Protector, NaturSeal™ CARE: B 5-10,11 D 5-10 EE 6-10 SIZES:







ST EH ()







MADE IN CHINA



#### 2327 **RED WING Women's** 5-inch Boot

**UPPER:** Full Grain, Waterproof Leather FOOTBED: Cambrelle® Covered Polyurethane

SHANK: Non-metallic

**LAST**: 691

**CONSTRUCTION**: Direct Attach

ASTM F2413-11. F/I/75/C/75. EH Leather Protector, NaturSeal™ CARE:

SIZES: B 6-10,11 D 6-10









MADE IN CHINA





Aluminum Toe Casco de Aluminio



Non-Metallic Toe Casco No Metálico





Yes

2325 **RED WING Women's** 5-inch Hiker Boot







NT EH PR

**57** EH ()





Slip

Heat







**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: TC-Tech **LAST: 697** 

**CONSTRUCTION**: Cement

ASTM F2413-11, F/I/75/C/75, Mt/75 EH RATING: CARE: Leather Protector, NaturSeal™, Shoe Cream SIZES:

B 5-10 D 5-10 EE 6-10











3540 **RED WING Women's** 5-inch Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST: 800** 

construction: Direct Attach

ASTM F2413-11, F/I/75/C/75, EH CSA Grade 1, ESR Rated, PR CARE: Leather Protector, NaturSeal™ SIZES: B 5-10,11 D 5-10 EE 6-10





SWEN-FLEX KING TOE R W HR











MADE IN CHINA



83200 IRISH SETTER WORK Women's 6-Inch Boot

**UPPER**: Full Grain, Waterproof Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 220** 

**CONSTRUCTION:** Cement - Welt

ASTM F2413-11, F/I/75/C/75, EH Leather Protector, NaturSeal" CARE:

B 5-10,11 D 6-10 SIZES:









Sole Resistance Chart Vibram® Rubber-PU XClaim TC-4 Plus Best Slip Oil/Gas Best Chemicals Better **Abrasions** Best Heat Best

Yes

Non-Marking



MADE IN CHINA



5182 WORX Women's Oxford

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST: 882** 


construction: Cement

ASTM F2413-11. F/I/75/C/75. Mt/75 EH

Leather Protector, Polish CARE: SIZES: M 6-10,11 W 6-10



MADE IN CHINA













# MEN'S STYLES IN WOMEN'S SIZES


# More options for women


In addition to our 27 women's styles, we also show a selection of men's styles that could be considered for women. The following styles are specially selected from our larger product offering based on women's fit compatibility. Use the chart below to easily convert men's to women's sizes.



Men's to Women's Size Comparison Chart																
USA Men's			3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10
USA Women's	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12

Please note that there is no real standard for converting shoes. Your best option is to have your foot measured professionally at a local shoe store and get the Men's and Women's sizes directly from the measurement device.











8701 RED WING Men's Oxford













Pg. 18





Pg. 18



Pg. 20













6702 RED WING Men's Slip-On







Pg. 20



Pg. 21



Pg. 21







2337 RED WING Women's Athletic

5430 worx Women's Oxford

5433 worx Women's Chukka





Pg. 87











Pg. 84



5103 WORX Women's Oxford








Pg. 85 NEW

## **Soft Toe Options for Electro-static Dissipative**

These styles include the same purpose-built features as our safety toe footwear, without the protective toe cap. For a complete listing of all soft toe styles, visit our web site at redwingsafety.com.





#### 8618 **RED WING Men's Oxford**

**UPPER:** Full Grain Leather FOOTBED: FoamTech™ SD

**LAST**: 216

**construction**: Cement

RATING: ASTM F2892-11, SD

CARE: Leather Protector, Shoe Cream SIZES: B 9-12,13,14 D 6-12,13,14,15 E 7-12 EEE 6-12,13,14

R | W







#### 8700 RED WING Men's Slip-On

**UPPER**: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST: 225** construction: Opanka

RATING: ASTM F2892-11, SD

Leather Protector, Shoe Cream CARE:

B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 SIZES:

R | W



MADE IN VIETNAM

#### 8702 RED WING Men's Slip-On

**UPPER:** Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST**: 225

construction: Opanka

ASTM F2892-11. SD RATING:

Leather Protector, Shoe Cream CARE: SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13

 $R \mid W$ 




MADE IN VIETNAM











#### 8703 **RED WING Men's** Oxford

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST**: 225

construction: Opanka

ASTM F2892-11, SD RATING: CARE: Leather Protector, Shoe Cream

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13

CUSHIN R W



MADE IN VIETNAM

#### 8704 **RED WING Men's Oxford**

**UPPER:** Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST: 225** 

construction: Opanka

ASTM F2892-11, SD

CARE: Leather Protector, Shoe Cream

B 10-12,13,14 D 6-12,13,14,15 EE 8-12,13 H 8-12,13 SIZES:

CUSHIN RW



MADE IN VIETNAM

#### 5511 WORX Men's Oxford


**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Steel **LAST: 882** 

**CONSTRUCTION**: Cement

RATING: ASTM F2892-11, SD, SD Leather Protector, Polish CARE: SIZES: M 7-12,13 WW 8-12,13



Non-Marking

MADE IN CHINA



#### 4053 RED WING Men's Slip-On

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST: 225** 

construction: Opanka

ASTM F2892-11. SD

Leather Protector, Shoe Cream CARE: SIZES: B 9-12,13 D 7-12,13,14,15 EE 8-12,13

 $R \mid W$ 



Yes

MADE IN VIETNAM







Waterproof

A Prueba de Agua/Impermeable



#### 4054 RED WING Men's Slip-On

**UPPER:** Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic **LAST**: 225

construction: Opanka

ASTM F2892-11, SD RATING: CARE:

Leather Protector, Shoe Cream SIZES: B 9-12,13 D 7-12,13,14,15 EE 8-12,13



### Sole Resistance Chart Forager Slip Best <u>Best</u> Oil/Gas Chemicals Best Abrasions Best Heat Better Non-Marking No

MADE IN VIETNAM



#### 8329 **RED WING Men's Athletic**

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD


SHANK: Non-metallic

**LAST: 228** 

**CONSTRUCTION**: Cement

ASTM F2892-11, SD Leather Protector, Shoe Cream CARE:

SIZES: B 10-12,13,14 D 6-12,13,14,15,16 EE 8-12,13,14 H 8-12,13



**Abrasions** 

Heat

Sole Resistance Chart





MADE IN CHINA



#### 8337 **RED WING Men's Athletic**

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic

**LAST: 228 CONSTRUCTION**: Cement

RATING: ASTM F2892-11, SD

CARE:

Leather Protector, Shoe Cream B 10-12,13,14 D 6-12,13,14,15,16 EE 8-12,13,14 H 8-12,13 SIZES:



## **Sole Resistance Chart**

# Rubber-EVA Viper

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No



MADE IN CHINA



#### 8662 **RED WING Men's Chukka**

UPPER: Full Grain, Water-Resistant Leather

FOOTBED: FoamTech™ SD

**LAST**: 216

**CONSTRUCTION**: Cement

RATING: ASTM F2892-11, SD

Leather Protector. NaturSeal™ CARE:

B 10-12,13 D 8-12,13,14 E 9-12 EEE 8-12,13,14 SIZES:



## **Sole Resistance Chart**

Maxum® Lite SD Cross Country

Slip	Better
Oil/Gas	Better
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes



 $R \mid W$ 







Aluminum Toe Casco de Aluminio



Non-Metallic Toe Casco No Metálico





#### 5530 WORX Women's Oxford

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Steel LAST: JDHHB **CONSTRUCTION**: Cement

ASTM F2892-11, SD, SD RATING: CARE: Leather Protector, Polish SIZES: M 5-10,11 W 6-10



#### 1637 **RED WING Women's Athletic**

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic

**LAST: 228** 

**CONSTRUCTION**: Cement

ASTM F2892-11, SD Leather Protector, Shoe Cream CARE:

SIZES: B 6-10,11 D 6-10



MADE IN CHINA

#### 1620 RED WING Women's Slip-On

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

LAST: 302

construction: Opanka

ASTM F2892-11, SD

Leather Protector, Shoe Cream CARE: SIZES: B 5-10,11 D 5-10 EE 5-10

 $\mathbf{R} \mid \mathbf{W}$ 



#### **Sole Resistance Chart** Forager Slip Best Oil/Gas Best Chemicals Best **Abrasions** Best Heat Better Non-Marking No





#### 1621 RED WING Women's Slip-On

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST**: 302

construction: Opanka

ASTM F2892-11. SD

Leather Protector, Shoe Cream CARE: SIZES: B 5-10,11 D 5-10 EE 5-10

 $\mathbf{R} \mid \mathbf{W}$ 



MADE IN VIETNAM









#### 1623 **RED WING Women's** Oxford

**UPPER**: Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic **LAST**: 302

construction: Opanka

ASTM F2892-11, SD RATING:

CARE: Leather Protector, Shoe Cream SIZES: B 5-10,11 D 5-10 EE 5-10







### Sole Resistance Chart Forager Best Slip Oil/Gas Best Chemicals Best Abrasions Best Heat Better Non-Marking No

MADE IN VIETNAM

#### 1624 **RED WING Women's Oxford**

**UPPER:** Full Grain Leather

FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic **LAST**: 302 construction: Opanka

ASTM F2892-11, SD

CARE: Leather Protector, Shoe Cream B 5-10,11 D 5-10 EE 5-10 SIZES:








MADE IN VIETNAM











3526 RED WING Men's 6-inch Boot

Pg. 41
















3533 RED WING Men's Oxford

Pg. 23





## **Puncture Resistant**















































**Puncture Resistant** Resistente a las Perforaciones



Metatarsal Guard Protección Metatarsal 5618 WORX

NT EH

Pg. 36

Men's 6-inch Boot

3506 RED WING

Men's 6-inch Boot

6680 RED WING

2240 RED WING

Men's 6-inch Boot

NT EH ()

Pg. 32

Men's 5-inch Hiker Boot

6681 RED WING

NT EH ()

**5611** worx

Men's 6-inch Boot

Pg. 32

Men's 5-inch Hiker Boot

Pg. 56

Pg. 71

Pg. 80







Men's Oxford

NT EH MT










Men's 5-inch Hiker Boot



2340 RED WING Women's 5-inch Boot

2380 RED WING Women's 5-inch Hiker Boot

2325 RED WING Women's 5-inch Hiker Boot







Pg. 89





Pg. 88









Pg. 87



3540 RED WING Women's 5-inch Boot













1.888.873.5546

redwingsafety.com







Pg. 23

8701 RED WING Men's Oxford







Pg. 18





Pg. 19









6700 RED WING Men's Slip-On



5504 worx Men's Slip-On









Pg. 21









Pg. 20



Steel Toe Casco de Acero























5430 worx 2337 RED WING 5344 worx Women's Oxford Women's Athletic Women's Athletic ST 🕝 AT 📝 ST EH Pg. 84 Pg. 86 Pg. 85 **5433 WORX Women's** Chukka 2380 RED WING Women's 5-inch Hiker Boot 6553 WORX Women's Athletic **51** NT EH Pg. 86 Pg. 87 Pg. 87 5345 WORX Women's 6-inch Boot ST EH Pg. 88









#### 4053 RED WING Men's Slip-On

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane SD SHANK: Non-metallic

**LAST**: 225

construction: Opanka

RATING: ASTM F2892-11, SD

Leather Protector, Shoe Cream CARE: B 9-12,13 D 7-12,13,14,15 EE 8-12,13 SIZES:

R W



Sole Resistance	e Unart	
Forager		200
Slip	Best	
Oil/Gas	Best	
Chemicals	Best	
Abrasions	Best	6
Heat	Better	
Non-Marking	No	80

MADE IN VIETNAM

#### 5511 WORX Men's Oxford

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane-SD

**SHANK:** Steel **LAST**: 882

**construction**: Cement

ASTM F2892-11, SD, SD Leather Protector, Polish CARE: M 7-12,13 WW 8-12,13 SIZES:



#### Sole Resistance Chart **Crosscut Wedge** Best Oil/Gas Best Chemicals Best Abrasions Best <u>Heat</u> Good Non-Marking Yes

MADE IN CHINA



#### 8618 **RED WING Men's Oxford**

**UPPER**: Full Grain Leather FOOTBED: FoamTech™ SD

**LAST**: 216

construction: Cement

ASTM F2892-11, SD RATING: CARE: Leather Protector, Shoe Cream

B 9-12,13,14 D 6-12,13,14,15 E 7-12 EEE 6-12,13,14 SIZES:



# R | W



EH

#### Sole Resistance Chart Maxum® Lite SD Cross Country Slip Better Oil/Gas Better Chemicals Better Abrasions Best Heat Good Non-Marking Yes

Sole Resistance Chart

**TPU-PU Omni Comfort** 

Oil/Gas

Chemicals

Abrasions

Non-Marking

Heat

Better

Best

Best

Best

Good

Yes



ASSEMBLED W/IMPORTED COMPONENTS

#### 8636 **RED WING Men's Oxford**

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Leather Covered Polyurethane

SHANK: H-Tech Stabilizer

**LAST**: 701

**CONSTRUCTION:** Strobel Stitched - Cement

ASTM F2892-11. EH

Leather Protector, Shoe Cream CARE:

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13













107 **RED WING Men's Oxford** 

**UPPER:** Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® **SHANK:** Fiberglass **LAST: 504** 

**CONSTRUCTION:** SuperSole® Welt

ASTM F2892-11, EH Leather Protector, Shoe Cream

B 9-12,13 C 10-12,13 D 5-12,13,14,15,16 E 7-12,13,14 EE SIZES:

6-12,13,14,15 H 6-12,13,14









#### 133 **RED WING Men's Oxford**

**UPPER:** Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Non-metallic

**LAST**: 801

**CONSTRUCTION**: Direct Attach ASTM F2892-11, EH

Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

KING TOE R W



#### Sole Resistance Chart **TPU-PU Galaxy** Slip Better Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA



#### 8700 RED WING Men's Slip-On

**UPPER:** Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST**: 225

construction: Opanka ASTM F2892-11, SD RATING:

CARE: Leather Protector, Shoe Cream

B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 SIZES:

RW



# Sole Resistance Chart

Forager		A S
Slip	Best	
Oil/Gas	Best	
Chemicals	Best	
Abrasions	Best	1.6
Heat	Better	
Non-Marking	No	81

MADE IN VIETNAM

#### 8703 **RED WING Men's Oxford**

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane SD

SHANK: Non-metallic

**LAST: 225** 

construction: Opanka

ASTM F2892-11. SD

Leather Protector, Shoe Cream CARE:

SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13

CUSHIN





# **Sole Resistance Chart**



MADE IN VIETNAM













#### 6333 WORX Men's Oxford

**UPPER**: Polyurethane Coated Leather

FOOTBED: Removable EVA SHANK: Non-metallic **LAST: 882** 

**CONSTRUCTION**: Cement

CARE: Leather Protector, Polish M 7-12,13,14 WW 7-12,13 SIZES:



MADE IN CHINA



#### 6551 WORX Men's Oxford

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Steel **LAST: 882** 

**CONSTRUCTION**: Cement

Leather Protector, Polish CARE:

M 8-12,13,14,15 WW 8-12,13,14,15 SIZES:



MADE IN CHINA



#### 8337 **RED WING Men's Athletic**

**UPPER:** Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic

**LAST**: 228 **CONSTRUCTION**: Cement

ASTM F2892-11, SD RATING: CARE: Leather Protector, Shoe Cream

B 10-12,13,14 D 6-12,13,14,15,16 EE 8-12,13,14 H 8-12,13 SIZES:

Waterproof

A Prueba de Agua/Impermeable



# Sole Resistance Chart Rubber-EVA Viper

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Nn



MADE IN CHINA



#### 6266 WORX Men's 6-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 691

**CONSTRUCTION**: Direct Attach

ASTM F2892-11. EH Leather Protector, Polish CARE: SIZES: M 4-12,13,14 WW 8-12,13



MADE IN CHINA









#### 607 **RED WING Men's 6-inch Boot**

**UPPER:** Full Grain, Water-Resistant Leather

FOOTBED: ComfortForce® **SHANK:** Fiberglass **LAST: 695** 

construction: Dual Density Supersole® Welt

ASTM F2892-11. EH RATING: Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream CARE:

A 10-12,13,14 B 8-12,13,14,15 C 8-12,13 D 6-12,13,14,15,16 E 7-12,13 SIZES:

EE 6-12,13,14,15 H 7-12,13,14,15



#### Sole Resistance Chart Aztec SuperSole® 2.0 Better Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes





#### 923 **RED WING Men's** 6-inch Boot

**UPPER:** Full Grain Leather

FOOTBED: Redbed™ featuring Agion® anti-microbial treatment

**SHANK:** Fiberglass **LAST**: 694

**CONSTRUCTION:** SuperSole® Welt ASTM F2892-11, EH

Boot Oil, Leather Protector, Shoe Cream

SIZES: A 10-12,13,14 B 9-12,13,14,15 C 9-12,13 D 6-12,13,14,15,16 E 8-12,13

EE 6-12,13,14,15 H 8-12,13















#### 6235 WORX Men's 6-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Steel **LAST**: 702

**CONSTRUCTION:** Goodyear Welt ASTM F2892-11. EH RATING: CARE: Leather Protector, Polish SIZES: M 6-12,13 WW 7-12,13

#### Sole Resistance Chart StarGrip® Mens Slip Best Oil/Gas Best Chemicals Best **Abrasions** Best Heat Better Non-Marking Yes

MADE IN CHINA



#### 6286 WORX Men's 8-inch Boot

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST:** 691

**CONSTRUCTION:** Direct Attach

ASTM F2892-11, EH RATING: Leather Protector, Polish CARE: SIZES:

M 7-12,13,14 WW 8-12,13

#### Sole Resistance Chart PU Cascade I Slip Better Oil/Gas Best Chemicals Best **Abrasions** Best Heat Good Non-Marking Yes

MADE IN CHINA









Good

Yes



#### 1426 **RED WING Men's 8-inch Boot**

**CONSTRUCTION:** Dual Density Supersole® Welt

Leather Protector, NaturSeal™

D 7-12,13,14 EEE 8-12,13

**UPPER:** Full Grain, Waterproof Leather

FOOTBED: ComfortForce®

SHANK: Fiberglass

**LAST**: 695







Heat

Non-Marking



CARE:

SIZES:

Thinsulate Ultra 400 gram

ASTM F2892-11, EH











#### 968 RED WING Men's 10-inch Pull-On Boot

UPPER: Full Grain, Water-Resistant Leather FOOTBED: Nylon Covered Polyurethane

SHANK: Steel **LAST**: 55

**CONSTRUCTION**: Goodvear Leather Welt

Boot Oil, Leather Protector, Shoe Cream CARE: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 SIZES:











#### 1125 RED WING Men's 11-inch Pull-On Boot

**UPPER:** Full Grain, Water-Resistant Leather FOOTBED: Single density ComfortForce®

SHANK: Steel **LAST**: 199

**CONSTRUCTION:** SuperSole® Welt ASTM F2892-11, EH RATING:

Leather Protector, NaturSeal<sup>™</sup>, Shoe Cream CARE: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 SIZES:







#### Sole Resistance Chart Pathfinder™ SuperSole® Slip Better Oil/Gas Best Chemicals Better **Abrasions** Better Heat Good Non-Marking Yes



#### 6106 WORX Women's Slip-On

**UPPER**: Full Grain Leather FOOTBED: Removable Polyurethane

SHANK: Non-metallic

**LAST**: 914

**CONSTRUCTION**: Direct Attach Leather Protector, Polish CARE: SIZES: M 6-10,11 WW 6-10




MADE IN CHINA









#### 4174 **RED WING Women's Oxford**

**UPPER**: Full Grain Leather FOOTBED: Polyurethane SHANK: Non-metallic LAST: RDS801-5L **CONSTRUCTION**: Cement

Leather Protector, Shoe Cream CARE: M 5-10,11,12 W 6-10,11,12 SIZES:

#### Sole Resistance Chart Victoria Slip Best Oil/Gas Good Chemicals Good **Abrasions** Best Heat Best Non-Marking Yes

Sole Resistance Chart

Best

Best

Best

Best

Good

Yes

**Crosscut Wedge** 

Slip

Oil/Gas

Chemicals

**Abrasions** 

Non-Marking

Heat

MADE IN CHINA



# HR

#### 5530 WORX Women's Oxford

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Steel LAST: JDHHB **CONSTRUCTION**: Cement

CARE: M 5-10,11 W 6-10 SIZES:



MADE IN CHINA



#### 6554 WORX Women's Athletic

**UPPER**: Polyurethane Coated Leather FOOTBED: Removable Polyurethane

SHANK: Steel LAST: 882

**CONSTRUCTION**: Cement

CARE: Leather Protector, Polish SIZES: M 6-10,11 WW 6-10



MADE IN CHINA

#### 1637 **RED WING Women's Athletic**

**UPPER**: Full Grain Leather

FOOTBED: Removable Polyurethane-SD

SHANK: Non-metallic

**LAST**: 228

**CONSTRUCTION**: Cement

ASTM F2892-11, SD RATING: Leather Protector, Shoe Cream CARE:

B 6-10,11 D 6-10 SIZES:



MADE IN CHINA










Non-Metallic Toe Casco No Metálico





120





Made in U.S.A.

Identifying marks can be found throughout this catalog for your reference. MADE USA

Entire footwear style and materials are manufactured in the USA.

MADE USA W/IMPORTED IN THE USA

Footwear materials are imported and then manufactured in the USA. ASSEMBLED USA W/IMPORTED IN THE USA COMPONENTS

Footwear components are imported and then assembled in the USA.

U.S. manufacturing continues to be an important part of the one-hundredplus-year heritage of Red Wing Shoe Company. More than 60% of Red Wing brand footwear is either made entirely in the U.S. or is assembled in the U.S. with imported materials. Less than 40% of Red Wing styles are made complete elsewhere, at a time when 98% of all footwear sold in the U.S. today is made offshore. All Red Wing branded footwear, regardless where it's manufactured, meets Red Wing's high standards for quality, fit and performance. Many shoes made overseas even utilize Red Wing leather shipped from the U.S.

Red Wing Shoe Company operates two U.S. manufacturing plants. They are located in Red Wing, Minnesota, with a union workforce, and in Potosi, Missouri with a non-union workforce. These plants employ more than 800 skilled shoemakers and support staff in well-paying jobs. Red Wing also owns and operates, as a subsidiary, its own tannery in Red Wing, with a union workforce of more than 150 people.


These operations annually produce more than 1.5 million pairs of U.S.A.made/assembled work boots and other footwear. All design and most materials testing takes place within Red Wing facilities.

Additionally, Red Wing Shoe Company owns and operates more than 140 Red Wing Stores in the U.S., employing more than 500 retail store managers, truck drivers and sales associates. Together with Red Wing's corporate staff, total U.S. employment at Red Wing Shoe Company and its tannery exceeds 1,500 people. Red Wing also indirectly supports hundreds of additional U.S. retail jobs at more than 250 independently-owned Red Wing Stores.

For competitive reasons, Red Wing will continue to make select footwear styles outside the U.S. However, the company is committed to maintaining its U.S. production capabilities.




Casco No Metálico










U.S.A. Made

































## **U.S.** Manufactured
































2380 RED WING

ASSEMBLED USA W/IMPORTED COMPONENTS

Women's 5-inch Hiker Boot











Pg. 87

2325 RED WING Women's 5-inch Hiker Boot



MADE USA W/IMPORTED IN THE USA MATERIALS



Pg. 89



2326 RED WING Women's 6-inch Boot



# **RED WING SHOES Footwear Care and Accessories**

# Lengthen the life of your investment with Red Wing care products

Boots that are purpose-built for rugged, wet or rough work environments require personal attention and proper care. The long-term life and daily comfort of your footwear will be prolonged by taking a few minutes to apply the proper boot care products.

Red Wing has many products to make boots last longer. Before making a purchase, verify your selection by referring to the care specification for your specific footwear style number.





1-Clean

Before you can apply conditioners and protectors, you need to have a clean surface.

- **Darush** 95164: (12) brush measures approx. 6" x 2"
- **1 Leather Cleaner** 95163: (24) 4 oz. containers with brush applicator
- Nubuck/Suede Cleaner Kit 95166: (12 per case)
- Saddle Soap Paste 95136: (12 per case)
- **11/2 Dauber** 95165: (24) dauber measures approx. 4" long & 11/2" in diameter



2-Condition

When you condition boots, you help preserve the life of the leather.

- **Oiled Leather MAX™** 95135: (6) oiled sponges
- 6 Paste Wax 95127: Black NEW 95131: Brown (12) 3 oz. containers
- **U** Leather Conditioner 95140: (24) 6 oz. containers
- Mink Oil 95160: (24) 25/8 oz. containers 95122: (48) .75 oz. containers
- **Deliver** Black Leather Conditioner 95126: (24) 25/8 oz. containers
- **Matural Boot Oil** 95132: (24) 8 oz. containers
- **Naturseal**™ 95144: (24) 4 oz. containers-liquid

95145: (24) 4 oz. containers-paste 95146: 1 gallon-liquid

- **10 Boot Oil** 95120: (48) 3∕4 fluid oz. cans 95130: (24) 8 fluid oz. cans 95150: (1) 1 gallon 95151: (12) 32 fluid oz. containers
  - 95152: (12) 16 oz. oil containers w/adjustable brush-empty
- © Empty Naturseal™ Bottle With Brush 95153: (12/case) 16 oz. containers
- All Natural Leather Dressing 95142: (24) 4 oz. containers
- Shoe Cream 95170: Black 95171: Dusky Brown 95172: Medium Brown 95174: Burgundy 95176: White 95177: Neutral 95178: Brown 95179: Red Mahogany 95181: London Tan (oro) (12) 1.6 oz. glass jars






Add extra protection to help preserve your footwear investment.

- Leather Protector 95162: (12) 4 oz. non-aerosol pumps
- **Silicone** 95110: (24) 4 oz. cans-dauber 95115: (24) 6 fl. oz. spray pumps 95155: (1) 1 gallon
- **SHOE GOO**® 95124: (12) 3.7 fl. oz. tubes
- **1 Toe Armor™** 95128: Brown 95129: Black (6) 2 oz. containers
- **10 TUFF TOE**® 95133: Black 95134: Brown (12) 1.7 fl. oz. containers
- Boot Bumper™ 95182: Black 95183: Dark Brown 95184: Tan 95185: Multi-pack display (12 per case) Size: One size fits all







Socks are an integral part of the environment inside the boot that provide additional cushioning, insulation and moisture wicking to keep feet dry.



Red Wing has the right glove for the job. Customers can choose from genuine leather or durable synthetic leather options to find the right glove for their needs.



Footbeds provide underfoot comfort and stability for workers on their feet.



Red Wing offers over 180 purpose-built accessories that provide everything you need to gear up for your jobsite.



# 2014 Accessories Catalog

For the full product listings and descriptions of our Red Wing care products and accessories, ask your sales representative for the 2014 Red Wing Accessories Catalog.

To view online visit:

rwsc co/ac

# **RED WING SHOES, Irish Setter Work, WORX Soft Toe Styles**We carry over 150 STYLES in our soft toe footwear lines.



# Red Wing provides a large selection of soft toe styles.

Red Wing, Irish Setter Work and WORX brands all carry soft toe lines in addition to our safety toe footwear. These syles include the same purposebuilt features as our safety toe footwear, without the protective toe.

# See them all online!

Still looking for more styles? You can view all of our soft toe styles online by going to redwingsafety.com and filtering the product. You will find the soft toe option under the features drop down menu. This will display all the soft toe styles Red Wing carries: Red Wing, Irish Setter Work and WORX.

Footwear	Size	e Co	omp	ari	son	Ch	art	(Fo	r M	ost	Coi	mm	on	Inte	rna	tio	ıal	Sys	ten	ıs)				
USA Men's			3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	13	14	15	16
USA Women's	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12								
European (EU)	34		35		36	37		38		39	40	41		42		43		44	45	46	47	48	49	50
British	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12	13	14	15
CM Men's			21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5	29	29.5	30	31	32	33	34
CM Women's	21	21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5								

Please note that there is no real standard for converting shoes. Your best option is to have your foot measured professionally at a local shoe store and get the Men's and Women's sizes directly from the measurement device.

# **RED WING SHOES Technology Reference**



Red Wing "Force" technologies ensure comfort and protection for today's modern craftsmen on the job.



ForceShield™: This technology provides amazing impact absorption for reliable foot protection. Made of a thin, breathable material, it forms a flexible but protective barrier against impact hazards. Under normal conditions, it retains its soft, flexible nature. When impacted quickly at high stress rates, it actually "freezes" - like water turning to ice - to absorb and dissipate up to 90% of the energy. From metatarsal protection that shields feet from falling objects without the stiffness and bulk of traditional metguards, to ankle protection against painful side impacts, this revolutionary technology changes the nature of foot protection.



ForceGuard™: This technology is a protective covering that provides long-wearing abrasion, oil and chemical resistance on critical areas of the boot.



FlexForce\*: This technology combines increased flexibility in the forefoot with a stable platform in the heel. A superior dual-construction process incorporates a welted heel for extra stability, with flexible cement construction in the forefoot for added cushion and a comfortable fit. Elements from our exclusive DynaForce\* insole are built in to reduce underfoot pressure.



**DynaForce®:** A built-in insole system that absorbs pressure and provides overall support, stability and comfort. This innovative technology dramatically reduces underfoot pressure, and blocks painful pressure points by redistributing them evenly across the foot while minimizing shock.



ComfortForce®: This removable footbed features unique Venturi air perforations to help keep feet cool and dry all day. The special weave pattern helps channel the energy caused by walking, and the arch is curved to add extra comfort.

# Red Wing proprietary technologies provide premium performance for the life of the product.



RW Waterproofing System: This system uses a 3-layer approach to keep feet dry. 1 - Linings help move moisture away from the foot to keep it dry. 2 - Foam provides cushioning and a comfortable fit. 3 - A waterproof bootie is a barrier to keep water out. Tricot, a protective material, is applied to the outside of the bootie to ensure a complete waterproof system.



**KING TOE**®: Larger, non-metallic safety toe box provides 44% more toe room and comfort than our standard steel toe work boots.



CuShin: Comfort tongue technology was designed to minimize pressure some workers feel on their shin or ankle from the top of the boot tongue. A four-way stretch nylon offers relief and flexibility while walking, and an internal padded waffle mesh maintains premium comfort.



RW RedBed\*\*: Advanced comfort via 4-layer construction of a moisture managing fabric cover, impact absorbing urethane foam, heel and motion wraparound stabilizer and heel strike gel elastomer cushion pad. Also features perforated ventilation, instep supporting columns, longitudinal arch support and engineered heel wall geometry for upper heel strike control.



RW Leather: Starting with hides from U.S. raised cattle with minimal surface imperfections, we control every step of the process, using time-honored techniques to craft leather with natural beauty and unmatched durability.



#### **Blood-Borne Pathogen Protection:**

Footwear that carries the blood-borne pathogen logo incorporates a waterproof membrane that is highly breathable. In addition, the membrane has been shown to provide resistance to penetration of blood-borne pathogens per ASTM F1671. However, no product offers total protection. In spite of the high quality standards to which this footwear and the membrane are produced, the barrier properties can be compromised by many factors, including wear, tears, delamination, sewing or imperfect seams. Under no circumstances will Red Wing Shoe Company, Inc., or the manufacturer of the membrane, be responsible for damages arising from the use of this product.



Heat-Resistant Outsole (HRO): Soles that have been designed and tested to perform on high heat surfaces. Soles identified as HRO are heat resistant to melting at a minimum of 475° Fahrenheit.



RW SuperSole™: Single density urethane sole designed to provide durability and comfort. It delivers performance factors of abrasion resistance, cut resistance, traction, and oil and chemical resistance.



RW SuperSole™ 2.0: Dual density urethane sole designed with inner sole to provide cushion and comfort, and outer sole to provide durability and protection. This premium sole not only provides top performance in traction, abrasion resistance, cut resistance, oil and chemical resistance, but also delivers maximum comfort.

# Irish Setter technologies provide premium performance for the life of the product.

#### ULTRA DRY

## UltraDry™ Waterproofing System:

Our UltraDry™ construction combines a moisture management lining with waterproof components for dry, long-lasting comfort and performance.



StableFlex: This technology combines increased flexibility in the forefoot with a stable platform in the heel. Our superior dual-construction process incorporates a welted heel for extra stability, with cement construction in the forefoot for added flexibility and a comfortable fit.



RPM™ Technology: A breakthrough composite material that significantly reduces the weight of the boot, providing extreme comfort and added endurance. Engineered to provide the durability and strength of traditional materials without the extra weight.



ExoFlex™ Technology: Patent-pending, ExoFlex™ technology allows the boot to expand to accommodate the back of your foot. And then once you're in, it contracts for a lock-tight, high-performance fit that provides toe spring and agility in every stride.



ThermalBoost™: This construction incorporates underfoot insulation that serves as a barrier to heat loss between the foot and frozen ground.



ArmaTec: This technology is a protective covering that is incredibly tough and abrasion resistant. Placement of ArmaTec in high wear areas helps preserve and lengthen the life of a boot.



Trout Brook Leather: Handcrafted by our S.B. Foot Tanning Company, this leather is crafted exclusively for our Irish Setter brand and is named after the trout brook which flows just outside the back door of the tannery in Red Wing, Minnesota. Using only U.S.-raised steer hides, the master tanners at S.B. Foot use time-proven methods to create the most durable leather, leather that will meet the demands of the toughest trail or job site.

## WORX technologies provide premium performance for the life of the product.



## **WORX® 6 Month Waterproof Warranty:** See page 136 for details.



Goodhue Leather: Handcrafted, full grain leather manufactured by our S.B. Foot Tanning Company in Red Wing, Minnesota. Goodhue Leather is crafted using time-proven techniques, to yield the right color, consistency and durability.

Red Wing Shoes partners with leading technology companies and well-known brands to develop innovation in work footwear.



GORE-TEX®: Red Wing uses GORE-TEX® for the ultimate in comfort and protection. The GORE-TEX® membrane blocks moisture from the outside, while allowing moisture inside to evaporate. GORE-TEX® has over 9 billion pores per square inch that prevent water from getting to your feet while allowing sweat vapor to pass right through, keeping your feet dry and comfortable in all conditions.



#### 3M™ Thinsulate™ Insulation: Thin,

warm and lightweight insulation with the versatility to be worn outside and inside, to work and at work, keeping active feet comfortable even in damo conditions.

## Thinsulate Ultra

## $3M^{\scriptscriptstyle TM}$ Thinsulate $^{\scriptscriptstyle TM}$ Ultra Insulation:

The ultimate insulation for cold weather boots, 3M™ Thinsulate™ Ultra Insulation is thin, warm and lightweight, with the durability to withstand long hours of hard wear and keep feet warm even in damp conditions.



## CSA Grade 1 & ESR Classification:

Refers to the Canadian Standards Association's (CSA) approval (CAN/ CSA-Z195-02) for protective footwear.

# SWEN-FLEX<sup>2</sup>

SwenFlex®: These non-metallic, puncture resistant midsoles are manufactured from high strength, woven fibres. They meet or exceed all world standards for puncture resistance including CSA, ASTM and EN.



#### **Boa® lacing system:** Boa® is a

revolutionary closure system for boots that makes getting in and out of lace-up boots faster and easier than ever. Turn the dial to tighten laces to the perfect tension, with no pressure points. One click of the reel releases the laces instantly.



Vibram®: Exceptional design intersects with innovative rubber compounds to create versatile, performance outsoles. Vibram® outsoles offer excellent traction and high abrasion resistance in a multitude of environments

# **WORK ENVIRONMENT HAZARDS**

Every work environment exposes workers to different types of hazards. Each employer is required to perform a workplace assessment to determine the presence of work hazards and the need for personal protective equipment (PPE). In the case of foot injuries, common potential hazards include falling or rolling objects, electrical shock or piercing of footwear soles with sharp objects. There are countless situations and hazards that occur in the workplace everyday that can cause serious foot injury. The best protection from the work hazards that you can and cannot anticipate is quality PPE. For footwear, Red Wing Shoe Company is committed to providing quality, safety footwear for many types of workers and their working environments.

The footwear protection guidelines in this catalog were gathered to provide a general overview and quick comparison of global footwear safety standards. This information is not a definitive standard and we encourage you to refer to the official safety standard for clarification.

# PROTECTION STANDARDS

Red Wing safety shoes and boots adhere to the most rigorous industry safety standards, regardless of how extreme the conditions. Workers the world over have come to depend on Red Wing boots as the standard in safety footwear performance. Two major governing bodies regulate safety standards in North America: ASTM and CSA.

ASTM International: ASTM plays a leadership role in setting safety standards for footwear and other products.

ASTM F2413-11: Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear. Applies to the following hazards: I, C, Mt, Cd, EH, SD, PR

1/75 C/75: This rating is for impact and compression resistance. It determines a shoe's capacity to protect the toe area against falling or rolling objects. "I/75 and C/75" refer to the impact and compression energy in foot pounds for which the boot is rated. Class 75 is the highest level and is recommended for most applications.

impact & compression resistance measurements rated to 75 ft lbs. for safety toe footwear metatarsal rated to 75 ft lbs. puncture resistant rated ASTM F2413-11, I/75C/75, Mt/75 SD PR EH, footwear standard static dissipative revision electrical hazard rated date rated

Canadian Standards Association (CSA): CSA is a not-for-profit, membership-based association that develops Canadian standards to enhance public safety and health. The standard for foot protection is listed as CSA approved.



Indicates the highest Canadian standard, 125 joules of energy, for toe impact with sole protection. There is a puncture-resistant midsole in every pair of CSA Grade 1 footwear that withstands a force of not less than 1200 N.



Indicates soles that provide resistance to electrical shock. Under dry conditions, leakage current shall not exceed 1 mA when footwear is exposed to 18 kV at 60Hz for 1 minute

lighter weight

material does

not trip metal

detectors

L

CSA Grade 1 & ESR Rated: Refers to the Canadian Standards Association's (CSA) approval (CAN/CSA-Z195-09) for protective footwear.

ASTM F2892-11: Refers to the ASTM Standard Specification for Performance Requirements for Soft Toe Protective Footwear (Non-Safety/Non-Protective Toe). ASTM developed non-safety toe cap (soft toe) requirements to allow manufacturers to demonstrate the performance level of non-safety toe cap (soft toe) footwear. This specification covers minimum requirements for the performance of footwear to provide protection against a variety of workplace hazards other than the toe area that can potentially result in injury, for example, electrical hazard and static dissipative.

Conductive Footwear: Designed to dissipate static electricity from the body, through the shoes into grounded floors. Minimizes static electricity, which reduces the possibility of ignition of volatile chemicals or explosives. WARNING: Conductive footwear is not to be worn near open electrical circuits or highly charged objects of any kind requiring electrical hazard (nonconductive) footwear. Red Wing does not currently manufacture or market conductive footwear.

# TOE PROTECTION

Heavy falling or dropped objects and vehicles in motion are work hazards your customers face every day. In many cases, employers require protective footwear; in other cases, it just makes good sense. Red Wing has three types of toe caps to choose from. All of Red Wing's safety toe footwear meets ASTM F2413-11, 1/75C/75 standards for impact and compression.



rolling objects and crushing accidents



made from the

most durable

material for

ultimate protection








Aluminum Toe: Made from aluminum material, these caps are 31% lighter than steel while still

Non-metallic Toe: Made from varying combinations of nylon, plastic, and fiberglass, this toe cap provides the protection of a steel meeting the same safety standards. toe cap without the inconvenience of tripping metal detectors **TESTING:** Compression Resistance tests



Above: The weight is dropped onto the protective toe cap area

TESTING: Impact Resistance tests the shoe's capacity to protect the toe area of the foot against falling objects. For Impact testing, a weight is dropped onto the protective toe cap area of the footwear. The clearance remaining inside the cap after impact is then determined. Each standard identifies the atmospheric conditions of the test, the shape of the striker, the amount of weight and distance from which the weight must be dropped, the velocity of the drop and the impact energy delivered.





Above: The toe cap is being compressed between the parallel platens

# OTHER PROTECTION CHARACTERISTICS

Red Wing designs and builds boots with protection for various applications, including Electrical Hazard, Static-Dissipative, Puncture Resistant, and Metatarsal Guard. All Red Wing safety footwear for use in North America meets ASTM F2413-11 standards.



# **ELECTRICAL HAZARD**



Electrical Hazard protective sole and heel. The sole construction of this footwear is designed to reduce hazards due to contact of the outsole with electrically energized parts, to provide a secondary source of protection. EH designates footwear that is designed to withstand 18,000 volts (rms) at 60Hz for one minute with no current flow or leakage in excess of 1.0 milliamperes (mA) under dry conditions.

WARNINGS: EH footwear is not to be worn near explosives or in other environments requiring conductive footwear. EH protection is severely deteriorated in the following conditions: excessive wear on the soling material or exposure to wet or humid environments or both. **TESTING:** To test electric shock resistant properties, the footwear is placed on a metal mesh platform acting as a large electrode. The footwear is filled with small metal spheres and a second electrode is placed within the spheres. A specified high voltage is applied to the footwear through the metal platform for a given length of time. Resistance is determined by the current flow (or leakage) through the footwear



# Tempered steel toe caps.

# **ALUMINUM TOE**

ICON REFERENCE

All safety toes meet

ASTM F2413-11, I/75 C/75 standards for impact

and compression.

ST

STEEL TOE

Durable, aluminum toe caps are 31% lighter than steel.



# **NON-METALLIC TOE**

Non-metallic toe caps designed for metal sensitive areas.

All protection methods meet ASTM F2413-11 standards.



# **ELECTRICAL HAZARD**

Extra protection from accidental contact with electrically energized objects.



## **PUNCTURE RESISTANT**

Non-metallic or steel midsole reduces foot injuries due to sole puncture.



### **METATARSAL GUARD**

Equipped with a guard that protects the metatarsal area and toes from falling objects.



## STATIC-DISSIPATIVE

Helps control the amount of electrical discharge from the body, ideal for sensitive electronic environments.



### WATERPROOF

Boot construction that keeps feet dry in wet conditions.



# INSULATED Layers of insulating components provide warmth.

Above: The boot is placed on the metal mesh platform. The gauges measure leakage through the



# STATIC-DISSIPATIVE



Static-Dissipative standards for the reduction of the accumulation of excess static electricity by conducting the charge from the body to the ground, while maintaining electrical resistance from  $10^6$  ohms (1 megohm) to  $10^8$  ohms (100 megohms).

RECOMMENDED: Static-dissipative footwear should be worn only in clean environments and in conjunction with static-dissipative flooring. TESTING: Test methods for Static Dissipation vary by standard, using either human subjects or metal spheres inside footwear that are placed on either a wet or dry base electrode plate. A specified voltage is applied for a prescribed time and the electrical resistance is measured. Test conditions also vary in specified atmospheric conditions.



Above: The tester steps on the base electrode plate while the electrical resistance is measured



## **PUNCTURE RESISTANT**



Puncture Resistant standards for reducing the possibility of puncture wounds to the sole of the foot by penetrating objects. Footwear contains a puncture-resistant protective device, such as the midsole, that must be an integral part of the shoe to meet ASTM F2413-11. Must withstand a minimum force of not less than 270 pounds-force.

TESTING: Puncture resistant devices are tested using a sharp steel pin forced into the device at a given speed. The force required to puncture through the device is measured. The devices are also tested for flexibility and corrosion resistance.



Above: The steel pin is forced into the midsole to determine the amount of force required to puncture the material



## **METATARSAL GUARD**



Metatarsal Guard standards for protection of the upper foot and toe area. Developed to reduce or prevent injury to the wearer's metatarsal area (instep) and toes from "drop" hazards.

TESTING: For testing, a wax form is fit into the footwear and a weight is dropped onto the protected metatarsal area of the footwear, similar to the impact test. The height of the wax form after impact is then determined.



Above: The weight is dropped on

For your convenience, we have included a reference to these websites to provide further information about the footwear standards we use for approving our footwear as well as other sites that include information about safety.

ASTM: www.astm.org Canadian Standards Association (CSA): www.csa-america.org

OTHER SAFETY RELATED ORGANIZATION WEBSITES American National Standards Institute (ANSI): www.ansi.org

International Organization for Standardization (ISO): www.iso.org

Occupational Safety and Health Administration (OSHA): www.osha.gov

CAN/CSA standards information by Canadian Standards Association, 5060 Spectrum Way, bureau 100, Mississauga, Ontario, Canada L4W 5N6.

ASTM standards information is copyrighted by ASTM

International, 100 Barr Harbor Drive, PO Box C700,

West Conshohocken, PA 19428-2959, United States.

DISCLAIMER: Red Wing Shoe Company, Inc. and their agents expressly state that these descriptions do not represent the actual formal standard - it only provides a quick comparison and general descriptions of testing methods and requirements. Refer to the actual published standards for specific requirements.

This general standards reference guide does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of these standards to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

The standards are subject to revision at any time by the responsible technical committee(s). ASTM standards must be reviewed every five years and if not revised, either re-approved or withdrawn.

DISCLAIMER: While all Red Wings protect your feet in one way or another, accidents can still happen and injuries can still occur. In an effort to prevent or minimize injury in the event of an accident, we offer footwear with the features above for added protection for your feet from the dangers of the job.

# Red Wing, Irish Setter Work and WORX Warranties

# **Red Wing Warranties**

## LIMITED WARRANTY RELATING TO RED WING BRANDED FOOTWEAR

Footwear products bearing the "Red Wing" or "Red Wing Shoes" label are warranted against defects in workmanship and materials. If within 6 months of purchase, a defect occurs in a Red Wing branded footwear product as the result of normal use, Red Wing will repair the defect or exchange the product. If a product defect occurs as the result of normal use within 6 to 12 months after purchase, Red Wing will repair the defect or issue a credit for 50% of the purchase price. If a product defect occurs as the result of normal use 12 months or more after purchase, Red Wing may, at its option, issue a fair and reasonable credit that can be applied to the purchase of Red Wing branded footwear. The amount of the credit will be determined in the dealer's sole judgment. Product failures caused by excessive or abusive wear conditions do not qualify for exchange or purchase credit. This warranty is available only to the original purchaser and is not transferable. No adjustment will be given without the original receipt of purchase. You must return your footwear to the Red Wing Shoe dealer from which the footwear was purchased.

**DISCLAIMER:** The limited warranty relating to Red Wing branded footwear is in lieu of any other express warranty. No agent, employee or representative of Red Wing has any authority to bind Red Wing to any affirmation, representation or warranty concerning Red Wing branded footwear products, except as stated herein. Red Wing shall not be liable for any consequential or incidental damages.

This limited product warranty gives you specific legal rights, and you may also have other rights that vary from state to state. Any implied warranties shall be effective for a period not exceeding 12 months from the date of purchase. Some states do not allow manufacturers to impose time limitations on certain implied warranties, so the above limitation may not apply to you.

#### 30-DAY UNCONDITIONAL COMFORT GUARANTEE

If during the first thirty (30) days immediately following your purchase you are not satisfied with the comfort of your Red Wing branded footwear for whatever reason, Red Wing will refund the purchase price to you, no questions asked, provided you still have your dated receipt of purchase. No adjustment will be given without the original receipt of purchase. You must return your footwear to the Red Wing Shoe dealer from which the footwear was purchased. Limit one return per customer.

# Irish Setter Work Warranties \_

#### LIMITED WARRANTY RELATING TO IRISH SETTER FOOTWEAR

This warranty is available only to the original purchaser and is not transferable. No adjustment will be given without the original receipt of purchase. You must return your footwear to the Irish Setter dealer from which the footwear was purchased. Irish Setter Work branded footwear products are warranted against defects in workmanship and materials. If within six months of purchase, an Irish Setter Work branded footwear product defect occurs as the result of normal use, Red Wing Shoe Company, Inc. ("Red Wing") will repair the defect or exchange the product. If a product defect occurs as the result of normal use six months or more after purchase, Red Wing may, at its option, issue a fair and reasonable credit that can be applied to the purchase of Irish Setter Work branded footwear. The amount of the credit will be determined in the dealer's sole judgment. Product failures caused by excessive or abusive wear conditions do not qualify for exchange or purchase credit.

Irish Setter Work rubber footwear products are warranted against defects in workmanship and materials. If within sixty days of purchase, an Irish Setter Work

rubber footwear product defect occurs as the result of normal use, Red Wing Shoe Company, Inc. ("Red Wing") will repair the defect or exchange the product. If a product defect occurs as the result of normal use after sixty days and up to six months from the date of purchase, Red Wing may, at its option, issue a fair and reasonable credit that can be applied to the purchase of Irish Setter Work rubber footwear. The amount of the credit will be determined in the dealer's sole judgment. Product failures caused by excessive or abusive wear conditions do not qualify for exchange or purchase credit.

**DISCLAIMER:** The above warranty is in lieu of any other warranty, expressed or implied. No agent, employee or representative of Red Wing has any authority to bind Red Wing to any affirmation, representation or warranty concerning Irish Setter branded footwear products, except as stated herein. Red Wing shall not be liable for any consequential or incidental damages.

This limited product warranty gives you specific legal rights, and you may also have other rights that vary from state to state. Any implied warranties shall be effective for a period not exceeding 6 months from the date of purchase. Some states do not allow manufacturers to impose time limitations on certain implied warranties, so the above limitation may not apply to you.

# **WORX Warranties**

#### LIMITED WARRANTY RELATING TO WORX FOOTWEAR

WORX footwear products are warranted against defects in workmanship and materials. If within 6 months of purchase, a WORX footwear product defect occurs as the result of normal use, Red Wing Shoe Company, Inc. ("Red Wing") will repair the defect or exchange the product. If a product defect occurs as the result of normal use 6 months or more after purchase, Red Wing may, at its option, issue a fair and reasonable credit that can be applied to the purchase of WORX footwear. The amount of the credit will be determined in the dealer's sole judgment. Product failures caused by excessive or abusive wear conditions do not qualify for exchange or purchase credit. This warranty is available only to the original purchaser and is not transferable. No adjustment will be given without the original receipt of purchase. You must return your footwear to the WORX dealer from which the footwear was purchased.

**DISCLAIMER:** Except for express waterproof warranties for certain footwear styles, the above warranty is in lieu of any other warranty, expressed or implied, including any warranty of merchantability or fitness for a particular purpose. No agent, employee or representative of Red Wing has any authority to bind Red Wing to any affirmation, representation or warranty concerning WORX footwear products, except as stated herein. Red Wing shall not be liable for any consequential or incidental damages. This limited product warranty gives you specific legal rights, and you may also have other rights that vary from state to state. Any implied warranties shall be effective for a period not exceeding 6 months from the date of purchase. Some states do not allow manufacturers to impose time limitations on certain implied warranties, so the above limitation may not apply to you.

# 6-MONTH WATERPROOF WARRANTY

Waterproof WORX products are warranted not to leak for six months from the date of purchase provided that the product is properly maintained. If within six months this product leaks as the result of normal use, WORX will repair the defect or exchange the product. Product failures caused by excessive or abusive wear conditions (cut, punctured or severely scraped) do not qualify for exchange or purchase credit. This warranty is available only to the original purchaser and is not transferable. No adjustment will be given without the original receipt of purchase. You must return your footwear to the WORX dealer where the footwear was purchased.

**DISCLAIMER:** The above warranty is in lieu of any other waterproof warranty. No agent, employee or representative of Red Wing has any authority to bind Red Wing to any affirmation, representation or warranty concerning WORX products, except as stated herein. Red Wing shall not be liable for any consequential or incidental damages.

This limited product warranty gives you specific legal rights and may also provide other rights that vary from state to state. No other written or express guaranties or warranties shall apply. Any implied warranties shall be effective for a period not exceeding six months from the date of purchase. Some states do not allow manufacturers to impose time limitations on certain implied warranties, so the above limitations may not apply to you.

Style #	Page	9	AT	NT	ΞH	PR	MT (	D O	*	Style	# Pa	ge	T A	<b>1</b>	EH	PR	ΜT	0	0	*	Style #	Page	<b>5</b>	<b>AT</b> (	NT	EH PR	MT	0	<b>O</b> &	Style #	Pa	ge (	<b>5</b>	AT	<b>(1)</b>	EH [	PR (	<b>11</b>	0	*
107	116				•					3502	2 3	3	T	•	•	•					5301	30	•		_	•				6667	3	1 (	•	$\Box$	- (	•	$\mp$	$\perp$	•	
133 607	116 118			Н	•		+	-	-	3505 3506		$\rightarrow$		•	•	•		Н	•		5335 5344	40 85	•	+	_	•	$\vdash$			6668 6670	3	_	•	$\dashv$	_	•	+	+	•	
923	118				•					3507		-			•	•					5345	88	•			•				6672	3	_		•		•			•	
968 971	119						4			3508		_			•	•		Н			5373 5374	29	•		_	-	$\sqcup$	•		6674 6680	3:	_	_	•		•	+	+	•	L
988	45 67	•			•		$\dashv$	•	+	3510 3512		-	+	•	•	•			•		5411	29	•		+		$\vdash$	•		6681	3	$\rightarrow$	$\dashv$	$\dashv$	-	•	+	+	•	
1125	119	Ť			•					3526		_		Ť	•	•					5413	25	•					•		6690	3	_		•	_	•			•	
1426	119				•			•	•	3527		-	•	_	•	•			•		5424	37	•		_	•				6691	3	_		•		•	4	$\perp$	•	L
1620 1621	99	+		Н			$\rightarrow$	•	+	3530 3533		_		•	•	•	•	H	•		5425 5430	38 84	•	-	-	•	$\vdash$	•	+	6692 6700	2	-		•		•	+	•	⊬	H
1623	100						$\rightarrow$	•		3535	_	_			•	•					5432	56	•			•			• •		1	_	•		$\top$	+		•	+	
1624	100						$\rightarrow$	•		3539		_			•	•					5433	87	•					•		6702	2	_		•	$\Box$	$\Box$	$\Box$	•		
1637 2201	99 67	•			•		- 1	•		3540 3548		-		•	•	•		$\vdash$	•	•	5486 5489	76 77	•		$\rightarrow$	•	•			6703 6704	2	_	-	•	+	+	+	•	$\vdash$	H
2202	48	•		Н	•					3568		-			•	•					5500	30	•		_	•				6707	2	_		•	+	+	+	•	$\vdash$	
2205	33		•		•					4053		-						•			5501	30	•			•				8329	9	-				1	1	•		
2206 2211	47 57	•			•		$\dashv$	•	-	4054 4174		-	+	+	-	$\vdash$		•			5503 5504	20	•			+	$\square$	•	+	8337 8618	9	_		$\dashv$	+	+	+	•	+	
2214	64	•		Н			+	•		4212		$\rightarrow$		+	•			H	•		5505	85	•		•		$\vdash$			8636	11	_	-	$\dashv$	١,			•	+	
2215	80			•		•	•	•	)	4216		-		•	•				•		5509	29	•							8662	9	8				ユ	1	•		
2218	59	•			•		$\dashv$	+	-	4273		$\rightarrow$		$\perp$	•	•		Н	•		5511	97			_	$\perp$	$\sqcup$	•	$\perp$	8700	9	_		$\dashv$	$\dashv$	+	+	•	$\vdash$	L
2220 2221	37 62	•		•	•			+	+	4403 4405		-			•			$\vdash$	•	•	5530 5553	99 50	•		-	•	$\forall$	•	+	8701 8702	9	_	•	$\dashv$	+	+	+	•	+	
2223	37	•			•					4406	6 4	5 (			•				•		5582	73	•		$\rightarrow$	•	•			8703	9	7			士	士	$\perp$	•	+	
2226	37	•		Ц	•			-		4407		-		+	•	L	$\vdash$	Ц			5584	74	•	4	-	•	•		$\perp$	8704	9	_			$\perp$			•	_	L
2230	68	•	-	Н	•		+	•	+	4408					•		H	Н	•	•	5586 5601	74	•		_	•	•		+	<b>59001</b> 82231	6		•	$\dashv$	_	• (	•	+	•	
2233	48	•			•					4413		_		_	•				•	•	5603	44	•		-	•			•	82406	-	_	•			•	$\pm$			
2234	36			•	•			$\perp$	$\perp$	4414				1	•			Ц	•		5608	40	•	4	_	•	$\square$		$\perp$	82408		_	•		-	•	4	$\perp$	$\vdash$	Ĺ
2235	36 49	•			•		$\dashv$	+	+	4415		$\rightarrow$		•	•	•	•	H	•	•	5609 5610	75	•		_	•			+	83102 83104	-	-	-	•	_	•	+	+	$\vdash$	H
2239	49			•	•					4417		-			•			П	•	•	5611	44			-	•			•	83200	_	_	•		_	•	+		•	
2240	45			•				•	)	4418		_			•					•	5613	75	•		$\rightarrow$	•	•			83300	-	_	•		_ (	•	1	Ţ		Г
2241	35 56			•	•			•		4420 4421		-		•	•		•	$\vdash$	•	_	5616 5618	36 36		- +	-	•	H		-	83400 83402		_	•			•	+	+	•	H
2245	36	•			•		$\dashv$	+		4422		_	+	•			•				5620	47			_	•	$\Box$		• •		-	_	-	•			+	+	•	
249	66	•			•					4425		-			•				•	•	5626	76				•	•			83604	3	_		•	-	•				
2250 2254	71 64	•	•		•		-	•		4431 4433		-		•	•		•		•		5632 5661	44	•		- 1	•		•	•	83606 83608		-	$\rightarrow$	•		•	+	+	$\vdash$	L
259	67	•			•					4435		-			•		•	Н	•		5686	75	•			•				83610	-	_	•	$\dashv$	_	•	-		•	H
2260	47			•	•			•		4436	8	1 (			•		•		•		5700	69	•			•			•	83612	3	8 (	•			•				
2263	40	•			•		$\dashv$	$\perp$	-	4439		-		_	•						5701	66	•		$\rightarrow$	•	$\sqcup$		$\perp$	83614	4:	_		•	_	•	+	+	•	
2264 2270	49 68	•		H	•		$\dashv$	-	,	4440 4441	_	-		•	•		•	H	•	•	5800 5801	41 52	•		-	• •	$\vdash$		+	83616 83618		_	•	•		•	-	+	•	
271	71	•			•			•	_	4445	5 7	_			•				•	•	5803	53	•			•			•	83624	4:	2 (	•			•			Ĭ	
2274	63			•	•					4448		_	•	_	•				•		5808	50	•		_	•				83626		_	•			•	$\perp$	4	Ļ	L
2280 2292	106 61	•		•	•		$\dashv$	•	_	4449		_	+	•	1		•	Н	•		5810 5828	78 78	•		_	•	•			83800 83804			$\rightarrow$	•		•	+	+	•	H
2294	42		•		•			Ť		4470		_		Ť	•						5829	81	•		_	•	•			83808		_	•			•			•	
2295	43		•		•					4471		_		_	•						5889	77	•			•	•			83810			•		_	•	4	$\perp$	•	
2 <b>297</b> 2321	65 83		•		•				-	4472 4473		_		•	•	•	•	$\vdash$	•		6106 6235	119 118			-	•			-	83814 83816			•	•		•	+	+	•	•
322	83		•				_	•		4474		_			•						6266	117			_	•				83818						•	+			
323	83		•	П	$\Box$		_	•		4479		_	$\perp$	•	+	F	•	П			6286	118	П	_		•	П		$\perp$	83820				$\Box$		_	•	•	•	•
324	84 89	+	•	•	•		•	•		4481 4483				+	•	$\vdash$	•	H	•	•	6329 6333	27 117	$\vdash$	•	+	+	$\vdash$	•	+	83824 83826			•	•	_	•	+	+	•	H
326	88	•			•					4489	8	0 (			•		•		•	•	6337	27		•				•		83828			_	•	_	•	$\pm$		•	•
327	88	•		П	•		$\Box$	•		4492					•		•	П			6500	70	•	$\Box$	_	•	П		•	83900	7	0	$\rightarrow$	•		•	#		•	
2334	86 86		•	Н	•		-		+	<b>449</b> 3		_			•		•	Н	•		6510 6513	23 25	Н	-	-	•	$\vdash$		-	83902 83904			_	•		•	+	+	-	$\vdash$
340	88			•	•			•		4495	5 8				•	•	•	H	•	•	6514	26	H	_	_	•	H			83906			•			•	+	+	•	
380	87			•	•			•		4499		0 (			•		•		•		6550	24			•	•	П			83908	6	6	$\rightarrow$	•		•	$\perp$	1		
382 401	84 43	•	•	H	•		+	•	-	5007 5009		_	•	_	•	$\vdash$	H	$\vdash \mid$		$\vdash$	6551 6552	117 30	$\vdash$			•	$\vdash$	-	+	83910 83912			•	$\dashv$		•	+	+	•	
401	45	•		H	•		+		_	5010		_			•	$\vdash$		H		$\vdash$	6553	86	H		_	•	$\vdash$			83912		_	•	$\dashv$			+	+	•	$\vdash$
405	66	•			•			Ţ		5012	2 2	9	•	_	•						6554	120					П			89000	7:	2 (	•		(	•	1		•	
406 408	39 49	•		$\square$	•			-	+	5014 5022				+	-			•			6555 6556	29 31	$\vdash$		_	•	$\sqcup$		-	89002			•	$\dashv$		•	+	+	•	•
408	54	-	•	H	•		+	•		5103		_		+	$\vdash$	$\vdash$				$\dashv$	6558	19	$\vdash$		_	•	H		+	89004						•			•	
412	57	•	Ĺ		•	•		•		5107	7 8	7		•	-			•			6618	22	•				Ш	•		BOLD =										
414	55	•		$\square$	•	•	4	•	_	5108		_	•	_	•	-		Щ			6633	22 22	•	$\perp$	_	•	$\sqcup$	_	$\perp$	Red W Irish S		r Wnrl	k							
<b>416</b> 491	57 54	•		H	•	•	+	•	_	5110 5111		_		•	•	$\vdash$	$\vdash$	Н		$\dashv$	6634 6640	22	•	+	_	•	$\vdash$	$\dashv$	+	WORX										
2492	54			•	•			•	_	5169	8	7 (	D		•						6646	19	•		_	•				_										
499	69	•			•		4	•	_	5182				F	•		•	П		$\Box$	6647	19	•	$\perp$	_	•	П		$\perp$	-										
3049 3501	71 33	+		•	•	•	+	•	•	5266 5290			+	•	-	$\vdash$		$\vdash$			6659 6662	22 26	•	+	+	•	H	•	+	-			1 0	200	.873		ΛC		4	37
			_																									-		_					gsafe				1,	او



**2014** HassleFree

**Safety Footwear Catalog** 

888.873.5546 redwingsafety.com

Connect with Red Wing on social media and participate in the largest Red Wing community on the web.

facebook.

www.facebook.com/ redwingshoes

twitter @RedWingShoes

Red Wing Brands of America, Inc. HassleFree® Safety Footwear Program 314 Main Street Red Wing, MN 55066

