



REGENT LIGHTING



RETAIL CATALOGUE

SECOND EDITION

POST TOPS

CLASSIC

PAGE 4



CAPRI

PAGE 5



MILLWOOD

PAGE 6



SELBOURNE

PAGE 7



THESEN

PAGE 8



PARKHURST

PAGE 9



HORNLEY

PAGE 10



REXFORD

PAGE 11



CLASSIC REXFORD

PAGE 11



LARGE REXFORD

PAGE 12




CRAIGHALL

PAGE 13



LOERIE

PAGE 14



PORTLAND

PAGE 15



300MM BASKET

PAGE 16



400MM BASKET

PAGE 16



AVAILABLE WITH
2, 4 & 8 ARM
BASKETS

SPHERES

PAGE 17



VARIOUS MOUNTING
OPTIONS ARE
AVAILABLE
(Codes for sphere
with gallery Only)

Product Range

BULKHEADS

SEDGEFIELD  PAGE 18 T201G	HARROW  PAGE 19 T203G / T205G	BELVIDERE  PAGE 20 T206G / T208G	WESTCLIFF  PAGE 21 T209G / T211G
MINI WESTCLIFF  PAGE 22 T212G / T214G	EDGEcombe  PAGE 23 T215G / T217G	EMPIRE  PAGE 24 T218G / T220G	MINI EMPIRE  PAGE 24 T221G / T223G
TUBO 1  PAGE 25 C204G	TUBO 2  PAGE 25 C205G	TUBO 3/4  PAGE 25 C206G / C207G	TUBO 5  PAGE 25 C208P
TUBO 6  PAGE 25 C209G / C210G	ECHO  PAGE 26 C211	SOLO  PAGE 27 C301G	SOLO EYELID  PAGE 27 C302G
GEO  PAGE 28 C323	GEO ADVANCED  PAGE 28 C324	BRENTON  PAGE 29 C313G	  C314G C315G
ECLIPSE  PAGE 30 C310G	ECLIPSE ADVANCED  PAGE 30 C311G / C312G	PRISM  PAGE 31 C308G	WEDGE  PAGE 31 C309G
SERENGETI  PAGE 32 C316G / C317G	MINI SERENGETI  PAGE 32 C319G / C320G		

BOLLARDS

TUBO 7  PAGE 33 C416N	TUBO 8  PAGE 33 C417N	TUBO HALO  PAGE 33 C404N
HELIOS  PAGE 34 C420N	PEGASUS  PAGE 34 C421N	

POLES AND ACCESSORIES

 P109 - Standard Double Post PAGE 35 - 38	 P108 - Standard Single Post	 P112 - Column	 P111 - Standard Basic Double Post	 P110 - Standard Basic Single Post	 P107 - Heavy Single Post
--	--	--	--	--	--



ISO 9001:2008

Technical Information

IP RATING

First Number	Degree of Protection
0	Non-protected
2	Protected against solid subjects greater than 12 mm.
4	Protected against solid objects greater than 1 mm.
6	Dust-tight.
Second Number	Degree of Protection
0	Non-protected.
2	Protected against dripping water when tilted up to 15.
4	Protected against splashing water.
6	Protected against heavy seas.
8	Protected against submersion.

ELECTRICAL INSTALLATION

	Luminaire with fundamental electrical insulation Must be earthed.
	Luminaire with supplemental electrical insulation No earth required.
	Low voltage supplied luminaire No earth required.

SYMBOLS

	Manufactured with recyclable materials
	Construction Guarantee

A copy of our product warranty is available on request or on our web site.

COLOURS AVAILABLE

POWDER COATING

	Black (BL)
	White (WH)
	Matt Silver (MS)
	Grey (GR)
	Moss Green (MG)

PAINT TECHNIQUE


	Antique Green (AG)
	Antique Gold (AD)
	Antique Silver (AS)
	Antique Copper (AC)

Special colours available on request

NOTE : Regent Lighting reserves the right to change at any time and without prior warning the technical specifications of any product in this catalogue



Classic



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).



MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket down-facing, wall bracket up-facing, pedestal mounted, chain hanging, single post mounted, double post mounted or column mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).


IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W	CFL
	G24	13W	CFL




Standard Post Base Detail




Column Base Detail




T105A - Post Top




T105B - Down Facing




T105C - Up Facing



T105D - Pedestal



T105E - Chain Hanging





SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).





MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket down-facing, wall bracket up-facing, pedestal mounted, chain hanging, single post mounted, double post mounted or column mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).


IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W or 26W	CFL
	E27	80W	HME(MV)
	E27	70W	HSE(HPS)




T106A - Post Top




T106B - Down Facing



T106C - Up Facing



T106D - Pedestal



T106E - Chain Hanging



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).






MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket down-facing, wall bracket up-facing, pedestal mounted, chain hanging, single post mounted, double post mounted or column mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).


IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W, 18W, 23W or 45W	CFL
	G24	26W or 42W	CFL
	E27	80W or 125W	HME(MV)
	E27	70W	HSE(HPS)
	E27	70W	HIE(MH)




T107A - Post Top




T107B - Down Facing



T107C - Up Facing



T107D - Pedestal



T107E - Chain Hanging



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).




MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket down-facing, wall bracket up-facing, pedestal mounted, chain hanging, single post mounted, double post mounted or column mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).


IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W, 18W, 23W or 45W	CFL
	G24	26W or 42W	CFL
	E27	80W or 125W	HME(MV)
	E27	70W	HSE(HPS)
	E27	70W	HIE(MH)




Standard Post Base Detail




Column Base Detail




T108A - Post Top




T108B - Down Facing



T108C - Up Facing



T108D - Pedestal



T108E - Chain Hanging



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).




MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket down-facing, wall bracket up-facing, pedestal mounted, chain hanging, single post mounted, double post mounted or column mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).


IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W or 26W	CFL
	E27	80W	HME(MV)
	E27	70W	HSE(HPS)




Standard Post Base Detail




Column Base Detail




T109A - Post Top




T109B - Down Facing



T109C - Up Facing



T109D - Pedestal



T109E - Chain Hanging

Parkhurst



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).



MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket down-facing, wall bracket up-facing, pedestal mounted, chain hanging, single post mounted, double post mounted or column mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).


IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W or 26W	CFL
	E27	80W	HME(MV)
	E27	70W	HSE(HPS)




Standard Post Base Detail




Column Base Detail




T121A - Post Top




T121B - Down Facing




T121C - Up Facing



T121D - Pedestal



T121E - Chain Hanging





Hornley



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard 6 inch opal bowl. (Bowl not supplied).

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).


MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket, chain hanging, ceiling mounted, gooseneck wall bracket, gooseneck pedestal, single post mounted, double post mounted or gooseneck post mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).

IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W	CFL
	G24	13W	CFL




T1131
Basic Double Post

T113X
Basic Single Post

T1135X
Gooseneck Basic Post




Basic Post Base Detail




T113B - Wall Bracket


T1135D - Gooseneck Pedestal



T113F - Ceiling Mounted



T135B - Gooseneck Bracket



T113E - Chain Hanging



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard 6 inch opal bowl or special 8 inch opal bowl. (Bowl not supplied).

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).



MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket, chain hanging, gooseneck pedestal, gooseneck wall bracket, single post mounted, double post mounted or gooseneck post mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).


IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE

	LAMP	BASE	WATTAGE	
6 Inch Bowl		E27	13W	CFL
		G24	13W	CFL
8 Inch Bowl		E27	13W, 18W or 23W	CFL
		G24	13W, 18W or 26W	CFL
		E27	80W	HME(MV)
		E27	70W	HSE(HPS)




Standard Post Base Detail




T114B - Wall Bracket


T137D - Gooseneck Pedestal




T137B - Gooseneck Bracket



T114E - Chain Hanging



T117B - Classic Rexford





Large Rexford



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard 8 inch opal bowl. (Bowl not supplied).

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).


MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket, curved wall bracket, chain hanging, single post mounted, double post mounted, or curved post mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).

IP RATING : IP Rating 44. Excludes chain hanging.


LAMP SOURCE

LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W, or 26W	CFL
	E27	80W	HME(MV)
	E27	70W	HSE(HPS)




**P107 - Heavy Post
P1167 - Double Large
Rexford Bracket**



**T136U
Standard Post
Curved Bracket**




Heavy Post Base Detail




Standard Post Base Detail



T116B - Wall Bracket



T136B - Curved Wall Bracket



T116E - Chain Hanging

Craighall



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Opal Polyethylene.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).






MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket up-facing, pedestal mounted, single post mounted, double post mounted or column mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).

IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE

LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	1x or 2x 13W 1x or 2x 18W 1x or 2x 26W	CFL





SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Opal Polyethylene.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).









MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket up-facing, pedestal mounted, chain hanging, single post mounted, double post mounted or column mounted.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).

IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE

LAMP	BASE	WATTAGE	
	E27	13W	CFL
	G24	13W	CFL




Portland




SPECIFICATIONS

- HOUSING :** LM 6 die-cast aluminium. 10 year construction guarantee.
- GLASS :** 8 inch opal bowl or 6 inch opal bowl. (Bowl not supplied)
- POWDER COATING :** UV stabilised powder coating.
- Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).
- MOUNTING OPTIONS :** Wall bracket, pedestal mounted or chain hanging.
- IP RATING :** IP Rating 44. Excludes chain hanging.




T112C - Standard Bracket
8 inch bowl




T111C - Standard Bracket
6 inch bowl

LAMP SOURCE



LAMP	BASE	WATTAGE	
	E27	13W	CFL
	G24	13W	CFL




T112D - Pedestal
8 inch bowl



T111D - Pedestal
6 inch bowl



T112E - Chain Hanging
8 inch bowl



T111E - Chain Hanging
6 inch bowl



Baskets



400mm Basket 8 arm



300mm Basket 4 arm

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee

DIFFUSER : Opal Polyethylene.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).

MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket up-facing, pedestal mounted, single post mounted, double post mounted or column mounted.

BASKETS : 300mm and 400mm Baskets available with 2 arm, 4 arm or 8 arm

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 37 & 38).

IP RATING : IP Rating 44. Excludes chain hanging

LAMP SOURCE

300mm Basket

LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W or 26W	CFL


400mm Basket

LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	1x or 2x 26W, 1x or 2x 42W	CFL
	E27	80W, 125W	HME(MV)
	E27	70W	HSE(HPS)
	E27	70W	HSE(HPS)
	E27	70W	HIE(MH)


CLASS
1




IP
44




T123C - 300mm 2 Arm Basket Wall Bracket




T127C - 400mm 2 Arm Basket Wall Bracket




T124D - 300mm 4 Arm Basket Pedestal



T128D - 400mm 4 Arm Basket Pedestal



T125A - 300mm 8 Arm Basket Post Top



T129A - 400mm 8 Arm Basket Post Top

Spheres



CAMPUS SPHERE



DECO SPHERE



SPHERE PEDESTAL

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

DIFFUSER : Opal Polyethylene

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).

MOUNTING OPTIONS : Post Top for a 51mm, 61mm or 76mm diameter pole, wall bracket up-facing, pedestal mounted, chain hanging, single post mounted, double post mounted or column mounted.


SPHERES : 250mm, 300mm, 400mm, 550mm, Deco and Campus sphere.

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage. (Refer to Pages 32 & 33).


IP RATING : IP Rating 44. Excludes chain hanging.

LAMP SOURCE


	LAMP	BASE	WATTAGE	
250mm Sphere		E27	23W	CFL
300mm & Deco Sphere		E27	13W, 18W or 23W	CFL
		G24	13W, 18W or 26W	CFL
400mm, 550mm & Campus Sphere		E27	13W, 18W or 23W	CFL
		G24	13W, 18W or 26W	CFL
		E27	80W or 125W	HME(MV)
		E27	70W	HSE(HPS)
		E27	70W	HIE(MH)




T131C - 400mm Sphere Wall Bracket





T126C - 300mm Sphere Wall Bracket




T131D - 400mm Sphere Pedestal




T126D - 300mm Sphere Pedestal




T132Z - 250mm Sphere




T134Z - 550mm Sphere




T122Z - Deco Sphere



T138Z - Campus Sphere



T131Z - 400mm Sphere



T126Z - 300mm Sphere



Sedgefield



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

REFLECTORS : Aluminium (T201G).


POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).


IP RATING : IP Rating 44.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	2 x 13W, 2 x 18W or 2 x 23W	CFL
	G24	2 x 13W, 2 x 18W or 2 x 26W	CFL




Front View



Side View



Back Plate Detail



T201G - Sedgefield with aluminium reflector

Harrow




SPECIFICATIONS


- HOUSING :** LM 6 die-cast aluminium. 10 year construction guarantee.
- GLASS :** Standard frosted glass. Special clear glass or sandblasted glass.
- REFLECTORS :** Aluminium (T203G) or Brass Disc (T205G)
- POWDER COATING :** UV stabilised powder coating.
- Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).
- IP RATING :** IP Rating 44.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W	CFL
	G24	13W	CFL



Front View



Side View



Back Plate Detail

CLASS
1

IP
44

T203G - Harrow with aluminium reflector
T205G - Harrow with brass disc



Belvidere



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

REFLECTORS : Aluminium (T206G) or Brass Disc (T208G).

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).

IP RATING : IP Rating 44.


LAMP SOURCE

LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W or 26W	CFL


CLASS
1




IP
44



Front View



Side View



Back Plate Detail

T206G - Belvidere with aluminium reflector
T208G - Belvidere with brass disc



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

REFLECTORS : Aluminium (T209G) or Brass Disc (T211G)



POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).


IP RATING : IP Rating 44.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W or 26W	CFL



Front View



Side View



Back Plate Detail

T209G - Westcliff with aluminium reflector
T211G - Westcliff with brass disc



Mini Westcliff



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard frosted glass. Special clear glass or sandblasted glass.

REFLECTORS : Aluminium (T212G) or Brass Disc (T214G).


POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).


IP RATING : IP Rating 44.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W or 18W	CFL
	G24	13W or 18W	CFL




Front View



Side View



Back Plate Detail



T212G - Mini Westcliff with aluminium reflector
T214G - Mini Westcliff with brass disc

Edgecombe




SPECIFICATIONS


- HOUSING :** LM 6 die-cast aluminium. 10 year construction guarantee
- GLASS :** Standard frosted glass. Special clear glass or sandblasted glass.
- REFLECTORS :** Aluminium (T215G) or Brass Disc (T217G)
- POWDER COATING :** UV stabilised powder coating.
- Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).
- IP RATING :** IP Rating 44.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W or 18W	CFL
	G24	13W or 18W	CFL




Front View



Side View



Back Plate Detail



T215G - Edgecombe with aluminium reflector
T217G - Edgecombe with brass disc



Empire & Mini Empire



SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Standard sandblasted glass with clear edge.

REFLECTORS :

EMPIRE - Aluminium (T218G) or Brass Disc (T220G).

MINI EMPIRE - Aluminium (T221G) or Brass Disc (T223G).

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC), Antique Rust (RU), Antique White (AW).

IP RATING : IP Rating 44.


LAMP SOURCE

Empire	LAMP	BASE	WATTAGE	
		E27	13W, 18W or 23W	CFL
Mini Empire		G24	13W, 18W or 26W	CFL
		E27	13W or 18W	CFL
Mini Empire		G24	13W or 18W	CFL
		E27	13W or 18W	CFL


CLASS
1



IP
44




Empire
Front View




Mini Empire
Front View




Empire
Side View



Mini Empire
Side View



Empire
Back Plate Detail



Mini Empire
Back Plate Detail

T218G - Empire
with aluminium reflector
T220G - Empire
with brass disc

T221G - Mini Empire
with aluminium reflector
T223G - Mini Empire
with brass disc



TUBO 5 WITH MOUNTING PLATE ACCESSORY



TUBO 6

SPECIFICATIONS


- HOUSING :** LM 6 die-cast aluminium. 10 year construction guarantee
- DIFFUSER :** Tubo 1, 2 & 5 - UV stabilised satine acrylic.
- GLASS :** Tubo 3, 4 & 6 - Clear tempered glass
- POWDER COATING :** UV stabilised powder coating.
- Standard Colours - Black (BL) or White (WH)
- Special Colour - Matt Silver (MS)
- NOTE :** End caps are natural anodised aluminium
- ACCESSORIES :** Tubo 5 & 6 - Mounting plate to cover connector plate
- IP RATING :** IP Rating 55.

LAMP SOURCE


	LAMP	BASE	WATTAGE	
Tubo 1 & 2		E27	1x or 2x 13W, 1x or 2x 18W or 1x or 2x 23W	CFL
		G24	1x or 2x 13W or 1x or 2x 18W	CFL
Tubo 3 & 4		GU5.3	1 x 35W or 2 x 35W 1 x 50W	Low Voltage
Tubo 5		E27	1x or 2x 13W, 1x or 2x 18W or 1x or 2x 23W	CFL
Tubo 6		GU10	1x or 2x 35W or 1 x 50W	Halopar
		GU10	1x or 2x 7W, 1x or 2x 9W or 1x or 2x 11W	CFL
		GU10	4.5W	LED

CLASS 1


IP 55




Back Plate Detail



Back Plate Detail



A147 - Mounting plate accessory





ECHO



ECHO WITH MOUNTING PLATE ACCESSORY

SPECIFICATIONS

HOUSING : LM 6 die-cast and extruded aluminium.

10 year construction guarantee

DIFFUSER : Clear 4mm tempered glass.

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL) or White (WH)

Special Colour - Matt Silver (MS)



MOUNTING : Wall mounted. Single or Double available.

ACCESSORIES : Mounting plate to cover connector plate.

IP RATING : IP Rating 55.

LAMP SOURCE

LAMP	BASE	WATTAGE	
	GU10	1 x 35W or 2 x 35W 50W	Halopar
	GU10	1 x 7W or 2 x 7W 1 x 9W or 2 x 9W, 1 x 11W or 2 x 11W	CFL
	GU10	4.5W	LED



Solo



SOLO



SOLO EYELID

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee

DIFFUSER : UV stabilised high impact opal acrylic

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL) or White (WH)

Special Colour - Matt Silver (MS)

GEAR : Integrated magnetic or electronic control gear

FEATURES : Stainless steel fixings, allen head mounting screws.

Heli coil option available on request.


IP RATING : IP Rating 66.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	23W	CFL
	G24	1 x 18W, 2 x 18W or 26W	CFL

ELECTRONIC CONTROL GEAR


	G24	2 x 9W, 2 x 13W or 2 x 18W	CFL
--	-----	----------------------------	-----



Front View




Front View




Side View

C301G - Solo




Side View

C302G - Solo Eyelid



Back Plate Detail





GEO



GEO ADVANCED

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee

DIFFUSER : UV stabilised high impact opal acrylic

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL) or White (WH)

Special Colour - Matt Silver (MS)


MOUNTING : Wall mounted

GEAR : Integrated magnetic or electronic control gear

IP RATING : IP Rating 65.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	G24	1 x 13W or 2 x 13W or 3 x 13W 1 x 18W or 2 x 18W or 3 x 18W 1 x 26W or 2 x 26W	CFL
ELECTRONIC CONTROL GEAR			
	G24	1 x 13W or 2 x 13W 1 x 18W or 2 x 18W 1 x 26W or 2 x 26W	CFL



Side View

Front View


C323 - Geo



Side View

Front View

C324 - Geo Advanced



Back Plate Detail



BRENTON 4 ARM




BRENTON 1 ARM

SPECIFICATIONS


- HOUSING :** LM 6 die-cast aluminium. 10 year construction guarantee.
- DIFFUSER :** Opal polyethylene
- POWDER COATING :** UV stabilised powder coating.
- Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).
- IP RATING :** IP Rating 55.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	1 x 13W or 2 x 13W 1 x 18W or 2 x 18W 1 x 26W or 2 x 26W	CFL



C313G - Brenton 1 Arm



C314G - Brenton 2 Arm



C315G - Brenton 4 Arm





Eclipse



ECLIPSE ADVANCED WITH FRONT LIGHT



ECLIPSE

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee

DIFFUSER : Imported UV stabilised satine acrylic. Front light opal acrylic

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL) or White (WH)

Special Colour - Matt Silver (MS)

OPTIONS : The eclipse advanced is available with or without a forward light.


C311G - No forward Light

C312G - Forward Light

IP RATING : IP Rating 54.


LAMP SOURCE

LAMP	BASE	WATTAGE	
	G23	2 x 7W	CFL




Front View


C310G - Eclipse



Side View




Back Plate Detail




Front View

C311G - Eclipse Advanced no front light




Front View


C312G - Eclipse Advanced front light



Side View



Back Plate Detail



Prism & Wedge



PRISM



WEDGE

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee.

GLASS : Tempered glass frosted and sandblasted


POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL) or White (WH)


Special Colour - Matt Silver (MS)

FEATURES : Stainless steel fixings, allen head mounting screws and heli coil


IP RATING : IP Rating 55.



Front View




Side View



Back Plate Detail


C308G - Prism



Front View



Side View




Back Plate Detail

C309G - Wedge

LAMP SOURCE

	LAMP	BASE	WATTAGE	
Prism		G23	9W	CFL

	LAMP	BASE	WATTAGE	
Wedge		E27	13W, 18W, 23W	CFL
		G24	13W, 18W, 26W	CFL





Serengeti & Mini Serengeti



SERENGETI



MINI SERENGETI

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee

GLASS : Sandblasted toughened glass

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL) or White (WH)

Special Colour - Matt Silver (MS)

GEAR : Integrated magnetic or electronic control gear


FEATURES : Stainless steel fixings, allen head mounting screws.

IP RATING : IP Rating 55.


LAMP SOURCE

Serengeti	LAMP	BASE	WATTAGE	
		E27	2 x 23W	CFL
		G24	2 x 13W, 2 x 18W or 26W	CFL


Mini Serengeti	LAMP	BASE	WATTAGE	
		G24	13W	CFL




Serengeti
Front View




Mini Serengeti
Front View




Serengeti
Side View



Mini Serengeti
Side View




Serengeti
Back Plate Detail



Mini Serengeti
Back Plate Detail

C316G - Serengeti
Up Light
C317G - Serengeti
Up and Down Light

C319G - Mini Serengeti
Up Light
C320G - Mini Serengeti
Up and Down Light



Tubo & Tubo Halo



TUBO 8



TUBO 7



TUBO HALO

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee

DIFFUSER : UV stabilised satine acrylic

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL) or White (WH)

Special Colour - Matt Silver (MS)

NOTE : End caps are natural anodised aluminium for Tubo 7 & Tubo 8.




MOUNTING OPTIONS : Plinth mounted (N) or buried (L)

ACCESSORIES : Bolt cage, MCB and Access door

IP RATING : IP Rating 54.

LAMP SOURCE

LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W or 26W	CFL



Tubo Base Detail

A163 - Tubo Bolt Cage



Helios & Pegasus



HELIOS



PEGASUS

SPECIFICATIONS

HOUSING : LM 6 die-cast aluminium. 10 year construction guarantee

DIFFUSER : UV stabilised clear acrylic

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).


MOUNTING OPTIONS : Plinth mounted (N) or buried (L)

ACCESSORIES : Bolt cage, MCB and Access door


IP RATING : IP Rating 54.

LAMP SOURCE


LAMP	BASE	WATTAGE	
	E27	13W, 18W or 23W	CFL
	G24	13W, 18W or 26W	CFL




C420N - Helios




C421N - Pegasus




Helios Base Detail




Pegasus Base Detail



A132 - Bolt Cage



A164 - Bolt Cage



Poles



HEAVY POST



STANDARD POST



COLUMN


SPECIFICATIONS

POST : LM 6 die-cast aluminium and extruded aluminium. 5 year construction guarantee

POWDER COATING : UV stabilised powder coating.


Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage.




P107 - Heavy Post Single

P124 - Heavy Post Double




P108 - Standard Post Single


P109 - Standard Post Double




P112 - Column




Heavy Post Base Detail




A132 - Heavy Post Bolt Cage




Standard Post Base Detail



A130 - Standard Post Bolt Cage



Column Base Detail



A165 - Column Bolt Cage



BASIC POST



STRAIGHT POLE



STRAIGHT POLE


SPECIFICATIONS

POST : LM 6 die-cast aluminium and extruded aluminium. 5 year construction guarantee

POWDER COATING : UV stabilised powder coating.

Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).

ACCESSORIES FOR POSTS : Sign arms, sign arms and board, access door, control gear box and bolt cage.



Accessories



CLAMP ON SIGN ARM




CURVED WALL BRACKET

SPECIFICATIONS


ACCESSORIES : LM 6 die-cast aluminium and extruded aluminium.
5 year construction guarantee

POWDER COATING : UV stabilised powder coating.


Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).




A121 - Clamp on sign arm complete with board
A122 - Clamp on sign arm only.
(51mm pole or 76mm pole)




A123 - Slide on sign arm complete with board
A124 - Slide on sign arm no board
(51mm pole only)




A154 - Curved Wall Bracket



A155 - Gooseneck Pedestal



A156 - Gooseneck Wall Bracket



A101 - Small Wall Bracket

A102 - Large Wall Bracket



Accessories



SMALL PEDESTAL



CLASSIC BRACKET




LARGE BRACKET BLOCK

SPECIFICATIONS


ACCESSORIES : LM 6 die-cast aluminium. 5 year construction guarantee.

POWDER COATING : UV stabilised powder coating.


Standard Colours - Black (BL), White (WH), Moss Green (MG), Antique Green (AG), Antique Gold (AD), Antique Silver (AS), Antique Copper (AC).




A106 - Small Pedestal




A108 - Large Pedestal




A157 - Ceiling Bracket with chain




A158 - Classic Wall Bracket




A119 - Small bracket block
PL9W to PL26W gear



A120 - Large bracket block
PL9W to PL26W, 80W MV to
125MV, or 70W HPS gear



A162 - Large bracket block
with extra large bracket



A159 - Large bracket block
with filigree bracket

www.regentlight.co.za

REGENT LIGHTING A DIVISION
OF WAHL INDUSTRIES.

wahl
INDUSTRIES



P O BOX 58176, NEWVILLE, 2114.
3 - 13 MAIN REEF SERVICE ROAD, CORNER
SPRINGBOK AND MAIN REEF ROAD, INDUSTRIA,
JOHANNESBURG. SOUTH AFRICA.
TEL : +27 11 474 0171
FAX: +27 11 474 0176