

Your Ally In Food Safety For Over 25 Years







REACO

Product Catalog

A Remco Overview

Remco Products is a closely held business,

Indiana. The introduction of a one-piece

professional cleaning products.

Blessed with a record of consistent sales

growth and a staff that is second to none

a strong position throughout the United

presence. We are proud of the strong and

lasting relationships we have developed

building on that loyalty for the continued

benefit of our mutual customer base.

in customer service, Remco has established

States, as well as a significant international

with our distributors, and are committed to

founded by Richard L. Garrison in Zionsville,

polypropylene shovel more than 30 years ago



CONTENTS

- 1. REMCO HYGIENIC ONE-PIECE SHOVELS
- 2. FRGONOMIC SHOVELS
- 3. SIEVE SHOVEL, HYGIENIC FORK AND RAKE
- 4. TWO-PIECE SAFETY SHOVELS
- 5. EMERGENCY BLADE SHOVELS INDUSTRIAL SHOVELS
- 6. ONE-PIECE MIXING PADDLE SCRAPERS
- 7. FOOD HOE AND SCRAPERS (FLOOR/PADDLE)
- 8. HAND SCRAPERS AND DUSTPAN
- 9. PAD HOLDER SYSTEM
- 10. HAND SCOOPS AND BOWL SCOOPS
- 11. PAIL, LID AND MOUNTING BRACKET
- 12. METAL DETECTABLE TOOLS
- 13. METAL DETECTABLE TOOLS
- 14. TUB AND UNDERCARRIAGES
- 15. TUB AND UNDERCARRIAGE
- 16. AERO-TOTI
- 17. VIKAN—ADVANCING HYGIENIC CLEANING
- 18. HAND SCRUB BRUSHES
- 19. HAND BRUSHES
- 20. FLOOR BROOMS AND TANK BRUSHES
- 21. DECK SCRUBS AND WALL BRUSHES
- 22. TUBE AND VALVE BRUSHES
- 23. TUBE AND VALVE BRUSHES
- 24. RESIN SET BRUSHES
- 25. TOTAL COLOR BROOMS AND BRUSHES
- 26. QUALITY AND CARE
- 27. ULTRA HYGIENE SQUEEGEES
- 28. DOUBLE BLADE ULTRA HYGIENE SQUEEGEES
- 29. FIXED HEAD SQUEEGEES
- 30. SWIVEL NECK SQUEEGEES
- 31. CEILING SQUEEGEE SYSTEM
- 32. VIKAN COLOR-CODED HANDLES
- 33. VIKAN HANDLES
- 34. WALL BRACKET SYSTEM

 SPECIAL APPLICATION BRUSHES
- 35. WATERFED SYSTEM
- 36. FLOOR AND DRAIN TOOLS
- 37. FLOOR AND DRAIN TOOLS
- **38. HAZMAT SQUEEGEES**
- 39. HAZMAT HANDLES
- **40. SAFETY AND SPILL KIT TOOLS**
- 41. SAFETY AND SPILL KIT TOOLS
- **42. INDEX BY PRODUCT NAME**
- 43. INDEX BY PART NUMBER
- 44. CHEMICAL RESISTANCE DATA







PLEASE NOTE:

WHEN ORDERING COLOR-CODED PRODUCTS, PLEASE ADD THE LAST DIGIT TO DENOTE COLOR. SELECT ITEMS AVAILABLE IN ORANGE (7), PURPLE (8) AND BLACK (9). = 2 = 3 = 4 = 5 = 6

= 7 = 8

= 9

Remco Hygienic One-Piece Shovels Tough. Lightweight. Hygienic. Molded in one piece from FDA-compliant polypropylene, it is available in two sizes and many colors. A workhorse for moving bulk materials and an integral part of any professional cross-contamination containment program. The Remco shovel, initially developed over 30 years ago, doesn't just meet the standard, it is the standard. 6981

One-Piece Shovels 2 3 4 5 6 7 8 9 (add last digit to denote color)



Select items available in all colors

Model	Descr	iption Wt.	(lbs) Handle	Blade x Length
6981	Small E	Blade 2.9	D-Grip	11"x 14"x 38"
6982	■ ■ ■ Large E	Blade 4.0	D-Grip	14"x 17"x 42"

Characteristics

- Heavy-duty, one-piece, injection molded polypropylene construction
- Made from FDA-compliant materials
- Tough and resilient
- · Rigid, yet lightweight
- Non-sparking
- Chemical and corrosion resistant
- Working temperature range:
 -22° F/-30° C to 176° F/80° C
- · Intermittent use may increase temperature range


Applications & Markets

- Meat, dairy, seafood, and poultry
- General food handling
- · Commercial fishing
- Material handling
- Agriculture
- Chemical and industrial applications



Ergonomic Shovels 5 (white only)

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics	Applications & Markets
56015+	Large blade Small blade Small blade, extended pole handle special order	4.0 3.5 4.0	D-Grip D-Grip Pole	13.5"x 12.5"x 51" 10.25"x 11"x 50" 10.25"x 11"x 64"	Injection molded polypropylene construction Made from FDA-compliant materials Extended handle length Frgonomic design Lightweight Chemical and corrosion resistant Working temperature range: -22° F/-30° C to 176° F/80° C	Meat, dairy, seafood, and poultry General food handling Commercial fishing Material handling Agriculture Chemical and industrial application



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com



Sieve Shovel 5 (white only)

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics	Applications & Markets
56045 🗆	Large blade, white (sieve)	4.0	D-Grip	13.5" x 12.5" x 45"	Injection molded polypropylene construction Made from FDA-compliant materials Extended handle length Ergonomic design Lightweight Chemical and corrosion resistant Working temperature range: -22° F/-30° C to 176° F/80° C Intermittent use may increase temperature range Slot size on sieve shovel: .5" x 3"	 Meat, dairy, seafood, and poultry General food handling Commercial fishing Material handling Agriculture Chemical and industrial applications

Model	Description	Wt. (lbs) Handle	Blade x Length	Characteristics	Applications & Markets
56905	Fork, white Rake, white (requires a European-thread handle; see pages 32-33)	3.0 D-Grip 1.0 Various	10.5" x 10.5" x 49" 7.5" x 8" (tine face)	 Injection molded polypropylene construction Made from FDA-compliant materials Lightweight Ergonomic design Chemical and corrosion resistant Working temperature range: -22° F/-30° C to 176° F/80° C Intermittent use may increase temperature range Average tine spacing: 1.625" Average tine diameter: .625" 	Meat, dairy, seafood, and poultry Wineries Fruit and vegetable General food handling Commercial fishing Material handling Agriculture





Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics	Applications & Markets
6892SS 6895SS 6896BKSS 6896SS 6897SS 6898SS 6990SS 6985SS	Medium blade, standard D-grip Medium blade, pan (blade only) Medium blade, extended D-grip (all black, bonded) Medium blade, extended D-grip Large blade, short D-grip Medium blade, short D-grip Large blade, standard D-grip Large blade, extended D-grip Large blade, extended D-grip Dess. 393,190	2.0 1.2 2.4 2.4 3.2 2.3 3.5 3.7	StdD Cap ExtD ExtD Short-D Short-D StdD ExtD	10.5"x 14"x 38.5" 10.5"x 14"x 20" 10.5"x 14"x 43.5" 10.5"x 14"x 43.5" 14"x 18"x 35" 10.5"x 14"x 33" 14"x 18"x 40.5" 14"x 18"x 46"	Non-sparking/polypropylene Two-piece construction disassembles for easy storage Chemical resistant Will not rust or corrode Lightweight Easy to use locking mechanism Working temperature range: -22° F/-30° C to 176° F/80° C Intermittent use may increase temperature range	Spill kits and hazmat response Industrial applications Material handling Environmental clean-up



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com



Emergency Blade Shovels (non-food grade)

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics	Applications & Markets
6880EB0 6880EBG **Patent N	Compact orange and gray shovel Compact charcoal gray shovel o. US 6,412,843 B1	2.0 2.0	T-grip T-grip	10"x 12"x 24"-36" 10"x 12"x 24"-36"	Injection molded, ABS Collapses for easy storage Will not damage tires Non-sparking, chemical and corrosion resistant Lightweight and rugged	Roadside emergencies Commercial trucks and vehicles Highway authorities Snow removal Safety/hazmat kits Family vehicles

Industrial Shovels (non-food grade, except for 69829)

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics	Applications & Markets
69829*	Large blade, black	4.0	D-grip	14"x 17"x 42"	 Solid, one-piece polypropylene 	 Industrial applications
6896BKSS	Medium blade, extended D-grip	2.4	D-grip	10.5"x 14"x 43.5"	construction (except for 6896BKSS)	 Handling bulk materials
	(all black, bonded)				 Strong/durable 	Spill clean-up
6981RG	Small blade, gray (regrind	2.9	D-grip	11"x 14"x 38"	 Non-sparking, chemical 	 Collection vehicles
6982RG	Large blade, gray (regrind)	4.0	D-grip	14"x 17"x 42"	and corrosion resistant	(will not scar metal or paint)
					 Virtually unbreakable 	 Agriculture and landscaping
*Made from	n FDA-compliant polypropylene				 Lightweight 	 Farm/ranch
					 Cleans easily 	 Railroad industry
					 Working temperature range: 	
					-22° F/-30° C to 176° F/80° C	
					 Intermittent use may increase 	
					temperature range	

mixing and scraping. One-piece construction and its unique long-handle design make it easy to use for both kinds of jobs. This



Piece Mixing Paddle Scrapers 2 3 4 5 6 (add last digit to denote color)



Model	Description	Wt. (lbs) Handle	Blade x Length	Characteristics	Applications & Markets
6774	Short paddle with holes Short paddle without holes Long paddle with holes Long paddle without holes	2.3 T-Grip 2.3 T-Grip 3.0 T-Grip 3.0 T-Grip	6"x 13"x 40" 6"x 13"x 40" 6"x 13"x 52" 6"x 13"x 52"	 One-piece, injection molded polypropylene construction Made from FDA-compliant materials Tapered blade for scraping Cleans easily Heavy-duty/long-lasting, virtually unbreakable Lightweight Working temperature range: -22° F/-30° C to 176° F/80° C Intermittent use may increase temperature range 	 Dairy Chemical and industrial application Institutional kitchens Paint and ink mixing Confectionery Baking
				_	_





Food Hoe and Scrapers (Floor/Paddle)

No matter what kind of scraper you need, we've got you covered. Made from different materials, they're designed for all types of uses. Whether it's nylon and stainless steel floor scrapers for tough scraping challenges or flexible and stiff paddle scrapers for mixing and stirring applications, we have a scraper that's a perfect fit.



Food Hoe 2 3 4 5 6 (add last digit to denote color)

Model	Description	Wt. (lbs)	Handle	Dimensions (W x H)	Characteristics	Applications & Markets
2900	Food Hoe (requires a Europe	1.2 (head only) ean-thread handle; see p	Various ages 32–33)	11"x 8"	Injection molded nylon construction Made from FDA-compliant materials Lightweight Chemical and corrosion resistant Built-in three-foot diameter (1.5' radius) Maximum working temperature: 300° F Intermittent use may increase temperature range	 Meat, seafood and poultry Wineries Fruit and Vegetable Dairy General food handling Material handling Agriculture

Select items available in all colors

Scrapers (Floo	or/Paddle) 2 3 4 5 6 9 (add last digit to de	Select items available in all colo		
Model	Description	Dimensions (W x H)	Characteristics	
Stainless Steel Floor S	craper			
2910	Floor scraper, stainless steel blade (requires a European-thread handle; see pages 32–33)	10.25" (width)	 Stainless steel blade For removing stubborn dirt and other substances Made from FDA-compliant materials 	
Nylon Floor Scraper 2911	Floor scraper, nylon blade with beveled edge (requires a European-thread handle; see pages 32–33)	10.25" (width)	Heavy-duty nylon blade Won't damage floors or machines Made from FDA-compliant materials	
Paddle Scrapers 7011	Paddle scraper, nylon (requires a European-thread handle) Paddle scraper, flexible polyethylene (requires a European-thread handle; see pages 32–33)	4.5"x 6" 4.5"x 6"	Nylon (7011) and Polyethylene (7013) scraper blades Polyethylene scraper blade is flexible and makes it easier to clean curved surfaces Made from FDA-compliant materials	

Hand Scrapers and Dustpan

If it's a hand scraper you need, it's a hand scraper we've got. With different sizes, colors and designs, they are an excellent solution for a variety of scraping, bench top and food prep applications. We also have the answer





Select items available in all colors

Model	Description	Dimensions (W x H)	Characteristics
Polypropylene Hand Scrapers	•		
6961 🔳 🔳 🔲 🔳	Small scraper	3"x 8"	 One-piece, injection molded polypropylene construction
6962	Large scraper	4.4"x 9.7"	Made from FDA-compliant materials
6959	Mini Bench scraper	5.5"x 3.5"	Autoclavable: durable
6960	Bench scraper	8.5"x 5"	 No seams or cracks for bacterial growth
			 Will not rust or corrode; chemical resistant
			Will not scratch metal surfaces
			 Handles shaped for strong grip
-Temp Scraper			3 3 1
963	Large hi-temp scraper (blue only)	4.4"x 9.7"	 Hi-temp scraper (one-piece)
	g- ··· · (····//		Working temps up to 465° F/240° C
			Made from FDA-compliant materials

Model	Description	Dimensions (L x W x H)	Characteristics
5660*	Hygienic dustpan	12.5"x 11.5"x 2"	One-piece, injection molded polypropylene constr Raised handle design with thumb grip

^{*}Also available in non-food grade black; see pages 37 and 40.

struction

- Non-sparking
- Rigid, one-piece construction
- Ideal for quick clean-up of tabletop areas and conveyor belts
- Made from FDA-compliant materials



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com

Pad Holder System Here's a pad holder you can count on. A unique system of stainless steel locking hooks secures the pad firmly in place for cleaning difficult angles and areas. No matter where you reach and scrub, the pad will not fall off. From Vikan® hygienic and efficient cleaning. 5525 5500 5524 5523 5510 Vikan

Pad Holder System 2 3 4 5 6 (add last digit to denote color)

Model	Dimensions	Description
5500	3.75"x 9" 3.75"x 9" 0.8"x 4.5"x 10" 0.8"x 4.5"x 10" 0.8"x 4.5"x 10"	Floor model pad holder (requires a European-thread handle; see pages 32–33) Hand-held pad holder Heavy-duty (brown) pad Medium (blue) pad Soft (white) pad

- Pad holder system locks the pad firmly in place with stainless steel hooks
 Ability to reach into corners without losing the pad
- Great for floors, counters and walls
- Pad holders are made of solid polypropylene
- Autoclavable at temperatures up to 250° F/121° C





Hand Scoops and Bowl Scoops Get a better grip on your material handling

jobs with these rugged, colorful hand tools. Molded in one piece of thick-walled polypropylene, they're extremely durable and make quick work of moving all kinds of bulk materials.





Hand Scoops 1 2 3 4 5 6 7 8 (add last digit to denote color)

Select items available in all colors

Model	Description	Capacity	Dimensions (L x W x H)	Characteristics	
6300	Mini scoop Small scoop Large scoop Mega scoop Mega scoop (dipper version)	16oz. (2 cups) 32oz. (1 qt.) 82oz. (2.5 qts.) 128oz. (1 gal.) 128oz. (1 gal.)	10.25"x 3.5"x 2.25" 11.5"x 5"x 2.75" 15"x 6.5"x 3.5" 11"x 9"x 7" 11"x 9"x 7"	 One-piece, injection molded polypropylene construction Made from FDA-compliant materials Autoclavable No seams or cracks for bacterial growth 	Will not rust or corrode Chemical resistant Non-sparking Sturdy/durable
*Daguiraa a Furanaan thread handl	la laca magaa 22 22\				

*Requires a European-thread h	nandle (see pages 32–33)			bacteriai growtii	
Bowl Scoops 2	3 4 5 6 (add last digit	t to denote color)			
Model	Description	Capacity	Dimensions (Dia. x H)	Characteristics	
5680	Large bowl Small bowl	64oz. (2 qts.) 32oz. (1 qt.)	7.5"x 4.75" 7.25"x 3.25"	 One-piece, injection molded polypropylene construction Made from FDA-compliant materials No seams or cracks for bacterial growth 	 Sturdy and durable Raised handle design with thumb grip Chemical resistant Non-sparking



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com

Measured graduation marks

Pail, Lid and Mounting Bracket

Whether moving, measuring or mixing, the three-gallon pail from Vikan® is designed for the task. This color-coded polypropylene pail is made from FDA-compliant materials and tough enough to stand up to the harshest chemicals. It features a raised bottom for stability and a wide pouring spout to prevent spilling and splashing. An optional lid for protecting measured product and a stainless steel mounting bracket are also available.



Pail	2 3	4	5	6	7	8	9	(add last digit to denote color)

Model	Description	Capacity	Dimensions (H x W)	Characteristics	Applications & Markets
5686	Pail	3 gallons	12.75"x 12"	 Made from FDA-compliant materials Specially designed pouring spout and grip Stainless steel bail Chemical and corrosion resistant Measured graduation marks Working temperature range: 5° F/-15° C to 250° F/121° C 	 Meat, dairy, seafood, and poultry Pharmaceutical Wineries Chemical and industrial applications

Pail Lid 2 3 4 5 6 7 8 9 (add last digit to denote color)

Model	Description	Dimensions (W)	Characteristics	
5687	Pail Lid	12.25"	 Made from FDA-compliant materials Protective cover for ingredients Molded hole for hanging 	(See above)

Mounting Bracket


Model	Description	Dimensions (L x W x D)	Characteristics	
0620	Mounting Bracket	14.5"x 2.5"x 1.25"	Stainless steel construction Allows for sanitary storage of pail and lid Will not rust or corrode Includes screws and wall anchors Made from FDA-compliant materials (See above) (See above)	



Metal Detectable Tools

These color-coded tools provide the ultimate step in quality assurance and safety for the food processing industry. Produced with a specially formulated FDA-compliant polypropylene resin, our tools can be easily identified by standard metal detection equipment. They are a great alternative to stainless steel.





Due to variables in the testing environment, the exact level of detection should be determined by in-house testing.

Confectionery

Baking



Hand Caranara	MD2 MD3 MD4 MD5	(add last digit to denote color)
Mand Scrapers	MIDZ MID3 MID4 MID5	(add last digit to denote color)

Nodel	Description	Dimensions (W x H)	Characteristics	Applications & Markets
959MD ■ ■ ■	Mini Bench scraper	5.5"x 3.5"	 One-piece, injection molded 	 Meat, dairy, seafood, poultry
960MD = = = =	Bench scraper	8.5"x 5"	 Made from FDA-compliant materials 	 Institutional kitchens
961MD = = = =	Small scraper	3"x 8"	 Sturdy and durable 	 Confectionery
000MD				
		4.4"x 9.7" git to denote color)	No seams or cracks for bacterial growth	Baking
_			No seams or cracks for bacterial growth Characteristics	Baking Applications & Markets
land Scoops	MD2 MD3 MD4 MD5 (add last d	git to denote color)		. 0
land Scoops	MD2 MD3 MD4 MD5 (add last d	git to denote color) Dimensions (L x W x H)	Characteristics	Applications & Markets
land Scoops I	MD2 MD3 MD4 MD5 (add last dispersion) Small scoop (32 oz.)	git to denote color) Dimensions (L x W x H) 11.5"x 5"x 2.75"	Characteristics • One-piece, injection molded	Applications & Markets • Meat, dairy, seafood, poultry

Model	Description	Sample Sizes	Characteristics	Applications & Markets
MDTK	MD Sampler Kit	4mm—14mm spheres	 One-piece, injection molded 	 Meat, dairy, seafood, poultry
			 Made from FDA-compliant materials 	Institutional kitchens



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com

• Spheres in 1mm increments • Evaluate material suitability for specific

product/detector combinations



Metal Detectable Tools

These color-coded tools provide the ultimate step in quality assurance and safety for the food processing industry. Produced with a specially formulated FDA-compliant polypropylene resin, our tools can be easily identified by standard metal detection equipment. They are a great alternative to stainless steel.





Description
Small blade
Large blade

tion	Wt. (lbs)	Hai
de	3.7	D-G
de	5.2	D-G

One-Piece Shovels MD2 MD3 MD4 MD5 (add last digit to denote color)

Blade x Length 11"x 14"x 38" Grip 14"x 17"x 42" Grip

• One-piece, injection molded

Characteristics

- Made from FDA-compliant materials
- Heavy-duty and resilient
- Corrosion resistant
- Working temperature range: -22° F/-30° C to 176° F/80° C

Applications & Markets

- Meat, dairy, seafood, poultryGeneral food handling
- Material handling
 Chemical and industrial applications


One-Piece Mixing Paddle Scraper

MD2 MD3 MD4 MD5 (add last digit to denote color)

6777MD

Model





Handle T-Grip

Blade x Length 6"x 13"x 52"

Characteristics

- One-piece, injection molded
- Made from FDA-compliant materials
- Tapered blade for scraping
- Working temperature range: -22° F/-30° C to 176° F/80° C

Applications & Markets Dairy

- Institutional kitchens
- Confectionery
- Baking









Tub and Undercarriages

Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets
6901 6905	Tub Tub with 1" drain plug	31.0 31.0	30.5"x 54.7"x 20.6" 30.5"x 54.7"x 20.6" 1,000 lb. capacity 13.7 cubic ft. 11-bushel 102.5 US gallons	 High-density polyethylene Meets all USDA specifications Made from FDA-compliant materials Available in colors by special order (minimum order quantities required) Drain plug available 	 Meat, seafood, poultry Commercial fishing Candy Bakeries Dairy farms (grain) Storage
6902	Lid	15.0	31"x 55.5"x 2"	High-density polyethylene	
6903 6906 6904	Regular undercarriage (galvanized) Stainless steel undercarriage Low undercarriage (galvanized)	69.0 58.0 105.0	15.5" (height) 15.5" (height) 7.5" (height)	 Caster wheels impervious to meat fat Caster bearings equipped with grease fitt Available in galvanized and stainless stee Replacement casters and wheels available 	el frames













Tub and Undercarriage Different configuration, but many of the same attractive features as our 6901 tubs. Ideal for handling, transporting, freezing, and storing, this tub is tough and long lasting. It's available stand-alone or with a steel undercarriage, with an optional 1" drain plug, and (in orders meeting a minimum quantity requirement) your choice of colors.

6912

Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets
6911 6915	Tub Tub with drain plug	21.0 21.0	26"x 46.6"x 16.2" 26"x 46.6"x 16.2" 560 lb. capacity 10 cubic ft. 8-bushel 70 US gallons	 High-density polyethylene Meets all USDA specifications Made from FDA-compliant materials Available in colors by special order (minimum order quantities required) Drain plug available 	 Meat, seafood, poultry Commercial fishing Candy Bakeries Dairy farms (grain) Storage
6912	Lid	11.0	26.5"x 47"x 1.7"	High-density polyethylene	
6913	Undercarriage (galvanized)	60.0	7.2" (height)	 Caster wheels impervious to meat fat Caster bearings equipped with grease fittin Galvanized steel frames Replacement casters available 	gs







Aero-Tote

Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets
6921 6925	Aero-Tote tub Aero-Tote tub with drain plug	22.0 22.0	36"x 40"x 21.1" 36"x 40"x 21.1" 800 lb. capacity 17.6 cubic ft. 14-bushel	 High-density polyethylene Ribbed bottom for drainage Meets all USDA specifications Made from FDA-compliant materials 	 Meat, seafood, poultry Commercial fishing Candy Dairy farms (grain) Bakeries Storage
6922	Aero-Tote lid	13.0	36.5"x 41"x 2"	Thick, rigid polyethylene Allows column stacking	
6923	Aero-Tote pallet	20.0	32.7"x 37.2"x 9.5"	Easily snaps on and off Thick, rigid high-density polyethylene Access hole in leg for optional drain plug Column stackable and nestable Can be moved with a forklift	
**************************************	6922	2000		Call be intoved with a torking	





Vikan Professional Cleaning Solutions

Vikan A/S is one of the premier manufacturers of hygienic cleaning tools in the world. Its commitment to quality and innovation has made it an industry leader. Vikan provides professional cleaning tools that fully integrate efficiency, ergonomics, design, and safety.



Proud Heritage

The Scandinavians are famous for excellence in design and innovation for everything from furniture to industrial products. Vikan A/S, with over 100 years of Danish brush making experience, has applied these skills to making Vikan cleaning tools.

Superior Design and Manufacture

Vikan has the perfect storm of corporate attributes. It combines superior Scandinavian design, knowhow and market awareness that comes with being in business for over a century, together with a total commitment to state of the art manufacturing. The results are a worldwide reputation for providing products with unsurpassed quality and reliability.



Generous Product Selection

Vikan's constant product development has resulted in a complete range of products that includes cleaning tools for every conceivable purpose. Color-coding is an integral part of the system: providing totally colored brushware in most cases, not just colored bristles.

- Diverse brush designs.
- Numerous styles and sizes of squeegees.
- A wide assortment of handles.

These, plus many other specialty products deliver a complete package.

Professional Certification

- A world class manufacturer with ISO 9001 quality certification.
- A responsible neighbor with ISO 14001 environmental certification.



Vikan brings it all together to provide you with the best.



Hand Scrub Brushes

We've turned scrubbing into a science, with brushes that feature contoured blocks for a comfortable, sure grip and strong cleaning action. These models cover all the bases from nail brushes to large, multipurpose scrub brushes. From Vikan[®] hygienic and efficient cleaning.



Hand Scrub Brushes	2 3 <mark>4</mark> 5 6 7 8 9	(add last digit to denote co	lor)		Select items available in all color
Model	Bristle Type	Block Dimensions	Bristle Length	Bristle Material	Description
Round Scrub Brush 3885 ♦ ■ ■ □ □	Stiff	5"	1.5"	Polyester	Round hand scrub brush
Scrub Brushes 3587 ♦ ■ ■ □ □ 3889 ♦ ■ ■ □ □ ■ ■ ■	Soft Stiff	2"x 7" 2.5"x 7.5"	1" 1.3"	Polyester Polyester	Multipurpose hand brush Hand scrub brush with flared bristles
Scrub Brush with Spread Angle 3892 ◆ ■ ■ □ □	Stiff/Flared	3"x 8"	1.3"	Polyester	Large hand scrub brush with flared bristles
Nail Brush 6440 ◆ ■ ■ □ □ ■ ■ ■	Stiff	1.5"x 4.5"	0.7"	Polyester	Nail brush

- Hygienic, solid block polypropylene construction
 Low water absorption polyester bristles with stainless steel staples
 Made from FDA-compliant materials
- Autoclavable at temperatures up to 250° F/121° C
- ◆A Total Color product



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com



Hand Brushes	2 3 4 5 6 7 8 9	(add last digit to denote color)	Select items available in all colors

Model	Bristle Type	Block Dimensions	Bristle Length	Bristle Material	Description
Dish and Utility Brushes					
3089 ♦ ■ ■ □ □ ■	Stiff	2"x 10.5"	1"	Polyester	Small utility brush
1237 ♦ ■ ■ □ □ ■	Soft	1"x 10.5"	1"	Polyester	Hygiene model with scraper
287 ♦ ■ ■ □ □	Stiff	1"x 11"	1"	Polyester	Hygiene model with small brush head
rgonomic Hand Brushes					
167 ♦ ■ ■ □ □	Soft, split filament/Flared	5"x 13.5"	2"	Polyester	Ergonomic handle, water retaining bristles
169 ♦ ■ ■ □ □	Stiff/Flared	5"x 13.5"	1.5"	Polyester	Ergonomic handle with spread angle bristle:
ong-Handled Brushes					
183 ♦ ■ ■ ■ □ ■	Soft	2"x 16.5"	1.3"	Polyester	Long-handled churn brush
185 ♦ ■ ■ ■ □ □	Stiff	2"x 16.5"	1.3"	Polyester	Long-handled churn brush
hort-Handled Brushes					
187 ♦ ■ ■ □ □	Soft	3"x 10"	1.3"	Polyester	Short-handled hand brush
189 ♦ ■ ■ □ □ ■ ■ ■	Stiff	3"x 10"	1.3"	Polyester	Short-handled hand brush
193 ◆ ■ ■ □ □	Soft/Split	3"x 10"	1.8"	Polyester	Short-handled hand brush
aker's Hand Brushes					
582 🛊 🔳 🔳 🔲 🗀	Soft	1.25"x 11"	2"	Polyester	Bench brush
586 ♦ ■ ■ ■ □ ■	Supersoft	1.4"x 13"	2" 2"	Polyester	Suitable for sweeping fine particles
588 ♦ ■ ■ □ □ ■ ■	Soft	1.4"x 13"	2"	Polyester	Professional hand brush
astry Brushes					
55030 ■ □	Supersoft	1"x 5.5"	1.8"	Polyester	Pastry brush (blue or white)
55050 ■ □	Supersoft	2"x 5.5"	1.8"	Polyester	Pastry brush (blue or white)
55070 ■ □	Supersoft	3"x 5.5"	1.8"	Polyester	Pastry brush (blue or white)


- Low water absorption polyester bristles with stainless steel staples
 Made from FDA-compliant materials
 Hygienic, solid block polypropylene construction
 Autoclavable at temperatures up to 250° F/121° C

- ◆A Total Color product



Floor Brooms and Tank Brushes

Different brooms for different jobs. We offer a variety of hygienic floor brooms and tank brushes, with multiple widths and designs to ensure that you always get a clean sweep. From Vikan, hygienic and efficient cleaning.



Floor Brooms and Tank Brushes 2 3 4 5 6 7 8 9 (add last digit			st digit to denote color)		Select items available in all colors	
Model	Bristle Type	Block Dimensions	Bristle Length	Bristle Material	Description	
Upright Brooms						
2914 🔳 🔳 🔲 🗀	Stiff	1.5"x 9.5"	4.5"-6"	PET	Angle cut	
3104 ♦ ■ ■ □ □	Soft	1.5"x 9.5"	3"	Polyester	Lobby broom	
3166 ◆ ■ ■ □ □ ■	Medium	2"x 11.5"	3"	Polyester	Heavy-duty lobby broom	
Floor Brooms						
2915 ♦ ■ ■ □ □ ■	Stiff	3"x 12"	3.5"	PET	Broom with stiff bristles	
2920 ♦ ■ ■ □ □	Stiff	2.5"x 19"	4.4"	PET	Broom with stiff bristles	
3174 ♦ ■ ■ □ □ ■ ■	Soft-stiff combo	2"x 16"	2"	Polyester	Combo broom, stiff bristles loosen stubborn dirt, soft bristles sweep away loose particles	
3178 ◆ ■ ■ □	Soft/Split	2"x 16"	2"	Polypropylene	Hygienic broom with split bristles	
3179 ♦ ■ ■ □ □	Medium	2"x 16"	2"	Polvester	Floor broom	
3194 ◆ ■ ■ □	Soft-stiff combo	2"x 24"	2"	Polyester	Combo broom, stiff bristles loosen stubborn dirt, soft bristles sweep away loose particles	
3199 ◆ ■ ■ □ □ ■ ■	Medium	2"x 24"	2"	Polyester	Floor broom	
Tank Brushes						
7037 ♦ ■ ■ □ □ ■ ■	Stiff	5.5"x 8" (including bristles)	1.5"	Polyester	Ideal for cleaning tanks	
7039 ♦ ■ ■ □ □	Soft	5.5"x 8" (including bristles)	1.5"	Polypropylene	Ideal for cleaning tanks	

- Hygienic, solid block polypropylene construction
- Low water absorption polyester bristles with stainless steel staples
- Made from FDA-compliant materials
 Autoclavable at temperatures up to 250° F/121° C (excluding 3178 and 7039, which are autoclavable at temperatures up to 212° F/100° C)
 Requires a European-thread handle (see pages 32–33)

Deck Scrubs and Wall Brushes

For the most demanding, aggressive cleaning projects, you can't beat our deck scrubs and wall brushes. These items are also available with softer bristles for thorough but gentler cleaning action. From Vikan®, hygienic and efficient cleaning.



Deck Scrubs and Wall Brushes 2 3 4 5 6 7 8 9 (ad	dd last digit to denote color)	Select items available in all colors
--	--------------------------------	--------------------------------------

Model	Bristle Type	Block Dimensions	Bristle Length	Bristle Material	Description
Deck Scrubs					
7041 ♦ ■ ■ □ □ ■	Stiff	2.5"x 11"	1"	Polyester	Very stiff, short bristles—deck scrub
7043 ♦ ■ ■ □ □	Soft	2.5"x 11"	1.3"	Polyester	Wall/floor washing brush
7044	Stiff/Medium	2.75"x 9"	1.5"-1.75"	Polyester	Tapered block/flared bristle deck scrub
7060 ♦ ■ ■ ■ □ ■ ■	Stiff	3"x 12"	1.7"	Polyester	Deck scrub
7061 ♦ ■ ■ □ □	Soft	3"x 12"	1.7"	Polyester	Wall/floor washing brush
7062 ♦ ■ ■ □ □	Stiff	2.5"x 19"	1.8"	Polyester	Wide deck scrub
Wall Brushes					
7047 ♦ ■ ■ □ □	Medium	5"x 10"	1.5"	Polvester	High-low brush
7067 ♦ ■ ■ □ □	Supersoft/Split	3"x 8"	1.5"	Polyester	Angle adjustable brush to 4 angles— wall/floor washing brush

- Hygienic, solid block polypropylene construction
 Low water absorption polyester bristles with stainless steel staples
 Made from FDA-compliant materials
 Autoclavable at temperatures up to 250° F/121° C
 Requires a European-thread handle (see pages 32–33)

- ◆ A Total Color product



Tube and Valve Brushes

These brushes are tough enough to handle a wide variety of applications, from the food industry to chemical plants. Hygienic tube and valve brushes feature polypropylene blocks, several colors and a wide range of sizes for a superb fit. From Vikan, hygienic and efficient cleaning.






Tube and Valve Brushes 2 3 4 5 6 9 (add last digit to denote color)				
Bristle Type	Dimensions (Bristle diameter x o/a length)	Bristle Material	Characteristics	
Stiff	2" (50 mm) x 5.75"	Polyester	Requires a European-thread handle	
Stiff	2.5" (63 mm) x 6"	Polyester	(see pages 32–33).	
Stiff	3" (77 mm) x 6"	Polyester	Tough polypropylene blocks and polyester	
Stiff	3.5" (90 mm) x 6.25"	Polyester	bristles are suitable for food, chemical	
Stiff	4" (103 mm) x 6.5"	Polyester	and pharmaceutical plants.	
Soft	5"x 4.5"	Polyester	Cylinder shaped brush for cleaning of tubes,	
		,	valves and open containers. Requires a	
			European-thread handle (see pages 32-33).	
			· ·	
Stiff	3 5"x 18"	Polyester	Perfect for valves, outlets, tanks, and	
Ottili	0.0 X 10	1 diyester	cylinders. Complete with handle.	
	Stiff Stiff Stiff Stiff Stiff Stiff Stiff	Stiff 2" (50 mm) x 5.75" Stiff 2.5" (63 mm) x 6" Stiff 3" (77 mm) x 6" Stiff 3.5" (90 mm) x 6.25" Stiff 4" (103 mm) x 6.5" Stiff 5"x 4.5"	Bristle Type Dimensions (Bristle diameter x o/a length) Bristle Material Stiff 2" (50 mm) x 5.75" Polyester Stiff 2.5" (63 mm) x 6" Polyester Stiff 3" (77 mm) x 6" Polyester Stiff 3.5" (90 mm) x 6.25" Polyester Stiff 4" (103 mm) x 6.5" Polyester Soft 5"x 4.5" Polyester	





PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com



Tube and Valve Brush	es 23456	(add last digit to denote color)		Select items available in all colors
Model	Bristle Type	Dimensions (Bristle diameter x o/a length)	Bristle Material	Characteristics
Tube and Value Druches				

woaei	bristie type	Dimensions (Bristie diameter x 0/a length)	Dristie Wateriai	Characteristics
Tube and Valve Brushes				
5375	Stiff	0.375"x 19.625"	Polyester	These multipurpose brushes from Vikan
5376	Stiff	0.75"x 19.625"	Polyester	are designed to clean tubes and valves
5378	Stiff	1.625"x 19.625"	Polyester	from 0.375" to 2.375" diameters.
5379	Soft	2"x 19.625"	Polyester	All brushes are made with helically
5370	Soft	2.375"x 19.625"	Polyester	wound stainless steel shafts (13 gauge).
5381 □	Stiff	1"x 34.25"	Polyester	Extended tube brushes are available in
5382 □	Soft	2"x 34.25"	Polyester	34.25" or 5' lengths, 1"-3" bristle diameters,
5383 □	Soft	3"x 34.25"	Polyester	and made with helically wound stainless
5386 □	Stiff	1"x 5' (two-piece)	Polyester	steel shafts (11 gauge).
5387 □	Soft	2"x 5' (two-piece)	Polyester	All tube and valve brushes are made with
5388 🗆	Soft	3"x 5' (two-piece)	Polyester	low water absorption polyester bristles and
				have color-coded polypropylene hand grips.
Specialized Tube Brushes and H	andles			
53543+	Stiff	0.5"x 6.25"	Polyester	Vikan tube cleaner models 53563 and 53543
53563 ⁺	Soft	2.3"x 6.25"	Polyester	can be used with flexible handle models
			,	5350 and 5352. The versatile rods will follow
				the curves of the tube.
				··· ·
5350		5'	Stainless steel (shaft)	Flexible handle
5352		5'	Nylon (shaft)	Flexible handle

 $[\]bullet$ Autoclavable at temperatures up to 250° F/121° C

REMCO

^{*}Additional colors available by special order

Resin Set Brushes

As an alternative to staple set brushes we offer a select group of Resin Set Brushes. Polyester bristles are affixed to a solid polypropylene block with food grade resin constructed to meet specific needs and special applications. From Vikan, hygienic and efficient cleaning.




Resin Set Brushes	2 3 4 5 6 9	(add last digit to denote color)

Select items available in all colors

Model	Bristle Type	Block Dimensions	Bristle Length	Bristle Material	Description
2922	Stiff	2.5"x 18.5"	2.2	Polvester	Stiff-bristled broom
3893	Stiff	2.5"x 7"	1.5"	Polyester	Hand scrub brush
4180	Stiff	2.5"x 16"	1.9"	Polyester	Long-handled churn brush
4188	Stiff	3"x 10"	1.9"	Polyester	Short-handled churn brush
4557	Soft	1.5"x 14"	2.9"	Polyester	Long-handled bench brush with soft bristles
4558	Soft	1.5"x 10"	2.8"	Polyester	Short-handled bench brush with soft bristles
7045	Soft	2.5"x 11"	2.3"	Polyester	Broom with soft bristles
7046	Stiff	2 5"x 11"	1.5"	Polvester	Deck scrub

- Hygienic, solid block polypropylene construction
- Low water absorption polyester bristles
- Made from FDA-compliant materials
- Autoclavable at temperatures up to 250° F/121° C







PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com


2 3 4 5 6 7 8 9


Select items available in all colors

Total Color

We've taken the next logical step in colorcoding. With block and bristle made from the same color, you now have the highest degree of traceability possible for today's stringent HACCP environments. From Vikan, hygienic and efficient cleaning.








MANUFACTURED FOR DURABILITY QUALITY TESTING

- Autoclave test. Brushware can be autoclaved at 250° F/121° C
- Individual filament strength is tested
- Filament tufts are tested at 60 Newtons of force
- Molded parts are tested for strength
- Chemical resistance testing is performed
- ISO 9001 Certified
- ISO 14001 Certified



DESIGNED FOR ACCOUNTABILITY— COLOR CODING


- Minimizes the risk of cross-contamination
- Divides production into zones or tasks
- Allows for quick visual confirmation
- Brushes manufactured in Total Color block and bristle are the same color
- Helps with HACCP compliance
- Prevents quality lapses before they happen



VALUED FOR LONGEVITY— PROPER PRODUCT MAINTENANCE

- Remove all visible dirt
- Clean with a solution of pH 9 or above
- Rinse with clean water
- If lime residues form, remove with a solution of pH 5 or less
- Rinse with clean water
- If required, tools can be disinfected after washing
- Rinse with clean water to remove any disinfectant residue
- Note: brushware can be autoclaved at 250° F/121° C if required
- Hang and dry tools properly





Ultra Hygiene Squeegees 2 3 4 5 6 7 8 (add last digit to denote color)

Select items available in all colors

Model	Dimensions	Material	Characteristics
7070	16"	Reinforced polypropylene head, with specially blended rubber blade	Very durable, solid and ultra-hygienic Made from FDA-compliant materials
7071	20"	Reinforced polypropylene head, with specially blended rubber blade	 One-piece construction, single blade squeegee design Autoclavable at temperatures up to 250° F/121° C
7072	24"	Reinforced polypropylene head, with specially blended rubber blade	 Specially blended rubber blade; flexible and durable Usable on a variety of work surfaces
7073	28"	Reinforced polypropylene head, with specially blended rubber blade	 Full mono-color construction for HACCP identification and tracking Double splash guard for push or pull applications Molded reverse edge scraper Requires a European-thread handle (see pages 32–33)

Model

4769



Material

Reinforced polypropylene head, with specially blended rubber blade

Characteristics

- Very durable, solid and ultra-hygienic
- Made from FDA-compliant materials
- One-piece construction, single blade squeegee design
- Autoclavable at temperatures up to 250° F/121° C
- Specially blended rubber blade; flexible and durable
- Usable on a variety of work surfaces
- Full mono-color construction for HACCP identification and tracking
- Double splash guard for push or pull applications
- · Molded reverse edge scraper
- 6.5" handle included



Dimensions

10"





Double Blade Ultra Hygiene Squeegees† 2 3 4 5 6 7 9 (add last digit to denote color)



Select items available in all colors

Model	Dimensions	Material	Characteristics
7713	20"	Reinforced polypropylene head, with specially blended rubber blades	 Durable, one-piece molded head with double blades Blades held in place with locking cassette Easy to replace refill cassette with special finger grip
7733		Color-coded refill cassette	Specially blended color-coded rubber blades; flexible and durable Double splash quard for push or pull applications
7714	24"	Reinforced polypropylene head, with specially blended rubber blades	 Molded reverse edge scraper Made from FDA-compliant materials Autoclavable at temperatures up to 250° F/121° C
7734		Color-coded refill cassette	 Requires a European-thread handle (see pages 32–33)
Double Blade Ultra	Hygiene Bencl	Squeegee 23456 (add las	et digit to denote color)

Double Blade Ultra Hygiene Bench Squeegee	2 3 4 5 6	(add last digit to denote color)
---	-----------	----------------------------------

Model	Dimensions	Material	Characteristics
7711	10"	Reinforced polypropylene head, with specially blended rubber blades	 Durable, one-piece molded head with double blades Blades held in place with locking cassette
7731		Color-coded refill cassette	 Easy to replace refill cassette with special finger grip Specially blended color-coded rubber blades; flexible and durable Double splash quard for push or pull applications
†Also available in 16" and 28" by	/ special order		Molded reverse edge scraper Made from FDA-compliant materials
			 Autoclavable at temperatures up to 250° F/121° C 6.5" handle included



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com



Fixed Head Squeegees 2 3 4 5 6 7 8 9 (add last digit to denote color)

Select items available in all colors

Model	Dimensions	Material	Description	
7752	16"	Polypropylene head with black foam blades	Double blade squeegee; closed-cell foam	
77729	16"	Black foam blades	Refill cassette	
77725	16"	White foam blades	Refill cassette	
7753	20"	Polypropylene head with black foam blades	Double blade squeegee; closed-cell foam	
77739	20"	Black foam blades	Refill cassette	
77735	20"	White foam blades	Refill cassette	
7754	24"	Polypropylene head with black foam blades	Double blade squeegee; closed-cell foam	
77749	24"	Black foam blades	Refill cassette	
77745	24"	White foam blades	Refill cassette	
7755	28"	Polypropylene head with black foam blades	Double blade squeegee; closed-cell foam	
77759	28"	Black foam blades	Refill cassette	
77755	28"	White foam blades	Refill cassette	

Fixed Head Bench Squeegee 2 3 4 5 6 (add last digit to denote color)

Model	Dimensions	Material	Description
7751	10"	Polypropylene head with black foam blades	Double blade squeegee; closed-cell foam 6.5" handle included
77719	10"	Black foam blades	Refill cassette
77715	10"	White foam blades	Refill cassette
Durable and piece molded head	• Fagur	to raplace rafill acceptts with appaid finger grip	

- Durable, one-piece molded head
- Polypropylene head is easy to sanitize
- Double splash guard for push or pull applications
- · Molded reverse edge scraper
- Blades held in place with locking cassette
- Easy to replace refill cassette with special finger grip
 Requires a European-thread handle, see pages 32–33 (except model 7751)
 Made from FDA-compliant materials (except black foam blades)
- Autoclavable at temperatures up to 250° F/121° C



Swivel Neck Squeegees

Much like our series of fixed head squeegees, the swivel neck squeegees are also superior in quality. They have refill blades that are easy to clean, and the swivel neck feature gives you the flexibility required to clean narrow and hard-to-reach areas. From Vikan® hygienic and efficient cleaning.




Swivel Neck Squeegees[†] 23456 (add last digit to denote color)



Model	Dimensions	Material	Description
7763	20"	Polypropylene head with white foam blades	Double blade swivel neck squeegee; closed-cell foam
77735	20"	White foam blades	Refill cassette
77739	20"	Black foam blades	Refill cassette
7764	24"	Polypropylene head with white foam blades	Double blade swivel neck squeegee; closed-cell foam
77745	24"	White foam blades	Refill cassette
77749	24"	Black foam blades	Refill cassette
 Polypropylene head is easy to 	sanitize		

†Also available in 16" and 28" by special order







PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com



Ceiling Squeegee System 2 3 4 5 6 (add last digit to denote color)



Select items available in all colors

Model	Dimensions (collapsed and extended)	Material	Description
Ceiling Squeegee 7716	3" x 16"	Polypropylene & SEBS Polymer	Self-draining squeegee
Draining Extension Handles [†] 6268B 6268N 6269B 6269N	8'4"-15'8" 8'3"-15'7" 8'6"-16' 8'6"-16'1"	Composite fiberglass and aluminum Composite fiberglass and aluminum Fiberglass Fiberglass	Extension handle with bottle* Extension handle with drain Extension handle with bottle* Extension handle with drain

^{*}Bottle capacity is 32oz. Replacement bottles available (RP6946).

Regular Extension Handles

Model	Dimensions (collapsed and extended)	Material	Description
Regular Extension Handles			
6268	8'2"-15'7"	Composite fiberglass and aluminum	Extension handle
6269	8'5"-15'9"	Fiberglass	Extension handle
2977	7'2"-18'5"	Fiberglass	Extension handle

†See page 35 for additional draining handles

All handles shown above have a European-thread

32 **Vikan Color-Coded Handles** Build a matched set of cleaning implements with these handles. Their color-coded ergonomic sleeves are designed to complement Vikan's color-coded squeegees, brooms and brushes. From Vikan, hygienic and efficient cleaning. 2937/2939 2936 2934


Vikan Color-Coded Handles 2 3 4 5 6 7 8 9 (add last digit to denote color)



Select items available in all colors

Model	Dimensions	Material	Description	Characteristics
2934	6.5" 51" 51" 59" 59" 60" 64"–115" 26"	Polypropylene Aluminum Fiberglass Aluminum Fiberglass Stainless steel Aluminum Aluminum	Mini-handle—tapered European-thread Ergonomic sleeve—tapered European-thread (polypropylene tip)	Made from FDA-compliant materials Aluminum, fiberglass and stainless steel shafts available Ergonomic polypropylene sleeve Optimum diameter for reduced muscle fatigue Rounded grooves improve grip without compromising hygiene Wide range of lengths including extension feature Autoclavable at temperatures up to 250° F/121° C

^{*}See page 31 for a selection of longer extension handles








33 Vikan Handles Get a better grip on virtually any cleaning job with these top-quality handles, designed for use with all Vikan squeegees, brooms and brushes. The ergonomic polypropylene sleeves provide a comfortable, sure grip. An outstanding value from Vikan? hygienic and efficient cleaning. 2972 2959 2945 29513


Vikan Handles 2 3 4 5 6 (add last digit to denote color)

Select items available in all colors

Model	Dimensions	Material	Description	Characteristics
2945	51" 25.6" 59" 68" 39.5"	Aluminum Aluminum Aluminum Fiberglass Stainless steel	Handle with poly grip Handle with poly grip Handle with poly grip Ergonomic sleeve Ergonomic sleeve	 European-thread handles Made from FDA-compliant materials Aluminum, fiberglass and stainless steel shafts available Wide range of lengths Autoclavable at temperatures up to 250° F/121° C







Special Application Brushes

Some cleaning jobs just don't fit a standard pattern – and can't be accomplished with standard tools. That's when these specialized brushes prove their worth. They're designed for a wide range of applications in hard-to-reach areas. From Vikan[®], hygienic and efficient cleaning.



Model	Dimensions	Material	Description	Characteristics
0615*	2.5"x 9.5"	Reinforced polypropylene	One-piece unit (includes screws, wall anchors and mounting instructions)	Bracket supports any product Virtually unbreakable; solid, one-piece design Bracket protrudes away from wall for: sanitary drying hygienic storage ease of cleaning behind bracket Easy to increase length for your storage needs Made from FDA-compliant materials Weight capacity: 22 lbs

Special Application Brushes

Model	Bristle Type	Dimensions (Bristle diameter x o/a length)	Bristle Material	Characteristics
41845▼□	Medium	2.75"x 20"	Polyester	 Ideal for cutting tools, conveyors and hard-to-reach places.
53713 ▼ ■ 53743 ▼ ■	Soft Stiff	4.4"x 20" 2.5"x 20"	Polyester Polyester	 Two-prong construction. Fully adjustable for cleaning top and bottom of pipes. Helically wound stainless steel shaft.

^{*}Alternative stainless steel model in three different sizes available by special order

[▼]Autoclavable at temperatures up to 250° F/121° C



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com

Waterfed System

Ideally suited to all kinds of cleaning projects-including walls, tanks, equipment, and decks-this system puts the water where you need it. The quick connect feature connects a standard 3/4" hose to an integrated system, with an automatic shut-off, so you can change tools easily without



Waterfed System 2 3 4 5 6 7 9 (add last digit to denote color)

Select items available in all colors

Model	Dimensions	Material	Description
0711	5.5"x 6"	Brass/Stainless steel/Rubber	Heavy-duty water gun
2991 🗆	63"	Aluminum	Waterfed, ergonomic handle
29910 🗆	63"	Aluminum	Waterfed, ergonomic handle with fitting
2973	65"-116"	Aluminum	Waterfed, telescopic handle
29730 🔳 🔳 🔲 🗀	65"-116"	Aluminum	Waterfed, telescopic handle with fitting
54523	5.5"x 8"	Polypropylene bristles, medium	Tank brush
7041 ◆ ■ ■ □ □ ■	2.5"x 11"	Polyester bristles, stiff	Waterfed deck scrub brush
7043♦ ■ ■ □ □	2.5"x 11"	Polyester bristles, soft	Waterfed wall washing brush
70560 ■ □	1.8"x 14.8"	Polyester bristles, stiff	Hand brush—waterfed with fitting
7067◆ ■ ■ □ □	3"x 8"	Polyester bristles, 1.5" Supersoft/Split	Angle adjustable brush to 4 angles—wall/floor washing brush
0703US		Stainless steel	Quick connect coupling with shut-off valve

- 2991 and 2973 handles have a barbed fitting (hose clamp required)
 0711, 29910, 29730, and 70560 have a quick disconnect fitting and require the 0703US coupling
- The special quick connect coupling ties the system together for use up to 362 psi with 3/4" service hose
- · Works well on decks, walls and tanks
- Recommended water temperature not to exceed 122° F/50° C
- ◆A Total Color product





Floor and Drain Tools For the difficult task of keeping your floors and drains sparkling clean, we are your one-stop shop. Our floor and drain tools are strong enough for your toughest cleaning challenges because they stand the test of time. From squeegees and brooms to dustpans and shovels, these FDA-compliant products offer solutions for your company's sanitation needs. *Not pictured: 56869, 56879 (page 11) and 69829 (page 5)

Floor and Drain Tools

Model	Dimensions	Description
Floor Brooms		
29159	3"x 12" (3.5" bristle length)	Floor broom with stiff black polyester bristles/solid polypropylene block
31669	2"x 11.5" (3" bristle length)	Upright broom with medium black polyester bristles/solid polypropylene block
31749	2"x 16" (2" bristle length)	Combo broom, stiff black polyester bristles loosen stubborn dirt,
	, , , , , , , , , , , , , , , , , , , ,	soft bristles sweep away loose particles/solid polypropylene block
31999	2"x 24" (2" bristle length)	Wide floor broom with medium black polyester bristles/solid polypropylene block
70609	3"x 12" (1.7" bristle length)	Deck scrub with stiff black polyester bristles/solid polypropylene block
	2 2 (22	
Floor Squeegees 77539	20"	Black polypropylene head with black foam blades
77539 77739	20"	Refill cassette
	20 24"	
77549		Black polypropylene head with black foam blades
77749	24"	Refill cassette
77139	20"	Black polypropylene head with black rubber blades
77339	20"	Refill cassette
77149	24"	Black polypropylene head with black rubber blades
77349	24"	Refill cassette
Handles		
29369	51"	Fiberglass black handle for floor brooms and squeegees
29379	59"	Aluminum handle with black sleeve for floor brooms and squeegees
29759	64"-115"	Aluminum extension handle with black sleeve
Wall Bracket		
06159	2.5"x 9.5"	Co-injection molded polymer; one-piece unit (includes screws, wall anchors and mounting instructions)
	2.3 X 3.3	co-injection mode polymer, one-piece unit (includes sciews, wan anchors and mounting instructions)
Stainless Steel Floor Scraper		
29109	10.25" (width)	Stainless steel blade with black head
Nylon Floor Scraper		
?9119	10.25" (width)	Heavy-duty black nylon floor scraper



Floor and Drain Tools

Model	Dimensions	Description	
Drain Brushes (bristle diamete	er x overall length)		
5380-77-9	3" (77 mm) x 6"	Drain brush with stiff black polyester bristles	
5380-90-9	3.5" (90 mm) x 6.25"	Drain brush with stiff black polyester bristles	
5380-103-9	4" (103 mm) x 6.5"	Drain brush with stiff black polyester bristles	
Handles (non-food grade)			
6024DRN	24"	Fiberglass handle for drain brushes	
6036DRN	36"	Fiberglass handle for drain brushes	
6053DRN	53"	Fiberglass handle for drain brushes	
Hand Brushes			
38899	2.5"x 7.5" (1.3" bristle length)	Hand scrub brush with stiff, flared black polyester bristles	
41899	3"x 10" (1.3" bristle length)	Short-handled hand brush with stiff black polyester bristles	
45869	1.4"x 13" (2" bristle length)	Suitable for sweeping fine particles, supersoft black polyester bristles	
64409	1.5"x 4.5" (0.7" bristle length)	Nail brush with stiff black polyester bristles	
Floor Brushes			
70379	5.5"x 8" (1.5" bristle length)	Tank brush with stiff black polyester bristles	
Hand Scrapers		· ·	
69619	3"x 8"	Polypropylene; black one-piece hand scraper	
69629	4.4"x 9.7"	Polypropylene; black one-piece hand scraper	
	1.1 A 0.7	1 orthophorio, pract one proce mand corapor	
Dustpans	12 5" 11 5" 2"	EDA compliant block dustron	
56609	12.5"x 11.5"x 2"	FDA-compliant black dustpan	
6350	12"x 12"x 2"	Non-food grade black dustpan	



Hazmat Squeegees




Hazmat Squeegees

Model	Dimensions (W x L)	Description
6608	4.2"x 8"	Polyethylene blade
6612	4.2"x 12"	Polyethylene blade
6618	4.2"x 18"	Polyethylene blade
6624	4.2"x 24"	Polyethylene blade
6630	4.2"x 30"	Polyethylene blade
6530	4.2"x 28"	Polyethylene blade, curved

- Low-cost, chemical resistant squeegee
 High-density polyethylene block, low-density polyethylene blade
 Requires a European-thread handle
- Custom lengths available







PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com



Hazmat Handles

*See page 31 for a selection of longer extension handles

Model	Dimensions	Description
European Thread Handles		
6012 °	12"	Fiberglass handle
6024	24"	Fiberglass handle
6036	36"	Fiberglass handle
6053	53"	Fiberglass handle
6061	60"	Fiberglass handle
6072	72"	Fiberglass handle
6080 (not shown)	80"	Fiberglass handle
Specialty Handles		
3228*	28"-47"	Compact utility handle, fiberglass (European-thread)
6264*	6'10"-11'9"	Extension utility handle, fiberglass (European-thread)
• Ctrong honovoomh ooro for rigi	d arush registant handle	
Strong honeycomb core for rigi		
Polyester gel-coat to protect ha		
Custom length handles availab		
Tapered European-thread fitting	J	



40 **Safety and Spill Kit Tools** Hazmat response teams across the country have learned to depend on this full line of safety products for help in cleaning up our environment. Specifically designed for spill kits and environmental and industrial clean-up applications, these tools are rugged, non-sparking and chemically resistant. 6896SS 6900SS 69816 69814 69826 6892SS 6896BKSS 69829 6981RG 6982RG 6962 6963 6400 69622 65002 64002 69612 6896BKSS 6895SS 6350 6880EBO


Safety and Spill Kit Tools

Model	Dimensions (W x L x H)	Description
Shovels		
6880EBO	10"x 12"x 24"-36"	Emergency blade shovel, compact, available with orange or charcoal gray blades
6892SS	10.5"x 14"x 38.5"	Medium blade, standard D-grip, two-piece safety shovel
6895SS	10.5"x 14"x 20"	Medium blade, pan safety shovel
6896BKSS	10.5"x 14"x 43.5"	Medium blade, extended D-grip, two-piece safety shovel (bonded, all black)
6896SS	10.5"x 14"x 43.5"	Medium blade, extended D-grip, two-piece safety shovel
6900SS	14"x 18"x 40.5"	Large blade, standard D-grip, two-piece safety shovel
6981	11"x 14"x 38"	One-piece, heavy-duty shovel
6982	14"x 17"x 42"	One-piece, heavy-duty shovel
69829	14"x 17"x 42"	One-piece, heavy-duty, black shovel
6981RG	11"x 14"x 38"	One-piece, heavy-duty, gray shovel (regrind)
6982RG	14"x 17"x 42"	One-piece, heavy-duty, gray shovel (regrind)
Scoops, Scrapers and Dustpan 6350 6400 6500 64002 65002 6961 6962 69612 69622 69622 69623	12"x 12"x 2" 5"x 11.5"x 2.75" 6.5"x 15"x 3.5" 5"x 11.5"x 2.75" 6.5"x 15"x 3.5" 3"x 8" 4.4"x 9.7" 3"x 8" 4.4"x 9.7" 4.4"x 9.7"	Dustpan-black, polypropylene Small scoop, 32 oz. Large scoop, 82 oz. Small green scoop, 32 oz. Large green scoop, 82 oz. Large green scoop, 82 oz. Small scraper Large scraper Small green scraper Large green scraper Hi-temp scraper, blue



PHONE: 317-876-9856 FAX: 800-585-8619 www.remcoproducts.com







Dual thread adapter (to adapt European-thread handle to shovel)

Safety and Spill Kit Tools

Handle Accessories

6200

Model Dimensions Description **Shovels** WxL 14"x 18" 6894SS Non-sparking polypropylene blade (large) 6895SS 10.5"x 14" Non-sparking polypropylene blade (medium) WxL **Brooms** PET broom, stiff-European-thread handle required 2915◆ 3"x 12" 2.5"x 19" PET broom, stiff-European-thread handle required 2920◆ 31783◆ 2"x 16" Polypropylene broom, soft/split—European-thread handle required Polypropylene decon/tank brush, soft—European-thread handle required 70393◆ 5.5"x 8" ◆A Total Color product **Hazmat Squeegees** WxL 4.2"x 28" 4.2"x 30" Polyethylene curved blade hazmat squeegee—European-thread handle required 6630* Polyethylene blade—European-thread handle required *Custom sizes available **L** 53' **Fiberglass Handles** European-thread 6053 60" 6061 European-thread *See page 39 for more models **Extension/Compact Handles** 28"-47" Compact utility handle (European-thread) 6228 6264 6'10"-11'9" Extension utility handle (European-thread)

5.5'


Index	41899	Handles	6036	64002 40	77735 (refill) 29
IIIUGA	4193 19, 25	29369	6053 39, 41	6500 40	7754 (24") 29
	Special Application Brushes	29379	6061	65002 40	77549 (24"-black) 36
Brooms	41845	29759	6072	Scrapers	77749 (refill) 29, 36
2.00	53713	6024DRN	6080	6961 40	77745 (refill) 29
Deck Scrubs	53743	6036DRN 37	6228	69612 40	7755 (28") 29
7041 21, 25	Specialized Tube Brushes and Handles	6053DRN	6264	6962	77759 (refill) 29
7043 21, 25	53543 23	Wall Bracket System	Squeegees	69622	77755 (refill) 29
7044 21	53563 23	06159	6530	6963	Hazmat Squeegees
7047 21, 25	5350		6608	Shovels	6530
7060 21, 25	5352 23	Food Hoe	6612	6981 40	6608
70609	Tank Brushes	2000	6618	6982	6612
7061 21, 25	7037 20. 25	2900	6624	69829 40	6618
7062 21, 25	70379	Fork	6630	6896BKSS 40	6624
Floor and Drain Tool Brooms	7039 20, 25	FUIK		6981RG 40	6630
29159	Tube and Valve Brushes	56905	Metal Detectable Tools	6982RG 40	Swivel Neck Squeegees and Refill
31669	5370			6894SS 41	Cassettes
31749	5375	Hand Scoops and	Hand Scoops	6895SS 40. 41	7763 (20")
31999	5376	Bowl Scoops	6400MD	6896SS	77735 (refill)
70379	5378		6500MD	6892SS	77739 (refill)
70609	5379	5680	Hand Scrapers	6900SS 40	7764 (24")
Floor Brooms	5381	5685	6959MD	6880EBO 40	77745 (refill)
2915 20, 25	5382	6300	6960MD		77749 (refill)
29159	5383	6400	6961MD	Scrapers	Ultra Hygiene Squeegees
2920 20, 25	5386	6500	6962MD		Double Blade and Replacement
3174 20, 25	5387	6550	Mixing Paddles	Floor Scrapers	Blades
31749	5388	6552	6777MD	2910	7713 (20") 28
3178 20, 25	7033		Shovels	29109	77139 (20"—black)
3179 20, 25	Tube Brushes for Handles	Handles	6981MD	2911	77133 (zefill)
3194 20, 25		Ceiling Squeegee System Draining	6982MD	29119	77339 (refill–black)
3199 20, 25		Extension Handles		Hand Scrapers	
Resin Set Brooms	5380-63		Pail	6959	7714 (24")
2922	5380-77	6268B		6960	77149 (24"-black)
7045	5380-77-9	6268N	Pail	6961	7734 (refill) 28
	5380-90	6269B	5686	69619	77349 (refill–black) 36
7046 24	5380-90-9	6269N	Lid	6962	Single Blade
Safety and Spill Kit	5380-103	Extension Handles	5687	69629	7070 27
Tool Brooms	5380-103-9	2975	Mounting Bracket	6963	7071 27
2915 41	Turk's Head Brush	2977	0620	Paddle Scrapers	7072
2920 41	7035	6264		6774 6	7073 27
31783 41	Utility Brush	6268	Paddles	6775 6	**
70393 41	3089 19, 25	6269	Maria Datu	6776 6	Tubs, Lids and Undercarriages
Upright Brooms	Wall Brush	Floor and Drain Tool Handles	Mixing Paddles	6777	Aero-Tote
2914 20	7067 21, 25	29369	6774	7011	6921
3104 20, 25		29379	6775	7013	6922
3166 20, 25	Ceiling Squeegee System	29759	6776	7013	6923
31669	0.111.0	6024DRN	6777 6	Shovels	6925
	Ceiling Squeegee	6036DRN	Paddle Scrapers		Kart Tubs and Lids
Brushes	7716	6053DRN	7011	Emergency Blade Shovels	
Baker's Hand Brushes	Draining Extension Handles	Hazmat Handles	7013	6880EBG 5	(1000 lb. capacity)
4582 19, 25	6268B	6012	B 111 11 0 4	6880EBO 5	6901
4586	6268N	6024	Pad Holder System	Ergonomic Shovels	
45869	6269B	6036	Pad Holders	56015	6905
	6269N	6053 39, 41	5500	56045	Kart Tubs and Lids
4588 19, 25		6061	5510	56115	(560 lb. capacity)
Dish Brushes	Dustpans	6072	Pads	56125	6911
4237	5660	6080	5523	6984	6912
4287 19, 25	6350	6228	5524	Industrial Shovels	6915
Ergonomic Hand Brushes	0000	6264	5525	69829 5	Undercarriages
4167 19, 25	Floor and Drain Tools	Safety and Spill Kit Handles and	3323	6896BKSS	6903
4169 19, 25		Accessories	Rake	6981RG 5	6904
Floor and Drain Tool Brushes	Drain Brushes	Accessories		6982RG 5	6906
38899	5380-77-9	6200 41	56915	One-Piece Shovels	6913
41899	5380-90-9	Extension/Compact Handles		6981	WIID I (O)
45869	5380-103-9	6228 39, 41	Safety and Spill Kit Tools	6982	Wall Bracket System
5380-77-9	Dustpan	6264	Brooms	6984	0615
5380-90-9	56609	Vikan Color-Coded Handles	2915 41	Two-Piece Safety Shovels	06159
5380-103-9	6350	2934	2920	6892SS 4	
64409	Floor Brooms	2935	31783 41	6895SS 4	Waterfed System
Long-Handled Brushes	29159	2936	70393 41	6896BKSS	
4183 19, 25	31669	29369	70393	6896SS	Accessories
4185 19, 25	31749	2937		6897SS 4	0703US 35
Nail Brush	31999	29379		6898SS 4	Brooms and Brushes
6440 18, 25	70379	2938	Handles and Accessories	6900SS 4	54523
64409	70609	2939	Accessories	6985SS 4	7041
	Floor Coronoro	2975	6200 41		7043
Pastry Brushes	Floor Scrapers		Extension/Compact Handles	Squeegees	70560
Pastry Brushes 555030	29109	79/59			7067
		29759	6228	·	/00/
555030	29109	2981	6264	Bench Squeegees	Handles
555030	29109	2981	6264 39, 41 Hazmat Handles	4769 (Ultra) 27	Handles 2973
555030 19 555050 19 555070 19	29109	2981. 32 Vikan Handles 32 2945. 33	6264	4769 (Ultra)	Handles
555030 19 555050 19 555070 19 Resin Set Brushes	29109	2981. 32 Vikan Handles 33 2945. 33 29513. 33	6264	4769 (Ultra)	Handles 2973. 35 29730. 35 2991. 35
555030 19 555050 19 555070 19 Resin Set Brushes 3893. 24	29109	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39	4769 (Ultra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29	Handles 2973. 35 29730. 35 29910. 35 29910. 35
555030 19 555050 19 555070 19 Resin Set Brushes 3893. 24 4180. 24 4188. 24 4557. 24	29109	2981. 32 Vikan Handles 33 2945. 33 29513. 33 2959. 33 2972. 33	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41	4769 (Ültra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29 77719 (refill) 29	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4188 24 4557 24 4558 24	29109	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41	4769 (Ültra)	Handles 2973. 35 29730. 35 29910. 35 29910. 35
555030 19 555050 19 555070 19 Resin Set Brushes 3893. 24 4180. 24 4188. 24 4557. 24	29109 36 29119 36 Floor Squeegees 77539 36 77739 (refill cassette) 36 77549 36 77749 (refill cassette) 36 77719 36	2981. 32 Vikan Handles 33 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41 6072. 39	4769 (Ültra)	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4188 24 4557 24 4558 24	29109	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41 6072. 39 6080. 39	4769 (Últra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29 77719 (refill) 29 77715 (refill) 29 Ceiling Squeegees 7716. 31	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4188 24 4557 24 4558 24 Round Scrub Brush	29109 36 29119 36 Floor Squeegees 36 77539 36 77549 36 77749 (refill cassette) 36 77139 36 77139 36 77339 (refill cassette) 36 77339 (refill cassette) 36 7739 (refill cassette) 36 7739 (refill cassette) 36	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 29730. 35	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees	4769 (Ültra)	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4188 24 4557 24 4558 24 Round Scrub Brush 3885 18, 25	29109. 36 29119. 36 Floor Squeegees 77539. 36 77739 (refill cassette) 36 77549. 36 77749 (refill cassette) 36 77139. 36 77139. 36 77339 (refill cassette) 36 77349 (refill cassette) 36 77349 (refill cassette) 36	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 29730. 35 2991. 35	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees 6530. 38, 41	4769 (Ultra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29 77719 (refill) 29 77715 (refill) 29 Ceiling Squeegees 7716. 31 Fixed Head Squeeges and Replacement Cassettes	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35
555030 19 555050 19 555070 19 Resin Set Brushes 3893. 24 4180. 24 4557. 24 4558. 24 Round Scrub Brush 3885. 18, 25 Scrub Brushes 18, 25	29109 36 29119 36 Floor Squeegees 77539 36 77739 (refill cassette) 36 77549 36 77749 (refill cassette) 36 77139 36 77139 36 77139 36 77139 36 77339 (refill cassette) 36 77149 36 77149 36 77349 (refill cassette) 36 Hand Brushes	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 29730. 35	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39, 6053. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees 6530. 38, 41 6608. 38	4769 (Ültra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29 77719 (refill) 29 77715 (refill) 29 Ceiling Squeegees 7716. 31 Fixed Head Squeegees and Replacement Cassettes 7752 (16") 29	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4557 24 4558 24 Round Scrub Brush 3885 18, 25 Scrub Brushes 3587 18, 25 3889 18, 25	29109 . 36 29119 . 36 Floor Squeegees 77539 . 36 77739 (refill cassette) . 36 77749 (refill cassette) . 36 77749 (refill cassette) . 36 77139 . 36 77149 . 36 77149 . 36 77349 (refill cassette) . 36 77349 (refill cassette) . 36 Hand Brushes 38899 . 37	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 29730. 35 29910. 35	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6036. 39, 41 6061. 39, 41 6062. 39 6080. 39 Hazmat Squeegees 6530. 38, 41 6608. 38 6612. 38	4769 (Ultra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29 77719 (refill) 29 77715 (refill) 29 Ceiling Squeegees 7716. 31 Fixed Head Squeeges and Replacement Cassettes	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4557 24 4558 24 Round Scrub Brush 3885 18, 25 Scrub Brushes 3587 18, 25 3889 18, 25 Scrub Brush with Spread Angle	29109. 36 29119. 36 Floor Squeegees 77539. 36 77739 (refill cassette) 36 77549. 36 77749 (refill cassette) 36 77139. 36 77139. 36 77139 36 77339 (refill cassette) 36 77149. 36 77349 (refill cassette) 36 47349 (refill cassette) 36 48899. 37 41899. 37 45869. 37	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 29730. 35 2991. 35 29910. 35 Hazmat Equipment	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees 6530. 38, 41 6608. 38 6612. 38 6612. 38 6618. 38	4769 (Ültra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29 77719 (refill) 29 77715 (refill) 29 Ceiling Squeegees 7716. 31 Fixed Head Squeegees and Replacement Cassettes 7752 (16") 29	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4557 24 4558 24 Round Scrub Brush 3885 18, 25 Scrub Brushes 3587 18, 25 3600 18, 25 25 Scrub Brush with Spread Angle 3892 18, 25 3892 18, 25	29109 36 29119 36 29119 36 Floor Squeegees 77539 36 77739 (refill cassette) 36 77549 36 77749 (refill cassette) 36 77139 (refill cassette) 36 77139 36 77339 (refill cassette) 36 77149 36 77149 36 77149 36 Hand Brushes 38899 37 41899 37 41899 37 45866 37 64409 37	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 2991. 35 29910. 35 Hazmat Equipment Handles	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees 6530. 38, 41 6608. 38 6612. 38 6618. 38 6624. 38	4769 (Ultra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29 77719 (refill) 29 77715 (refill) 29 77716 (refill) 31 Fixed Head Squeegees 7716 31 Fixed Head Squeegees and Replacement Cassettes 7752 (16") 29 77729 (refill) 29 77725 (refill) 29 77725 (refill) 29 77753 (20") 29	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4188 24 4557 24 4558 24 Round Scrub Brush 3895 18, 25 Scrub Brushes 3587 18, 25 3899 18, 25 Scrub Brush with Spread Angle 3892 18, 25 Short-Handled Brushes	29109. 36 29119. 36 Floor Squeegees 77539. 36 77739 (refill cassette) 36 77549. 36 77749 (refill cassette) 36 77139. 36 77139. 36 77139 36 77339 (refill cassette) 36 77149. 36 77349 (refill cassette) 36 47349 (refill cassette) 36 48899. 37 41899. 37 45869. 37	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 29730. 35 29730. 35 29910. 35 Hazmat Equipment Handles 6012. 39	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees 6530. 38, 41 6608. 38 6612. 38 6618. 38 6618. 38 6624. 38 6630. 38, 41	4769 (Últra) 27 7711 (Double Blade Ultra) 28 7731 (reffil) 29 7751 (Fixed Head) 29 77719 (refil) 29 77715 (refil) 29 Ceiling Squeegees 7716. 31 Fixed Head Squeegees and Replacement Cassettes 7752 (16") 29 77729 (refil) 29 77725 (refil) 29 77753 (20") 29 77539 (20"-black) 36	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4188 24 4557 24 4558 24 Round Scrub Brush 3885 18, 25 Scrub Brushes 3587 18, 25 3889 18, 25 Scrub Brush with Spread Angle 3892 18, 25 Short-Handled Brushes 4187 19, 25	29109. 36 29119. 36 29119. 36 Floor Squeegees 77539. 36 77739 (refill cassette) 36 77549. 36 77749 (refill cassette) 36 77139. 36 77139. 36 77339 (refill cassette) 36 77349 (refill cassette) 36 77349 (refill cassette) 36 47349 (refill cassette) 36 4899. 37 41899. 37 45869. 37 44409. 37 Hand Scrapers 69619. 37	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 2991. 35 29910. 35 Hazmat Equipment Handles	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees 6530. 38, 41 6608. 38 6612. 38 6618. 38 6612. 38 6624. 38 6630. 38, 41 Scoops	4769 (Ultra) 27 7711 (Double Blade Ultra) 28 7731 (refill) 28 7751 (Fixed Head) 29 77719 (refill) 29 77715 (refill) 29 77716 (refill) 31 Fixed Head Squeegees 7716 31 Fixed Head Squeegees and Replacement Cassettes 7752 (16") 29 77729 (refill) 29 77725 (refill) 29 77725 (refill) 29 77753 (20") 29	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4188 24 4557 24 4558 24 Round Scrub Brush 3895 18, 25 Scrub Brushes 3587 18, 25 3899 18, 25 Scrub Brush with Spread Angle 3892 18, 25 Short-Handled Brushes	29109. 36 29119. 36 29119. 36 Floor Squeegees 77539. 36 77739 (refill cassette) 36 77549. 36 77749 (refill cassette) 36 77139. 36 77139. 36 77339 (refill cassette) 36 77349 (refill cassette) 36 77349 (refill cassette) 36 47349 (refill cassette) 36 4899. 37 41899. 37 45869. 37 44409. 37 Hand Scrapers 69619. 37	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 29730. 35 29730. 35 29910. 35 Hazmat Equipment Handles 6012. 39	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees 6530. 38, 41 6608. 38 6612. 38 6618. 38 6618. 38 6624. 38 6630. 38, 41	4769 (Últra) 27 7711 (Double Blade Ultra) 28 7731 (reffil) 29 7751 (Fixed Head) 29 77719 (refil) 29 77715 (refil) 29 Ceiling Squeegees 7716. 31 Fixed Head Squeegees and Replacement Cassettes 7752 (16") 29 77729 (refil) 29 77725 (refil) 29 77753 (20") 29 77539 (20"-black) 36	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data
555030 19 555050 19 555070 19 Resin Set Brushes 3893 24 4180 24 4557 24 4558 24 Round Scrub Brush 3885 18, 25 Scrub Brushes 3587 18, 25 3889 18, 25 Scrub Brush with Spread Angle 3892 18, 25 Short-Handled Brushes 4187 19, 25	29109. 36 29119. 36 29119. 36 Floor Squeegees 77539. 36 77739 (refill cassette) 36 77549. 36 77749 (refill cassette) 36 77139. 36 77139. 36 77339 (refill cassette) 36 77349 (refill cassette) 36 77349 (refill cassette) 36 47349 (refill cassette) 36 4899. 37 41899. 37 45869. 37 44409. 37 Hand Scrapers 69619. 37	2981. 32 Vikan Handles 2945. 33 29513. 33 2959. 33 2972. 33 2983. 33 Waterfed System Handles 2973. 35 29730. 35 29730. 35 29910. 35 Hazmat Equipment Handles 6012. 39	6264. 39, 41 Hazmat Handles 6012. 39 6024. 39 6036. 39 6053. 39, 41 6061. 39, 41 6061. 39, 41 6072. 39 6080. 39 Hazmat Squeegees 6530. 38, 41 6608. 38 6612. 38 6618. 38 6612. 38 6624. 38 6630. 38, 41 Scoops	4769 (Últra) 27 7711 (Double Blade Ultra) 28 7731 (reffil) 29 7751 (Fixed Head) 29 77719 (refil) 29 77715 (refil) 29 Ceiling Squeegees 7716. 31 Fixed Head Squeegees and Replacement Cassettes 7752 (16") 29 77729 (refil) 29 77725 (refil) 29 77753 (20") 29 77539 (20"-black) 36	Handles 2973. 35 29730. 35 2991. 35 29910. 35 Water Gun 0711. 35 Chemical Resistance Data



art N	u	п	ıb	e	r																			Га	g
615																								24	24
615 620				-																				. 34,	
			•	•																					
703US			•	•	٠																				
		•	-								٠												•		
900			•	•					•																
910			•	•					•												٠				36
911																									36
914																									
915							-																	36,	
920																						. 2	20,	25,	
922																									. 24
934																									. 32
935																									. 32
936																								. 32,	36
937																								. 32,	36
938																									. 32
939																									32
945																									33
9513 .																									33
959																									33
972																									33
973														•	•	•	•								35
973Q .			•																						
975			•	•	•			•	•			•		•										. 32,	
981			•	•					•	•					•	•									
901 977			•	•	•			•	•																
977 983			•	•	•			•	•		•	•													. 33
			٠	٠	٠			•	•	•	•	•				•									. 35 . 35
			•	•	•			•	•		•	•	٠		•							•			
991Q .												•													35
089			•				•	•		•	٠													. 19,	
104											٠	٠	٠											. 20,	
166								-										-						25,	
174																				-				25,	
178							-																	25,	
179																								. 20,	
194																								. 20,	
199																								25,	
587																								. 18,	25
385																								. 18,	25
389																						. 1	18	25,	37
392																								. 18,	25
393																									. 24
167																								. 19,	25
169																								. 19,	
180			•	•	•														Ì						
183				Ī							Ī	Ī												. 19,	
1845 .			•	•							•														
185			•	•	•															•				. 19,	
187			•	•	•		•				•	•												. 19, . 19,	
188			•	•	•						•				•									. 10,	
189			•	•	•				•															25,	
193 193		•	•	•	- 1																			, 23, . 19,	
237		•	•																					. 13, . 19.	
																					٠			-	
																					٠			. 19,	
582																								. 19,	
																								25,	
																								. 19,	
769																									
3543 .																									23
3563 .																									23
3713 .																									34
3743 .																									
375																									
376																									
378																									
		•																							
380-50																									
380-63																									
380-03 380-77																								. 22,	
380-77 380-90																								. 22, . 22,	
380-90 380-10																								. 22, . 22,	
																					٠				
383																									
386		•																							
387																									23
388																									23
4523 .																									35

Part Num	ıb	e	r																						P	a	ge
5523																											9
5524																										•	
5525																											9
																	i										19
555050			i														i										19
555070																											19
56015																											2
56045																											3
56115																											2
56125																											2
5660																									8	3,	37
5680																											10
5685																											10
5686																											11
5687																											11
56905																											3
56915																											
6012																											39
																											39
6024DRN																											37
6036			-																								39
																											37
6053																									35		
6053DRN																	-	•									37
6061																									35		
6072		٠	•																				٠				
6080 6200		٠	•														٠										39 41
6200		•																									
6264		•	•																						35		
6268	•	•		-	•																				38		
6268B	٠	•		-																						-	
6268N	•	•	•			•								•										•	•		31
6269	•	•	•		Ċ									Ċ										•			31
6269B			i																								
6269N																											31
6350																									37	١,	40
6300																											10
6400																									10),	40
6400MD.																											12
6440																											37
6500																									10),	40
6500MD.																											12
6530																									38	•	
6550																											10
6552			-																							-	10
6608																											38
6612																									٠		38
6618								•	•	•	•	•									•	•					38
6624 6630	•																								38		
6630	•	•	•																					•		•	
6775	•	•			•																			•	•		6
6776	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	6
		•	•					•	•	•		•	•		•	•		•			•	•	•	•	•	•	6
			•																		•					-	13
6880EBG.																											
6880EBO.	•	•	•														Ì										40
6892SS .	•	•	•																							•	40
																										•	41
6895SS .	•																								40		
6896BKSS																											40
6896SS .																	i										40
6897SS .																											4
6898SS .																											4
6900SS .																									4	ŀ,	40
6901																											14
6902																										-	14
6903																											14
																											14
6905																										-	14
6906																											14
6911																											15
6912																											15
6913																											15
																											15
6921					-									-					-								16
6922																											16
														٠											٠		16
6925														٠													16
																											8 12
6959MD . 6960																											12
																											12
6961																											
	•	•	•	٠	•	•	•	٠	٠	٠	•	•	•	•	•	•	•	•	٠	•	•	•		٠,	J	,	٠.

		ıb	e	r																Pag
961MD	١.																			1
6962																			. 8	, 37, 4
6962ME																				1
			•	•	•															. 8, 4
			•	٠	٠															
5981		-		-																. 1, 4
6981MD	١.																			1
6981RG																				. 5, 4
6982																				1, 5, 4
5982ME) .																			1
5982RG		Ī	Ī		Ī															
6984		•	•										i					•		
5985SS		•	•	•	•						•	•	-			•				
		٠	•	٠	٠													•		
7011																		٠		
7013																				
7033																				2
7035																				2
7037																			. 20	, 25, 3
7039																				. 25. 4
7041	•	•	•	•	•							•								, 25, 3
7043	•	•	•	•	•									•						, 25, 3 . 25. 3
	•	•	•	•	•			-												
7044																				2
7045																				2
7046																				2
7047																				. 21, 2
7056Q.																				3
7060																			21	, 25, 3
7061	•	•	•													•				. 21, 2
	•	•	•	-												•				. 21, 2
		•	•		•											•				
7067	٠														•					, 25, 3
7070																				
7071																				2
7072																				2
7073																				2
7711																				2
7713	Ī	Ī	Ī	Ī	Ī							Ī								. 28. 3
7714	•	•	•	•							•	•	-			•		•		. 28, 3
771 4 7716	•																			3
	٠	•	•		•															
7731																				
7733																				. 28, 3
7734																				. 28, 3
7751																				2
7752																				2
7753		Ī		Ī	Ī	Ī														. 29, 3
7754	•	•	•	•	•	•										•		•		. 29. 3
	•	•	•	•	•	•	-		٠								-			
7755	٠	•	•		•															–
7763																				3
764																				3
77715 .																				2
77719 .																				2
77725 .					i	i						i								2
77729 .		•										-						•		
77735 .	•	•	•	•	•															–
	•		•																	. 29, 3
77739 .																				, 30, 3
77745 .																				. 29, 3
77749 .																			. 29	, 30, 3
77755 .																				2
																				2





Chemical Resistance Data G=Good F=Fair P=Poor N=No

CHEMICAL	CONCENTRATION %	NYLON 66	POLYESTER PBT	POLYPROPYLENE	PVC
Acetic Acid	100	Р	F	G	N
Acetone	100	G	G	G	Р
Ammonia Liquid		G	N	G	G
Aniline	100	Р	G	G	N
Benzene	100	G	G	N	Р
Bleaching Solutions	Dilute	N	G	G	G
Caustic Potash	10	G	G	G	G
Caustic Potash	50	G	Р	G	G
Chlorine Water	Saturated	P	N	G	N
Chloroform	100	N	G	G	P
Chromic Acid	10	P	G	G	P
Citric Acid	10	P	G	G	F
Detergent-Soap		G	G	G	G
Ethanol	96	G	G	G	Р
Ethylacetate	100	G	G	G	P
Formic Acid	98	N	N	G	F
Fuel Acid		G	G	G	N
Glycerine		G	G	G	G
Hydrochloric Acid	30	N	Р	G	G
Lactic Acid	20	Р	G	G	F
Methyl Alcohol	100	G	G	G	N
Mineral Oil		G	G	G	G
Nitric Acid	10	N	G	G	F
Nitric Acid	50	N	G	F	F
Oleic Acid	100	G	G	G	F
Oxalic Acid	10	N	G	G	F
Petrol		G	G	F	G
Phosphoric Acid	85	N	G	G	G
Sea Water		G	G	G	G
Sodium Chloride (salt)		G	G	G	G
Sodium Hydroxide	10	G	N	G	G
Sodium Hydroxide	50	G	N	G	G
Sodium Hypochloride	10	N	G	G	G
Stearic Acid	100	Р	G	G	G
Sulphuric Acid	10	N	G	G	G
Sulphuric Acid	100	N	N	G	N
Tetrachloroethylene		G	N	N	Р
Toluene	100	G	G	N	N
Turpentine	100	G	G	G	G
Vaseline		G	G	G	G
Vegetable Oil		G	G	G	G

The above information is given on the assumption that the temperature of the chemical does not exceed 68° F/20° C

Properties of Monofilaments G=Good F=Fair P=Poor


Specific Weight	g/cm3	1.14	1.34	0.91	1.40
Melting Point	°C	255	255	168	155
Maximum Working Temperature	°C	100-120	120	70	55
Moisture Absorption	%	2.8	0.30	0.00	0.00
Water Absorption	%	8.5	0.5	0.01	0.0
Tensile Strength Dry	N/mm2	85	55	36	16
Loss of Stiffness (wet)	%	50/60	1.2	1.2	0
Abrasion Resistance		G	F	G	F
Bend Recovery		G	F	F	Р
Toxicity		None	None	None	None
Swelling in Water	%	2	0	0	0

The information in both of the above tables is based on our general experience and is given in good faith. We are unable to accept responsibility in respect to factors which are outside our knowledge or control and affect the use of products. No warranty is given or is to be implied with respect to such information. Freedom under patents, copyrights and registered designs cannot be assumed. Additional information may be available upon request.

Statement of Product Integrity

Remco Products warrants all products to be free of defects in materials and workmanship. Any product found to be defective under normal use and conditions will be replaced or credited, at your option. This guarantee is limited to replacement value only; no other guarantee is expressed or implied.







REMCO PRODUCTS CORPORATION

4735 West 106th Street • P. O. Box 698
Zionsville, Indiana 46077
Phone: 317-876-9856 Fax: 317-876-9858 or 800-585-8619
www.remcoproducts.com

Distributor

Sold exclusively through distributors worldwide