

[WWW.REMCOPRODUCTS.COM](http://WWW.REMCOPRODUCTS.COM)

**REMO**  
**PRODUCTS**



# Product Catalog

## A Remco Overview

Remco Products is a closely held business, founded by Richard L. Garrison in Zionsville, Indiana. The introduction of a one-piece polypropylene shovel more than 30 years ago established Remco as an industry pioneer. Building on a few core products and limited market exposure, we have greatly expanded our product offerings and distribution capability.


Today, Remco serves a growing number of distinct markets, ranging from food processing to the safety and industrial markets. We offer a wide array of products, from a variety of polypropylene shovels, scoops and scrapers . . . to tubs and undercarriages . . . and the complete Vikan® hygiene system of brushes and squeegees.

Blessed with a record of consistent sales growth and a staff that is second to none in customer service, Remco has established a strong position throughout the United States, as well as a significant international presence. We are proud of the strong and lasting relationships we have developed with our distributors, and are committed to building on that loyalty for the continued benefit of our mutual customer base.

### CONTENTS

1. REMCO HYGIENIC ONE-PIECE SHOVELS
2. ONE-PIECE MIXING PADDLE SCRAPERS
3. ERGONOMIC SHOVELS  
FORKS
4. TWO-PIECE SAFETY SHOVELS
5. EMERGENCY BLADE SHOVELS  
INDUSTRIAL SHOVELS
6. TUB AND UNDERCARRIAGES
7. TUB AND UNDERCARRIAGE
8. AERO-TOTE
9. HACCP & COLOR-CODING
10. HAND SCOOPS  
BOWL SCOOPS
11. HAND SCRAPERS  
DUSTPAN
12. FLOOR SCRAPERS
13. FOOD HOE  
RAKE
14. HAND BRUSHES
15. HAND SCRUB BRUSHES
16. FLOOR BROOMS  
TANK BRUSHES
17. DECK SCRUBS  
WALL BRUSHES
18. RESIN SET BRUSHES
19. WATERFED SYSTEM
20. TUBE AND VALVE BRUSHES
21. PAD HOLDER SYSTEM
22. ULTRA HYGIENE SQUEEGEES  
ULTRA HYGIENE BENCH SQUEEGEES
23. FIXED HEAD SQUEEGEES  
BENCH SQUEEGEES
24. SWIVEL NECK SQUEEGEE  
NEOPRENE SQUEEGEE
25. CEILING SQUEEGEE SYSTEM
26. VIKAN COLOR-CODED HANDLES
27. VIKAN HANDLES
28. WALL BRACKET SYSTEM
29. FLOOR AND DRAIN TOOLS
30. HAZMAT SQUEEGEES
31. HAZMAT HANDLES
32. SAFETY AND SPILL KIT TOOLS
33. SAFETY AND SPILL KIT TOOLS
34. SPECIAL APPLICATION BRUSHES
35. CHEMICAL RESISTANCE DATA
36. INDEX

**PLEASE NOTE:**  
WHEN ORDERING COLOR-CODED PRODUCTS PLEASE ADD THE FOLLOWING NUMBERS TO THE END OF THE PART NUMBER.

-  = 2
-  = 3
-  = 4
-  = 5
-  = 6

## Remco Hygienic One-Piece Shovels

Tough. Lightweight. Hygienic. Molded in one piece from FDA-approved polypropylene, it is available in two sizes and many colors. A workhorse for moving bulk materials and an integral part of any professional cross-contamination containment program. The Remco shovel, initially developed over 30 years ago, doesn't just meet the standard, it is the standard.



### One-Piece Shovels



Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics:	Applications & Markets:
6981	Small blade	2.9	D-Grip	11" x 14" x 38"	<ul style="list-style-type: none"> <li>• Heavy-duty, one-piece, injection molded polypropylene construction</li> <li>• Meets FDA and USDA requirements</li> <li>• Tough and resilient</li> <li>• Rigid, yet lightweight</li> <li>• Non-sparking</li> <li>• Chemical and corrosion resistant</li> <li>• Working temperature range: -22° F/-30° C to 176° F/80° C</li> <li>• Intermittent use may increase temperature range</li> </ul>	<ul style="list-style-type: none"> <li>• Meat, dairy, seafood and poultry</li> <li>• General food handling</li> <li>• Commercial fishing</li> <li>• Material handling</li> <li>• Agriculture</li> <li>• Chemical and industrial applications</li> </ul>
6982	Large blade	4.0	D-Grip	14" x 17" x 42"		

All shovels available in white, green, blue, red & yellow

## One-Piece Mixing Paddle Scrapers

This two-in-one tool is handy for both mixing and scraping. One-piece construction and its unique long-handle design make it easy to use for both kinds of jobs. This tool comes in two lengths, with or without holes, to match the kind of work you do. Available in a variety of colors.

6774

6776

6777

6775



## One-Piece Mixing Paddle Scrapers

2 3 4 5 6

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics:	Applications & Markets
6774	Short paddle with holes	2.3	Ergonomic	6" x 13" x 40"	<ul style="list-style-type: none"> <li>One-piece, injection molded polypropylene construction</li> <li>Meets FDA requirements</li> <li>Tapered blade for scraping</li> <li>Cleans easily</li> <li>Heavy-duty/long-lasting virtually unbreakable</li> <li>Lightweight</li> <li>Working temperature range: -22° F/-30° C to 176° F/80° C</li> <li>Intermittent use may increase temperature range</li> </ul>	<ul style="list-style-type: none"> <li>Dairy</li> <li>Chemical and industrial applications</li> <li>Institution kitchens</li> <li>Paint and ink mixing</li> <li>Confectionery</li> <li>Baking</li> </ul>
6775	Short paddle without holes	2.3	Ergonomic	6" x 13" x 40"		
6776	Long paddle with holes	3.0	Ergonomic	6" x 13" x 52"		
6777	Long paddle without holes	3.0	Ergonomic	6" x 13" x 52"		

All paddles available in white, green, blue, red & yellow



## Ergonomic Shovels and Fork

Here's a shovel designed to get the job done without doing a number on your back. Its ergonomic design reduces strain when lifting from floor level, and it's available with either a convenient D-grip or an extended pole handle.



## Ergonomic Shovels and Fork

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics:	Applications & Markets
56015*	Large blade, white	4.0	D-Grip	13.5" x 12.5" x 51"	<ul style="list-style-type: none"> <li>• Injection molded polypropylene construction</li> <li>• Meets FDA and USDA requirements</li> <li>• Extended handle length</li> <li>• Ergonomic design</li> <li>• Lightweight</li> <li>• Chemical and corrosion resistant</li> <li>• Working temperature range: -22° F/-30° C to 176° F/80° C</li> <li>• Intermittent use may increase temperature range</li> </ul>	<ul style="list-style-type: none"> <li>• Meat, dairy, seafood and poultry</li> <li>• General food handling</li> <li>• Commercial fishing</li> <li>• Material handling</li> <li>• Agriculture</li> <li>• Chemical and industrial applications</li> </ul>
56115*	Small blade, white	3.5	D-Grip	10.25" x 11" x 50"		
56125	Small blade, extended pole handle, white	4.0	Pole	10.25" x 11" x 64"		

\*Available in colors upon request

## Hygenic Fork

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics:	Applications & Markets
56905	Fork, white	3.0	D-Grip	10.5" x 10.5" x 49"	<ul style="list-style-type: none"> <li>• Injection molded polypropylene construction</li> <li>• Meets FDA and USDA requirements</li> <li>• Lightweight</li> <li>• Ergonomic design</li> <li>• Chemical and corrosion resistant</li> <li>• Working temperature range: -22° F/-30° C to 176° F/80° C</li> <li>• Intermittent use may increase temperature range</li> <li>• Average tine spacing: 1.625"</li> <li>• Average tine diameter: .625"</li> </ul>	<ul style="list-style-type: none"> <li>• Meat, dairy, seafood and poultry</li> <li>• Wineries</li> <li>• Fruit and vegetable</li> <li>• General food handling</li> <li>• Commercial fishing</li> <li>• Material handling</li> <li>• Agriculture</li> </ul>

## 4 Two-Piece Safety Shovels

These non-sparking safety shovels are versatile, lightweight and will not rust or corrode. Our patented two-piece construction\* allows you to disassemble them for easy storage and provides for a variety of blade and handle configurations.



### Safety Shovels

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics:	Applications & Markets:
6892SS	Medium blade, standard D-grip	2.0	Std.-D	10.5" x 14" x 38.5"	<ul style="list-style-type: none"> <li>• Non-sparking/polypropylene</li> <li>• Anti-static agent in blade</li> <li>• Two-piece construction disassembles for easy storage</li> <li>• Chemical resistant</li> <li>• Will not rust or corrode</li> <li>• Lightweight</li> <li>• Easy to use locking mechanism</li> <li>• Working temperature range: -22° F/-30° C to 176° F/80° C</li> <li>• Intermittent use may increase temperature range</li> </ul>	<ul style="list-style-type: none"> <li>• Spill kits and hazmat response</li> <li>• Industrial applications</li> <li>• Material handling</li> <li>• Environmental clean-up</li> </ul>
6895SS	Medium blade, pan (blade only)	1.2	Cap	10.5" x 14" x 20"		
6896BKSS	Medium blade, extended D-grip (all black, bonded)	2.4	Ext.-D	10.5" x 14" x 43.5"		
6896SS	Medium blade, extended D-grip	2.4	Ext.-D	10.5" x 14" x 43.5"		
6897SS	Large blade, short D-grip	3.2	Short-D	14" x 18" x 35"		
6898SS	Medium blade, short D-grip	2.3	Short-D	10.5" x 14" x 33"		
6900SS	Large blade, standard D-grip	3.5	Std.-D	14" x 18" x 40.5"		
6895SS	Large blade, extended D-grip	3.7	Ext.-D	14" x 18" x 46"		

\*Patent No. Des. 393,190

## Emergency Blade Shovels

This compact shovel\* is ideal for spill kit applications, as well as a wide variety of other uses. It collapses for easy storage in commercial trucks or vehicles—or even your family car.



6880EBO

6880EBG

## Industrial Shovels

Wherever there's hard work to be done—on the railroad, on the farm, on collection vehicles or in a factory—these are the shovels to depend on. Lightweight yet virtually unbreakable, they're built to last.

6982BK

6896BKSS

RG6981

RG6982

## Emergency Blade Shovels

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics	Applications & Markets
6880EBO	Compact orange and gray shovel	2.0	T-grip	10" x 12" x 24"-36"	<ul style="list-style-type: none"> <li>• Injection molded, structural poly</li> <li>• Collapses for easy storage</li> <li>• Will not damage tires</li> <li>• Non-sparking, chemical and corrosion resistant</li> <li>• Lightweight and rugged</li> </ul>	<ul style="list-style-type: none"> <li>• Roadside emergencies</li> <li>• Commercial trucks and vehicles</li> <li>• Highway authorities</li> <li>• Snow removal</li> <li>• Safety/hazmat kits</li> <li>• Family vehicles</li> </ul>
6880EBG	Compact gray shovel	2.0	T-grip	10" x 12" x 24"-36"		

\*Patent No. US 6,412,843 B1

## Industrial Shovels

Model	Description	Wt. (lbs)	Handle	Blade x Length	Characteristics	Applications & Markets
6982BK	Large blade, black	4.0	D-grip	14" x 17" x 42"	<ul style="list-style-type: none"> <li>• Solid, one-piece polypropylene construction</li> <li>• Strong/durable</li> <li>• Non-sparking, chemical and corrosion resistant</li> <li>• Virtually unbreakable</li> <li>• Lightweight</li> <li>• Cleans easily</li> <li>• Working temperature range -22° F/-30° C to 176° F/80° C</li> <li>• Intermittent use may increase temperature range</li> </ul>	<ul style="list-style-type: none"> <li>• Industrial applications</li> <li>• Handling bulk materials</li> <li>• Spill clean-up</li> <li>• Collection vehicles (will not scar metal or paint)</li> <li>• Agriculture and landscaping</li> <li>• Farm/ranch</li> <li>• Railroad industry</li> </ul>
6896BKSS	Medium blade, black	4.0	D-grip	10.5" x 14" x 43.5"		
RG6981	Small blade, gray (100% regrind)	2.9	D-grip	11" x 14" x 38"		
RG6982	Large blade, gray (100% regrind)	4.0	D-grip	14" x 17" x 42"		

## Tub and Undercarriages

There's more to these tubs than meets the eye. Start with versatility: they can be used for transporting, freezing and storing. Then there's variety: they're available as stand-alone items or with regular or low steel undercarriages. You can also specify an optional slide valve or drain plug, and (in orders meeting a minimum quantity requirement) your choice of colors.



### Undercarriages

Undercarriages available in galvanized and stainless steel




## Tub & Undercarriages


Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets
6901	Tub, white	31.0	30.5" x 54.7" x 20.6"	<ul style="list-style-type: none"> <li>High-density polyethylene</li> <li>Meets all FDA and USDA specifications</li> <li>Available in colors upon request (minimum order quantities required)</li> <li>Drain plug and slide valve available</li> </ul>	<ul style="list-style-type: none"> <li>Meat, seafood and poultry</li> <li>Commercial fishing</li> <li>Candy</li> <li>Bakeries</li> <li>Dairy farms (grain)</li> <li>Storage</li> </ul>
6901G	Tub, gray	31.0	30.5" x 54.7" x 20.6"		
6905	Tub with 1" drain plug, white	31.0	30.5" x 54.7" x 20.6"		
6905G	Tub with 1" drain plug, gray	31.0	30.5" x 54.7" x 20.6"		
6907	Tub with 3" slide valve, white	32.0	30.5" x 54.7" x 20.6"		
6907G	Tub with 3" slide valve, gray	32.0	30.5" x 54.7" x 20.6"	1,000 lb. capacity 13.7 cubic ft. 11-bushel 102.5 US gallons	
6902	Lid, white	15.0	31" x 55.5" x 2"	<ul style="list-style-type: none"> <li>High-density polyethylene</li> <li>High density polyethylene</li> </ul>	
6902G	Lid, gray	15.0	31" x 55.5" x 2"		
6903	Regular undercarriage (galvanized)	69.0	15.5" (height)	<ul style="list-style-type: none"> <li>Caster wheels impervious to meat fat</li> <li>Caster bearings equipped with grease fittings</li> <li>Available in galvanized and stainless steel frames</li> <li>Replacement casters and wheels available</li> </ul>	
6906	Stainless steel undercarriage	58.0	15.5" (height)		
6904	Low undercarriage (galvanized)	105.0	7.5" (height)		



6902



6901



6903/6906



6904




## Tub and Undercarriage

Different configuration, but many of the same attractive features as our 6901 tubs. Ideal for handling, transporting, freezing and storing, this tub is tough and long lasting. It's available stand-alone or with a steel undercarriage, with an optional 1" drain plug, and (in orders meeting a minimum quantity requirement) your choice of colors.




## Tub & Undercarriage


Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets:
6911	Tub	21.0	26" x 46.6" x 16.2"	<ul style="list-style-type: none"> <li>High-density polyethylene</li> <li>Meets all FDA and USDA specifications</li> <li>Available in colors upon request (minimum order quantities required)</li> <li>Drain plug available</li> </ul>	<ul style="list-style-type: none"> <li>Meat, seafood and poultry</li> <li>Commercial fishing</li> <li>Candy</li> <li>Bakeries</li> <li>Dairy farms (grain)</li> <li>Storage</li> </ul>
6915	Tub with drain plug	21.0	26" x 46.6" x 16.2"		
			560 lb. capacity 10 cubic ft. 8-bushel 70 US gallons		
6912	Lid	11.0	26.5" x 47" x 1.7"	<ul style="list-style-type: none"> <li>High-density polyethylene</li> </ul>	
6913	Undercarriage	60.0	7.2" (height)	<ul style="list-style-type: none"> <li>Caster wheels impervious to meat fat</li> <li>Caster bearings equipped with grease fittings</li> <li>Galvanized steel frames</li> <li>Replacement casters available</li> </ul>	



6912




6911



6913




## Aero-Tote


We can't say enough about these containers. Their high-density polyethylene walls offer protection for all kinds of food products. From meat and seafood to candy and bakery items. Their versatile modular design allows for secure nesting, stacking and in-plant moving with a forklift.



### Aero-Tote

Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets
6921	Aero-Tote tub	22.0	36" x 40" x 21.1"	• High-density polyethylene	• Meat, seafood and poultry
6925	Aero-Tote tub with drain plug	22.0	36" x 40" x 21.1" 800 lb. capacity 17.6 cubic ft. 14-bushel	• Ribbed bottom for drainage	• Commercial fishing
6922	Aero-Tote lid	13.0	36.5" x 41" x 2"	• Thick, rigid polyethylene	• Candy
				• Allows column stacking	• Dairy farms (grain)
6923	Aero-Tote pallet	20.0	32.7" x 37.2" x 9.5"	• Easily snaps on and off	• Bakeries
				• Thick, rigid high-density polyethylene	• Storage
				• Access hole in leg for optional drain plug	
				• Column stackable and nestable	
				• Can be moved with a forklift	





## Remco Products—Color-Coded for Quality Assurance

### Protecting your customers

One of any industry's top priorities is meeting its customers' requirements for quality. This is a challenge that can be met only with an effective, up-to-date quality assurance system—a system that doesn't simply find errors after they occur, but that can identify potential problem areas and prevent quality lapses before they happen.

The Hazard Analysis Critical Control Point (HACCP) system was developed with this end in mind. To help ensure consistent quality, HACCP provides a thorough analysis of the production cycle and identifies specific areas of biological, chemical or physical risk.

### Achieving higher quality standards

Remco Products offers a wide range of products, including the Vikan hygiene system®, to help your customers achieve the highest quality standards. Produced in accordance with ISO-9000 guidelines, this system is designed to be an essential component of an overall HACCP program.

Products from Remco are color-coded to help divide the production cycle into different zones or tasks. By identifying these as different cleaning areas, the movement of contaminants around the production area can be effectively blocked.






The system is very flexible, and can be operated with either horizontal or vertical divisions—or with a combination of the two. Vertical divisions of the production cycle may include: raw material, receiving, pre-production, production, post-production, warehousing, shipping and lab areas. Horizontal divisions of the cleaning areas may include: work benches, walls, floors, footwear and tools.


### Adding value, not cost

No matter what color-coding plan is implemented, Remco Products provides significant added value—at no additional cost. From scoops to squeegees, from brushes to shovels, we have the products and the colors to enhance any professional quality assurance program.

#### Please note:

When ordering color-coded products please add the following numbers to the end of the part number.

	= 2
	= 3
	= 4
	= 5
	= 6



## 10 Hand Scoops, & Bowl Scoops

Get a better grip on your material handling jobs with these rugged, colorful hand tools. Molded in one piece of thick-walled polypropylene, they're extremely durable and make quick work of moving all kinds of bulk materials.




### Hand Scoops 2 3 4 5 6 1 2 3 4 5 6 7 8 (6500 only)

Model	Description	Capacity	Dimensions (L x W x H)	Characteristics
6400	Small scoop	32oz.	6" x 5" x 3.5"	<ul style="list-style-type: none"> <li>• One-piece, injection molded polypropylene construction</li> <li>• Meets FDA requirements</li> <li>• Sterilizable</li> <li>• No seams or cracks for bacterial growth</li> <li>• Available in colors</li> </ul>
6500	Large scoop	82oz.	9" x 6" x 3.5"	
6550	Large hand scoop	1 gal.	11" x 9" x 7"	
6552	????????	????	??????	
				<ul style="list-style-type: none"> <li>• Will not rust or corrode</li> <li>• Chemical resistant</li> <li>• Non-sparking</li> <li>• Sturdy/durable</li> </ul>

### Bowl Scoops 2 3 4 5 6

Model	Description	Capacity	Dimensions (W x H)	Characteristics
5680	Large bowl	64oz.	7.5" x 4.75"	<ul style="list-style-type: none"> <li>• One-piece, injection molded polypropylene construction</li> <li>• Meets FDA requirements</li> <li>• Available in colors</li> </ul>
5685	Small bowl	32oz.	7.25" x 3.25"	
				<ul style="list-style-type: none"> <li>• Sturdy/durable</li> <li>• Raised handle design with thumb grip</li> </ul>





## Hand Scrapers and Dustpan

No matter what kind of scraper you need, we've got you covered. Scrapers in all types of models, from paddle and hand scrapers to floor scrapers. And for all kinds of uses, from flexible scrapers for work on curved surfaces to scrapers designed for high-temperature environments.



## Scrapers

2 3 4 5 6

Model	Description	Dimensions (W x L)	Characteristics
Polypropylene Hand Scrapers (One-piece)			
6961	Small scraper (available in colors)	3" x 8"	<ul style="list-style-type: none"><li>• One-piece, injection molded polypropylene construction</li><li>• Meets FDA requirements</li><li>• Sterilizable; durable</li><li>• No seams or cracks for bacterial growth</li><li>• Will not rust or corrode; chemical resistant</li><li>• Will not scratch metal surfaces</li><li>• Handles shaped for strong grip</li></ul>
6962	Large scraper (available in colors)	4.4" x 9.7"	
6960	Bench scraper (available in colors)	5"x 8"	
Hi-Temp Scraper (One-piece)			
6963	Large hi-temp scraper (blue)	4.4" x 10"	<ul style="list-style-type: none"><li>• Hi-temp scraper (one-piece)</li><li>• Working temps up to 465° F/240° C</li><li>• Non food grade</li></ul>

## Dustpan

2 3 4 5 6

Model	Description	Dimensions (L x W x H)	Characteristics
6351*	Hygienic dustpan	12.5" x 11.5" x 2"	<ul style="list-style-type: none"> <li>• One-piece, injection molded polypropylene construction</li> <li>• Raised handle design with thumb grip</li> <li>• Rigid, one-piece construction</li> <li>• Ideal for quick clean-up of tabletop areas and conveyor belts</li> <li>• Meets FDA requirements</li> <li>• Available in colors</li> </ul>



\*Also available in black (non food grade)

## Floor Scrapers

No matter what kind of scraper you need, we've got you covered. Scrapers in all types of models, from paddle and hand scrapers to floor scrapers. And for all kinds of uses, from flexible scrapers for work on curved surfaces to scrapers designed for high-temperature environments.




## Floor Scrapers 2 3 4 5 6

Model	Description		Dimensions (W x L)	Characteristics
<b>Polypropylene Hand Scrapers (One-piece)</b>				
6961	Small scraper (available in colors)		3" x 8"	<ul style="list-style-type: none"><li>• One-piece, injection molded polypropylene construction</li><li>• Meets FDA requirements</li><li>• Sterilizable; durable</li><li>• No seams or cracks for bacterial growth</li><li>• Will not rust or corrode; chemical resistant</li><li>• Will not scratch metal surfaces</li><li>• Handles shaped for strong grip</li></ul>
6962	Large scraper (available in colors)		4.4" x 9.7"	
6960	Bench scraper (available in colors)		5"x 8"	
<b>Hi-Temp Scraper (One-piece)</b>				
6963	Large hi-temp scraper (blue)		4.4" x 10"	<ul style="list-style-type: none"><li>• Hi-temp scraper (one-piece)</li><li>• Working temps up to 465° F/240° C</li><li>• Non food grade</li></ul>
<b>Stainless Steel Floor Scraper</b>				
2910	Floor scraper, stainless steel blade (requires a European-thread handle see page 26–27)		11" (width)	<ul style="list-style-type: none"><li>• Stainless steel blade</li><li>• For removing stubborn dirt and other substances</li><li>• Handle sold separately</li></ul>
<b>Nylon Floor Scraper</b>				
2912	Floor scraper, nylon blade with beveled edge (requires a European-thread handle see page 26–27)		9.25" (width)	<ul style="list-style-type: none"><li>• Heavy-duty nylon blade</li><li>• Won't damage floors or machines</li><li>• Handle sold separately</li></ul>
<b>Paddle Scrapers</b>				
7011	Paddle scraper blade, nylon (requires a European-thread handle)		4.5" x 6"	<ul style="list-style-type: none"><li>• Nylon (#7011) and Polyethylene (#7013) scraper blades</li><li>• Polyethylene scraper blade is flexible and makes it easier to clean curved surfaces</li><li>• Handle sold separately</li></ul>
7013	Paddle scraper blade, flexible polyethylene (requires a European-thread handle see page 26–27)		4.5" x 6"	

## Food Hoe and Rake

When you are in need of unique tools for your pushing or pulling applications, let our specialized products do the job. Made from nylon, our food hoe has the strength to move almost any type of product without breaking under pressure, while the tines of the polypropylene rake are great for separating raw materials from one another. Both products will handle difficult tasks with ease and without damaging your equipment.

56915



2900



## Food Hoe 2 3 4 5 6

Model	Description	Wt. (lbs)	Handle	Width x Length	Characteristics	Applications & Markets
2900	Food Hoe (requires a European-thread handle see page 26–27)	1.2	D-Grip	8" x 11" x 2"	<ul style="list-style-type: none"> <li>• Injection molded polypropylene construction</li> <li>• Meets FDA and USDA requirements</li> <li>• Lightweight</li> <li>• Chemical and corrosion resistant</li> <li>• Working temperature range: -22° F/-30° C to 176° F/80° C</li> <li>• Intermittent use may increase temperature range</li> </ul>	<ul style="list-style-type: none"> <li>• Meat, seafood and poultry</li> <li>• Wineries</li> <li>• Fruit and Vegetable</li> <li>• Dairy</li> <li>• Commercial fishing</li> <li>• General food handling</li> <li>• Materials handling</li> <li>• Agriculture</li> </ul>

## Rake

Model	Description	Wt. (lbs)	Handle	Width x Length	Characteristics	Applications & Markets
56915	Rake, white (requires a European-thread handle see page 26–27)	1.0 (head only)	Various	7.5" x 8" (tine face)	<ul style="list-style-type: none"> <li>• Injection molded polypropylene construction</li> <li>• Meets FDA and USDA requirements</li> <li>• Lightweight</li> <li>• Chemical and corrosion resistant</li> <li>• Working temperature range: -22° F/-30° C to 176° F/80° C</li> <li>• Intermittent use may increase temperature range</li> <li>• Average tine spacing: 1.625"</li> <li>• Average tine diameter: .625"</li> </ul>	<ul style="list-style-type: none"> <li>• Meat, seafood and poultry</li> <li>• Wineries</li> <li>• Fruit and Vegetable</li> <li>• Dairy</li> <li>• Commercial fishing</li> <li>• General food handling</li> <li>• Materials handling</li> <li>• Agriculture</li> </ul>

\*Available in colors upon request

## Hand Brushes

These brushes are designed to fit your hand—and the job at hand. Available in a wide range of shapes and sizes, with a variety of bristle types, they're designed for maximum efficiency and manufactured for durability. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.



**Vikan**  
Vikan hygiene system®

## Hand Scrub Brushes

2 3 4 5 6

Model	Bristle Type	Block Dimensions	Bristle Length	Material	Characteristics
<b>Round Scrub Brushes</b>					
3883♦	Soft	5"	1.5"	Polyester	Round hand scrub brush
3885♦	Stiff	5"	1.5"	Polyester	Round hand scrub brush
<b>Scrub Brushes</b>					
3587♦	Stiff	2" x 7"	1"	Polyester	Multipurpose hand brush
3887♦	Soft	2.5" x 7.5"	1.3"	Polyester	Hand scrub brush with flared bristles
3889♦	Stiff	2.5" x 7.5"	1.3"	Polyester	Hand scrub brush with flared bristles
<b>Scrub Brushes with Spread Angle</b>					
3892♦	Stiff/Flared	3" x 8"	1.3"	Polyester	Solid hand scrub brush
<b>Nail Brush</b>					
6440♦*	Stiff	1.5" x 4.5"	0.7"	Polyester	Nail brush

♦A Total Color product

- Hygienic, solid block polypropylene construction
- Low water absorption polyester bristles with stainless steel staples
- Meets FDA, USDA and EC requirements
- Autoclavable at temperatures up to 250° F/121° C
- Available in colors

\*Also available in black (see page 29)





## Total Color Brush Line

We've taken the next logical step in color-coding. With block and bristle made from same color, you now have the highest degree of traceability possible for today's stringent HACCP environments. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Hand Brushes 2 3 4 5 6

Model	Bristle Type	Block Dimensions	Bristle Length	Material	Characteristics
<b>Small Utility Brushes</b>					
30883♦	Soft	1.6" x 10.5"	1"	Polyester	Small utility brush <b>(blue only)</b>
3089♦	Stiff	1.6" x 10.5"	1"	Polyester	Small utility brush
<b>Ergonomic Hand Brushes</b>					
41673	Soft, split filament/Flared	5" x 13.5"	2"	Polyester	Ergonomic handle, water retaining bristles <b>(blue only)</b>
41695	Stiff/Flared	5" x 13.5"	1.5"	Polyester	Ergonomic handle w/ spread angle bristles <b>(white only)</b>
<b>Long-Handled Brushes</b>					
4183♦	Soft	2" x 16.5"	1.3"	Polyester	Long-handled churn brush
4185♦	Stiff	2" x 16.5"	1.3"	Polyester	Long-handled churn brush
<b>Short-Handled Brushes</b>					
4187♦	Soft	3" x 10"	1.3"	Polyester	Short-handled hand brush
4189♦*	Stiff	3" x 10"	1.3"	Polyester	Short-handled hand brush
4193♦	Extra soft	3" x 10"	1.3"	Polyester	Short-handled hand brush
<b>Dish Brushes</b>					
4237♦	Soft	1" x 9.5"	1"	Polyester	Hygiene model with scraper
4287♦	Stiff	1.6" x 10.4"	1"	Polyester	Hygiene model with small brush head
<b>Baker's Hand Brushes</b>					
4586♦*	Supersoft	1.4" x 13"	2"	Polyester	Suitable for sweeping fine particles
4588♦	Soft	1.4" x 13"	2"	Polyester	Professional hand brush
<b>Pastry Brushes</b>					
555030	Supersoft	1" x 5.5"	1.8"	Polyester	Pastry brush <b>(blue or white)</b>
555050	Supersoft	2" x 5.5"	1.8"	Polyester	Pastry brush <b>(blue or white)</b>
555070	Supersoft	3" x 5.5"	1.8"	Polyester	Pastry brush <b>(blue or white)</b>

♦A Total Color product

- Hygienic, solid block polypropylene construction
- Autoclavable at temperatures up to 250° F/121° C (excluding 7039, which is autoclavable at temperatures up to 212°F/121°C)

\*Also available in black (see page 29)

- Low water absorption polyester bristles with stainless steel staples
- Meets FDA, USDA and EC requirements

Different brooms for different jobs. We offer a variety of hygienic floor brooms and tank brushes, with multiple widths and designs to ensure that you always get a clean sweep. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.

3174/3178/3179

2920

3194/3199

2914

7047

2913

3104

7037/7039

## Floor Brooms & Tank Brushes 2 3 4 5 6

Model	Bristle Type	Block Dimensions	Bristle Length	Material	Characteristics
<b>Slim Line Upright Brooms</b>					
2913♦	Stiff	1.5" x 9.5"	6"	Polyester	Reaches narrow places
2914♦	Stiff	1.5" x 9.5"	4.5" – 6"	Polyester	Angle cut
3104♦	Soft	1.5" x 9.5"	3"	Polyester	Lobby broom
<b>Brooms</b>					
2915♦*	Stiff	3" x 12"	3.5"	Polyester	Broom with stiff bristles
2920♦	Stiff	2.5" x 19"	4.4"	Polyester	Broom with stiff bristles
<b>Floor Brooms</b>					
3174♦*	Soft-stiff combo	2" x 16"	2"	Polyester	Combo broom, stiff bristles loosen stubborn dirt, soft bristles sweep away loose particles
3178♦	Soft/Split	2" x 16"	2"	Polyester	Hygienic broom with split bristles
3179♦	Medium	2" x 16"	2"	Polyester	Floor broom
3194	Soft-stiff combo	2" x 24"	2"	Polyester	Combo broom, stiff bristles loosen stubborn dirt, soft bristles sweep away loose particles
3199	Medium	2" x 24"	2"	Polyester	Floor broom
7047♦	Medium	5" x 10"	1.5"	Polyester	High-low brush
<b>Tank Brushes</b>					
7037♦*	Stiff	5.5" x 8" (including bristles)	1.5"	Polyester	Ideal for cleaning tanks
7039♦	Soft	5.5" x 8" (including bristles)	1.5"	Polypropylene	Ideal for cleaning tanks

♦A Total Color product \*Also available in black (see page 29)

- Hygienic, solid block polypropylene construction
- Low water absorption polyester bristles with stainless steel staples
- Meets FDA, USDA and EC requirements
- Autoclavable at temperatures up to 250° F/121° C (excluding 7039, which is autoclavable at temperatures up to 212° F/100° C)
- Available in colors
- Requires the use of a European-thread handle (see page 26–27)



## Deck Scrubs and Wall Brushes

For the most demanding, aggressive cleaning projects, you can't beat our stiff-bristled deck scrubs. Our floor and wall brushes are also available with softer bristles for thorough but gentler cleaning action. Both scrubs and brushes are part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Deck Scrubs & Wall Brushes 2 3 4 5 6

Model	Bristle Type	Block Dimensions	Bristle Length	Material	Characteristics
<b>Deck Scrubs</b>					
7041◆	Stiff	2.5" x 11"	1"	Polyester	Very stiff, short bristles—deck scrub
7044	Stiff/Medium	2.75" x 9"	1.5" – 1.75"	Polyester	Tapered block/flared bristle deck scrub
7060◆*	Stiff	3" x 12"	1.7"	Polyester	Wide deck scrub
7062◆	Stiff	2.5" x 19"	1.8"	Polyester	Wide deck scrub
<b>Wall Brushes</b>					
7043◆	Soft	2.5" x 11"	1.3"	Polyester	Wall/floor washing brush
7061◆	Soft	3" x 12"	1.7"	Polyester	Wall/floor washing brush
7063◆	Soft	2.5" x 19"	1.8"	Polyester	Wall/floor washing brush
7067◆	Supersoft/Split	3" x 8"	1.5"	Polyester	Angle adjustable brush to 4 angles—wall/floor washing brush

◆A Total Color product \*Also available in black (see page 29)

- Hygienic, solid block polypropylene construction
- Low water absorption polyester bristles with stainless steel staples
- Meets FDA, USDA and EC requirements
- Autoclavable at temperatures up to 250° F/121° C
- Available in colors
- Requires the use of a European-thread handle (see page 26–27)



## Resin Set Brushes

Expanding the Vikan hygiene system®, we now offer a select group of Resin Set Brushes. Polyester bristles are affixed to a solid polypropylene block with food grade resin constructed to meet specific needs and special applications.



## Resin Set Brushes 2 3 4 5 6


Model	Bristle Type	Block Dimensions	Bristle Length	Material	Characteristics
2922	Stiff	2.5" x 18.5"	2.2"	Polyester	Stiff-bristled broom
3893	Stiff	2.5" x 7"	1.5"	Polyester	Hand scrub brush
4180	Stiff	2.5" x 16"	1.9"	Polyester	Long-handled churn brush
4188	Stiff	3" x 10"	1.9"	Polyester	Short-handled churn brush
4551	Stiff	1.5" x 10"	2"	Polyester	Short-handled bench brush with stiff bristles
4557*	Soft	1.5" x 14"	2.9"	Polyester	Long-handled bench brush with soft bristles
4558	Soft	1.5" x 10"	2.8"	Polyester	Short-handled bench brush with soft bristles
4559	Stiff	1.5" x 14"	2"	Polyester	Long-handled bench brush with stiff bristles
7045	Soft	2.5" x 11"	2.3"	Polyester	Broom with soft bristles
7046	Soft	2.5" x 11"	1.5"	Polyester	Deck scrub

\*Also available in black



## Waterfed System

Ideally suited to all kinds of cleaning projects—including walls, tanks, equipment and decks—this system puts the water where you need it. The quick-connect feature connects a standard 3/4" hose to an integrated system, with an automatic shut-off, so you can change tools easily without getting wet. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Waterfed System

Model	Dimensions	Material	Description
0704*	5.5" x 6"	Stainless steel	Trigger operated water gun
0711*	5.5" x 6"	Stainless steel	Heavy-duty water gun
2991	60"	Aluminum	Waterfed, ergonomic handle
2991Q	60"	Aluminum	Waterfed w/ coupling, ergonomic handle
2973	65" - 116"	Aluminum	Waterfed, telescopic handle
2973Q	65" - 116"	Aluminum	Waterfed w/ coupling, telescopic handle
54523	5.2" x 8"	Polypropylene bristles, medium	Tank brush
7041♦	2.5" x 11"	Polyester bristles, stiff	Waterfed deck scrub brush
7043♦	2.5" x 11"	Polyester bristles, soft	Waterfed wall washing brush
7056Q	1.8" x 14.8"	Polyester bristles, stiff	Hand brush—waterfed with coupling
0703US		Stainless steel	Quick connect coupling with shut-off valve
7067	3" x 8"	Polyester bristles, 1.5" supersoft/Split	Angle adjustable brush to 4 angles—wall/floor washing brush


- 2991 and 2973 handles have a barbed fitting (hose clamp required)
- 2991Q, 2973Q and 7056Q have a quick disconnect fitting and require the 0703US coupling
- The special quick disconnect coupling ties the system together for use up to 200 psi with 3/4" service hose.
- Vikan hygienic waterfed brushes are available with soft, medium or stiff bristles
- Works well on decks, walls and tanks
- 0704 and 0711 have a quick disconnect fitting and require the 0703US coupling
- Recommended water temperature not to exceed 122° F/50°C

\*Available in colors upon request

♦A Total Color product

## Tube and Valve Brushes

These brushes are tough enough to handle a wide variety of applications, from the food industry to chemical plants. Vikan's helically wound, stainless steel shafts provide great flexibility, making these the best hygienic tube and valve brushes available anywhere. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Tube & Valve Brushes 2 3 4 5 6

Model	Bristle Type	Dimensions (Bristle diameter x o/a length)	Material	Characteristics
Tube & Valve Brushes				
5375	Stiff	0.375" x 19.625"	Polyester/white, green, blue, red & yellow	These multi purpose brushes from Vikan are designed to clean tubes and valves from 0.375" to 2.375" diameters. All one-piece brushes are made with helically wound stainless steel shafts (13 gauge). Extended one-piece tube brushes are available in 3 or 5 foot lengths, 1–3" bristle diameters, and made with helically wound stainless steel shafts (11 gauge). All tube and valve brushes are made with low water absorption polyester bristles and polypropylene hand grips.
5376	Stiff	0.75" x 19.625"	Polyester/white, green, blue, red & yellow	
5378	Stiff	1.625" x 19.625"	Polyester/white, green, blue, red & yellow	
5379	Soft	2" x 19.625"	Polyester/white, green, blue, red & yellow	
5370	Soft	2.375" x 19.625"	Polyester/white, green, blue, red & yellow	
5381	Stiff	1" x 3'	White polyester	
5382	Soft	2" x 3'	White polyester	
5383	Soft	3" x 3'	White polyester	
5386	Stiff	1" x 5'	White polyester	
5387	Soft	2" x 5'	White polyester	
5388	Soft	3" x 5'	White polyester	
Tube Brushes for Handles				
5390*	Stiff	2" x 5.75"	White and Blue polyester	Designed for use with European-thread handles. (see page 26–27) Tough polypropylene blocks and polyester bristles are suitable for food, chemical and pharmaceutical plants.
5391	Stiff	2.5" x 6"	White and Blue polyester	
5392*	Stiff	3" x 6"	White and Blue polyester	
5393*	Stiff	3.5" x 6.25"	White and Blue polyester	
5394*	Stiff	4" x 6.5"	White and Blue polyester	
Turk's Head Brush				
70355	Soft	5" x 4.5"	White polyester	Cylinder shaped brush for cleaning of tubes,

\*Available in additional colors upon request



## Pad Holder System

Here's a pad holder you can count on. A unique system of stainless steel locking hooks secures the pad firmly in place for cleaning difficult angles and areas. No matter where you reach and scrub, the pad will not fall off. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.

5525



5524

5523



5510



5500



## Pad Holder System 2 3 4 5 6

Model	Dimensions	Description
5500*	3.8" x 9"	Floor model pad holder (requires a European-thread handle)
5510	3.8" x 9"	Hand held pad holder
5525	0.8" x 4.5" x 10"	Soft (white) pad
5524	0.8" x 4.5" x 10"	Medium (blue) pad
5523	0.8" x 4.5" x 10"	Heavy-duty (brown) pad

- Pad holder system locks the pad firmly in place with polypropylene hooks
- Ability to reach into corners without losing the pad
- Great for floors, counters and walls
- Pad holders are made of solid polypropylene
- Autoclavable at temperatures up to 212° F/100° C
- Requires the use of a European-thread handle (see pages 26-27)

## 22 Ultra Hygiene Squeegees

This raises the bar for hygienic performance of squeegees everywhere. Its one-piece design and co-molded construction unite to make the smoothest and cleanest tool you'll ever see. Rugged body. Color-coded flexible blade. Ultra-hygienic design. New technology solving an age-old problem. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.

### Ultra Hygiene Bench Squeegees ??????



### Ultra Hygiene Squeegees 2 3 4 5 6

Model	Dimensions	Material	Characteristics
7070	16"	Reinforced polypropylene head, with specially blended rubber blade	• Very durable, solid and ultra-hygienic
7071	20"	Reinforced polypropylene head, with specially blended rubber blade	• One-piece construction, single blade squeegee design
7072	24"	Reinforced polypropylene head, with specially blended rubber blade	• Autoclavable at temperatures up to 212° F/100° C
7073	28"	Reinforced polypropylene head, with specially blended rubber blade	• Specially blended rubber blade; flexible and durable
			• Useable on a variety of work surfaces
			• Available in four sizes and five colors
			• Full mono-color construction for HACCP identification and tracking
			• Double splash guard for push or pull applications
			• Molded in reverse edge scraper
			• Requires a European-thread handle (see pages 26–27)


### Ultra Hygiene Bench Squeegees 2 3 4 5 6

Model	Dimensions	Material	Characteristics
4769	11"	Reinforced polypropylene head, with specially blended rubber blade	• Very durable, solid and ultra-hygienic
			• One-piece construction, single blade squeegee design
			• Autoclavable at temperatures up to 212° F/100° C
			• Specially blended rubber blade; flexible and durable
			• Useable on a variety of work surfaces
			• Available in four sizes and five colors
			• Full mono-color construction for HACCP identification and tracking
			• Double splash guard for push or pull applications
			• Molded in reverse edge scraper
			• 6.5" handle included



## Fixed Head Squeegees

All squeegees are not created equal. Ours are everything you would want a squeegee to be: durable, solid and hygienic. Quite simply, they're the best on the market. And they're part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Bench Squeegee

The ideal tool for cleaning waist-high or tabletop benches.

## Swivel Neck Squeegees

2 3 4 5 6

Model	Dimensions	Material	Description
<b>Swivel Neck Squeegees</b>			
5402	16"	Polypropylene head with rubber blade	Swivel neck, white, green, blue, red & yellow
54030		Black rubber blade	Replacement blade for 5402
54035		White rubber blade	Replacement blade for 5402
5502	20"	Polypropylene head with rubber blade	Swivel neck, white, green, blue, red & yellow
55030		Black rubber blade	Replacement blade for 5502
55035		White rubber blade	Replacement blade for 5502
5602	24"	Polypropylene head with rubber blade	Swivel neck, white, green, blue, red & yellow
56030		Black rubber blade	Replacement blade for 5602
56035		White rubber blade	Replacement blade for 5602
5702	28"	Polypropylene head with rubber blade	Swivel neck, white, green, blue, red & yellow
57030		Black rubber blade	Replacement blade for 5702
57035		White rubber blade	Replacement blade for 5702

## Bench Squeegee


2 3 4 5 6

Model	Dimensions	Material	Description
4767	9"	Polypropylene head with white rubber blade	Available in white, green, blue, red & yellow 6.5" handle included

- Very durable and solid
- Double blade squeegee
- Requires the use of a European-thread handle (except model 4767) (see pages 26-27)
- Flexible and easy to use in restricted areas (swivel)
- Blade replacement is easy and hygienic with the replacement cartridges (except model 4767)
- Autoclavable at temperatures up to 212° F/100° C
- Available in colors

## Swivel Neck Squeegees

The same outstanding quality as our fixed head squeegees, these models have easy-to-remove blade cartridges, for increased efficiency and improved hygiene. The swivel neck feature gives you the flexibility required to clean narrow and hard-to-reach areas. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Neoprene Squeegee

The ultimate squeegee. Tough enough for the clean-up challenges of any industry. Featuring an adjustable steel neck, replaceable neoprene blade and a rigid polypropylene scraper edge. This is the top of the line.

## Swivel Neck Squeegees

Model	Dimensions	Material	Description
<b>Swivel Neck Squeegees</b>			
5402	16"	Polypropylene head with rubber blade	Swivel neck, white, green, blue, red & yellow
54030		Black rubber blade	Replacement blade for 5402
54035		White rubber blade	Replacement blade for 5402
5502	20"	Polypropylene head with rubber blade	Swivel neck, white, green, blue, red & yellow
55030		Black rubber blade	Replacement blade for 5502
55035		White rubber blade	Replacement blade for 5502
5602	24"	Polypropylene head with rubber blade	Swivel neck, white, green, blue, red & yellow
56030		Black rubber blade	Replacement blade for 5602
56035		White rubber blade	Replacement blade for 5602
5702	28"	Polypropylene head with rubber blade	Swivel neck, white, green, blue, red & yellow
57030		Black rubber blade	Replacement blade for 5702
57035		White rubber blade	Replacement blade for 5702



## Neoprene Squeegee

Model	Dimensions	Material	Description
7074	24"	Stainless steel frame and neoprene blade	Adjustable neck squeegee with reverse edge scraper
7075			Replacement Blade for 7074

- Very durable and solid
- Double blade squeegee
- Requires the use of a European-thread handle (except model 4767)
- Flexible and easy to use in restricted areas (swivel)
- Blade replacement is easy and hygienic with the replacement cartridges (except model 4767)
- Autoclavable at temperatures up to 212° F/100° C
- Available in colors

## Ceiling Squeegee System

Need help in high places? The removal of ceiling condensation has always been a nuisance, relying on a variety of fixes. Throw out the sponges—we have the right tool! This specialized squeegee\* and handle system removes and captures condensation effectively.



## Ceiling Squeegee System

Model	Dimensions	Material	Description
<b>Ceiling Squeegee</b>			
7108	3" x 8"	PVC & polypropylene	Self-draining squeegee
7116	3" x 16"	PVC & polypropylene	Self-draining squeegee
<b>Draining Extension Handles</b>			
6268B	16'4"	Composite fiberglass and aluminum	Extension handle with bottle**
6268N	15'10"	Composite fiberglass and aluminum	Extension handle with drain
6269B	16'8"	Fiberglass	Extension handle with bottle**
6269N	16'2"	Fiberglass	Extension handle with drain

\*Patent No. US 6,378,159 B1

\*\*Bottle capacity is 32oz.


## Regular Extension Handles

Model	Dimensions	Material	Description
<b>Regular Extension Handles</b>			
6268	15'9"	Composite fiberglass and aluminum	Extension handle
6269	16'1"	Fiberglass	Extension handle
2977	20'	Carbon fiber	Extension carbon fiber handle



## Vikan Color-Coded Handles

Build a matched set of cleaning implements with these handles. Their color-coded ergonomic sleeves are designed to complement Vikan's color-coded squeegees, brooms and brushes. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Vikan Color-Coded Handles



Model	Dimensions	Material	Description	Characteristics
2934	6.5"	Polypropylene	Mini-handle—white, green, blue, red & yellow	• European-thread handles
2935	51"	Aluminum	Ergonomic sleeve—white, green, blue, red & yellow	• Aluminum and fiberglass available
2936	51"	Fiberglass	Ergonomic sleeve—white, green, blue, red & yellow	• Ergonomic sleeve
2937*	59"	Aluminum	Ergonomic sleeve—white, green, blue, red & yellow	– Optimum diameter for reduced muscle fatigue
2938	59"	Fiberglass	Ergonomic sleeve—white, green, blue, red & yellow	– Rounded grooves improve grip without compromising hygiene
2975*▼	64"-115"	Aluminum	Ergonomic sleeve—white, green, blue, red & yellow	• Wide range of lengths including extension feature
2981	26"	Aluminum	Ergonomic sleeve—white, green, blue, red & yellow	• Available in colors

\*Also available in black (see page 29)

▼See page 24 for a selection of longer extension handles.

- Autoclavable at temperatures up to 212° F/100° C



## Vikan Handles

Get a better grip on virtually any cleaning job with these top-quality handles, designed for use with all Vikan squeegees, brooms and brushes. The ergonomic polypropylene sleeves provide a comfortable, sure grip. An outstanding value, and part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Vikan Handles

Model	Dimensions	Material	Description	Characteristics
2939*	60"	Stainless steel	Ergonomic sleeve	<ul style="list-style-type: none"> <li>• European-thread handles</li> <li>• Aluminum, fiberglass and stainless steel available</li> <li>• Ergonomic Sleeve <ul style="list-style-type: none"> <li>– Optimum diameter for reduced muscle fatigue</li> <li>– Rounded grooves improve grip without compromising hygiene</li> </ul> </li> <li>• Wide range of lengths</li> <li>• Autoclavable at temperatures up to 212° F/100° C</li> </ul>
2945	51"	Aluminum	Handle with poly grip	
2951	25.6"	Aluminum	Handle with poly grip	
2972*	68"	Fiberglass	Ergonomic sleeve	
2983*	39.5"	Stainless steel	Ergonomic sleeve	

\*Available in colors upon request



## Wall Bracket System

Protect your investment. A key component to any hygienic cleaning program is the proper care and storage of your hand tools. With the bracket's capability to accommodate any product and your ability to expand the bracket's length, this product is flexible to your specific needs. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.



### Wall Bracket System

2 3 4 5 6

Model	Dimensions	Material	Description
0615*	2.5" x 9.5"	Co-injection molded polymer	One-piece unit (includes screws, wall anchors and mounting instructions)

- Bracket supports any product
- Virtually unbreakable, solid, one-piece design
- Bracket protrudes away from wall for:
  - sanitary drying
  - hygienic storage
  - ease of cleaning behind bracket
- Easy to increase length for your storage needs
- Weight capacity: 22 lbs.

\*Also available in black (see page 29)

## Floor and Drain Tools

For the difficult task of keeping your floors and drains sparkling clean, we are your one-stop shop. Our floor and drain tools are strong enough for your toughest cleaning challenges because they stand the test of time. From squeegees and brooms to dustpans and shovels, our products offer solutions to your company's sanitation needs.



## Floor and Drain Tools


Model	Dimensions	Description
<b>Floor Brushes</b>		
29159	3" x 12" (3.5" bristle length)	Floor broom with stiff black polyester bristles/solid polypropylene block
70379	5.5" x 8" (1.5" bristle length)	Tank brush with stiff black polyester bristles/solid polypropylene block
70609	3" x 12" (1.7" bristle length)	Deck scrub with stiff black polyester bristles/solid polypropylene block
3174♦	2" x 16" (2" bristle length)	Combo broom, stiff bristles loosen stubborn dirt, soft bristles sweep away loose particles, soft-stiff combo polyester
4586♦	1.4" x 13" (2" bristle length)	Suitable for sweeping fine particles, supersoft polyester
<b>Drain Brushes (bristle diameter x overall length)</b>		
53929	3" x 6"	Drain brush with stiff black polyester bristles
53939	3.5" x 6.25"	Drain brush with stiff black polyester bristles
53949	4" x 6.5"	Drain brush with stiff black polyester bristles
<b>Floor Squeegee</b>		
70829	20"	Black polypropylene head with black rubber blade
55030	20"	Replacement blade
<b>Handles</b>		
29379	59"	Aluminum handle with black grip for floor brushes and squeegee
6024D	24"	Fiberglass handle for drain brushes
6036D	36"	Fiberglass handle for drain brushes
6053D	53"	Fiberglass handle for drain brushes
2975	64"—115"	Aluminum
<b>Dustpan</b>		
6350	12" x 12" x 2"	Black polypropylene dustpan
<b>Scrub Brushes</b>		
41899	3" x 10" (1.3" bristle length)	Short-handled hand brush with stiff black polyester bristles
64409	1.5" x 4.5" (0.7" bristle length)	Nail brush with stiff black polyester bristles
<b>Wall Bracket</b>		
0615	2.5" x 9.5" Co-injection molded polymer	One-piece unit (includes screws, wall anchors and mounting instructions)

♦ A Total Color product



## Hazmat Squeegees

Looking for an economical solution to chemical clean-up problems? These squeegees are the answer. Made of chemically resistant polyethylene, they're tough and economical. The curved-blade model will push large volumes of liquid and contain spill areas more effectively.



## Hazmat Squeegees

Model	Dimensions (W x L)	Description
6608	4.2" x 8"	Polyethylene blade
6612	4.2" x 12"	Polyethylene blade
6618	4.2" x 18"	Polyethylene blade
6624	4.2" x 24"	Polyethylene blade
6630	4.2" x 30"	Polyethylene blade
6530	4.2" x 28"	Polyethylene blade, curved

- Low-cost, chemical resistant squeegee
- High-density polyethylene block, low-density polyethylene blade
- Requires the use of a European-thread handle
- Custom lengths available



## Hazmat Handles

Available in a variety of stock lengths, these hazmat handles are an essential element of Remco's low-cost, total solution to chemical clean-up tasks. Stiff but lightweight, they feature honeycomb construction with smooth, chemically resistant gel-coat surfaces.




## Hazmat Handles

Model	Dimensions	Description
<b>European Thread Handles</b>		
6012	12"	Fiberglass handle
6024	24"	Fiberglass handle
6036	36"	Fiberglass handle
6053	53"	Fiberglass handle
6061	61"	Fiberglass handle
6072	72"	Fiberglass handle
6080	80"	Fiberglass handle
*Custom sizes available		
<b>Specialty Handles</b>		
6228*	28"-47"	Compact utility handle, fiberglass (European-thread)
6264*	6'10"-11'9"	Extension utility handle, fiberglass (European-thread)

\*See page 24 for a selection of longer extension handles.


- Strong honeycomb core for rigid, crush resistant handle
- Polyester gel-coat to protect hands from glass fibers
- Custom length handles available
- Tapered European-thread fitting
- Variety of extension handles

Hazmat response teams across the country have learned to depend on this full line of safety products for help in cleaning up our environment. Specifically designed for spill kits and environmental and industrial clean-up applications, these tools are rugged, non-sparking and chemically resistant.




## Safety And Spill Kit Tools

Model	Dimensions (L x W x H)	Description
<b>Shovels</b>		
6981	11" x 14" x 38"	One-piece, heavy-duty shovel, available in white, green, blue, red & yellow
6982	14" x 17" x 42"	One-piece, heavy-duty shovel, available in white, green, blue, red, yellow & black
RG6981	11" x 14" x 38"	One-piece, heavy-duty, gray
RG6982	14" x 17" x 42"	One-piece, heavy-duty, gray
6895SS	10.5" x 14" x 21"	Medium blade, pan safety shovel
6896SS	10.5" x 14" x 43.5"	Medium blade, extended D-grip, two-piece safety shovel
6896BKSS	10.5" x 14" x 43.5"	Medium blade, extended D-grip, two-piece safety shovel (all black, bonded)
6892SS	10.5" x 14" x 38.5"	Medium blade, standard D-grip, two-piece safety shovel
6900SS	14" x 18" x 40.5"	Large blade, standard D-grip, two-piece safety shovel
6880EBO	10" x 12" x 24"-36"	Emergency blade shovel, compact, available in orange and gray blades
6982BK	14" x 17" x 42"	One-piece, heavy-duty shovel, available in black
6982BKSS	14" x 17" x 42"	One-piece, heavy-duty shovel, available in black
<b>Scoops, Scrapers &amp; Dustpan</b>		
6350	12" x 12" x 2"	Dustpan—charcoal gray, polypropylene
6400	6" x 5" x 3.5"	Small scoop, 32 oz., available in white, green, blue, red & yellow
6500	9" x 6" x 3.5"	Large scoop, 82 oz., available in white, green, blue, red & yellow
6400SS	6" x 5" x 3.5"	Small green scoop, anti-static agent, 32 oz.
6500SS	9" x 6" x 3.5"	Large green scoop, anti-static agent, 82 oz.
6961	8" x 3"	Small scraper, available in white, green, blue, red & yellow
6962	9.7" x 4.4"	Large scraper, available in white, green, blue, red & yellow
6961SS	8" x 3"	Small green scraper, anti-static agent
6962SS	9.7" x 4.4"	Large green scraper, anti-static agent
6963	10" x 4.4"	Hi-temp scraper, blue



## Safety and Spill Kit Tools

Hazmat response teams across the country have learned to depend on this full line of safety products for help in cleaning up our environment. Specifically designed for spill kits and environmental and industrial clean-up applications, these tools are rugged, non-sparking and chemically resistant.



## Safety And Spill Kit Tools

Model	Dimensions (L x W x H)	Description
<b>Shovels</b>		
6981	11" x 14" x 38"	One-piece heavy-duty, available in white, green, blue, red & yellow
6982	14" x 17" x 42"	One-piece heavy-duty, available in white, green, blue, red, yellow & black
RG6981	11" x 14" x 38"	One-piece heavy-duty, gray
RG6982	14" x 17" x 42"	One-piece heavy-duty, gray
6895SS	10.5" x 14" x 21"	Medium blade, pan safety shovel
6896SS	10.5" x 14" x 43.5"	Medium blade, extended D-grip, two-piece safety shovel
6896BKSS	10.5" x 14" x 43.5"	Medium blade, extended D-grip, two-piece safety shovel (all black, bonded)
6892SS	10.5" x 14" x 38.5"	Medium blade, standard D-grip, two-piece safety shovel
6900SS	14" x 18" x 40.5"	Large blade, standard D-grip, two-piece safety shovel
6880EBO	See page 5 for dimensions and additional color.	Emergency blade shovel, orange and gray, compact
<b>Forks</b>		
6750	13" x 15" x 58"	Utility fork with wood handle
6751	13" x 15" x 58"	Utility fork with fiberglass handle
6751XC	13" x 15" x 58"	Utility fork without crossbar with fiberglass handle
6754	13" x 15"	Utility fork, blade only
<b>Scoops, Scrapers &amp; Dustpan</b>		
6350	12" x 12" x 2"	Dustpan—charcoal gray, polypropylene
6400	6" x 5" x 3.5"	Small scoop, 32 oz., available in white, green, blue, red & yellow
6500	9" x 6" x 3.5"	Large scoop, 82 oz., available in white, green, blue, red & yellow
6400SS	6" x 5" x 3.5"	Small green scoop, anti-static agent, 32 oz.
6500SS	9" x 6" x 3.5"	Large green scoop, anti-static agent, 82 oz.
6961	8" x 3"	Small scraper, available in white, green, blue, red & yellow
6962	9.7" x 4.4"	Large scraper, available in white, green, blue, red & yellow
6961SS	8" x 3"	Small green scraper, anti-static agent
6962SS	9.7" x 4.4"	Large green scraper, anti-static agent
6963	10" x 4.4"	Hi-temp scraper, blue



## Special Application Brushes

Some cleaning jobs just don't fit a standard pattern—and can't be accomplished with standard tools. That's when these specialized brushes prove their worth. They're designed for a wide range of applications, including valves, outlets, tanks, pipes and tubes. Part of the Vikan hygiene system®, Intelligent Cleaning Technology.



## Special Application Brushes

Model	Bristle Type	Dimensions (Bristle diameter x o/a length)	Material	Characteristics
<b>Multipurpose Brush</b>				
70335	Stiff	3.5" x 18"	White polyester	Perfect for valves, outlets, tanks and cylinders. <b>Complete with handle.</b>
53743	Stiff	2.5" x 15"	Blue polyester	Two-prong construction. Fully adjustable for cleaning top and bottom of pipes. Helically wound stainless steel shaft.
50513	Stiff	3.5" x 20"	Blue polyester	High quality toilet brush with extra angled bristle for cleaning underside of flushing rim.
4184	Soft	2.75" x 20"	White and Blue polyester	Ideal for cutting tools, conveyors and hard-to-reach places.
<b>Specialized Tube Brushes</b>				
53563	Soft	3" x 6.25"	Blue polyester	Vikan tube cleaner models 53563 and 53543 can be used with flexible handle models 5350 and 5352. The versatile rods will follow the curves of the tube.
53543	Stiff	0.5" x 6.25"	Blue polyester	
5350		5'	Stainless steel	Flexible handle
5352		5'	Nylon	Flexible handle

- Autoclavable at temperatures up to 250° F/121° C

## Chemical Resistance Data

G=Good F=Fair P=Poor N=No

CHEMICAL	CONCENTRATION %	NYLON 66	POLYESTER PBT	POLYPROPYLENE	PVC
Acetic Acid	100	P	F	G	N
Acetone	100	G	G	G	P
Ammonia Liquid		G	N	G	G
Aniline	100	P	G	G	N
Benzene	100	G	G	N	P
Bleaching Solutions	Dilute	N	G	G	G
Caustic Potash	10	G	G	G	G
Caustic Potash	50	G	P	G	G
Chlorine Water	Saturated	P	N	G	N
Chloroform	100	N	G	G	P
Chromic Acid	10	P	G	G	P
Citric Acid	10	P	G	G	F
Detergent-Soap		G	G	G	G
Ethanol	96	G	G	G	P
Ethylacetate	100	G	G	G	P
Formic Acid	98	N	N	G	F
Fuel Acid		G	G	G	N
Glycerine		G	G	G	G
Hydrochloric Acid	30	N	P	G	G
Lactic Acid	20	P	G	G	F
Methyl Alcohol	100	G	G	G	N
Mineral Oil		G	G	G	G
Nitric Acid	10	N	G	G	F
Nitric Acid	50	N	G	F	F
Oleic Acid	100	G	G	G	F
Oxalic Acid	10	N	G	G	F
Petrol		G	G	F	G
Phosphoric Acid	85	N	G	G	G
Sea Water		G	G	G	G
Sodium Chloride (salt)		G	G	G	G
Sodium Hydroxide	10	G	N	G	G
Sodium Hydroxide	50	G	N	G	G
Sodium Hypochloride	10	N	G	G	G
Stearic Acid	100	P	G	G	G
Sulphuric Acid	10	N	G	G	G
Sulphuric Acid	100	N	N	G	N
Tetrachloroethylene		G	N	N	P
Toluene	100	G	G	N	N
Turpentine	100	G	G	G	G
Vaseline		G	G	G	G
Vegetable Oil		G	G	G	G
The above information is given on the assumption that the temperature of the chemical does not exceed 68° F/20° C					

## Properties of Monofilaments

G=Good F=Fair P=Poor

Specific Weight	g/cm <sup>3</sup>	1.14	1.34	0.91	1.40
Melting Point	°C	255	255	168	155
Maximum Working Temperature	°C	100-120	120	70	55
Moisture Absorption	%	2.8	0.30	0.00	0.00
Water Absorption	%	8.5	0.5	0.01	0.0
Tensile Strength Dry	N/mm <sup>2</sup>	85	55	36	16
Loss of Stiffness (wet)	%	50/60	1.2	1.2	0
Abrasion resistance		G	F	G	F
Bend Recovery		G	F	F	P
Toxicity		None	None	None	None
Swelling in Water	%	2	0	0	0

The information in both of the above tables is based on our general experience and is given in good faith. We are unable to accept responsibility in respect of factors which are outside our knowledge or control, and affect the use of products. No warranty is given or is to be implied with respect to such information. Freedom under patents, copyrights and registered designs cannot be assumed. Additional information may be available upon request.

## Statement of Product Integrity

Remco Products warrants all products to be free of defects in materials and workmanship. Any product found to be defective under normal use and conditions will be replaced or credited, at your option. This guarantee is limited to replacement value only; no other guarantee is expressed or implied.



# Index

## Brooms

### Deck Scrubs

7041	17, 19
7043	17, 19
7044	17
7060	17
70609	29
7061	17
7062	17
7063	17

### Floor and Drain Tools

#### Brooms

29159	29
31749	29
70379	29
70609	29

#### Floor Brooms

2915	16
29159	29
2920	16
3174	16
31749	29
3178	16
3179	16
3194	16
3199	16
7047	16

#### Resin Set Brooms

2922	18
7045	18
7046	18

#### Safety and Spill Kit Tools

#### Brooms

2915	33
2920	33
31783	33
70393	33

#### Slim Line Upright Brooms

2913	16
2914	16
3104	16

## Brushes

### Baker's Hand Brushes

4586	14
45869	29
4588	14

### Dish Brushes

4237	14
4287	14

### Ergonomic Hand Brushes

41673	14
41695	14

### Floor and Drain Tools

#### Brushes

41899	29
45869	29
53929	29
53939	29
53949	29
64409	29

### Long-Handled Brushes

4183	14
4185	14

### Nail Brush

6440	15
64409	29

### Pastry Brushes

555030	14
555050	14
555070	14

### Resin Set Brushes

3893	18
4180	18
4188	18
4551	18
4557	18
4558	18
4559	18

### Round Scrub Brushes

3883	15
3885	15

### Scrub Brushes

3587	15
3887	15
3889	15

### Scrub Brush with Spread

#### Angle

3892	15
------	----

#### Short-Handled Brushes

4187	14
4189	14
41899	29
4193	14

#### Small Utility Brushes

3089	14
------	----

#### Special Application Brushes

70335	34
53743	34
50513	34
4184	34

#### Specialized Tube Brushes

##### and Handles

53543	34
53563	34
5350	34
5352	34

#### Tank Brushes

7037	16
70379	29
7039	16

#### Tube and Valve Brushes

5370	20
5375	20
5376	20
5378	20
5379	20
5381	20
5382	20
5383	20
5386	20
5387	20
5388	20

#### Tube Brushes for Handles

5390	20
5391	20
5392	20
5393	20
5394	20

#### Turk's Head Brush

70355	20
-------	----

#### Wall Brushes

7067	17, 19
------	--------

#### Ceiling Squeegee System

##### Ceiling Squeegees

7108	25
7116	25

##### Draining Extension Handles

6268B	25
6268N	25
6269B	25
6269N	25

##### Dustpans

6350	29, 32
6351	11

#### Floor and Drain Tools

##### Drain Brushes

53929	29
53939	29
53949	29

##### Dustpan

63509	29
-------	----

##### Floor Brooms

29159	29
31749	29
70379	29
70609	29

##### Floor Squeegees

70829	29
55030	29

##### Hand Brushes

45869	29
-------	----

### Handles

29759	29
29379	29
6024D	29
6036D	29
6053D	29

### Scrub Brushes

41899	29
64409	29

### Wall Bracket System

06159	29
-------	----

### Food Hoe

2900	13
------	----

### Fork

56905	3
-------	---

### Hand Scoops and Bowl

#### Scoops

5680	10
5685	10
6400	10
6500	10
6550	10
6552	10

#### Handles

##### Ceiling Squeegee System

##### Draining Extension Handles

6268B	25
6268N	25
6269B	25
6269N	25

##### Extension Handles

2975	26
2977	25
6263	33
6264	31, 33
6268	25
6269	25

##### Floor and Drain Tools

##### Handles

29379	29
29759	29
6024D	29
6036D	29
6053D	29

##### Hazmat Handles

6012	31
6024	31
6036	31
6053	31, 33
6061	31, 33
6072	31
6080	31
6228	31, 33
6264	31, 33

##### Safety and Spill Kit

##### Handles and Accessories

Accessories	33
2965	33
6200	33

##### Extension/Compact Handles

6228	31, 33
6263	33
6264	31, 33

##### Vikan Color-Coded Handles

2934	26
2935	26
2936	26
2937	26
2938	26
2975	26
29759	29
2981	26

##### Vikan Handles

2939	27
2945	27
2951	27
2972	27
2983	27

### Waterfed System Handles

2973	19
2973Q	19
2991	19
2991Q	19

## Hazmat Equipment

### Handles

6012	31
6024	31
6036	31
6053	31
6061	31
6072	31
6080	31
6228	31
6264	31

### Squeegees

6530	30
6608	30
6612	30
6618	30
6624	30
6630	30

### Paddles

6774	2
6775	2
6776	2
6777	2
7011	12
7013	12

### Pad Holder System

#### Pad Holders

5500	21
5510	21

#### Pads

5523	21
5524	21
5525	21

#### Rake

56915	13
-------	----

## Safety and Spill Kit Tools

### Brooms

2915	33
2920	33
31783	33
70393	33

### Dustpan

6350	29, 32
------	--------

### Handles and Accessories

Accessories	33
2965	33
6200	33

### Extension/Compact Handles

6228	31, 33
6263	33
6264	31, 33

### Hazmat Handles

6012	31
6024	31
6036	31
6053	31
6061	31
6072	31
6080	31
6228	31, 33
6263	33
6264	31, 33

### Hazmat Squeegees

6530	30, 33
6608	30
6612	30
6618	30
6624	30
6630	30, 33
7074	24, 33
7075	24, 33

### Scoops

6400	32
6400SS	32
6500	32
6500SS	32

### Scrapers

6961	32
6961SS	32
6962	32
6962SS	32
6963	32

### Shovels

6981	32
6982	32
RG6981	32
RG6982	32
6895SS	32
6896SS	32
6896BKSS	32
6892SS	32
6900SS	32
6880EBO	32
6880EBG	32

## Scrapers

### Floor Scrapers

2910	12
2912	12


### Hand Scrapers


6960	11
6961	11
6962	11
6963	11

### Paddle Scrapers

6774	2
6775	2
6776	2
6777	2
7011	12
7013	12







**REMCO PRODUCTS CORPORATION**  
 4735 West 106th Street  
 P. O. Box 698  
 Zionsville, Indiana 46077  
 Phone: 317-876-9856  
 Fax: 317-876-9858 or  
 800-585-8619  
[www.remcoproducts.com](http://www.remcoproducts.com)



**Sold exclusively through distributors worldwide**