
"R" Heavy-Duty Modular Cabinet



"R" HEAVY-DUTY MODULAR CABINET



The heavy-duty cabinet, designed for intensive use, present the perfect fit to better respond to our customers needs. It is distinguished by the vast array of dimensions offered, accessories and its perfect modularity, but most of all by its durability.

The Rousseau cabinet comes in 5 different widths, each offered in different depths, for a total of 11 combinations, each available in 6 heights. Add to that the 10 drawer heights, and you have an incredible choice of possibilities. You're guaranteed to find the right size for your specific application.

Tested by an independent laboratory, the Rousseau cabinet proved to be the most durable on the market. The trials proved just how superior our drawer is. This allows us to be 100% confident in offering you a lifetime warranty on the drawer rolling mechanism.

The unique shape of the "R" drawer is a Rousseau Metal Inc. trademark and we own a design patent on the "R" drawer.

The Rousseau cabinet, in addition to being sturdy, offers a refined and unique look, which will stand the test of time. A shining example of unwavering durability.

"R" Heavy-Duty Modular Cabinet

The Rousseau Advantages



Sturdy and distinct appearance that works in all sorts of different environments.



10 drawer heights and 7 drawer side heights are available.



True North American dimensions which allow for perfect modularity.




Housings with pre-determined fixing zones for installation of accessories: work surfaces, shelves, etc.




400 lb capacity per drawer. The most heavy-duty in the industry.

General Dimensions


Available Heights




Width x Depth



Index	Page(s)
"R" Heavy-Duty Modular Cabinet	4 - 5
Proposals	6-9
Accessories	10 - 17
Components	18 -20
"L" Compact Cabinet	21
Proposals – Cabinets	22 - 23
Proposals – Drawer compartments	24 - 25
Accessories	26 - 27
Components	28 - 29









Shown here are several of the more popular heavy-duty modular cabinet models.

All proposals include a 2" front-access forklift base and a lock on the cabinet housing (for models with more than one drawer) or on the door.

Doors are factory installed with hinges on the right side. They may be installed on the left side, upon request.





See number of compartments and proposed layouts on the following page.

NOTE

For drawers without partitioning, complete the even number following the last two digits of the model.

Ex.: R5ACD-28<u>01</u> with R5ACD-28<u>02</u> without



24" Wide



4 drawers R5ACD-2801 24" x 21" x 30" R5ACG-2801 24" x 27" x 30"



3 drawers	
R5ACD-2803	24" x 21" x 30"
R5ACG-2803	24" x 27" x 30"



 4 drawers

 R5ACD-2805
 24" x 21" x 30"

 R5ACG-2805
 24" x 27" x 30"



6 drawers R5ACD-3001 24" x 21" x 32" R5ACG-3001 24" x 27" x 32"



4 drawers R5ACD-3005 24" x 21" x 32" R5ACG-3005 24" x 27" x 32"



1 door / 1 adjustable shelf / 1 bottom shelf R5ACD-3009 24" x 21" x 32" R5ACG-3009 24" x 27" x 32"



21" x	36"
27" x	36"



5 drawers R5ACD-3403 24" x 21" x 36" R5ACG-3403 24" x 27" x 36"



9 drawers R5ACD-3805 24" x 21" x 40" R5ACG-3805 24" x 27" x 40"



5 drawers R5ACD-3807 24" x 21" x 40" R5ACG-3807 24" x 27" x 40"



30" Wide



5 drawers R5ADD-2801 30" x 21" x 30" R5ADG-2801 30" x 27" x 30"



4 drawers	
R5ADD-2803	30" x 21" x 30'
R5ADG-2803	30" x 27" x 30'



5 drawers R5ADD-2805 30" x 21" x 30" R5ADG-2805 30" x 27" x 30"



5 drawers R5ADD-3003 30" x 21" x 32" R5ADG-3003 30" x 27" x 32"



6 drawers R5ADD-3007 30" x 21" x 32" R5ADG-3007 30" x 27" x 32"



1 drawer / 1 door / 1 bottom shelf R5ADD-3009 30" x 21" x 32" R5ADG-3009 30" x 27" x 32"



7 drawers R5ADD-3801 30" x 21" x 40" R5ADG-3801 30" x 27" x 40"



7 drawers R5ADD-3803 30" x 21" x 40" R5ADG-3803 30" x 27" x 40"



8 drawers R5ADD-4401 30" x 21" x 46" R5ADG-4401 30" x 27" x 46"



8 drawers R5ADD-4407 30" x 21" x 46" R5ADG-4407 30" x 27" x 46"

Number of Compartmen	nts (layout cod	e)								
Drawer dimensions	24" x 21"	24" x 27"	30" x 21"	30" x 27"	36" x 18"	36" x 24"	48" x 24"	48" x 27"	60" x 24"	60" x 27"
3" to 5"	12 (0308)	20 (0316)	24 (0518)	25 (0420)	24 (0518)	30 (0524)	40 (0732)	32 (0724)	70 (1356)	84 (1370)
6" to 8"	9 (0206)	12 (0209)	12 (0308)	12 (0308)	8 (0304)	12 (0308)	15 (0410)	15 (0410)	24 (0716)	21 (0614)
9" and higher	4 (0102)	6 (0104)	6 (0203)	9 (0206)	6 (0203)	9 (0206)	8 (0304)	8 (0304)	12 (0308)	12 (0308)

NOTE For inside drawer dimensions.





9 drawers R5ADD-5805 30" x 21" x 60" R5ADG-5805 30" x 27" x 60"



9 drawers R5ADD-5809 30" x 21" x 60" R5ADG-5809 30" x 27" x 60"



9 drawers / 1 roll-out shelf R5ADD-5811 30" x 21" x 60" R5ADG-5811 30" x 27" x 60"



9 drawers R5ADD-5813 30" x 21" x 60" R5ADG-5813 30" x 27" x 60"



1 bottom shelf R5ADD-5819 30" x 21" x 60" R5ADG-5819 30" x 27" x 60"

36" Wide



4 drawers R5AEC-2801 36" x 18" x 30" R5AEE-2801 36" x 24" x 30"



4 drawers R5AEC-2803 36" x 18" x 30" R5AEE-2803 36" x 24" x 30"



5 drawers R5AEC-3005 36" x 18" x 32" R5AEE-3005 36" x 24" x 32"



 5 drawers

 R5AEC-3011
 36" x 18" x 32"

 R5AEE-3011
 36" x 24" x 32"



5 drawers R5AEC-3805 36" x 18" x 40" R5AEE-3805 36" x 24" x 40"



5 drawers R5AEC-3807 36" x 18" x 40" R5AEE-3807 36" x 24" x 40"



7 drawers R5AEC-4403 36" x 18" x 46" R5AEE-4403 36" x 24" x 46"



11 drawers R5AEC-4405 36" x 18" x 46" R5AEE-4405 36" x 24" x 46"



Double door / 1 adjustable shelf / 1 bottom shelf R5AEC-4412 36" x 18" x 46" R5AEE-4412 36" x 24" x 46"



8 drawers R5AEC-4413 36" x 18" x 46" R5AEE-4413 36" x 24" x 46"











11 ulaweis	
R5AEC-5803	36" x 18" x 60"
R5AEE-5803	36" x 24" x 60"

9 drawers R5AEC-5813 36" x 18" x 60" R5AEE-5813 36" x 24" x 60"

14 drawers R5AEC-5817 36" x 18" x 60" R5AEE-5817 36" x 24" x 60"

8 drawers R5AEC-5825 36" x 18" x 60" R5AEE-5825 36" x 24" x 60"

7 drawers R5AEC-5833 36" x 18" x 60" R5AEE-5833 36" x 24" x 60"



48" Wide







34"

Double door / 1 adjustable shelf /

5 drawers

R5AHE-3003 48" x 24" x 32" R5AHG-3003 48" x 27" x 32"

7 drawers R5AHE-3801 48" x 24" x 40" 48" x 27" x 40" R5AHG-3801

1 sliding door / 1 adjustable shelf / 1 bottom shelf R5AHE-3803 48" x 24" x 40"

48" x 27" x 40"

R5AHG-3803

1 bottom shelf R5AHE-3806 48" x 24" x 40" R5AHG-3806 48" x 27" x 40"









9 drawers

R5AHE-4405	48" x 24" x 46"
R5AHG-4405	48" x 27" x 46"

7 drawers R5AHE-4407 48" x 24" x 46" R5AHG-4407 48" x 27" x 46"

Double door / 1 adjustable shelf / 1 bottom shelf R5AHE-4414 48" x 24" x 46"

48" x 27" x 46"

1 sliding door / 1 adjustable shelf / 1 bottom shelf R5AHE-4416 48" x 24" x 46" R5AHG-4416 48" x 27" x 46"







R5AHG-4414



8 drawers

R5AHE-5809	48" x 24" x 60"
R5AHG-5809	48" x 27" x 60"



9 drawers

15 drawers

R5AHE-5805	48" x 24" x 60"
R5AHG-5805	48" x 27" x 60"

R5AHE-5807	48" x 24" x 60
R5AHG-5807	48" x 27" x 60

48" x 24" x 60" R5AHE-5813 R5AHG-5813 48" x 27" x 60"

60" Wide



Double door / 1 adjustable shelf / 1 bottom shelf

R5AKE-3802	60" x 24" x 40"
R5AKG-3802	60" x 27" x 40"



1 sliding door / 2 adjustable shelves/ 1 bottom shelf

R5AKE-4406	60" x 24" x 46"
R5AKG-4406	60" x 27" x 46"



1 sliding door / 1 adjustable shelf / 1 bottom shelf

I DOLLOTTI STICIT	
R5AKE-3804	60" x 24" x 40"
R5AKG-3804	60" x 27" x 40"



5 drawers / 1 roll-out shelf R5AKE-5801 60" x 24" x 60" R5AKG-5801 60" x 27" x 60"



6 drawers

R5AKE-4401	60" x 24" x 46"
R54KG-4401	60" v 27" v 46"



9 drawers

R5AKE-5803	60" x 24" x 60'
R54KG-5803	60" x 27" x 60'





Security Accessories and Recommendations

Vertical Security Bar

RB10 Security Panel

RF91



Locks all of the cabinet drawers with one padlock; Safety hasp is located at the top of the bar to facilitate access;

Available to cover overall drawer heights from 24" to 54";

Complete access to drawers is possible, even when installed against a wall;

Possible to install more than one bar on the same cabinet (for different users);

Can be installed on the right

Product #	Height
RB10-24 LPA	24"
RB10-26 LPA	26"
RB10-30 LPA	30"
RB10-34 LPA	34"
RB10-40 LPA	40"
RB10-54 LPA	54"

Blocks access between two drawers with locks; Usable space in cabinet reduced by 1";

Installed between two drawers;

Allows for the cabinet to be divided up for more than one user;


Order by specifying the width and dept. Ex. : RF91- $\frac{36}{24}$ for a 36" W x 24" D security panel.

Product # RF91-

Cabinet Lock



L3



RB15



Allows user to lock all drawers and roll-out shelves in the cabinet at same time;

Possible to change drawer and roll-out shelf positions;

Easy to retrofit;

Order by adding L3 to the cabinet housing number. Ex.: RA30-302758L3.

Product

L3





Prevents opening several drawers simultaneously. This ensures cabinet stability and protects the users;

To retrofit this mechanism, SEE PAGE order RB15-XX-XX; for factory installation, add A to the cabinet housing number;

One kit per cabinet.

Cabinet Height	
28"	
30"	
34"	
38"	
44"	
58"	
	28" 30" 34" 38" 44"







RC30

Allows user to lock all drawers and roll-out shelves in the cabinet at the same time;

Possible to change drawer and roll-out shelf positions;

Alternative to the RB10 vertical security bar; Easy to retrofit;

Order by adding LP to the cabinet housing number. Ex. : RA30-302758<u>LP</u>.


Product # LP



Recommended for mobile cabinets and cabinets not

anchored to the floor.

Slope Top




Adapted to install a lamp with a 1/2" diameter pivot rod;

Can receive SH52 divider every 2" c/c (except for 18" D);

Capacity: 100 lb (evenly distributed);

For compatibility with doors with frame, choose top that is 3" deeper than your cabinet. Ex.: 27" D cabinet + door with 3" frame = 30" D slope top;

Standard lock included.



Product #	WxDxH	Compatible Divider	
RC30-242708L3	24" x 27" x 8"	SH52-1506	
RC30-302708L3	30" x 27" x 8"	SH52-1506	
RC30-303008L3	30" x 30" x 8"	SH52-1806	
RC30-362408L3	36" x 24" x 8"	SH52-1206	
RC30-362708L3	36" x 27" x 8"	SH52-1506	
RC30-363008L3	36" x 30" x 8"	SH52-1806	
RC30-482408L3	48" x 24" x 8"	SH52-1206	
RC30-482708L3	48" x 27" x 8"	SH52-1506	
RC30-483008L3	48" x 30" x 8"	SH52-1806	-










Partial Divider







Pictograms to facilitate installation

Innovative patented divider, facilitates easy position changes;

Height: 5 1/2";

Easy installation, without tools

Product #	Divider Depth	
SH52-1206	7 1/8"	
SH52-1506	10 1/8"	
SH52-1806	13 1/8"	

Steel Top with Rubber Mat

RC32 Laminated Wood Top

WS14



Non-slip rubber surface;

Sides and back formed with a double fold, 1" high.



Made of laminated hardwood strips:

Rounded 90° edge at the front for added comfort;

Thickness: 1 3/4";

Good impact resistance;

Attractive look.

Product #	WxD	Product #	W x D
RC32-2421-01	24" x 21"	RC32-4224-01	42" x 24"
RC32-2427-01	24" x 27"	RC32-4227-01	42" x 27"
RC32-3021-01	30" x 21"	RC32-4824-01	48" x 24"
RC32-3024-01	30" x 24"	RC32-4827-01	48" x 27"
RC32-3027-01	30" x 27"	RC32-4830-01	48" x 30"
RC32-3030-01	30" x 30"	RC32-6024-01	60" x 24"
RC32-3618-01	36" x 18"	RC32-6027-01	60" x 27"
RC32-3621-01	36" x 21"	RC32-6030-01	60" x 30"
RC32-3624-01	36" x 24"	RC32-7224-01	72" x 24"
RC32-3627-01	36" x 27"	RC32-7227-01	72" x 27"
RC32-3630-01	36" x 30"	RC32-7230-01	72" x 30"

Product #	W x D
WS14-3027A*	30" x 27"
WS14-3030A*	30" x 30"
WS14-3624A	36" x 24"
WS14-3627A*	36" x 27"
WS14-3630A*	36" x 30"
WS14-4224A*	42" x 24"
WS14-4227A*	42" x 27"
WS14-4824A*	48" x 24"
WS14-4827A*	48" x 27"
WS14-4830A*	48" x 30"

Product #	WxD
WS14-6024A*	60" x 24"
WS14-6027A*	60" x 27"
WS14-6030A	60" x 30"
WS14-7224A	72" x 24"
WS14-7227A*	72" x 27"
WS14-7230A	72" x 30"

*Please check with your cus-**NOTE** tomer service representative for lead time.

Stainless Steel Top

RC35

RC36



Serves as a work surface and protects cabinet against impacts;

Composite wood top with stainless steel cover (brushed finish #4);

Excellent corrosion and chemical resistance;

The top respects the CARB regulations on formaldehydė emissions;

Welded corner for attractive look;

Thickness: 1 3/4".

11/1/10	
1.60	
100	
100	
-	

WxD

30" x 27'

36" x 24'

36" x 27"

36" x 30"

48" x 24"

48" x 27"

Product #

RC35-3027

RC35-3624

RC35-3627

RC35-3630

RC35-4824

RC35-4827

Product #	WxD
RC35-4830	48" x 30"
RC35-6024	60" x 24"
RC35-6027	60" x 27"
RC35-6030	60" x 30"
RC35-7224	72" x 24"
RC35-7230	72" x 30"

Galvanized Steel Top



Serves as a work surface and protects cabinet against impacts;

Composite wood top with galvanized steel cover;

The top respects the CARB regulations on formaldehyde emissions;

Thickness: 1 3/4".

Product #	WxD	
RC36-3027	30" x 27"	
RC36-3030	30" x 30"	
RC36-3624	36" x 24"	
RC36-3627	36" x 27"	
RC36-3630	36" x 30"	
RC36-4224	42" x 24"	
RC36-4227	42" x 27"	
RC36-4824	48" x 24"	

Product #	WxD	
RC36-4827	48" x 27"	
RC36-4830	48" x 30"	
RC36-6024	60" x 24"	
RC36-6027	60" x 27"	
RC36-6030	60" x 30"	
RC36-7224	72" x 24"	
RC36-7227	72" x 27"	
RC36-7230	72" x 30"	

Painted Steel Top

RC37

Back and Side Stop

WS18 / WS98




Serves as a work surface and protects cabinet against impacts;

Composite wood top with painted steel cover;

The top respects the CARB regulations on formaldehydė emissions;

Welded corners for attractive look;

Thickness: 1 3/4";



48" x 24"

Product #	WxD
RC37-4827	48" x 27"
RC37-4830	48" x 30"
RC37-6024	60" x 24"
RC37-6027	60" x 27"
RC37-6030	60" x 30"
RC37-7224	72" x 24"
RC37-7227	72" x 27"
RC37-7230	72" x 30"

Painted steel: WS18;

Stainless steel: WS98;

Can be installed on back or sides according to top dimensions;

Can be installed on WS14, RC35, RC36 and RC37 tops;

Height: 5". Clears top by approx. 3 1/4";

To order, complete the part # with steel choice needed

Prod	uct #	Length	
WS_	2405	24"	
WS_	2705	27"	
WS_	3005	30"	
WS_	3605	36"	
WS_	4205	42"	
WS_	4805	48"	
WS_	6005	60"	
WS	-7205	72"	

NOTE

RC37-4824

For compatibility with doors with frame, choose top that is 3" deeper than your cabinet. Ex.: 27" D cabinet + door with 3" frame = 30" D top.

Power Feed Panel / Cover Panel

Power Feed Panel

RC64 / RC65

Cover Panel

RC66 / RC67



Painted steel: RC64;

Stainless steel: RC65;

Includes a power bar with 6 outlets (15A or 20A), a perforation for air connection and a perforation (covered with a finishing panel) for installation of a telephone jack or computer

Available with or without back finishing panel; Installs on RC35/RC37 tops;

Indicate type of finish when ordering. Ex. : RC<u>64</u>-3001 for painted steel.



Painted steel: RC66;

Stainless steel: RC67;

Can be combined with a power feed panel on the same workstation or cabinet;


Available with or without back finishing panel; Installs on RC35/RC37 tops;

Indicate type of finish when ordering. Ex.: RB66-3001 for stainless steel.



Product #	Amp	Width	With or Without back panel
RC3001	15A	30"	without back panel
RC3002	15A	30"	with back panel
RC3003	20A	30"	without back panel
RC3004	20A	30"	with back panel
RC3601	15A	36"	without back panel
RC3602	15A	36"	with back panel
RC3603	20A	36"	without back panel
RC3604	20A	36"	with back panel
RC4801	15A	48"	without back panel
RC4802	15A	48"	with back panel
RC4803	20A	48"	without back panel
RC4804	20A	48"	with back panel
RC6001	15A	60"	without back panel
RC6002	15A	60"	with back panel
RC6003	20A	60"	without back panel
RC6004	20A	60"	with back panel
RC7201	15A	72"	without back panel
RC7202	15A	72"	with back panel
RC7203	20A	72"	without back panel
RC7204	20A	72"	with back panel

If your order the 20A version, ensure that your building has 20A circuits with the special outlets required.





Finishing Panel for Computer Support

RC68 / RC69





Painted steel: RC68;

Stainless steel: RC69;

Can be installed with a power feed panel or a cover panel.

Order by indicating the type of finish. Ex.: RC68-2401 for painted steel;

Available with or without back finishing

Equiped with a perforation on the top for installation of RC57/RC58 computer supports.

Product #	Width	With or Without back panel
RC2401	24"	without back panel
RC2402	24"	with back panel

Computer Supports

Laptop Support



RC58-01



RC57-01



Can be used for a laptop computer or an electronic devise etc:

Usable tray surface 14" W X 12" D;

Installs on the work surface, with the RC68/RC69 finishing panel for computer support;

Compatible with the following work surfaces: WS14, RC35, RC36, RC37;

Stainless steel upright, 17" H;

Arm, adapter and tray in painted steel. Color: black:

The tray for laptop is adjustable at 13" height to accommodate different users;

The tray is equipped with non-slip strips (Velcro®) to ensure the laptop doesn't slide.

Product #

RC58-01

LCD Monitor Support



Can be used to support most LCD monitors available on the market;

Installs on the work surface, with the RC68/RC69 finishing panel for computer support;

Compatible with the following work surfaces: WS14, RC35, RC36, RC37;

Stainless steel upright, 17" H;

Arm and adapter in painted steel. Color: black;

The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;

Positioning of monitor anchors according to VESA75 and 100 standards

Product #

RC57-01

LCD Monitor, Keyboard and Mouse Support

RC58-02

Double LCD Monitor Support



RC57-03



Installs on the work surface, with the RC68/RC69 finishing panel for computer support;

Compatible with the following work surfaces: WS14, RC35, RC36, RC37;

Stainless steel upright, 17" H;

Arm, adaptor and tray in painted steel. Color: black;

The keyboard and mouse tray is adjustable at 13" height to accommodate different users;

Usable surface of the keyboard and mouse tray : 23 5/8" W x 8 1/2" D;

The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;

Can support most LCD monitors available on the

Positioning of monitor anchors according to WESA75 and 100 standards.

Product #

RC58-02

Can be used to support two LCD monitors;

Installs on the work surface, with the RC68/RC69 finishing panel for computer support;

Compatible with the following work surfaces: WS14, RC35, RC36, RC37;

Stainless steel upright, 17" H;

Arm and adapter in painted steel. Color: black;

The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;

Positioning of monitor anchors according to VESA75 and 100 standards.

Product #

RC57-03

ESD Protection

ESD Cabinet



RC50

Special paint dissipates electric charges;

Grounding cord and ground wrist strap socket are included. Cord resistance is 1 M Ω ;

Allows for the safe storage of electronic components;

To order a cabinet equipped with protection against electrostatic discharges, indicate RC50-01. Dissipative paint is Black 090.







GROUNDING WRIST STRAP

Made of stretch material;

Comes with a 6" cord with 1M Ω resistance;

Dissipates electric charges that may damage electronic components

Product #

70000320

CONDUCTIVE PLASTIC BINS













Stacking Cabinets / Sink Cabinets

Stacking Cabinets



1 shelf, adjustable every 1" c/c;	
1 bottom shelf;	
Standard lock included on doors:	

Choice of doors. Complete the product # by referring to chart below;

Heights available: 24" and 30";

To order, complete part # with height wanted and by referring to chart below for door types.

Ex.: R5HEE-24 03 for a 36" W x 24" D x 24" H cabinet with double integrated doors.


Product #	WxD
R5HDG	30" x 27"
R5HEC	36" x 18"
R5HEE	36" x 24"
R5HEG	36" x 27"
R5HHE	48" x 24"
R5HHG	48" x 27"
R5HKE	60" x 24"
R5HKG	60" x 27"



Choice of Doors

	Cabinet	Widths
)"	36"	48"

		30"	36"	48"	60"
00	Without door	Χ	Χ	Χ	Χ
01	Single integrated door	Χ	Χ		
02	Single integrated glass door	Χ	Х		
03	Double integrated doors	Χ	Χ	Χ	Χ
04	Double integrated glass doors	Χ	Χ	Χ	Х
05	Double doors with frame	Χ	Х	Χ	Х
06	Double glass doors with frame	Χ	Х	Χ	Х
07	Integrated sliding doors			Χ	Х
08	Integrated sliding glass doors			Χ	Х
09	Sliding doors with frame			Χ	Х
10	Sliding glass doors with frame			Χ	Х






R5XHE-1002



SH52



Pictograms to facilitate installation.

Innovative	patented	divider,	facilitates	easy	position	changes;	
Height · 5	1/2"•						

Easy installation, without tools.

Product #	Divider Depth	For Shelves	
SH52-1506	10 1/8"	18" D	
SH52-1806	13 1/8"	21" D	
SH52-2106	16 1/8"	24" D	
SH52-2406	19 1/8"	27" D	



R5XTG-3002


Sink is not provided by Rousseau

Product #		WxD
R5TDD	*	30" x 21"
R5TDG	*	30" x 27"
R5THD		48" x 21"
R5THG		48" x 27"

*Models are not compatible with sliding doors.

01	Single integrated door
02	Double integrated doors
03	Double doors with frame
04	Integrated sliding doors
05	Sliding doors with frame

Sink Cabinet





The top has an opening to allow for installation of a sink;

Has an opening on the back of the housing to allow for installation of a drain and pipes;

1 bottom shelf;

Models that have a door with frame are compatible with drawers and roll-out shelves:

ararroro arra ron out orrory		
Standard lock included;	SEE	
Compatible with bases;	PAGE 19	
Heights available : 28", 30" and 34":		

To order, complete the part # with height wanted and by referring to chart below for door types.

Ex.: R5TDD-28 01;.


Work surfaces must be ordered separately (cut-outs are not provided by Rousseau). Sink not included.

SEE PAGE 96

Stacking Cabinets

Stacking Cabinet Housing

RA30



Stacking cabinet housings are designed specifically for stacking on RA30 standard housing units;

Drawers, roll-out shelves, adjustable shelves and bottom shelves can all be installed in these housings;

Compatible with both integrated doors and doors with frame;

Housing heights available: 24", 30" and 34"; To order, complete the part # with height wanted. Ex.: RA30-242130.

WxD
24" x 21"
24" x 27"
30" x 21"
30" x 27"
36" x 18"
36" x 24"
36" x 27"

Product #	WxD
RA30-4824	48" x 24"
RA30-4827	48" x 27"
RA30-6024	60" x 24"
RA30-6027	60" x 27"


Bottom shelf must be ordered separately.

Adiustable Shelf

RB22 / RB24

Bottom Shelf

RB23 / RB25



For storing bulky items;


Has edge along the sides and back to prevent items from falling into the bottom of the cabinet;

Adjustable at every 1" c/c;

Up to 400 lb capacity of evenly distributed load; SH52 dividers can be installed

Product #	WxD	Capacity*
RB22-2421	24" x 21"	200
RB22-2427	24" x 27"	200
RB24-3021	30" x 21"	400
RB24-3027	30" x 27"	400
RB24-3618	36" x 18"	400
RB24-3624	36" x 24"	400
RB24-3627	36" x 27"	400
RB24-4821	48" x 21"	400
RB24-4824	48" x 24"	400
RB24-4827	48" x 27"	400
RB24-6024	60" x 24"	400
RB24-6027	60" x 27"	400

^{*}in pounds



For compatibility with double integrated doors or integrated sliding doors, order an adjustable shelf.

For storing bulky items;

Has edge along the sides and back to prevent items from falling into the bottom of the cabinet;

Up to 400 lb capacity of evenly distributed load;

SH52 dividers can be installed.

Product #	WxD	Capacity*
RB23-2421	24" x 21"	200
RB23-2427	24" x 27"	200
RB25-3021	30" x 21"	400
RB25-3027	30" x 27"	400
RB25-3618	36" x 18"	400
RB25-3624	36" x 24"	400
RB25-3627	36" x 27"	400
RB25-4821	48" x 21"	400
RB25-4824	48" x 24"	400
RB25-4827	48" x 27"	400
RB25-6024	60" x 24"	400
RB25-6027	60" x 27"	400

^{*} in pounds

Waste & Recycling Cabinets or Drawer

Waste and Recycling Cabinet



Cabinet can be used as a single unit, integrated in cabinet combinations (ex.: counter cabinets) or integrated underneath the worksurface:

Allows sorting objects for recycling;

Equipped with one 26" H drawer with identification on the drawer handle to facilitate sorting;

Equipped with two 151/4" W x 11" D x 20" H containers, the black one for waste and the blue one for recycling;

The drawer has one divider to stabilize the containers and also allows storing objects behind.

Product #	$W \times D \times H$
R5XCG-1100	24" x 27" x 30"
R5XDG-1100	30" x 27" x 30"

Waste & Recycling Drawer



Allows sorting objets for recycling;

Identification on the drawer handle to facilitate sorting;

Drawer heights available: 17" and 26";

The 17" H drawer has two containers of 14 3/8" W x 10 1/4" D x 15" H, the black one for waste and the blue one for recycling;

The 26" H drawer has two containers of 15 $_{1/4}$ " W x 11" D x 20" H, the black one for waste and the blue one for recycling;

The drawer has one divider to stabilize the containers and also allows storing objects behind;

To add a locking or security mechanism, complete

with product # needed.

Ex. : R51CG-X1701<u>A</u> to add an integrated lock-in mechanism.


Product #	WxDxH
R51CG-X1701_	24" x 27" x 17"
R51CG-X2601_	24" x 27" x 26"
R51DG-X1701_	30" x 27" x 17"
R51DG-X2601_	30" x 27" x 26"

Doors

Single Integrated Door, Solid or Glass

RB30 / RB31

Double Integrated Doors, Solid or Glass RB35 / RB36



KA, KD or MK

Integrated door: RB30;

Glass integrated door: RB31;

Single door for 24", 30" and 36" wide cabinets;

Compatible with RB23/RB25 bottom shelf and RB22/RB24 adjustable shelf;

Opens 180° for full access to items stored inside:

<u>Factory installed on RA30 cabinet housings;</u> Standard lock included;


To receive a safety hasp instead of a standard lock, replace L3 by LP in the product #;

Some door heights may be combined with drawers mounted above or below. In the latter case, you must order a RB22/RB24 adjustable shelf for installation above the section of drawers;

Glass door made of impact resistant polycarbonate;

Order by specifying the choice of door. Ex. : RB31-3034L3 for a 30" W x 34" H single integrated glass door;

Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf.





Integrated doors : RB35;

Glass integrated doors: RB36;

Double doors for 30", 36", 48" and 60" wide cabinets;

Compatible with RB24 adjustable shelf;

Open 180° for full access to items stored inside;

Factory installed on RA30 cabinet housings;

Standard lock included;

To receive a safety hasp instead of a standard lock, replace L3 by LP in the product #;

Some door heights may be combined with drawers mounted above or below. In the latter case, you must order a RB24 adjustable shelf for installation above the section of drawers or a crossbar (RB70) for drawers mounted above;

Glass doors made of impact resistant polycarbonate;

Order by specifying the choice of door. Ex.: RB36-4820L3 for 48"W x 20"H double integrated glass doors;

Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf;

Note: Not compatible with RB25 bottom shelf.

Product #	WxH
RB2420L3	24" x 20"
RB2424L3	24" x 24"
RB2426L3	24" x 26"
RB2430L3	24" x 30"
RB2434L3	24" x 34"
RB3020L3	30" x 20"
RB3024L3	30" x 24"
RB3026L3	30" x 26"
RB3030L3	30" x 30"

Product #	WxH
RB3034L3	30" x 34"
RB3040L3	30" x 40"
RB3054L3	30" x 54"
RB3620L3	36" x 20"
RB3624L3	36" x 24"
RB3626L3	36" x 26"
RB3630L3	36" x 30"
RB3634L3	36" x 34"
RB3640L3	36" x 40"
RB3654L3	36" x 54"


Produ	ct #	WxH
RB	-3020L3	30" x 20"
RB	-3024L3	30" x 24"
RB	-3026L3	30" x 26"
RB	-3030L3	30" x 30"
RB	-3034L3	30" x 34"
RB	-3040L3	30" x 40"
RB	-3054L3	30" x 54"
RB	-3620L3	36" x 20"
RB	-3624L3	36" x 24"
RB	-3626L3	36" x 26"
RB	-3630L3	36" x 30"
RB	-3634L3	36" x 34"
RB	-3640L3	36" x 40"
RB	-3654L3	36" x 54"

Product #	W x H
RB4820L3	48" x 20"
RB4824L3	48" x 24"
RB4826L3	48" x 26"
RB4830L3	48" x 30"
RB4834L3	48" x 34"
RB4840L3	48" x 40"
RB4854L3	48" x 54"
RB6020L3	60" x 20"
RB6024L3	60" x 24"
RB6026L3	60" x 26"
RB6030L3	60" x 30"
RB6034L3	60" x 34"
RB6040L3	60" x 40"
RB6054L3	60" x 54"



Crossbar for Double Integrated Doors

RB70



Required for double integrated doors with drawer above.

Product #	Width	
RB70-30	30"	
RB70-36	36"	
RB70-48	48"	
RB70-60	60"	

Double Doors with Frame, Solid or Glass RB45 / RB46

Doors with frame: RB45;

Glass doors with frame: RB46;

Double doors for 30", 36", 48" and 60" wide cabinets;

Can be installed on cabinets with drawers or roll-out shelves;

Open 180° for full access to items stored inside;


Factory installed on RA30 cabinet housings; Standard lock included;

To receive a safety hasp instead of a standard lock, replace L3 by LP in the product #;

Frame thickness: 3";

Glass door made of impact resistant polycarbonate;

Order by specifying the choice of door. Ex. : RB46-4824L3 for 48" W x 24" H double glass doors with frame.



-3030L3

-3034L3

-3038L3

-3044L3

_-3058L3

-3624L3

-3628L3

-3630L3

-3634L3

-3638L3

-3644L3

-3658L3

RB.

RB

RB

RB

RB. RB

RB

RB

RB_

RB.

RB

SEE

30" x 30"

30" x 34"

30" x 38"

30" x 44"

30" x 58" 36" x 24"

36" x 28"

36" x 30'

36" x 34"

36" x 38'

36" x 44" 36" x 58"


Product #	WxH
RB4824L3	48" x 24"
RB4828L3	48" x 28"
RB4830L3	48" x 30"
RB4834L3	48" x 34"
RB4838L3	48" x 38"
RB4844L3	48" x 44"
RB4858L3	48" x 58"
RB6024L3	60" x 24"
RB6028L3	60" x 28"
RB6030L3	60" x 30"
RB6034L3	60" x 34"
RB6038L3	60" x 38"
RB6044L3	60" x 44"
RB6058L3	60" x 58"



R5XKG-1001

Integrated Sliding Doors, Solid or Glass

RB50 / RB51



KA, KD or MK

Sliding doors : RB50;
Glass sliding doors : RB51;

Doors for single cabinets 48" and 60" wide

Compatible with RB24 adjustable shelf;

Manianus annian fan anna ta itana at

Maximum opening for access to items stored inside:

Factory installed on RA30 housings;


Standard lock included;

Glass door made of impact resistant polycarbonate;

Order by specifying the choice of door. Ex. : RB $\underline{51}$ -6020L3 for 60" W x 20" H integrated sliding glass doors;

Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf:

Note: Not compatible with RB25 bottom shelf.



SEE

Product #	WxH
RB6020L3	60" x 20"
RB6024L3	60" x 24"
RB6026L3	60" x 26"
RB6030L3	60" x 30"
RB6034L3	60" x 34"
RB6040L3	60" x 40"
RB -6054L3	60" x 54"

Sliding Doors with Frame, Solid or Glass RB55 / RB56



KA. KD or MK

Sliding doors with frame : RB55; Glass sliding doors with frame : RB56;

Sliding doors for double cabinets (2 x 24" or 2 x 30");

Compatible with double cabinets (2 x 24" or 2 x 30") with drawers or roll-out shelves;

Maximum opening for access to items stored inside;

Factory installed on RA30 cabinet housings;

Standard lock included;

Frame thickness: 3";

Glass door made of impact resistant polycarbonate;

Order by specifying the choice of door. Ex. : RB56-6024L3 for 60"W x 24"H sliding glass door with frame;

Note: Not compatible with 48" and 60" wide simples cabinets.

Proc	duct #	WxH	
RB_	4824L3	48" x 24"	
RB_	4828L3	48" x 28"	
RB_	4830L3	48" x 30"	
RB_	4834L3	48" x 34"	
RB_	4838L3	48" x 38"	
RB_	4844L3	48" x 44"	
RR	-48581.3	48" x 58"	

Product #	WxH
RB6024L3	60" x 24"
RB6028L3	60" x 28"
RB6030L3	60" x 30"
RB6034L3	60" x 34"
RB6038L3	60" x 38"
RB6044L3	60" x 44"
RB -6058L3	60" x 58"



Housings

"R" Heavy-Duty Cabinet Housing

RA30

Choose from a wide range of housing unit sizes to customize your storage or work space areas.

Modular drawers, roll-out shelves, adjustable and bottom shelves can be installed;

Compatible with integrated doors and doors with frame;

- Housing units are equipped with knock-outs :
 on the top to stack cabinets and install accessories or work surfaces
 - on the sides and back to anchor cabinets side-by-side and back-to-back as well as for attaching accessories

Includes anchoring kit for concrete floor, for both cabinet housings and bases, and hardware for stacking;

Cabinet lock allows user to lock all drawers and roll-out shelves in the cabinet at the same time. Complete product number with L3;


For a safety hasp, complete the product number with LP;

To order a true one-drawer-at-a-time mechanism, complete the product number with A.




R5AEE-5803






36"	W	Id	е





48" and 60" Wide



Product #	Total Height	Inside Height
24" x 21"		
RA30-242124_	_ 24"	20"
RA30-242128_	_ 28"	24"
RA30-242130_	_ 30"	26"
RA30-242134_	_ 34"	30"
RA30-242138_	_ 38"	34"
24" x 27"		

24"

RA30-242724_

RA30-242728	28"	24"
RA30-242730	30"	26"
RA30-242734	34"	30"
RA30-242738	38"	34"
30" x 21"		
RA30-302124	24"	20"
RA30-302128	28"	24"
RA30-302130	30"	26"
RA30-302134	34"	30"
RA30-302138	38"	34"
RA30-302144	44"	40"
RA30-302158	58"	54"

30" x 27"		
RA30-302724	24"	20"
RA30-302728	28"	24"
RA30-302730	30"	26"
RA30-302734	34"	30"
RA30-302738	38"	34"
RA30-302744	44"	40"
RA30-302758	58"	54"

Product #	Total Height	Inside Height
36" x 18"		
RA30-361824_	_ 24"	20"
RA30-361828_	_ 28"	24"
RA30-361830_	_ 30"	26"
RA30-361834_	_ 34"	30"
RA30-361838_	_ 38"	34"
RA30-361844_	_ 44"	40"

RA30-361858

36" x 24"		
RA30-362424	24"	20"
RA30-362428	28"	24"
RA30-362430	30"	26"
RA30-362434	34"	30"
RA30-362438	38"	34"
RA30-362444	44"	40"
RA30-362458	58"	54"

58"

54"

36" x 27"		
RA30-362724	24"	20"
RA30-362728	28"	24"
RA30-362730	30"	26"
RA30-362734	34"	30"
RA30-362738	38"	34"
RA30-362744	44"	40"
RA30-362758	58"	54"

Product #	Total Height	Inside Height
48" x 24"		
RA30-482424_	_ 24"	20"
RA30-482428_	_ 28"	24"
RA30-482430_	_ 30"	26"
RA30-482434_	_ 34"	30"
RA30-482438_	_ 38"	34"
RA30-482444_	_ 44"	40"
RA30-482458_	_ 58"	54"

KA, KD or MK

48" x 27"		
RA30-482724	24"	20"
RA30-482728	28"	24"
RA30-482730	30"	26"
RA30-482734	34"	30"
RA30-482738	38"	34"
RA30-482744	44"	40"
RA30-482758	58"	54"

Product #	i otai Height	insiae Height
60" x 24"		
RA30-602424_	_ 24"	20"
RA30-602428_	_ 28"	24"
RA30-602430_	_ 30"	26"
RA30-602434_	_ 34"	30"
RA30-602438_	_ 38"	34"
RA30-602444_	_ 44"	40"
RA30-602458	58"	54"

24"	20"
28"	24"
30"	26"
34"	30"
38"	34"
44"	40"
58"	54"
	28" 30" 34" 38" 44"




Bases

Front Access Forklift Base

RA52 Front and Side Access Forklift Base

RA53



2" high base designed for moving the cabinet from the front with a forklift;

Front cover plate included;

Includes a recessed kick-plate in the center of the cabinet to allow user to stand closer to

Designed to enable user to anchor cabinet to the floor;

Compatible with RA74 leveling glides;

Compatible with the RA54 rear base cover plate, offered as an option;


Note: Not compatible with casters;

Note: Not designed for stacking applications.

Product #	WxD	
RA52-242102	24" x 21"	
RA52-242702	24" x 27"	
RA52-302102	30" x 21"	
RA52-302702	30" x 27"	
RA52-361802	36" x 18"	
RA52-362402	36" x 24"	
RA52-362702	36" x 27"	

Product #	WxD
RA52-482402	48" x 24"
RA52-482702	48" x 27"
RA52-602402	60" x 24"
RA52-602702	60" x 27"

RA74



4" high base designed for moving the cabinet from the front or side with a forklift, or from the front with a pallet-jack;

Front cover plate included;

Includes a recessed kick-plate in the center of the cabinet to allow user to stand closer to

Designed to enable user to anchor cabinet to the floor;

Compatible with RA74 leveling glides;

Compatible with the RA54 rear base cover plate, offered as an option;

Note: Not compatible with casters;

Note: Not designed for stacking applications.

Product #	WxD
RA53-242104	24" x 21"
RA53-242704	24" x 27"
RA53-302104	30" x 21"
RA53-302704	30" x 27"
RA53-361804	36" x 18"
RA53-362404	36" x 24"
RA53-362704	36" x 27"

Product #	WxD
RA53-482404	48" x 24"
RA53-482704	48" x 27"
RA53-602404	60" x 24"
RA53-602704	60" x 27"

Leveling Glide Kit



Serves to adjust the height of cabinet housings on uneven floor surfaces.


Product

RA74-01

Angled Cover Plate



RA56 / RA58




Closes off the back of 2" and 4" forklift bases (RA52 and RA53)

Product #	WxH	
RA54-2402	24" x 2"	
RA54-2404	24" x 4"	
RA54-3002	30" x 2"	
RA54-3004	30" x 4"	
RA54-3602	36" x 2"	
RA54-3604	36" x 4"	
RA54-4802	48" x 2"	
RA54-4804	48" x 4"	
RA54-6002	60" x 2"	
RA54-6004	60" x 4"	

Recessed Base

RA55 / RA57



Painted steel RA55;

Stainless steel RA57;

Designed to raise the height of a cabinet by 2" or 4";

Includes a removable cover plate at the front for aesthetics;

Front cover plate is on a straight angle to facilitate cleaning floors;

2" recessed space to allow user to stand closer to cabinet:

Designed to allow user to anchor the cabinet to the floor;

Compatible with RA74 leveling glides;

Compatible with the RA56/RA58 rear base cover plate, offered as an option;

Note: Not compatible with casters;

Note: Not designed for stacking applications;

Order by indicating the type of steel finish. Ex.: RA $\underline{57}$ -302702 for a stainless steel base 30" W x 27" D x 2" H.

Product #	WxDxH
RA242102	24" x 21" x 2"
RA242104	24" x 21" x 4"
RA242702	24" x 27" x 2"
RA242704	24" x 27" x 4"
RA302102	30" x 21" x 2"
RA302104	30" x 21" x 4"
RA302702	30" x 27" x 2"
RA302704	30" x 27" x 4"
RA361802	36" x 18" x 2"
RA361804	36" x 18" x 4"
BV -365405	36" v 24" v 2"

Product #	WxDxH
RA362404	36" x 24" x 4"
RA362702	36" x 27" x 2"
RA362704	36" x 27" x 4"
RA482402	48" x 24" x 2"
RA482404	48" x 24" x 4"
RA482702	48" x 27" x 2"
RA482704	48" x 27" x 4"
RA602402	60" x 24" x 2"
RA602404	60" x 24" x 4"
RA602702	60" x 27" x 2"
RA602704	60" x 27" x 4"

Straight Cover Plate


Painted steel RA56;

Stainless steel RA58;

Closes off the back of 2" and 4" recessed bases (RA55 or RA57);

Order by indicating the type of steel finish. Ex.: RA58-4804 for a straight cover plate in stainless steel 48" W x 4" H.

Budget # Wall		
Product #	W	к н
RA240	2 24"	x 2"
RA2404	4 24"	x 4"
RA300	2 30"	x 2"
RA3004	4 30"	x 4"
RA360	2 36"	x 2"
RA3604	4 36"	x 4"
RA480	2 48"	x 2"
RA480	4 48"	x 4"
RA600	2 60"	x 2"
RA600	4 60"	x 4"



Components

Drawers, Roll-out Shelves and Locking or Security Mechanisms

Heavy-Duty Modular Drawer for Cabinet

Heavy-Duty Front Access Roll-Out Shelf **RF31**

RF40



		400
	111//11	Hea
		Fas

400 lb capacity, 100% extension; avy-duty construction; isy to install;

Vast choice of accessories offered SEE to adapt to your storage needs; Available drawer heights:

3", 4", 5", 6", 7", 8", 9["], 10", 12" and 14" Order by adding the drawer height to the part #. Ex. : RF31-3624<u>06</u>;

For modular drawers with layouts,		PAGES
Product #	W x D	137-150
RF31-2421	24" x 21"	
RF31-2427	24" x 27"	
RF31-3021	30" x 21"	
RF31-3027	30" x 27"	
RF31-3618	36" x 18"	
RF31-3624	36" x 24"	
RF31-3627	36" x 27"	
RF31-4824	48" x 24"	
RF31-4827	48" x 27"	
RF31-6024	60" x 24"	
RF31-6027	60" x 27"	



400 lb capacity, 100% extension;

Heavy-duty construction;

Easy to install;

Painted steel with 3" edges on sides and back;

Height: 6";

Full access to contents.

Product #	WxD
RF40-2421	24" x 21"
RF40-2427	24" x 27"
RF40-3021	30" x 21"
RF40-3027	30" x 27"
RF40-3618	36" x 18"
RF40-3624	36" x 24"
RF40-3627	36" x 27"
RF40-4824	48" x 24"
RF40-4827	48" x 27"
RF40-6024	60" x 24"
RF40-6027	60" x 27"









RF44

L3



400 lb capacity, 100% extension;

Heavy-duty construction;

Easy to install;

Galvanized steel with 1 1/2" edge on back;

May serve as work surface.

W x D
24" x 21"
24" x 27"
30" x 21"
30" x 27"
36" x 18"
36" x 24"
36" x 27"
48" x 24"
48" x 27"
60" x 24"
60" x 27"



Activated by tilting the handle up;

Allows user to open the drawer and the roll-out shelf with one hand only;

Close by simply pushing it;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit

Order by adding A to the drawer or partitioning, or roll-out shelf model number.

Ex.: RF31-362406A

Product #



RF85



Activated with the right hand by sliding the mechanism with thumb;

Drawer and roll-out shelf close without having to reactivate the slide mechanism;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit;

Order by adding B to the drawer or partitioning, or roll-out shelf model number. Ex.: RF31-362406B.

Product #

Drawer Lock


Compatible with all drawer dimensions; Does not affect usable drawer space;

IMPROVED

Order by adding L3 to drawer or partitioning model number. Ex.: RF31-362406L3.

Product #

L3



Lock-Out Mechanism

For both drawers and roll-out shelves;

Locks drawers and roll-out shelves in open position;

Activated manually, only when required;

No interference with drawer accessories.

Product #



