



WORK CENTER

The Rousseau work center system offers a multitude of possible layouts, thanks to its numerous accessories which allow you to create a work center that responds to your exact needs.

Whether you are installing a workbench for a production or assembly line, or a custom layout for your machine tool workshop, our line of products offers you an impressive selection of accessories that are sure to meet and surpass your expectations. Whether you are looking for a basic workbench with two legs and a top, or a specialized table, stationary or mobile, you will find a solution for each and every application. From shipping and receiving, to your foreman's office, the quality and variety of our product will more than satisfy you.


Moreover, the Rousseau multi-purpose stand presents an immense advantage by being so easy to reconfigure, without tools. It can be changed according to your evolving needs by simply adding accessories.

Rousseau offers you several work surface dimensions for each of the surfaces offered: painted steel, stainless steel, laminated wood, laminated Acrylic/PVC, laminated and dissipative plastic tops. Rousseau, the one-stop solution to simplify your life!



LC3002C

The Rousseau Advantages




Rousseau will meet even your most specific workbench need, from top to bottom.




Re-configuring your workbench is easy and can be done without tools. This means your system will evolve with you and your needs.



Our impressive array of standard accessories allows you to build a custom bench.



The WM structure can be installed on most industrial workbenches on the market. The six fixing zones mean limited interference and endless possibilities.




Many of our workbenches can be made mobile in order to better meet your needs.

General Dimensions


Components and accessories are divided into 3 groups and correspond to the principle work-station zones.

Popular sizes indicated in red







*Extensions offered for other heights

SEE PAGE 98



Index	Page(s)
Work Center	86 - 87
Proposals	88 - 95
Components	
- work surface	96 - 97
- structure under the work surface	98 - 109
- structure above the work surface	110 - 122
- specialized structure for technician	123-124
Specialized Work Center Proposals	125
Multi-Purpose Stand	126
Proposals	127 - 128
Components	129
Ergonomic Seats	130 - 131



Basic Workbenches

Basic Workbench with Stringer



WSA2031



This table can be made mobile.

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	WS_1031	WS_2031	WS_3031	WS_9031
72"	30"	34"	WS_1035	WS_2035	WS_3035	WS_9035
72"	36"	34"	WS_1039	WS_2039	WS_3039	WS_9039

NOTE

To order, complete the part number according to the following:

A for a stationary table;
W for a mobile table.

Example : **WSW2031**

1 top of your choice;
2-27" D x 32" H legs;
1 stringer.

Mobile model (total height 35") includes the following additional accessories:


2 pairs of caster adaptors for legs;
1 pair of 4" rigid casters;
1 pair of 4" swivel casters with total-lock brake;
1 footrest;

Note: Leg height on mobile models is 28".

Workbench with Shelf



WSA2019



This table can be made mobile.

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	WS_1019	WS_2019	WS_3019	WS_9019
72"	30"	34"	WS_1023	WS_2023	WS_3023	WS_9023
72"	36"	34"	WS_1027	WS_2027	WS_3027	WS_9027

NOTE

To order, complete the part number according to the following:

A for a stationary table;
W for a mobile table.

Example : **WSW2019**

1 top of your choice;
2-27" D x 32" H legs;
2 shelves, each 12" D;
1 stringer.

Mobile model (total height 35") includes the following additional accessories:


2 pairs of caster adaptors for legs;
1 pair of 4" rigid casters;
1 pair of 4" swivel casters with total-lock brake;

Note: Leg height on mobile models is 28".

Closed Table



WSA2070



This table can be made mobile.

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	WS_1070	WS_2070	WS_3070	WS_9070
72"	30"	34"	WS_1071	WS_2071	WS_3071	WS_9071
72"	36"	34"	WS_1072	WS_2072	WS_3072	WS_9072

NOTE

To order, complete the part number according to the following:

A for a stationary table;
W for a mobile table.

Example : **WSW2070**

1 top of your choice;
2-27" D x 32" H legs;
1 sliding doors with L3 lock;
2 side panels and 1 back panel;
3 shelves, each 12" D;
2 leg crossbars.

Mobile model (total height 35") includes the following additional accessories:

2 pairs of caster adaptors for legs;
1 pair of 4" rigid casters;
1 pair of 4" swivel casters with total-lock brake;

Note: Leg height on mobile models is 28".

Desk with Closed Legs



WSA3043

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	30"	WSA1043	WSA2043	WSA3043	WSA9043
72"	30"	30"	WSA1044	WSA2044	WSA3044	WSA9044

NOTE These models cannot be used in mobile applications.

1 top of your choice;
 1 back panel;
 2-27" D x 28" H closed legs;
 1 shelf, 12" D.

Closed Desk with Closed Legs



WSA3170

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	WSA1170	WSA2170	WSA3170	WSA9170
72"	30"	34"	WSA1171	WSA2171	WSA3171	WSA9171
72"	36"	34"	WSA1172	WSA2172	WSA3172	WSA9172

NOTE These models cannot be used in mobile applications.

1 top of your choice;
 1 back panel;
 2-27" D x 32" H legs;
 3 shelf, each 12" D;
 2 legs crossbars;
 1 front finishing panel;
 1 back finishing panel;
 1 sliding door with L3 lock.

Open Double Workbench



WSA2902

Dimensions				Type of Top			
W	D	H		Steel	Lam. wood	Plastic lam.	Acrylic/PVC
8' (2 x 48")	30"	34"		WSA1902	WSA2902	WSA3902	WSA9902
10' (2 x 60")	30"	34"		WSA1904	WSA2904	WSA3904	WSA9904
12' (2 x 72")	30"	34"		WSA1906	WSA2906	WSA3906	WSA9906

NOTE These models cannot be used in mobile applications.

2 tops of your choice;
 3-27" D x 32" H legs;
 2 stringers;
 4 steel shelves, each 12" D;
 1 shelf adaptor for common leg;
 1 stringer extension for common leg.

Closed Double Workbench




WSA2971

Dimensions				Type of Top			
W	D	H		Steel	Lam. wood	Plastic lam.	Acrylic/PVC
8' (2 x 48")	30"	34"		WSA1971	WSA2971	WSA3971	WSA9971
10' (2 x 60")	30"	34"		WSA1973	WSA2973	WSA3973	WSA9973
12' (2 x 72")	30"	34"		WSA1975	WSA2975	WSA3975	WSA9975

NOTE These models cannot be used in mobile applications.

2 tops of your choice;
 3-27" D x 32" H legs;
 2 side panels and 2 back panels;
 4 steel shelves, each 12" D;
 1 shelf adaptor for common leg;
 2 sets of sliding doors with L3 lock;
 2 side extensions for common leg.

Workbench with Cabinet



This table can be made mobile.



27" deep cabinets are recommended for mobile workstations or workstations with multi-purpose frames.

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	L_1101C	L_2101C	L_3101C	L_9101C
72"	30"	34"	L_1102C	L_2102C	L_3102C	L_9102C
72"	36"	34"	LH1103C	LH2103C	LH3103C	LH9103C

NOTE

To order, complete part number according to the following:

- G** for a stationary bench with 21" deep cabinet (for 30" D benches only);
- H** for a stationary bench with 27" deep cabinet (for 30" D and 36" D benches only);
- J** for a mobile bench.

1 top of your choice;

1-27" D x 32" H leg;

1 "L" compact cabinet with 4" base;

1 pair of cabinet attachment bars.

Mobile model (total height 35") includes the following additional accessories:

1 base for casters for compact cabinet;

1 pair of caster adaptors for leg;

1 pair of 4" rigid casters;

1 pair of 4" swivel casters with total-lock brake;

1 footrest.

Note Cabinet base not included with mobile model.

Workbench with Two Cabinets



LG2201C



27" deep cabinets are recommended for mobile workstations or workstations with multi-purpose frames.

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	L_1201C	L_2201C	L_3201C	L_9201C
72"	30"	34"	L_1202C	L_2202C	L_3202C	L_9202C
72"	36"	34"	LH1203C	LH2203C	LH3203C	LH9203C

NOTE

To order, complete part number according to the following:

- G** for a stationary bench with 21" deep cabinet (for 30" D benches only);
- H** for a stationary bench with 27" deep cabinet (for 30" D and 36" D benches only);

NOTE

These models cannot be used in mobile applications.

1 top of your choice;

2 "L" compact cabinets with 4" bases;

2 pairs of cabinet attachment bars.

Workbench with Suspended Cabinet



LG2001

NOTE

Maximum capacity of 50 lbs per drawer in a suspend cabinet application using RA70.

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	LG1001	LG2001	LG3001	LG9001
72"	30"	34"	LG1002	LG2002	LG3002	LG9002
72"	36"	34"	LH1003	LH2003	LH3003	LH9003

NOTE

These models cannot be used in mobile applications.

1 top of your choice;

2-27" D x 32" H legs;

1 stringer;

1-21" deep "L" compact cabinet;

1 pair of cabinet attachment bars.

Desk with Cabinet



LG3107



27" deep cabinets are recommended for workstations with multi-purpose frames.

Dimensions			Type of Top		
W	D	H	Steel	Lam. wood	Plastic lam.
60"	30"	34"	LG1107	LG2107	LG3107
72"	30"	34"	LG1108	LG2108	LG3108
72"	36"	34"	LH1109	LH2109	LH3109

1 top of your choice;

1-27" D x 28" H closed leg;

1 "L" compact cabinet of 21" D;

1 pair of cabinet attachment bars.

NOTE These models cannot be used in mobile applications.

Workbench with Heavy-Duty Cabinets



R5WH5-2007

1 laminated wood top WS14-6030A

1-27" D x 32" H leg WS20-2732

1 heavy-duty cabinet with partitioning R5ACG-3013

Product # **W x D x H**

R5WH5-2007 60" x 30" x 34"

NOTE These model cannot be used in mobile applications.



R5WL5-2001

1 laminated wood top WS14-7230A

1 heavy-duty cabinet with partitioning R5ACG-3013

1 heavy-duty cabinet with partitioning R5ACG-3015

Product # **W x D x H**

R5WL5-2001 72" x 30" x 34"

NOTE These model cannot be used in mobile applications.



R5WH4-2001

1 laminated wood top WS14-6027A

1 heavy-duty cabinet with partitioning R5ACG-3013

1 heavy-duty cabinet with partitioning R5ADG-5827

1 side bracket for top RA73-02

Product # **W x D x H**

R5WH4-2001 90" x 27" x 60"

NOTE These model cannot be used in mobile applications.

Basic Electronic Workbench



WSA4073

Dimensions			Type of Top		
W	D	H	Laminated wood	Plastic laminate	Dissipative*
60"	30"	34"	WSA2073	WSA3073	WSA4073*
72"	30"	34"	WSA2074	WSA3074	WSA4074*
72"	36"	34"	WSA2075	WSA3075	WSA4075*

1 top of your choice;	1 pair of risers with electrical outlets on both sides;
2-27" D x 32" H legs;	1-12" D shelf, same material as top;
1 back stop;	1 shelf back.
1 stringer;	

NOTE *Models with dissipative tops come with:
1 grounding block;
1 grounding cord and 1 ground wrist strap.

SEE
PAGE
112

Electronic Workbench with Cabinet



LG4104C

Dimensions			Type of Top		
W	D	H	Laminated wood	Plastic laminate	Dissipative*
60"	30"	34"	LG2104C	LG3104C	LG4104C*
72"	30"	34"	LG2105C	LG3105C	LG4105C*
72"	36"	34"	LH2106C	LH3106C	LH4106C*

1 top of your choice;	1 pair of risers with electric outlets on both sides;
1-27" D x 32" H leg;	1-12" D shelf, same material as top;
1 "L" compact cabinet with 4" base;	1 shelf back;
1 back stop;	1 pair of cabinet attachment bars..

NOTE * Models with dissipative tops come with:
1 grounding block;
1 grounding cord and 1 ground wrist strap.

SEE
PAGE
112

Adjustable Workbench



WSA3050

Dimensions			Type of Top			
W	D	H	Steel	Lam. wood	Plastic lam.*	Dissipative**
60"	30"	30" to 42"	WSA1050	WSA2050	WSA3050*	WSA4050**
72"	30"	30" to 42"	WSA1051	WSA2051	WSA3051*	WSA4051**
72"	36"	30" to 42"	WSA1052	WSA2052	WSA3052*	WSA4052**

* 725 lb capacity.

1 top of your choice;	12" vertical adjustment (30" - 42");
2-27" D x 27" H open legs for lift system;	1-17" high stringer;
1 hydraulic lifting system;	Compatible with WM accessories;
Anti-skid leveling glides;	System capacity: 825 lb.

NOTE These models cannot be used in mobile applications.

NOTE **Models with dissipative tops come with:
1 grounding block;
1 grounding cord and 1 ground wrist strap.

SEE
PAGE
112

Wall-Mounted Workbench with Wall Cabinet



R5WH5-2010

Dimensions		Type of Top		
W	D	Steel	Laminated wood	Plastic laminate
60"	30"	R5WH5-1010	R5WH5-2010	R5WH5-3010

1 top of your choice;	1 shelf	WS50-6012
2 legs	WS95-2428	2 wall cabinets
2 leg crossbars	WS96-24	R5MDA3003

NOTE Leg height is 28" and top thickness is 1 3/4".

Workstations – Tables and Multi-Purpose Frames

Basic Workstation

WSC0133

Better organization with the help of Rousseau accessories.



WSC0133

1 WM single unit frame	WM11-2848
2 tiltable shelves	WM20-2812
2 plastic bin rails	WM28-2801
1 vertical adaptor for electrical and air outlets	WM41-01
1 power outlet strip	70000505
6 partial dividers	SH52-1206
5 plastic bins	RG20-040303
2 open legs	WS20-2732
1 stringer	WS22-6005
1 painted steel top	WS10-6030

Product #	W x D x H
WSC0133	60" x 30" x 80"

Packaging Station

WSM0006

All the right accessories for a packaging station, with a spool support under the table.



WSM0006

2 multi-purpose uprights	WM10-48
2 steel shelves	WS50-6012
2 structural shelf supports	WM27-1201
6 sliding dividers	WS87-1210
1 vertical adaptor for electrical and air outlets	WM41-01
1 power strip	70000505
1 document holder with arm	WM70-01
2 open legs	WS20-2732
1 stringer	WS22-6005
1 laminated wood top	WS14-6030A

1 paper and cardboard spool support	WS86-60
2 leg crossbars	WS24-27

Product #	W x D x H
WSM0006	60" x 30" x 80"

SOLD SEPARATELY

Packaging shear cutter

WM87-01



SEE
PAGE
100

End-of-Aisle Workstation

WSM0017

Perfect for consulting information close to stored materials.



WSM0017


2 closed legs	WS25-2732
1 laminated wood top	WS14-3630A
1 WS90-01 sliding keyboard tray or WS90-02 adjustable keyboard tray (except on WSM0018 model without keyboard tray)	
1 single unit frame	WM11-2848
2 tiltable shelves	WM20-2812
6 partial dividers	SH52-1206
1 power strip	7000505
1 vertical adaptor for electrical and outlets	WM41-01
1 document holder with arm	WM70-01
1 tackboard / marker panel	WM54-2424
1 panel bracket kit	WM50-01

Product #	Type of Keyboard Tray	W x D x H
WSM0016	WS90-01 sliding tray	36" x 30" x 80"
WSM0017	WS90-02 adjustable tray	36" x 30" x 80"
WSM0018	Model without tray	36" x 30" x 80"

SOLD SEPARATELY

Footrest

WS27-2012



SEE
PAGE
99

IMPORTANT

An ergonomic chair and footrest are recommended for this type of workstation.

Electronic Workstation

LC3002C



LC3002C

Protects sensitive electronic equipment.

1 WM unit frame	WM11-5648
1 tiltable shelf	WM20-2812
2 plastic bin rails	WM28-2801
1 power outlet channel	WM40-2801
1 monitor tray with arm	WM62-01A
1 tiltable pan	WM22-2820
1 storage cabinet with door	WM75-251516L3
1 pair of cantilever overhead supports	WM18-26
1 overhead workstation light	WM45-48T8
7 partial dividers (4 inside storage cabinet)	SH52-1206
Product #	W x D x H
LC3002C	60" x 30" x 80"

5 plastic bins	RG20-040303
1 shelf for storage cabinet	WM20-2812
1 fluorescent work lamp with magnifier	70000635
1 adaptor for lamp or light-duty arm	WM68-01
1 open leg	WS20-2732
1 light-duty cabinet	WS30-2459
1 compact cabinet «L» with 4" base	L3ABD-2808C
1 pair of cabinet attachment bars	RA70-21
1 dissipative top	WS17-6030A
1 grounding block	70000350
1 ground wrist strap	70000320

Quality Control Workstation

LC3003C



LC3003C

Our proposal to enhance quality control and inspection tasks.

1 single WM unit frame	WM11-2848
1 tiltable shelf	WM20-2812
1 overhead workstation light	WM45-48T8
1 pair of cantilever overhead supports	WM18-26
1 power outlet channel	WM40-2801
1 monitor tray with arm	WM62-01A
1 keyboard and mouse tray	WM63-2402
1 tackboard / marker panel	WM54-2424
1 panel bracket kit	WM50-01
Product #	W x D x H
LC3003C	60" x 30" x 80"

3 partial dividers	SH52-1206
1 open leg	WS20-2732
1 light-duty cabinet	WS30-2459
1 compact cabinet «L» with 4" base	L3ABD-2808C
1 pair of cabinet attachment bars	RA70-21
1 plastic laminate top	WS16-6030A

Assembly Workstation

LC3001



LC3001

Designed to promote efficient assembly work.

1 double WM unit frame	WM11-5648
2 plastic bin rails	WM28-2801
1 vertical adaptor for electrical and air outlets	WM41-01
1 power outlet strip	70000505
1 document holder with arm	WM70-01
1 perforated panel	WM53-2436
2 panel bracket kits	WM50-01
1 tackboard / marker panel	WM54-2424
1 overhead workstation light	WM45-48T8
1 tool rail	WM47-6001
1 pair of cantilever overhead supports	WM18-26
1 balancer trolley	WM48-01

1 tool balancer	WM49-01
5 plastic bins	RG20-040303
1 pack of 10 double back single hooks	WM98-03
2 open legs	WS20-2732
1 drawer unit	LD75-182109
2 compact drawers of 3"	LF31-182103
1 plastic laminate top	WS16-6030A
1 stringer	WS22-6005

Product #	W x D x H
LC3001	60" x 30" x 80"

Basic Workstation with Cabinet

R5WH5-2005



R5WH5-2005

Both bulky and high density storage in one workstation.

1 heavy-duty cabinet with partitioning	R5ACG-3013
1 open leg	WS20-2732
1 laminated wood top	WS14-6030A
2 storage cabinets with double integrated doors	R5MDA-3003
2 WM brackets for storage cabinet	RD08-28
1 double WM unit frame	WM11-5648

Product #	W x D x H
R5WH5-2005	60" x 30" x 80"

Assembly Workstation with Cabinet

R5WH5-2003



R5WH5-2003

Access your parts and tools faster.

1 heavy-duty cabinet with partitioning	R5ACG-3013
1 laminated wood top	WS14-6030A
1 open leg	WS20-2732
1 double WM unit frame	WM11-5648
1 tiltable shelf	WM20-2812
2 partial dividers	SH52-1206
1 vertical adaptor for electrical and air outlets	WM41-01
1 power outlet strip	70000505
1 steel shelf	WS50-6012
1 pair of structural shelf supports	WM27-1201
1 privacy panel	WM52-2436
1 panel bracket kit	WM50-01
1 louvered panel	WM55-2836
2 plastic bins	RG20-060603
5 plastic bins	RG20-060602

Product #	W x D x H
R5WH5-2003	60" x 30" x 80"

Maintenance Workstation with Cabinets

R5WL5-2003



R5WL5-2003

Designed to centralize all of the materials needed for your activities.

1 heavy-duty cabinet with partitioning	R5ACG-3013	1 tool support	WM30-01
1 heavy-duty cabinet with partitioning	R5ACG-3015	4 plastic bins	RG20-060603
1 laminated wood top	WS14-7230A	1 power outlet channel	WM40-2801
2 steel shelves	WS50-2412	1 tiltable pan	WM22-2820
2 adaptors for WS50 shelf	RC15-24	2 tiltable shelves	WM20-2812
1 double WM unit frame	WM11-5648	4 partial dividers	SH52-1206
1 pair of cantilever overhead supports	WM18-26	2 storage cabinets with door	WM75-281516L3
1 overhead workstation light	WM45-48T8	1 document holder with arm	WM70-01
1 tool rail	WM47-6001	1 monitor tray with double arm	WM62-02A
1 balancer trolley	WM48-01	1 keyboard and mouse tray	WM63-2402
1 tool balancer	WM49-01		
2 plastic bin rails	WM28-2801		

Product #	W x D x H
R5WL5-2003	72" x 30" x 80"

Components – Work Surfaces

Work Surfaces

Painted Steel Top

WS10



Top for industrial, maintenance, repair or assembly applications;
Thickness: 1 3/4";
2 steel crossbars for attaching legs;
3 wood crossbars (2" x 4") for attaching cabinets and other accessories;
May be reinforced or soundproofed with a WS75 wood filler;
Excellent impact resistance;
Powder paint.

Stainless Steel Top

WS12



Top for industrial, maintenance, repair or assembly applications or when solvents, oils or other chemical products are being used;
Thickness: 1 3/4";
Brushed finish #4, attractive appearance;
2 steel crossbars for attaching legs;
3 wood crossbars (2" x 4") for attaching cabinets and other accessories;
May be reinforced or soundproofed by adding a WS75 wood filler;
Excellent corrosion resistance;
Excellent chemical resistance (can be in prolonged contact with a substance).

Laminated Wood Top

WS14



Top for general industrial applications;
Thickness: 1 3/4";
Made with varnished hardwood slats;
90° radius front edge for more comfort;
Good impact resistance;
Attractive appearance.

Resistant Acrylic/PVC Plastic Laminated Top

WS08



Ideal for assembly stations or for applications using solvents, oils or other chemical products;
Thickness: 1 1/2";
Color: Gray;
Core made of particle board;
Finish: sheet of gray polymer;
Deluxe quality laminated top;
Excellent chemical product resistance (can be in prolonged contact with a substance);
Superior abrasion resistance compared to standard laminated top;
Superior impact resistance compared to standard laminated top;
Attractive appearance.

Plastic Laminated Top

WS16



Top for general applications. Ideal for assembly, quality control and packaging applications;
Thickness: 1 1/2";
Color: White;
Attractive appearance;
Easy to clean;
90° radius front edge for more comfort.

NOTE Please refer to W54 tech sheet for capacity according to configuration. Available on Multi Tool CD.

Dissipative Top

WS17



Top for electronics applications. Ideal for assembly or electronics inspection stations;
Thickness: 1 1/2";
Color: White;
Attractive appearance;
Easy to clean;
90° radius front for more comfort;
Dissipates electric charges that can damage electronic components;
Resistance point to point and point to ground between 10⁶ and 10⁹ Ω.


Dimensions		Type of Top					
W	D	Acrylic/PVC plastic laminate	Painted steel	Stainless steel	Laminated wood	Plastic laminate	Dissipative
36"	24"				WS14-3624A	WS16-3624A*	
	30"				WS14-3630A*	WS16-3630A*	
48"	24"	WS08-4824A*	WS10-4824	WS12-4824 *	WS14-4824A*	WS16-4824A*	WS17-4824A*
	30"	WS08-4830A*	WS10-4830	WS12-4830 *	WS14-4830A*	WS16-4830A*	WS17-4830A*
	36"	WS08-4836A*	WS10-4836	WS12-4836 *	WS14-4836A*	WS16-4836A*	WS17-4836A*
60"	24"	WS08-6024A*	WS10-6024	WS12-6024 *	WS14-6024A*	WS16-6024A*	WS17-6024A*
	30"	WS08-6030A	WS10-6030	WS12-6030 *	WS14-6030A	WS16-6030A	WS17-6030A
	36"	WS08-6036A*	WS10-6036	WS12-6036 *	WS14-6036A*	WS16-6036A*	WS17-6036A*
72"	24"	WS08-7224A	WS10-7224	WS12-7224 *	WS14-7224A	WS16-7224A	WS17-7224A*
	30"	WS08-7230A	WS10-7230	WS12-7230 *	WS14-7230A	WS16-7230A	WS17-7230A
	36"	WS08-7236A	WS10-7236	WS12-7236 *	WS14-7236A	WS16-7236A	WS17-7236A

NOTE *Please check with your customer service representative for lead time.

Components – Work Surfaces

Steel Top Crossbar

WS11 / WS13




Painted steel: WS11;
Stainless steel: WS13;
May be attached to center of steel top (WS10 or WS12) for reinforcement;
To order, complete the part # with steel choice needed.

Product #	W x D
WS_-24	6" x 24"
WS_-30	6" x 30"
WS_-36	6" x 36"

Wood Filler for Steel Top

WS75




Made from wooden crossbars;
Inserted into WS10 and WS12 steel tops for soundproofing;
Increases solidity of steel tops;
Allows attachment of accessories beneath the work surface;
Depths available: 24", 30" and 36";
To order, complete the part # with depth wanted.

Product #	Width
WS75-48	48"
WS75-60	60"
WS75-72	72"

Wood Crossbar for Steel Top

WS76




Allows attachment of cabinets, hanging cabinets and drawer units. Also used to secure back panels beneath the steel top;
Depths available: 24", 30" and 36";
To order, complete the part # with depth wanted;
Note: 3 crossbars (2" x 4") are included with each WS10 and WS12 steel top.

Product #	W x H
WS76-0202	2" x 2"
WS76-0204	4" x 2"
WS76-0208	8" x 2"



Laminated Wood Top

SR90




Designed to be installed between two shelving units;
A pair of SH74 top supports must be ordered for installation.

Product #	W x D
SR90-6024A	60" x 24"
SR90-7224A	72" x 24"

Back and Side Stops

WS18 / WS98




Painted steel: WS18;
Stainless steel: WS98;
Can be attached to back or sides according to top dimensions;
May be installed on all types of tops;
Height: 5". Clear top by approx. 3 1/4";
To order, complete the part # with steel choice needed.

Product #	Length
WS_-2405	24"
WS_-3005	30"
WS_-3605	36"
WS_-4805	48"
WS_-6005	60"
WS_-7205	72"

Sliding Keyboard Tray

WS90-01




May be mounted on all surfaces;
Mouse tray slides to the left or right side, as needed;
Usable area: 8 1/2" x 20 1/2";
Mouse tray: 9 3/8" x 9 1/8".

Product #	Color
WS90-01	Black

Adjustable Keyboard Tray

WS90-02



Support with articulating arm designed for use in the sit/stand position;
May be mounted on all surfaces;
Includes:
- mouse tray, slides to the left or right side, as needed
- ergonomic palm rest

Slides under the work surface for storage. Sturdy construction;
Usable area: 9 1/2" x 20 1/2";
Mouse tray: 9 3/8" x 9".

Product #	Color
WS90-02	Black

CPU Support

WS92




May be mounted on all surfaces;
Handle allows width of plastic side support to be adjusted;
Adjustments accommodate computers with dimensions of 3 1/2" to 9 1/4" width by 12 1/2" to 22 1/2" height;
Width: 8 3/8" to 11 1/2";
Depth: 6 3/4" (8 1/2" with handle);
Height: 18" to 26".

Product #	Color
WS92-01	Black

Top Supports

SH74



Sold in pairs;
Designed to support a SR90 laminated wood top between two shelving units;
Easy hook assembly.


Product #	Depth
SH74-24	24"

Components – Structure Under the Work Surface

Structural Components

Open Leg

WS20




Three basic heights: 28", 32" and 34";
WS21 leg extensions can be added according to need;
"Inversed" hat shaped top for added strength;
Equipped with knockouts to allow installation of electrical outlets;
A second leg crossbar, WS24, can be added to permit installation of WS50 shelves;
Can be closed with a WS62 side panel.

Product #	D x H	Surface Depth
WS20-2128	21" x 28"	24" and 30"
WS20-2132	21" x 32"	24" and 30"
WS20-2134	21" x 34"	24" and 30"
WS20-2728	27" x 28"	30" and 36"
WS20-2732	27" x 32"	30" and 36"
WS20-2734	27" x 34"	30" and 36"

Closed Leg

WS25




For office applications where appearance is important;
Three basic heights: 28", 32" and 34";
"Inversed hat" shaped top for added strength;
One closed side. The face and exterior side have no holes; accessory fixing zones on inner face;
A second leg crossbar, WS24, may be added to permit installation of WS50 shelves.

Product #	D x H	Surface Depth
WS25-2128	21" x 28"	24" and 30"
WS25-2132	21" x 32"	24" and 30"
WS25-2134	21" x 34"	24" and 30"
WS25-2728	27" x 28"	30" and 36"
WS25-2732	27" x 32"	30" and 36"
WS25-2734	27" x 34"	30" and 36"

Leg Extensions / Caster Adaptors

WS21




For open legs only;
Sold in pairs;
Three heights: 3", 6" and 9";
The 6" and 9" extensions adjust leg height;
Casters may be installed with 3" and 6" extensions; the 9" extensions must not be used with casters.

Product #	Height	Possible Adjustment*	Type of Caster
WS21-0306	3"	—	4" or 6"
WS21-0606	6"	To 3"	4" or 6"
WS21-0904	9"	To 6"	Not compatible

*See W55 tech sheet for details. Available on Multi Tool CD.

Leg Crossbar

WS24




Allows addition of a second shelf level beneath the work surface;
May be affixed to a WS20 open leg or WS25 closed leg.

Product #	Leg Depth
WS24-21	21"
WS24-27	27"

Open Wall-Mounted Leg

WS95



500 lb capacity per leg; 1000 lb capacity per pair (assuming that wall and wall anchoring are sufficient);
Anchoring hardware not provided by Rousseau;
Designed for 24", 30" and 36" deep tops;
Compatible with all types of tops offered by Rousseau;
Compatible with WS18 back stop and WM10 & WM11 multi-purpose uprights;
Equipped with electrical outlet knockouts on front of leg;
Possible to install WS96 crossbars and 12" deep WS50 shelf (available as an option).


Product #	D x H
WS95-2428	22 5/8" x 29 7/16"



R5WH5-2101

Crossbar for Wall Leg

WS96




Installation of 12" deep WS50 shelf is possible (available as an option);
Use with WS95 wall-mounted leg.

Product #	Depth
WS96-24	13 3/4"

Components – Structure Under the Work Surface

Stringer

WS22



Attaches between the two legs at the rear, to strengthen structure;


Standard widths that fit top surface widths;

May serve as a back for shelves beneath work surface.

Product #	Width	Surface Width
WS22-4805	39"	48"
WS22-6005	51"	60"
WS22-7205	63"	72"

Adjustable Footrest

WS23



Adjustable width; can be extended by sliding the two parts;

Required for all mobile workstations;


May be attached to leg crossbars or on the sides of cabinets to strengthen structure.

Product #	Width Adjustment
WS23-1624	16" to 24"
WS23-2440	24" to 40"
WS23-4072	40" to 72"

Choice of Footrests Depending on Configuration	Top Width		
	48"	60"	72"
2 legs	WS23-2440	WS23-4072	WS23-4072
1 leg and 1 "L" compact cabinet	WS23-2440	WS23-2440	WS23-4072
2 "L" compact cabinets	-	WS23-1624	WS23-2440
1 leg and 1 RA30-2427 cabinet	-	WS23-2440	WS23-4072
1 leg and 1 RA30-3027 cabinet	-	WS23-2440	WS23-2440
1 leg and 1 RA30-3624 cabinet	-	WS23-1624	WS23-2440

Corner Gussets for Leg

WS28



Sold in pairs;

Mount under and attach to leg to reinforce structure;


Recommended for mobile workstations with tops constructed with particleboard or plastic laminate panel;

Note: To find out the capacity of a mobile workstation with gussets, please refer to W54 tech sheet or contact your customer service representative.

Product #
WS28-01

Steel Shelf

WS50 / WS56



Painted steel: WS50;

Stainless steel: WS56;

Thickness: 1 1/4";

May be installed on leg crossbars or WS24 shelf supports WM27;

Widths: 48", 60" and 72" and depths: 6" and 12";

Shelf combinations:

- 21" deep legs: 1-6" D + 1-12" D shelves

- 27" deep legs: 2-12" D shelves;


To order, complete part # with choice needed.

Product #	W x D	Surface Width
WS_-4806	45" x 6"	48"
WS_-4812	45" x 12"	48"
WS_-6006	57" x 6"	60"
WS_-6012	57" x 12"	60"
WS_-7206	69" x 6"	72"
WS_-7212	69" x 12"	72"

SEE
PAGES
98, 115

Ergonomic Footrest

WS27



Allows ergonomic adjustment up to 12" in height and a maximum of 30° of inclination;

Adjustments can be made easily and simultaneously;


Equipped with non-skid feet rubber mat glued to the tray;

Fast and simple assembly.

Product #	W x D x H
WS27-2012	20" x 12" x 13"

Shelf Adaptor for Common Leg

WS78




Must be ordered to install WS50 shelves on a common leg.

Product #	Leg Depth
WS78-0321	21"
WS78-0327	27"

Stringer Extension for Common Leg

WS79




Must be ordered to install WS22 stringers on a common leg.

Product #
WS79-0305

Side Extension for Common Leg

WS64




Required to mount WS60 sliding doors or WS63 back panels to a common leg.

Product #	Height
WS64-0325	25"

Components – Structure Under the Work Surface

Sliding Doors

WS60 / WS61




Sliding Doors: WS60;
Glass Sliding Doors: WS61;
Allow user to close and lock the area beneath the work surface (standard lock included);
Smooth, quiet movement;
Fit workstations with 28", 32" or 34" high legs;
Order by specifying the choice of door.
Ex.: WS61-4828L3 for 39" W x 24" H sliding glass doors;
Compatible with L1 locks; contact your customer service representative.

Product #	W x H	Surface Width
WS_-4828L3	39" x 24"	48"
WS_-6028L3	51" x 24"	60"
WS_-7228L3	63" x 24"	72"

Side Panel

WS62




For installation on open legs;
Fits 28", 32" and 34" high legs.

Product #	D x H	Leg depth
WS62-2128	20" x 25"	21"
WS62-2728	26" x 25"	27"

Back Panel

WS63



For installation behind WS20 open legs or WS25 closed legs;

Available with:
- 48" (1 piece)
- 60" and 72" (2 pieces)

Fits 28", 32" and 34" high legs.

Product #	W x H	Surface width
WS63-4828	39" x 24"	48"
WS63-6028	51" x 24"	60"
WS63-7228	63" x 24"	72"

Finishing panel

WS65 / WS66




Front finishing panel WS65;
Back finishing panel WS66;
Allows you to close off the space under a set of sliding doors at both the front and back of the workstation;
Three heights available: 4", 8" et 10";
Compatible with tables with closed legs 28", 32" or 34" H.;
Order by indicating the type of panel and height required.
Ex.: WS65-4808 for a front finishing panel 48" W x 8" H.

Product #	W x H	Height closed legs
WS_-4804	48" x 4"	28"
WS_-4808	48" x 8"	32"
WS_-4810	48" x 10"	34"
WS_-6004	60" x 4"	28"
WS_-6008	60" x 8"	32"
WS_-6010	60" x 10"	34"
WS_-7204	72" x 4"	28"
WS_-7208	72" x 8"	32"
WS_-7210	72" x 10"	34"

Paper and Cardboard Spool Support

WS86




Installs under the work surface on the WS24 leg crossbars (sold separately);
Includes two end brackets and one rod;
Rod diameter: 1";
One person alone may insert the spool by pivoting one end of the rod;
Capacity: 75 lb.

Product #	Width	Color
WS86-48	48"	Black
WS86-60	60"	Black
WS86-72	72"	Black

Packaging Shear Cutter

WM87




Designed for cutting paper and corrugated rolls, plastic, packing foam, bubble wrap, etc. For materials up to 36" wide;

Cuts in both directions.

Product #	Material Cutting Width	Overall Width
WM87-01	36"	48"

Floor Anchor Hardware Kit

WS80




Serves to anchor legs to floor;
Includes 4 concrete screws.

Product #
WS80

Leveling Glides

WS26



Sold in pairs;
Serve to adjust the height of legs on uneven floor surfaces;

To use with a "L" compact cabinet, see leveling glide kit LA74.

Product #
WS26

SEE
PAGE
103

Components – Structure Under the Work Surface

"L" Compact and "R" Heavy-Duty Preconfigured Models

Here are some of the most popular cabinets for workstations.

"L" compact cabinets:

27" deep cabinets are required for 36" deep workstations and are recommended with a multi-purpose stand and on 30" deep mobile stations;


Come with RA70 cabinet attachment bars to install and suspend the cabinet under the work surface;

For a 12" drawer: Order LG31 hanging folder bars for letter (8½" x 11") or legal size (8½" x 14") folders;

Can be ordered with or without a central lock (L3). For order a cabinet housing with a central lock, add L3 to product number.

SEE
PAGE
104

IMPORTANT



Drawer parti-
tions are included
in models.

NOTE

For drawers
without partitioning, complete the
even number following the two last
digits of the model.

Ex.: L3ABD-2851C with
L3ABD-2852C without

Number of Compartments (layout code)

Drawer dimensions	18" x 21"	18" x 27"
3" to 5"	9 (0206)	9 (0206)
6" and 8"	6 (0104)	6 (0104)
12"	4 (0102)	4 (0104)



SEE
PAGE
188

"R" Heavy-duty cabinets:

All models include a 2" recessed base and a central cabinet lock;

Come with RA70 cabinet attachment bars to install the cabinet under the work surface;

The 12" drawer is designed to hold file hanging bars. Order RG30 or RG31 file bars.

SEE
PAGE
155

Number of Compartments (layout code)

	24" x 21"	24" x 27"	30" x 21"	30" x 27"
3" to 5"	12 (0308)	20 (0316)	24 (0518)	25 (0420)
6" to 8"	9 (0206)	12 (0209)	12 (0308)	12 (0308)
9" and over	4 (0102)	6 (0104)	6 (0203)	9 (0206)

"L" Compact Cabinet 28" High – Without base



4"
5"
5"
5"
5"

5 drawers

L3ABD-2861	18" x 21" x 28"
L3ABG-2861	18" x 27" x 28"



3"
4"
5"
12"

4 drawers

L3ABD-2863	18" x 21" x 28"
L3ABG-2863	18" x 27" x 28"



3"
3"
3"
6"
6"

6 drawers

L3ABD-2865	18" x 21" x 28"
L3ABG-2865	18" x 27" x 28"



3"
3"
4"
4"
6"

6 drawers

L3ABD-2867	18" x 21" x 28"
L3ABG-2867	18" x 27" x 28"



5"
5"
6"
8"

4 drawers

L3ABD-2869	18" x 21" x 28"
L3ABG-2869	18" x 27" x 28"

"L" Compact Cabinet 32" High – With 4" base



6"
6"
6"
6"

4 drawers

L3ABD-2851_C	18" x 21" x 32"
L3ABG-2851_C	18" x 27" x 32"



24"

1 door / 1 adjustable shelf

L3ABD-2854_C	18" x 21" x 32"
L3ABG-2854_C	18" x 27" x 32"



6"
6"
12"

3 drawers

L3ABD-2855_C	18" x 21" x 32"
L3ABG-2855_C	18" x 27" x 32"



12"
12"

2 drawers

L3ABD-2857_C	18" x 21" x 32"
L3ABG-2857_C	18" x 27" x 32"



3"
3"
6"
12"

4 drawers

L3ABD-2859_C	18" x 21" x 32"
L3ABG-2859_C	18" x 27" x 32"

"R" Heavy-Duty Cabinets – With 2" base



4"
4"
6"
12"

4 drawers

R5ACD-3013	24" x 21" x 32"
R5ACG-3013	24" x 27" x 32"



3"
3"
4"
4"
4"
8"

6 drawers

R5ACD-3017	24" x 21" x 32"
R5ACG-3017	24" x 27" x 32"



6"
20"

1 drawer / 1 bottom shelf

R5ADD-3013	30" x 21" x 32"
R5ADG-3013	30" x 27" x 32"



3"
3"
5"
5"
5"

6 drawers

R5ADD-3011	30" x 21" x 32"
R5ADG-3011	30" x 27" x 32"



4"
4"
4"
4"
6"
6"
6"
6"


8 drawers

R5ADD-4409	30" x 21" x 46"
R5ADG-4409	30" x 27" x 46"

Components – Structure Under the Work Surface

Drawer Units

To order a drawer unit with locks on drawer, complete the part number with L3.



9" High Drawer Unit



1 drawer	
LD75-3201	18" x 21" x 9"
LD75-4201	18" x 27" x 9"



2 drawers	
LD75-3202	18" x 21" x 9"
LD75-4202	18" x 27" x 9"

12" High Drawer Unit



2 drawers	
LD75-3203	18" x 21" x 12"
LD75-4203	18" x 27" x 12"



2 drawers	
LD75-3204	18" x 21" x 12"
LD75-4204	18" x 27" x 12"



3 drawers	
LD75-3205	18" x 21" x 12"
LD75-4205	18" x 27" x 12"

15" High Drawer Unit



2 drawers	
LD75-3206	18" x 21" x 15"
LD75-4206	18" x 27" x 15"



1 drawer	
LD75-3207	18" x 21" x 15"
LD75-4207	18" x 27" x 15"



3 drawers	
LD75-3208	18" x 21" x 15"
LD75-4208	18" x 27" x 15"




"L" Compact Cabinet Components

To order a cabinet or a drawer unit, first select a housing. Then choose doors and/or drawers to correspond with the inside height of the housing.

Now you may also add security, drawer and mobility accessories.

Drawer Unit Housing

LD75



Three standard heights:

- 9" (6" inside)
- 12" (9" inside)
- 15" (12" inside)

Installed on a cabinet or under a work surface;

100 lb capacity for each drawer in the unit for a maximum of 175 lb per unit;


Compatible with LF31 compact drawer (not included);

Order by adding drawer unit housing depth, 21" or 27" deep.

Product #	Inside dim.
LD75-18__09	6"
LD75-18__12	9"
LD75-18__15	12"

Drawer Unit Cover

LD76




Used to cover the top of the drawer unit when installed on the work surface.

Product #	W x D
LD76-1821	18" x 21"
LD76-1827	18" x 27"

"L" Compact Cabinet Housing

LA30



Create a customized work space with a wide range of possibilities;

Four standard heights:

- 24" (20" inside)
- 28" (24" inside)
- 34" (30" inside)
- 40" (36" inside)

Drawers, shelves and doors can be installed in the housing;

Housing is equipped with knock-outs :

- On the top: for stacking a drawer unit housing LD75 or another cabinet. In the later case, order the LA78;
- On the sides and back: for assembling cabinets side-to-side and back-to-back.
- On the sides: for installing under the work surface. Order the RA70.

2" base can be added to make cabinet heights of 26", 30", 36" and 42";

4" base can be added to make cabinet heights of 28", 32", 38" and 44";

Lock on the housing allows user to secure all drawers at the same time, complete the product number with L3;

To order hasp for padlock, complete the product number with LP.

Product #	W x D x H	Product #	W x D x H
LA30-182124	18" x 21" x 24"	LA30-182724	18" x 27" x 24"
LA30-182128	18" x 21" x 28"	LA30-182728	18" x 27" x 28"
LA30-182134	18" x 21" x 34"	LA30-182734	18" x 27" x 34"
LA30-182140	18" x 21" x 40"	LA30-182740	18" x 27" x 40"




27" deep cabinets are recommended for mobile workstations or workstations with multi-purpose frames and are mandatory for all workstations with a 36" deep top.

Components – Structure Under the Work Surface

"L" Compact Drawer

LF31



100 lb capacity, 100% extension;
Wide range of accessories available to adapt to your storage needs;
Precision ball bearing drawer slides included;
Easy hook-on assembly;
For drawer layout proposals, see pages 24-25;

Available drawer heights: 3", 4", 5", 6", 8" and 12";

For a 12" drawer: Order LG31 hanging folder bars for letter (8½" x 11") or legal size (8½" x 14") folders;


Order by adding the drawer height to the product number and by specifying the lock-in and the drawer lock. Ex.: LF31-182106B, LF31-182106L3, LF31-182106L3B.

Product #	W x D
LF31-1821	18" x 21"
LF31-1827	18" x 27"



Integrated Door

LB30




6 standard heights;
Handle fitted in plastic;
Can be installed with hinges on right or left;
Shelf LB24 must be ordered as storage surface for doors installed above a drawer or another door;
For central locking mechanism, complete the product number with L3;
For hasp for padlock, complete the product number with LP.

Product #	W X H
LB30-1812	18" x 12"
LB30-1818	18" x 18"
LB30-1820	18" x 20"

Product #	W X H
LB30-1824	18" x 24"
LB30-1830	18" x 30"
LB30-1836	18" x 36"

Adjustable Shelf

LB24




For storing larger, bulkier items;
Equipped with edges along sides and back;
Adjustable in height every 1" c/c;
Capacity up to 100 lb evenly distributed load;
2 versions of the adjustable shelf are possible depending on if the housing is equipped with a central locking mechanism;
Available in galvanized steel;
Order by adding the housing depth – 21" or 27".

Product #	For LA30
LB24-18_01	with L3/LP on the housing
LB24-18_02	without L3/LP on the housing

Cabinet Base


LA85 Leveling Glide Kit

LA74



Available heights: 2" and 4";
2" recessed clearance;
Compatible with LA74 leveling glide kit;
Note: not compatible with floor anchoring kit (LA76), stacking kit (LA78) and casters.

Product #	W x D x H
LA85-182102	18" x 21" x 2"
LA85-182104	18" x 21" x 4"
LA85-182702	18" x 27" x 2"
LA85-182704	18" x 27" x 4"




Used to stabilize a cabinet installed on an uneven surface;
Can be installed under cabinets with or without bases;
Includes: 2 supports and 4 leveling glides.

Product #	Width
LA74-1801	18"

Floor Anchoring Kit

LA76



Top view

Used to anchor a cabinet (without base) to the floor;
Includes 1 bolt for concrete floors.


Product #	Width
LA76-1801	18"

Components – Structure Under the Work Surface

Security Accessories

Drawer Lock

L3



2 keys provided with each lock;
Compatible with all drawer dimensions;
The mechanism (covered by a galvanized box) requires 3" W x 1" D inside the drawer;

Order by adding L3 to drawer or partitioning number.
Ex: LF31-182106L3;

Note : A security panel LF91 must be ordered to block access between two drawers if managing two different users.

Product

L3



Central Locking Mechanism

L3 / LP



Allows user to lock all drawers in the cabinet at the same time;
Easy to retrofit;
Possible to change drawer layout without touching locking mechanism;

To order a lock, complete the product housing number or the proposal cabinet number by L3. Ex.: LA30-182134L3;

To order a safety hasp for padlock, complete the housing number with LP. Ex.: LA30-182134LP;

Product

L3

Lock

LP

Safety hasp



Door Lock

L3 / LP



2 keys provided with each lock;
To order a lock, complete the door number by L3.

Ex: LB30-1812L3;

To order a safety hasp, complete the door number by LP.

Ex: LB30-1812LP;

Note: A security panel LF91 must be ordered to block access between two doors if managing two different users.

Product

L3

Lock

LP

Safety Hasp



Lock-In Mechanism

B



Activated by sliding the mechanism with thumb;

Drawer closes without having to reactivate the slide mechanism;

Stops drawers from opening on their own;

Easy to retrofit;

Order by adding B to the drawer or partitioning number.

Ex.: LF31-182106B

Product

B

Drawer and Handle Accessories

Handle Protector

LF70



Installs on drawer handle by clipping in place;

Made of transparent plastic;

Protects identification labels from dust, grease and dirt;

Easy to remove;


Note: Labels available; 30 per page - 10 pages. Order LF71-425075

Product

LF70-18

PVC Drawer Liner

LG40



Protects stored objects;

Non-skid surface;

Can be installed under partitions and dividers;

Thickness: $\frac{3}{32}$ ".

Product

LG40-1821-01

For drawer


18" W x 21" D

LG40-1827-01

18" W x 27" D

Foam for Protection

LG41



Protects stored objects;

Blue foam $\frac{1}{4}$ " thick.

Product

LG41-1821-01

For drawer

18" W x 21" D

LG41-1827-01

18" W x 27" D

NOTE Partitions and dividers may not be installed with this foam.

Foam for Tools

LG42



Oil resistant and non-absorbent;

1 blue foam $\frac{1}{4}$ " thick;

1 black self-adhesive $\frac{1}{2}$ " thick foam;

Sold without cut-outs. May be cut using a utility knife.

Product

LG42-1821-01

For drawer

18" W x 21" D

LG42-1827-01

18" W x 27" D

SEE
PAGE
189

Folder Hanging Bars

LG31



For storing hanging folders;

Can be used for both letter and legal sizes;

Designed for 12" drawers.

Product

LG31-18

Components – Structure Under the Work Surface

Mobility

4" Casters



LB81



Sold in pairs;
Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Capacity : 420 lb per caster;
Total height : 5 1/4";
Polyurethane casters (do not mark floors). Superior quality industrial casters;
Requires a LB93 cart or a LB97 base for casters.

Product # Type of Caster

LB81-01	Rigid
LB81-02	Swivel
LB81-03	Swivel with total-lock brake system

6" Casters



LB84




Sold in pairs;
Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Capacity : 900 lb per caster;
Total height : 7 1/2";
Polyurethane casters (do not mark floors). Superior quality industrial casters;
Requires a LB93 cart or a LB97 base for casters.

Product # Type of Caster

LB84-01	Rigid
LB84-02	Swivel
LB84-03	Swivel with total-lock brake system

Cart for Single Cabinet

LB93



Used when installing casters on a single cabinet;
Installed under 24", 28", 34" or 40" high cabinets without base;
Compatible with 4" and 6" casters (sold separately);
Attention: Mobile cabinets must have load evenly distributed to avoid tipping when opening a drawer.

Product # W x D

LB93-1821	18" x 21"
LB93-1827	18" x 27"

6" Mag Casters



LB85




Sold in pairs
Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Aluminium wheel with durable chrome plating;
Capacity: 1000 lb per caster;
Total height: 7 1/2";
Polyurethane casters (do not mark floors). Superior quality industrial casters;
Requires a LB93 cart or a LB97 base for casters.

Product # Type of Caster

LB85-01	Rigid
LB85-02	Swivel
LB85-03	Swivel with total-lock brake system

Base for Casters

LB97




Compatible with 4" and 6" casters (sold separately);
Used to install casters under double or triple cabinets;
Installed under 24", 28", 34" or 40" high cabinets without base;
Note: Sold individually. Order 2 bases for a double cabinet and three bases for a triple cabinet;
Attention: Mobile cabinets must have load evenly distributed to avoid tipping when opening a drawer.

Product # Depth

LB97-21	21"
LB97-27	27"

Caster Adaptors

WS21



For open legs only;
Sold in pairs;
Two heights available: 3" and 6";
Used for installing casters on WS20 legs.


Product #	Height	Type of Caster
WS21-0306	3"	4" or 6"
WS21-0606	6"	4" or 6"

Components – Structure Under the Work Surface

Heavy-Duty Cabinet Components

Heavy-Duty Cabinet Housing

RA30



Install modular drawers, roll-out shelves, adjustable and bottom shelves;


To order a standard lock, complete the product number with L3.

Product #	Inside Height	Total Height
24" x 21"		
RA30-242128	24"	28"
RA30-242130	26"	30"
RA30-242134	30"	34"
RA30-242138	34"	38"
24" x 27"		
RA30-242728	24"	28"
RA30-242730	26"	30"
RA30-242734	30"	34"
RA30-242738	34"	38"

Product #	Inside Height	Total Height
30" x 21"		
RA30-302128	24"	28"
RA30-302130	26"	30"
RA30-302134	30"	34"
RA30-302138	34"	38"
RA30-302144	40"	44"
RA30-302158	54"	58"
30" x 27"		
RA30-302728	24"	28"
RA30-302730	26"	30"
RA30-302734	30"	34"
RA30-302738	34"	38"
RA30-302744	40"	44"
RA30-302758	54"	58"

Side Brackets for Top


RA73



Capacity of 500 lb per pair or 1000 lb for 4;
Compatible with all cabinet depths;
Compatible with all types of work tops;
Galvanized steel.


Product

RA73-02	1 pair
RA73-04	2 pairs



Adaptor for WS50 Shelf

RC15



Allows for installation of a WS50 shelf between 2 RA30 cabinets or between a RA30 cabinet and a WS20 leg;
Attached in the holes on side of cabinet (knock-outs provided).


Product # Depth

RC15-12	12" (1-12" D shelf or 2-6" D)
RC15-18	18" (1-12" D shelf+1-6" D or 3-6" D)
RC15-24	24" (2-12" D shelves or 4-6" D)



Bottom Shelf

RB23 / RB25



For storing bulky items;

Has edges along the sides and back to prevent items from falling into the bottom of the cabinet;

Up to 400 lb capacity of evenly distributed load;


SH52 dividers can be installed.

Product #	W x D	Capacity
RB23-2421	24" x 21"	200 lb
RB23-2427	24" x 27"	200 lb
RB25-3021	30" x 21"	400 lb
RB25-3027	30" x 27"	400 lb

Note : For compatibility with double integrated doors, order an adjustable shelf.

Cabinet Attachment Bars

RA70



Sold in pairs;


Designed to attach the cabinet under the work surface without having to remove the drawers.

Product # For Cabinet

RA70-21	21" D
RA70-27	27" D

Adjustable Shelf

RB22 / RB24



For storing bulky items;

Has edges along the sides and back to prevent items from falling into the bottom of the cabinet;

Adjustable every 1" c/c;

Up to 400 lb capacity of evenly distributed load;


SH52 dividers can be installed.

Product #	W x D	Capacity
RB22-2421	24" x 21"	200 lb
RB22-2427	24" x 27"	200 lb
RB24-3021	30" x 21"	400 lb
RB24-3027	30" x 27"	400 lb

Partial Divider

PATENTED

SH52



Unique patented design that makes spacing changes easier;

Height: 5 1/2";

Attach easily: no screws required.

Product # True depth For Shelves


SH52-1806	13 1/8"	21" D
SH52-2406	19 1/8"	27" D

Pictograms to facilitate installation

Components – Structure Under the Work Surface

Recessed Base

RA55




Designed to raise the height of a cabinet by 2" or 4";
Compatible with RA56 straight cover plate for back;
Includes a removable cover plate at the front for aesthetics and in order to move the cabinet from the front;
Front cover plate is on a straight angle to facilitate cleaning floors;
Leaves a 2" space to allow user to stand closer to cabinet;
Designed to allow user to anchor the cabinet to the floor;
Compatible with leveling glides (RA74);
Note: Not compatible with casters;
Note: Not designed for stacking applications.

Product #	W x D	Height
RA55-242102	24" x 21"	2"
RA55-242702	24" x 27"	2"
RA55-302102	30" x 21"	2"
RA55-302702	30" x 27"	2"
RA55-242104	24" x 21"	4"
RA55-242704	24" x 27"	4"
RA55-302104	30" x 21"	4"
RA55-302704	30" x 27"	4"

Forklift Base

RA52 / RA53




2" high base designed for moving the cabinet from the front with a forklift;
4" high base designed for moving the cabinet from the front or side with a forklift, or from the front with a pallet-jack;
Compatible with the RA54 rear base cover plate, offered as an option;
Includes a recessed kick-plate in the center of the cabinet to allow user to stand closer to cabinet;
Designed to enable user to anchor cabinet to the floor;
Compatible with leveling glides (RA74);
Note: Not compatible with casters.

Product #	W x D	Height
RA52-242102	24" x 21"	2"
RA52-242702	24" x 27"	2"
RA52-302102	30" x 21"	2"
RA52-302702	30" x 27"	2"
RA53-242104	24" x 21"	4"
RA53-242704	24" x 27"	4"
RA53-302104	30" x 21"	4"
RA53-302704	30" x 27"	4"

Straight Cover Plate

RA56




Closes off the back of 2" and 4" recessed bases.

Product #	W x H
RA56-2402	24" x 2"
RA56-2404	24" x 4"
RA56-3002	30" x 2"
RA56-3004	30" x 4"

Angled Cover Plate

RA54



Closes off the back of 2" and 4" forklift bases.

Product #	W x H
RA54-2402	24" x 2"
RA54-2404	24" x 4"
RA54-3002	30" x 2"
RA54-3004	30" x 4"

4" Casters



RB81



Sold in pairs;
Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Capacity : 420 lb per caster;
Total height : 5 1/4";
Polyurethane casters (do not mark floors). Superior quality industrial casters;
Install directly under cabinet without base.

Product #	Type of Caster
RB81-01	Rigid
RB81-02	Swivel
RB81-03	Swivel with total-lock brake system

6" Casters



RB84



Sold in pairs;
Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Capacity : 900 lb per caster;
Total height : 7 1/2";
Polyurethane casters (do not mark floors). Superior quality industrial casters;
Install directly under cabinet without base.

Product #	Type of Caster
RB84-01	Rigid
RB84-02	Swivel
RB84-03	Swivel with total-lock brake system

6" Mag Casters



RB85




Sold in pairs
Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Aluminium wheel with durable chrome plating;
Capacity: 1000 lb per caster;
Total height: 7 1/2";
Polyurethane casters (do not mark floors). Superior quality industrial casters;
Install directly under cabinet without base.

Product #	Type of Caster
RB85-01	Rigid
RB85-02	Swivel
RB85-03	Swivel with total-lock brake system

Leveling Glide Kit

RA74



Sold in kits of 4;
Serves to adjust the height of cabinet housings on uneven floor surfaces.

Product #
RA74-01

Components – Structure Under the Work Surface

Drawers, Roll-out Shelves and Locking or Security Mechanisms

Modular Drawers for Cabinet

RF31



400 lb capacity, 100% extension;
Heavy-duty construction;
Easy to install;
Vast choice of accessories offered to adapt to your storage needs;
Available drawer heights: 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14";

SEE
PAGES
151-155

Order by adding the drawer height to the part #
Ex.: RF31-302406;

For modular drawers with layouts,

SEE
PAGES
137-150

Product #	W x D
RF31-2421	24" x 21"
RF31-2427	24" x 27"
RF31-3021	30" x 21"
RF31-3027	30" x 27"

Heavy-Duty Front Access Roll-Out Shelf

RF40



400 lb capacity, 100% extension;
Heavy-duty construction;
Easy to install;
Painted steel with 3" edges on sides and back;
Height: 6";
Full access to contents.

Product #	W x D
RF40-2421	24" x 21"
RF40-2427	24" x 27"
RF40-3021	30" x 21"
RF40-3027	30" x 27"

Heavy-Duty 3-Sided Access Roll-Out Shelf

RF44



400 lb capacity, 100% extension;
Heavy-duty construction;
Easy to install;
Galvanized steel with 1 1/2" edge on back;
Height: 5";
May serve as work surface.

Product #	W x D
RF44-2421	24" x 21"
RF44-2427	24" x 27"
RF44-3021	30" x 21"
RF44-3027	30" x 27"

Integrated Lock-In Mechanism

PATENTED

A



Activated by tilting the handle up;
Allows user to open the drawer and the roll-out shelf with one hand only;
Close by simply pushing it;
Stops drawer and roll-out shelf from opening on their own;
Easy to retrofit;
Order by adding A to the drawer or partitioning model number or roll-out shelf.
Ex.: RF31-302406A.

Product #

A

Lock-Out Mechanism

RF85




For both drawers and roll-out shelves;
Locks drawers and roll-out shelves in open position;
Activated manually, only when required;
No interference with drawer accessories.

Product #

RF85

Econo Lock-In Mechanism

B



Activated with the right hand by sliding the mechanism with thumb;
Drawer and roll-out shelf close without having to reactivate the slide mechanism;
Stops drawer and roll-out shelf from opening on their own;
Easy to retrofit;
Order by adding B to the drawer or partitioning model number or roll-out shelf.
Ex.: RF31-302406B.

Product #

B

Handle Protector

RF70




Clips onto the drawer handle;
Made of transparent plastic;
Protects identification labels on drawers from dust, grease and other debris;
Easy to remove when required;
Labels sold separately.

SEE
PAGE
153

Product #	Width
RF70-24	24"
RF70-30	30"

Drawer Lock

L3



Compatible with all drawer dimensions;
Does not affect usable drawer space;
Easy to retrofit;
Order by adding L3 to drawer or partitioning model number. Ex.: RF31-302406L3.

Product #

L3




SEE
PAGE
188

Components – Structure Under the Work Surface

Doors

Single Integrated Door, Solid or Glass

RB30 / RB31



Integrated door: RB30;
Integrated glass door: RB31;
Compatible with RB23/RB25 bottom shelf and RB22/RB24 adjustable shelf;
Opens 180° for full access to items stored inside;
Factory installed on RA30 cabinet housings;
Standard lock included;

Some heights may be combined with drawers mounted above or below. In the latter case, you must order a RB22 or RB24 adjustable shelf for installation above the section of drawers;

Glass door made of impact resistant polycarbonate;

Order by specifying the type of door.
Ex.: RB31-3034L3 for 30" W x 34" H integrated glass door;

Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf.




Product #	W x H
RB_-2420L3	24" x 20"
RB_-2424L3	24" x 24"
RB_-2426L3	24" x 26"
RB_-2430L3	24" x 30"
RB_-2434L3	24" x 34"
RB_-3020L3	30" x 20"

Product #	W x H
RB_-3024L3	30" x 24"
RB_-3026L3	30" x 26"
RB_-3030L3	30" x 30"
RB_-3034L3	30" x 34"
RB_-3040L3	30" x 40"
RB_-3054L3	30" x 54"

Double Integrated Doors, Solid or Glass

RB35 / RB36



Integrated door: RB35;
Integrated glass door: RB36;
Compatible with RB24 adjustable shelf;
Opens 180° for full access to items stored inside;
Factory installed on RA30 cabinet housings;
Standard lock included;

Some heights may be combined with drawers mounted above or below. In the latter case, you must order a RB24 adjustable shelf for installation above the section of drawers, or a crossbar for drawers mounted above;

Glass doors made of impact resistant polycarbonate;

Order by specifying the type of door.
Ex.: RB36-3020L3 for 30" W x 20" H integrated glass doors;

Note: Not compatible with RB25 bottom shelf;


Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf.



Product #	W x H
RB_-3020L3	30" x 20"
RB_-3024L3	30" x 24"
RB_-3026L3	30" x 26"
RB_-3030L3	30" x 30"
RB_-3034L3	30" x 34"
RB_-3040L3	30" x 40"
RB_-3054L3	30" x 54"

Crossbar for Double Integrated Doors

RB70




Required for double integrated doors with drawer above.

Product #	Width
RB70-30	30"



R5WH4-2006

Sink Cabinets



The top has an opening to allow for installation of a sink;

Has an opening on the back on the housing to allow for installation of a drain and pipes;

1 bottom shelf;

Models that have a door with frame are compatible with drawers and roll-out shelves;

Standard lock included;

Compatible with bases;

Heights available: 28", 30" and 34";

Complete the part # with height wanted and by referring to chart below for door types;

Ex.: R5TDD-2801;

Note: Sink is not included;



Note: Work surfaces must be ordered separately (cut-outs are not provided by Rousseau).



Product #	W x D
R5TDD-___*	30" x 21"
R5TDG-___*	30" x 27"
R5THD-___	48" x 21"
R5THG-___	48" x 27"



R5DXH-3002

01	For cabinet with single integrated door
02	For cabinet with double integrated doors
03	For cabinet with double doors with frame
04	For cabinet with integrated sliding doors
05	For cabinet with sliding doors with frame

*Models are not compatible with sliding doors.

Components – Structure Above the Work Surface

Riser Shelves

Steel

WS50



Thickness: 1 1/4";
May be installed on all types of shelf supports;
True width = nominal width – 3".

Laminated Wood

WS51



Made from varnished hardwood slats;
Thickness: 1 1/4";
May be installed on WS54, WS55, WS59 and WM27-1202 shelf supports;
Attractive appearance.

Plastic Laminated

WS52



Color: White;
Thickness: 1 1/4";
May be installed on WS54, WS55, WS59 and WM27-1202 shelf supports;
Attractive appearance.

Dissipative

WS53



Dissipates electric charges that can damage electronic components;
Resistance point to point and point to ground between 10⁶ and 10⁹ Ω;
Color: White;
Thickness: 1 1/4";
May be installed on WS54, WS55, WS59 and WM27-1202 shelf supports.

Stainless Steel

WS56



Thickness: 1 1/4";
Brushed finish # 4;
May be installed on all types of shelf supports;
True width = nominal width – 3".

Resistant Acrylic/PVC Plastic Laminated

WS57




Color: gray;
Thickness: 1 1/4";
May be installed on WS54, WS55, WS59 and WM27-1202 shelf supports.

Dimensions		Type of Shelf					
W	D	Painted steel	Laminated wood	Plastic laminate	Dissipative	Stainless steel	Acrylic/PVC laminate
48"	12"	WS50-4812 *	WS51-4812	WS52-4812	WS53-4812	WS56-4812	WS57-4812
60"	12"	WS50-6012 *	WS51-6012 *	WS52-6012 *	WS53-6012 *	WS56-6012	WS57-6012*
72"	12"	WS50-7212 *	WS51-7212 *	WS52-7212 *	WS53-7212 *	WS56-7212	WS57-7212*

NOTE *Stock items. Other models are available on manufacturing schedules only.

Riser Shelf Supports

WS54




Sold in pairs;
Accommodate WS50 (12" D), WS51, WS52, WS53, WS56, WS57 shelves;
Height: 16";
Attractive appearance.

Product # **W x D x H**
WS54-16 3" x 10 1/4" x 16"

Riser Shelf Supports with Electrical Outlets on One Side

WS59




Sold in pairs;
One support is equipped with a power strip with 5 outlets;
Accommodate WS50 (12" D), WS51, WS52, WS53, WS56, WS57 shelves;
Height: 16";
Attractive appearance.

Product # **W x D x H**
WS59-16 3" x 10 1/4" x 16"

Riser Shelf Supports with Electrical Outlets on Both Sides

WS55




Sold in pairs;
Each support is equipped with a power strip with 5 outlets;
Accommodate WS50 (12" D), WS51, WS52, WS53, WS56, WS57 shelves;
Height: 16";
Attractive appearance.

Product # **W x D x H**
WS55-16 3" x 10 1/4" x 16"

Econo Riser Shelf Supports

WS82




Sold in pairs;
Permit installation of one or two shelves (12" D);
Accommodate WS50 and WS56 shelves only;
Total height: 16";
Mid-height shelf: 8";
Easy to assemble.

Product # **Height**
WS82-1601 16"

Components – Structure Above the Work Surface

Shelf Back or Front Stop

WS58 / WS99




Painted steel: WS58;
Stainless steel: WS99;
May be attached to WS50, WS51, WS52, WS53, WS56, WS57 shelves;
Prevents objects from falling from fixed or adjustable riser shelves;
Clears shelf by 1";
To order, complete product # with steel choice needed. Ex.: WS58-48.

Product #	W x H	For Shelf
WS_-48	45" x 2 1/4"	48" W
WS_-60	57" x 2 1/4"	60" W
WS_-72	69" x 2 1/4"	72" W

Back Panel for Riser Shelf

WS83 / WS93




Painted steel: WS83;
Stainless steel: WS93;
Mounted at the back of the work area and the riser shelf;
May be mounted on all surfaces or on any shelf;
Holes for cables;
Height: 20". Exceeds the riser shelf to prevent objects from falling;
To order, complete product # with steel choice needed. Ex.: WS83-4616.

Product #	Width
WS_-4816	48"
WS_-6016	60"
WS_-7216	72"

Lighting Fixture for Riser Shelf

WS84



Eliminates shaded areas beneath riser shelves;
May be mounted on all types of riser shelves;
Adaptors for WS50 steel riser shelf included;
T8 fluorescent tube included;
Includes K12 acrylic outlet, 10' power cord and switch;
Color: Black;
T8 ballast as energy saver.

Product #	For Shelves
WS84-36T8	48" and over
WS84-48T8	60" and over




WSC2017



Components – Structure Above the Work Surface

Electronic Applications

Power Outlet Strip




15A strip equipped with breakers and 6' extension cord;
Mounted horizontally beneath the work surface or the riser shelf;
Installation hardware included.

Product #	H	No. of Outlets
70000500	9"	5 Without on/off switch
70000505	12"	6 With on/off switch
70000520	48"	8 With on/off switch



LC3004C


Grounding Block



2 outlets for ground wrist strap;
Comes with 10' long grounding cord;
Dissipates electric charges that could damage electronic components.

Product #
70000350

Grounding Cord




Links dissipative top or shelf to grounding block or directly to ground;
Dissipates electric charges that could damage electronic components;
10' long.

Product #
70000300 Used to ground workstation. 1M Ω resistance.
WS89-01 Used to ground all components on the workstation to a common grounding point.

WS89

Ground Wrist Strap



Stretch material;
6' cable;
Dissipates electric charges that could damage electronic components;
1M Ω resistance.


Product #
70000320



Conductive Plastic Bin



RG21



Dissipates electric charges that could damage electronic components;
Color: Black;
Makes storing, moving and inventory of small parts easier. Lightweight and resistant;
Compatible with WM55 louvered panel, WM28 plastic bin rail and 3" and 4" high drawers;
Edge at 45° angle for easy identification and easy removal of parts;
6" bins can be divided.


Dimensions			Product #	
W	D	H	Bin	Partition
3"	3"	2"	RG21-030302	-
4"	3"	2"	RG21-040302	-
6"	3"	2"	RG21-060302	RG22-0302
6"	6"	2"	RG21-060602	RG22-0602
3"	3"	3"	RG21-030303	-
4"	3"	3"	RG21-040303	-
6"	3"	3"	RG21-060303	RG22-0303
6"	6"	3"	RG21-060603	RG22-0603
			Divider	
			-	
			-	
			RG24-0602	
			-	
			-	
			-	
			RG24-0603	

Components – Structure Above the Work Surface

Multi-Purpose Frame Components

Multi-Purpose Upright

WM10



May be installed on most workbench tops offered on the market. Requires a good quality top, at least 1 1/2" thick;

Characterized by its shape and rigidity;

Offers up to six fixing zones for a minimum of interference between components;

Perforated on front and back faces at 1" c/c intervals for optimum adjustment of accessories ① ② ④ ⑤;

Features two black aluminum extrusions on the sides for infinitely adjustable accessories ③ ⑥;

Five anchor points on the foot ensure stability on the two main axes;


Symmetrical shape means the upright may be used for back-to-back workstations;

The 48" height is ideal for overhead accessories.

Product #	Height
WM10-24	24"
WM10-36	36"
WM10-48	48"

WM Unit Frame

WM11



The single unit frame consists of:
- 2 WM10 uprights
- 1 WM15 upright cross member

Capacity: 300 lb per unit frame.

The double unit frame consists of:
- 3 WM10 uprights
- 2 WM15 upright cross members


Capacity: 250 lb per unit frame
(Total: 500 lb).

Product #	W x H	W Required
WM11-2836	28" x 36"	36" min.
WM11-2848	28" x 48"	36" min.

Product #	W x H	W Required
WM11-5636	56" x 36"	60" min.
WM11-5648	56" x 48"	60" min.

Top Flange for WM10 Upright

WS18



Specially designed to fit with WM10 uprights;

Installs on all types of tops;


Height: 5". Exceeds top by approx. 3 1/4";

Designed for an upright that is centered on the workstation.

Product #	Width	Application
WS18-360502	36"	For 2 WM uprights
WS18-480502	48"	For 2 WM uprights
WS18-600502	60"	For 2 WM uprights
WS18-600503	60"	For 3 WM uprights
WS18-720502	72"	For 2 WM uprights
WS18-720503	72"	For 3 WM uprights

Upright Cross Member

WM15



Strengthens unit frames;


Hooks onto WM10 uprights and can be secured in place;

Includes two knockouts for pneumatic connectors.

Product #	Width (c/c)
WM15-28	28"
WM15-56	56"

Cantilever Overhead Supports

WM18



Sold in pairs;

Clip onto WM10 uprights;

Lock in place with a safety latch located on the top of the support;


Capacity: are designed to hold a WM45 overhead workstation light and one WM47 tool rail, or two WM47 tool rails.

Product #	Depth	Color
WM18-26	26"	Black



Top Reinforcer

WM14




Required for work tops less than 1 1/2" thick, in poor condition or back-to-back workstations;

Used to strengthen the anchor points of the WM10 upright;

Fastened to the underside of the work surface.

Product #	W x D	Color
WM14-01	4" x 16"	Black




Recommended with work tops other than Rousseau's.

Components – Structure Above the Work Surface

Multi-Purpose Wall Mounted Frame

WM35

WORK CENTER



300 lb capacity (wall and wall anchoring must be strong enough);

Up to 500 lb capacity for a combination of 3 uprights;

Perforated on front face at 1" c/c intervals for optimum adjustment of accessories;

Wall anchoring not included;

Compatible accessories (space between uprights must be 28" c/c):

- WM18 cantilever overhead supports
- WM20 tiltable shelf
- WM22 tiltable pan
- WM27 structural shelf supports
- WM28 plastic bin rail
- WM31 wire spool support
- WM40 power outlet channel
- WM55 louvered panel for plastic bins
- WM75 storage cabinet
- RD00 wall cabinet (with RD08 adaptors)
- WM Adaptor NC50 (with tool rack NC10 / NC12)



Product #	Height	Number of Uprights
WM35-7201	72"	1
WM35-7202	72"	2
WM35-7203	72"	3

Wall Mounted Perforated Panel


WM51 / WM56

Painted steel perforated every 1" c/c;

Used to hang accessories or tools;

Two options: - For the WM35 frame (includes set of adaptors);


- For hanging directly on the wall.



Product #	W x H	Model
WM51-2424	24" x 24"	For WM35 frame
WM51-2436	24" x 36"	For WM35 frame
WM56-2424	24" x 24"	Wall mounted
WM56-2436	24" x 36"	Wall mounted
WM56-2472	24" x 72"	Wall mounted

Tiltable Shelf

WM20



Clips onto WM10 uprights;

Slotted to receive SH52 dividers at every 2" c/c;

Includes 2 side supports that may be placed at right angles or at an angle of 15°;

The shelf is reversible and its edge may serve as a back stop for plastic bins or binders;

Capacity: 100 lb, evenly distributed load.

Product #	W x D
WM20-2808	28" x 8"
WM20-2812	28" x 12"

Partial Divider

PATENTED


SH52

Unique patented divider;


May be used with WM20 8" and 12" deep shelves; adjustable every 2" c/c;

Installed in the shelf slots, forward or backward.

Product #	D x H
SH52-1206	8" x 6"



Pictograms to facilitate installation



Components – Structure Above the Work Surface

Shelf

WS50 / 51 / 52 / 53 / 56 / 57



Installed on WM10 uprights with WM27 shelf supports;

Capacity: 200 lb;


Possible to add WS58 or WS99 shelf back or front stop;

Thickness: 1 1/4".

Product #	W x D	Type of Shelf
WS50-6012	56 3/4" x 12"	Steel
WS51-6012	60" x 12"	Laminated wood
WS52-6012	60" x 12"	Plastic laminate
WS53-6012	60" x 12"	Dissipative
WS56-6012	60" x 12"	Stainless steel
WS57-6012	60" x 12"	Acrylic/PVC laminate

Sliding Divider

WS87




Clips onto a 12" deep WS50 steel shelf installed above or below the work surface;

Not compatible for use with WS58 shelf with a back or front stop.

Product #	D x H
WS87-1210	12" x 10"

Plastic Bin Rail

WM28



Clips onto the WM10 uprights; adjustment every 1" c/c;

Suited to all makes of plastic bins with hanger lip sold on the market;

Can receive all sizes of RG20 plastic bins;


Capacity: 75 lb, evenly distributed load.

Product #	Width
WM28-2801	28"

SEE PAGE 116

Structural Shelf Supports

WM27



Sold in pairs;

Clip onto WM10 uprights;


Used with all types of 48", 60" or 72" wide shelves;

May be positioned at a right angle or inclined at an angle at 15°.

Product #	Depth for Shelves
WM27-1201	12" WS50, WS56
WM27-1202	12" WS51, WS52, WS53, WS57

Tiltable Pan

WM22



Clips onto WM10 uprights;

Three positions: front, center and back;

Unique feature: may be easily tilted from 0 to 30° with 5 adjustment positions;

Full-size rubber mat included;

Usable space: 24 1/2" x 18 1/2";


Capacity: 200 lb.

Product #	W x D
WM22-2820	28" x 20"



Tool Support

WM30



Made of galvanized steel;


Installs on WM20 shelf, WM28 plastic bin rail or on WM62 monitor tray;

Features holes of several sizes to hang tools.

Product #	Width
WM30-01	12"

Wire Spool Support

WM31



Includes 2 side supports and a 3/4" diameter rod;

Capacity: 50 lb.

Product #	Width
WM31-2801	28"

Components – Structure Above the Work Surface

Plastic Bin



Make storing, moving and inventory of small parts easier. Lightweight and resistant;

Edge at 45° angle for easy identification and easy grasp of bins;

Compatible with WM55 louvered panel and WM28 plastic bin rail;


6" bins can be divided.

RG20

Dimensions			Bin	Product # Partition	Divider
W	D	H			
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

Paper and Cardboard Spool Support

WM86



Installs on WM10 uprights to create a packaging station;

Includes two end brackets and one rod;

Rod diameter: 1";


One person alone may insert the spool by pivoting one end of the rod;

Capacity: 75 lb.

Product #	Width	Color
WM86-56	56"	Noir

Tool Rail

WM47




Allows the installation of one or more WM48 balancer trolley;

Installs on WM18 cantilever overhead supports (sold separately);

Easily adjustable depth;


Capacity: 25 lb.

Product #	Width	Color
WM47-4801	48"	Black
WM47-6001	60"	Black




Joiner for Tool Rail

WM89




Allows assembly of two WM47 tool rails on adjacent workstations.

Product #
WM89-01



Balancer Trolley

WM48




Inserts into the WM47 tool rail;

Can receive a pneumatic connector.

Product #	Color
WM48-01	Black

Tool Balancer

WM49




Allows hanging of tools overhead, above the work surface;

Six foot metal cable with tension adjustment;

Capacity: up to 3 lb.

Product #	Color
WM49-01	Black



Components – Structure Above the Work Surface

Computer Supports for Work Surface

Laptop Support



RC58-01



Can be used for a laptop computer or an electronic device etc;
Usable tray surface 14" W X 12" D;
Installs on the work surface, with the RC68/RC69 finishing panel for computer support;
Compatible with the following work surfaces : WS14, RC35, RC36, RC37;
Stainless steel upright, 17" H;
Arm, adapter and tray in painted steel. Color : black;
The tray for laptop is adjustable at 13" height to accommodate different users;
The tray is equipped with non-slip strips (Velcro®) to ensure the laptop doesn't slide.

Product #
RC58-01

LCD Monitor Support



RC57-01



Can be used to support most LCD monitors available on the market ;
Installs on the work surface, with the RC68/RC69 finishing panel for computer support.
Compatible with the following work surfaces : WS14, RC35, RC36, RC37;
Stainless steel upright, 17" H;
Arm and adapter in painted steel. Color: black;
The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;
Positioning of monitor anchors according to VESA75 and 100 standards.

Product #
RC57-01

LCD Monitor, Keyboard and Mouse Support

RC58-02



Installs on the work surface, with the RC68/RC69 finishing panel for computer support;
Compatible with the following work surfaces : WS14, RC35, RC36, RC37;
Stainless steel upright, 17" H;
Arm, adaptor and tray in painted steel. Color: black;
The keyboard and mouse tray is adjustable at 13" height to accommodate different users;
Usable surface of the keyboard and mouse tray : 23 5/8" W x 8 1/2" D;
The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;
Can support most LCD monitors available on the market;
Positioning of monitor anchors according to WESA75 and 100 standards.

Product #
RC58-02

Double LCD Monitor Support



RC57-03




Can be used to support two LCD monitors ;
Installs on the work surface, with the RC68/RC69 finishing panel for computer support.
Compatible with the following work surfaces : WS14, RC35, RC36, RC37;
Stainless steel upright, 17" H;
Arm and adapter in painted steel. Color: black;
The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;
Positioning of monitor anchors according to VESA75 and 100 standards.

Product #
RC57-03

Light-Duty Arm for Multi-Purpose Frames

Light-Duty Arm Adaptor

WM68



Quick assembly on WM10 uprights;
Allows the attachment of different makes of lamps or document holders with a 1/2" diameter rod pivot;
Capacity: 20 lb.

Product # **Color**
WM68-01 Black

Light-Duty Arm


WM69

Attaches to the WM68 light-duty arm adaptor to extend the range of a document holder or lamp pivoting on a 1/2" diameter rod;
Capacity: 20 lb.

Product # **Width** **Color**
WM69-12 12" Black


Document Holder with Arm

WM70



Includes a WM68 light-duty arm adaptor and a 12" WM69 light-duty arm;
The document holder (14" x 13 1/2") features a paper clip and edge on which to rest binders;
Capacity: 20 lb.

Product # **Color**
WM70-01 Black




Components – Structure Above the Work Surface

Computer Supports for Multi-Purpose Frames

Standard Monitor Tray

WM62 / WM64



May be used to hold a computer monitor, laptop computer, electronic device or any other object;

Usable tray space: 16" W x 13 7/8" D;

Includes one 18" heavy-duty arm with single or double articulation and a non-slip rubber mat;

The double articulated model allows for increased adjusting possibilities;

Compatible with the WM63 keyboard and mouse tray;

50 lb capacity (wall mounted version: the wall and wall anchoring must be strong enough);

Color: Black;


Wall anchoring not included for the wall mounted model.

Product #	Articulating Arm	Model
WM62-01A	Single	For WM11 frame
WM62-02A	Double	For WM11 frame
WM64-01A	Single	Wall mounted
WM64-02A	Double	Wall mounted



Keyboard and Mouse Tray

WM63



Installs on the WM62 and WM64 monitor tray with arm;

Color: Black;

Usable tray space: 23 11/16" W x 8 1/2" D.


Product #

WM63-2402



LCD Monitor Holder

WM65 / WM66



Can be used to hold the majority of LCD monitors on the market;

Screen anchor support respects VESA 75 & 100 standards;

Possible to tilt the screen;

Color: Black;


Note: Not compatible with the keyboard tray.

Product #	Articulating Arm	Model
WM65-01A	Single	For WM11 frame
WM65-02A	Double	For WM11 frame
WM66-01A	Single	Wall mounted
WM66-02A	Double	Wall mounted



LCD Monitor and Keyboard Holder

WM65 / WM66



Can be used to hold the majority of LCD monitors on the market;


Screen anchor support respects VESA 75 & 100 standards;

Includes a keyboard holder, usable surface is 23 11/16" W x 8 1/2" D;


Color: Black;

Screen can be adjusted in height, and can also be tilted.


Product #	Articulating Arm	Model
WM65-01B	Single	For WM11 frame
WM65-02B	Double	For WM11 frame
WM66-01B	Single	Wall mounted
WM66-02B	Double	Wall mounted



Wall Mounted



For WM11 Frame




Double Articulating Arm

Components – Structure Above the Work Surface

Privacy Panel and Perforated Panel

WM52 / WM53



Painted steel WM52;
Used to close the multi-purpose frame at the back;
Painted steel perforated every 1" c/c WM53;
Used to hang accessories or tools.
WM50 panel bracket kit must be ordered separately
(1 kit per panel or for 2 back-to-back panels);
If needed, two panels may be fitted together for work-
stations placed back-to-back;
-24" H panel may be installed on 36" H and
48" H uprights
-36" H panel must be installed on 48" H
uprights only

Product #	W x H
WM52-2424	24" x 24"
WM52-2436	24" x 36"
WM53-2424	24" x 24"
WM53-2436	24" x 36"



WORK CENTER

Vinyl Rub-on Identification Decal

WM91




Allows you to easily identify where tools are to be
positioned on the perforated panels;
The contrasting color provides fast retrieval and
shows if tools are missing, and which ones;
Efficient help for 5S management;
Sold in rolls 2 feet wide and 8 feet long.

Product #
WM91-01J

Panel Bracket Kit



WM50




Includes 4 brackets;
Required for installation of WM52, WM53 and
WM54 panels;
Easy assembly on WM10 upright sides, no tools
required.

Product #	Color
WM50-01	Black

Multiple Tool Holder

WM94




Used for WM51, WM53 and WM56 perforated
panels to hang accessories or tools.

Product #	W x H
WM94-01	9" x 1 1/2"

Straight Arm Hooks

WM96



Used for WM51, WM53 and WM56 perforated
panels to hang accessories or tools;
Sold in packs of 20.

Product #	Depth
WM96-150	1 1/2"

Double Back Single and Double Hooks WM98 / WM99



Used for WM51, WM53 and WM56 perforated
panels to hang accessories or tools;
Sold in packs of 10.

Product #	Depth	Type
WM98-03	3"	Single
WM98-05	5"	Single
WM99-03	3"	Double
WM99-05	5"	Double

Screwdriver Holder

WM95



Used for WM51, WM53 and WM56
perforated panels to hang screwdrivers;
May store up to 6 screwdrivers.

Product #	W x D x H
WM95-01	9" x 1 1/2" x 1 3/4"

Single Loop Hooks

WM97



Used for WM51, WM53 and WM56 perforated
panels to hang accessories or tools;
Sold in packs of 20.


Product #	Diameter
WM97-150	1 1/2"
WM97-200	2"

NOTE

Compatible with perforated panels with 1/4" holes at every
1" c/c. These panels are among the most popular on
the market.

Components – Structure Above the Work Surface


Tackboard and Marker Panel WM54



Dual-function reversible panel: tack notes to a cork board and write on a white steel surface using erasable felt-tip markers;
WM50 panel bracket kit must be ordered separately.

Product #	W x H
WM54-2424	24" x 24"

Louvered Panel WM55




Painted steel;
Used to hang RG20 plastic bins;
Can be used for all brands of plastic bins with hanger lip sold on the market;
Hooks onto WM10 uprights.

Product #	W x H	Uprights
WM55-2824	28" x 24"	36" to 48"
WM55-2836	28" x 36"	48"




Vertical Adaptor for Electrical and Air Outlets PATENTED WM41



Installs on the side of WM10 upright;
Can receive a power outlet strip or pneumatic connector.


Product #	Height	Color
WM41-01	8"	Black

Panel Bracket Kit PATENTED WM50



Includes 4 brackets;
Required for installation of WM52, WM53 and WM54 panels;
Easy assembly on WM10 upright sides, no tools required.

Product #	Color
WM50-01	Black




Power Outlet Strip 70000500 / 70000505



15A strip equipped with breakers and 6' extension cord;
Requires WM41 adaptor.

Product #	Length	No. of outlets
70000500	9"	5 without on / off switch
70000505	12"	6 with on / off switch

Power Outlet Channel WM40



Hooks easily onto WM10 uprights;
Includes 6 outlets (15A or 20A) with interrupter, breaker and 2 knockouts for pneumatic fittings;
Order by adding 01 to the product # for a 15A power strip or 03 for a 20A power strip.

Product #	Width
WM40-28	28"

NOTE If your order the 20A version, ensure that your building has 20A circuits with the special outlets required.

Components – Structure Above the Work Surface

Lamp with Double Fluorescent Light

70000625



Attaches on work surface or on WM10 uprights with a WM68-01 light-duty arm adaptor, sold separately;
The lamp's reach on the upright may be lengthened with a WM69-12 light-duty arm, sold separately;
Color: Black;
Fluorescent tubes included.

Product #
70000625

Lamp with Magnifier and Fluorescent Light

70000635




Attaches on work surface or on WM10 uprights with a WM68-01 light-duty arm adaptor, sold separately;
The lamp's reach on the upright may be lengthened with a WM69-12 light-duty arm, sold separately;
Dioptric grade: 3 (magnification: 1.75X);
Color: Black;
Fluorescent tube included.

Product #
70000635

Parabolic Louver (1/2" x 1/2")

WM46




Option for WM45 overhead workstation light to reduce light reflection on a computer screen.

Product #	Width
WM46-4801	48"

Overhead Workstation Light

WM45



Installs on WM18 cantilever overhead supports (must be ordered separately);

2 fluorescent tubes (T8) included;

Lighting directed downward; no blinding effects;

Installation on single or double unit frames;

Attachments allow the light fixture to pivot and adjust front to back;

Includes one K12 acrylic louver, 10' extension cord and an on/off switch.



Product #	Width	Color	Ballast
WM45-48T8	48"	Black	Electronic



Storage Cabinets

Storage Cabinet

WM75



Clips onto WM10 uprights or may be hung under the work surface;

May be secured to the uprights with tapping screws;

The storage cabinet may be subdivided with a WM20-2812 shelf and SH52-1206 partial dividers, as needed;

Capacity: 200 lb.

Product #	W x D x H
WM75-281516	28" x 15" x 16"
WM75-281516L3	28" x 15" x 16" With door and lock (2 keys)



POSSIBLE CONFIGURATIONS




NOTE Shelf and dividers sold separately.



Components – Structure Above the Work Surface

Wall Cabinet



Can be anchored to a wall or installed on a WM11 structure (27", 30" and 36" W) with the RD08 adaptors for WM unit frame;

Bottom shelf included;

Adjustable shelf included with 30" H cabinet;

SH52 dividers can be installed on the shelves;

Wall anchoring not included;

Choice of doors, complete the part # with:

00: Without doors

01: Solid integrated door
(except the R5MEA-18 __)

02: Glass single integrated door (for 24" H housings and over)

03: Solid double integrated doors (for 24" H housings and over, 30" W and over)


04: Glass double integrated doors (for 24" H housings and over, 30" W and over)

11: Flipper door (for 18" H housings only)

Height	Width x Depth			
	24" x 14"	27" x 14"	30" x 14"	36" x 14"
18"	R5MCA-18__	R5MPA-18__	R5MDA-18__	R5MEA-18__
24"	R5MCA-24__	R5MPA-24__	R5MDA-24__	R5MEA-24__
30"	R5MCA-30__	R5MPA-30__	R5MDA-30__	R5MEA-30__

Adaptors for RD00 Cabinet

RD08



For attaching wall cabinet 27", 30" and 36" W to WM11 unit frame (2 WM10 uprights and WM15 cross member);


Not compatible with the wall cabinet housing RD00 24" W;

Easy to install.

Product #	Width
RD08-28	28"

Adjustable Shelf

RD05



Equipped with back stop to prevent objects from falling into bottom of cabinet;

Adjustable every 1" c/c;


Can hold up to 100 lb, evenly distributed;

Compatible with SH52 dividers.

Product #	W x D
RD05-2412	24" x 12"
RD05-2712	27" x 12"
RD05-3012	30" x 12"
RD05-3612	36" x 12"

Lighting Fixture for Wall Cabinet

RD09



Eliminates shaded areas beneath wall cabinet;

T8 fluorescent tube included;

Includes acrylic outlet, 10' power cord and switch;

Color: Black;


Available widths: 36" and 48";

T8 ballast as energy saver.

Product #	Color
RD09-36T8	Black
RD09-48T8	Black

Wall Cabinet Housing

RD00



Specifically designed to be anchored to a wall or attached to the WM11 structure (27", 30" and 36" W) with the RD08 adaptors for WM unit frame;

Bottom shelf included;

Shelves, adjustable every 1" c/c, can be installed;

Capacity: 600 lbs, wall and wall anchoring must be strong enough;

Wall anchoring not included.


Cabinet heights available: 18", 24" and 30";

Adaptors for cabinet RD08 must be ordered to fix the wall cabinet 27", 30" and 36" W attached to the WM11

Order by adding the cabinet height to the number. Ex: RD00-241418.

Product #	W x D
RD00-2414__	24" x 14"
RD00-2714__	27" x 14"
RD00-3014__	30" x 14"
RD00-3614__	36" x 14"

Single Integrated Door, Solid and Glass RD10 / RD11



Solid integrated door: RD10;

Glass integrated door: RD11;

Compatible with RD05 adjustable shelves;

Opens 180° to allow full access to stored items;

Standard lock included;

Door widths available: 24", 27", 30" and 36";


Order by specifying the door type, as well as the door width. Ex: RD10-2414L3.

Product #	Height
RD10-__14L3	14" Except 36"
RD__-__20L3	20"
RD__-__26L3	26"



SEE PAGE 188

Double Integrated Doors, Solid and Glass RD15 / RD16



Solid double integrated doors: RD15

Glass double integrated doors: RD16

Compatible with RD05 adjustable shelves;

Open 180° to allow full access to stored items;

Standard lock included;

Order by specifying the type of door.
Ex.: RD15-3020L3.


Product #	W x H
RD__-3020L3	30" x 20"
RD__-3026L3	30" x 26"
RD__-3620L3	36" x 20"
RD__-3626L3	36" x 26"



SEE PAGE 188

Flipper Door

RD20



Full width handle for easy, comfortable operation;

Standard lock included;

To order econo lock-in mechanism, complete part # with B;

Compatible with RD05 adjustable shelves (must be factory installed);

For 18" H cabinet housings only.

Product #	W x H
RD20-2414L3	24" x 14"
RD20-2714L3	27" x 14"
RD20-3014L3	30" x 14"
RD20-3614L3	36" x 14"



SEE PAGE 188

Components – Specialized Structure for Technicians

The specialized structure for technicians allows you to store a multitude of accessories, from the simplest of tools to a computer with LCD monitor, while being very easy to access.

The component layout is easy to change with a minimum number of tools. You can easily change and expand your structure according to your needs. In addition, our products set themselves apart by their superior quality, design and attention to detail. All screws are hidden from view, making the overall look very appealing.



R5XHG-4005

Tech Upright

RD44



Used for installing a storage cabinet (RD02), Smart computer cabinet (R5MCA), panel supports (RC47) and power or cover panels (RC60/RC61/RC62/RC63);

Solid anchor system to the top of the work surface.

Product

RD44-40

Power Feed Panel

RC60 / RC61



Painted steel: RC60;

Stainless steel: RC61;

Can be combined with a cover panel when required, or used on its own to cover the foot of the tech upright – used to achieve a polished look;

Includes a 6 outlet power bar (15A or 20A), a perforation for air connection and a perforation for a telephone or network jack (covered with a finishing plate);

Available for applications with tech uprights (RD44).

Product #	Width	Amp.
RC_-3001	30"	15A
RC_-3003	30"	20A
RC_-3601	36"	15A
RC_-3603	36"	20A
RC_-4801	48"	15A
RC_-4803	48"	20A

NOTE

If your order the 20A version, ensure that your building has 20A circuits with the special outlets required.

Panel supports

RC47



Used to install finishing panels (RC41/RC42), perforated panels (RC43/RC44) and louvered panels (RC45);

Allows user to install different combinations of panels;

Supports for the lower section 01. Must be ordered when installing two finishing panels, one above the other, or a finishing panel with the RD02 storage cabinet;

Supports for the upper section 02. Must be ordered when installing two finishing panels, one above the other, to create a full-height wall only;

When ordering a support for the lower section add 01 to the end of the number, for the upper section add 02.

Product #	Width
RC47-24	24"
RC47-30	30"
RC47-36	36"
RC47-48	48"

Cover Panel

RC62 / RC63



Painted steel: RC62;

Stainless steel: RC63;


Can be combined with a power feed panel when required, or used on its own to cover the foot of the tech support – used to achieve a polished look;

Available for application with tech uprights (RD44).

Product #	Width
RC_-2401	24"
RC_-3001	30"
RC_-3601	36"
RC_-4801	48"

Finishing Panel

RC41 / RC42



Painted steel: RC41;

Stainless steel: RC42;

Provides an impeccable finish;

Upper panel can be replaced with a cabinet (RD02);

Stacking two panels (15" + 20") is possible in order to achieve a full height wall;

Lower finishing panel = 15;

Upper finishing panel = 20;

When ordering a finishing panel for the lower section add 15 to the end of the number, for the upper section add 20.

Product #	Width
RC_-24	24"
RC_-30	30"
RC_-36	36"

Components – Specialized Structure for Technicians

Perforated Panel

RC43 / RC44



Painted steel: RC43;
Stainless steel: RC44;
Perforated at every 1" C/C, the panel is compatible with all of the WM9_ hooks (see pages 66 or 119);
Upper panel can be replaced with the RD02 cabinet;
Stacking two panels (15" + 20") is possible in order to achieve a full height wall;
Lower perforated panel = 15;
Upper perforated panel = 20;
When ordering a perforated panel for the lower section add 15 to the end of the number, for the upper perforated panel add 20.

Product #	Width
RC _-24_	24"
RC _-30_	30"
RC _-36_	36"

Louvered Panel

RC45



Offered in painted steel only;
Compatible with RG20 plastic bins and any other type of plastic bin with hanging lip on the market;
Upper panel can be replaced with the RD02 cabinet;
Stacking two panels (15" + 20") is possible in order to achieve a full height wall;
Lower louvered panel = 15;
Upper louvered panel = 20
When ordering a louvered panel for the lower section add 15 to the end of the number, for the upper louvered panel add 20.

Product #	Width
RC45-24_	24"
RC45-30_	30"
RC45-36_	36"

Smart Computer Cabinet



Cabinet dimensions: 24" W x 14" D x 21" H;
Glass surface dimensions: 18 7/8" W x 14 1/8" H;
Useable support surface: 22 1/2" W x 14 1/2" D.

Product #	Type
R5MCA-2450	Wall-mounted cabinet only
R5MCA-2451	Wall-mounted cabinet with glass door
R5MCA-2452	Wall-mounted cabinet with keyboard and mouse support
R5MCA-2453	Wall-mounted cabinet with glass door and keyboard and mouse support
R5MCA-2454	Wall-mounted cabinet with flipper door and laptop support




Storage Cabinet

RD02



Can be used in a wall mount application as well as with the RD44 tech uprights;
The back is detachable for wall mount application which allows for easy access to wall outlets, etc;
Offers with RD20 flipper door with comfortable full width handle;
Compatible with the lighting fixture (RD09) and LED light (RD07);
Standard lock included.



Product #	W x D x H
R5MCB-2111	24" x 14" x 21"
R5MDB-2111	30" x 14" x 21"
R5MEB-2111	36" x 14" x 21"
R5MGB-2111	48" x 14" x 21"

Lighting Fixture

RD09



Eliminates shaded areas beneath upper cabinet;
T8 fluorescent tube included;
Includes acrylic outlet, 10' power cord and switch;
Color: Black;
Available width: 36" and 48";
T8 ballast as energy saver.

Product #	Width
RD09-36T8	36"
RD09-48T8	48"

LED Light



RD07



Light equipped with magnet for assembly directly underneath any metal surface;
Can also be installed under RD02 storage cabinet using RD06 adaptors;
Each unit is equipped with LED strips;
Casts brighter light than fluorescent tubes and is energy efficient;
Equipped with a 60 Watt power supply;
Equipped with a cord 40" long to plug the supply;
The first LED module connected to the power supply controls the light.

Product #	Lit surface area
RD07-024-01	24"
RD07-036-01	36"
RD07-048-01	48"
RD07-060-01	60"
RD07-072-01	72"

Adaptor for LED Light



RD06



Using for installing LED light RD07;
Designed to maximize the modularity of the LED light;
Color: Black;
To order, choose the product # according to the storage cabinet dimensions (RD02).

Product #	Storage cabinet dimension
RD06-24	24"
RD06-30	30"
RD06-36	36"
RD06-48	48"

NOTE Not compatible with smart computer cabinet and lighting fixture RD09.

Proposals – Specialized Word Center

Whether you need a workstation combined with high density storage (drawers in shelving and modular cabinets), bulk storage (industrial shelving and Mini-racking) or specialized storage (ex.: for numerically controlled tools), Rousseau has the flexibility you're looking for. Our vast selection of accessories means endless possibilities.

Storage Unit with Work Surface

R5WL3-2003



R5WL3-2003

4 universal posts	SR10-087
2 universal posts	SR10-039
2 pairs of medium-duty beams	SR21-72
6 box shelves	SH20-3624
6 Mini-racking steel decking	SR40-2424
2 medium-duty tie bars	SR25-24
2 front bases	SH28-36
1 pair Mini-racking ladder braces	SR30-24
3 side panels	SH30-2439

Product #	W x D x H
R5WL3-2003	72" x 24" x 87"

2 back panels	SH31-3639
1 set Rousseau Spider® mounting brackets	RE30-34
4 heavy-duty drawers	RF32-362404
3 heavy-duty drawers	RF32-362406
6 floor anchor plates	SH45
1 floor anchor hardware kit	SH47-02
1 floor anchor hardware kit	SH47-04
1 laminated wood top	SR90-7224A

This model was created with products from the "Spider® Shelving System" section.

SEE
PAGES
56-77

WORK
CENTER

Multi-Functional Workstation for CNC Tools

NCS8003



NCS8003

4 closed welded uprights	SH12-24087
10 box shelves	SH20-3024
2 front bases	SH28-30
8 floor anchor plates	SH45
2 floor anchoring hardware kits	SH47-04
2 back panels	SH31-3039
2 back panels	SH31-3051
8 painted shelf dividers	SH50-2412
3 CNC adaptors for Spider® shelving	NC51-2401
1 side louvered panel	SH66-2415
1 laminated wood top, 90° radius front edge	SR90-6024A

1 pair of top supports	SH74-24
1 single WM unit frame	WM11-2848
1 -12" power outlet strip	70000505
1 adaptor for outlet strip	WM41-01
1 perforated panel	WM53-2436

Product #	W x D x H
NCS8003	130" x 24" x 87"

1 panel bracket kit	WM50-01
1 double back single hooks (packs of 10)	WM98-03
1 adaptor for WM uprights	NC50-2801
1 overhead workstation light	WM45-48T8
1 pair cantilever overhead supports	WM18-26
1 set Rousseau Spider® mounting brackets	RE30-34
1 heavy-duty drawer	RF32-302403
2 heavy-duty drawers	RF32-302404
2 heavy-duty drawers	RF32-302407
1 heavy-duty drawer	RF32-302409

This model was created with products from the "Spider® Shelving System", "Workstation" and "CNC Tool Storage" sections.

SEE
PAGES
56-77
86-131
172-181

NOTE Tool racks must be ordered separately.

SEE
PAGE
172

Technical Maintenance Workstation

R5XDG-4001



R5XDG-4001

2 modular cabinets with lock	RA30-302758L3
2 forklift bases	RA52-302702
2 stacking cabinets	R5HDG-2401
8 heavy-duty drawers	RF31-302703
12 heavy-duty drawers	RF31-302706
1 heavy-duty drawer	RF31-302712
1 laminated wood top	WS14-6030A
1 multi-purpose frame	WM11-5648
1 pair cantilever overhead supports	WM18-26
1 overhead workstation light	WM45-48T8
2 wall cabinets	R5MDA-1811
2 adaptors for WM frame	RD08-28
2 steel shelves	WS50-6012

Product #	W x D x H
R5XDG-4001	120" x 27" x 84"

4 side brackets for top	RA73-04
2 adaptors for WS50 shelf	RC15-24
1 panel bracket kit	WM50-01
1 perforated panel	WM53-2436
1 double back single hooks (packs of 10)	WM98-03
2 plastic bin rails	WM28-2801
4 plastic bins	RG20-060603
4 plastic bins	RG20-060303
1 power outlet channel	WM40-2801

This model was created with products from the "Heavy-Duty Modular Cabinet" and "Workstation" sections.

SEE
PAGES
4-27
86-131