



Cylinders, Keys and Key Control





Contents

4-5	Mechanical Lock Guide	24	Schlage Key Systems Introduction
6	Commercial Cylinders Introduction	25	Everest Primus XP and Classic Primus XP
7	Choose the Right Cylinder for Each Application	26-27	Security Levels
8-11	Cylinders for Schlage Locksets	28	Everest Keyways for New Key Systems
12	Cabinet Locks and Padlocks	29	Classic Keyways for Older Key Systems
13	Cylinders for Exit Devices, Aluminum Doors, etc.	30	Classic Key Blanks
14-17	Full Size Interchangeable Cores	31	Everest Full Size Key Blanks
18-21	Small Format Interchangeable Cores	32	Small Format Interchangeable Core Key Blanks
22	Cams for Mortise Locks	33-34	Cylinder Service Equipment and Tools
23	Cylinders for Other Manufacturers' Products	35	Specifications and Certifications

Put your trust in the name you know.

For more than 85 years Schlage® has been providing innovative security solutions for schools, hospitals, hotels, condominiums and a host of other commercial buildings. Today, Schlage is at the forefront of cutting edge technology such as wireless security, biometrics and CCTV. With a wide range of products, styles and finishes, Schlage has what you need no matter how demanding your application. And we stand behind every product we make with some of the best after-sales service in the business. It's this commitment to design, performance and technology that ensures you can stand behind our products too.

Useful Definitions

Everest® Cylinders and keys which incorporate all new keyways with the patented undercut groove on the right side of the key section. C Family is the name of the open family of keyways. B Family (for SFIC) and D Family keyways are restricted.	Keyways	Classic Schlage pin tumbler keyways which existed before Everest keyways. Obverse is the name of the open family of keyways (C, E, etc.) and there are three other families of restricted keyways: Reverse, Numbered and Quad.
Primus® XP Cylinders Schlage's high security sidebar cylinder mechanism. Schlage patented key control, geographical exclusivity, and pick resistance are standard. UL437 drill resistance is optional. Primus keys operate conventional cylinders.	Cylinder Mechanisms	Conventional Cylinders Normal, standard cylinders.
Restricted Keyways Special non-stock keyways set aside for limited use and a higher degree of key control. A letter of authorization from the end user is required to process orders for keys, blanks and cylinders.	Key Control	Open Keyways Standard keyways available without any ordering formalities. C Family (Everest Conventional) and Obverse (Classic Conventional) keyways are open. All others are restricted.
Small Format Interchangeable Core (SFIC) A core completely interchangeable with Best, Falcon, etc. No Primus XP version exists. Pins, springs, keys and keyways are based on a plug diameter smaller than the standard 1/2".	Cylinder Category	Full Size Pertaining to cylinders (including interchangeable cores), keys and keyways based on the industry standard plug diameter of about 1/2".

Schlage Mechanical Lock Guide


Optimize your security with the right lock for your key system and application.

S ERIES  Tubular Locks	S ²⁰⁰ ERIES  Tubular Interconnected Locks	A ERIES  Cylindrical Locks	H ERIES  Cylindrical Interconnected Locks
GRADE 2	GRADE 2	GRADE 2	GRADE 2
Security Level:			
ANSI/BHMA Certified A156.2-2003 400,000 ANSI Cycles Light Traffic	ANSI/BHMA Certified A156.12-2005 400,000 ANSI Cycles Medium Traffic	ANSI/BHMA Certified A156.2-2003 400,000 ANSI Cycles Medium Traffic	ANSI/BHMA Certified - 400,000 ANSI Cycles High Traffic
Typical Applications:*			
- Interior - Retrofit	- Interior New Construction Retrofit	Exterior Interior New Construction Retrofit	Exterior Interior - Retrofit
Functions Available:			
6 Functions - -	5 Functions - -	11 Functions - -	5 Functions - -
Design Options:**			
7 Finishes 4 Lever Styles - 3 Decorative Options 1 Matching Rose - Tactile Warning Available	7 Finishes 4 Lever Styles - 3 Decorative Options 1 Matching Rose 1 Interior Escutcheon -	12 Finishes 1 Lever Style 4 Knob Styles 3 Decorative Options 1 Matching Rose - -	10 Finishes 1 Lever Style 2 Knobs Styles - 1 Matching Rose 1 Interior Escutcheon -
Often Used In:*			
Commercial Multi-Family Office	Commercial Multi-Family Office	Commercial Healthcare Hospitality Office Retail	Commercial Govt/Military Multi-Family

" - " means "Not Applicable"

* Not all functions and finishes available with all products. Please consult your local SSC for details.

** This chart shows the most common uses/applications and these products are often used in other applications in addition to those listed.


AL SERIES	B SERIES	D SERIES	ND SERIES	L SERIES
				
Cylindrical Locks	Deadbolts	Cylindrical Locks	Cylindrical Locks	Mortise Locks
GRADE 2	GRADE 2 GRADE 1	GRADE 1	GRADE 1	GRADE 1
Security Level:				
ANSI/BHMA Certified A156.2-2003 400,000 ANSI Cycles High Traffic	ANSI/BHMA Certified A156.5-2001 150,000/250,000 ANSI Cycles High /Heavy Duty	ANSI/BHMA Certified A156.2-2003 800,000 ANSI Cycles High Traffic	ANSI/BHMA Certified A156.2-2003 800,000 ANSI Cycles Heavy Duty Traffic	ANSI/BHMA Certified A156.13-2005 1,000,000 ANSI Cycles Heavy Duty Traffic
Typical Applications:*				
Exterior Interior New Construction Retrofit	Exterior - New Construction Retrofit	Exterior Interior - Retrofit	Exterior Interior New Construction Retrofit	Exterior Interior New Construction Retrofit
Functions Available:				
10 Functions - -	7 Functions - -	16 Functions - -	29 Functions 6 Electrified Vandlgard™ Available	42 Functions 3 Electrified Vandlgard™ Available
Design Options:**				
8 Finishes 4 Lever Styles - 2 Decorative Options 1 Matching Rose - Tactile Warning Available	9 Finishes - - - - - -	12 Finishes - 3 Knob Styles - 1 Matching Rose - -	7 Finishes 5 Lever Styles - 4 Decorative Options 2 Matching Roses - Tactile Warning Available	13 Finishes 24 Lever Styles 2 Knob Styles 20 Decorative Options 4 Matching Roses 3 Escutcheons Tactile Warning Available
Often Used In:*				
Commercial Healthcare Hospitality Office Retail	Commercial/ Institutional Govt/Military Heavy Duty Residential Hospitality Office Retail	Institutional Govt/Military Hospitality Retail	Institutional Education Healthcare Office Retail	Institutional Education Healthcare Office

Rev. 03/08


Schlage Commercial Cylinders

Schlage commercial cylinders are ideal for a wide range of commercial applications, from airports, hospitals, universities and offices, to research laboratories, and government and military buildings. Since our cylinders can be used in a wide range of Schlage and competitors' locks, you can pair the lock you need with the security level that fits your application.

Everest Primus XP Mortise Cylinder




Choose the Right Cylinder for Each Application




Conventional (Standard) Cylinders

Schlage's high quality conventional cylinders provide the standard level of security and functionality for Schlage locks. The exclusive use of solid brass bar stock plugs and shells, phosphor bronze springs, nickel silver keys and bottom pins ensures long life and ease of operation. 6-pin Everest cylinders in C123 keyway with two patented keys are standard for stock. C145 is standard for new master key systems.



Interchangeable Core (IC) Cylinders


For use where fast rekeying by non-technical personnel is desired, Schlage Primus XP and conventional interchangeable cores offer a great blend of security and convenience. The special control key for the system is all you need to remove the old core and install a new one. The core itself can be rekeyed with standard Schlage pin kits. Unlike some other brands, Schlage interchangeable cores can always be integrated into existing systems with no adverse effect on the key system. IC locks are especially well-suited to chain stores and restaurants where frequent employee turnover requires immediate rekeying by store management. Use IC cylinders to save time and energy when changing labor-intensive locks on exit devices and other door hardware.



Primus XP High Security Cylinders

Primus XP high security cylinders are available to add patented* key control and varying degrees of geographical exclusivity to most Schlage 6-pin key systems, whether using Everest or Classic keyways. In addition to a conventional pin tumbler mechanism, Primus XP cylinders incorporate a patented* finger pin and sidebar design providing a "dual-locking" cylinder that is highly pick-proof. Resistance to drilling and other physical attack is optional by specifying 20-500 Series UL437 Listed cylinders.


*Patented key protection applies to Everest Primus XP and Classic Primus XP only.



Primus XP Lockout Cylinders

Available in rim and mortise cylinders only, lockout cylinders are designed for doors where it is frequently desirable to disable all keys from operating the lock temporarily. The special lockout key can be removed while the plug is turned to the 11 o'clock position, preventing all normal operating keys, including master keys, from fully entering the cylinder. Suggested applications for lockout cylinders include laboratories, dark rooms, clean rooms, and exterior doors to dormitories. Schlage will not master key lockout cylinders.


Cylinders for Schlage Locksets



Cylinders for A-Series Knobs

Number	Description
21-002	6-Pin conventional cylinder (standard, non-Orbit)
21-002-122	6-Pin conventional cylinder (standard, Orbit design only)
20-724	Primus cylinder, non-Orbit
20-724-XP	Primus XP cylinder, non-Orbit
20-724-122	Primus cylinder, Orbit design only
20-724-122-XP	Primus XP cylinder, Orbit design only
20-524	Primus UL437 Listed high security cylinder, non-Orbit
20-524-XP	Primus XP UL437 Listed high security cylinder, non-Orbit
20-524-122	Primus UL437 Listed high security cylinder, Orbit design only
20-524-122-XP	Primus XP UL437 Listed high security cylinder, Orbit design only
21-003	Conventional hotel function (A85) with indicator, non-Orbit
21-003-168	Conventional hotel function (A85) with indicator, Orbit only

Available 606 and 626 finish only.



Cylinders for AL-Series Levers


Number	Description
21-020	6-Pin conventional cylinder (standard)
20-728	Primus cylinder
20-728-XP	Primus XP cylinder
20-528	Primus UL437 Listed high security cylinder
20-528-XP	Primus XP UL437 Listed high security cylinder
21-021	Conventional hotel function (AL85) with occupancy indicator

Available 606 and 626 finish only.



Cylinders for B250-Series


Number	Description
22-001	5-Pin C, CE, E, F cylinders only
22-002	6-Pin conventional cylinder
20-729	Primus cylinder
20-729-XP	Primus XP cylinder
20-529	Primus UL437 Listed high security cylinder
20-529-XP	Primus XP UL437 Listed high security cylinder



See B250-Series cylinders for locks ordered before 03/08.

Deadbolt Cylinders for S200-Series

Number	Description
21-081	6-Pin conventional cylinder
24-769	Primus cylinder
24-769-XP	Primus XP cylinder
24-569	Primus UL437 Listed high security cylinder
20-569-XP	Primus XP UL437 Listed high security cylinder



Cylinders for B500-Series - Single Cylinder Deadbolts

Number	Description	Door Thickness
22-003	Conventional	1 ³ / ₈ " - 1 ³ / ₄ "
22-004	Conventional	1 ³ / ₄ " - 2 ¹ / ₄ "
20-188	Primus	1 ³ / ₈ " - 1 ⁷ / ₈ "
20-188-XP	Primus XP	1 ³ / ₈ " - 1 ⁷ / ₈ "
20-189	Primus	1 ⁷ / ₈ " - 2 ¹ / ₄ "
20-189-XP	Primus XP	1 ⁷ / ₈ " - 2 ¹ / ₄ "
20-190	Primus UL	1 ³ / ₈ " - 1 ⁷ / ₈ "
20-190-XP	Primus XP UL	1 ³ / ₈ " - 1 ⁷ / ₈ "
20-191	Primus UL	1 ⁷ / ₈ " - 2 ¹ / ₄ "
20-191-XP	Primus XP UL	1 ⁷ / ₈ " - 2 ¹ / ₄ "

Available 606 and 626 finish only.

Cylinders for Schlage Locksets




Cylinders for B500-Series - Double Cylinder* Deadbolts

Number	Description	Door Thickness
22-645	Conventional	1 ³ / ₈ " - 1 ³ / ₄ "
22-646	Conventional	1 ³ / ₄ " - 2 ¹ / ₄ "
20-745	Primus	1 ³ / ₈ " - 1 ⁷ / ₈ "
20-745-XP	Primus XP	1 ³ / ₈ " - 1 ⁷ / ₈ "
20-746	Primus	1 ⁷ / ₈ " - 2 ¹ / ₄ "
20-746-XP	Primus XP	1 ⁷ / ₈ " - 2 ¹ / ₄ "
20-545	Primus UL	1 ³ / ₈ " - 1 ⁷ / ₈ "
20-545-XP	Primus XP UL	1 ³ / ₈ " - 1 ⁷ / ₈ "
20-546	Primus UL	1 ⁷ / ₈ " - 2 ¹ / ₄ "
20-546-XP	Primus XP UL	1 ⁷ / ₈ " - 2 ¹ / ₄ "

Cylinder itself available 606 and 626 finish only. Housing is available in B250, H, and S200-Series finishes.


*Part numbers for double-sided deadbolts represent one cylinder only



Cylinders for B600/700/800-Series Deadlocks (Housing not included)

Lockset Function	Cylinder Number	Door Thickness	Cylinder Mechanism
B660, B663	22-644	1 ³ / ₈ " - 2 ¹ / ₂ "	Conventional
B661, B664	22-642	1 ³ / ₈ " - 2"	
	22-643	2 - 2 ¹ / ₂ "	
B662	22-645	1 ³ / ₈ " - 2"	
	22-646	2 - 2 ¹ / ₂ "	Primus/Primus XP
B760, B760-XP B763, B763-XP	22-744	1 ³ / ₈ " - 2 ¹ / ₂ "	
B761, B761-XP B764, B764-XP	22-742	1 ³ / ₈ " - 2"	
B762, B762-XP	22-645	1 ³ / ₈ " - 2"	
	22-646	2 - 2 ¹ / ₂ "	Primus/Primus XP UL437 Listed
B860, B860-XP B863, B863-XP	22-544	1 ³ / ₈ " - 2 ¹ / ₂ "	
B861, B861-XP B864, B864-XP	22-542	1 ³ / ₈ " - 2"	
	22-543	2 - 2 ¹ / ₂ "	
B862, B862-XP	22-545	1 ³ / ₈ " - 2"	
	22-546	2 - 2 ¹ / ₂ "	


Available 606 and 626 finish only.



Cylinders for D-Series Knobs

Number	Description
23-001	6-Pin conventional cylinder (standard)
20-748	Primus cylinder
20-748-XP	Primus XP cylinder
20-548	Primus UL437 Listed high security cylinder
20-548-XP	Primus XP UL437 Listed high security cylinder
23-003	Conventional hotel function (D85) with occupancy indicator
21-002	6-Pin conventional cylinder, 2" - 2 ¹ / ₂ " thick door
20-724	Primus cylinder, 2" - 2 ¹ / ₂ " thick door
20-724-XP	Primus XP cylinder, 2" - 2 ¹ / ₂ " thick door
20-524	Primus UL437 Listed high security cylinder, 2" - 2 ¹ / ₂ " door
20-524-XP	Primus XP UL437 Listed high security cylinder, 2" - 2 ¹ / ₂ " door
23-003-098	Conventional hotel function (D85) w/indicator, 2" - 2 ¹ / ₂ " door

Available 606 and 626 finish only.




Cylinders for D-Series Levers (old style)

Number	Description
23-013	6-Pin conventional cylinder (standard)
20-750	Primus cylinder
20-750-XP	Primus XP cylinder
20-550	Primus UL437 Listed high security cylinder
20-550-XP	Primus XP UL437 Listed high security cylinder
23-014	Conventional hotel function (D85) with occupancy indicator

Available 606 and 626 finish only.


Cylinders for Schlage Locksets



Cylinders for F-Series Knobs and Levers


Number	Description
29-016	Bell, Georgian and Plymouth knobs
29-017	Orbit knob
29-018	Accent and Flair levers

Available 429 (to match 626) and 430 (to match 606) finish.
5-pin C keyway only. Cylinder plug and shell are zinc.



Cylinders for H-Series Interconnected Locksets

Description	Cylinder
Top cylinder (deadlock)	See B200/400-Series deadlock cylinder table
Bottom cylinder (knob)	See A-Series knob cylinder table




Cylinders for ND-Series Locksets

Number	Description
23-065	6-Pin conventional cylinder (standard)
20-765	Primus cylinder
20-765-XP	Primus XP cylinder
20-565	Primus UL437 Listed high security cylinder
20-565-XP	Primus XP UL437 Listed high security cylinder
23-000	Hotel function (conventional cylinder)

Available 606 and 626 finish only.


Note: To order Primus XP add the suffix - XP to the Primus part number. (Example: 12-345-XP)



Cylinders for S-Series Levers

Number	Description
21-028	Conventional cylinder
20-752	Primus cylinder
20-752-XP	Primus XP cylinder
20-552	Primus UL437 Listed high security cylinder only
20-552-XP	Primus XP UL437 Listed high security cylinder only


Available 606 and 626 finish. Cylinders include S605-192.




Cylinders for S200-Series Interconnected Locksets

Description	Cylinder
Top cylinder (deadlock)	See S200-Series deadlock cylinder table
Bottom cylinder (lever)	See S-Series lever cylinder table


Cylinders for Schlage Locksets



Cylinder Only





Compr. Ring & Spring



Concealed Shell Cylinder

Blocking Rings

Cylinders for Schlage L-Series Mortise Locks

	Cylinder Mechanism						
	Design	Function	Conventional	Primus/ Primus XP	Primus UL437/ Primus XP UL437	Primus XP Lockout	Primus XP UL437 Lockout
	L & N Escutcheons (cylinders and spring only)	All Except Below	30-021	20-793/ 20-793-XP	20-593/ 20-593-XP	20-717**	20-517**
		L9060P Outside	26-021	20-701/ 20-701-XP	20-501/ 20-501-XP	20-715**	20-515**
		L9485, L9486 Hotel Functions	30-022*	N/A	N/A	N/A	N/A
	L Escutcheon with concealed shell cylinder (C suffix)	All Except Below	30-004	20-789/ 20-789-XP	20-589/ 20-589-XP	N/A	N/A
		L9060P Outside	26-023	24-767/ 24-767-XP	24-567/ 24-567-XP	N/A	N/A
		L9435, L9486 Hotel Functions	30-005*	N/A	N/A	N/A	N/A
	Sectional Trim (cylinder with compression ring & spring)	All Except Below	30-001	20-787/ 20-787-XP	20-587/ 20-587-XP	20-715	20-517
		L9060P Outside	26-001	20-700/ 20-700-XP	20-500/ 20-500-XP	20-715	20-515
		L9435, L9486 Hotel Functions	30-002*	N/A	N/A	N/A	N/A

Notes 1. Available 605, 606, 609, 610, 611, 612, 613, 625, 626, 629, and 630 finish. Concealed shell cylinders available 606 and 626 only.

2. To differentiate between Classic and Everest, specify keyway. Example: C or CP (Classic), C123 (Everest). Everest C123 keyway standard.

3. 1 1/8" length standard. Optional lengths available in 1/8" (4mm) increments up to 1 3/4" (44mm).

4. To order less Schlage logo, specify with K510-612 faceplate.


5. Lockout keys must be ordered separately and lockout cylinders will not be master keyed by Schlage.

6. Specify LKB if 0-bitted Primus XP cylinders are required less key blanks.


* Specify door hand for hotel function cylinders.

** Discard compression ring for Lockout cylinders with escutcheon trim.

Cam for All Functions Except L9060 Outside




L583-254
Classic Conventional



L583-153
Everest & Primus XP

Cam for L9060 Outside



B502-191
Classic Conventional



B502-948
Everest & Primus XP


Cabinet Locks and Padlocks

CL-Series Cabinet Locks

CL1000



CL2009



Door



Drawer

Application	Bolt	Complete Lock			Cylinder Only		
		Conventional	Primus/ Primus XP	Primus/ Primus XP UL	Conventional	Primus XP	Primus UL
Door	1" (std)	CL1000PB	CL1740PB CL1740PB-XP	CL1540PB CL1540PB-XP	20-172	20-772XP	20-572
Drawer	3/4" (std)	CL2009PB	CL2749PB	CL2549PB	20-174	20-774XP	20-574

Available 605 and 626 finish. Everest C123 keyway standard.

KS-Series Padlocks

Part #	Shackle Dimensions			Cylinder Only		
	A	B	C	Conventional	Pimus/ Primus XP	Primus UL/ Primus XP UL
BRASS BODY				47-410	47-740/ 47-740-XP	47-540/ 47-540-XP
KS13A2200	1/4"	3/4"	3/4"			
KS13D2200	1/4"	1 1/2"	3/4"			
KS13F2200	1/4"	2"	3/4"			
KS13G2200	1/4"	4"	3/4"			
KS23A2200	5/16"	3/4"	3/4"			
KS23D2200	5/16"	1 1/2"	3/4"			
KS23F2200	5/16"	2"	3/4"			
KS23G2200	5/16"	4"	3/4"			
KS43A2200	3/8"	3/4"	3/4"			
KS43D2200	3/8"	1 1/2"	3/4"			
KS43F2200	3/8"	2"	3/4"			
KS43G2200	3/8"	4"	3/4"			
STEEL BODY						
KS72M2200	7/16"	1"	7/8"			
KS72F2200	7/16"	2"	7/8"			
KS82M2200	5/16"	1"	3/4"			
KS92M2200	3/8"	1"	3/4"			

Available 606 finish only. Everest C123 keyway standard.





KC Series



KS43F

CL1000



Locking Cables


Part #	Length	Diameter
LESS CYLINDER - KEY IN KNOB		
LOCKING CABLES		
KC215A230	2'	5/8"
KC215B230	4'	5/8"
KC215E230	6'	5/8"
KC220E230	6'	3/4"

Cylinders for Exit Devices, Aluminum Doors, etc.

Rim Cylinders

Number	Description	Tail Piece
20-022	Conventional cylinder	Horizontal
20-021	Conventional cylinder	Vertical
20-710	Primus cylinder	Horizontal
20-710-XP	Primus XP cylinder	Horizontal
20-709	Primus cylinder	Vertical
20-709-XP	Primus XP cylinder	Vertical
20-716	Primus lockout cylinder	Horizontal
20-716-XP	Primus XP lockout cylinder	Horizontal
20-510	Primus UL437 Listed cylinder	Horizontal
20-510-XP	Primus XP UL437 Listed cylinder	Horizontal
20-509	Primus UL437 Listed cylinder with	Vertical
20-509-XP	Primus XP UL437 Listed cylinder with	Vertical
20-516	Primus UL437 Listed lockout cylinder	Horizontal
20-516-XP	Primus XP UL437 Listed lockout cylinder	Horizontal


Available 605, 606, 609, 610, 611, 612, 613, 616, 625 and 626 finish.



Cylinders for Adams Rite MS 4500 and 4700 Series Lori 4500 Series and Corbin Russwin DL3000 Series

Number	Description
26-072	Conventional cylinder only
20-013	Conventional cylinder with 3/8" blocking ring
20-706	Primus cylinder with 3/8" blocking ring
20-706-XP	Primus XP cylinder with 3/8" blocking ring
20-506	Primus UL437 Listed cylinder with 3/8" blocking ring
20-506-XP	Primus XP UL437 Listed cylinder with 3/8" blocking ring
20-718	Primus lockout cylinder
20-718-XP	Primus XP lockout cylinder
20-518	Primus UL437 Listed lockout cylinder
20-518-XP	Primus XP UL437 Listed lockout cylinder

These cylinders include set screw pack B220-050 for Adams Rite locks.




B502-292
Cam for Classic
Conventional



B502-944
Cam for Everest
& Primus XP



B502-380
Cam for Classic
Conventional



B502-945
Cam for Everest
& Primus XP

Cylinders for Adams Rite 4070 Series

Number	Description
26-073	Conventional cylinder only
20-708	Primus cylinder only
20-708-XP	Primus XP cylinder only
20-508	Primus UL437 Listed cylinder only
20-508-XP	Primus XP UL437 Listed cylinder only

- Notes
1. Mortise cylinders available 605, 606, 609, 610, 611, 612, 613, 616, 625, 626, 629, and 630 finish.
 2. To differentiate between Classic and Everest, specify keyway. Example: C or CP (Classic), C123 (Everest). Everest C123 keyway standard.
 3. 11/8" length standard. Optional lengths available in 1/8" (4mm) increments up to 1 3/4" (44mm).
 4. To order less Schlage logo, specify with K510-612 faceplate.
 5. Lockout keys must be ordered separately and lockout cylinders will not be master keyed by Schlage.
 6. Specify LKB if 0-bitted Primus XP cylinders are required less key blanks.

Full Size Interchangeable Core Availability



A-Series
Orbit design



ND-Series lever
all designs



AL-Series
Saturn design



H-Series knob
Orbit design



B500-Series



L-Series
all designs
except concealed



B600 / 700-Series



S-Series
all designs
except Flair



D-Series knob
Orbit design




S200-Series
all designs for S210



**All except Flair for other
functions**

Full Size Interchangeable Core Cylinders for Schlage Locksets



Full Size Core Only

Number	Mechanism
23-030	Conventional core
30-120	Conventional core for hotel function (specify hand)
20-740-XP	Primus XP core (not available in hotel function)


Available 606 and 626 finish only. Order control keys separately.

Full Size IC Housings for Bored Deadlocks, Less Core

Lockset Series	Description	Number	Specify Finish
B500-Series	Outside	B610-203, B610-205	605, 609, 612, 613, 619, 625, 626, and 716
	Inside	B610-028**	605, 609, 612, 613, 619, 625, 626, and 716
B250, H, S200-Series	Outside	22-061	605, 606, 609, 610, 611, 612, 613, 616, 625, 626
	Inside of B252	22-062	
B600 / 700-Series	Outside	B610-027	605, 606, 609, 612, 613, 625, 626
	Inside	B610-028	See Note Below

Specify finish of B610-031 inside snap-on faceplate ordered separately for BC162 and B662/762.

**Inside housing does not include snap-on faceplate



KS43F




KS72F



KS92M


Full Size Interchangeable Core Padlocks

Part #	Shackle Dimensions		
	A	B	C
LESS CYLINDER - FULL SIZE INTERCHANGEABLE CORE			
BRASS BODY			
KS43A3200	3/8"	3/4"	3/4"
KS43D3200	3/8"	1 1/2"	3/4"
KS43F3200	3/8"	2"	3/4"
KS43G3200	3/8"	4"	3/4"
STEEL BODY			
KS72M3200	7/16"	1"	7/8"
KS72F3200	7/16"	2"	7/8"
KS92M3200	3/8"	1"	3/4"



Note: To order Primus XP add the suffix - XP to the Primus part number. (Example: 12-345-XP)

Full Size Interchangeable Core Mortise Cylinders



Cylinders for Schlage L-Series Mortise Locks

	Design	Function	Core Mechanism		
			Conventional	Primus, Primus XP	Housing Less Core
	L & N Escutcheons (cylinders with compression ring)	All Except Below	30-008	20-798, 20-798-XP	30-007
		L9060P Outside	30-030	20-782, 20-782-XP	30-032 + 36-083
		L9485P, L9486P Hotel Functions	30-010*	N/A	30-007
	Sectional Trim (cylinder with compression ring, spring and 3/8" blocking ring). 9060 requires 1/2" blocking ring.	All Except Below	30-138	20-776, 20-776-XP	30-137
		L9060P Outside	30-030 + 36-083 + 35-082-030	20-783, 20-783-XP	30-032 + 36-083 + 36-082-050
		L9485P, L9486P Hotel Functions	30-040*	N/A	30-137

* Hotel function cores are handed. Specify hand of door.



L583-489
Cam for All Functions
Except L9060 Outside



K510-680
Cam for
L9060 Outside

Mortise Cylinders with Straight Cam for Exit Devices


Number	Core Mechanism	Collar
26-091	Conventional core	Compression ring & spring
20-061		3/8" blocking rings + compression ring & spring
20-763, 20-763-XP	Primus/Primus XP core	Compression ring & spring
20-771, 20-771-XP		3/8" blocking rings + compression ring & spring
20-059	Housing less core	None
26-064		Compression ring & spring



K510-730
Straight Cam,
Other Applications

- Notes
1. Available 605, 606, 609, 610, 612, 613, 625, and 626 finish. Cores furnished 606 and 626 only.
 2. To differentiate between Classic and Everest, specify keyway. Example: C or CP (Classic), C123 (Everest). Everest C123 keyway standard.
 3. All cylinders are 1 1/2" long.
 4. Specify LKB if O-bitted Primus XP cylinders are required less key blanks.

Full Size Interchangeable Core Cylinders for Exit Devices, Aluminum Doors, etc.



Interchangeable Core Rim Cylinders for Exit Devices

Number	Core Mechanism
20-057	Conventional core
20-757	Primus core
20-757-XP	Primus XP core
20-079	Housing only, less core

Available 605, 606, 609, 610, 612, 613, 625 and 626 finish.



Cylinders for Adams Rite MS and 4700 Series Lori 4500 Series and Corbin Russwin DL3000 Series

Number	Core Mechanism	Collar
26-098	Conventional core	Compression ring & spring
20-062	Conventional core	$\frac{3}{16}$ " + $\frac{3}{8}$ " blocking rings
20-766	Primus core	$\frac{3}{16}$ " + $\frac{3}{8}$ " blocking rings
20-766-XP	Primus XP core	$\frac{3}{16}$ " + $\frac{3}{8}$ " blocking rings
20-060	Housing less core	None

These cylinders include set screw pack B220-050 for Adams Rite locks.



K510-711
Adams Rite
MS Cam

Cylinders for Adams Rite 4070 Series Deadlocks

Number	Core Mechanism	Collar
20-091	Conventional core	$\frac{3}{16}$ " + $\frac{3}{8}$ " blocking rings
20-722	Primus core	$\frac{3}{16}$ " + $\frac{3}{8}$ " blocking rings
20-722-XP	Primus XP core	$\frac{3}{16}$ " + $\frac{3}{8}$ " blocking rings
20-090	Housing less core	None



B520-378
Adams Rite
4070 Cam

- Notes
1. Mortise cylinders available 605, 606, 609, 610, 612, 613, 625, and 626 finish. Cores furnished 606 and 626 only.
 2. To differentiate between Classic and Everest, specify keyway. Example: C or CP (Classic), C123 (Everest).
 3. All cylinders are 1 1/2" long.
 4. Specify LKB if 0-bitted Primus XP cylinders are required less key blanks.

Small Format (Best Style) Interchangeable Core Availability



AL-Series
Saturn design



ND-Series lever
all designs



B500-Series



L400-Series



B600 / 700-Series



L9000-Series
all designs



KC 11-Series,
KC 21-Series,
KC 41-Series
padlocks



KC 72-Series,
KC 82-Series,
KC 92-Series
padlocks



KC215-Series


Small Format Interchangeable Core Cylinders for Schlage Locksets



Small Format Core Only

Number	Mechanism
80-036	7-pin Everest B Family restricted keyway core uncombined
80-037	7-pin Everest B Family restricted keyway core combined
80-043	6-pin Best keyway core, uncombined
80-033	7-pin Best keyway core, uncombined

- Notes
1. Available 606 and 626 finish only.
 2. Suffix keyway, e.g. 80-036 B235, 80-043 AB, etc.
 3. Proper authorization required for Everest cores. Order control keys separately.
 4. 80-043 and 80-033 available in Best A, D, E, F, G, H, J, K, L and M keyways. Suffix "B" to keyway letter, e.g. AB, DB, etc.




Small Format IC Housings for Commercial Deadlocks, Less Core


Lockset Series	Description	Number	Specify Finish
B500-Series	Outside	B610-204	605, 609, 612, 613, 619, 625, 626, and 716
	Inside	B610-281**	605, 609, 612, 613, 619, 625, 626, and 716
B600-Series	Outside	B610-282	605, 606, 609, 612, 613, 625, 626
	Inside	B610-281	See Note Below

Note: To order Primus XP add the suffix - XP to the Primus part number. (Example: 12-345-XP)


Tailpieces not included.
Specify finish of B610-014 snap-on faceplate ordered separately for inside of BC162 and B662.
**Inside housing does not include snap-on faceplate




Small Format Interchangeable Core Mortise Cylinders



Cylinder Only




Compr. Ring & Spring



With Blocking Ring



Cylinders for Schlage L-Series Mortise Locks

	Design	Function	Core Mechanism			
			Everest Restricted (GD Suffix)	Keyed Construction (HD Suffix)	Disposable Construction (BDC Suffix)	Housing Less Core (BD Suffix)
	L & N Escutcheons (cylinders with compression ring and spring)	All Except L9060 Outside	80-308	80-138	80-115	80-108
		L9060P Outside	80-304	80.134	80.134	80-104
	Sectional Trim (cylinder with compression ring, spring and 1/4" blocking ring).	All* Except L9060 Outside	80-301	80-131	80-131	80.101
		L9060 Outside	80-304 + 36-082-050	80-134 36-082-050	80-134 36-082-050	80-104 36-082-050



L583-255
Cam for All Functions
Except L9060 Outside



K510-680
Cam for
L9060 Outside

- Notes 1. Available 605, 606, 612, 613, 625, and 626 finish. Cores furnished 606 and 626 only.
2. All cylinders are 1³/₈" long.

Mortise Cylinders with Straight Cam for Exit Devices

Number	Core Type
80-302	Everest restricted core
80-110	Disposable constr. core
80-132	Keyed constr. core
80-102	Housing less core



K510-730
Straight Cam,
Other Applications

Furnished with compression ring, spring and 1/4" blocking ring.

- Notes 1. Available 605, 606, 612, 613, 625, and 626 finish. Cores furnished 606 and 626 only.
2. All cylinders are 1³/₈" long.

Small Format Interchangeable Core Cylinders for Exit Devices, Aluminum Doors



Interchangeable Core Rim Cylinders for Exit Devices

Number	Core Mechanism
80-329	Everest restricted keyway core
80-159	Keyed construction core
80-116	Disposable construction core
80-129	Less core

Available 605, 606, 609, 610, 612, 613, 625 and 626 finish.



Mortise Cylinders with Straight Cam for Exit Devices

Number	Core Type
80-303	Everest restricted core
80-111	Disposable constr. core
80-133	Keyed constr. core
80-103	Housing less core

Furnished with compression ring, spring and 7/16" blocking ring.
These cylinders include set screw pack B220-050 for Adams Rite locks.



K510-711
Adams Rite
MS Cam



KS21F



KS72F



KS92M

Padlocks

Part #	Shackle Dimensions					
	Width	Height	Depth	A	B	C
LESS CYLINDER - SMALL FORMAT INTERCHANGEABLE CORE						
CHROME BRASS BODY						
KS11A1200	1 ⁵ / ₃₂ "	2 ³ / ₁₆ "	7/8"	1/4"	3/4"	3/4"
KS11D1200	1 ⁵ / ₃₂ "	2 ³ / ₁₆ "	7/8"	1/4"	1 ¹ / ₂ "	3/4"
KS11F1200	1 ⁵ / ₃₂ "	2 ³ / ₁₆ "	7/8"	1/4"	2"	3/4"
KS11G1200	1 ⁵ / ₃₂ "	2 ³ / ₁₆ "	7/8"	1/4"	4"	3/4"
KS21A1200	1 ⁵ / ₃₂ "	2 ³ / ₁₆ "	7/8"	5/16"	3/4"	3/4"
KS21D1200	1 ⁵ / ₃₂ "	2 ³ / ₁₆ "	7/8"	5/16"	1 ¹ / ₂ "	3/4"
KS41F1200	1 ⁵ / ₃₂ "	2 ³ / ₁₆ "	7/8"	5/16"	2"	3/4"
KS21G1200	1 ⁵ / ₃₂ "	2 ³ / ₁₆ "	7/8"	5/16"	4"	3/4"
KS41A1200	1 ¹⁵ / ₁₆ "	2 ³ / ₁₆ "	7/8"	3/8"	3/4"	3/4"
KS41D1200	1 ¹⁵ / ₁₆ "	2 ³ / ₁₆ "	7/8"	3/8"	1 ¹ / ₂ "	3/4"
KS41F1200	1 ¹⁵ / ₁₆ "	2 ³ / ₁₆ "	7/8"	3/8"	2"	3/4"
KS41G1200	1 ¹⁵ / ₁₆ "	2 ³ / ₁₆ "	7/8"	3/8"	4"	3/4"
STEEL BODY						
KS72M1200	2 ⁵ / ₈ "	2 ³ / ₈ "	1 ³ / ₃₂ "	7/16"	1"	7/8"
KS72F1200	2 ⁵ / ₈ "	2 ³ / ₈ "	1 ³ / ₃₂ "	7/16"	2"	7/8"
KS82M1200	1 ¹³ / ₁₆ "	3 ⁷ / ₁₆ "	1 ³ / ₃₂ "	5/16"	1"	3/4"
KS92M1200	2 ¹ / ₈ "	3 ⁷ / ₁₆ "	1 ³ / ₁₆ "	3/8"	1"	3/4"

Cylinders for Adams Rite 4070 Series Deadlocks

Number	Core Type
80-305	Everest restricted core
80-113	Disposable constr. core
80-135	Keyed constr. core
80-105	Housing less core

Furnished with compression ring, spring and 1/4" blocking ring

Notes 1. Available 605, 606, 612, 613, 625, and 626 finish. Cores furnished 606 and 626 only.
2. All cylinders are 1³/₈" long.



B520-378
Adams Rite
4070 Cam










Locking Cables

KC Series

Part #	Length	Diameter
LESS CYLINDER - SMALL FORMAT INTERCHANGEABLE CORE		
LOCKING CABLES		
KC215A130	2"	5/8"
KC215B130	4"	5/8"
KC215E130	6"	5/8"

Cams for Schlage Mortise Cylinders in Other Manufacturers' Mortise Locks

	Classic Conventional	Interchangeable Core	Everest & Primus XP Non-IC
	20-001 26-021	20-061, 20-771, 26-090, 26-090, 26-091, 26-093, 26-094, 80-102, 80-110, 80-132, 80-302	20-001 Everest 20-500 and 20-700 Primus XP
Corbin Russwin® DL4000 Series (Old Corbin 420 and Russwin 1503)	B520-295  Dim. X = .155 Y = .775	B520-254 	B520-366 
Corbin Russwin® ML2200 Series (Old Corbin 7000-9000 and Russwin 4000-5000) All functions except ML2255 and ML2242 inside (see straight cam)	B520-233  Dim. X = .235 Y = .729	B520-253 	B520-309 
Corbin Russwin A65 ML2200 master ring deadbolt functions manufactured before 6/10/93 and old Russwin cast iron residential locks	B520-223  Dim. X = .235 Y = .729	B520-360 	B520-367 
Yale® 2160 Arrow® #004 Sargent® 13-0660 All functions except 16 inside and 50 outside	B520-256  Dim. X = .186 Y = .718	B520-296 	B520-329 

The following complete cylinders are available. Specify the desired cam from the correct column above:

Cylinder Mechanism

Conventional cylinder
Primus XP cylinder
Primus XP UL437 Listed cylinder
Full size IC with conventional core
Full size IC with Primus XP core
Full size IC housing less core
SFIC with Everest core
SFIC with keyed construction core
SFIC with disposable construction core
SFIC housing less core

Collar

compression ring and spring
compression ring and spring
compression ring and spring
compression ring, spring, 3/8" blocking ring
compression ring, spring, 3/8" blocking ring
compression ring, spring, 3/8" blocking ring
compression ring, spring, 1/4" blocking ring
compression ring, spring, 1/4" blocking ring
compression ring, spring, 1/4" blocking ring
compression ring, spring, 1/4" blocking ring


How to Order

20-001 x cam number
20-700 x cam number
20-500 x cam number
20-061 x cam number
20-771 x cam number
26-094 x cam number
80-302 x cam number
80-132 x cam number
80-110 x cam number
80-102 x cam number


Other manufacturers' registered trade names are for identification and reference only.

Cylinders for Other Manufacturers' Products


Corbin Russwin CL3400, CL3600 Series




Corbin Russwin CK4200, UT5200 Series




Sargent 7L, 8L, 10 Line Levers




Sargent 7, 8, 9 Line Knobs




Sargent 6 Line (Except B Knobs)



Yale 5300LN, 5400LN, 6400LN Levers



Yale 5300, 5400, 6200 Knobs



Cylinder	Primus/Primus XP	Primus UL/Primus XP UL	Description
24-139	20-739, 20-739-XP	20-539, 20-539-XP	Corbin Russwin CL3400, CL3600
24-127	20-727, 20-727-XP	20-527, 20-527-XP	Corbin Russwin CK4200, UT5200
24-126	20-726, 20-726-XP	20-526, 20-526-XP	Sargent 6 Line (Except B Knobs)
24-120	20-720, 20-720-XP	20-520, 20-520-XP	Sargent 7, 8, 9 Line Knobs
24-119	20-719, 20-719-XP	20-519, 20-519-XP	Sargent 7L, 10, 65 Line Levers
24-123	20-723, 20-723-XP	20-523, 20-523-XP	Yale 5300, 5400, 6200 Knobs
24-147	20-747, 20-747-XP	20-547, 20-547-XP	Yale 5300LN, 5400LN, 6400LN Levers


Other manufacturers' registered trade names are for identification and reference only.

Choose the key system that fits your security needs.

Schlage Classic and Everest key systems are designed to give you the level of security you need for every application. With optional keyway exclusivity, multi-level key hierarchy and cylinders that fit a wide variety of locks, Schlage key systems and cylinders give you total control of your key system and building security.

The perfect mix of performance and flexibility.

Unlike many other brands of high security cylinders, Schlage can easily integrate its Primus XP and conventional cylinders into the same key system with no adverse effect on keying capacity. Primus XP keys will operate conventional cylinders, but conventional keys will not operate Primus XP cylinders. This means you can secure exterior doors and sensitive areas with Primus XP cylinders and use conventional cylinders on the remaining doors. This cuts the cost of the overall job, and security can be tailored to meet the exact needs of each door without sacrificing the convenience of having a single building master key.



Note: Everest Primus XP keys are compatible with Everest C Family Open or Everest D Family Restricted key systems.

Everest Primus XP: The top choice for all new and existing key systems.

Traceability

Primus XP and restricted keys are marked with ID number

25% larger key bow

More space for special stamping and easier handling

15% Thicker key

for added strength

Primus XP side bit milling

factory cut to provide geographical exclusivity for end users or dealers and operate pick-resistant secondary locking mechanism

Strong patent protection

by multiple utility and design patents, allowing Schlage to control key blank distribution and provide varying levels of enforceable key control, even for conventional Everest keys

Six standard key cuts

for easy dealer service with standard pin kits and key machines; Primus XP keys can operate conventional cylinders

HIGH SECURITY

Everest Primus XP

Patent protected keys with exclusive side bitting and positive key control

MEDIUM SECURITY

Everest Restricted

Conventional patented keys with a high level of key control in a mid-priced cylinder

BASIC SECURITY

Everest Open

Conventional patented keys sold exclusively through commercial dealers

Classic Primus XP: Maintain and upgrade older key systems.

Strong key protection

by Schlage to control Primus XP key blank distribution for positive, enforceable protection against unauthorized key duplication

Five or six standard key cuts

for easy dealer service with standard pin kits and key machines; Primus XP keys can operate conventional cylinders

Primus XP side bit milling

factory cut to provide geographical exclusivity for end users or dealers and operate pick-resistant secondary locking mechanism

HIGH SECURITY

Classic Primus XP

Patented and restricted keys with exclusive side bit milling and positive key control

BASIC SECURITY

Classic Conventional

Keys for standard commercial and residential security

Security Levels

The Primus system features multiple levels of security. For the Classic Primus XP system, security increases from Level One through Level Four. For Everest Primus XP, security increases from Level Seven to Level Nine. Each level requires an appropriate I.D. card and/or signature verification for key duplication. All levels utilize patent-protected Primus cylinders and keys to protect against unauthorized duplication. To select the proper level of security, consideration should be given to the overall key control, convenience and service required for the installation.

High security and patented cylinders with patented keys distributed with geographic exclusivity.



CLASSIC Primus XP

Ideal for existing key systems
patent protected through 2024

LEVEL 1 XP	Dealer Controlled System	National Non-Exclusive Stocked by distributors and resold to end users via commercial locksmiths; All Level 1 locksmiths have the same side bit millings.
LEVEL 1+ XP		Dealer Exclusive Owned & stocked by dealers; resold to end users. Keys bear unique Dealer ID based upon three digit zip-code exclusivity of side bit milling.
LEVEL 2 XP		Dealer Exclusive Dealers that sell directly to end users are eligible for side bit milling exclusivity. Exclusivity is for the dealer physical location time zone.
LEVEL 3 XP	End User Exclusive Systems	End User Exclusive Exclusivity is based on either random assignment or on the first 2 digits of the zip code, depending on end user commitment.
LEVEL 4 XP		End User Exclusive Exclusivity is based on either a time zone or nationwide basis, depending on end user commitment.

Typical Applications

- Strip Mall Shops
- Small Businesses
- Upscale Homes

- Small Businesses
- Restaurants
- Doctor's Offices

- Office Buildings
- Banks
- Private Schools
- Healthcare Residences

- Educational Facilities
- Healthcare Facilities
- Large Office Complexes
- Government Buildings
- Detention Centers
- Franchises



PICK RESISTANT!

EVEREST Primus XP

Ideal for new key systems
patent protected through 2024


Consider Everest Open for Commercial Exclusivity		Dealer Controlled System
LEVEL 7 XP	Dealer Exclusive Owned & stocked by dealers; resold to end users. Keys bear unique Dealer ID based upon three digit zip-code exclusivity of side bit milling.	
LEVEL 8 XP	Dealer Exclusive Dealers that sell directly to end users are eligible for side bit milling exclusivity. Exclusivity is for the dealer physical location time zone.	
LEVEL 9 XP	End-User Exclusive Exclusivity is based on random assignment, on the first 2 digits of the zip code, on time zone, or on a nationwide basis, depending on end user commitment.	End User Exclusive Systems

Security Levels

Everest Keyway			Classic Keyway			
PRIMUS XP EVEREST	PRIMUS EVEREST	EVEREST	PRIMUS XP	PRIMUS	CLASSIC	
	•	•				Patented until 2014
•			•			Patented until 2024
•	•	•	•	•	•	Commercial Applications
•	•		•	•		Maximum Key Duplication Restrictions
		•				Some Key Duplication Restrictions
					•	No Key Duplication Restrictions
		•				SFIC Available
		•				Check Pin
•	•		•	•		Finger Pins/Side Bar Configuration
•			•			#7 finger pin used for added security
•	•	•	•	•	•	Bulk Pack Available
				•		Master keying available for Levels 2, 3 and 4
			•			Master keying available for Levels 1+, 2, 3 and 4
•	•	•			•	Master keying available for all Levels

Everest Keyways for New Key Systems

C Family Keyways for Everest Conventional Cylinders and Primus XP Levels 7, 8, and 9




By definition, all Primus XP keys are restricted. Primus XP keys are downward compatible to operate Schlage conventional cylinders with compatible keyways. Key blanks for Schlage Everest conventional cylinders with C Family keyways (above) are openly available to locksmiths and contract hardware dealers, but not normally found in retail stores that duplicate keys.

D Family Restricted Keyways (not shown)


D Family keyways are end-user restricted keyways. They are not stocked by locksmiths or other dealers. Conventional (non-Primus) cylinders with D Family restricted keyways offer economical patent protection but no geographical exclusivity. All orders for D Family keys and blanks require a letter of authorization from the end user. Primus XP cylinders with D Family keyways are only available at Level 9 where product is shipped directly to the end user or a designated agent. Primus XP cylinders add the geographical exclusivity of the side biting as well as the high security features of the finger pin and sidebar mechanism.

Classic Keyways for Older Key Systems

Obverse Keyways for Classic Conventional Cylinders



Obverse Keyways for Classic Primus XP Cylinders Levels 1 Through 4




Restricted Keyways (not shown)

By definition, all Primus XP keys are restricted. They are downward compatible to operate Schlage conventional cylinders with corresponding keyways. Schlage Classic conventional cylinders may have keyways which are openly available as shown above, or they may be restricted (without patent protection) and require a letter of authorization from the end user. Not all Classic restricted keyways are Primus XP compatible.


Classic Key Blanks

Numbers shown are for key blanks. For cut keys, change "35" prefix to "48" for change keys and "49" for master keys. Suffix key section, e.g. 35-101 E. See facing page for available key sections.


Conventional



Primus XP



Primus




Standard Bow

To order conventional key blanks with DO NOT DUPLICATE, specify XQ06-878.

Specify plain bow keys for applications when keys must be stamped with additional information such as special die stamps, serial numbering, etc.


Large Bow

Ideal for special keys which must be visibly distinctive within a key system, or for very specialized marking.



Access Bow

Conforms to California Title 24 for handicap access.




Specify Control Keys in Architectural Specifications and on Purchase Orders.

Everest Full Size Key Blanks

Numbers shown are for key blanks. For cut keys, change "35" prefix to "48" for change keys and "49" for master keys. Suffix key section, e.g. 35-009 C123. See facing page for available key sections.

Conventional





Everest conventional keys are available with and without DO NOT DUPLICATE. Specify plain bow keys for applications when keys must be stamped with additional information such as special die stamps, serial numbering, etc.

Everest Primus XP

Standard Front
35-004-XP Operating
35-005-XP

Plain Both Sides
35-013-XP Control
35-012-XP Operating

Back of All Except
35-012-XP
35-013-XP



Everest Primus

Standard Front
35-004 Operating
35-005

Plain Both Sides
35-013 Control
35-012 Operating

Back of All Except
35-012
35-013


To order, specify quantity, 6-digit ID number, and key section. Key blanks are packed 50 per box, 1000 per case. Specify Control Keys in architectural specifications and on purchase orders.

Small Format Interchangeable Core Key Blanks

For cut keys, change "35" prefix to "48" for change keys and "49" for master keys.

Suffix key section, e.g. 35-009 C123. All keyways are restricted so they are not published.

Everest B Family Patented Restricted Key Blanks



B235 Dealer Keyway


Available to locksmiths and service-oriented contract hardware dealers, this keyway is controlled similar to Primus XP Levels 1+ and 7. Each dealer signs a contract agreeing to certain key control procedures and agreeing not to duplicate keys marked with another dealer's ID number.

The dealer cuts all B235 keys and cannot sell key blanks to the end user. If the end user needs to cut keys, B Family end user keyways (below) should be furnished instead of B235. Contact your Schlage commercial wholesaler or local Ingersoll Rand Security & Safety Consultant's office for further information.


B Family End User Keyways

The B Family end user restricted keyways are not stocked by locksmiths or other dealers. They are drop shipped directly to the end user and offer economical patent protection without geographical exclusivity. All orders for B Family keys and blanks require a letter of authorization from the end user.


Best® Type Key Blanks



Cylinder Service Equipment and Tools




40-119



40-070


Pin Kits

- 40-119 For full size conventional cylinders
Contains bottom, top and master pins, springs, cap pins, cap pin springs, caps, follower, tweezers, key gauge, shims, cap removal tool.
- 40-070 Primus XP finger pin kit
Contains finger pins, sidebars, springs and plug holder.
- 40-129 SFIC wooden pin kit for A2 System
Contains all pins and springs, key gauge, tweezers.




Pin Kits

- 40-119 For full size conventional cylinders
Contains bottom, top and master pins, springs, cap pins, cap pin springs, caps, follower, tweezers, key gauge, shims, cap removal tool.
- 40-070 Primus XP finger pin kit
Contains finger pins, sidebars, springs and plug holder.
- 40-129 SFIC wooden pin kit for A2 System
Contains all pins and springs, key gauge, tweezers.




Small Format IC Tools (included in 40-129 kit)

- 40-137 Capping block
- 40-136 Ejector tool
- 40-138 Capping tool




Key Gauge

- 40-104 Full size keys
- 40-128 A2 System SFIC keys



40-075




40-074

Blue Punch Key Machine

- 40-075 Classic Obverse and Everest C Family keys only (Conventional and Primus XP)
- 40-071 Everest B Family small format IC keys only
- 40-074 Upgrade jaw kit adds Everest C Family capability to Blue Punch machines with serial numbers below 990358, made before July 1999.
- 40-099 Key biting punch for Everest D Family

Bulk Pack Cylinder Kit

Bulk packs are 10-packs that contain the components you need to quickly build 10 cylinders. All shells are pre-loaded with top pins and springs.



Classic Conventional	Everest Conventional	Primus XP	Description
09-409	09-751	09-764	Key-in-knob / lever
09-412	09-754	09-767	Mortise (specify length)
09-410	09-752	09-765	Rim
09-411	09-753	09-766	Full size interchangeable core

Specify keyway and finish.


Keys and tailpieces/cams must be ordered separately.

Multiple Tailpiece Cylinders

Reduce cylinder inventory by stocking these cylinders packed with tailpieces to fit these locks:

- A-Series (all designs)
- AL-Series
- D-Series knobs
- D-Series levers
- H-Series knobs (all designs)
- ND-Series levers

- 40-100 Conventional
- 40-700 Primus XP
- 40-500 Primus XP UL



- Notes
1. Available 606 or 626 finish.
 2. Specify keyway to distinguish between Everest and Classic. Example: C or CP (Classic) vs. C123 (Everest). Available in all full size keyways.
 3. Cylinders are only available 0-bitted.
 4. Not available for hotel function cylinders with occupancy indicator.
 5. Primus XP key blanks must be ordered separately. Conventional cylinders include two key blanks.

Cylinder Service Equipment and Tools

Primus XP I.D. Cards

Primus XP I.D. cards are used as authorization credentials for Primus XP Level 1, 1+, 2, and 8 keys. Cards have a signature panel on the back and are issued by the servicing locksmith or dealer who directly supports the system owner. The owner must present the I.D. card to obtain duplicate keys or additions to his system. The signature will be validated by the dealer.

Primus XP Cards

Level	Number
1	40-061-XP
1 Plus	40-065-XP
2	40-062-XP
7 & 8	40-060-XP


Classic Primus XP Level 1 I.D. Card



Everest Primus XP I.D. Card



Primus XP & Everest Sales Aids






Cylinder Demo Kits (Cutaway cylinders included)

- 40-077-XP Everest conventional, Primus XP and SFIC demo kit
- 40-146-XP Classic conventional and Primus XP demo kit

Cutaway Cylinders

- 40-073 Everest conventional
- 40-093-XP Everest Primus XP
- 40-072-XP Classic Primus XP

Primus XP Authorization Forms

Number	Description
MS-E110 	Primus XP Restricted Key Order Form This form is a three-part imprintable form used to record and track the issuance of Primus keys.
MS-E120 	Primus XP Face Sheet Form This form must accompany all Level 3, 4 and 9 orders, and provides the factory with a customer-authorized signature which is compared to the signature on file, a Primus XP reference number (for additions to an existing Primus XP system) and shipping instructions for that order.
MS-E130 	Primus XP Signature Card Form This form is used as a permanent record against which the signature of individuals authorized to obtain service and support for their Primus System is validated. This form must accompany all new Level 3, 4 and 9 factory orders.
MS-E160 	Primus XP I.D. Card Control Register This form is used by locksmiths and dealers to account for the issuance of Primus XP I.D. Cards.

Contact Schlage Commercial Customer Service to order these forms, or visit www.schlage.com.

Specifications

Key Control Patents:

Everest cylinders and keys are covered by one or more of the following U.S. utility and design patents:

7,159,424

5,715,717

5,809,816

D370,168

D370,169

D368,845

For international patent coverage information, please contact Schlage Commercial Customer Service.

Materials:

Cylinder plug and shell are brass unless otherwise specified. Bottom pins, finger pins, sidebar and keys are nickel silver. Top pins and master pins are brass.

Standard Conventional Keying:

Everest

Everest products are available to commercial customers. When no other keyway is specified on a commercial customer's order, Schlage supplies Everest keyways in a C123 keyway for stock products and in a C145 keyway for master keyed products. All Everest conventional cylinders have six standard pins and a check pin.

Classic

Classic products are supplied upon request to commercial customers and are the standard keyway for residential customers. C keyway is the default for stock products and E keyway is supplied for master keyed products.

Primus XP

Primus XP products are available to qualifying commercial customers. All Primus XP cylinders have six standard pins and five finger pins.

Keys

Classic cylinders are supplied with two 5-pin keys unless otherwise specified. All Everest and Primus XP pinned cylinders are supplied with two 6-pin keys, except certain stocking levels of Primus XP which are supplied less key blanks (LKB) for security reasons.

Keying Options

Interchangeable core cylinders. Master keying, grand master keying and construction keying. Construction master keying is not available for Primus XP cylinders; however, construction cores can be furnished if the job is interchangeable core.

Warranty

Three-year limited for keys and cylinders.

Software

All Schlage cylinders and keys can be used in conjunction with SITEMASTER 200® key control management software for highly effective key control.

Certifications

UL / cUL:

20-500 Series Primus cylinders are UL437 Listed Locking Cylinders.



Ingersoll Rand's Security Technologies Sector is a leading global provider of products and services that make environments safe, secure and productive. The sector's market-leading products include electronic and biometric access-control systems; time-and-attendance and personnel scheduling systems; mechanical locks; portable security; door closers, exit devices, architectural hardware, and steel doors and frames; and other technologies and services for global security markets.

800-847-1864

www.schlage.com www.ingersollrand.com