

shop·vac®

BRAND



INDUSTRIAL

COMMERCIAL

SPECIALTY



8500110



8500210



6101210



6101610



6105010

Industrial Heavy-Duty . . . pages 10 and 11



9700210



9700410



9700510



9700610

Commercial / Professional . . . page 14



Dry only with
power nozzle

9252510



9255010

Specialty Vacs . . . pages 16, 17 and 18



2850010



8520410



9991910



7500110

Industrial Super Quiet . . . pages 3, 4 and 5



9252810



9252910



9252310



9252410



9256310

Industrial Multi Purpose . . . pages 8 and 9

9622110



9623810



9623910



9624610



9624710



9624910

Industrial Super Heavy-Duty . . . page 12 and 13

9840210



9840310



9840410

Commercial / Professional . . . page 15

9501110



9502210



9911510

Shop-Sweep® Series . . . page 19 and 20

3050010



4050010

Industrial Ultra Pump Vacuums . . . page 21

9609710



9609810



9609910

CSA approved product
available through:
Shop•Vac Canada, LTD
1770 Appleby Line
Burlington, Ontario. L7L5P8
(905) 335-9730



Industrial Economy

Industrial power on a lightweight budget.

SERIES

8500110 4.5 HP Peak 6 gallon epoxy-coated steel tank

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories
62"	180 cfm	18'	120 V 60 Hz 9.0 Amps	1-1/4" diameter: 7' x 1-1/4" hose, (2) extension wands, 12" floor nozzle w/brush & squeegee inserts, crevice tool, round brush & gulper nozzle 2-1/2" diameter: 6' x 2-1/2" hose, (2) extension wands, 8" utility nozzle
Capacity	Ship Wt.	Pkg. Dims.		
5 gal. dry 4 gal. wet	20 lbs.	W: 17" D: 17" H: 23"		



Filters

Foam and cartridge



8500210 4.5 HP Peak 10 gallon epoxy-coated steel tank

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories
62"	180 cfm	18'	120 V 60 Hz 9.0 Amps	1-1/4" diameter: 7' x 1-1/4" hose, (2) extension wands, 12" floor nozzle w/brush & squeegee inserts, crevice tool, round brush & gulper nozzle 2-1/2" diameter: 6' x 2-1/2" hose, (2) extension wands, 8" utility nozzle
Capacity	Ship Wt.	Pkg. Dims.		
9 gal. dry 8 gal. wet	27 lbs.	W: 15-7/8" D: 15-7/8" H: 26"		



Filters

Foam and cartridge



**TOUGH EPOXY
COATED
STEEL**



8500110

- high-performance industrial 4.5 peak HP motor
- rust-resistant epoxy phenolic-coated steel tanks
- tank sizes to fit any job
- heavy-duty plastic tools in both 1-1/4" and 2-1/2" sizes



8500210

Industrial Super Quiet

The muscle to handle the worst job site mess.

SERIES

9252810 6.5 HP Peak 8 gallon lightweight poly tank w/drain

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories	Filters
66"	185 cfm	18'	120 V 60 Hz 9.7 Amps	1-1/4" diameter: 8' LOCK ON hose w/hand grip & airflow control, (2) metal extension wands, 10" combination wet/dry nozzle w/squeegee insert, dual surface selector nozzle, crevice tool, round brush & gulper nozzle, tool basket	Cartridge and high-quality collection filter bag
Capacity	Ship Wt.	Pkg. Dims.			
7 gal. dry 6 gal. wet	25 lbs.	W: 16-1/8" D: 16-1/8" H: 28"			

9252910 6.5 HP Peak 10 gallon lightweight poly tank w/drain

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories	Filters
66"	185 cfm	18'	120 V 60 Hz 9.7 Amps	1-1/4" diameter: 8' LOCK ON hose w/hand grip & airflow control, (2) metal extension wands, 10" combination wet/dry nozzle w/squeegee insert, dual surface selector nozzle, crevice tool, round brush & gulper nozzle, tool basket	Cartridge and high-quality collection filter bag
Capacity	Ship Wt.	Pkg. Dims.			
9 gal. dry 8 gal. wet	24 lbs.	W: 16-1/8" D: 16-1/8" H: 28"			

Quiet
OPERATION

6.5
HP

18'



LOCK ON
Positive
Connection
Hose System

TANK DRAIN



9252810



9252910


INDUSTRIAL

Industrial Super Quiet

The muscle to handle the worst job site mess. **SERIES**


9252310 6.5 HP Peak 10 gallon stainless steel tank

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories
66"	185 cfm	18'	120 V 60 Hz 9.7 Amps	1-1/4" diameter, 8' LOCK ON hose w/hand grip & airflow control, (2) metal extension wands w/positive-lock, 10" combination wet/dry nozzle w/squeegee insert, crevice tool, round brush, gulper nozzle, dual surface selector nozzle, tool basket
Capacity	Ship Wt.	Pkg. Dims.		
9 gal. dry 8 gal. wet	32 lbs.	W: 16-3/4" D: 16-3/4" H: 32"		



9252410 6.5 HP Peak 6 gallon stainless steel tank

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories
66"	185 cfm	18'	120 V 60 Hz 9.7 Amps	1-1/4" diameter, 8' LOCK ON hose w/hand grip & airflow control, (2) metal extension wands w/positive-lock, 10" combination wet/dry nozzle w/squeegee insert, crevice tool, round brush, gulper nozzle, dual surface selector nozzle, tool basket
Capacity	Ship Wt.	Pkg. Dims.		
3.75 gal. dry 5 gal. wet	28 lbs.	W: 14" D: 14" H: 24-1/2"		



9252310



LOCK ON
Positive
Connection
Hose System



9252410

Industrial Super Quiet

The muscle to handle the worst job site mess.

SERIES

9256310 6.0 HP Peak 12 gallon lightweight poly tank w/drain

Sealed Pressure 60"	Airflow 175 cfm	Cord Length 18'	Electrical Rating 120 V 60 Hz 10.0 Amps 12 Total Tool Load	Accessories 1-1/4" diameter, 12' LOCK-ON hose, (2) extension wands, 10" combination wet/dry nozzle w/squeegee insert, crevice tool, round brush, gulper nozzle, dual surface selector nozzle, tool adapter, tool basket	Filters Cartridge and high-quality collection filter bag
Capacity 11 gal. dry 10 gal. wet	Ship Wt. 26 lbs.	Pkg. Dims. W: 16-1/8" D: 16-1/8" H: 28"			

INDUSTRIAL



Quiet
OPERATION



9256310
OnDemandVac™



Attaches to power tool

Power tool not included.

Contractor Duty

SERIES
6101210 Two-Stage 2.0 HP Peak 12 gal. lightweight poly tank w/drain

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories
80"	100 cfm	18'	120 V 60 Hz 8.5 Amps	1-1/2" diameter: 12' LOCK-ON ™ hose, (2) metal extension wands, 14" aluminum nozzle w/ brush & squeegee insert
Capacity	Ship Wt.	Pkg. Dims.		
11 gal. dry 10 gal. wet	24 lbs.	W: 16-1/8" D: 16-1/8" H: 28"		


Filters

Foam and cartridge


6101610 Two-Stage 2.0 HP Peak 16 gal. lightweight poly tank w/drain

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories
80"	100 cfm	18'	120 V 60 Hz 8.5 Amps	1-1/2" diameter: 12' LOCK-ON ™ hose, (2) metal extension wands, 14" aluminum nozzle w/ brush & squeegee insert
Capacity	Ship Wt.	Pkg. Dims.		
15 gal. dry 13.25 gal. wet	27 lbs.	W: 18-1/4" D: 18-1/4" H: 28-1/8"		


Filters

Foam and cartridge


6101210

- Tank Drain
- Heavy-duty Casters


LOCK-ON™
Positive
Connection
Hose System

6101610

- Tank Drain
- Heavy-duty Casters



6105010 Two-Stage 2.0 HP Peak 10 gal. stainless steel tank

Sealed Pressure 80"	Airflow 100 cfm	Cord Length 18'	Accessories	Filters
Capacity 9 gal. dry 8 gal. wet	Ship Wt. 31 lbs.	Pkg. Dims. W: 15-7/8" D: 15-7/8" H: 26"	1-1/2" diameter, 12' LOCK-ON hose, (2) metal extension wands, 14" aluminum nozzle w/ brush & squeegee insert	Foam and cartridge
Electrical Rating 120 V 60 Hz 8.5 Amps				

CONTRACTOR VACS

Built to Handle the Worst Jobsite Mess



LOCK-ON
Positive
Connection
Hose System

■ **Tough**

■ **Powerful 2-Stage Motors**

■ **Tank Drains***

■ **Heavy-Duty Mobility**

■ **Durable Metal Tools**

6105010

■ **3-Wheel Dolly**

* 610-12 and 610-16 models only

Industrial Multi Purpose

Wet / Dry Vacs that get the job done.

SERIES

9622110 Two-Stage 2.5 HP Peak 12 gal. lightweight poly tank w/drain

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories	Filters
90"	100 cfm	35'	120 V 60 Hz 9.5 Amps	1-1/2" diameter: 12' LOCK ON ™ crush-resistant hose, (2) interlocking metal extension wands, 14" deluxe master nozzle w/ rug, brush & squeegee inserts, crevice tool, round brush & 6" utility nozzle, tool basket	Foam, high-quality dual ply collector bag, Ultra Web® cartridge filter
Capacity	Ship Wt.	Pkg. Dims.			
11 gal. dry 10 gal. wet	34 lbs.	W: 17-1/4" D: 17-1/4" H: 29 1/2"			

9623810 Two-Stage 2.5 HP Peak 12 gal. lightweight poly tank w/drain

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories	Filters
90"	100 cfm	35'	120 V 60 Hz 9.5 Amps	1-1/4" diameter: 7' LOCK ON ™ hose, (2) extension wands, 12" floor nozzle w/brush & squeegee inserts, crevice tool, round brush, gulper nozzle, tool basket 2-1/2" diameter: 6' LOCK ON ™ hose, (2) extension wands, 8" utility nozzle	Foam, high-quality dual ply collector bag, Ultra Web® cartridge filter
Capacity	Ship Wt.	Pkg. Dims.			
11 gal. dry 10 gal. wet	28 lbs.	W: 17-1/4" D: 17-1/4" H: 29"			

9623910 Two-Stage 2.5 HP Peak 16 gal. lightweight poly tank w/drain

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories	Filters
90"	100 cfm	35'	120 V 60 Hz 9.5 Amps	1-1/4" diameter: 7' LOCK ON ™ hose, (2) extension wands, 12" floor nozzle w/brush & squeegee inserts, crevice tool, round brush, gulper nozzle, tool basket 2-1/2" diameter: 6' LOCK ON ™ hose, (2) extension wands, 8" utility nozzle	Foam, high-quality dual ply collector bag, Ultra Web® cartridge filter
Capacity	Ship Wt.	Pkg. Dims.			
15 gal. dry 13.25 gal. wet	31 lbs.	W: 19-5/8" D: 19-5/8" H: 29-3/4"			

LOCK ON™
Positive
Connection
Hose System



9622110

9623810

9623910

LOCK-ON™
Positive
Connection
Hose System



35' Power Cords!
These extra-long
power cords let
you get where the
dirt is.



Easy Mobility.
Extra-large
wheels make it
easy to get these
wet/dry vacs
where they need
to go.

9624610 Two-Stage 2.5 Peak HP 10 gal. epoxy-coated steel tank

Sealed Pressure 90"	Airflow 100 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 9.5 Amps	Accessories 1-1/2" diameter: 12' LOCK-ON crush-resistant hose, (2) interlocking metal extension wands, 14" deluxe master nozzle w/ rug, brush & squeegee inserts, crevice tool, round brush & 6" utility nozzle, tool basket		Filters Foam, high-quality dual ply collector bag, Ultra Web® cartridge filter 
Capacity 9 gal. dry 8 gal. wet	Ship Wt. 44 lbs.	Pkg. Dims. W: 17-1/4" D: 17-1/4" H: 32-1/2"				

9624710 Two-Stage 2.5 Peak HP 10 gal. epoxy-coated steel tank

Sealed Pressure 90"	Airflow 100 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 9.5 Amps	Accessories 1-1/2" diameter: 12' LOCK-ON crush-resistant hose, (2) interlocking metal extension wands, 14" deluxe master nozzle w/ rug, brush & squeegee inserts, crevice tool, round brush & 6" utility nozzle, tool basket		Filters Foam, high-quality dual ply collector bag, Ultra Web® cartridge filter 
Capacity 9 gal. dry 8 gal. wet	Ship Wt. 44 lbs.	Pkg. Dims. W: 17-1/4" D: 17-1/4" H: 32-1/2"				

9624910 Two-Stage 2.5 Peak HP 20 gal. stainless steel tank

Sealed Pressure 90"	Airflow 100 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 9.5 Amps	Accessories 1-1/2" diameter: 12' LOCK-ON crush-resistant hose, (2) interlocking metal extension wands, 14" deluxe master nozzle w/ rug, brush & squeegee inserts, crevice tool, round brush & 6" utility nozzle, tool basket		Filters Foam, high-quality dual ply collector bag, Ultra Web® cartridge filter 
Capacity 19 gal. dry 18.25 gal. wet	Ship Wt. 55 lbs.	Pkg. Dims. W: 18-3/4" D: 18-3/4" H: 38"				



9624610



9624710



9624910

Industrial Heavy-Duty

Two-stage wet / dry vacs built to clean up heavy-duty messes. **SERIES**

9700210 Two-stage 3.0 HP Peak 10 gallon stainless steel tank

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories
105"	109 cfm	35'	120 V 60 Hz 11.0 Amps	1-1/2" diameter: 12' LOCK-ON crush-resistant hose, (2) interlocking metal extension wands, 14" deluxe master nozzle w/rug, brush & squeegee inserts, crevice tool, round brush, 6" utility nozzle and tool basket
Capacity	Ship Wt.	Pkg. Dims.		
9 gal. dry 8 gal. wet	51 lbs.	W: 17-1/4" D: 17-1/4" H: 34"		



Filters

Foam, high-quality dual ply collector bag, Cleanstream® abrasive resistant cartridge filter, full polyester filter



9700410 Two-stage 3.0 HP Peak 20 gallon stainless steel tank

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories
105"	109 cfm	35'	120 V 60 Hz 11.0 Amps	1-1/2" diameter: 12' LOCK-ON hose, (2) interlocking metal extension wands, 14" deluxe master nozzle w/rug, brush & squeegee shoes, crevice tool, round brush, 6" nozzle, tool basket
Capacity	Ship Wt.	Pkg. Dims.		
17.25 gal. dry 18.25 gal. wet	62 lbs.	W: 18-3/4" D: 18-3/4" H: 40"		



Filters

Foam, high-quality dual ply collector bag, Cleanstream® abrasive resistant cartridge filter, full polyester filter



9700210




LOCK-ON
Positive
Connection
Hose System




9700410

**TOUGH
METAL
TOOLS**



INDUSTRIAL

9700510 Two-stage 3.0 HP Peak 55 gallon drum


Sealed Pressure 105"	Airflow 109 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 11.0 Amps	Accessories 1-1/2" diameter, 12' crush-resistant hose w/right angle connector, 6" metal nozzle, steel band dolly		Filters Ultra Web® cartridge filter
Capacity 55 gal. dry 49.25 gal. wet	Ship Wt. 84 lbs.	Pkg. Dims. W: 25-7/8" D: 25-7/8" H: 55"				

9700610 Two-stage 3.0 HP Peak 55 gallon head assembly

Sealed Pressure 105"	Airflow 109 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 11.0 Amps	Accessories 1-1/2" diameter, 12' crush-resistant hose w/right angle connector, 6" metal nozzle		Filters Ultra Web® cartridge filter
	Ship Wt. 26 lbs.	Pkg. Dims. W: 25-1/4" D: 25-1/4" H: 18-1/2"				



9700510



9700610

Industrial Super Heavy-Duty

Two-stage wet / dry vacs built to clean up heavy-duty messes. **SERIES**

9840210 Two-stage 4.0 HP Peak 15 gallon stainless steel tank

Sealed Pressure 107"	Airflow 112 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 11.5 Amps	Accessories 1-1/2" diameter: 12' LOCK ON [™] hose, (2) interlocking metal extension wands, 14" metal master nozzle w/rug, brush & squeegee shoes, tool basket	Filters Foam, high-quality dual ply collector bag, Cleanstream [®] abrasive resistant cartridge filter, full polyester filter
Capacity 12.25 gal. dry 13.25 gal. wet	Ship Wt. 69 lbs.	Pkg. Dims. W: 25-1/4" D: 18-3/4" H: 34-1/4"			



LOCK ON[™]
Positive
Connection
Hose System



Easy Mobility.

Extra-large wheels make it easy to get these wet/dry vacs where they need to go.

9840210

9840310 Two-stage 4.0 HP Peak 55 gallon drum

Sealed Pressure 107"	Airflow 112 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 11.5 Amps	Accessories <u>1-1/2" diameter:</u> 12' crush-resistant hose w/right angle connector, 6" metal nozzle		Filters CleanStream® Abrasive Resistant Cartridge Filter 
Capacity 55 gal. dry 49.25 gal. wet	Ship Wt. 86 lbs.	Pkg. Dims. W: 24-3/4" D: 24-3/4" H: 54"				

9840410 Two-stage 4.0 HP Peak 55 gallon head assembly

Sealed Pressure 107"	Airflow 112 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 11.5 Amps	Accessories <u>1-1/2" diameter:</u> 12' crush-resistant hose w/right angle connector, 6" metal nozzle		Filters CleanStream® Abrasive Resistant Cartridge Filter 
	Ship Wt. 33 lbs.	Pkg. Dims. W: 24-1/4" D: 24-1/4" H: 17-1/2"				



9840310




9840410

Commercial / Professional

Two-stage wet / dry vacs built to clean up heavy-duty messes. **SERIES**


9252510 Two-Stage 2.0 HP Peak 6 gallon lightweight poly tank

Sealed Pressure 80"	Airflow 100 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 7.4 Amps (9.4 total w/power nozzle)	Accessories 1-1/4" diameter: 6' hose w/air control, (2) metal extension wands, dual surface selector nozzle, crevice tool, round brush, gulper nozzle, power nozzle, power cord, clamps
Capacity 3.75 gal. dry	Ship Wt. 24 lbs.	Pkg. Dims. W: 15-1/4" D: 15-1/4" H: 21-1/8"		



9255010 Two-Stage 2.0 HP Peak 6 gallon lightweight poly tank

Sealed Pressure 80"	Airflow 100 cfm	Cord Length 35'	Electrical Rating 120 V 60 Hz 7.4 Amps	Accessories 1-1/4" diameter: 10' crush-resistant hose w/hand grip & airflow control, (2) interlocking metal extension wands, 10" combination wet/dry nozzle w/squeegee insert, dual surface selector nozzle, crevice tool, round brush, gulper nozzle
Capacity 3.75 gal. dry 4 gal. wet	Ship Wt. 23 lbs.	Pkg. Dims. W: 14-5/8" D: 14-5/8" H: 21-1/8"		



Quiet
OPERATION



Power Nozzle.
When the dirt won't let go, get tough with a rotating brush Power Nozzle.***



9252510

Dry pick-up only



9255010



Commercial / Professional

Two-stage wet/dry vacs built to clean up heavy-duty messes.

SERIES

9501110 Two-Stage 4.0 HP Peak 10 gallon stainless steel tank

Sealed Pressure 107"	Airflow 112 cfm	Cord Length 35'
Capacity 9 gal. dry 8 gal. wet	Ship Wt. 57 lbs.	Pkg. Dims. W: 16-7/8" D: 16-7/8" H: 33-1/2"

Electrical Rating
120 V
60 Hz
11.5 Amps

Accessories
1-1/2" diameter: 10' **LOCK-ON** crush-resistant hose w/positive lock swivel end, (2) interlocking metal extension wands, 14" metal master nozzle w/rug brush & squeegee inserts, metal crevice tool, round brush, 6" utility nozzle and tool storage



Filters
Foam, high-quality dual ply collector bag, Cleanstream® abrasive resistant cartridge filter, full polyester filter



9502210 Two-Stage 4.0 HP Peak 14 gal. lightweight poly tank w/drain

Sealed Pressure 107"	Airflow 112 cfm	Cord Length 35'
Capacity 13.5 gal. dry 13.25 gal. wet	Ship Wt. 58 lbs.	Pkg. Dims. W: 18-3/4" D: 18-3/4" H: 32"

Electrical Rating
120 V
60 Hz
11.5 Amps

Accessories
1-1/2" diameter: 10' **LOCK-ON** crush-resistant hose w/positive lock swivel end, (2) interlocking metal extension wands, 14" metal master nozzle w/rug brush & squeegee inserts, metal crevice tool, round brush, 6" utility nozzle and tool basket



Filters
Foam, high-quality dual ply collector bag, Cleanstream® abrasive resistant cartridge filter, full polyester filter



9911510 Two-Stage 4.0 HP Peak 15 gallon stainless steel tank

Sealed Pressure 107"	Airflow 112 cfm	Cord Length 35'
Capacity 12.25 gal. dry 13.25 gal. wet	Ship Wt. 75 lbs.	Pkg. Dims. W: 26-3/8" D: 19-1/4" H: 37-1/8"

Electrical Rating
120 V
60 Hz
10.0 Amps

Accessories
1-1/2" diameter: 10' crush-resistant hose w/positive lock swivel end, (2) interlocking metal extension wands, 14" metal master nozzle w/rug brush & squeegee shoes, metal crevice tool, round brush and 6" utility nozzle, tool storage



Filters
Foam, high-quality dual ply collector bag, Cleanstream® abrasive resistant cartridge filter, full polyester filter



9501110



9502210



9911510

- Our best, most durable vac
- Built especially for professionals
- 4.0 peak HP two-stage motor
- Large wheels for easy mobility
- 35' power cord
- Convenient side handles
- Stainless steel construction
- Metal locking clips for easy filter changing
- Large 15 gallon capacity
- Swiveling double front casters

COMMERCIAL

Back Pack Vac

2850010 Long-Life 2.0 Peak HP Commercial Quality Back Pack Vacuum

Electrical Rating	Motor	Current	Carton Size	Capacity	Ship Wt.	CFM	Sealed Pressure	Filters
120 V 60 Hz 7.5 Amps	2.0 Peak HP Two-stage	AC	W: 25 1/2" D: 13 1/4" H: 12 3/8"	7 qts. dry	21 lbs.	95	84" (Dry Pick-up Only)	Super-performance cloth and disposable fine dust collection bag

The Shop-Vac® name assures you of a vacuum that is as powerful as it is reliable. Now, Shop-Vac® gives you that power plus the advantage of mobility and reach with the new Shop-Vac® Back Pack Vac. A commercial-quality back pack vacuum, the Back Pack Vac features a long-life 2.0 peak HP two-stage motor and a comfortable, adjustable back pack harness system.

The lightweight Back Pack Vac is designed to tackle large areas with minimum effort and also enables its user to clean the toughest hard-to-reach spots. A convenient tool belt, a top carrying handle, and ergonomic aluminum wands ensure easy use, and a compact size allows the Back Pack Vac to be stored in small spaces.

The Shop-Vac® Back Pack Vac. Pack the power.

- Top carrying handle.
- Secure lid latches.
- Adjustable back pack harness system.
- Full-circumference washable filter bag.
- Easy-reach on/off switch with Velcro® hip attachment.
- Washable foam filter inserts.
- Easy-to-use two-stage filtration system with disposable fine dust collection bag.
- Convenient tool storage on belt.
- Long-life 2.0 peak HP two-stage motor.
- 50' power cord included.

**HEPA Filtration available
for this unit... see page 26**



**Powerful
vacuum with
back pack
harness
system.**

2850010

- Easy-reach on/off switch with Velcro® hip attachment



* The Shop-Vac® Back Pack Vac® is designed to clean non-corrosive, non-flammable, non-toxic, non-hazardous dry materials only.

Specialty Vacs

SERIES

9991910 1.5 HP Peak Hippo® Portable Hand-held Vac

Sealed Pressure 46"	Airflow 103 cfm	Cord Length 18'
Capacity 1 qt. dry	Ship Wt. 10 lbs.	Pkg. Dims. W: 20-7/8" D: 10-3/4" H: 11"

Electrical Rating
120 V
60 Hz
6.75 Amps

Accessories
1-1/4" diameter: 6' hose, (1) extension wand, 6" master nozzle, crevice tool, round brush, conversion unit, 2-1/2" hose coupling, shoulder strap



Filters
Disposable collection bag, secondary filter

8520410 Two-Stage 2.0 HP Hang-Up® Vac

Sealed Pressure 84"	Airflow 95 cfm	Cord Length 18'
Capacity 3 gal. dry	Ship Wt. 20 lbs.	Pkg. Dims. W: 12-1/4" D: 11-1/8" H: 31-3/4"

Electrical Rating
120 V
60 Hz
7.5 Amps

Accessories
1-1/4" diameter: 18' hose, (2) extension wands, 6" master nozzle w/brush shoe, crevice tool, round brush, wall mounting bracket



Filters
Hang-up cartridge

The Hippo® Portable Hand-held Vac combines dependable power with lightweight portability. Perfect for car interiors, stairs, shelves, storage bins, mini blinds, computer equipment and printers, and HVAC applications. Dual filter system keeps the exhaust air clean. The Hippo® Vac can also be converted to a blower. Includes these features:

- A variety of cleaning attachments to clean all those narrow, hard-to-reach areas
- Disposable filter bag
- Adjustable shoulder strap



9991910

Dry
pick-up
only



Portable Power



The Hang-Up® Vac comes with a wall mounting bracket to install vac behind machinery or above a workbench for easy on-the-job maintenance. Two-stage motor for pulling in the heaviest dirt and debris. Ideal for garage, factory, computer room, workbench, or wherever space is at a minimum. Includes these features:

- 18' hose for wide area cleaning
- Efficient cartridge type filter



8520410

Dry
pick-up
only



Hangs up almost anywhere

7500110 1.25 HP Peak Tool Mate® 25 gal. poly tank w/universal motor

Sealed Pressure	Airflow	Cord Length	Electrical Rating	Accessories	Dims.	Ship Wt.	Pkg. Dims.	Filters	Capacity
N/A	300 cfm	18'	120 V 60 Hz 6.0 Amps	Includes: 12' x 4" hose w/clamps, permanent filter bag, 4-wheel heavy-duty caster system	W: 22" D: 22" H: 39"	31 lbs.	W: 22-1/2" D: 22-1/2" H: 39"	Permanent filter bag	25 gal. dry



7500110

The ToolMate® Shop Cleaner provides an efficient and effective means to collect wood shavings and chips directly from your wood working equipment. Sawdust and shavings are collected in the large capacity tank. Lighter airborne particles pass through the blower and are captured by the permanent filter bag. The ToolMate® includes many special features:

- 1.25 peak HP universal motor
- Two-stage filter system (including a permanent filter bag)
- Two-part static ground system (motor ground & tank ground)
- 12' x 4" flexible hose with clamps

- Dry pick-up only
- 2-stage filter system
- High airflow motor



Specially designed for shop dust collection

Dry pick-up only

Shop-Sweep SERIES

3050010 Industrial Push Sweep

Sweeping Width	Main Broom	Side Broom	Hopper	Frame	Lightweight, easy-to-maneuver push sweeper will improve maintenance productivity with cleaner more efficient results. Cleans dirt, dust and litter from any hard surface including cement, tile, wood and asphalt. 12" diameter side broom sweeps debris away from walls, curbs and obstacles into path of the main broom. The reverse rotation of the 8" diameter x 19" wide main broom sweeps the debris into the large 1.4 cubic foot easy-to-empty hopper. Cleans a 27" wide path. Rubber seals provide dust free operation. Additional features include: two 10" main wheels and a 3" heavy-duty caster, 7/8" diameter steel handle, "adjustable" main and side brooms. Dent and rust resistant, structural foam frame and poly hopper.
27" w/side brooms	8" dia. 19" long	12" dia.	8 gal.	Foamed high-density polyethylene	
Dims.	Pkg. Dims.	ShipWt.	Wt.		
W: 35-3/4" D: 31-1/4" H: 48"	W: 28-1/2" D: 27-1/2" H: 12-1/4"	50 lbs.	42 lbs.		

- **Quick**
- **Efficient**
- **Clean**
- **Labor
Cost Saving**




Shop-Sweep SERIES

4050010 1.25 HP Peak Industrial Indoor/Outdoor Vac **Capacity: 8 gal. dry**

Airflow	Electrical Rating	Sweeping Width	Capacity	Dims.	Ship Wt.	Pkg. Dims.	
300 cfm	120 Hz 6.0 Amps	19" Intake Size 1-1/2"	8 gal. dry	W: 19-1/2" D: 39-1/2" H: 36"	19 lbs.	W: 22" D: 16-1/4" H: 17"	Designed for quick and easy cleaning of small to medium areas indoors or out. Heavy-duty nylon impeller mulches as it cleans. Features include: powerful 1.25 HP (peak) high air flow motor with durable nylon impeller, 19" wide nozzle with 1-1/2" intake. Two height settings. Large 8 gallon easy-to-empty filter/collection bag. Safety switch. Built-in kick stand. Double insulated. One year warranty.



- **Warehouses**
- **Malls**
- **Dock Areas**
- **Store Fronts**
- **Factories / Machine Shops**
- **Parking Areas / Sidewalks**
- **Building / Institutional Maintenance**



Industrial Ultra Pump Vacuums

Built to vacuum and pump water.

9609710 6.5 HP Peak 18 gallon lightweight poly tank with drain

Sealed Pressure 60"	Airflow 200 cfm	Cord Length 18'	Electrical Rating 120 V 60 Hz 12.0 Amps	Accessories 1-1/4" diameter: 8' LOCK-ON ™ hose, (2) extension wands, combination nozzle w/squeegee insert 2-1/2" diameter: 6' LOCK-ON ™ hose, (2) extension wands, 14" floor nozzle w/squeegee insert, 8" utility nozzle, crevice tool, hose holder, elbow grip
Capacity 16.75 gal. dry 12.5 gal. wet	Ship Wt. 35 lbs.	Pkg. Dims. W: 19-5/8" D: 19-5/8" H: 29-3/4"		



Filters
Foam, high-quality dual ply collector filter bag, cartridge filter



9609810 6.5 HP Peak 22 gallon lightweight poly tank with drain

Sealed Pressure 60"	Airflow 200 cfm	Cord Length 18'	Electrical Rating 120 V 60 Hz 12.0 Amps	Accessories 1-1/4" diameter: 8' LOCK-ON ™ hose, (2) extension wands, combination nozzle w/squeegee insert 2-1/2" diameter: 6' LOCK-ON ™ hose, (2) extension wands, 14" floor nozzle w/squeegee insert, 8" utility nozzle, crevice tool, hose holder, elbow grip
Capacity 20.75 gal. dry 16.5 gal. wet	Ship Wt. 36 lbs.	Pkg. Dims. W: 19-5/8" D: 19-5/8" H: 29-3/4"		



Filters
Foam, high-quality dual ply collector filter bag, cartridge filter



9609910 6.5 HP Peak 14 gallon stainless steel tank with drain

Sealed Pressure 60"	Airflow 200 cfm	Cord Length 18'	Electrical Rating 120 V 60 Hz 12.0 Amps	Accessories 1-1/4" diameter: 8' LOCK-ON ™ hose, (2) extension wands, combination nozzle w/squeegee insert 2-1/2" diameter: 6' LOCK-ON ™ hose, (2) extension wands, 14" floor nozzle w/squeegee insert, 8" utility nozzle, crevice tool, hose holder, elbow grip
Capacity 9.4 gal. dry 6.3 gal. wet	Ship Wt. 38 lbs.	Pkg. Dims. W: 19-1/2" D: 19-1/2" H: 32-1/2"		



Filters
Foam, high-quality dual ply collector filter bag, cartridge filter



9609710



9609810



9609910



Attach garden hose. (not included)



Pick up water.



Pump water out of tank.

Accessories

for any cleaning job.

2-1/2" Polypropylene Accessories and Hoses



90675
8" Utility Nozzle
For bulk dry pick-up



90677
14" Floor Nozzle w/Brush
For wide area bulk dry pick-up. Also can be used with 14" squeegee insert



90629
14" Squeegee Insert
For wet pick-up on floors and all smooth surfaces, fits newly designed 14" floor nozzle



90674
Utility/Blower Nozzle
Concentrates air flow for extra cleaning power



90678
Crevice Tool
For cleaning those hard to reach places



90679
Right Angle Brush
Use on venetian blinds and all irregular surfaces



90680
Flange Ferrule
For 55 gal. drum vacs



90684
40" Extension Wands (2 pc.)
Provides longer reach for easier cleaning



80182
Deluxe 2-1/2" Bulk Dry Pick-Up Kit
6' Hose, Extension Wands, 8" Utility Nozzle, 14" Floor Nozzle, Crevice Tool



90503
2-1/2" x 8' Hose
Black



90134
2-1/2" x 10' Hose
Black

1-1/2" Polypropylene Accessories and Hoses



90644
Round Brush
For smooth and irregular surfaces



90645
Crevice Tool
For narrow hard to reach areas, radiators, car interiors



91901
1-1/2" Utility Cleaning Kit
6" Master Nozzle, 6" Brush Shoe, 6" Squeegee Shoe



9190810
1-1/2" x 10' Crush-Resistant Hose
Black



90553
1-1/2" x 7' Crush-Resistant Hose
Black



90566
1-1/2" x 12' Crush-Resistant Hose
Black



90325
1-1/2" x 18' Crush-Resistant Hose
Black



90513
1-1/2" x 25' Crush-Resistant Hose
Black



90625
1-1/2" x 12' Hose
Black



91981
1-1/2" x 12' Premium Crush-Resistant Hose
Black



91982
1-1/2" x 25' Premium Crush-Resistant Hose
Black


1-1/2" Metal Accessories



90535
6" Metal Master Nozzle
For use with interchangeable 6" attachments



90536
6" Brush Shoe
For dry pick-up on smooth surfaces



90537
6" Squeegee Shoe
For quick wet pick-up



90315
14" Metal Master Nozzle
For use with interchangeable 14" attachments



90316
14" Double-Blade Squeegee Shoe
Good for big wet clean up



90539
14" Single Blade Squeegee Shoe
Good for big wet clean up

1-1/2" Metal Accessories (Con't)




90317
14" Rug Shoe
Effective for carpets



90318
14" Brush Shoe
Ideal for dry pick-up on hard surfaces



90174*
6" Gulper Tool
Good for small spaces like car interiors



90176*
15" Crevice Tool
Best for tight space dry pick-up



90178*
27" Crevice Tool
Best for tight space dry pick-up



90538*
Round Metal Dusting Brush
Dusts and cleans irregular surfaces



90403*
Blower Nozzle
Concentrates air flow for extra cleaning power




90404
Overhead Pipe Tool
Attaches to extension wands to easily clean overhead pipes without a ladder



90308
51" Chrome Plated Wands (2 pc.)




90401
48" Chrome Extension Wand
For use with 903-08 only



90402
12' Overhead Extension Wand (2 pc.)
Use for overhead cleaning without a ladder



90335
5' Floor Wand
Lightweight for general floor care



80195
1-1/2" Metal Accessory Kit
2 - Extension Wands, 14" Master Nozzle, Single Blade Squeegee, Rug Shoe, Brush Shoe, Round Brush, Crevice Tool



9190010
1-1/2" Industrial/Commercial Cleaning Kit
2 metal extension wands, round brush, crevice tool, 6" utility nozzle, 14" deluxe floor nozzle w/ rug, brush & squeegee inserts

* Does not fit the extension wands pictured in the 1-1/2" metal accessories section. For use with hoses only.

Accessories for Contractor Vacs (610 series vacs)



90306
1-1/2" Contractor Metal Extension Wands – 49"
For use with Contractor Series Vacs only



90625
1-1/2" x 12' Contractor Hose
For use with Contractor Series Vacs only



90641
14" Contractor Metal Master Nozzle
For use with Contractor Series Vacs only



90624
14" Squeegee Insert
For use with 90641 (14" Contractor Metal Master Nozzle)



90653
14" Contractor Brush Insert
For use with 90641 (14" Contractor Metal Master Nozzle)

Conversion Units



90685
2-1/2" - 1-1/4"
Conversion Unit
To use 2-1/2" hose
with 1-1/4"
accessories



90649
2-1/2" - 1-1/2"
Conversion Unit
To use 1-1/2" hose
with 2-1/2"
accessories



90686
2-1/2" Hose
Coupling
For coupling 2
2-1/2" hoses

Miscellaneous Accessories



9196000
Air Inflator Nozzle



9196100
Claw Utility Nozzle



9197000
Gutter Kit



9198000
Sander Kit



1-1/4" Polypropylene Accessories and Hoses



90698
Turbo Nozzle
An air-powered
turbine turns a rotary
brush to pick-up
tough-to-clean dry
messes on carpet,
stairs, upholstery and
vehicle.



90665
12" Deluxe Nozzle
with Brush and
Squeegee Inserts and
Swivel Elbow



90687
Universal Tool
Adapter
Use to adapt virtually
any power tool to
work with all
Shop•Vac® brand
wet/dry vacs



90600
6" Master Nozzle
Use with Brush and
Squeegee Shoes



90601
6" Squeegee Shoe
For wet pick-up with
6" Master Nozzle




90602
6" Brush Shoe
For hard surface
pick-up with 6"
Master Nozzle



90603
10" Master Nozzle
Use with 10" Brush,
10" Squeegee and
10" Rug Shoes



90604
10" Brush Shoe
Use with 10" Master
Nozzle



90605
10" Squeegee Shoe
Use with 10" Master
Nozzle



90606
10" Rug Shoe
Use with 10" Master
Nozzle



90612
Dual Surface
Selector Nozzle
For use on bare floors
and carpets with the
touch of a button



90614
16" Extension
Wands (3 pc.)
For a longer reach

1-1/4" Polypropylene Accessories and Hoses (Con't)



90548
40" Chrome
Plated Wands
(2 pc.)
For a longer reach



90615
Round Brush
Good for all-purpose
dry pick-up, dirt,
sawdust, furniture,
venetian blinds



90616
Crevice Tool
Gets hard-to-reach
places clean,
radiators, vehicle
interiors



90619
Gulper Nozzle
Fast pick-up tool
ideal for vehicle
interiors and small
clean-ups



90621
10" Combination
Floor Nozzle
For all-purpose
cleaning, wet or dry



90584
10" Squeegee Insert
Ideal for wet pick-up
on hard surfaces, fits
10" Combination
Nozzle



90632
Multipurpose Floor Nozzle
Economical nozzle with
settings for both carpet and
bare floors



90501
1-1/4" x 7'
Crush-Resistant
Hose w/Airflow
Control Black



90506
1-1/4" x 10' Hose
Black



90324
1-1/4" x 18" Hose
Black



90565
1-1/4" x 8' Hose
w/Curved Hose
End and Airflow
Control
Black



90512
1-1/4" x 8' Hose
Black



80179
1-1/4" Heavy-Duty
Floor Carpet Kit
10" Master Nozzle,
Rug Shoe, Brush Shoe



80183
1-1/4" Basic Cleaning Kit
7' Hose, Extension Wands,
10" Combination Nozzle
w/Squeegee Insert



90643
1-1/4" Cleaning Kit
Round Brush, Gulper
Nozzle, Crevice Tool



80189
Micro Cleaning Kit
straight wand, curved
wand, crevice tool,
round brush, oval
brush, 1-1/4" adapter

Special Units



Vac not included.



90579
Vacuum Mount
Floor Squeegee
For 4-wheel
heavy-duty carts



90521
Steel Band Dolly
For 55 gallon tanks

Shop-Vac® has a
full range of accessories
available. Contact
Customer Service at
570-321-3557 or visit
www.shopvac.com.

Industrial Strength Filters

DRY PICK-UP (non-hazardous, non-corrosive, non-flammable materials only)

Fine dusts and powders.

Disposable collector filter bags. Easy to install and use.

High Quality Collector Filter Bags (5-packs)



91905
Fits 5, 6 and 8
gallon vacs

91906
Fits 10 through 14
gallon vacs

91907
Fits 15 through 22
gallon vacs



Larger debris and dry material.

Reusable disc and cloth filters. Economical and washable.




90107
Reusable Disc Filter
(3-pack)



Super Performance
90115
Polyester Filter

Specialty vac filters.

Fits catalog #8520410 only!



90146
Disposable Filter Bags
(5-pack)
For use with the
Hippo® Vac.



90319
Cartridge Filter
For Hang-Up® Vac.
Dry pick-up only.



9195310
HEPA® Cartridge Filter
For Hang-Up® Vac.
Dry pick-up only.

Small debris and dry material.

Full circumference tank filters. Durable, reusable, economical.



**Full
polyester
filters.**

Super Performance
90515
Fits 11-1/4" tank dia.
90516
Fits 14" tank dia.
90517
Fits 16" tank dia.
Reusable. Made from
durable Dacron® polyester.



90304
Cartridge Filter
Fits most
wet/dry vacs for wet
or dry pickup.
(Except Shop•Vac®
1x1® Hang-Up®
Allaround® Vacs)



90334
HEPA® Cartridge Filter
99.97% Efficient down
to 0.3 microns. Fits most
wet/dry vacs.




90340
CleanStream®
Cartridge Filter*



90350
Ultra Web®
Cartridge Filter**



9038010
CleanStream® Abrasive
Resistant
Cartridge Filter*



9039010
Industrial Ultra Web®
Cartridge Filter**

WET PICK-UP

(non-hazardous, non-corrosive, non-flammable materials only)



90585
Foam Sleeve
(Should also be used as
a secondary filter with
all filters except
Cartridge Filter)



90304
Cartridge Filter
Fits most
wet/dry vacs for wet
or dry pickup.
(Except Shop•Vac®
1x1® Hang-Up®
Allaround® Vacs)




90340
CleanStream®
Cartridge Filter*



90350
Ultra Web®
Cartridge Filter**



9038010
CleanStream®
Abrasive Resistant
Cartridge Filter*



9039010
Industrial Ultra Web®
Cartridge Filter**

The Shop-Vac® Filtration System

FILTERS

Best

High Efficiency Collection Filter Bags



- Fine dust and particles
- Easy to install and use
- High efficiency for improved air quality and excellent airflow characteristics reducing the loss of suction power
- Dry pick-up only

HEPA Abrasion Resistant Cartridge Filter



- Non-stick surface
- Wet or dry pick-up
- Easy cleanup
- Efficient, easy to use
- Fine dust and particles

HEPA CleanStream® Cartridge Filter*



with
CLEANSTREAM
FILTRATION
GORE

- Non-stick surface
- Wet or dry pick-up
- Easy cleanup
- Efficient, easy to use
- Fine dust and particles


HEPA Cartridge Filter



- Dry pick-up only
- Fine dust and particles
- Efficient, easy to use

Better

Ultra Web® Cartridge Filter**



- Wet or dry pick-up
- Easy cleanup
- Fine dust and particles

Full Polyester Filter



- Full circumference tank filter
- Dry pick-up only
- Durable, reusable, economical

Super Performance Polyester Filter



- Dry pick-up only
- General purpose
- Reusable cloth filter

Good

Reusable Disc Filter



- Dry pick-up only
- General purpose
- Reusable disc

Cloth Filter



- Dry pick-up only
- General purpose
- Reusable cloth filter

Foam Sleeve



- Wet pick-up only
- Use as a secondary filter with all other Shop-Vac® filters except Cartridge and HEPA Cartridge filters
- Reusable foam

FILTER COMBINATIONS

Cage Filters: Cartridge filters, foam sleeve, reusable disc, cloth filter, super performance polyester

++ PLUS ++ Tank Filters: High efficiency collection filter bags, full polyester filter

THE MOST EFFICIENT FILTRATION FOR YOUR WET/DRY VACUUM IS A COMBINATION OF:

BEST CAGE FILTERS



BEST TANK FILTERS

Shop•Vac® *the company*

Shop-Vac® Corporation is the recognized world leader in wet/dry vacs. While that leadership position was earned first when there were no other manufacturers of wet/dry vacs, we have maintained worldwide respect for more than 30 years by continuing to innovate and advance the technology of wet/dry vacs.



*Felchar Manufacturing
Binghamton, New York
Plant*



Williamsport, Pennsylvania Plant

Shop-Vac® Corporation offers the most complete line of vacuum cleaners available for industrial and commercial applications, plus a wide range of accessories that are specifically designed to meet the heavy-duty cleaning needs of the sanitary maintenance professional.

Our research, engineering and manufacturing standards are second to none. In fact, our continuous product improvement program guides our process. Because of that, the specifications listed in this brochure are subject to change without notice. If you have questions about any of our products, please call our customer service department at 1-570-326-3557.



Canton, Pennsylvania Plant