



CONTENTS

COMPANY STATEMENT 1

DISPOSABLE 2-13

CHEMICAL RESISTANT 14-35

GENERAL PURPOSE 36-56

CUT RESISTANT 58-73

HI-TECH 74-80

ABOUT SHOWA BEST GLOVE 81

WHAT MAKES THE BEST GLOVE 82

ADDITIONAL SERVICES - TERMS & CONDITIONS 83

CROSS REFERENCE CHART 84-85



Showa® Best® Glove is an acknowledged leader in the hand protection industry. With U.S. headquarters in Menlo, Georgia, and manufacturing and sales operations in the United States, Canada, Central and South America, Europe, Africa, Asia and the Pacific Rim, we offer more than 1800 individual glove choices in a variety of styles for use primarily in the industrial, construction, automotive, healthcare, retail and commercial fishing industries.

Our customers enjoy best-in-class technology, a comprehensive hand protection portfolio, extensive channel coverage, and global production facilities — all offered by a team that is committed to the world's highest quality hand protection and customer service.

Recognized internationally for innovative technology and superior quality, we manage our entire production process, from research and development to manufacturing to product management. This strict "start-to-finish" control over production processes provides the foundation for the enhancement of existing products and new product development.

ATLAS®, the world's most popular brand of flat-dipped, latex-palm-coated gloves, and N-DEX®, the industry's first non-latex, non-vinyl disposable glove, are both groundbreaking examples of our R&D innovation.

We also provide customers with the industry's most comprehensive chemical resistant guide, Chemrest. This guide is free online at www.chemrest.com and is powered by one of the world's most comprehensive hand protection websites, ShowaBestGlove.com. As Showa Best Glove, we continue to sell our products and services through our network of authorized distributors.

Active Memberships: International Glove Association; Safety Equipment Distributors Association; International Hand Protection Association; American Industrial Hygiene Association; American Society for Testing and Materials; European Standardization Committee (CEN); National Fire Protection Association.

## **N-DEX®** Original

#### MADE IN AMERICA

#### Lightly Powdered

\*In compliance 21CFR, parts 170-199

TTEM NO. SIZE 7005S Small 7005M Medium 7005L Large 7005XL Extra Large 7005XXL Extra Extra Lar	DESCRIPTION  • Low-modulus formulation  • 100% nitrile  • 4-mil thick  9 9.5" long  • Rolled cuff	COLOR Blue	GRIP Smooth	100 gloves     per dispense     20 dispenser     per case
---	---	---------------	----------------	---

#### Powder-Free

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
7005PFXS	Extra Small	<ul> <li>Low-modulus</li> </ul>	Blue	Smooth	• 100 gloves
7005PFS	Small	formulation			per dispenser
7005PFM	Medium	• 100% nitrile			• 20 dispensers
7005PFL	Large	• 4-mil thick			per case
7005PFXL	Extra Large	• 9.5" long			•
	3	Rolled cuff			

**GLOVE APPLICATIONS** Manufacturing, light-duty maintenance and cleanup, intricate parts handling, laboratory analysis/ technical work, automotive.









#### Powder-Free Class 1 Medical Device

\*In compliance 21CFR, parts 170-199, NFPA 1999 Compliant

ITEM NO. SIZE 6005PFXS Extra Small 6005PFS Small 6005PFM Medium 6005PFL Large 6005PFXL Extra Large	DESCRIPTION  • Low-modulus formulation  • 100% nitrile  • 4-mil thick  • 9.5" long  • Rolled cuff	COLOR Blue	GRIP Smooth	PACKAGING • 100 gloves per dispenser • 20 dispensers per case  EN455 €
--	---	---------------	----------------	--

#### Clean Processed, Powder-Free Class 1 Medical Device

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
B6005PFXS	Extra Small	<ul> <li>Low-modulus</li> </ul>	Blue	Smooth	<ul> <li>100 gloves</li> </ul>
B6005PFS	Small	formulation			per polybag
B6005PFM	Medium	• 100% nitrile			• 20 polybags
B6005PFL	Large	<ul> <li>4-mil thick</li> </ul>			per case
B6005PFXL	Extra Large	• 9.5" long			EN455
	J -	Rolled cuff			CE

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.

# **N-DEX® BWC (Because We Care)**





Powder-Free Class 1 Medical Device

\*In compliance 21CFR, parts 170-199, NFPA 1999 Compliant

ITEM NO.	SIZE
6205PFXS	Extra Small
6205PFS	Small
6205PFM	Medium
6205PFL	Large
6205PFXL	Extra Large

D	ESCRIPTION
•	Low-modulus
	formulation
	100% nitrila

 4-mil thick • 9.5" long

· Rolled cuff



Smooth



• 10 dispensers per case

 $\epsilon$ 

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, chemotherapy administration, clinical laboratory and critical environments.





Over the decade and a half since our first N-DEX disposable glove came off the manufacturing line, our N-DEX glove family has grown to 76 available styles within 16 different varieties. And it continues to grow.


















# **N-DEX® Plus**



#### Lightly Powdered

\*In compliance 21CFR, parts 170-199

ITEM NO. 8005S 8005M 8005L	SIZE Small Medium	DESCRIPTION  • Low-modulus formulation  • 100% nitrile  • 8-mil thick	COLOR Blue	GRIP Smooth	• 50 gloves per dispenser • 20 dispensers per case			
8005XL	Large Extra Large	• 9.5" long • Rolled cuff			Cat III <b>C E</b> 0123	EN388	EN 374-2	EN 374-1

GLOVE APPLICATIONS Laboratory, chemical splash protection, environmental sampling.

#### Powder-Free Class 1 Medical Device

\*In compliance 21CFR, parts 170-199, NFPA 1999 Compliant

ITEM NO. 8005PFS 8005PFM 8005PFL 8005PFXL	SIZE Small Medium Large Extra Large	DESCRIPTION  • Low-modulus formulation  • 100% nitrile  • 8-mil thick  • 9.5" long  • Rolled cuff	COLOR Blue	GRIP Smooth	PACKAGING • 50 gloves per dispenser • 20 dispensers per case
---	---	---	---------------	----------------	--

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.

#### **N-DEX®** Ultimate MADE IN AMERICA Long Cuff, Powder-Free Class 1 Medical Device \*In compliance 21CFR, parts 170-199, NFPA 1999 Compliant PACKAGING **DESCRIPTION** COLOR 9905PFXS Extra Small • Low-modulus formulation Blue • 50 gloves per dispenser Smooth 9905PFS • 100% nitrile Small • 20 dispensers per case 9905PFM Medium • 6-mil thick 9905PFL • 11" long Large CE 9905PFXL Extra Large · Rolled cuff

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.

Clean Processed, Long Cuff, Powder-Free Class 1 Medical Device			*In compliance 21CFR, parts 170-199, NFPA 1999 Compliant		
HEM NO.  B9905PFXS  B9905PFS  B9905PFM  B9905PFL  B9905PFXL	SIZE Extra Small Small Medium Large Extra Large	DESCRIPTION  • Low-modulus formulation  • 100% nitrile  • 6-mil thick  • 11" long  • Rolled cuff	COLOR Blue	GRIP Smooth	PACKAGING • 50 gloves per polybag • 20 polybags per case

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.

Hand Specific, Long Cuff, Powder-Free Class 1 Medical Device			*In compliance 21CFR, parts 170-199, NFPA 1999 Compliant		
9005PFXS 9005PFS 9005PFN 9005PFM 9005PFL 9005PFXL	SIZE Extra Small Small Medium Large Extra Large	DESCRIPTION  • Low-modulus formulation  • 100% nitrile  • 6-mil thick  • 11" long  • Hand specific  • Rolled cuff	COLOR Blue	GRIP Smooth	PACKAGING  • 50 pair per dispenser  • 6 dispensers per case  EN455  C€

# **Clean-DEX® Ultimate**

#### Clean Processed, Long Cuff, Powder-Free

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
C9905PFXS	Extra Small	<ul> <li>Low-modulus formulation</li> </ul>	Off-White	Textured	• 100 gloves per polybag
C9905PFS	Small	• 100% nitrile		fingertips	• 10 polybags per case
C9905PFM	Medium	6-mil thick			. ,
C9905PFL	Large	• 12" long			
C9905PFXL	Extra Large	Clean Room Device			CE
		Rolled cuff			Cat I

GLOVE APPLICATIONS Manufacturing, intricate parts handling, laboratory analysis/technical work, automotive, electronics, clean and critical environments and pharmaceutical.

#### **N-DEX Free®** MADE IN AMERICA Textured Fingertips, Powder-Free Class 1 Medical Device \*In compliance 21CFR, parts 170-199, NFPA 1999 Compliant **DESCRIPTION** COLOR **PACKAGING** 7705PFTXS Extra Small • Low-modulus formulation Hi-Vis **Textured** • 100 gloves per dispenser • Patented 100% accelerator-free 7705PFTS Small Green fingertips • 20 dispensers per case 7705PFTM Medium nitrile formulation 7705PFTL Large • 4-mil thick 7705PFTXL • 9.5" long Extra Large CE · Rolled cuff US 6706816

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.

N-DEX	Free® Ultima	ate at the second se			(N	IADE IN AMERICA
Long Cuf	f, Powder-Free C	Class 1 Medical Device		*In c	compliance 21CFR, parts 170	0-199, NFPA 1999 Compliant
9500PFXS 9500PFS 9500PFN 9500PFM 9500PFL 9500PFXL	SIZE Extra Small Small Medium Large Extra Large	DESCRIPTION  • Low-modulus formulation  • Patented 100% accelerator-free nitrile formulation  • 5-mil thick  • 11" long  • Rolled cuff	COLOR Hi-Vis Green	GRIP Smooth	PACKAGING • 50 gloves pe • 20 dispense	

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.





Showa Best Glove is
the only company that
manufactures disposable
nitrile hand protection in
the U.S. Being a domestic
manufacturer affords our
customer a unique product
that is manufactured in a
distinguishing environment.
Our customers can take
pride in a 100% American
made product comprised
of premium materials and
100% quality inspected.









# N-DEX® NightHawk®



Powder-Free \*In compliance 21CFR, parts 170-199

ITEM NO. 7700PFTS 7700PFTM 7700PFTL 7700PFTXL	SIZE Small Medium Large Extra Large	DESCRIPTION  • Low-modulus formulation  • Patented 100% accelerator-free nitrile formulation  • 4-mil thick  • 9.5" long	COLOR Stealth Black	GRIP Textured fingertips	PACKAGING  • 50 gloves per dispenser  • 20 dispensers per case
		• Rolled cuff			EN455 US 6706816

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments, crime scene investigation, electronics.

# N-DEX® NightHawk® Defender

MADE IN AMERICA

Powder-Free \*In compliance 21CFR, parts 170-199

9700PFS Small 9700PFM Medium 9700PFL Large 9700PFXL Extra Large

- **DESCRIPTION**
- · Low-modulus formulation Patented 100% accelerator-free nitrile formulation

GLOVE APPLICATIONS Manufacturing, light-duty maintenance and cleanup, intricate parts handling,

- 6-mil thick
- 11" long
- · Rolled cuff

COLOR Stealth **Textured** 

fingertips

Black

- **PACKAGING**
- 50 gloves per dispenser
- 20 dispensers per case

US 6706816

CE







laboratory analysis/technical work, automotive, electronics.

#### **BEST® Nitrile**

# Powder-Free 4-mil, Economy Grade

\*In compliance 21CFR, parts 170-199

TTEM NO. SIZE T500PFXS Extra Sn T500PFS Small T500PFM Medium T500PFL Large T500PFXL Extra La T500PFXXL Extra Ex	1
---	---

# • 100% nitrile

- 4-mil thick
- 9.5" long
- · Rolled cuff

Blue Textured

• 100 gloves per dispenser

- **PACKAGING**
- 10 dispensers per case

 $\epsilon$ 

#### Powder-Free 8-mil, Economy Grade

\*In compliance 21CFR, parts 170-199

MADE IN AMERICA

ITEM NO. 8500PFS 8500PFM 8500PFL 8500PFXL	SIZE Small Medium Large Extra Large	DESCRIPTION • 100% nitrile • 8-mil thick • 9.5" long • Rolled cuff
8500PFL	Large	• 9.5" long

Blue

Smooth

**PACKAGING** 

- 50 gloves per dispenser
- 20 dispensers per case











GLOVE APPLICATIONS Manufacturing, light-duty maintenance and cleanup, intricate parts handling, laboratory analysis/technical work, automotive.

#### **Nitri-Care®**

#### Powder-Free Class 1 Medical Device

\*In compliance 21CFR, parts 170-199

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.

# VINYL

2005PFXL-09

Extra Large

#### **Real Feel®** Lightly Powdered Economy Grade \*In compliance 21CFR, parts 170-199 COLOR **PACKAGING** • Unique Stretch-feel 2005S-06 Small • 100 gloves per dispenser Clear Smooth vinyl formulation 2005M-07 Medium • 10 dispensers per case • 5-mil thick 2005L-08 Large 2005XL-09 Extra Large • 9.5" long · Rolled cuff Powder-Free Economy Grade \*In compliance 21CFR, parts 170-199 COLOR **PACKAGING** 2005PFS-06 • Unique Stretch-feel • 100 gloves per dispenser Small Clear Smooth vinyl formulation 2005PFM-07 Medium • 10 dispensers per case 2005PFL-08 Large • 5-mil thick

GLOVE APPLICATIONS Manufacturing, light-duty maintenance and cleanup, food prep, janitorial/sanitation.

• 9.5" long • Rolled cuff

Powder-Free	Class 1 Medica	I Device			*In compliance 21CFR, parts 170-199
1TEM NO. 2205SPFS-06 2205SPFM-07 2205SPFL-08 2205SPFXL-09	SIZE Small Medium Large Extra Large	DESCRIPTION  • Unique Stretch-feel vinyl formulation  • 5-mil thick  • 9.5" long  • Rolled cuff	COLOR White	GRIP Smooth	PACKAGING • 100 gloves per dispenser • 10 dispensers per case

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.





A glove made of disposable vinyl that is stretchable and yet durable enough for both the manufacturing and medical industries.









Green

**DermaThin®** 

White

Best® DermaThin®

premium industrial grade

disposable latex gloves

are available in green

and natural colors.

The gloves are made

from low-modulus

formulation natural

rubber. This formulation

affords the user greater

sensitivity to touch and

improved comfort.

Best® Latex premium
medical grade gloves
are made from natural
rubber latex and provide
superior dexterity and
touch sensitivity for
healthcare professionals.



BEST® Latex

# NATURAL RUBBER

#### **DermaThin®**

#### Lightly Powdered

\*In compliance 21CFR, parts 170-199

ITEM NO.	
1005S	
1005M	
1005L	

Small Medium Large

DESCRIPTION

Rolled cuff

• Unique Stretch-feel rubber formulation • 5-mil thick • 9.5" long

COLOR Green

Smooth

**PACKAGING** 

• 100 gloves per dispenser

• 20 dispensers per case









#### Lightly Powdered

\*In compliance 21CFR, parts 170-199

ITEM NO
W1005M
W1005I

Medium Large

**DESCRIPTION** 

• Unique Stretch-feel rubber formulation • 5-mil thick

• 9.5" long

· Rolled cuff

COLOR White

Smooth

**PACKAGING** 

• 100 gloves per dispenser

• 20 dispensers per case









GLOVE APPLICATIONS Manufacturing, light-duty maintenance and cleanup, intricate parts handling, laboratory analysis/technical work, automotive.

### **BEST® Latex**

#### Powder Free Class 1 Medical Device Latex Disposable Gloves

\*In compliance 21CFR, parts 170-199

DESCRIPTION ITEM NO. • 5-mil thick 5005PFS Small 5005PFM Medium • 9.5" long • Powder free 5005PFL Large · Rolled cuff 5005PFXL Extra Large

Natural

**Textured** 

**PACKAGING** 

• 100 gloves per dispenser

• 10 dispensers per case

EN455

GLOVE APPLICATIONS Patient exam, handling bloodborne pathogens, clinical laboratory and critical environments.



# CHEMICAL RESISTANT GLOVES



Showa Best Glove provides the solutions to whatever hazards you may be working in. In addition to more than 110 varieties of chemical resistant hand protection, our chemical resistant guide and website www.chemrest.com features chemical permeation testing information for several hundred individual chemicals.



# NATURAL RUBBER

# **BEST Master®**

Flock-Lined Natural Rubber, 21-Mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE
700S-07	Small
700M-08	Medium
700L-09	Large
700XI -10	Extra Larg

	DESCRIPTION
	Natural rubber
m	• 21-mil thick
	• 12" long

COLOR Orange

**PACKAGING** Bisque

- 12 dozen pair per case
- Individually polybagged

**GLOVE APPLICATIONS** Manufacturing, electronics, food processing, aircraft assembly, light-duty maintenance and clean up.

#### Unlined Natural Rubber, 18-Mil Thick


\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION
709S-07	Small	<ul> <li>Natural rubber</li> </ul>
709M-08	Medium	• 18-mil thick
709L-09	Large	• 12" long
709XI -10	Extra Large	Chlorinated

COLOR PACKAGING • 12 dozen pair **Orange** Bisque per case

 Individually polybagged

**GLOVE APPLICATIONS** Manufacturing, electronics, food processing, aircraft assembly, light-duty maintenance and clean up.





Natural Rubber is the most elastic substance known to man. Gloves made from Natural Rubber Latex are often used in janitorial applications because they provide excellent protection from household cleaning chemicals and detergents. Durability and comfort make Natural Rubber Latex gloves the glove of choice for food preparation applications from red meat and poultry initial processing, to final food preparation. Natural Rubber Latex gloves are widely used in laboratory applications where aqueous chemicals are used because they provide excellent protection.





#### Natural Rubber Latex HD™

#### Unlined Natural Rubber, Heavy-Duty, 40-Mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE
55-09	Large
55-10	Extra Large
55-11	Extra Extra Large

DESCRIPTION
• 40-mil thick
• 15" long
Rolled cuff
<ul> <li>Wear indicator over-dip</li> </ul>

Liquid proof

COLOR Black

Bisque

**PACKAGING** 

 3 dozen pair per case Individually polybagged

CE







#### Unlined Natural Rubber, Heavy-Duty, 40-Mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE
558-09	Large
558-10	Extra Large
558-11	Extra Extra Large

**DESCRIPTION** • 40-mil thick • 18" long · Rolled cuff

 Wear indicator over-dip Liquid proof

COLOR Black **Bisque**  **PACKAGING** 

 3 dozen pair per case Individually polybagged









GLOVE APPLICATIONS Manufacturing, heavy-duty plant maintenance, chemical processing, agricultural, petroleum refineries.

#### **Value Master™**

#### Flock-Lined Natural Rubber, 18-Mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO. VMS-07 Small VMM-08 Medium VML-09 Large VMXL-10 Extra Large

**DESCRIPTION** · Natural rubber • 18-mil thick • 12" long · Rolled cuff

COLOR Yellow

Tractor tread

**PACKAGING** 

 12 dozen pair per case Individually polybagged











GLOVE APPLICATIONS Manufacturing, food processing, janitorial, light-duty plant maintenance and clean up.

#### Unlined Natural Rubber, 18-Mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO. VMUS-07 VMUM-08 VMUL-09 VMUXL-10

Small Medium Large Extra Large DESCRIPTION · Natural rubber

• 18-mil thick • 12" long Chlorinated

Rolled cuff

COLOR Amber

Tractor tread

**PACKAGING** 

 12 dozen pair per case 1 dozen per polybag











GLOVE APPLICATIONS Manufacturing, aircraft assembly, food processing, light-duty plant maintenance and clean up, janitorial.

#### Unlined Natural Rubber, 18-Mil Thick

\*In compliance 21CFR, parts 170-199

VMUPS-07 VMUPM-08 VMUPL-09 VMUPXL-10

Small Medium Large Extra Large **DESCRIPTION** 

 Natural rubber • 18-mil thick

• 12" long Chlorinated

· Rolled cuff

COLOR Blue

Tractor tread

PACKAGING

 12 dozen pair per case 1 dozen per polybag









GLOVE APPLICATIONS Manufacturing, aircraft assembly, food processing, light-duty plant maintenance and clean up, janitorial.

# **Tuff Guard™**

#### Unlined Natural Rubber, 46-Mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO. 574-10 574-11

Extra Large Extra Extra Large DESCRIPTION

 Natural rubber • 46-mil thick

• 23" long · Liquid proof COLOR White

**Bisque** 

#### **PACKAGING**

- 3 dozen pair per case
- Individually polybagged









GLOVE APPLICATIONS Manufacturing, plating, aircraft assembly, food processing, heavy-duty plant maintenance and clean up, janitorial.



#### Natural Rubber Latex HD™



Showa Best Glove manufactures a wide array of Natural Rubber Latex products made from our own rubber plantations. Quality Control is the hallmark of all Showa Best Glove Natural Rubber Latex products from the Hevea brasiliensis tree to the strong, comfortable, flexible finished gloves on the hand. Superior quality is what you expect from Showa Best Glove with over a century of combined experience in hand protection

manufacturing.



**Flock-Lined Yellow** 

**Unlined Amber** 

**Unlined Blue** 







# **PVG**

# **Black Knight®**

## PVC-Coated, Cotton Jersey Liner

ITEM NO. 7703R-10	SIZE Large	DESCRIPTION Knit wrist, Sanitized®	COLOR   Black	GRIP Rough	PACKAGING 6 dozen pair p	er case			
7710R-10 7712R-10 7714R-10	Large Large Large	10" Gauntlet, Sanitized® 12" Gauntlet, Sanitized® 14" Gauntlet, Sanitized®			7703R EN 388 Cat II 4121	7 Cat III <b>( )</b> 0120	7710R, 77 EN 388 4121	712R, 7714 EN 374-2 AQL 1.5	EN 374-1

#### PVC-Coated, Cotton Jersey Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING				
7710-10	Large	10" Gauntlet, Sanitized®	Black	Smooth	6 dozen pair pe	er case	)		
7712-10	Large	12" Gauntlet, Sanitized®				Cat III	EN 388	EN 374-2	EN 374-1
7714-10	Large	14" Gauntlet, Sanitized®				CE		( <u>&amp;</u> )	
GLOVE APPL	CATIONS	Manufacturing, refining, petrochemicals, i	machining, constru	uction, utilities	s, maintenance.	0120	4121	AQL 1.5	AKL

# Duz All™

#### PVC-Coated, Cotton Jersey Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
610R-10	Large	10" Gauntlet	Black	Rough	6 dozen pair per case
612R-10	Large	12" Gauntlet			
614R-10	Large	14" Gauntlet			

GLOVE APPLICATIONS Manufacturing, refining, petrochemicals, machining, construction, utilities, maintenance.

# Cannonball™

MADE IN AMERICA

# PVC-Coated, Cotton Jersey Liner

ITEM NO. 803-10 810-10	SIZE Large Large	DESCRIPTION Knit wrist 10" Gauntlet	COLOR Forest Green	GRIP Rough		KAGING zen pair	per case	)		
L811-08	Small	11" Gauntlet	Ulccii		8	103	810	), L811, 81	2M, 812, 8	314
812M-09	Medium	12" Gauntlet			CE	EN 388	Cat III	EN 388	EN 374-2	EN 374-1
812-10	Large	12" Gauntlet			Cat II		CE		(B)	[1]
814-10	Large	14" Gauntlet				4111	0123	4111	AQL 1.5	~

GLOVE APPLICATIONS Manufacturing, refining, petrochemicals, machining, construction, utilities, maintenance.

# Hustler™

MADE IN AMERICA

### PVC-Coated, Nitrile Reinforced, Cotton Interlock Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACK	AGIN	G	
725R-10	Large	12" Gauntlet	Red	Rough	6 doz	en pai	r per c	ase
724R-10	Large	14" Gauntlet			6 doz	en pai	r per c	ase
728R-10	Large	Elbow-length Gauntlet			3 doz	en pai	r per c	ase
		nufacturing, refining, petrochemicals, es, maintenance.			Cat III	EN 388	EN 374-2	EN 374-1

# **Neo Hyde®**

( MADE IN AMERICA )

4121 AQL 1.5

### PVC-Coated, Cotton Jersey Liner

handling equipment with acids, caustics, greases and oil.

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACK	AGING		
361-10	Large	10" Gauntlet	Black	Wrinkle	6 doze	n pair	per ca	se
365-10	Large	12" Gauntlet			Cat III	EN 388	EN 374-2	EN 374-1
GLOVE APPL	LICATIONS N	Manufacturing, heavy-duty maintenance,			CE		(&)	

Sanitized® is a registered trademark of Sanitized AG.

### **Super Flex™ PVC**

MADE IN AMERICA

#### PVC-Coated, Cotton Jersey Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
753-10	Large	Knit wrist	Yellow	Smooth	6 dozen pair per case
755-10	Large	12" Gauntlet			6 dozen pair per case
756-10	Large	Elbow-length Gauntlet			3 dozen pair per case

**GLOVE APPLICATIONS** Manufacturing, light-duty maintenance, refining, petrochemicals, mining, construction, utilities, maintenance.









# **Insulated Super Flex™**

MADE IN AMERICA

Fully-Coated Cotton Jersey with Foam Insulation

ITEM NO. 73-10	SIZE Large	DESCRIPTION Knit wrist with triple-layered insulation	COLOR Orange	GRIP Wrinkle	PACKAGING 3 dozen pair p	oer cas	e		
75-10	Large	12" reinforced Gauntlet			73-10, 76-10		75	5-10	
		with triple-layered insulation			C EN 388	Cat III	EN 388	EN 374-2	EN374-1
76-10	Large	Reinforced safety cuff			Cat II	CE		(₺)	[1:]
		with triple-layered insulation			4121	0123	4121	AQL 1.5	

GLOVE APPLICATIONS Manufacturing, cold storage, utilities, construction, medium-duty maintenance.

#### ATLAS® 460

Fully-Coated Double-Dipped PVC, Insulated with Seamless Yellow Acrylic Liner

ITEM NO. 460S-07	SIZE Small	DESCRIPTION • Double-dipped PVC	COLOR Orange	GRIP Rough	PACK 6 doze		per case
460M-08 460L-09 460XL-10	Medium Large Extra Large	<ul><li>Insulated yellow acrylic liner</li><li>Flexible at low temperatures</li><li>11.8" length</li></ul>			Cat III <b>C E</b> 0120	EN 388	EN 374-1

GLOVE APPLICATIONS Manufacturing, commercial fishing, cold storage, construction, de-icing, fuel transport, agriculture.

## **ATLAS® 481**

Fully-Coated Triple-Dipped PVC Coating, Acrylic/Cotton Knitted Fleece Liner

ITEM NO. 481M-08	SIZE Medium	DESCRIPTION • Triple-dipped PVC	COLOR Blue	GRIP Rough	PACKA 6 dozer			se
481L-09 481XL-10	Large Extra Large	• Flexible			Cat III C E 0123	EN388	EN 374-2	EN374-1

GLOVE APPLICATIONS Manufacturing, commercial fishing, cold storage, construction, de-icing, fuel transport, agriculture.

## **ATLAS® 490**

Fully-Coated Triple-Dipped PVC, Insulated with Seamless Yellow Acrylic Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
490M-08	Medium	Triple-dipped PVC	Blue	Rough	6 dozen pair per case
490L-09	Large	<ul> <li>Insulated yellow acrylic liner</li> </ul>			Cat III EN388 EN374-1
490XL-10	Extra Large	Oil resistant			(E =
		• 11.8" length			0120

GLOVE APPLICATIONS Manufacturing, commercial fishing, cold storage, construction, de-icing, fuel transport, agriculture.





Showa Best Glove
produces the most popular
PVC gloves around the
world. With durable, flexible
styling and a range of
uses from cold storage
applications to commercial
fishing, our insulated gloves
offer flexible gloves with
soft comfortable fleece
linings that keep hands
warm in cold environments
while maintaining flexibility

and suppleness.









ATLAS® 460

ATLAS® 481

ATLAS® 490



















# ATLAS® 610

Fully-Coated Double-Dipped PVC, Seamless Knitted Liner

ITEM NO. 610M-08	SIZE Medium	DESCRIPTION • Double-dipped PVC	COLOR Orange	GRIP Rough	PACKAGING • 6 dozen pair per case
610L-09 610XL-10 610XXL-11	Large Extra Large Extra Extra Large	<ul><li>Seamless knitted liner</li><li>Rough grip</li><li>10" length</li></ul>			Cat III EN388 EN374-1

**GLOVE APPLICATIONS** Manufacturing, commercial fishing, maintenance, construction, petrochemical, refining, chemical handling, masonry, utility service.

## ATLAS® 620

Fully-Coated Double-Dipped PVC, Seamless Knitted Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACK	AGING	
620S-07	Small	<ul> <li>Double-dipped PVC</li> </ul>	Orange	Rough	• 6 do	zen pai	r per case
620M-08	Medium	Seamless knitted liner			0-4 111	EN 388	EN 374-1
620L-09	Large	Rough grip			Cat III	[1]	
620XL-10	Extra Large	• 12" length			0120	3121	
620XXL-11	Extra Extra Large	Machine washable				3121	

**GLOVE APPLICATIONS** Manufacturing, commercial fishing, maintenance, construction, petrochemical, refining, chemical handling, masonry, utility service.

#### ATLAS® 640

Double-Dipped PVC with Vinyl Sleeve, Seamless Knitted Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
640M-08	Medium	<ul> <li>Double-dipped PVC</li> </ul>	Orange	Rough	<ul> <li>6 dozen pair per case</li> </ul>
640L-09 640XL-10	Large Extra Large	w/ vinyl sleeve • Liquid resistant vinyl sleeve • 26" length			Cat III EN388 EN374-1

GLOVE APPLICATIONS Manufacturing, commercial fishing, construction, masonry, utility service.

# ATLAS® 650

Fully-Coated Triple-Dipped PVC, Seamless Knitted Liner

ITEM NO. 650M-08	SIZE Medium	DESCRIPTION • Triple-dipped PVC	COLOR Blue	GRIP Rough	PACKAGING • 6 dozen pair per case
650L-09 650XL-10 650XXL-11	Large Extra Large Extra Extra Large	Seamless knitted liner     Oil resistant     10" length     Liquid proof			Cat III EN388 EN374-1

**GLOVE APPLICATIONS** Manufacturing, commercial fishing, maintenance, construction, petrochemical, refining, chemical handling, masonry, utility service.

# ATLAS® 660

660XXL-11

Fully-Coated Triple-Dipped PVC, Seamless Knitted Liner

Extra Extra Large

ITEM NO. 660S-07	SIZE Small	DESCRIPTION • Triple-dipped PVC	COLOR Blue	GRIP Rough	PACKAGING • 6 dozen pair per case
660M-08 660L-09	Medium Large	Seamless knitted liner     Oil resistant	Diac	Hough	Cat III EN388 EN374-1
660XI -10	Evtra Larno	• 12" langth			Cat III EN350 EN374-1

**GLOVE APPLICATIONS** Manufacturing, commercial fishing, maintenance, construction, petrochemical, refining, chemical handling, masonry, utility service.

Liquid proof

#### **BEST® Neoprene**

MADE IN AMERICA

#### Neoprene-Coated, Cotton Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
5122-10	Large	Knit wrist, Sanitized®	Black	Smooth	6 dozen pair per case
6780-10	Large	12" Gauntlet, Sanitized®			6 dozen pair per case
6784-10	Large	14" Gauntlet, Sanitized®			3 dozen pair per case
6797-10	Large	Elbow-length Gauntlet, Sanitized®			3 dozen pair per case

GLOVE APPLICATIONS Manufacturing, refining, petrochemicals, degreasing, plating, handling oils, acids, caustics, alcohols and solvents.









#### **Neo Grab™**

MADE IN AMERICA

#### Neoprene-Coated, Cotton Liner

\*In compliance 21CFR, parts 170-199

IG
ir per case
ir per case
ir per case
i

GLOVE APPLICATIONS Manufacturing, refining, petrochemicals, degreasing, plating, handling oils, acids, caustics, alcohols and solvents.









# MADE IN AMERICA

#### **Insulated Neo Grab™**

\*In compliance 21CFR, parts 170-199

#### Fully-Coated Cotton Jersey with Triple Layered Foam Insulation

HEIVINU.	SIZE	DESCRIPTION	CULUK	GRIP	PACKAGING
6781R-10	Large	12" Gauntlet	Black	Wrinkle	• 3 dozen pair per case
6781R-06-10	Large	12" Gauntlet w/ 6" nitrile sleeve			• 1 dozen pair per case
6781R-145-10	Large	12" Gauntlet w/ 14" nitrile sleeve			• 1 dozen pair per case

**GLOVE APPLICATIONS** Manufacturing, refining, petrochemicals, metal fabrication, plating, insulated against heat and cold











#### **BEST® Chem Master™**

#### Neoprene over Natural Rubber, 26-mil Thick


\*In compliance 21CFR, parts 170-199

ITEM NO. CHMS-07 CHMM-08	SIZE DESCRIPTION Small • 26-mil thick Medium • 12" long	• 26-mil thick • 12" long	COLOR Black w/ Blue	GRIP Tractor tread	PACKAGING  • 12 dozen pair per case  • Individually polybagged		
CHML-09 CHMXL-10	Large Extra Large	Cotton flock lining     Wear indicator over-dip	cuff		Cat III EN388 EN374-1 EN374-2  0334 2131 EN374-1 EN374-2  AQL 1.5		


GLOVE APPLICATIONS Manufacturing, aircraft assembly, automotive manufacturing, battery manufacturing, chemical plants, pesticides, plant maintenance

Showa Best Glove's Chemrest.com dedicated web portal contains all of the information one needs to correctly select the most applicable and protective chemical resistant glove for multiple potentially hazardous applications. This user-friendly website contains easy-to-read chemical resistance data from several thousand conclusive tests, including rankings from most effective protection for that particular chemical to least effective, not only for ASTM F739 Method for Heavy Exposure, but also for the often overlooked ASTM F1383 Method for Intermittent Contact with Chemicals – an important factor for many industries.















#### Chloroflex™

#### Flock-Lined Neoprene, 24-mil Thick

\*In compliance 21CFR, parts 170-199, NFPA 1992 Compliant

723S-07 723M-08 723L-09 723XL-10	SIZE Small Medium Large Extra Large	DESCRIPTION • Neoprene • 24-mil thick • 13" long	COLOR Black	GRIP Tractor tread	PACKAGING • 12 dozen pair per case • Individually polybagged
---	---	--	----------------	--------------------------	--

GLOVE APPLICATIONS Manufacturing, petrochemicals, laboratories, refining, degreasing, electronics manufacturing.

#### Chloroflex™ II

Unlined Neoprene, 30-mil Thick

\*In compliance 21CFR, parts 170-199, NFPA 1992 Compliant

ITEM NO.	SIZE	DESCRIPTION
N8-09	Medium	<ul> <li>Neoprene</li> </ul>
N8-10	Large	• 30-mil thick
N8-11	Extra Large	• 18" long
		<ul> <li>Rolled cuff</li> </ul>

GLOVE APPLICATIONS Manufacturing, degreasing, handling many acids, caustics, oils and solvents.

**PACKAGING** 

• 3 dozen pair per case

· Individually polybagged









# **Ultraflex™ II Neoprene**

Small

Large

Medium

Extra Large

ITEM NO.

3414-08

3414-09

3414-10

3414-11

MADE IN AMERICA

'	veopre	ne-coate	eu, Gol	.ton m	епоск.	Liner

**DESCRIPTION** • 14" Neoprene Gauntlet

Sanitized®

COLOR Royal Blue

COLOR

Black

Rough

**Bisque** 

\*In compliance 21CFR, parts 170-199

**PACKAGING** 6 dozen pair per case

GLOVE APPLICATIONS Manufacturing, petrochemicals, refining, chemical plants, analyzing specialty chemicals, battery manufacturing.

# **BEST® Shoulder-Length Neoprene**

Fully-Coated with Neoprene, Cotton Flannel Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.   SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
6731-10 Large	Liquid proof	Black	Smooth	1 pair per polybag
	• 31" Ergo-dynamic sleeve design with Grommet • Sanitized®			

GLOVE APPLICATIONS Manufacturing, heavy-duty maintenance, handling acids, caustics, oils, alcohols and solvents.

#### **Defensive Guard™**

MADE IN AMERICA

Neoprene-Coated with attached Nitrile-Coated Sleeve

\*In compliance 21CFR, parts 170-199

ITEM NO. **DESCRIPTION** COLOR **PACKAGING** 6780-20-10 Large • 12" Neoprene Gauntlet Black glove Smooth 1 pair • 20" nitrile-laminate sleeve w/Midnight Sanitized® Blue sleeve

GLOVE APPLICATIONS Manufacturing, heavy-duty maintenance, handling acids, caustics, oils, alcohols and solvents.

# **Nitri-Solve®**

### Unlined Nitrile, 11-mil Thick

\*In compliance 21CFR, parts 170-199, NFPA 1992 Compliant

D	<b>ESCRIPTION</b>
•	100% nitrile
•	11-mil thick
•	13" long
•	Chlorinated

# Light Green

Bisque

#### **PACKAGING**

- 12 dozen pair per case
- 1 dozen pair per polybag











#### Unlined Nitrile, 15-mil Thick

\*In compliance 21CFR, parts 170-199, NFPA 1992 Compliant

ITEM NO. 727-06 727-07	SIZE Extra Small Small	DESCRIPTION • 100% nitrile • 15-mil thick	COLOR Light Green	GRIP Bisque		dozen p	air per air per p	
727-08	Medium	• 13" long						
727-09	Large	<ul> <li>Chlorinated</li> </ul>			Cat III	EN388	EN 374-2	EN 374-1
727-10	Extra Large				C€		(﴿€)	
727-11	Extra Extra Large				0123	1101	AQL 1.5	JKL

### Flock-Lined Nitrile, 15-mil Thick

\*In compliance 21CFR, parts 170-199, NFPA 1992 Compliant

730-06 730-07	SIZE Extra Small Small Modium	• 100% nitrile • 15-mil thick	COLOR Light Green	GRIP Bisque	• 12 d		air per o ir per po	
730-08 730-09	Medium Large	<ul><li>13" long</li><li>Chlorinated</li></ul>			Cat III	EN388	EN 374-2	EN 374-1
730-10 730-11	Extra Large Extra Extra Large				<b>C €</b> 0123	1101	AQL 1.5	JKL

#### Unlined Nitrile, 22-mil Thick

\*In compliance 21CFR, parts 170-199, NFPA 1992 Compliant

737-07 737-08	SIZE Small Medium	• 100% nitrile • 22-mil thick	Light Green	GRIP Bisque	• 6 do		ir per c polybag	
737-09 737-10 737-11	Large Extra Large Extra Extra Large	• 15" long • Chlorinated			Cat III C E 0123	EN 388	EN 374-2 AQL 1.5	EN 374-1



### Unlined Nitrile, 22-mil Thick

\*In compliance 21CFR, parts 170-199, NFPA 1992 Compliant

ITEM NO. 747-07 747-08	SIZE Small Medium	DESCRIPTION • 100% nitrile • 22-mil thick	COLOR Light Green	GRIP Bisque		zen pa	nir per c polybag	
747-09 747-10 747-11	Large Extra Large Extra Extra Large	• 19" long • Chlorinated			Cat III C E 0123	EN 388	EN 374-2 AQL 1.5	EN 374-1 JKL

GLOVE APPLICATIONS Manufacturing, chemical processing, petrochemicals, food processing, aerospace, automobile degreasing, automotive assembly, painting applications, machine applications using cutting oils.





# Nitri-DEX® 707

#### MADE IN AMERICA

### Unlined Nitrile, Hybrid Formulation, 9-mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKA	AGING		
707-06	Extra Small	9-mil thick	Blue	Tractor	• 25 pa	irs per	polyba	g
707-07	Small	• 12" long		tread	• Spec	ific LH/	RH com	partments
707-08	Medium	Hand specific packaging			• 6 pol	ybags į	oer case	<del>2</del>
707-09	Large	<ul> <li>Improved chemical performance</li> </ul>			Cat III	EN 388	EN 374-2	EN374-1
707-10	Extra Large	Rolled cuff			CE	<u>1</u>	(B)	
707-11	Extra Extra Large				0123	1001	AQL 1.5	JKL
	•					1001	AGE 1.5	OKL

**GLOVE APPLICATIONS** Manufacturing, food processing, light-duty maintenance and clean up, laboratories, janitorial, paint applications.

# **ATLAS® 720**

# Fully-Coated Nitrile, Seamless Knitted Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACK	AGING	
720S-07	Small	Full nitrile coating	Blue	Rough	6 doze	en pair	per case
720M-08	Medium	<ul> <li>Seamless liner wicks away moisture</li> </ul>					
720L-09	Large	Chemical resistant			Cat III	EN388	EN374-1
720XL-10	Extra Large	<ul> <li>Abrasion and puncture resistant</li> </ul>			0120	3132	[2]
720XXL-11	Extra Extra Large	• 12" length			0120	3132	

**GLOVE APPLICATIONS** Petrochemicals, chemical handling, plating, sewage treatment, oily/greasy applications, fuel handling, refineries, painting, light-to-medium-duty maintenance and clean up.

# ATLAS® 772

Nitrile Co	oated, Cotton Inte	rlock Liner			*In compliance 21CFR, parts 170-199
772M-08 772L-09 772XL-10	SIZE Medium Large Extra Large	DESCRIPTION  • Full arm nitrile coating  • Chemical resistant with flexibility  • 26" length  • Cotton interlock liner	COLOR Yellow	GRIP Rough	PACKAGING 6 dozen pair per case Cat III EN388 EN374-1 0120 4111
oily/greasy a		emicals, chemical handling, plating, sewag		THE STATE OF THE S	31

### Nitri Master®

#### Unlined Nitrile, 11-mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
NM11-07	Small	• 100% nitrile	Light Green	Tractor tread	• 12 dozen pair per case
NM11-08	Medium	• 11-mil thick			• 1 dozen pair per polybag
NM11-09	Large	• 13" long			
NM11-10	Extra Large				
NM11-11	Extra Extra Large				

**GLOVE APPLICATIONS** Manufacturing, chemical processing, petrochemicals, food processing, aerospace, automobile degreasing, automotive assembly, painting applications, machine applications using cutting oils.

#### Unlined Nitrile, 15-mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO. NM15-07 NM15-08 NM15-09 NM15-10 NM15-11	SIZE Small Medium Large Extra Large Extra Extra Large	DESCRIPTION • 100% nitrile • 15-mil thick • 13" long	COLOR Light Green	GRIP Tractor tread	PACKAGING • 12 dozen pair per case • 1 dozen pair per polybag
---	--	--	----------------------	-----------------------	---

**GLOVE APPLICATIONS** Manufacturing, chemical processing, petrochemicals, food processing, aerospace, automobile degreasing, automotive assembly, painting applications, machine applications using cutting oils.

#### Flock-Lined Nitrile, 15-mil Thick

\*In compliance 21CFR, parts 170-199

ITEM NO. NM15FL-07 NM15FL-08 NM15FL-09	SIZE Small Medium Large	DESCRIPTION • 100% nitrile • 15-mil thick • 13" long	COLOR Light Green	GRIP Tractor tread	PACKAGING  • 12 dozen pair per case  • 1 dozen pair per polybag
NM15FL-10	Extra Large				
NM15FL-11	Extra Extra Large				

**GLOVE APPLICATIONS** Manufacturing, chemical processing, petrochemicals, food processing, aerospace, automobile degreasing, automotive assembly, painting applications, machine applications using cutting oils.

# **NSK 24™**

#### Nitrile-Coated, Cotton Interlock Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION • 100% nitrile	COLOR	GRIP	PACKAGING		
NSK24-08	Small		Royal Blue	Rough	6 dozen pair per case		
NSK24-09 NSK24-10 NSK24-11	Medium Large Extra Large	• 14" long • Cotton interlock liner			Cat III EN:		EN 374-1

**GLOVE APPLICATIONS** Petrochemicals, chemical handling, plating, sewage treatment, oily/greasy applications, fuel handling, refineries, painting, light-to-medium-duty maintenance and clean up, masonry.

# **NSK 26™**

#### Nitrile-Coated, Cotton Interlock Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION • 100% premium nitrile	COLOR	GRIP	PACKAGING
NSK26-08	Small		Royal Blue	Rough	6 dozen pair per case
NSK26-09 NSK26-10 NSK26-11	Medium Large Extra Large	<ul> <li>26" long</li> <li>Cotton interlock liner</li> <li>Extended gauntlet for upper arm protection</li> </ul>			Cat III EN388 EN374-2 EN374-1  O120 4111 QQ AGL 1.5 JKL

**GLOVE APPLICATIONS** Petrochemicals, chemical handling, plating, sewage treatment, oily/greasy applications, fuel handling, refineries, painting, light-to-medium-duty maintenance and clean up.





# BUTYL

### **BEST® Butyl**

#### Unlined Butyl, 25-mil Thick

ITEM NO. 878-08 878-09 878-10 878-11	SIZE Medium Large Extra Large Extra Extra Large	DESCRIPTION • 25-mil thick • 14" long • Rolled cuff	COLOR Black	GRIP Smooth		1374-1
ITEM NO. 878R-07 878R-08 878R-09	SIZE Small Medium Large	DESCRIPTION • 25-mil thick • 14" long • Rolled cuff	COLOR Black	GRIP Rough	PACKAGING 1 pair per polybag (Same CE markings as 8	378)
878R-10 878R-11	Extra Large	GLOVE APPLICATIONS	Manufacturing, har	ndling ketones, ald	cohols, nerve agents,	

military, Homeland Security, Level A suits, hazmat, hazmat decon.

### **BEST® Butyl II**

#### Unlined Butyl, 14-mil Thick

874-07 874-08 874-09 874-10 874-11	SIZE Small Medium Large Extra Large Extra Extra Large	DESCRIPTION  14-mil thick  14" long  Rolled cuff	COLOR Black	GRIP Smooth	PACKAGING 1 pair per polybag  Cat III EN388 EN374-2 0123 0010 AQL 1.5
874R-07 874R-08 874R-09 874R-10 874R-11	SIZE Small Medium Large Extra Large Extra Extra Large	DESCRIPTION  14-mil thick  14" long  Rolled cuff GLOVE APPLICATIONS I military, Homeland Secur	COLOR Black Manufacturing, hand ity, Level A suits, ha	GRIP Rough dling ketones, alco zmat, hazmat deco	PACKAGING 1 pair per polybag (Same CE markings as 874) shols, nerve agents, on.

## VITON

### **BEST® Viton®**

Unlined '	Viton over Butyl, 28-r	nil Thick				
ITEM NO. 890-09	SIZE Large	DESCRIPTION • 28-mil thick	COLOR Black	GRIP Smooth	PACKAGING 1 pair per polybag	
890-10 890-11	Extra Large Extra Extra Large	• 14" long • Rolled cuff			Cat III EN388 EN374-2  O123 2120 ADI 15	EN 374-1

GLOVE APPLICATIONS Handling aromatics such as benzene, toluene, xylene and chlorinated hydrocarbons, hazmat.

#### **BEST® Viton® II**

#### Unlined Viton over Butyl, 12-mil Thick

ITEM NO. 892-07	SIZE Small	DESCRIPTION • 12-mil thick	COLOR Black	GRIP Smooth	PACKAGIN 1 pair per p		
892-08 892-09 892-10 892-11	Medium Large Extra Large Extra Extra Large	• 12" long • Rolled cuff			Cat III EN388  C E 2010	<b>®</b>	EN 374-1

GLOVE APPLICATIONS Handling aromatics such as benzene, toluene, xylene and chlorinated hydrocarbons, hazmat.



# NATURAL RUBBER

#### **Cutlass®**

Palm-Coated Natural Rubber, Nitrile Over-Dip, Cotton Jersey Liner \*In compliance 21CFR, parts 170-199

ITEM NO. 3910-10

Large

Safety cuff

White w/ Gray coating Wrinkle

**PACKAGING** 6 dozen pair per case

**GLOVE APPLICATIONS** Glass handling, bottling, lumber, brick and tile handling, maintenance.



GENERAL PURPOSE

**Cutlass**®

#### The Original Nitty Gritty®

Fully-Coated Natural Rubber, Cotton-Poly Flannel Liner


\*In compliance 21CFR, parts 170-199

1TEM NO. 63NFW-10 64NFW-10	SIZE Large Large	DESCRIPTION Knit wrist, Sanitized® 10" Gauntlet Sanitized®	COLOR Yellow coating	GRIP Wrinkle	PACKAGING 6 dozen pair per case
65NFW-10 67NFW-10	Large Large	12" Gauntlet Sanitized® 14" Gauntlet Sanitized®			3 dozen pair per case

GLOVE APPLICATIONS Glass handling, bottling, lumber, brick and tile handling, maintenance.







\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION
L63PNFW-08	Small	Knit wrist
63PNFW-10	Large	Knit wrist Sanitized®
L66NFW-08	Small	Reinforced Safety Cuff
66NFW-10	Large	Reinforced Safety Cuff, Sanitized®
99NFW-10	Large	Reinforced Gauntlet, Sanitized®

GLOVE APPLICATIONS Glass handling, bottling, lumber, brick and tile handling, maintenance.

COLOR White w/


Wrinkle Yellow coating

6 dozen pair per case





The Original **Nitty Gritty®** 



\*In compliance 21CFR, parts 170-199

ITEM NO. 66NF-10

Large

. Reinforced Safety Cuff

Sanitized®

White w/ Yellow coating

Smooth

6 dozen pair per case



GLOVE APPLICATIONS Glass handling, bottling, lumber, brick and tile handling, maintenance.

Palm-Coated Natural Rubber, Cotton-Poly Flannel Liner

\*In compliance 21CFR, parts 170-199

ITEM NO. 99NFWPCP-09 Medium 99NFWPCP-10 Large

DESCRIPTION

Reinforced Gauntlet

• Reinforced Palm Patch

• Sanitized®

White w/ Yellow coating

COLOR

Wrinkle

**PACKAGING** 6 dozen pair per case





White vith Yellow

Coating

99NFWPCP-11 Extra Large GLOVE APPLICATIONS Glass handling, bottling, lumber, brick and tile handling, maintenance.



### **Insulated Nitty Gritty®**

Fully-Coated Cotton Jersey with Triple-Layered Foam Insulation

\*In compliance 21CFR, parts 170-199

ITEM NO. 95NFW-10	SIZE Large	DESCRIPTION 12" reinforced Gauntlet	COLOR Yellow	GRIP Wrinkle	PACKAGING 3 dozen pair per case
96NFW-10	Large	w/ triple-layered insulation Safety cuff w/ triple-layered insulation			Cat II

GLOVE APPLICATIONS Cold environment, cold storage, cold-weather construction, food handling.

## 4141

### **Skinny Dip®**

Flat-Dipped Natural Rubber, Seamless Cotton Liner

\*In compliance 21CFR, parts 170-199

3811-06 3811-07 3811-08 3811-09 3811-10	SIZE Extra Small Small Medium Large Extra Large	DESCRIPTION  • Ergo-design for maximum comfort  • Seamless breathable cotton liner  • Color-coded cuff indicating size	COLOR Gray w/ Gray coating	GRIP Wrinkle	PACKAGING 6 dozen pair per case
---	---	--	----------------------------------	-----------------	---------------------------------

**GLOVE APPLICATIONS** Construction, assembly, maintenance, material handling, utilities.



**IMPORTANT NOTE** — We have several styles of general purpose gloves that are manufactured with a Kevlar<sup>®</sup> Liner. Given the cut resistant properties of the Kevlar<sup>®</sup> Liner, we have moved those styles to our cut resistant section.



#### ATLAS Fit® 300

Natural Rubber Palm Coating, 10-Gauge Seamless Knitted Liner

ITEM NO.	SIZE
300S-07	Small
300M-08	Medium
300L-09	Large /
300XL-10	Extra Large
300XXL-11	Extra Extra Large

#### DESCRIPTION

- Natural rubber palm coating
- Ergonomic shapeExcellent wet and dry grip
- Machine washable

#### COLOR Gray w/ Blue coating

#### GRIP Wrinkle

#### PACKAGING 12 dozen pair per case





GLOVE APPLICATIONS Construction, assembly, maintenance, material handling, utilities.

#### ATLAS Fit® 300B

Natural Rubber Palm Coating, 10-Gauge Seamless Knitted Liner

L	
ITEM NO.	SIZE
300BS-07	Small
300BM-08	Medium
300BL-09	Large
300BXL-10	Extra Large

DESCRIPTION

- Natural rubber palm coating
- Ergonomic shapeExcellent wet and dry gripMachine washable

COLOR Gray w/ Black coating GRIP PA

PACKAGING 12 dozen pair per case





**GLOVE APPLICATIONS** Construction, assembly, maintenance, material handling, utilities.



### ATLAS Fit® 300W

Natural Rubber Palm Coating, 10-Gauge Seamless Knitted Liner

ITEM NO.	SIZE
300WS-07	Small
300WM-08	Medium
300WL-09	Large
300WXL-10	Extra Large

#### DESCRIPTION

- Natural rubber palm coating
- Ergonomic shapeExcellent wet and dry grip
- Machine washable

COLOR White w/ Blue coating GRIP Wrinkle

PACKAGING 12 dozen pair per case





GLOVE APPLICATIONS Construction, assembly, maintenance, material handling, utilities.

#### ATLAS XTRA® 305

Natural Rubber Palm & Knuckle Coating, 10-Gauge Seamless Knitted Liner

ITEM NO.	SIZE
305S-07	Small
305M-08	Medium
305L-09	Large
305XL-10	Extra Large

#### DESCRIPTION

- Natural rubber palm and knuckle coating
- Ergonomic shape
- Excellent wet and dry grip
- Machine washable

#### COLOR GRI

Gray w/ Blue Coating

#### GRIP Wrinkle

PACKAGING 12 dozen pair per case





GLOVE APPLICATIONS Construction, landscaping, carpentry, maintenance, utilities, shipping and receiving.

#### ATLAS Hi-Viz Grip® 317

#### Natural Rubber Palm Coating, 10-Gauge Seamless Bright Yellow Knitted Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING		
317S-07	Small	<ul> <li>Hi-Viz natural rubber palm coating</li> </ul>	Hi-Viz	Wrinkle	12 dozen pair		
317M-08	Medium	Hi-Viz bright yellow liner	Yellow w/		per case .		
317L-09	Large	<ul> <li>Excellent wet and dry grip</li> </ul>	Orange		. EN388		
317XL-10	Extra Large	Great for low light visibility	coating		<b>C</b> € EN388		
GLOVE APPLICATIONS Construction, landscaping, highway work, mining, shipping and receiving.							

#### **ATLAS ReGrip® 330**

#### Natural Rubber Palm Coating, 10-Gauge Seamless Knitted Liner

GLOVE APPLICATIONS Construction, highway work, agriculture, carpentry, maintenance, concrete re-bar.

Showa® Glove revolutionized the industrial glove market in 1994 with the introduction of the ATLAS® line of palm coated gloves. Years of painstaking research resulted in the development of a new generation of hand protection, gloves that not only increased safety, but also enhanced dexterity, comfort and durability. The innovation of ATLAS hand protection raised the bar in industrial hand protection and, as a result, remains the world's most popular brand of palm coated latex palm coated gloves.



#### ATLAS Opti Grip® 340

#### Natural Rubber Palm Coating, Engineered Nylon Liner

ITEM NO.   SIZE   340S-07   Small   Small	DESCRIPTION  • Engineered nylon liner  • Cushiony textured latex coating  • Specially ventilated back	COLOR Gray w/ Purple coating	GRIP Textured	PACKAGING 12 dozen pair per case  C €  EN388  2121
---	---	---------------------------------------	------------------	--

GLOVE APPLICATIONS Construction, highway work, agriculture, carpentry, maintenance, concrete re-bar.

#### **ATLAS Therma Fit® 451**

#### Natural Rubber Palm Coating, 10-Gauge Insulated Seamless Knitted Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
451S-07	Small	Natural rubber palm coating	Grav w/	Wrinkle	12 dozen pair per case
451M-08	Medium	Seamless thermal liner for cold environments	Gray		· ·
451L-09	Large	<ul> <li>Excellent wet and dry grip</li> </ul>	coating		<b>(€</b> €N388
451XL-10	Extra Large	Machine washable	<b>3</b>		2112

GLOVE APPLICATIONS Cold storage, outdoor work, maintenance, landscaping, food handling.

2142

# NITRILE

#### **Answer®**

#### Fully-Laminated Nitrile, Cotton Poly Liner

\*In compliance 21CFR, parts 170-199

ITEM NO. 2735-06	SIZE Extra Small	DESCRIPTION • Slip-on design for easy donning and doffing	COLOR Navy	GRIP Textured	PACKAGING 12 dozen pair per case
2735-07 2735-08 2735-09	Small Medium	Sanitized®     Color-coded cuff indicating size			Cat II
2735-09	Large Extra Large				3110

GLOVE APPLICATIONS Assembly, inspection, light-to-medium fabrication and material handling.

#### **Answer® NGT**

#### Cotton Canvas Coated with Proprietary NGT Coating

\*In compliance 21CFR, parts 170-199

1TEM NO. 2745-08 2745-09 2745-10	SIZE Medium Large Extra Large	DESCRIPTION  • New Grip Technology (NGT), Sanitized®  • Non-stick properties when handling adhesives  • Ideal for window manufacturing  • Slip-on design for easy donning and doffing	COLOR Yellow w/ striped cotton back	GRIP Textured	PACKAGING 6 dozen pair per case
		Cotton back for breathable comfort			

**GLOVE APPLICATIONS** Handling Window Sealant Compounds, Handling Butyl Caulking, Adhesive Lay-Up Operations, Replacement Window and Glass Installation

#### **Answer® Plus**

#### Fully-Laminated Nitrile, Cotton Poly Liner

\*In compliance 21CFR, parts 170-199

ITEM NO. P2735-06	SIZE Extra Small	DESCRIPTION • Perforated back for breathable comfort	COLOR Navy	GRIP Textured	PACKAGING 12 dozen pair per case
P2735-07 P2735-08 P2735-09 P2735-10	Small Medium Large Extra Large	<ul> <li>Slip-on design for easy donning and doffing</li> <li>Sanitized®</li> <li>Color-coded cuff indicating size</li> </ul>			Cat II EN388

GLOVE APPLICATIONS Assembly, inspection, light-to-medium fabrication and material handling.

#### **Strapper®**

#### Nitrile-Laminated Cotton Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
2790-08	Medium	<ul> <li>Slip-on design for easy donning and doffing</li> </ul>	Navy w/	Textured	12 dozen pair per case
2790-09 2790-10	Large Extra Large	<ul> <li>Sanitized®</li> <li>Color-coded cuff indicating size</li> <li>Cotton back for breathable comfort</li> </ul>	striped cotton back		C € EN388

GLOVE APPLICATIONS Assembly, inspection, light-to-medium fabrication and material handling.

#### **ATLAS® Assembly Grip**

#### Fully-Coated Nitrile, 13-Gauge Seamless Knitted Liner

ITEM NO. 372S-06	SIZE Small	DESCRIPTION • Full nitrile coating	COLOR Gray	GRIP Textured	PACKAGING 12 dozen pair per case
372M-07 372L-08 372XL-09	Medium Large Extra Large	<ul><li>Seamless knitted liner</li><li>Back of the hand protection</li><li>Abrasion resistant</li></ul>			<b>C €</b> EN388

GLOVE APPLICATIONS Assembly, inspection, light-to-medium fabrication and material handling.







Nitrile is one of the most abrasion-resistant polymers used in hand protection. Because of this attribute they are very popular in general purpose work gloves.

The newest addition to our nitrile general purpose gloves is the ATLAS®

Assembly Grip. This is a fully coated, liquid-resistant nitrile glove that offers great dexterity and

maximum flexibility.















Showa Best Glove is proud to present a first in general purpose nitrile hand protection.

The 377 is a liquid proof nitrile undercoat for oil protection and foam nitrile overcoat for excellent grip in oily applications.



#### **Nu Fangle™**

#### Nitrile-Impregnated, Cotton Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
760-06	Extra Small	Slip-on design for easy	Navy	Textured	12 dozen pair per case
760-07	Small	donning and doffing			
760-08	Medium	Sanitized®			
760-09	Large	Color-coded cuff indicating size			

#### **GLOVE APPLICATIONS**

Assembly, maintenance, inspection, warehousing, shipping and receiving.

#### **Nu Fangle™ Plus**

#### Nitrile-Impregnated, Cotton Liner

\*In compliance 21CFR, parts 170-199

#### **GLOVE APPLICATIONS**

Assembly, maintenance, inspection, warehousing, shipping and receiving.

#### **SHOWA® Foam Grip 377**

Full Nitrile Undercoating with Foamed Palm Coating, 13-Gauge Seamless Knitted Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
377S-06	Small	Full nitrile undercoating, foamed	Blue	Foamed	6 dozen pair per case
377M-07	Medium	nitrile palm coating	undercoating/	Nitrile	
377L-08	Large	Seamless knitted liner	Black palm		
377XL-09	Extra Large	<ul> <li>Great grip in wet and oily environments</li> </ul>	coating		<b>C</b> € EN388
377XXL-10	Extra Extra Large	Full hand protection			
		Liquid-proof to the end of the coated area			4121

#### **GLOVE APPLICATIONS**

Automotive, assembly, maintenance, inspection, warehousing, shipping and receiving, chemical splash.

### **Best Lite™**

#### Palm-Coated Nitrile, Cotton Interlock Liner

\*In compliance 21CFR, parts 170-199

White w/ Smooth ight Blue coating	6 dozen pair per case
į	ight Blue

#### **GLOVE APPLICATIONS**

Assembly, inspection, shipping and receiving, light fabrication, material handling.

### The Original Nitri-Flex®

#### Fully-Coated Nitrile, Cotton Interlock Liner

\*In compliance 21CFR, parts 170-199

4000-10 Large • Color-coded knit wrist indicating size	1TEM NO. 4000-08 4000-09 4000-10	SIZE Small Medium Large	DESCRIPTION  • Knit wrist  • 100% nitrile coating  • Color-coded knit wrist indicating size	COLOR Gray	GRIP Smooth	Cat II
--	---	----------------------------------	---	---------------	----------------	--------

#### Palm-Coated Nitrile, Cotton Interlock Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
4000P-08	Small	Knit wrist	White w/	Smooth	6 dozen pair per case
4000P-09	Medium	• 100% nitrile coating	Gray		C C EN388
4000P-10	Large	Color-coded knit wrist indicating size	coating		Cat II
					4111

GLOVE APPLICATIONS Assembly, inspection, shipping and receiving, light fabrication, material handling.

#### Nitri-Flex® Lite

#### Flat-Dipped Nitrile, Seamless Nylon Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
4500-06	Extra Small	<ul> <li>Ergo-design for maximum comfort</li> </ul>	Light Green	Smooth	6 dozen pair per case
4500-07	Small	Breathable nylon liner	w/Green		
4500-08	Medium	<ul> <li>Color-coded cuff indicating size</li> </ul>	coating		Cot II EN388
4500-09	Large				Cat II
4500-10	Extra Large				4121

#### Flat-Dipped Nitrile, Seamless Nylon Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
G4500-06	Extra Small	<ul> <li>Ergo-design for maximum comfort</li> </ul>	Light Green	Smooth	6 dozen pair per case
G4500-07	Small	Breathable nylon liner	w/Green		EN388
G4500-08	Medium	<ul> <li>Color-coded cuff indicating size</li> </ul>	coating		(6
G4500-09	Large				Cat II 4132
G4500-10	Extra Large				4132

**GLOVE APPLICATIONS** Small parts assembly, inspection, shipping and receiving, light fabrication, material handling, automotive, packaging.

#### Nitri-Flex® Plus

#### Flat-Dipped Nitrile, Seamless Cotton Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
4600-06	Extra Small	<ul> <li>Ergo-design for maximum comfort</li> </ul>	Light Green	Textured	6 dozen pair per case
4600-07	Small	Breathable cotton liner	w/Green		FNOO
4600-08	Medium	<ul> <li>Color-coded cuff indicating size</li> </ul>	coating		CE EN388
4600-09	Large				Cat II
4600-10	Extra Large				4231

**GLOVE APPLICATIONS** Small parts assembly, inspection, shipping and receiving, light fabrication, material handling, automotive, packaging.







The Nitri-Flex Lite
is one of the first
flat-dipped nitrile
featuring a seamless
nylon shell. This
product is featured
in an exclusive green
shell and coating.







#### ATLAS Fit® 350

### Nitrile Palm Coating, 10 -Gauge Seamless Knitted Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
350S-07	Small	Nitrile palm coating	Gray	Textured	12 dozen pair per case
350M-08	Medium	Seamless knitted liner	w/ Green		<i>C C</i> EN388
350L-09	Large	Ergonomic shape and abrasion resistant     Machine weekels	coating		CE EN388
350XL-10	Extra Large	Machine washable			4231

GLOVE APPLICATIONS Construction, assembly, maintenance, material handling, utilities.

#### ATLAS® Assembly Grip 370B

Nitrile Palm Coating, 13-Gauge Seamless Knitted Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
370BS-06	Small	Nitrile palm coating	Black	Textured	12 dozen pair per case
370BM-07	Medium	Lint free, seamless knitted liner	w/ Gray		EN388
370BL-08	Large	<ul> <li>Excellent dry grip and flexibility</li> </ul>	coating		CE EN388
370BXL-09	Extra Large	Machine washable			4121

GLOVE APPLICATIONS Small parts assembly, inspection, shipping and receiving, light fabrication, material handling, automotive, packaging.

#### **ATLAS® Assembly Grip 370W**

Nitrile Palm Coating, 13-Gauge Seamless Knitted Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
370WS-06	Small	Nitrile palm coating	White	Textured	12 dozen pair per case
370WM-07	Medium	<ul> <li>Lint free, seamless knitted liner</li> </ul>	w/ Gray		EN388
370WL-08	Large	<ul> <li>Excellent dry grip and flexibility</li> </ul>	coating		<b>C</b> € EN388
370WXL-09	Extra Large	Machine washable			4121

GLOVE APPLICATIONS Small parts assembly, inspection, shipping and receiving, light fabrication, material handling, automotive, packaging.

#### **ATLAS Ventulus® 380**

Patented Waffle Pattern Foamed Nitrile Palm Coating, 13-Gauge Seamless Knitted Liner

380L-08 Large • Patented waffle pattern for coating great grip in oily environments	
---	--

**GLOVE APPLICATIONS** Assembly, inspection, light fabrication of oily parts, tool handling, packaging.

The **ATLAS** Ventulus® 380 features a unique waffle embossed pattern of foam nitrile to increase grip in oily conditions and enhance tactile sensitivity.



#### Nitri-Pro®

#### Fully-Coated Nitrile, Cotton Jersey Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
7000-08	Small	Knit wrist	Navy	Smooth	6 dozen pair per case
7000-09	Medium	Knit wrist			
7000-10	Large	Knit wrist			<i>C C</i> EN388
7166-10	Large	Reinforced safety cuff			Cat II
7199NC-10	Large	5" nitrile reinforced gauntlet			4111

GLOVE APPLICATIONS Heavy-duty handling of castings, cores and fabricated metals, brick, tile, plywood, drywall.

#### Fully-Coated Nitrile, Cotton Jersey Liner

\*In compliance 21CFR, parts 170-199

TEM NO. 7000R-10 7166R-10 7199NCR-10	SIZE Large Large Large	DESCRIPTION Knit wrist Reinforced safety cuff 5" nitrile reinforced gauntlet	COLOR Navy	GRIP Rough	PACKAGING 6 dozen pair per case  CE ENSSS Cat II
---	---------------------------------	--	---------------	---------------	--

GLOVE APPLICATIONS Heavy-duty handling of castings, cores and fabricated metals, brick, tile, plywood, drywall.

#### Palm-Coated Nitrile, Cotton Jersey Liner

\*In compliance 21CFR, parts 170-199

ITEM NO. 7000P-08 7000P-09	SIZE Small Medium	DESCRIPTION Knit wrist Knit wrist	COLOR White w/ Navy	GRIP Smooth	PACKAGING 6 dozen pair per case
7000P-10	Large	Knit wrist	coating		4 4 51000
7066-08	Small	Reinforced safety cuff			CE EN388
7066-09	Medium	Reinforced safety cuff			Cat II
7066-10	Large	Reinforced safety cuff			4111

GLOVE APPLICATIONS Heavy-duty handling of castings, cores and fabricated metals, brick, tile, plywood, drywall.

#### Palm-Coated Nitrile, Cotton Jersey Liner

\*In compliance 21CFR, parts 170-199

ITEM NO.	SIZE	DESCRIPTION	l COLOR I	GRIP	PACKAGING
7000PR-08	Small	Knit wrist	White	Rough	6 dozen pair per case
7000PR-09	Medium	Knit wrist	w/ Navy	, and the second	
7000PR-10	Large	Knit wrist	coating		
7066R-08	Small	Reinforced safety cuff			Cat II EN388
7066R-09	Medium	Reinforced safety cuff			Out II
7066R-10	Large	Reinforced safety cuff			4111

GLOVE APPLICATIONS Heavy-duty handling of castings, cores and fabricated metals, brick, tile, plywood, drywall.



GENERAL PURPOSE BLOVES

For heavy duty jobs where abrasion and puncture are common the NitriPro family is an excellent choice. This family of products was one of the first general purpose nitrile gloves offered in the industrial markets. These gloves feature double dipped design for maximum wear and are a great alternative to leather palm and driver style gloves.



**Zorb-IT® MADE IN AMERICA** 

Sponge Nitrile, Flat-Dipped, Seamless Nylon Liner

\*In compliance 21CFR, parts 170-199

ITEIVINU.	SIZE
4550-06	Extra Small
4550-07	Small
4550-08	Medium
4550-09	Large
4550-10	Extra Large

#### DESCRIPTION

- Sponge nitrile technology
- Ergo-design for maximum comfort
- Breathable, seamless nylon liner
- Color-coded cuff indicating size
- Sanitized®

#### COLOR

White w/ Gray coating

#### **GRIP**

Sponge

#### **PACKAGING**

6 dozen pair per case







#### **Zorb-IT® Extra**

Sponge Nitrile, Deeper Palm-Dipped, Seamless Nylon Liner

\*In compliance 21CFR, parts 170-199

**MADE IN AMERICA** 

HEIVIIVU.	SIZE
4575-07	Small
4575-08	Medium
4575-09	Large
4575-10	Extra Large

#### ESCRIPTION

- Sponge nitrile technologyDeeper dip for back of the hand protection
- Ergo-design for maximum comfort
- Breathable, seamless nylon knit liner
- Color-coded cuff indicating size
- Sanitized®

#### COLOR

White w/ Gray coating

#### **GRIP**

Sponge

#### **PACKAGING**

6 dozen pair per case





#### **Zorb-IT® HV**

Sponge Nitrile, Deeper Palm-Dipped, Seamless Nylon Liner

\*In compliance 21CFR, parts 170-199

ASSEMBLED IN AMERICA

TI LIVI IVO.	
4570-06	Extra Small
4570-07	Small
4570-08	Medium
4570-09	Large
4570-10	Extra Large

#### DESCRIPTION

- Sponge nitrile technology
- Ergo-design for maximum comfort
- Breathable, seamless nylon knit liner
- Color-coded cuff indicating size
- Sanitized®
- Hi-vis fluorescent orange liner

#### COLOR

Hi-vis Orange w/ Gray coating

#### **GRIP**

Sponge

#### **PACKAGING**

6 dozen pair per case





#### **Zorb-IT Black-Lite®**

ASSEMBLED IN AMERICA

LTOA Sponge Nitrile, Flat-Dipped, Black Seamless Nylon Liner

\*In compliance 21CFR, parts 170-199

TEM NO. | SIZE

4540-06 4540-07 4540-08 4540-09

4540-10

Extra Small Small Medium Large Extra Large DESCRIPTION

- Sponge nitrile technology
- Ergo-design for maximum comfort
- Breathable, seamless nylon liner
- Color-coded cuff indicating size
- Sanitized®

COLOR Black w/ Black

coating

Sponge

e PACKAGING 6 dozen pair per case





innovative strategies, we've raised the bar again. The next generation of our Zorb-IT® family is the Zorb-IT® Black-Lite.
Feel the second-skin comfort of the seamless black liner.
The purpose of the breathable black shell is to reduce odors and to hide grime consistent with everyday wear, thus extending the life of the product. The black sponge nitrile has four distinguishing features: Lite Oil Absorbency without sacrificing grip, innovative design, tactile sensitivity and exacting grip-ability.

In utilizing our R&D and



GLOVE APPLICATIONS

Zorb-T<sup>®</sup> Material handling, metal fabrication, durable goods assembly.

Zorb-IT® Extra Material handling, metal fabrication, durable goods assembly.

**Zorb-IT^{\circ} HV** Highway work, construction, material handling, metal fabrication, durable goods assembly.

Zorb-IT Black-Life® Material handling, metal fabrication, durable goods assembly.









**IMPORTANT NOTE:** We have several styles of general purpose gloves that are manufactured with a Kevlar® Liner. Given the cut resistant properties of the Kevlar® Liner, we have moved those styles to our cut resistant section.

**KPG®** MADE IN AMERICA

#### Fully-Coated PVC, Seam-Free Cotton Knit Liner

HEIVI NU.	SIZE
960S-08	Small
960M-09	Medium
960L-10	Large
960XL-11	Extra Large

DESCRIPTION
• Breathable PVC coating
Slip-on design for easy
donning and doffing

Yellow

**Textured** 

**PACKAGING** 6 dozen pair per case



#### Fully-Coated PVC, Seam-Free Cotton Knit Liner, Knit Wrist

ITEM NO. 961S-08 961M-09	SIZE Small Medium	DESCRIPTION • Breathable PVC coating	COLOR Yellow	GRIP Textured	PACKAGING 6 dozen pair per case
961L-10	Large				C € EN388
CLOVE ADDITIONS Assembly inspection meterial handling maintenance					3121

GLOVE APPLICATIONS Assembly, inspection, material handling, maintenance.

#### **Fuzzy Duck®**

MADE IN AMERICA

#### Fully-Coated PVC, Cotton Jersey Liner

ITEM NO.	SIZE	DESCRIPTION • Breathable PVC coating	COLOR	GRIP	PACKAGING
962S-08	Small		Yellow	Textured	6 dozen pair per case
962M-09 962L-10 962XL-11	Medium Large Extra Large	Slip-on design for easy donning and doffing			C € EN388

GLOVE APPLICATIONS Assembly, inspection, material handling, maintenance.

# INSULATED NITRILE

#### **Insulated Snowman™**

#### Fleece-Lined Nitrile Laminate

2950-10	Extra Large	• 12' Gauntlet • Knuckle strap	Yellow w/ Navy palm and trim	Smooth	6 dozen pair per case
GLOVE APPL	ICATIONS Constru	ction, cold storage, winter trai	nsportation, municipalities, u	tilities.	C € EN388

#### **Insulated Nitri-Pro®**

Fully-Coated Nitrile Cotton Jersey with Foam Insulation

\*In compliance 21CFR, parts 170-199

ITEM NO. DESCRIPTION COLOR **PACKAGING** 7116-10 · Reinforced safety cuff Extra Large 6 dozen pair per case Navy Smooth Triple-layered insulation

GLOVE APPLICATIONS Construction, cold storage, winter transportation, municipalities, utilities.



# HEAT-RESISTANT



#### **CharGuard®**

#### Insulated Non-Woven Heat-Resistant Glove

ITEM NO.	SIZE
8811-07	Small
8811-08	Medium
8811-09	Large
8811-10	Extra Large

### DESCRIPTION • 11.5" long

Proprietary textured coating
 Intermittent heat

up to 500°F

## Black

COLOR

#### GRIP Textured

PACKAGING 1 dozen pair per case







#### **GLOVE APPLICATIONS**

Contact heat, castings, material handling, hot objects, glassware, bakeries, up to 500 degrees F.





Copyright © 2007 DuPont. All rights reserved. The DuPont Oval Logo, DuPont<sup>TM</sup> and Kevlar® are registered trademarks or trademarks of E. I. du Pont de Nemours and Company or its affiliates.

Shirt

# CUT RESISTANT GLOVES

CUT RESISTANT GLOVES

# (EVLAR® PRODUCTS

#### AEGIS KVS4™ NEW



Black Sponge Nitrile Dip over 13 Gauge Kevlar® Stainless Steel High Performance Knit

ITEM NO.	SIZE
250-07	Small
250-08	Medium
250-09	Large
250-10	Extra Large
250-11	Extra Extra
	Large

Ш	IESCRIPTIUN
•	Ideal for oily applications
	where sharp edges are
	prevalent

 Sponge Nitrile Palm Coating Breathable Kevlar® stainless steel high-performance knit ANSI CŬT LEVEL 4\*

COLOR	
Yellow	
w/ Black	
coating	

coating

Yellow

w/ Green

coating

PACKAGING Sponge • 6 dozen pair







**GLOVE APPLICATIONS** Oily surfaces, metal stamping, mechanical and automotive, sheet metal assembly, glass handling, bottling, recycling.

#### ATLAS® KV300

Natural Rubber Palm Coating, 10-Gauge Seamless Cut-Resistant Liner made with Kevlar®

ITEM NO.	SIZ
KV300S-07	Sm
KV300M-08	Me
KV300L-09	Lar
KV300XL-10	Ext

nall edium rge ra Large

#### DESCRIPTION

- Natural rubber palm coating
- Seamless cut-resistant liner made with Kevlar®
- Ergonomic shape
- Excellent wet and dry grip
- ANSI CUT LEVEL 3\*

**PACKAGING** Yellow • 12 dozen pair Wrinkle w/ Blue per case





• 12 dozen pair

per case

 $\epsilon$ 

GLOVE APPLICATIONS Glass handling, mechanical and automotive, construction, machine or compartment assembly, recycling, bottling.

#### ATLAS® KV350

Nitrile Palm Coating, 10-Gauge Seamless Cut-Resistant Liner made with Kevlar®

ITEM NO.
KV350S-07
KV350M-08
KV350L-09
K\/350XI -10

Small Medium Large Extra Large

- DESCRIPTION
   Nitrile palm coating Seamless cut-resistant
- liner made with Kevlar®
- Ergonomic shape
- Abrasion resistant
- ANSI CUT LEVEL 3\*

GLOVE APPLICATIONS Mechanical and automotive, construction, machine or compartment assembly, recycling, bottling, glass handling.

### ATLAS® KV660

Fully-Coated PVC, Seamless Cut-Resistant Kevlar® Liner

ITEM NO KV660M-08 KV660L-09 KV660XL-10 KV660XXL-11

Medium Large Extra Large Extra Extra Large

#### DESCRIPTION

- Triple-dipped PVC
- Seamless cut-resistant liner made with Kevlar®
- Oil resistant
- ANSI CUT LEVEL 4\*

COLOR Blue

GRIP Rough

Textured

**PACKAGING** • 6 dozen pair per case









CUT RESISTANT

GLOVE APPLICATIONS Mechanical and automotive, construction, machine or compartment assembly, recycling, bottling, glass handling.

#### Skinny Dip® Kevlar®

Flat-Dipped Natural Rubber, Seamless Cut-Resistant Kevlar® Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
4811-06	Extra Small	<ul> <li>Ergo-design for maximum comfort</li> </ul>	Yellow w/	Wrinkle	6 dozen pair per case
4811-07	Small	Seamless, breathable	Gray coating		
4811-08	Medium	Kevlar <sup>®</sup> liner			( <b>6</b> EN 388
4811-09	Large	<ul> <li>Color-coded cuff indicating size</li> </ul>			
4811-10	Extra Large	ANSI CUT LEVEL 3*			3443
4811-11	Extra Extra Large				

GLOVE APPLICATIONS Glass handling, mechanical and automotive, construction, machine or compartment assembly, recycling, bottling.

#### Nitri-Flex® Kevlar®

Flat-Dipped Nitrile, Seamless Cut-Resistant Kevlar® Liner

ITEM NO.	SIZE	DESCRIPTION • Ergo-design for maximum comfort	COLOR	GRIP	PACKAGING
4900-06	Extra Small		Yellow w/	Textured	6 dozen pair per case
4900-07 4900-08 4900-09 4900-10	Small Medium Large Extra Large	<ul> <li>Breathable Kevlar® liner</li> <li>Color-coded cuff indicating size</li> <li>ANSI CUT LEVEL 3*</li> </ul>	Green coating		C € EN388

GLOVE APPLICATIONS Mechanical and automotive, construction, machine or compartment assembly, recycling, bottling, glass handling.

#### **Zorb-IT® Ultimate**

MADE IN AMERICA

MXOA\* Sponge Nitrile, Flat-Dipped, Seamless Stretch Kevlar®/Lycra® Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
4560-06	Extra Small	Sponge nitrile technology	Yellow w/	Sponge	6 dozen pair per case
4560-07	Small	<ul> <li>Ergo-design for maximum comfort</li> </ul>	Gray coating		
4560-08	Medium	Breathable, seamless cut-resistant	, ,		<b>( €</b> EN388
4560-09	Large	stretch Kevlar®/Lycra® liner			Cat II
4560-10	Extra Large	Color-coded cuff indicating size			4332
4560 <sub>-</sub> 11	Eytra Eytra Large	• ΔNSI CIT I FVFI 3*			

GLOVE APPLICATIONS Mechanical and automotive, construction, machine or compartment assembly, recycling, bottling, glass handling.

#### **Zorb-IT Ultra®**

MADE IN AMERICA

MXOA\* Sponge Nitrile, Deeper Palm-Dipped, Extended Cuff, Seamless Kevlar® Liner

4565-07 4565-08 4565-09 4565-10 4565-11	SIZE Small Medium Large Extra Large Extra Extra Large	DESCRIPTION  • Sponge nitrile technology  • Deeper dip for back of hand protection  • Cut resistant stretch Kevlar® liner  • Color-coded, extended 4" cuff for extra protection  • Sanitized®  • ANSI CUT LEVEL 3*	COLOR Yellow w/ Gray coating	GRIP Sponge	PACKAGING 6 dozen pair per case  C C EN388  L Cat II L A332
---	--	--	------------------------------------	----------------	---

**GLOVE APPLICATIONS** Mechanical and automotive, construction, machine or compartment assembly, recycling, bottling, glass handling, extrication.









workplace.

The most recent year for

which the Bureau of Labor







MXOA\* Sponge Nitrile, Flat-Dipped, Seamless Stretch Kevlar® Liner

ITEM NO. 4567-06	SIZE Extra Small	DESCRIPTION • Sponge nitrile technology	COLOR Yellow	GRIP Sponge	PACKAGING 6 dozen pair per case
4567-07 4567-08 4567-09	Small Medium Large	<ul> <li>Cut-resistant stretch Kevlar® liner</li> <li>MXOA – maximum oil absorbency</li> <li>ANSI CUT LEVEL 3*</li> </ul>	w/ Hi-Vis Orange coating		Cat II
4567-10	Extra Large				4332
4567-11	Extra Extra Large				

GLOVE APPLICATIONS Mechanical and automotive, construction, machine or compartment assembly, recycling, bottling, glass handling.

#### **Nitri-Pro®**

Fully-Coated Nitrile, with Kevlar® Liner

ITEM NO. <b>7965R-09</b>	SIZE Medium	DESCRIPTION • Reinforced safety cuff	COLOR White	GRIP Rough	PACKAGING 6 dozen pair per case
7965R-10	Large	Cut-resistant Kevlar® liner	w/ Navy	nougii	o dozen pan per case
		ANSI CUT LEVEL 3*	coating		

GLOVE APPLICATIONS Mechanical and automotive, construction, machine or compartment assembly, recycling, bottling, glass handling.

#### **Nitri-Flex® Ultimate**

Flat-Dipped Nitrile, Seamless Stretch Cut-Resistant Kevlar® Liner

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
5900-06	Extra Small	Ergo-design for maximum comfort	Yellow	Textured	6 dozen pair per case
5900-07	Small	Breathable Kevlar® stretch liner	w/ Green		
5900-08	Medium	Color-coded cuff indicating size	coating		CE EN388
5900-09	Large	ANSI CUT LEVEL 2*			Cat II
5900-10	Extra Large				3221

GLOVE APPLICATIONS Mechanical and automotive, construction, machine or compartment assembly, recycling, bottling, glass handling.

NRK<sup>™</sup> MADE IN AMERICA

PVC Palm Coated Cut-Resistant Kevlar®

ITEM NO.		DESCRIPTION	COLOR	GRIP	PACKAGING
NRKS-07	Small	Screen coated, palm-coated     Sully layer develope	Yellow	Coated	4 dozen pair per case
NRKM-08	Medium	Fully launderable		palm	
NRKL-09	Large	Breathable cut-resistant Kevlar®			
NIRKYI -10	Evtra Large	ANGICITIEVEL 2*			

GLOVE APPLICATIONS Material handling, mechanical and automotive, machine or compartment assembly, parts assembly, glass handling.

### Terry-Plus<sup>TM</sup> MADE IN AMERICA

Dotted, Cut-Resistant Kevlar®/Cotton Loop-out Terry

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
937C-08 937C-09 937C-10	Medium Large Extra Large	Coated w/dots both sides Fully launderable Terry cloth cut-resistant Kevlar®/cotton ANSI CUT LEVEL 3*	Yellow	Dotted	<ul><li>6 dozen pair per case</li><li>1 dozen pair per polybag</li></ul>

GLOVE APPLICATIONS Automotive, handling hot objects, material handling, mechanical and automotive, machine or compartment assembly, metal stamping.

Kevlar® is a registered trademark of E.I. DuPont de Nemours and Company. Kevlar® is cut resistant but not cut-proof. Do not subject to high speed moving parts or serrated edges

#### **The Original Nitty Gritty®**

Fully-Coated Natural Rubber, Kevlar® Liner, Cotton Interlock

\*In compliance 21CFR, parts 170-199

ITEM NO 68NFW-09 Medium 68NFW-10 Large

DESCRIPTION

• Reinforced Safety Cuff

ANSI CUT LEVEL 3\*

• Cut-resistant Kevlar® liner

COLOR Yellow Wrinkle

PACKAGING 6 dozen pair per case



GLOVE APPLICATIONS Glass handling, bottling, lumber, brick and tile handling, maintenance.

#### SHOWA® 540

13-Gauge Engineered Cut-Resistant HPPE Fiber with Polyurethane Palm Coating

ITEM NO. 540-S Small Medium 540-M 540-L Large 540-XL Extra Large 540-XXL Extra Extra Large

**DESCRIPTION** • 13-gauge cut-resistant HPPE engineered fiber\*\*

 Polyurethane palm coating ANSI CUT LEVEL 2\*

COLOR White

w/ White

coating

Smooth

**PACKAGING** 

6 dozen pair per case





GLOVE APPLICATIONS Intricate sharp parts handling, construction, glass handling, bottling, canning, sheet metal work, automotive, fabrication.

#### SHOWA® 541

13-Gauge Engineered Cut-Resistant HPPE Fiber with Polyurethane Palm Coating

541-S Small 541-M Medium 541-L Large 541-XL Extra Large 541-XXL Extra Extra Large

**DESCRIPTION** • 13-gauge cut-resistant HPPE engineered fiber\*\* Polyurethane palm coating

ANSI CUT LEVEL 2\*

COLOR Gray w/ Gray

coating

**GRIP** Smooth **PACKAGING** 6 dozen pair per case



GLOVE APPLICATIONS Intricate sharp parts handling, construction, glass handling, bottling, canning, sheet metal work, automotive, fabrication.

#### SHOWA® 545

Nitrile Palm Coating, 13-Gauge Seamless Cut-Resistant HPPE Liner

ITEM NO. 545-S Small 545-M Medium 545-L Large 545-XL Extra Large **DESCRIPTION** 

· Nitrile palm coating Cut-resistant HPPE liner\*\* Abrasion resistant

ANSI CUT LEVEL 2\*

COLOR

Gray w/ Blue coating

PACKAGING Textured

12 dozen pair per case





GLOVE APPLICATIONS Intricate sharp parts handling, construction, glass handling, bottling, canning, sheet metal work, automotive, fabrication.



<sup>\*\*</sup>HPPE (High Performance Polyethylene) – a strong fiber that offers the utmost strength at a minimal weight and is 15 times stronger than steel or aramid fiber. Do not subject to high speed or serrated edges.





# ERFORMANCE FIBERS

#### D/FLEX®

MADE IN AMERICA



\*In compliance 21CFR, parts 170-199

To daugi	c ocarricos out r				
910-06 910-07 910-08 910-09 910-10	SIZE Extra Small Small Medium Large Extra Large	DESCRIPTION  • Engineered fiber with Dyneema®  • Ambidextrous  • Fully launderable  • Approved for food handling  • ANSI CUT LEVEL 4*	COLOR White	GRIP N/A	PACKAGING 12 gloves per case
CLOVE ADDI	ICATIONS Food or	occesing cutting alace handling shoot motal he	andling		

Food processing, cutting, glass handling, sheet metal handling, meat and poultry industry, commercial fishing, restaurants.

#### 10-Gauge Seamless Cut-Resistant Knit



ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
910C-06	Extra Small	<ul> <li>Engineered fiber with Dyneema®</li> </ul>	White	Dotted	12 gloves per case
910C-07	Small	Coated w/dots		both sides	
910C-08	Medium	Ambidextrous			► EN388
910C-09	Large	Fully launderable			
910C-10	Extra Large	ANŚI CUT LEVEL 4*			2342

GLOVE APPLICATIONS Razor knives, material handling, warehousing, commercial fishing, glass handling.

#### **D/FLEX® Plus**

MADE IN AMERICA

#### 7-Gauge Seamless Cut-Resistant Knit

\*In compliance 21CFR, parts 170-199

SIZE   917-06   Extra Small   917-07   Small   917-08   Medium   917-09   Large   917-10   Extra Large	DESCRIPTION  • Engineered fiber with four strands of stainless steel  • Ambidextrous  • Fully launderable  • Approved for food handling  • ANSI CUT LEVEL 5*	COLOR White	GRIP N/A	PACKAGING 12 gloves per case  C € EN388
--	--	----------------	-------------	---

7-Gauge S	seamiess Cut-Re	isistant Knit			
917C-06 RH 917C-07 RH 917C-07 RH 917C-08 RH 917C-09 RH 917C-10 RH	SIZE Extra Small Small Medium Large Extra Large	DESCRIPTION  • Engineered fiber with four strands of stainless steel  • Right-hand palm coated w/dots  • Fully launderable  • ANSI CUT LEVEL 5*	COLOR White	GRIP Dotted palm	PACKAGING 12 gloves per case  C € EN388

GLOVE APPLICATIONS Razor knives, material handling, warehousing, commercial fishing, glass handling.

#### 7-Gauge Seamless Cut-Resistant Knit

ITEM NO.   SIZ 917C-06 LH Ext		ESCRIPTION Engineered fiber with four strands	COLOR White	GRIP Dotted	PACKAGING 12 gloves per case
917C-07 LH Sm	nall	of stainless steel Left-hand palm coated w/dots	VVIIIC	palm	
		Fully launderable ANSI CUT LEVEL 5*			C E EN388

GLOVE APPLICATIONS Cutting, glass handling, sheet metal handling, commercial fishing.

1441

8110-10

Extra Large

# HIGH PERFORMANCE FIBERS

ANSI CUT LEVEL 5

#### D/FLEX® MADE IN AMERICA 10-Gauge Seamless Cut-Resistant Wire-Free Knit Dyneema® \*In compliance 21CFR, parts 170-199 ITEM NO. PACKAGING 8110-06 Extra Small Engineered fiber with Dyneema® Blue/White N/A 12 gloves per case 8110-07 Small Ambidextrous 8110-08 Medium Fully launderable · Approved for food handling 8110-09 Large

GLOVE APPLICATIONS Food processing, cutting, glass handling, sheet metal handling, meat/poultry industry, commercial fishing, restaurants.

#### **D/FLEX® Plus** MADE IN AMERICA 7-Gauge Seamless Cut-Resistant Wire-Free Knit Dyneema® \*In compliance 21CFR, parts 170-199 ITEM NO. **DESCRIPTION** COLOR **PACKAGING** 8127-06 Extra Small Engineered fiber with Dyneema® Blue/ White N/A 12 gloves per case 8127-07 Small Ambidextrous · Fully launderable 8127-08 Medium 8127-09 Approved for food handling Large 8127-10 ANSI CUT LEVEL 5\* Extra Large

GLOVE APPLICATIONS Food processing, cutting, glass handling, sheet metal handling, meat /poultry industry, commercial fishing, restaurants.

#### D/FLEX® G4 MADE IN AMERICA 10-Gauge Seamless Cut-Resistant Engineered Composite Yarn \*In compliance 21CFR, parts 170-199 ITEM NO. DESCRIPTION COLOR **PACKAGING** 8210-07 Small • G4 composite yarn Blue Smooth • 6 dozen pair per case 8210-08 Medium · Color-coded cuff indicating size 1 dozen pair per polybag 8210-09 Large Ambidextrous 8210-10 Extra Large · Fully launderable ANSI CUT LEVEL 4\*

GLOVE APPLICATIONS Glass/bottling, recycling, material handling, razor knives, food processing.

#### 10-Gauge Seamless Cut-Resistant Engineered Composite Yarn ITEM NO. DESCRIPTION COLOR **PACKAGING** · G4 composite yarn 8210D2S-07 Small Blue Dotted • 6 dozen pair per case 8210D2S-08 · Color-coded cuff indicating size Medium both sides • 1 dozen pair per polybag 8210D2S-09 Large Ambidextrous CE 8210D2S-10 Extra Large · Fully launderable · Enhanced wet grip ANSI CUT LEVEL 4\*

GLOVE APPLICATIONS Glass/bottling, recycling, material handling, razor knives.





Our customers requested lightweight products with maximum cut resistance. Our T/FLEX series addresses that request by offering products that are lightweight with cut resistant properties and are ideal for use as a liner or as a standalone product where tactile sensitivity and feel are required.





#### T/FLEX®

MADE IN AMERICA

15-Gauge Cut-Resistant Seamless Knit



Dyneema®

AlphaSan

\*In compliance 21CFR, parts 170-199

IIEM NO.	SIZE
8115-06	Extra Small
8115-07	Small
8115-08	Medium
8115-09	Large

**DESCRIPTION** 

Engineered fiber with Dyneema® and AlphaSan®

 Ambidextrous Fully launderable

Approved for food handling

ANSI CUT LEVEL 3\*

8115-10 Extra Large

COLOR GRIP N/A Light Gray

PACKAGING 12 gloves per case





GLOVE APPLICATIONS Liner glove, food processing, material handling, trimming.

### T/FLEX® Plus

13-Gauge Seamless Cut-Resistant Thermax®-Lined Knit



**Dvneema®** 

AlphaSan

\*In compliance 21CFR, parts 170-199

MADE IN AMERICA

TIEM NO.	SIZE
8113-06	Extra Small
8113-07	Small
8113-08	Medium
8113-09	Large
8113-10	Extra Large
8113-11	Extra Extra Large

Engineered fiber with Dyneema® and AlphaSan®

. "Stretch" feel and breathable comfort

Ambidextrous

Fully launderable

Approved for food handling

ANSI Cut Level 4\*

COL	OR
Light	Gray

N/A

12 gloves per case





**GLOVE APPLICATIONS** Food processing, liner glove, material handling, trimming.

ITEM NO.	SIZE
8113C-06	Extra Small
8113C-07	Small
8113C-08	Medium
8113C-09	Large
8113C-10	Extra Large

#### DESCRIPTION

- Engineered fiber with Dyneema® and AlphaSan®
- "Stretch" feel and breathable comfort with coating
- Ambidextrous
- Fully launderable
- Dotted both sides
- ANSI Cut Level 4\*

#### COLOR **Light Gray** Dotted w/Blue Dots both sides

PACKAGING

12 gloves per case





**GLOVE APPLICATIONS** Liner glove, material handling, trimming.

\*ANSI/IS1EA 105-2005 American National Standard for Hand Protection Selection Criteria

Dyneema® is a registered trademark of Royal DSM N.V. Dyneema® is cut resistant but not cut-proof. Do not subject to high speed moving parts or serrated edges

AlphaSan® is a registered trademark of Milliken & Company.


Thermax® is a registered trademark of E.I. DuPont de Nemours and Company.







**Dotted Both Sides** 







We use engineered fibers to provide maximum protection and comfort for arm protection requirements. Our T/FLEX sleeve is lightweight and wire-free for breathability and higher cut resistance than textile sleeves. Our D/FLEX sleeves are perfect for more demanding cut hazards and are available in wire-free and wire styles.





#### **D/FLEX® Supreme Sleeve**

MADE IN AMERICA

7-Gauge Seamless Cut-Resistant Stainless Steel Knit



**Dyneema®** 

\*In compliance 21CFR, parts 170-199

S927-10 S927-21V

10" long 21" long with Velcro® straps DESCRIPTION

Engineered fiber with Dyneema®

Fully launderable

· Approved for food handling

ANSI CUT LEVEL 5\*

COLOR White N/A

**PACKAGING** 

2 sleeves per polybag





**GLOVE APPLICATIONS** Food processing, glass handling, sheet metal, automotive.

#### **D/FLEX® Sleeve**

MADE IN AMERICA

Seamless Cut-Resistant Wire-Free Knit



⇒ Dyneema<sup>®</sup>

White

\*In compliance 21CFR, parts 170-199

ITEM NO. S8110-18 S8127-21C

18" long 21" long with alligator clips DESCRIPTION

**ANSI CUT LEVEL 5\*** 10-gauge **ANSI CUT LEVEL 5\*** 7-gauge

Engineered fiber with Dyneema®

Fully launderable

· Approved for food handling

COLOR **PACKAGING** Blue N/A 2 sleeves per polybag

N/A

2 sleeves per polybag

GLOVE APPLICATIONS Food processing, glass handling, sheet metal, automotive.

#### **T/FLEX® Sleeve**

MADE IN AMERICA

#### 15-Gauge Seamless Cut-Resistant Knit



Dyneema\*



\*In compliance 21CFR, parts 170-199

2 sleeves per polybag

ITEM NO.

S8115M-10 10" Sleeve, Medium S8115L-10 10" Sleeve, Large S8115M-16 16" Sleeve, Medium S8115L-16 16" Sleeve, Large S8115MHV-16 16" Sleeve, Medium 16" Sleeve, Large S8115LHV-16

#### **DESCRIPTION**

· Engineered fiber with Dyneema® and AlphaSan®

Approved for food handling

Fully launderable

ANSI CUT LEVEL 4\*

COLOR GRIP

N/A

**PACKAGING** 

Cat II

Hi-Vis

Gray

**GLOVE APPLICATIONS** Food processing, glass handling, sheet metal, automotive.

#### 15-Gauge Seamless Knit Cut-Resistant with Thumb Loop

16" Sleeve, Medium

16" Sleeve, Large



COLOR

Gray



GRIP

N/A

\*In compliance 21CFR, parts 170-199

S8115M-10T

S8115MHV-16T

S8115LHV-16T

10" Sleeve, Medium S8115L-10T 10" Sleeve, Large S8115M-16T 16" Sleeve, Medium S8115L-16T 16" Sleeve, Large

**DESCRIPTION** 

· Engineered fiber with Dyneema® and AlphaSan®

Elastic thumb loop

 Approved for food handling Fully launderable

ANSI CUT LEVEL 4\*

Hi-Vis

2 sleeves per polybag

**PACKAGING** 





GLOVE APPLICATIONS Food processing, glass handling, sheet metal, automotive.



Careful study of end user needs led to the development of the Showa Hi-Tech line of gloves.

## HIGH PERFORMANCE

#### SHOWA® BO500B

13-Gauge Engineered Nylon with Polyurethane Palm Coating

B0500B-S Small Medium B0500B-M B0500B-L Large B0500B-XL Extra Large B0500B-XXL Extra Extra Large **DESCRIPTION** • 13-gauge engineered nylon Polyurethane palm coating

COLOR Black w/ Gray coating

Smooth

**PACKAGING** 6 dozen pair per case





GLOVE APPLICATIONS Intricate small parts assembly, inspection, Fabrication, construction, electronic circuitry, automotive.

#### SHOWA® BO500W

13-Gauge Engineered Nylon with Polyurethane Palm Coating

GLOVE APPLICATIONS Intricate small parts assembly, inspection,

ITEM NO. B0500W-S Small Medium B0500W-M B0500W-L Large B0500W-XL Extra Large B0500W-XXL Extra Extra Large

DESCRIPTION • 13-gauge engineered nylon Polyurethane

palm coating

White w/White coating

COLOR

Smooth

6 dozen pair per case







Fabrication, construction, electronic circuitry, automotive.

#### SHOWA® BOGOO

13-Gauge Engineered Nylon with Polyurethane Fingertip Coating

ITEM NO. B0600-S B0600-M B0600-L B0600-XL

Small Medium Large Extra Large **GLOVE APPLICATIONS** Intricate small parts assembly, inspection,

Fabrication, construction, electronic circuitry, automotive.

DESCRIPTION

• 13-gauge engineered nylon

 Polyurethane fingertip coating COLOR

White w/White coating

Smooth

**PACKAGING** 6 dozen pair per case

 $\epsilon$ 





These styles represent the very first flat-dipped Polyurethane (PU) gloves offered in the industrial hand protection marketplace, another example of Showa's innovative technology that has reshaped the hand protection industry.





HI-TECH GLOVES

always searching for ways

to meet the newest industry

needs for hand protection.

Showa Best Glove is

#### SHOWA® BO700

#### Unsupported 11 Mil PVC

ITEM NO. B0700S-07 B0700M-08 B0700L-09 B0700XL-10	SIZE Small Medium Large Extra Large	DESCRIPTION  • Unsupported 11 mil PVC  • Embossed grip  • Patented slip on construction	COLOR White	GRIP Embossed	PACKAGING  • Individually polybagged  • 10 pair per polybag  • 24 polybags per case
---	---	---	----------------	------------------	---

GLOVE APPLICATIONS Analyzing samples, critical environments, clean rooms, electronics, pharmaceuticals.







## DISSIPATIVE

#### SHOWA® A0520

13-Gauge Engineered Liner with Static-Dissipative, Polyurethane Palm Coating

ITEM NO. A0520-S A0520-M A0520-L A0520-XL	SIZE Small Medium Large	DESCRIPTION • 13-gauge engineered liner w/ static-dissipative fibers on palm area	COLOR White w/ Gray coating	GRIP Smooth	PACKAGING 6 dozen pair per case
AU520-XL	Extra Large				4121

GLOVE APPLICATIONS Analyzing samples, critical environments, clean rooms, electronics, pharmaceutical.

#### SHOWA® A0600

13-Gauge Engineered Static-Dissipative Liner, Uncoated

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
A0600-S	Small	13-gauge engineered liner	Gray	Smooth	6 dozen pair per case
A0600-M	Medium	w/ static-dissipative fibers			EN388
A0600-L	Large	Uncoated			( E
					0121

GLOVE APPLICATIONS Electronics, chips and circuit board manufacturing, intricate small parts handling.

#### SHOWA® A0610

13-Gauge Engineered Static-Dissipative Liner with Polyurethane Fingertip Coating

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
A0610-S	Small	• 13-gauge engineered liner	Gray	Smooth	6 dozen pair per case
A0610-M	Medium	w/ static-dissipative fibers	w/ White		<b>←</b> EN388
A0610-L	Large	<ul> <li>Polyurethane fingertip coating</li> </ul>	coating		
A0610-XL	Extra Large				0121

GLOVE APPLICATIONS Electronics, chips and circuit board manufacturing, intricate small parts handling.

#### SHOWA® A0620

13-Gauge Engineered Static-Dissipative Liner with Polyurethane Palm Coating

ITEM NO.	SIZE	DESCRIPTION	COLOR	GRIP	PACKAGING
A0620-S	Small	<ul> <li>13-gauge engineered liner</li> </ul>	Gray	Smooth	6 dozen pair per case
A0620-M	Medium	w/ static-dissipative fibers	w/ White		<i>C C</i> EN388
A0620-L	Large	Polyurethane palm coating	coating		C E
A0620-XL	Extra Large				3121

**GLOVE APPLICATIONS** Electronics, chips and circuit board manufacturing, intricate small parts handling.





Seamless liners reduce contaminants while providing outstanding fit and comfort. Flexible polyurethane coatings provide excellent grip for oily parts while the porous characteristic of PU also allows hands to breathe. This combination of comfort



and function enhances

worker compliance and

increases productivity. Ideal

for assembly operations

where touch, sensitivity,

dexterity and cleanliness

are a priority. Protect your delicate parts from lint,

fingerprint contamination

and static electricity with

Showa Hi-Tech gloves.

Protect your hands from

cuts by utilizing the Hi-Tech

gloves that are knitted with

**HPPE** (High Performance

Polyethylene).\*\*





SHOWA® A0620



## HIGH PERFORMANCE CUT-RESISTANT GLOVES

#### SHOWA® 540

13-Gauge Engineered Cut-Resistant HPPE Fiber with Polyurethane Palm Coating

540-S 540-M 540-L 540-XL 540-XXL	SIZE Small Medium Large Extra Large Extra Extra Large	DESCRIPTION  • 13-gauge cut-resistant HPPE engineered fiber**  • Polyurethane palm coating  • ANSI CUT LEVEL 2*	COLOR White w/ White coating	GRIP Smooth	PACKAGING 6 dozen pair per ca
--	---	---	---------------------------------------	----------------	-------------------------------

**GLOVE APPLICATIONS** Critical environments where cut/laceration hazards are present, electronics, circuit boards, semiconductor, small parts assembly.

#### SHOWA® 541

#### 13-Gauge Engineered Cut-Resistant HPPE Fiber with Polyurethane Palm Coating

ITEM NO.	SIZE	DESCRIPTION • 13-gauge cut-resistant	COLOR	GRIP	PACKAGING
541-S	Small		Gray	Smooth	6 dozen pair per case
541-M 541-L 541-XL 541-XXL	Medium Large Extra Large Extra Extra Large	HPPE engineered fiber**  • Polyurethane palm coating  • ANSI CUT LEVEL 2*	w/ Gray coating		<b>C €</b> EN388  4342

GLOVE APPLICATIONS Critical environments where cut/laceration hazards are present, electronics, circuit boards, semiconductor, small parts assembly.

#### SHOWA® 545

#### Nitrile Palm Coating, 13-Gauge Seamless Cut-Resistant HPPE Liner

1TEM NO. 545-S 545-M 545-L 545-XL	SIZE Small Medium Large Extra Large	<ul> <li>DESCRIPTION</li> <li>Nitrile palm coating</li> <li>Cut-resistant HPPE liner**</li> <li>Abrasion resistant</li> <li>Machine washable</li> </ul>	COLOR Gray w/ Blue coating	GRIP Textured	PACKAGING 12 dozen pair per case  C € EN388
		• ANGICITIEVEL 2*			4242

**GLOVE APPLICATIONS** Critical environments where cut/laceration hazards are present, electronics, circuit boards, semiconductor, small parts assembly.

Showa Best Glove Hi-Tech products are a popular choice for "Silicone-Valley" manufacturers, critical environments and electronic circuitry. These gloves are unique in offering product protection as well as hand protection. Additionally, some of these products offer anti-static and dissipative properties.



ase

<sup>\*</sup>ANSI/IS1EA 105-2005 American National Standard for Hand Protection Selection Criteria

<sup>\*\*</sup> HPPE (High Performance Polyethylene) – a strong fiber that offers the utmost strength at a minimal weight and is 15 times stronger than steel or aramid fiber. Do not subject to high speed or serrated edges.

## HI-TECH HAND PROTECTION SPECIFICATIONS


#### **PARTICLE COUNT DATA**

The particle count data shows the tendency of gloves to shed particles and cause product contamination. The data illustrates the cleanliness of the textile portion. The particle count data was generated using JIS-B-9923 Method by tumbling the gloves and using optical particle counter. Each value is the average of four tests.

Particle Size (Micron)	Particle Count
A0520	
0.3 0.5 1 2 5	119 101 77 37 9
A0600	
0.3 0.5 1 2 5	2437 1812 1002 351 23
A0610	
0.3 0.5 1 2 5	5775 4363 2460 964 105
A0620	
0.3 0.5 1 2 5	3788 2966 1811 792 105
B0700	
0.3 0.5 1 2 5	18 15 7 2
B0600	
0.3 0.5 1 2 5	18 15 7 2 0
B0500	
0.3 0.5 1 2 5	408 223 148 118 84

#### **ESD PROPERTIES**

This chart shows the range of surface electrical resistivity characteristics of ESD dissipative and conductive gloves from Showa Best Glove.



#### ANALYSIS OF EXTRACTABLE IONS IN POLYURETHANE COATING

The extractable ion analytical data shows the chemical cleanliness of mainly the polyurethane coating. The data was generated by the ICP Analytical method. Most ions were below the detection limit. The Polyurethane coating is extremely clean and free from chemical contaminants.

Subject	Quantity (%)	Subject	Quantity (%)
QUALIT	ATIVE ANALY	SIS	
Al	<0.01	Mo	<0.001
As	<0.01	Nb	<0.01
Au	<0.01	Nd	<0.01
В	<0.01	Ni	<0.001
Ba	<0.001	Р	<0.01
Ве	<0.001	Pb	<0.01
Bi	<0.01	Pd	<0.01
Ca	0.004	Sb	<0.01
Cd	<0.001	Se	<0.01
Се	<0.01	Si Sn	<0.01
Со	<0.001	Sn	<0.01
Cr	<0.001	Sr	<0.01
Cu	<0.001	Ta	<0.01
Fe	<0.001	Te	0.01
Ge	<0.01	Ti	0.1
La Li	<0.001	TI V	<0.01
	<0.001		<0.001
Mg	<0.001	Zn	<0.001
Mn	<0.001	Zr	<0.001
QUANT	ITATIVE ANAL	YSIS	
Ti	0.12	*Na	<0.002

0.001

## SURFACE RESISTIVITY EFFECTS OF LAUNDERING

This table shows the surface and volume resistivity after washing of glove A0600. The surface resistivity shows a steady rise with increased number of washings.

Recommended Laundering Procedures: Gloves should be laundered up to 40° C (104° F) in neutral detergent. Hang to dry.

Number of Washings	Surface Electrical Resistivity ( $\Omega$ )	Volume Electrical Resistivity ( Ω • CM )
	4.3 x 10 <sup>6</sup>	3.2 x 10 <sup>7</sup>
	2.0 x 10 <sup>7</sup>	1.1 x 10 <sup>8</sup>
2	7.8 x 10 <sup>7</sup>	3.1 x 10 <sup>8</sup>
3	3.1 x 10 <sup>8</sup>	1.5 x 10 <sup>9</sup>
4	5.2 x 10 <sup>8</sup>	2.7 x 10 <sup>9</sup>
	6.1 x 10 <sup>9</sup>	7.3 x 10 <sup>10</sup>
10	8.3 x 10 <sup>11</sup>	5.4 x 10 <sup>12</sup>
15	1.8 x 10 <sup>12</sup>	1.2 x 10 <sup>13</sup>



< 0.001

## **ABOUT SHOWA BEST GLOVE**

#### SHOWA BEST GLOVE IS...

The 2009 integration of Showa Glove and Best Glove created a powerhouse of hand protection. Showa Glove and Best Glove combined have well over a century of hand protection innovations under one roof. SBG is an innovative leader in developing, manufacturing and supplying premium quality hand protection to industrial and medical professionals around the world. An innovative pioneer, SBG boasts an impressive list of firsts in hand protection technology.

#### **INNOVATION**

By percentage, no other glove manufacturer spends more on research and development and overall technical services than does Showa Best Glove. With our state-of-the-art eight-thousand-square-foot Tillotson-Looper Research Center, Showa Best Glove not only develops new hand protection but also conducts the most comprehensive chemical analysis and testing within the personal protective equipment industry. Showa Glove introduced the world's first flat dipped seamless knit glove, the ATLAS Fit® in 1994. It's that commitment that delivers revolutionary breakthroughs like N-DEX® and N-DEX Free®, the world's first disposable nitrile and accelerator-free nitrile gloves.

#### **SUPPORT**

Showa Best Glove's dedicated roster of worldwide sales representatives means that no matter where you and your job are, access to a knowledgeable hand protection expert is always nearby. Showa Best Glove hand protection specialists can help you identify your hazardous challenges in the workplace and the hand protection solutions to meet them. And with our new website simply click onto "Contact Us" and find your salesperson by zip code. And don't forget to ask for a comprehensive Hand & Arm Hazard Assessment™ from the Showa Best Glove Sentinel Program.

#### **SERVICE**

Extending the absolute best in customer service is more than simply lip service at Showa Best Glove. We consistently achieves a 98(+)% customer satisfaction and on-time product delivery score. Our Customer Service department consistently ranks among the top among safety manufacturers of any size. That satisfaction rating also owes to our continuous development of new and more customer-friendly terms for doing business. Programs like our Best Bet<sup>™</sup> trial order program allow customers to try before they buy. Simply purchase a case quantity of a glove through your authorized Showa Best Glove distributor and if you're not satisfied, return the gloves and pay nothing.

#### **OUR QUALITY**

At Showa Best Glove, we are dedicated to supplying you with the highest quality hand protection available in the world today. We have dedicated professionals at each of our manufacturing facilities to ensure that every glove meets our tight specifications for quality. Many of our manufacturing facilities are also ISO 9001 registered. The goal of our total quality management program is to provide you, our customer, with total satisfaction.

### WHAT'S THE BEST GLOVE/SLEEVE FOR ME?

To help determine which SBG glove/sleeve to use in a specific application, visit www.showabestglove. com or contact Showa Best Glove Technical Services via Showa Best Glove Customer Service at 800-241-0323. Let the experts in hand/arm protection for over half a century ensure that you choose the right product for the right application.

#### **GLOVE LAUNDERING**

Many of our gloves can be laundered, which means they can be washed or dry cleaned and then re-used for added value. We include specific laundering instructions with the appropriate SBG glove styles.

#### **SANITIZED®**

Showa Best Glove supported and cut-and-sewn gloves are Sanitized®, a value-added process in which we chemically treat the fabrics we make for our gloves with an anti-microbial bacteriostat, which retards the growth of mold, mildew, and other normal skin microbes and helps negate the effects of perspiration. This means SBG Sanitized® gloves stay fresher and serviceable longer, giving you greater value.

### SENTINEL PROGRAM/EXPERT HAND & ARM ASSESSMENTS

For a comprehensive, no-obligation analysis of all your glove needs, including chemical-resistant gloves, and our Sentinel Program, please contact Showa Best Glove Customer Service at 800-241-0323. A Showa Best Glove sales representative will then contact you or the appropriate individuals within your organization to discuss and arrange details of the assessment. After the assessment, you will receive a detailed, written report with our recommendations for a hand-and-product-protection program designed to give you the most cost-effective combination of safety and productivity.

#### **BEST BET TRIAL ORDER PROGRAM**

Our Best Bet trial order program lets you evaluate our protective products in actual applications and conditions on a no-risk, satisfaction-or-no-pay basis. Trial order either a case, a dozen or a dispenser of the style most suited to your needs. We'll pay the freight. You'll have thirty days from distributor invoice date to test the products to determine if they're the solution to your particular hand/arm or product protection problem. We bet they will be, but if you're not completely satisfied, you don't pay for the gloves. It's that simple. Ask your authorized Showa Best Glove distributor or sales representative, or call our Customer Service Department in Menlo, GA (800-241-0323) for details on how to place a Best Bet order.

#### **GLOVE/SLEEVE SAMPLES**

Upon request, Showa Best Glove will provide you with actual glove/sleeve samples to assist you in determining which SBG glove/sleeve to use in a particular application. Call, fax or e-mail your sample request(s) to the following contact information:

Sample Department Showa Best Glove, Inc. 579 Edison Street P.O. Box 8 Menlo, GA 30731 FAX: 706-862-6528 samples@showabestglove.com www.showabestglove.com

#### **ASSOCIATIONS**

Showa Best Glove is a member of the following industry associations:

American Chemical Society/ACS American Industrial Hygiene Association/AIHA American Institute of Chemical Engineers (AIChE) American Society for Quality (ASQ)

(formerly American Society for Quality Control)
ASTM International

International Safety Equipment Association/ISEA Institute of Environmental Sciences and

Technology/IEST

National Fire Protection Association/NFPA National Hand Protection Association/NHPA International Glove Association/IGA Safety Equipment Distributors Association/SEDA

Showa Best Glove is a proud partner with DuPont™ and is a licensed U.S. manufacturer for cut-resistant Kevlar® gloves and apparel.

## WHAT MAKES THE BEST GLOVE

#### **POLYMERS**

Naturally occurring and man-made polymers are essential building blocks of hand protection. Specific polymers protect workers from specific hazards. There is no ideal glove that works in every situation. Showa Best Glove utilizes a variety of polymer coatings and fabrics, designed for a variety of tasks.

#### **NATURAL RUBBER**

Natural Rubber, the most elastic substance known is found in over two hundred plants including the rubber tree (Hevea Brasiliensis), the source of natural rubber latex used to manufacture some Showa Best gloves.



Natural rubber is a flexible and soft, yet tough and durable coating that provides excellent protection from physical hazards and provides an outstanding grip. Natural rubber provides excellent protection from exposure to aqueous chemicals such as acids and caustics, and limited protection from alcohols and ketones. Natural rubber gloves do not hold up well in organic solvents, oils, greases or fuels such as kerosene or gasoline.

CAUTION: Natural rubber latex has been shown to cause allergic reactions in sensitized individuals.



**NEOPRENE** (Polychloroprene, CR)

Strong, durable Neoprene gloves provide excellent protection from physical hazards such as cuts and abrasions and also provide excellent chemical resistance for protection from exposure to organic and inorganic acids. Neoprene gloves also provide excellent

protection from many organic solvents, oils, greases and petrochemicals and resist degradation from ozone, sunlight and oxidation. In addition, Neoprene remains functional and flexible at temperatures ranging from -10° to 300° F (-23° to 150° C).

#### **NITRILE** (Acrylonitrile-Butadiene Rubber)

Nitrile, a versatile synthetic copolymer, is used to make a variety of gloves ranging from heavy-duty work gloves to ultrathin medical and clean room gloves. Nitrile coating provides tough protection from physical hazards such as cut, puncture or abrasion. Nitrile dipped gloves also provide chemical resistance to petrochemicals (especially



fuels), oils, greases, pesticides and other agricultural chemicals while providing excellent dexterity.



**PVC** (Polyvinyl Chloride)

PVC is an economical synthetic thermoplastic polymer that is exceptionally durable. PVC gloves provide excellent protection from limited chemical exposure and physical hazard protection. They are noted for being durable and function well in temperatures ranging from -30° up to 212°F (-34° up to 100° C).

#### **BUTYL** (Butyl Rubber)

Butyl Rubber's tight molecular structure provides excellent chemical resistance to gases and ketones. Butyl gloves are manufactured in unsupported version only and are used by the military for protection from chemical warfare agents. Butyl rubber is severely affected by exposure to fuels and aliphatic and aromatic hydrocarbon solvents.



Viton provides excellent chemical resistance to fuels used in the aerospace industry. It provides excellent protection from exposure to aromatic hydrocarbons such as benzene, toluene or xylene. Viton gloves are available in unsupported version only. For working with extremely hazardous chemicals such as carcinogenic or highly toxic chemicals, Viton works where no other glove works.



#### POLYMER COMBINATIONS FOR THE BEST OF BOTH WORLDS

Certain combinations of polymers are used to make hybrid gloves. Neoprene over natural rubber latex is used in Best® Chem Master™ gloves. Viton over Butyl is used to make the highly chemical resistant Best® Viton® II glove. Nitrile is used as an overdip in several Showa Best natural rubber gloves to provide added resistance to aging, ozone and chemicals.

# UFF DESIGNS

ے



Knitwrist: designed to keep glove firmly in place, prevents debris from entering glove, enhances warmth, should not be used where quick glove removal is needed.



Safety Cuff: allows glove to slide on and off easily, helps protect wrist, releases quickly from hand, won't soften when exposed to perspiration or washing.



#### **Gauntlet:**


provides additional protection for lower forearm, allows maximum forearm dexterity, lets glove slide off easily, protects wrist, releases quickly from hand.

**Note:** Unsupported gloves may have a rolled cuff, a serrated cuff or a straight cuff.

**Color Coded Cuffs:** Many of our styles have color-coded cuffs for easy size identification and pairing after laundering.

GRIP DESIGNS

## Supported gloves TEXTURED GRIP BREATHABLE VINYL WRINKLE FINISH



BISQUE FINISH
TRACTOR TREAD
SMOOTH FINISH
Note: Some Showa

Note: Some Showa Best gloves have no special grip design, yet still provide good gripping power due to the intrinsic properties of the particular glove polymer.

Flat Dipped Technology: The process where various polymers are dipped onto a seamless liner to form a palm coating. This coating enhances grip, dexterity, and puncture and abrasion resistance. The open back design on flat dipped gloves also allows hands to breathe and increases flexibility.

**Disposable Gloves:** This category of unsupported gloves is generally characterized as a thin-gauge glove that is not intended for repeated use. They may have a donning agent such as powder or may be powder-free.

Laminated Gloves: This special nitrile-coated fabric is made by transfer-coating the nitrile polymer onto a textured surface and then laminating the nitrile film onto Sanitized® poly-cotton fabric for superior comfort and flexibility.

Impregnated Gloves: This special nitrile or PVC-coated fabric is made by knife-coating nitrile or PVC directly onto Sanitized® cotton fabric.

Supported Gloves: These gloves offer a polymer coating over a cotton, nylon or Kevlar<sup>®</sup> liner. The textile substrate imparts added strength and resistance to abrasion, cuts and punctures.

**Unsupported Gloves:** These are polymer gloves with no textile lining. These gloves include heavyweight, medium weight or disposable gloves. They may be chlorinated or have a cotton flock lining for easier donning.

**Cut Resistant Gloves:** This special category is characterized by the utility of the gloves and includes either polymer coated gloves or special high performance yarns that are designed to impart cut-resistance or combinations of these.

GLOVE SIZE CHART

Glove Size	XS	S	M	L	XL
Hand Size	6-7	7-8	8-9	9-10	10-11

Sizing: Use a tape measure to find the circumference of your hand around the palm area. This is close to your actual glove size. For example, 7" is equal to a size 7 glove. Sizes can vary among different manufacturers and styles. For easy size comparison, refer to the above chart and note color coding.

Mil Thickness: 1 mil = 1/1000 of an inch

## **ADDITIONAL SERVICES**

#### **CHEMREST.COM**

Showa Best Glove's CHEMREST.com is the website dedicated strictly to selecting gloves for chemical resistance. This user-friendly website contains ASTM and EN compliant chemical resistance data for several thousand chemical tests and includes the following features:

- Several hundred pure chemicals or chemical mixtures tested
- Various Showa Best gloves tested including new styles
- ASTM test methods for two levels of exposure, heavy and intermittent
- ASTM F739-96 Standard Test Method for Permeation by Liquids or Gases Under Conditions of Heavy Continuous Exposure where glove materials are totally immersed in the test chemicals for eight hours
- ASTM F1383-96 Standard Test Method for Permeation by Liquids or Gases Under Conditions of Intermittent Contact where glove material is exposed to the test chemical intermittently
- Degradation testing at four time intervals
- EN 374 ratings for permeation breakthrough time
- Toxicity and risk information for several hundred chemicals
- NFPA health, flammability and reactivity for several hundred chemicals
- International Agency for Research on Cancer status for each chemical
- American Conference of Governmental Industrial Hygienists "Skin-Notation" chemicals are noted
- Environmental Protection Agency's "Extremely Hazardous Chemicals" are noted
- Pictures of each glove with complete information on ordering and uses
- Search the Website by chemical name or CAS number
- E-mail technical questions to Showa Best Glove Technical Services or contact your Best representative in your national or international area
- Print out chemical resistant table to your printer for each chemical
- Linked to showabestglove.com

#### **CUSTOMIZED CHEMREST™ TESTING**

Under certain conditions, we can use our state-of-the-industry permeation testing equipment to analyze the particular chemical or chemical mixture from which you're seeking protection to help you determine which Showa Best Glove chemical-resistant glove you should use. Call 800-241-0323, for more information. Some testing procedures are subject to a modest service fee. Quotations offered upon request.

## **TERMS & CONDITIONS**

#### **LIMITED WARRANTY AND DISCLAIMERS**

Showa Best Glove warrants only that gloves manufactured by Showa Best Glove will be free from defects in materials and workmanship at the time of manufacture. This limited warranty expires one (1) year after shipment. This limited warranty is exclusive and in lieu of all other warranties, express, implied, or statutory. Showa Best Glove's entire obligation and the exclusive remedy to any party for breach of this limited warranty shall be limited to replacement or refund of the original purchase price of the product, at Showa Best Glove's option, and subject to customer's compliance with Showa Best Glove's Returns policy. Showa Best Glove's limited warranty shall not apply, however, to SBG gloves that have been subject to misuse, accident, or negligence during service, handling, or storage.

#### **DISCLAIMER OF IMPLIED WARRANTIES**

All implied warranties which may arise by implication of law or application of course of dealing or usage of trade, including, but not limited to, implied warranties of merchantability or fitness for a particular purpose, are expressly excluded. There are no warranties which extend beyond the description on the face hereof. The end user is solely responsible for the suitability of the glove selection for a particular application.

#### **FORCE MAJEURE**

Showa Best Glove shall not be liable for delay in or failure to perform any of its obligations if the delay or failure results directly or indirectly by Force Majeure. "Force Majeure," as used herein means any law, order, regulations, or government action; failure or delay of transportation; suspension or cancellation of any required license(s); insurrection, riots, national emergencies, war, acts of public enemies, strikes or other labor difficulties; inability to obtain necessary labor, manufacturing facilities, materials or components from Showa Best Glove's usual sources; fires, floods or other catastrophes; acts of God or any cause of like or kind beyond our control.



## ITEM NO. PRODUCT NAME

724R, 725R, 728R ......Hustler™......19

753, 755, 756.....Super Flex™ PVC......20

772 ......**ATLAS**® 772 ......31

#### **CROSS REFERENCE CHART**

4400 ......Best Lite™.......45

4500, G4500 ......Nitri-Flex® Lite.......46

4540 ......Zorb-IT Black-Lite® ......53

PAGE NO.

.....24

ITEM NO.	PRODUCT NAME	PAGE NO.	ITEM NO.	PRODUCT NAME
DISPOSABLE			803, 810, 812, 814, L811	Cannonball™
	N-DEX® Original Medical	,		BEST® Butyl II
	N-DEX® Ultimate			BEST® Butyl
	CleaN-DEX® Ultimate			BEST® Viton®
				BEST® Viton® II
	DermaThin®			Ultraflex™ II Neoprene
	Real Feel®			BEST® Neoprene
	Nitri-Care®			BEST® Shoulder-Length Neopren
	BEST® Latex			Defensive Guard™
	N-DEX® Original Medical			Neo Grab™
	N-DEX® BWC (Because We Care		6781R, 6781R-06,	
	N-DEX® Original			Insulated Neo Grab™
	BEST® Nitrile		7703R, 7710R, 7712R, 771	
	N-DEX® NightHawk®		7710, 7712, 7714,	, Black Knight®
	N-DEX Free®		OFNIEDAL DUDD	
8005, 8005PF	N-DEX® Plus	5	GENERAL PURP	
8500PF	BEST® Nitrile	9		Answer® Plus
9005PF, 9905PF, B9905PF	N-DEX® Ultimate	5	63NFW, 64NFW,	The Outside of Nittee Cuitte ®
9500PF	N-DEX Free® Ultimate	6		The Original Nitty Gritty®
9700PF	N-DEX® NightHawk® Defender	9		The Original Nitty Gritty®
9905PF	N-DEX® Ultimate	5		The Original Nitty Gritty®
CUENNOAL BECK	CTABIT			Insulated Nitty Gritty®
CHEMICAL RESIS				The Original Nitty Gritty®
	BEST® Chem Master™			<b>ATLAS</b> Fit® 300
	Cannonball™			<b>ATLAS</b> Fit® 300B
N8	Chloroflex™ II	27		ATLAS Fit® 300W
	Nitri Master®			<b>ATLAS</b> XTRA® 305
	NSK 24 <sup>™</sup>			ATLAS Hi-Viz Grip® 317
NSK 26	NSK 26™	32		ATLAS ReGrip® 330
	Value Master™			ATLAS Opti Grip® 340
55, 558	Natural Rubber Latex HD™	16		ATLAS Fit® 350
73, 75, 76	Insulated Super Flex™	20		ATLAS® Assembly Grip 370B ATLAS® Assembly Grip 370W
361, 365	Neo Hyde®	19		<b>ATLAS</b> ® Assembly Grip FC 372
460	<b>ATLAS</b> ® 460	20		SHOWA® Foam Grip 377
481	<b>ATLAS</b> ® 481	20		
490	<b>ATLAS</b> ® 490	20		<b>ATLAS</b> Ventulus® 380
574	Tuff Guard™	16		<b>ATLAS</b> ThermaFit® 451 Nu Fangle™
610	<b>ATLAS</b> ® 610	23		Nu Fangle™ Plus
610R, 612R, 614R	Duz All™	19		KPG®
	<b>ATLAS</b> ® 620			Fuzzy Duck®
	<b>ATLAS</b> ® 640			Answer®
	<b>ATLAS</b> ® 650			Answer® NGT
	<b>ATLAS</b> ® 660			
	BEST Master®			Strapper® Insulated Snowman™
	Nitri-DEX®			
	Nitri-Solve®			Skinny Dip®
	<b>ATLAS</b> ® 720			Cutlass® The Original Nitri-Flex®
	Chloroflex™			i ne uriginai ivitri-riex≅ Best Lite™
7 20			<del>44</del> 00	DEST FILE

ITEM NO.	PRODUCT NAME	PAGE NO.
4570	Zorb-IT® HV	52
4575	Zorb-IT® Extra	52
4600	Nitri-Flex® Plus	46
7000, 7000P, 7066,		
7166, 7199NC	Nitri-Pro® (Smooth Finish)	50
7000R, 7166R, 7199NCR	Nitri-Pro® (Rough Finish)	50
	Insulated Nitri-Pro®	
8811, 8814	CharGuard®	56
OUT DECICEANT	/LUCLI DEDECIDADA A NICI	E EIDEDO
	HIGH PERFORMANC	OF THE RES
	ATLAS® KV300	Control of the Contro
	<b>ATLAS</b> ® KV350	
	<b>ATLAS®</b> KV660	
	NRK™	
	D/FLEX® Sleeve	/3
S8115-10, S8115-16, S8115HV-16, S8115-10T,		
S8115-16T, S8115HV-16T.	T/FLEX® Sleeve	73
	D/FLEX® Supreme Sleeve	
68NFW	The Original Nitty Gritty®	64
250	AEGIS KVS4™	59
540	SHOWA® 540	64
541	SHOWA® 541	64
545	SHOWA® 545	64
910, 910C	D/FLEX®	67
917, 917C	D/FLEX® Plus	67
937C	Terry-Plus <sup>™</sup>	63
4560	Zorb-IT® Ultimate	60
4565	Zorb-IT Ultra®	60
4567	Zorb-IT® Ultimate HV	63
4811	Skinny Dip® Kevlar®	60
4900	Nitri-Flex® Kevlar®	60
5900	Nitri-Flex® Ultimate	63
7965R	Nitri-Pro®	63
8110	D/FLEX®	68
	T/FLEX® Plus	
	T/FLEX®	
8127	D/FLEX® Plus	68
8210, 8210D2S	D/FLEX® G4	
HI-TECH		1 6 1240
CHOWA® A OF 20		70
3HUVVA 343		13





AL

Email: info@showabestglove.eu www.showabestglove.com