

STANLEY

®

**CONSTRUCTION
TOOLS & FASTENERS**



BOSTITCH



2007

Exclusive Code Approval
(ESR 2020)

Awarded 2006
Innovation of the Year
by Popular Science

INNOVATION
OF THE YEAR



Easy to Identify Head

- helps code inspectors ensure the nails meet code requirements

Shear Shank Technology (Patent Pending)

- screw shank file void in sheathing created by rings
- smooth shank provides maximum shear strength at primary stress point

Deep Ring Technology

- ring shank delivers superior holding power

Up to 25% Larger Effective Head Area (Patent Pending)

- delivers maximum pull-through resistance
- minimizes overdriving the nail

Improved Plastic Coating

- drives nails more smoothly
- reduces lagging to split nails flush

Up to 2X the Resistance to High Winds

- Rated for **Hurricane Wind Conditions** and gusts up to **170 MPH**

- Exceeds Dade County Code

Non-load winds create an uplift or suction effect on roof sheathing. These forces can cause fasteners to fail via **PULL-THROUGH OR WITHDRAWAL**:



Example of uplift failure



U.S. Wind Risk Map



Up to 50% More Resistant to Forces from Earthquakes

- Reduces the potential for major structural damage

Earthquake forces are typically perpendicular to fasteners. These forces can cause **SHEAR FAILURES**:



Example of shear failure



U.S. Seismic Risk Map



Available SKU:

RH-S8DR113-HQ

2-1/2" X .113"

RH-S8DR131-HQ

2-1/2" X .131"

Fits Bostitch® F21PL, N88RH, N88RH-2MCN

SEE FASTENER LIST G ON PAGE 12.

FIRE IN THE HOLE!













Contractors, framers, developers, and inspectors all agree – the award-winning BOSTITCH® StrapShot™ is the most advanced metal connector nailer. With more rigid building codes being implemented all over the country, the StrapShot™ gives you a sizeable advantage over those who don't have it.



TABLE OF CONTENTS

This catalog was designed with the Industry Standard color-coding system. Finding the right tool and fastener for the right application is as easy as flipping to the appropriate color.

	SECTION	PAGE
	FRAMING	4-13
	ROOFING	14-17
	FINISH AND TRIM	18-25
	CONSTRUCTION STAPLERS	26-29
	SPECIALTY CONSTRUCTION/FLOORING	30-39
	COMPRESSORS	40-42
	COMBO KITS	43-44
	ACCESSORIES	46-49
	MANUAL FASTENING	50-54
	AUTHORIZED SERVICE CENTERS	55-62

A century of experience goes into every Bostitch® tool we manufacture. From lightweight magnesium housings, to oil-free engines, Bostitch tools are built to work. Look for these icons throughout the catalog.




= Lightweight magnesium housing for job-site durability



= Oil-free technology requires no lubrication and leaves no oil stains on work



= Tool carries 7-year warranty. See back cover for details.



For more information on the complete line of Bostitch® Construction Tools & Fasteners, visit us at www.BOSTITCH.com.

Bostitch manufactures over 2000 types of fasteners. Each fastener is engineered for optimal performance in Bostitch® tools, and for exceeding the performance expectations of our customers. Our goal is to continually increase efficiency, productivity and quality, and to ensure building code compliance through the ICC ESR 2020, ICC ESR 1539 and ICC ER 5426 reports. Our team of engineers leads the industry in innovation and design. Utilizing our advanced laboratory, our team of engineers conducts **environmental testing** to study the effects of storm forces and other weather conditions, **withdrawal testing** to evaluate new coatings, **penetration testing** to evaluate drive characteristics, and **development testing** to optimize withdrawal, shear and pull-through performance.




Bostitch® fasteners are continually evaluated to assess quality and performance.

Selecting the Proper Bostitch® Nails

Nail Collation



Plastic Collation




Wire Collation




Paper Collation

Bostitch® Stick Nails are designed, engineered and manufactured in four different forms and are generally identified by what holds the nails together – plastic, wire, paper or adhesive. Adhesive collation is used on finish nails and brads for trim and fine woodwork. Finish nails and brads range in length from 3/8 to 2-1/2 inches with diameters ranging from 15 to 23 gauge. The plastic, wire and paper collated nails are used for general framing and crating applications. Stick nails range in length from 1-1/2" to 6-1/4" inches with diameters ranging from 0.113 to 0.165 inches.



Wire Collation




Plastic Collation

Bostitch® Coil Nails are made at a 15-degree angle, joined together with wire or plastic, and range from 3/4 to 4 inches in length with diameters ranging from 0.080 to 0.148 inches. Applications typically include roofing, siding, fencing, framing and crating.

Nail Shank

There are three types of nail shanks – smooth, ring, and screw. A **smooth shank** has a withdrawal capacity that is adequate for most applications. During the manufacturing of smooth shank nails, a coating is applied, which eases penetration resistance and ultimately helps improve the holding power of the fastener. However, when more holding power is necessary, a ring or screw shank should be used. A **ring shank** is designed for increased withdrawal strength in soft woods. The **screw shank** works well at improving the withdrawal capacity in hard woods.

The metal and coating used on the shank of the nail are important when selecting the proper nail for the application. Bostitch offers nails manufactured out of cold worked carbon steel, cold worked hardened steel, aluminum and stainless steel. Cold worked carbon steel is most commonly used when corrosion resistance is not a concern; cold worked hardened steel is most commonly used when attaching material to very hard substrates; and aluminum and stainless steel are most commonly used when severe corrosion resistance is needed due to the wood or environment in which the nail is installed.



Exclusive to Bostitch is the Thickcoat™ galvanization process, which provides a consistent, high-performance, corrosion-resistant coating. Each nail is designed to meet or exceed the performance of ASTM A153 hot dipped galvanized nails.

Thickcoat™ fasteners are available in all sizes of wire weld, coil and stick, and are specifically designed for use in **ALL** pressure treated lumber and exterior applications.

GOOD FOR
ACQ



Bostitch also offers a full line of fasteners designed for use with metal connectors. A complete line of fasteners ranging from 1-1/2" to 2-1/2" length and 0.131" to 0.162" diameter are available to meet the specifications of almost any metal connector.

STRAPS & JOINT


Nail Point

There are four basic point styles to consider for an application – diamond, blunt diamond, chisel, and blunt chisel. Proper selection is important as the nail point can cause the wood to split, rob the tool of power or affect the withdrawal capacity of the nail.




Diamond Point

General-purpose point, best holding power



Chisel Point

The preferred point for trim applications



Blunt Diamond Point

Effective at reducing wood splitting in hardwood applications




Blunt Chisel Point

Effective at reducing wood splitting in hardwood applications

Selecting the proper Bostitch® Staples

All staples are joined with an adhesive coating that holds the staple together, aids the staple in penetration and keeps it from withdrawing from the wood. Light wire staples are measured in thousandths and heavy wire staples are measured by gauge. Staple gauges range from 15 to 18 and the lengths range from 1/2 to 2-1/2 inches. Both light wire and heavy wire staples are available in steel, coated, and stainless steel, and are typically classified by the crown width. In some cases, staples are less expensive and may reduce material splitting as compared to nails.



F-SERIES FRAMING NAILERS

One Award Winning Design
Engineered for 3 Collations

F21PL



F28WW




F33PT



Plastic



Wire Weld



Paper Tape

Breakthrough Features:

- Metal Connector Tip
(F21PL & F33PT models only)
- Exclusive Smart Trigger
- Patented Push Button Adjustable Depth Guide
- Powerful Enough for Engineered Lumber
- 16" Layout Indicator



Quick Change Tip
(F21PL & F33PT models)


STANLEY

BOSTITCH®

F21PL Plastic Collated Framing / Metal Connector Nailer



21" Plastic Collated Stick Nails



SMOOTH RING SCREW

Available in: Plain, Galvanized, Stainless Steel

Features:

- * Two nailers in one: includes two quick change nosepieces to convert tool to either framing or metal connector applications
- Includes factory installed sequential trigger and exclusive Smart Trigger
- Patented push button adjustable depth guide sets nail to desired depths
- Lightweight magnesium design for added durability
- Drives plastic collated 1-1/2" and 2-1/2" metal connector nails (.131" - .148" diameter)

Tool Specifications:


- Tool Weight: 8.1 lbs. • Driving Power: 1050 inch lbs.

* See fastener lists
F/G pages 12-13

F28WW Wire Weld Framing Nailer



28" Wire Collated Stick Nails



SMOOTH RING SCREW

Available in: Plain, Galvanized, Stainless Steel

Features:

- Patented push button adjustable depth guide sets nail to desired depths quickly and conveniently
- Includes factory installed sequential trigger and exclusive Smart Trigger
- Notched 16" layout indicator on magazine helps achieve correct distance between studs in a matter of seconds
- Lightweight magnesium design for added durability

Tool Specifications:


- Tool Weight: 7.6 lbs. • Driving Power: 1050 inch lbs.

* See fastener list A/B page 9

F33PT Paper Tape Framing / Metal Connector Nailer



33" Paper Tape Collated Stick Nails



SMOOTH RING

Available in: Plain, Galvanized

Features:

- * Two nailers in one: includes two quick change nosepieces to convert tool to either framing or metal connector applications
- Includes factory installed sequential trigger and exclusive Smart Trigger
- Patented push button adjustable depth guide sets nail to desired depths
- Lightweight magnesium design for added durability
- Drives 1-1/2" STRAPSHOT™ fasteners as well as all other 1-1/2" and 2-1/2" metal connector nails (.131" - .148" diameter)

Tool Specifications:

- Tool Weight: 7.9 lbs. • Driving Power: 1050 inch lbs.

* See fastener list
C/D page 10

MCN150 Metal Connector Nailer
STRAPSHOT™

35° Paper Collated Metal Connector Nails



SMOOTH

Available in: Plain, Galvanized

 * See fastener list
D page 10

Features:


- Compact design fits between 12" O.C. joists
- Low nail lockout prevents dryfires
- Exclusive safety system prevents misfires
- Exposed nail tip design fires in the hole for faster, more precise nailing
- Drives 1-1/2" STRAPSHOT™ fasteners as well as all other 1-1/2" papertape collated metal connector nails (.131" - .148" diameter)

Tool Specifications:

- Tool Weight: 4.6 lbs. • Driving Power: 450 inch lbs.

N89C-1 High-Power Coil Framing Nailer
MAG

15° Coil Framing Nails



SMOOTH RING SCREW

 Available in: Plain, Galvanized,
Stainless Steel

* See fastener list E page 11

Features:


- Lightweight magnesium design for added durability
- Patented push button adjustable depth guide sets nail to desired depths quickly and conveniently
- Coil magazine holds up to 300 nails for high production applications

Tool Specifications:

- Tool Weight: 8.1 lbs. • Driving Power: 1050 inch lbs.

N80CB-1 Coil Framing Nailer

15° Coil Framing Nails



SMOOTH RING SCREW

 Available in: Plain, Galvanized,
Stainless Steel

* See fastener list E page 11

Features:

- Coil magazine holds up to 300 nails for high production applications
- Quick-open composite canister survives falls
- Aggressive toe-nailing teeth grip lumber for slip-free nailing


Tool Specifications:

- Tool Weight: 8.4 lbs. • Driving Power: 880 inch lbs.

N75C-1 Coil Sheathing/Siding Nailer



15° Wire Weld Coil Siding Nails



SMOOTH RING

Available in: Plain, Galvanized

* See fastener list U page 37

Features:

- Perfect for high-volume nailing of wall and roof sheathing
- Drives 15° wire weld collated and plastic inserted nails with shank diameters of .090"-.131"
- Lightweight aluminum design for added durability
- Adjustable depth guide sets nails to desired depths quickly and conveniently


Tool Specifications:

- Tool Weight: 5.2 lbs. • Driving Power: 630 inch lbs.

N100S Heavy-Duty Stick Framing Nailer



28° Wire Collated Stick Nails



SMOOTH RING SCREW

Available in: Plain, Galvanized, Stainless Steel

* See fastener list A/B page 9

Features:

- High-power engine drives nails up to 4" in length
- Aluminum housing for job-site durability
- Extruded aluminum magazine survives falls


Tool Specifications:

- Tool Weight: 10.2 lbs. • Driving Power: 1350 inch lbs.

BIGBERTA160-2 High-Power Stick Timber Nailer



21° Plastic Collated Nails



SMOOTH

Available in: Plain

* See fastener list G page 13

Features:

- Power-packed engine design drives nails up to 6-1/4"
- Oil-free engine requires no lubrication
- Includes auxiliary handle for added comfort

Tool Specifications:

- Tool Weight: 15.4 lbs. • Driving Power: 2075 inch lbs.

STANLEY


BOSTITCH®

THICKCOAT™ GALVANIZATION



Good for use in ALL Pressure Treated Lumber!

For Bostitch Wire Weld
Stick and Coil Framing Nails

The proof is in the performance!



Third Party Test Comparison




Maze® Registered trademark of W.H. Maze Co.
Paslode® Registered trademark of Illinois Tool Works, Ltd.

- Testing conducted per ASTM B 117
- Comparative testing based on the cue for customer complaints being the onset of red rust

A. 28° Wire Collated Full Round Head Stick Framing Nails





Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
S6D-FH	2" x .113"	Smooth	Coated	Diamond	2000	 N79WW, N80SB, N86S, N88WWB, N100S, F28WW
S6DGAL-FH	2" x .113"	Smooth	Thickcoat™	Diamond	2000	
S6DR113-FH	2" x .113"	Ring	Coated	Diamond	2000	
S6DR113GAL-FH	2" x .113"	Ring	Thickcoat™	Diamond	2000	
S8D-FH	2-3/8" x .120"	Smooth	Coated	Diamond	2000	
S8DGAL-FH	2-3/8" x .120"	Smooth	Thickcoat™	Diamond	2000	
S8DR-FH	2-3/8" x .120"	Ring	Coated	Diamond	2000	
S8DRGAL-FH	2-3/8" x .120"	Ring	Thickcoat™	Diamond	2000	
S8D131-FH	2-1/2" x .131"	Smooth	Coated	Diamond	2000	
S10D-FH	3" x .120"	Smooth	Coated	Diamond	2000	
S10DGAL-FH	3" x .120"	Smooth	Thickcoat™	Diamond	2000	
S10DRGAL-FH	3" x .120"	Ring	Thickcoat™	Diamond	2000	
S10D131-FH	3" x .131"	Smooth	Coated	Diamond	2000	
S12D-FH	3-1/4" x .120"	Smooth	Coated	Diamond	2000	
S12DGAL-FH	3-1/4" x .120"	Smooth	Thickcoat™	Diamond	2000	
S12D131-FH	3-1/4" x .131"	Smooth	Coated	Diamond	2000	
S16D131-FH	3-1/2" x .131"	Smooth	Coated	Diamond	2000	
S16D131GAL-FH	3-1/2" x .131"	Smooth	Thickcoat™	Diamond	2000	

Fits Competitor's Tools

Porter-Cable: FM350A

B. 28° Wire Collated Stick Framing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
S6D-2M	2" X .113	Smooth	Coated	Diamond	2000	 N79WW, N80SB, N86S, N88WWB, N100S, F28WW
S6DGAL-2M	2" X .113	Smooth	Thickcoat™	Diamond	2000	
S6DR113-2M	2" X .113	Ring	Coated	Diamond	2000	
S6DR113GAL	2" X .113	Ring	Thickcoat™	Diamond	2000	
S8D	2-3/8" X .113	Smooth	Coated	Diamond	2000	
S8DGAL	2-3/8" X .113	Smooth	Thickcoat™	Diamond	2000	
S8DSS-1M	2-3/8" X .113	Smooth	Stainless	Diamond	1000	
S8DR	2-3/8" X .113	Ring	Coated	Diamond	2000	
S8DRGAL	2-3/8" X .113	Ring	Thickcoat™	Diamond	2000	
S8DRSS-1M	2-3/8" X .113	Ring	Stainless	Diamond	1000	
S8DS	2-3/8" X .113	Screw	Coated	Diamond	2000	
S8D131	2-1/2" X .131	Smooth	Coated	Diamond	2000	
S8D131GAL	2-1/2" X .131	Smooth	Thickcoat™	Diamond	2000	
S8DH	2-1/2" X .131	Smooth	Hardened	Diamond	2000	
S8DR131GAL	2-1/2" X .131	Ring	Thickcoat™	Diamond	2000	
S10D	3" X .120	Smooth	Coated	Diamond	2000	
S10D131	3" X .131	Smooth	Coated	Diamond	2000	
S10D131GAL	3" X .131	Smooth	Thickcoat™	Diamond	2000	
S10DR131GAL	3" X .131	Ring	Thickcoat™	Diamond	2000	
S10DGAL	3" X .120	Smooth	Thickcoat™	Diamond	2000	
S10DR	3" X .120	Ring	Coated	Diamond	2000	
S10DRGAL	3" X .120	Ring	Thickcoat™	Diamond	2000	
S10DRSS-1M	3" X .120	Ring	Stainless	Diamond	1000	 N100S
S10DS	3" X .120	Screw	Coated	Diamond	2000	
S10DSGAL	3" X .120	Screw	Thickcoat™	Diamond	2000	
S12D	3-1/4" X .120	Smooth	Coated	Diamond	2000	
S12D131	3-1/4" X .131	Smooth	Coated	Diamond	2000	
S12DGAL	3-1/4" X .120	Smooth	Thickcoat™	Diamond	2000	
S12D131GAL	3-1/4" X .131	Smooth	Thickcoat™	Diamond	2000	
S12DR	3-1/4" X .120	Ring	Coated	Diamond	2000	
S12DS	3-1/4" X .120	Screw	Coated	Diamond	2000	
S12DSGAL	3-1/4" X .120	Screw	Thickcoat™	Diamond	2000	
S12DSS-1M	3-1/4" X .120	Smooth	Stainless	Diamond	1000	
S16D	3-1/2" X .120	Smooth	Coated	Diamond	2000	
S16D131	3-1/2" X .131	Smooth	Coated	Diamond	2000	
S16D131GAL	3-1/2" X .131	Smooth	Thickcoat™	Diamond	2000	
S16DS	3-1/2" X .131	Screw	Coated	Diamond	2000	
S16DS131GAL	3-1/2" X .131	Screw	Thickcoat™	Diamond	2000	
S16DSS-1M	3-1/2" X .120	Smooth	Stainless	Diamond	1000	
S20D131	4" X .131	Smooth	Coated	Diamond	2000	

Fits Competitor's Tools

Porter-Cable: FM350A

FRAMING

STANLEY
BOSTITCH®

C. 33° Paper Collated Stick Framing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
PT-S6D113EP	2" x .113	Smooth	Coated	Diamond	5000	F33PT, N90PT
PT-S6DR113EP	2" x .113	Ring	Coated	Diamond	5000	
PT-S8D113EP	2-3/8" x .113	Smooth	Coated	Diamond	5000	
PT-S8D113HDG	2-3/8" x .113	Smooth	Hot Dipped	Diamond	5000	
PT-S8DR113EP	2-3/8" x .113	Ring	Coated	Diamond	5000	
PT-S8DR113HDG	2-3/8" x .113	Ring	Hot Dipped	Diamond	5000	
PT-S10D120EP	3" x .120	Smooth	Coated	Diamond	3000	
PT-S10D120HDG	3" x .120	Smooth	Hot Dipped	Diamond	3000	
PT-S10DR120HDG	3" x .120	Ring	Hot Dipped	Diamond	3000	
PT-S10D131EP	3" x .131	Smooth	Coated	Diamond	3000	
PT-S12D131EP	3-1/4" x .131	Smooth	Coated	Diamond	2500	
PT-S12D131HDG	3-1/4" x .131	Smooth	Hot Dipped	Diamond	2500	
PT-S16D131EP	3-1/2" x .131	Smooth	Coated	Diamond	2500	
PT-S16D131HDG	3-1/2" x .131	Smooth	Hot Dipped	Diamond	2500	

Fits Competitors' Tools

Atro: CHS933

DEWALT: D51823

Hitachi: NR83AA, NR90AD

Paslode: 5300S, 5325S, 5350S, SK312, F350S, IM325, IMCT325, IM350

Porter Cable: FC350

Ridgid: R350CHA

Senco: SN2+, SN3, SN325+, SN4, SN70, Frame Pro

D. STRAPSHOT™ 35° Paper Collated Metal Connector Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
PT-MC13115-1M	1-1/2" x 0.131"	Smooth	Heat Treated	Diamond	1,000	F33PT, MCN150
PT-MC13115GAL1M	1-1/2" x 0.131"	Smooth	Thickcoat™	Diamond	1,000	
PT-MC14815-1M	1-1/2" x 0.148"	Smooth	Heat Treated	Diamond	1,000	
PT-MC14815GAL1M	1-1/2" x 0.148"	Smooth	Thickcoat™	Diamond	1,000	
PT-MC13125-1M	2-1/2" x 0.131"	Smooth	Heat Treated	Diamond	1,000	F33PT
PT-MC13125GAL1M	2-1/2" x 0.131"	Smooth	Thickcoat™	Diamond	1,000	
PT-MC14825-1M	2-1/2" x 0.148"	Smooth	Heat Treated	Diamond	1,000	
PT-MC14825GAL1M	2-1/2" x 0.148"	Smooth	Thickcoat™	Diamond	1,000	
PT-MC16225-1M	2-1/2" x 0.162"	Smooth	Heat Treated	Diamond	1,000	
PT-MC16225GAL1M	2-1/2" x 0.162"	Smooth	Thickcoat™	Diamond	1,000	

Fits Competitors' Tools

Hitachi: NR65AK

Paslode: F250S-PP

Rap-A-Nail: RN150, RN250

E. 15° Coil Framing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
C4PSTIF	1-1/2" X .099	Smooth	Stiff	Diamond	3600	N75C, N80CB
AC4D113BDP	1-1/2" X .113	Smooth	Coated	Blunt Diamond	7500	
AC5D099	1-3/4" X .099	Smooth	Coated	Diamond	9000	
C6P99D	2" X .099	Smooth	Coated	Diamond	3600	
C6P99DG	2" X .099	Smooth	Thickcoat™	Diamond	3600	
C6R99BC	2" X .099	Ring	Coated	Blunt Chisel	3600	
C6R99BCG	2" X .099	Ring	Thickcoat™	Blunt Chisel	3600	
C6R99BDSS	2" X .099	Ring	Stainless	Blunt Diamond	3600	
AC7D099	2-1/4" X .099	Smooth	Coated	Diamond	9000	
C7R99BCG	2-1/4" X .099	Ring	Thickcoat™	Blunt Chisel	3600	
C7PSTIF	2-1/4" X .099	Smooth	Stiff	Diamond	3600	N80CB, N86C, N89C, N100C, N100CPP, N75C
C8P99D	2-1/2" X .099	Smooth	Coated	Diamond	3600	
C8P99DG	2-1/2" X .099	Smooth	Thickcoat™	Diamond	3600	
C8R99BCG	2-1/2" X .099	Ring	Thickcoat™	Blunt Chisel	3600	
C8R99BD	2-1/2" X .099	Ring	Coated	Blunt Diamond	3600	
C8R99BDSS	2-1/2" X .099	Ring	Stainless	Blunt Diamond	3600	
C8P113D	2-3/8" X .113	Smooth	Coated	Diamond	5000	
C8R113DG	2-3/8" X .113	Smooth	Thickcoat™	Diamond	2700	
C8P120D	2-1/2" X .120	Smooth	Coated	Diamond	2700	
C8P131D-4.5M	2-1/2" X .131	Smooth	Coated	Diamond	4500	
C10P120D	3" X .120	Smooth	Coated	Diamond	2700	N80CB, N89C, N100C
C10P120DG	3" X .120	Smooth	Thickcoat™	Diamond	2700	
C10P131D	3" X .131	Smooth	Coated	Diamond	2700	
C10P131DG	3" X .131	Smooth	Thickcoat™	Diamond	2700	
C10S131DG	3" X .131	Smooth	Thickcoat™	Diamond	2700	
C10P148D-SHORT	2-1/4" X .148	Smooth	Coated	Diamond	2700	
AC10DR	3" X .120	Ring	Coated	Blunt Diamond	4500	
C10R120DSS	3" X .120	Ring	Stainless	Diamond	2700	
C10S120DG	3" X .120	Screw	Thickcoat™	Diamond	2700	
C12P120D	3-1/4" X .120	Smooth	Coated	Diamond	2700	
C12P120DG	3-1/4" X .120	Smooth	Thickcoat™	Diamond	2700	N89C, N100C, N100CPP, N400C
C12R120DSS	3-1/4" X .120	Ring	Stainless	Diamond	2700	
AC12DS	3-1/4" X .120	Screw	Coated	Blunt Diamond	4500	
C12S120DG	3-1/4" X .120	Screw	Thickcoat™	Diamond	2700	
C12P131D	3-1/4" X .131	Smooth	Coated	Diamond	2700	
C16P131D	3-1/2" X .131	Smooth	Coated	Diamond	2700	
C16P131DG	3-1/2" X .131	Smooth	Thickcoat™	Diamond	2700	
C20S120D	4" X .120	Screw	Coated	Diamond	2700	
C20P131D	4" X .131	Smooth	Coated	Diamond	2700	
C20P131DG	4" X .131	Smooth	Thickcoat™	Diamond	2700	

Fits Competitors' Tools

DUO-FAST: CNW-75

Hitachi: NV83A

Makita: AN901

Max: 890C

Paslode: F275C / P275C, F325C / P325C, 5300C

Porter Cable: Coil350

Senco: SCN60, SCN65

FRAMING

STANLEY

BOSTITCH®

F. 21° Plastic Collated Metal Connector Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
RH-MC13115-S	1-1/2" x 0.131"	Smooth	Bright, Heat Treated	Diamond	1000	F21PL, N88RH-2MCN
RH-MC13115GAL-S	1-1/2" x 0.131"	Smooth	Thickcoat™, Heat Treated	Diamond	1000	
RH-MC14815-S	1-1/2" x 0.148"	Smooth	Bright, Heat Treated	Diamond	1000	
RH-MC14815GAL-S	1-1/2" x 0.148"	Smooth	Thickcoat™, Heat Treated	Diamond	1000	
RH-MC13125-S	2-1/2" x 0.131"	Smooth	Bright, Heat Treated	Diamond	1100	
RH-MC13125GAL-S	2-1/2" x 0.131"	Smooth	Thickcoat™, Heat Treated	Diamond	1100	
RH-MC14825-S	2-1/2" x 0.148"	Smooth	Bright, Heat Treated	Diamond	900	
RH-MC14825GAL-S	2-1/2" x 0.148"	Smooth	Thickcoat™, Heat Treated	Diamond	900	
RH-MC16225-S	2-1/2" x 0.162"	Smooth	Bright, Heat Treated	Diamond	900	
RH-MC16225GAL-S	2-1/2" x 0.162"	Smooth	Thickcoat™, Heat Treated	Diamond	900	

G. 21° Plastic Collated Stick Framing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
RH-S6DEP	2" X .113	Smooth	Coated	Diamond	6000	F21PL, N79RH, N88RH-2MCN, N95RHN, N88RH
RH-S6DHDG	2" X .113	Smooth	Hot Dipped	Diamond	6000	
RH-S6DRHDG	2" X .113	Ring	Hot Dipped	Diamond	6000	
RH-S214DEP	2-1/4" X .148	Smooth	Coated	Diamond	4000	
RH-S214DREP	2-1/4" X .148	Ring	Coated	Diamond	4000	
RH-S8D113EP	2-3/8" X .113	Smooth	Coated	Diamond	5000	
RH-S8D113HDG	2-3/8" X .113	Smooth	Hot Dipped	Diamond	5000	
RH-S8DR113EP	2-3/8" X .113	Ring	Coated	Diamond	5000	
RH-S8DR113HDG	2-3/8" X .113	Ring	Hot Dipped	Diamond	5000	
RH-S8DR113SS	2-3/8" X .113	Ring	Stainless	Diamond	2500	
RH-S8DR113-HQ	2-1/2" X .113	HurriQuake™	Coated	Diamond	5000	F21PL, N88RH, N88RH-2MCN
RH-S8D120EP	2-3/8" X .120	Smooth	Coated	Diamond	5000	
RH-S8DR120EP	2-3/8" X .120	Ring	Coated	Diamond	5000	F21PL, N79RH, N88RH-2MCN, N88RH, N95RHN
RH-S8DR120HDG	2-3/8" X .120	Ring	Hot Dipped	Diamond	5000	
RH-S8D148EP	2-3/8" X .148	Smooth	Coated	Diamond	4000	
RH-S8DS148EP	2-3/8" X .148	Screw	Coated	Diamond	4000	
RH-S8D131EP	2-1/2" X .131	Smooth	Coated	Diamond	5000	F21PL, N88RH, N88RH-2MCN
RH-S8D131HDG	2-1/2" X .131	Smooth	Hot Dipped	Diamond	5000	
RH-S8DR131-HQ	2-1/2" X .131	HurriQuake™	Coated	Diamond	5000	

Up to **2X** the Resistance to High Winds

- Rated for Hurricane Wind Conditions and gusts up to 170 MPH
- Exceeds Dade County Code

Up to **50%** More Resistant to Forces from Earthquakes

- Reduces the potential for major structural damage

Awarded 2006 *Innovation of the Year* by Popular Science

G. 21° Plastic Collated Stick Framing Nails (Continued)

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
RH-S10D120EP	3" X .120	Smooth	Coated	Diamond	4000	F21PL, N79RH, N88RH-2MCN, N88RH, N95RHN
RH-S10D120HDG	3" X .120	Smooth	Hot Dipped	Diamond	4000	
RH-S10DR120SS	3" X .120	Ring	Stainless	Diamond	2000	
RH-S10DR120HDG	3" X .120	Ring	Hot Dipped	Diamond	4000	
RH-S10D131EP	3" X .131	Smooth	Coated	Diamond	4000	
RH-S10D131HDG	3" X .131	Smooth	Hot Dipped	Diamond	4000	
RH-S10DR131EP	3" X .131	Ring	Coated	Diamond	4000	
RH-S10DR131HDG	3" X .131	Ring	Hot Dipped	Diamond	4000	
RH-S10DS120HDG	3" X .120	Screw	Hot Dipped	Diamond	4000	
RH-S10D148EP	3" X .148	Smooth	Coated	Diamond	3000	
RH-S12D120EP	3-1/4" X .120	Smooth	Coated	Diamond	4000	F21PL, N79RH, N88RH-2MCN, N88RH, N95RHN
RH-S12D131EP	3-1/4" X .131	Smooth	Coated	Diamond	4000	
RH-S12D131HDG	3-1/4" X .131	Smooth	Hot Dipped	Diamond	4000	
RH-S12D148EP	3-1/4" X .148	Smooth	Coated	Diamond	3000	
RH-S12DS148EP	3-1/4" X .148	Screw	Coated	Diamond	3000	
RH-S12D162EP	3-1/4" X .162	Smooth	Coated	Diamond	3000	
RH-S16D131EP	3-1/2" X .131	Smooth	Coated	Diamond	4000	
RH-S16D131HDG	3-1/2" X .131	Smooth	Hot Dipped	Diamond	4000	
RH-S16D135EP	3-1/2" X .135	Smooth	Coated	Diamond	2000	
RH-S16D162EP	3-1/2" X .162	Smooth	Coated	Diamond	3000	
S38-100B	4" x .150	Smooth	Coated	Diamond	1250	KN85PP, BIGBERTA160
S38-115B	4-1/2" x .150	Smooth	Coated	Diamond	1250	
S34S-115B	4-1/2" x .134	Screw	Coated	Diamond	1250	
S38-130B	5-1/8" x .150	Smooth	Coated	Diamond	1250	
S42-130B	5-1/8" x .165	Smooth	Coated	Diamond	1250	
S42-160B	6-1/4" x .165	Smooth	Coated	Diamond	660	

Fits Competitors' Tools

DEWALT: D51845

DUO-FAST: CN350B

Hitachi: NR83A, NR90AC

Makita: AN922, AN8300

Paslode: 5300, F350SRH

Porter-Cable: FR350, FR350MAG

Ridgid: R350RHA

Senco: SN60, SN65, SN65C, FramePro FRH

FRAMING

BOSTITCH
STANLEY

- ☒ Weighs only 4.9 lbs.
- ☒ Loads in one step
- ☒ Won't fire when empty
- ☐ Hauls shingles up ladder



The Bostitch® RN46 Roofing Nailer versus the competition					
	Bostitch® RN46	Hitachi® NV45AB	Porter-Cable® RN175	Ridgid® R175RNA	Senco® SCN40R
Lightweight Magnesium Housing	✓			✓	✓
Easy One-Step Loading Design	✓				
Dryfire Lockout (Will not fire when empty)	✓				
Tool-Free Shingle Guide	✓			✓	✓
Weight	4.9 lbs.	5.4 lbs.	5.09 lbs.	5 lbs.	5.1 lbs.
Power-to-Weight Ratio	83.6	56.51	66.18	60	63.7



No nailer does everything, but the Bostitch® RN46 Coil Roofing Nailer comes close. With its magnesium housing, one-step loading, dryfire nail lockout, and tool-free shingle guide, the RN46 makes roofing easy. That is why the *Journal of Light Construction* picked it as their favorite in the June 2006 issue.


STANLEY

BOSTITCH

RN46-1 Coil Roofing Nailer



15° Coil Roofing Nails



Available in: Galvanized, Stainless Steel

* See fastener list
H page 17

Features:

- Zero nail lockout feature eliminates dry firing and indicates when to reload the magazine
- Nosepiece features carbide inserts for long-life performance
- Aggressive wear guards and skid pads protect the tool from damage on abrasive surfaces
- Quick-set adjustable depth guide sets nails to desired depths quickly and conveniently
- Patented, single-action, side load canister for fast, one-step nail loading
- Adjustable shingle guide for quick shingle spacing

Tool Specifications:


- Tool Weight: 4.9 lbs. • Driving Power: 410 inch lbs.

Accessories: Vinyl siding attachment VSA4

RN45B-1 Coil Roofing Nailer



15° Coil Roofing Nails



Available in: Galvanized, Stainless Steel

* See fastener list
H page 17

Features:

- Aggressive wear guards and skid pads protect the tool from damage on abrasive surfaces
- Nosepiece features carbide inserts for long-life performance
- Adjustable shingle guide for quick shingle spacing
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- Patented, single-action, side load canister for fast, one-step nail loading

Tool Specifications:


- Tool Weight: 6.0 lbs. • Driving Power: 442 inch lbs.

Accessories: Vinyl siding attachment VSA2, Adjustable depth control DC6

438S2R Jam-Free Wide Crown Roofing Stapler



16-Gauge Staple



Available in: Galvanized, Stainless Steel

* See fastener list I page 17

Features:

- Jam-free magazine
- Power control valve adjusts power by 30%
- Aggressive wear guards and skid pads protect the tool from damage on abrasive surfaces
- Nosepiece features carbide inserts for long-life performance
- Molded rubber grip designed to last longer
- Adjustable shingle guide for quick shingle spacing

Tool Specifications:

- Tool Weight: 4.7 lbs. • Driving Power: 230 inch lbs.


SB150SLBC-1 Cap Stapler Kit



**10X
FASTER**

Installing felt paper,
housewrap,
foam board!

18-Gauge Staple



Available in: Coated

* See fastener lists
J/K page 17

Features:

- Uses wider 5/16" crown staples that help prevent puncture to the cap
- 1" to 1-1/2" maximum leg length of SL staple
- Adjustable depth guide sets staples to desired depths quickly and conveniently
- Lightweight aluminum design for added durability
- Kit includes: Tool, Carry Case, Oil, Hex Wrench, 1000 Bostitch Caps, and 1000 staples

Tool Specifications:

- Tool Weight: 4.7 lbs. • Driving Power: 300 inch lbs.


N66BC-1 Cap Nailer



**10X
FASTER**

Installing felt paper,
housewrap,
foam board!

15° Wire Weld & Plastic
Inserted Coil Siding Nails /
Bostitch Caps



Features:

- Tool-free adjustable depth guide sets nails to desired depths quickly and conveniently
- Lightweight magnesium design for added durability
- Quick-load magazine feature provides fast and easy loading of caps and nails
- Tool-free adjustable exhaust conveniently directs exhaust away from the user

Tool Specifications:

- Tool Weight: 6.1 lbs. • Driving Power: 500 inch lbs.

SMOOTH RING SCREW

Available in: Plain, Galvanized,
Stainless Steel

* See fastener lists:
U/V pages 37-38
K page 17

Bostitch® Caps

**10X
FASTER**

Installing felt paper,
housewrap,
foam board!



CAPPK-5M



CAPPK-1M



SB-CAPS


Features:

1" diameter caps offer superior holding power and increased productivity. The Bostitch® Cap method proves to be 10x faster than nailing by hand.


Applications: House Wrap, Felt Paper, Foam Board

* See fastener lists J/K page 17
See ad on page 30


H. 15° Coil Roofing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
CR19GAL	3/4"	Smooth	Galvanized	Diamond	7200	 RN45B, RN46
CR2DCGAL	7/8"	Smooth	Galvanized	Diamond	7200	
CR2DGAL	1"	Smooth	Galvanized	Diamond	7200	
CR3DGAL	1-1/4"	Smooth	Galvanized	Diamond	7200	
CR3DSS	1-1/4"	Smooth	Stainless Steel	Diamond	7200	
CR4DGAL	1-1/2"	Smooth	Galvanized	Diamond	7200	
CR4DSS	1-1/2"	Smooth	Stainless Steel	Diamond	7200	
CR5DGAL	1-3/4"	Smooth	Galvanized	Diamond	7200	

Fits Competitors' Tools**Atro:** CN134, Roofing Roll**Craftsman:** 18324, 154500**DEWALT:** D51321**Hitachi:** NV45AB, NV45AC, NV45AB2**Jamercro:** JTCN-45R**Makita:** AN 451**Max:** CN12R, CN450R**Paslode:** 3175RCU**Porter-Cable:** RN175, RN175A**Ridgid:** R175RNA**Senco:** SCN 200R, SCN 40RN**I. 16-Gauge Construction Staples**

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
16S2-12G	16	1"	1/2"	Coated	Chisel	18000	 438S2, 438S2R, 450S2, T40S2
16S2-16G	16	1"	21/32"	Coated	Chisel	15000	
16S2-19G	16	1"	3/4"	Coated	Chisel	13500	
16S2-22G	16	1"	7/8"	Coated	Chisel	12000	
16S2-25G	16	1"	1"	Coated	Chisel	10500	
16S2-31G	16	1"	1-1/4"	Coated	Chisel	9000	
16S2-38G	16	1"	1-1/2"	Coated	Chisel	7500	
16S2-38SS-1M	16	1"	1-1/2"	Stainless	Chisel	1000	
16S2-44G	16	1"	1-3/4"	Coated	Chisel	6000	
16S2-50G	16	1"	2"	Coated	Chisel	6000	

J. 18-Gauge 5/16 Crown Staples

Item #	Wire Gauge	Crown	Leg	Finish	Qty.	Fits Bostitch® Tools
SL50351G-1M	18	5/16"	1"	Coated	1000	 SB150SLBC
SL50351G	18	5/16"	1"	Coated	5000	
SL50351-1/2G	18	5/16"	1 1/2"	Coated	3000	

Staples: 1" = Felt & House Wrap

1-1/2" = Foam Board

K. Bostitch® Caps

Item #	Qty.	Description	Fits Bostitch® Tools
SB-CAPS	1000	Bostitch Caps	SB150SLBC, N66BC-1
CAPPAK-1M	1000 ea.	Bostitch Caps & 1" Staples	SB150SLBC
CAPPAK-5M	5000 ea.	Bostitch Caps & 1" Staples	SB150SLBC

**It has every feature you can think of.
And two or three you never would.**



The NEW Bostitch® 16-Gauge Finish Nailer versus the competition

	Bostitch® FN16250K-2	Paslode T250-F16	Porter-Cable FN250B	Ridgid R250SFA	Hitachi NV54B2	DEWALT D51256K
100% Oil Free	✓					
Lightweight Magnesium Housing	✓	✓		✓		
Dryfire lock-out	✓					
Rear Exhaust	✓					
Weight	3.3 lbs.	4.2 lbs.	3.8 lbs.	3.7 lbs.	4.5 lbs.	4.1 lbs.
Driving Power	290	262	297	291	253	268
Power-to-Weight Ratio	88	62	79	80	56	65

Includes Four Patented Profile Tips (Also included with N62FNK-2)

**Places Nails
Precisely on
Contoured
Surfaces**



STANLEY


BOSTITCH

www.BOSTITCH.com

N62FNK-2 15-Gauge Oil-Free Angled Finish Nailer Kit



15-Gauge Finish Nails



Available in: Coated, Stainless Steel, Aluminum

Features:

- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Tool-free removable magazine for fast cleaning and jam clearing
- Kit includes: Finish Nailer, 1,000 2" Nails, Carrying Case, Hex Wrenches and Four Profile Tips

Tool Specifications:


- Tool Weight: 3.8 lbs. • Driving Power: 400 inch lbs.

* See fastener list L page 22

FN16250K-2 16-Gauge Oil-Free Finish Nailer



16-Gauge Finish Nails



Available in: Coated

Features:

- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Ultra-quiet rear exhaust directs air away from the user
- Zero nail lock-out feature eliminates dryfiring and indicates when to reload the magazine
- Kit includes: Finish Nailer, 1/4" Air Fitting, 1,000 2" Nails, Carrying Case, Hex Wrenches and Four Profile Tips

Tool Specifications:


- Tool Weight: 3.3 lbs. • Driving Power: 290 inch lbs.

* See fastener list N page 23

SB-1664FN 16-Gauge Straight Finish Nailer Kit



16-Gauge Finish Nails



Available in: Coated

Features:

- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Quick release nose door for fast jam clearing
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- Kit includes: Finish Nailer, 1,000 2" Nails, Carrying Case, Oil

Tool Specifications:

- Tool Weight: 4.0 lbs. • Driving Power: 300 inch lbs.

* See fastener list N page 23

BT125K-2 1-1/4", 18-Gauge Oil-Free Brad Nailer Kit**18-Gauge Brads**

- 5/8"
- 3/4"
- 1"
- 1 3/16"
- 1 1/4"

* See fastener list
0 page 24

Available in: Coated

Features:

- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Ultra-quiet rear exhaust
- Open nose design for easy jam clearing
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Kit includes: Brad Nailer, 1,000 1 1/4" Brad Nails, Carrying Case, Hex Wrench

Tool Specifications:

- Tool Weight: 1.9 lbs. • Driving Power: 145 inch lbs.

BT200K-2 2", 18-Gauge Oil-Free Brad Nailer Kit**18-Gauge Brads**

- 5/8"
- 3/4"
- 1"
- 1 3/16"
- 1 1/4"
- 1 3/8"
- 1 1/2"
- 1 3/4"
- 2"

Available in: Coated

* See fastener list 0
page 24

Features:

- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Ultra-quiet rear exhaust directs air away from the user
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Kit includes: Brad Nailer, 1,000 2" Brad Nails, Carrying Case, Hex Wrench

Tool Specifications:

- Tool Weight: 2.1 lbs. • Driving Power: 170 inch lbs.

SB-1850BN 2", 18-Gauge Brad Nailer Kit**18-Gauge Brads**

- 5/8"
- 3/4"
- 1"
- 1 3/16"
- 1 3/8"
- 1 1/2"
- 1 9/16"
- 1 3/4"
- 2"

Available in: Coated

* See fastener list 0
page 24

Features:

- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- No-mar tip protects work surface
- Kit includes: Brad Nailer, 1,000 Brad Nails, Carrying Case, Oil

Tool Specifications:

- Tool Weight: 2.7 lbs. • Driving Power: 145 inch lbs.

SB-2IN1 Combo Brad Nailer / Finish Stapler Kit




Features:

- Drives both 18-gauge brads and narrow crown finish staples for ultimate versatility
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- Kit includes: Nailer, 1/4" Air Fitting, 1,000 2" Brad Nails, 1,000 1" Staples, Carrying Case, Hex Wrench, Extra No-Mar Tip, Oil

Tool Specifications:

- Tool Weight: 2.6 lbs. • Driving Power: 135 inch lbs.




Available in: Coated, Stainless Steel

* See fastener list O/P page 24

HP118K 1-3/16", 23-Gauge Headless Pinner Kit



23-Gauge Headless Pins



Available in: Coated

* See fastener list Q page 25

Features:

- Adjustable high/low power control sets pin depth without changing compressor setting
- Low profile nosepiece tapers down to contact point for clear line-of-sight
- 19% greater pin capacity over competitive models for a wider range of fasteners
- Kit includes: Pin Nailer, 1/4" Air Fitting, 500 each of 1/2" Pins, 3/4" Pins, 1" Pins; Case

Tool Specifications:

- Tool Weight: 3 lbs. • Driving Power: 60 inch lbs.

SX150K-1 1-1/2", 18-Gauge Oil-Free Stapler Kit




Features:

- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Ultra-quiet rear exhaust directs air away from the user
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Kit includes: Stapler, 1/4" Air Fitting, 1,000 1" Staples, Carrying Case

Tool Specifications:

- Tool Weight: 2.5 lbs. • Driving Power: 170 inch lbs.



Available in: Coated, Stainless Steel

* See fastener list P page 25

SB-150SX 1-1/2", 18-Gauge Finish Stapler Kit**Features:**


- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- Bottom load magazine for fast loading and easy jam clearing
- No-mar tip protects work surface
- Kit includes: Stapler, 1/4" Air Fitting, 1,000 1" Staples, Carrying Case, Oil

Tool Specifications:

- Tool Weight: 2.6 lbs. • Driving Power: 135 inch lbs.

For more information on Contact or Sequential Trips, see inside back cover.

18-Gauge Staple



Available in: Coated, Stainless Steel

* See fastener list P page 25

L. 15-Gauge "FN" Style Angled Finish Nails

Item #	Size	Point Style	Finish	Qty.	Fits Bostitch® Tools
FN1520	1-1/4"	Chisel	Coated	3655	N59FN, N60FN, N62FN
FN1520-1M	1-1/4"	Chisel	Coated	1000	
FN1524	1-1/2"	Chisel	Coated	3655	
FN1524-1M	1-1/2"	Chisel	Coated	1000	
FN1524ALM	1-1/2"	Chisel	Aluminum	3655	
FN1524SS	1-1/2"	Chisel	Stainless	3655	
FN1528	1-3/4"	Chisel	Coated	3655	
FN1532	2"	Chisel	Coated	3655	
FN1532-1M	2"	Chisel	Coated	1000	
FN1532ALM	2"	Chisel	Aluminum	3655	
FN1532SS	2"	Chisel	Stainless	3655	
FN1536	2-1/4"	Chisel	Coated	3655	
FN1540	2-1/2"	Chisel	Coated	3655	
FN1540-1M	2-1/2"	Chisel	Coated	1000	
FN1540ALM	2-1/2"	Chisel	Aluminum	3655	
FN1540SS	2-1/2"	Chisel	Stainless	3655	

Fits Competitor's Tools

Makita: AF631

M. 15-Gauge "DA" Style Angled Finish Nails

Item #	Size	Point Style	Finish	Qty.	
DA-1520	1-1/4"	Chisel	Coated	4000	Bostitch Model Not Available
DA-1524	1-1/2"	Chisel	Coated	4000	
DA-1532	2"	Chisel	Coated	4000	
DA-1540	2-1/2"	Chisel	Coated	4000	

Fits Competitors' Tools

DEWALT: D51275K

DUO-FAST : DAFN-6480, DAFN-6432

Porter-Cable: DA250, DA250A, DA250B


Senco: SFN30, SFN40, SFN1

A250FN, Air Free 41, Finish Pro 35, Finish Pro 41XP

Stanley: SDA250K

Hitachi: NT65AA

N. 16-Gauge Straight Finish Nails

Item #	Size	Point	Finish Style	Qty.	Fits Bostitch® Tools
SB16-1.25-1M	1-1/4"	Chisel	Coated	1000	 FN16250K-2, SB-1664FN
SB16-1.50-1M	1-1/2"	Chisel	Coated	1000	
SB16-1.75-1M	1-3/4"	Chisel	Coated	1000	
SB16-2.00-1M	2"	Chisel	Coated	1000	
SB16-2.50-1M	2-1/2"	Chisel	Coated	1000	
SB16-1.25	1-1/4"	Chisel	Coated	2500	
SB16-1.50	1-1/2"	Chisel	Coated	2500	
SB16-1.75	1-3/4"	Chisel	Coated	2500	
SB16-2.00	2"	Chisel	Coated	2500	
SB16-2.50	2-1/2"	Chisel	Coated	2500	

Fits Competitors' Tools

Craftsman: 18431

DUO-FAST: LFN748, LFNK764

Paslode: IM250 II, IM250F, Trimpulse, 3250-F16

Porter-Cable: FN250, FN250A, FN250B







Stanley: SFN250K

DEWALT: D51275K, DC612,
DCS6161

Hitachi: NT65A

Senco: Finish Pro 32


O. 18-Gauge Brads

Item #	Size	Point	Finish Style	Qty.	Fits Bostitch® Tools
BT1300B-1M	5/8"	Chisel	Coated	1000	
BT1300B	5/8"	Chisel	Coated	3000	
BT1300-5M	5/8"	Chisel	Coated	5000	
BT1303B-1M	3/4"	Chisel	Coated	1000	
BT1303B	3/4"	Chisel	Coated	3000	
BT1303-5M	3/4"	Chisel	Coated	5000	SB-1842BN, SB-2IN1, BT35B, SB-1850BN, BT125K-2, BT200K-2
BT1309B-1M	1"	Chisel	Coated	1000	
BT1309B	1"	Chisel	Coated	3000	
BT1309-5M	1"	Chisel	Coated	5000	
BT1314B	1-3/16"	Chisel	Coated	3000	
BT1332B-1M	1-1/4"	Chisel	Coated	1000	
BT1332B-5M	1-1/4"	Chisel	Coated	5000	
BT1335B	1-3/8"	Chisel	Coated	3000	
BT1338B	1-1/2"	Chisel	Coated	2000	
BT1338B-1M	1-1/2"	Chisel	Coated	1000	
BT1338B-5M	1-1/2"	Chisel	Coated	5000	
BT1340B	1-9/16"	Chisel	Coated	2000	
BT1345B	1-3/4"	Chisel	Coated	2000	
BT1345-5M	1-3/4"	Chisel	Coated	5000	SB-1850BN, BT200K-2, SB-1842BN, SB-2IN1, BT50B
BT1350B-1M	2"	Chisel	Coated	1000	
BT1350B	2"	Chisel	Coated	2000	
BT1350-5M	2"	Chisel	Coated	5000	


Fits Competitors' Tools

Fits most other 18-gauge brad nailers

P. 18-Gauge 7/32" Narrow Crown Finish Staples

Item #	Wire Gauge	Crown	Leg	Finish	Qty.	Fits Bostitch® Tools
SX50351/2G	18	7/32"	1/2"	Coated	5000	
SX50355/8G	18	7/32"	5/8"	Coated	5000	
SX50353/4-1M	18	7/32"	3/4"	Coated	1000	
SX50353/4G	18	7/32"	3/4"	Coated	5000	
SX50357/8G	18	7/32"	7/8"	Coated	5000	
SX50351-1M	18	7/32"	1"	Coated	1000	
SX50351G	18	7/32"	1"	Coated	5000	
SX50351SS-1M	18	7/32"	1"	Stainless	1000	
SX50351-3/8-1M	18	7/32"	1-3/8"	Coated	1000	
SX50351-1/8G	18	7/32"	1-1/8"	Coated	3000	
SX50351-3/16G	18	7/32"	1-3/16"	Coated	3000	
SX50351-1/4G	18	7/32"	1-1/4"	Coated	3000	
SX50351-3/8G	18	7/32"	1-3/8"	Coated	3000	
SX503513/8SS-1M	18	7/32"	1-3/8"	Stainless	1000	
SX503511/2G	18	7/32"	1-1/2"	Coated	3000	
						S32SX, S32SX-BHF-2, T40SX-CT, SB-150SX, SB- 2IN1, SB150SX-HD, SX150K-1
						SB-150SX, SB150SX-HD, SX150K-1, SB2IN1

Q. 23-Gauge Pin Nails

Item #	Size	Point Style	Finish	Qty.	Fits Bostitch® Tools
PT-2312-3M	1/2"	Chisel	Coated	3,000	
PT-2319-3M	3/4"	Chisel	Coated	3,000	
PT-2325-3M	1"	Chisel	Coated	3,000	
PT-2330-3M	1-3/16"	Chisel	Coated	3,000	

Fits Competitor's Tools

Fits Most: 23-gauge pin nailers



BUILT STRONGER. LASTS LONGER.


Lathing, sheathing, whatever your application, Bostitch staplers were designed to handle the abuse of hardcore industrial environments. Hardened steel noses and caps, strong durable jam-free aluminum magazines and ergonomic overmolded grips that provide for greater reach, Bostitch construction Staplers are built stronger to last longer.

STANLEY

BOSTITCH®

www.BOSTITCH.com

438S2 Jam-Free Wide Crown Stapler



Available in: Coated, Stainless Steel

* See fastener list R page 28


Features:

- Jam-free magazine to minimize downtime
- Power control valve adjusts power by 30% to set staples to desired depths quickly and conveniently
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Reduced height for stapling in tight areas
- Carbide tip inserts for long life

Tool Specifications:

- Tool Weight: 4.5 lbs. • Driving Power: 230 inch lbs.

450S2 Jam-Free Lathing Stapler



Available in: Coated, Stainless Steel

* See fastener list R page 28


Features:

- Jam-free magazine to minimize downtime
- Power control valve adjusts power by 30% to set staples to desired depths quickly and conveniently
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Reduced height for stapling in tight areas

Tool Specifications:

- Tool Weight: 4.5 lbs. • Driving Power: 230 inch lbs.

438S4 Jam-Free Construction Stapler



Available in: Coated, Stainless Steel

* See fastener list S page 29

Features:

- Jam-free magazine to minimize downtime
- Power control valve adjusts power by 30% to set staples to desired depths quickly and conveniently
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Reduced height for stapling in tight areas


Tool Specifications:

- Tool Weight: 4 lbs. • Driving Power: 230 inch lbs..

650S4 Jam-Free Construction Stapler



16-Gauge Staple



Available in: Coated, Stainless Steel

* See fastener list S page 29

Features:

- Jam-free magazine to minimize downtime
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Adjustable exhaust conveniently directs exhaust away from user
- Adjustable depth guide sets staples to desired depths


Tool Specifications:

- Tool Weight: 4.5 lbs. • Driving Power: 340 inch lbs.

650S5 Jam-Free Construction Stapler



16-Gauge Staple



Available in: Coated

* See fastener list T page 29

Features:

- Jam-free magazine to minimize downtime
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Adjustable exhaust conveniently directs exhaust away from user
- Adjustable depth guide sets staples to desired depths

Tool Specifications:

- Tool Weight: 4.5 lbs. • Driving Power: 340 inch lbs.

For more information on Contact or Sequential Trips, see inside back cover.

R. 16-Gauge 1" Wide Crown Construction Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
16S2-12G	16	1"	1/2"	Coated	Chisel	18000	 438S2, 438S2R, 450S2, T40S2
16S2-16G	16	1"	21/32"	Coated	Chisel	15000	
16S2-19G	16	1"	3/4"	Coated	Chisel	13500	
16S2-22G	16	1"	7/8"	Coated	Chisel	12000	
16S2-25G	16	1"	1"	Coated	Chisel	10500	
16S2-31G	16	1"	1-1/4"	Coated	Chisel	9000	
16S2-38G	16	1"	1-1/2"	Coated	Chisel	7500	
16S2-38SS-1M	16	1"	1-1/2"	Stainless	Chisel	1000	
16S2-44G	16	1"	1-3/4"	Coated	Chisel	6000	
16S2-50G	16	1"	2"	Coated	Chisel	4500	

S. 16-Gauge 1/2" Medium Crown Construction Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
16S4-19G	16	1/2"	3/4"	Coated	Chisel	25650	438S4, 538S4
16S4-22G	16	1/2"	7/8"	Coated	Chisel	22800	438S4, 538S4
16S4-25G	16	1/2"	1"	Coated	Chisel	19950	438S4, 538S4, 650S4
16S4-28G	16	1/2"	1-1/8"	Coated	Chisel	17100	438S4, 538S4, 650S4
16S4-31G	16	1/2"	1-1/4"	Coated	Chisel	17100	438S4, 538S4, 650S4
16S4-34G	16	1/2"	1-3/8"	Coated	Chisel	14250	438S4, 538S4, 650S4
16S4-38G	16	1/2"	1-1/2"	Coated	Chisel	14250	438S4, 538S4, 650S4
16S4-38SS-1M	16	1/2"	1-1/2"	Stainless	Chisel	1000	438S4, 538S4, 650S4
16S4-41GA	16	1/2"	1-5/8"	Coated	Chisel	11400	650S4
16S4-44G	16	1/2"	1-3/4"	Coated	Chisel	11400	650S4
16S4-50G	16	1/2"	2"	Coated	Chisel	8550	650S4

Fits Competitors' Tools


Atro: 16NC

Dewalt: D51431

Fasco: F4P HD50

Hitachi: SM200 A/B

T. 16-Gauge 7/16" Medium Crown Construction Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
16S5-32G	16	7/16"	1-1/4"	Coated	Chisel	19800	 438S5, 538S5, 650S5, T40S5, T50S5 650S5, T50S5
16S5-35G	16	7/16"	1-3/8"	Coated	Chisel	16500	
16S5-38G	16	7/16"	1-1/2"	Coated	Chisel	16500	
16S5-40G	16	7/16"	1-5/8"	Coated	Chisel	16500	
16S5-45G	16	7/16"	1-3/4"	Coated	Chisel	13200	
16S5-50G	16	7/16"	2"	Coated	Chisel	13200	

Fits Competitors' Tools

Dewalt: 51430

Hitachi: N5008AB, N5008AC

Paslode: 3150, 3200

Senco: SNS30, SNS45, SNS40XP, SNS40



BOSTITCH® CAP STAPLER

MODEL# SB150SLBC-1

10X FASTER

WHEN INSTALLING FELT, HOUSE WRAP,
AND FOAM BOARD INSULATION!



FELT



HOUSE WRAP



FOAM BOARD INSULATION



CAPS & STAPLES



STANLEY

BOSTITCH®

www.BOSTITCH.com

N66C-1 Coil Siding Nailer




Features:

- Drives wire weld and plastic inserted coil nails
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Lightweight aluminum design for added durability
- Soft rubber foot prevents damage to softer woods
- Tool-free adjustable exhaust conveniently directs exhaust away from the user

Tool Specifications:

- Tool Weight: 4.7 lbs. • Driving Power: 500 inch lbs.

15° Wire Weld & Plastic Inserted Coil Siding Nails



SMOOTH RING SCREW

Available in: Plain, Galvanized, Stainless Steel

* See fastener list
U/V pages 37-38

SB150SLBC-1 BOSTITCH® Cap Stapler Kit




Features:

- Uses wider 5/16" crown staples that help prevent puncture to the cap
- Adjustable depth guide sets staples to desired depths quickly and conveniently
- Lightweight aluminum design for added durability
- Kit includes: Tool, Carry Case, Oil, Hex Wrench, 1000 Bostitch Caps, and 1000 Staples

Tool Specifications:

- Tool Weight: 4.7 lbs. • Driving Power: 300 inch lbs.

18-Gauge Staple



Available in: Coated

* See fastener list J/K page 17

N66BC-1 BOSTITCH® Cap Nailer




Features:

- Tool-free "Dial-A-Depth" adjustment sets nails to desired depths quickly and conveniently
- Lightweight aluminum design for added durability
- Quick-load magazine feature provides fast and easy loading of caps and nails
- Tool-free adjustable exhaust conveniently directs exhaust away from the user

Tool Specifications:

- Tool Weight: 6.01 lbs. • Driving Power: 500 inch lbs.

15° Wire Weld & Plastic Inserted Coil Siding Nails / Bostitch Caps



SMOOTH RING SCREW

Available in: Plain, Galvanized, Stainless Steel

* See fastener list
U/V pages 37-38
K page 17

PN100K *Impact Nailer Kit*

Drives most common
bulk finish, framing
and timber nails

Features:


- Ideal for driving common bulk nails into confined areas or nailing metal connectors and joist hangers
- Magnetic nose with recessed nail slot holds nails stable for accurate fastener placement
- Hardened steel nose for extreme durability
- Kit includes: Impact Nailer with Standard Nose, Finish Nail Nose, Large Bore Nose, Leather Comfort Glove, Nose Wrench, Hex Wrench, Tool Lubricant and Spare O-Rings

Tool Specifications:

- Tool Weight: 2.9 lbs.

US056-1 *Pneumatic PowerCrown™ Stapler*

Bostitch® PowerCrown™
Staples STCR5019 Series



* See fastener list BB on page 54

**Features:**


- Pneumatic operation for high-production felt, insulation and other light wire stapling applications
- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Ultra-quiet rear exhaust directs air away from the user
- Molded rubber grip designed to last longer

Tool Specifications:

- Tool Weight: 2.1 lbs. • Driving Power: 105 inch lbs.

MIII812CNCT *Industrial Concrete Nailer*

T-Nail



Available in: Hardened, Stiff Stock


* See fastener list Y page 39

Features:

- Lightweight aluminum design for added durability
- High-speed pneumatic power increases productivity over other fastening methods
- Makes fastening of wood furring strips to concrete fast and easy
- High-capacity magazine reduces reload time

Tool Specifications:

- Tool Weight: 7.1 lbs. • Driving Power: 420 inch lbs.



STANLEY

BOSTITCH®

We've got you covered

Whether you are installing unfinished or pre-finished flooring, BOSTITCH® tools are packed with features to make your job easier.

Multiple handle options (long handle included)

Easy to Hit

- Recoils hammer for speed!

Factory-set for 3/4"

- Adjustable for fastener placement in 1/2" - 33/32" flooring

Graphite Mallet

- Features replaceable soft mallet face and ergonomic comfort grip

Factory-Finished Adapter Included

- Protects factory finish, adjusts from 1/2" - 3/4"
- Provides striking faces
- Extra wide base prevents tool tipping
- Wheels allow tool to slide effortlessly

Tool Alignment Window

- For accurate fastener placement




MIIIFS Flooring Stapler Kit



Pre-Finished Foot and Mallet included

15 1/2-Gauge Staple



Available in: Coated, Stainless Steel

* See fastener list
X page 39

Features:

- High-speed mallet actuated pneumatic operation increases productivity over manual methods
- Extra-wide composite base plate for added stability (1/2" and 3/4" base plates included)
- Long reach handle for improved comfort and control (short handle optional)
- Kit includes: Stapler, Graphite Mallet, Pre-Finished Flooring Adapter Foot

Tool Specifications:

- Tool Weight: 11.2 lbs. • Driving Power: 420 inch lbs.

MIIIFN-KIT Flooring Cleat Nailer Conversion Kit



Features:


Includes everything required to easily convert the MIIIFS Industrial Flooring Stapler to an MIIIFN Industrial Flooring Cleat Nailer

MIIIFN Hardwood Flooring Cleat Nailer



Pre-finished Foot and Mallet included

Flooring Cleats



Available in: Coated

* See fastener list
AA page 39

Features:

- High-speed mallet actuated pneumatic operation increases productivity over manual methods
- Extra-wide composite base plate for added stability (1/2" and 3/4" base plates included)
- Long reach handle for improved comfort and control (short handle optional)
- Kit includes: Nailer, Graphite Mallet, Pre-Finished Flooring Adapter Foot


Tool Specifications:

- Tool Weight: 11.2 lbs. • Driving Power: 420 inch lbs.

MFN200 Manual Flooring Cleat Nailer Kit



Flooring Cleats



Available in: Coated

* See fastener list
AA page 39

Features:

- Aluminum housing for job-site durability
- Long reach handle for improved comfort and control
- Rubber bumpers help protect floor from damage


Tool Specifications:

- Tool Weight: 9.5 lbs. • Magazine Capacity: 200

LHF97125 20-Gauge Hardwood Flooring Stapler



20-Gauge Staple



Available in: Coated

* See fastener list Z page 39

Features:

- Tool-free adjustable foot adapts from 1/4" to 1/2" engineered flooring
- 20-gauge fastener helps prevent damage to flooring
- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Ultra-quiet rear exhaust directs air away from the user

* Always check with flooring manufacturer's fastening recommendations


Tool Specifications:

- Tool Weight: 2.5 lbs. • Driving Power: 138 inch lbs.

CR1000E Electric Carpet Stapler Kit



20-Gauge Staple



Available in: Coated

Uses fastener CS50209/16DP

Features:

- Bottom load magazine for fast loading and accurate fastener placement
- Narrow nose for accurate fastener placement
- Compact and lightweight for easy maneuverability
- Kit includes: Screwdriver, Wrenches and Carrying Case


Tool Specifications:

- Tool Weight: 4.4 lbs. • Driving Power: 55 inch lbs.

SX150-BHF-2 18-Gauge Hardwood Flooring Stapler



18-Gauge Staple



Available in: Coated, Stainless Steel

* See fastener list W page 38

Features:

- Convertible design for added versatility:
 - Convertible tool-free adjustable foot adapts to 1/4" to 7/16" engineered flooring *
 - Factory set for installation of Bruce® Natural Reflections™ 5/16" flooring **
- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Ultra-quiet rear exhaust directs air away from the user






Tool Specifications:

- Tool Weight: 3.2 lbs. • Driving Power: 170 inch lbs.

* Always check with flooring manufacturer's fastening recommendations

** Bruce is a registered trademark of Armstrong World Industries, Inc.

U. 15° Wire Weld Coil Siding Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
AC3D080BDP	1-1/4" X .080	Smooth	Coated	Blunt Diamond	14000	
AC3DR080BDP	1-1/4" X .080	Ring	Coated	Blunt Diamond	14000	
C3R80BDG	1-1/4" X .080	Ring	Thickcoat™	Blunt Diamond	4200	
C4DCSBALG	1-3/8" X .100	Helix	Mechanically Galvanized	Ballistic	3600	
For wood to steel construction*						
AC4D080BDP	1-1/2" X .080	Smooth	Coated	Blunt Diamond	14000	
AC4DR080BDP	1-1/2" X .080	Ring	Coated	Blunt Diamond	14000	
C4R80BDG	1-1/2" X .080	Ring	Thickcoat™	Blunt Diamond	4200	
C4R90BDSS	1-1/2" X .090	Ring	Stainless	Blunt Diamond	3600	
AC5D080BDP	1-3/4" X .080	Smooth	Coated	Blunt Diamond	14000	
AC5DR080BDP	1-3/4" X .080	Ring	Coated	Blunt Diamond	14000	
C5R80BDG	1-3/4" X .080	Ring	Thickcoat™	Blunt Diamond	4200	
C5R90BDSS	1-3/4" X .092	Ring	Stainless	Blunt Diamond	3600	
AC6D090BDP	2" X .092	Smooth	Coated	Blunt Diamond	12000	
C6P90BDG	2" X .092	Smooth	Thickcoat™	Blunt Diamond	3600	
AC6DR090BDP	2" X .092	Ring	Coated	Blunt Diamond	12000	
C6R90BDG	2" X .092	Ring	Thickcoat™	Blunt Diamond	3600	
C6R90BDSS	2" X .092	Ring	Stainless	Blunt Diamond	3600	
C7P90BDG	2-3/16" X .092	Smooth	Thickcoat™	Blunt Diamond	3600	
C7R90BDG	2-3/16" X .092	Ring	Thickcoat™	Blunt Diamond	3600	
C7R90BDSS	2-3/16" X .092	Ring	Stainless	Blunt Diamond	3600	
C8P90BDG	2-1/2" X .092	Smooth	Thickcoat™	Blunt Diamond	3600	
C8R90BDG	2-1/2" X .092	Ring	Thickcoat™	Blunt Diamond	3600	
AC8DRSS	2-1/2" X .092	Ring	Stainless	Blunt Diamond	3600	

Fits Competitors' Tools

Hitachi: NV65AH

Max: CN565

Senco: SCN45 , SCN55S

Makita: AN611

Porter-Cable: COIL200 , COIL250

* C4DCSBALG - Wood to Steel Siding Nails

- Good for wood to steel (14 to 22 gauge) applications
- Ballistic point, helix thread, mechanically galvanized
- 1-3/8" x .100"
- Code Report: ICC ER-5426

SPECIALTY CONSTRUCTION

BOSTITCH®

V. 15° Plastic Inserted Coil Siding Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
ACP5DSALM	1-3/4" X .099	Screw	Aluminum	Diamond	2400	 N63CP, N65CP, N64C* N66C, N66BC, N75C
ACP6DSALM	2" X .099	Screw	Aluminum	Diamond	2400	
ACP6DR090BDG	2 X .090	Ring	Electro Galv	Diamond	3600	
ACP6DR090BDSS	2 X .090	Ring	Stainless	Diamond	3600	
ACP7DR090BDG	2-1/4 X .090	Ring	Electro Galv	Diamond	3600	
ACP8DR090BDSS	2-1/2 X .090	Ring	Stainless	Diamond	3600	

*With door conversion kit Item #112670

Fits Competitors' Tools


Hitachi: NV65AH

Makita: AN611


Max: CN565

Senco: SCN55S


W. 18-Gauge 7/32" Narrow Crown Finish Staples

Item #	Wire Gauge	Crown	Leg	Finish	Qty.	Fits Bostitch® Tools
SX50351/2G	18	7/32"	1/2"	Coated	5000	 S32SX-BHF-2, S32SX, T40SX-CT, SB-150SX, SB- 2IN1, SB150SX-HD SX150, SX150-BHF-2
SX50355/8G	18	7/32"	5/8"	Coated	5000	
SX50353/4-1M	18	7/32"	3/4"	Coated	1000	
SX50353/4G	18	7/32"	3/4"	Coated	5000	
SX50357/8G	18	7/32"	7/8"	Coated	5000	
SX50351-1M	18	7/32"	1"	Coated	1000	
SX50351G	18	7/32"	1"	Coated	5000	
SX50351SS-1M	18	7/32"	1"	Stainless	1000	
SX50351-1/8G	18	7/32"	1-1/8"	Coated	3000	
SX50351-3/16G	18	7/32"	1-3/16"	Coated	3000	
SX50351-1/4G	18	7/32"	1-1/4"	Coated	3000	
SX50351-3/8-1M	18	7/32"	1-3/8"	Coated	1000	
SX50351-3/8G	18	7/32"	1-3/8"	Coated	3000	
SX503513/8SS-1M	18	7/32"	1-3/8"	Stainless	1000	
SX503511/2G	18	7/32"	1-1/2"	Coated	3000	

X. 15-1/2-Gauge 1/2" Crown Hardwood Flooring Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
BCS1512	15-1/2	1/2"	1 1/2"	Coated	Chisel	9600	 HFS1, MIIFS
BCS1514	15-1/2	1/2"	1 3/4"	Coated	Chisel	7728	
BCS1516	15-1/2	1/2"	2"	Coated	Chisel	7728	
BCS1516SS-1M	15-1/2	1/2"	2"	Stainless	Chisel	1000	

Y. T-Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
BT484GXH-2.5M	9/16" X .097	Hardened/Coated	Smooth	Diamond	2500	 MIH812CNCT
BT461H-2.5M	5/8" X .097	Stiff	Smooth	Diamond	2500	
BT461XH-2.5M	5/8" X .097	Hardened	Smooth	Diamond	2500	
BT488XH-2.5M	3/4" X .097	Hardened	Smooth	Diamond	2500	
BT490XH-2.5M	1-1/8" X .097	Hardened	Smooth	Diamond	2500	
BT499H-2.5M	1-3/8" X .097	Hardened	Smooth	Diamond	2500	
BT493XH-2.5M	1-3/8" X .097	Stiff	Smooth	Diamond	2500	
BT471XH-2.5M	1-1/2" X .097	Hardened	Smooth	Diamond	2500	
BT481H-2.5M	2-1/4" X .097	Stiff	Smooth	Diamond	2500	

Z. 20-Gauge 3/16" Crown Staple

Item #	Wire Gauge	Crown	Leg	Finish	Qty.	Point Style	Fits Bostitch® Tools
SB97-1GLS	20	3/16"	1"	Coated	5000	Chisel	S3297-LHF-2 LHF97125

Fits Competitors' Tools

DUO-FAST: ENC-5418A

AA. "L" Shaped Hardwood Flooring Cleats

Item #	Description	Length	Finish	Quantity Per Box	Fits Bostitch® Tools
FLN-150	Flooring Cleat	1-1/2"	Coated	1000	HFN1, MIHFN, MFN200
FLN-200	Flooring Cleat	2"	Coated	1000	HFN1, MIHFN, MFN200

Fits Competitors' Tools

Porter-Cable: FCN200

Powernail: 345, 45

Primattech: P210, H300, H330, Q500

Senco: SHF50, SHF15, SHF10

Air Compressors


BOSTITCH® pneumatic nailers and staplers are only as good as the compressors that power them. That is why BOSTITCH® air compressors are designed to the same exacting standards as our nailers and staplers.

The BOSTITCH® air compressor team spends countless days in the field working with professional contractors. Their input is the principal guiding factor in our design and manufacturing process.

Featuring precision-made pumps, high-efficiency motors and the highest-quality materials, BOSTITCH® compressors are as tough as our tools. They deliver unsurpassed performance, convenience and durability at job sites around the world.

RECOMMENDED TOOL CAPACITY

Use the BOSTITCH® recommended tool capacity icon legend to choose the BOSTITCH® compressor that meets your needs. Due to the BOSTITCH® commitment of maximized performance, our ratings all fall on the conservative side. This way you can rest assured that your compressor will handle any application you throw at it with air to spare.



COMPRESSOR PERFORMANCE GUIDE

Air

For best results, use regulated air and never use more air pressure than is necessary to drive the fasteners. Most Bostitch® tools operate best between 80 and 95 PSI. If the fastener sets well at 85 PSI, use that pressure. Keep the airline as short as possible to prevent a pressure drop from the Bostitch® compressor to the tool.

Water

As air compressors operate, they generate condensation, which needs to be drained regularly. In very hot humid weather, you may need to drain it several times each day. In drier climates, once per day should be enough. Open the drain valves near the bottom of the tank while the tank is under pressure to relieve moisture. Then close the valve carefully. Never twist the valves with pliers. Just tighten them until the air stops leaking.

Electric

Don't use an extension cord to run your Bostitch® compressor if at all possible; instead use a longer airline. If you must operate your Bostitch® compressor in a remote area, use a heavy-gauge extension cord as follows.

- | | |
|------------|-------------------|
| 25 Feet - | Use 14-Gauge Cord |
| 50 Feet - | Use 12-Gauge Cord |
| 100 Feet - | Use 10-Gauge Cord |
| 150 Feet - | Use 8-Gauge Cord |

Oil

Bostitch manufactures both oil-free and oil-lubricated compressors. For oil-lubricated compressors, the pump oil level should be checked daily prior to operation. The proper oil level should be maintained to provide peak pump performance.

Bostitch® oil-free compressors do not require oil.

CAP6080WB 6 HP Gas-Powered Wheelbarrow Air Compressor

Features:

- Powerful Subaru Robin EX17D 6 HP engine with advanced chain-driven overhead cam technology for increased power and maximum life
- Automatic decompression system and cold weather start assist for fast easy starts with no kick back
- High output oil-lubricated pump with cast iron cylinder for maximum life
- High-capacity 8-gallon air tank and high flow regulator for multi-tool use



Tool Specifications:

- Horsepower: 6 HP
- Tank Capacity: 8 Gallons
- Pump Type: Oil-Lubricated
- Displacement: 19.3 CFM
- Air Delivery: @ 40 PSI 14.6 CFM
@ 90 PSI 9.6 CFM
- Operating Pressure: 0-135 PSI
- Weight: 145 lbs.



CAP2080WB 2 Peak HP Electric Wheelbarrow Air Compressor

Features:

- Powerful 2 Peak HP 15 amp industrial induction motor with manual reset overload protection
- High output oil-lubricated pump with cast iron cylinder for maximum life
- Cold weather start assist system for fast easy startup
- High-capacity 8-gallon air tank and high flow regulator for multi-tool use
- Pump oil sight window for fast and clean oil level checks



Tool Specifications:

- Horsepower: 2 HP Peak, 1.5 Running
- Tank Capacity: 8 Gallons
- Motor Type: Induction
- Pump Type: Oil-Lubricated
- Air Delivery: @ 40 PSI 7.6 CFM
@ 90 PSI 6.5 CFM
- Operating Pressure: 0-135 PSI
- Weight: 135 lbs.



CWC200ST 3 Peak HP Oil-Lubricated Stack Tank Air Compressor

Features:

- Powerful 3 Peak HP 15 amp industrial induction motor with manual reset overload protection
- High output oil-lubricated pump with cast iron cylinder for maximum life
- Cold weather start assist system and synthetic pump oil for fast easy startup
- High-capacity 4-gallon air tank and high flow regulator for multi-tool use
- Ball type drain valves for simplified maintenance



Tool Specifications:

- Horsepower: 3 Peak, 2.2 Running
- Tank Capacity: 4 Gallons
- Pump Type: Oil-Lubricated
- Air Delivery: @ 40 PSI 5.1 CFM
@ 90 PSI 4.0 CFM
- Operating Pressure: 0-135 PSI
- Weight: 60 lbs.



CAP25600L 2.5 Peak HP Oil-Lubricated Pancake Air Compressor

Features:

- Powerful 2.5 Peak HP 15 amp industrial induction motor with manual reset overload protection
- High output oil-lubricated pump with cast iron cylinder for maximum life
- Cold weather start assist system and synthetic pump oil for fast easy startup
- High-capacity 6-gallon air tank and high flow regulator for multi-tool use
- Compact design for maximum portability and shop storage

Tool Specifications:

- Horsepower: 2.5 Peak, 1.5 Running
- Tank Capacity: 6 Gallons
- Pump Type: Oil-Lubricated
- Air Delivery: @ 40 PSI 4.9 CFM
@ 90 PSI 3.6 CFM
- Operating Pressure: 0-135 PSI
- Weight: 50 lbs.



CAP2060P 2 Peak HP Oil-Free Contractor Compressor

Features:

- Powerful 2 Peak HP industrial induction motor with manual reset overload protection draws only 10.5 amps
- High output oil-free pump requires no maintenance
- High-capacity 6-gallon air tank and high flow regulator for multi-tool use
- Compact design for maximum portability and shop storage

Tool Specifications:

- Horsepower: 2 HP Peak, 1.6 Running
- Tank Capacity: 6 Gallons
- Motor Type: Induction
- Pump Type: Oil-Free
- Air Delivery: @ 40 PSI 3.4 CFM
@ 90 PSI 2.7 CFM
- Operating Pressure: 0-135 PSI
- Weight: 51 lbs.



CAP1516 Trim Air 1.5 Peak HP Oil-Free Contractor Compressor

Features:

- High efficiency 1.5 Peak HP draws only 8 amps
- Weighs only 19.5 lbs. for maximum portability
- Ultra-quiet operation for use in confined work spaces
- High output oil-free pump requires no maintenance
- Internal 1.6-gallon reserve air tank

Tool Specifications:

- Horsepower: 1.5 HP Peak, 1.1 Running
- Tank Capacity: 1.6 Gallons
- Pump Type: Oil-Free
- Air Delivery: @ 40 PSI 2.7 CFM
@ 90 PSI 1.8 CFM
- Operating Pressure: 0-125 PSI
- Weight: 19.5 lbs.



Nailer & Compressor Combo Kits Make Finish & Trim Work Easy



CRAFTS



FURNITURE



TRIM



BOSTITCH® Combo Kits Include
Nailers, Compressor, Air Hose,
Bag, Fittings & Fasteners
All In One Box

See page 44

CPACK1 2IN1 Brad Nailer / Stapler Combo Kit**Includes:**

- SB-2IN1 combination brad nailer/finish stapler
- CAP60P-OF 2.0 HP (Peak) oil-free compressor
- 16-pc. air accessory kit includes 25' coil hose w/fittings, blow gun, safety tip, inflator nozzle, sports ball, inflation needles, dual tire chuck, tire pressure gauge, thread sealant tape
- 1000 1-5/8" 18-gauge brads
- 1000 1" finish staples
- Tool lubricant
- Tool carry case



* See SB-2IN1 featured on page 21 for tool specifications.

CPACK3 3-Tool / Finish & Trim Combo Kit**Includes:**

- SB-1664FN 16-gauge 2-1/2" finish nailer
- SB-100SX 18-gauge 1" finish stapler
- SB-125BN 18-gauge 1-1/4" brad nailer
- CAP60P-OF 2.0 HP (Peak) oil-free compressor
- 1/4" x 40' heavy-duty airline with MPT fittings
- 1000 2" 16-gauge finish nails
- 1000 1-1/4" 18-gauge brads
- 1000 1" staples
- Tool lubricant
- Contractor's canvas tool bag



* See SB-1664FN featured on page 19 for tool specifications.

CPACK270 2-Tool Finish Compressor Combo Kit**Includes:**

- SB-1664FN 16-gauge 2-1/2" finish nailer
- SB-2IN1 combination brad nailer/finish stapler
- CAP1516 1.5 HP (Peak) oil-free contractor compressor
- 3/8" x 25' heavy-duty airline with MPT fittings
- 1000 2" 16-gauge finish nails
- 1000 1-5/8" 18-gauge brads
- 1000 1" staples
- Tire inflator chuck
- Thread sealant tape



* See SB-1664FN and SB-2IN1 featured on pages 19 and 21 for tool specifications.

BEHIND EVERY GOOD TOOL SHOULD BE A GREAT HOSE



Lighter
than standard
air hoses



**Flexible in
All Weather**



RIBBED DESIGN

Prevents hose from
Sticking to itself or other
Job-site obstructions



**Reusable
Fittings**

for fast field repairs

Product Features:

- Rugged reinforced polyurethane construction is abrasion, puncture and chemical resistant.
- Flexible from -40° to 180°F for revolutionary workability.
- Reusable 1/4" MPT fittings are field repairable in three easy steps.
- Non-marring translucent material provides a clear view of airline contaminants.
- Hi-vis safety yellow color for improved job-site visibility.
- Snap-fit strain reliefs provide flexible reinforcement for extended life.

PROZHOZETM
Premium Quality Air Hose

ProzHoze™

PROZHOZE™

Premium Quality Air Hose



Item Number	Description
PRO-1450	1/4" x 50' Premium quality polyurethane air hose
PRO-14100	1/4" x 100' Premium quality polyurethane air hose
PRO-3850	3/8" x 50' Premium quality polyurethane air hose
PRO-38100	3/8" x 100' Premium quality polyurethane air hose

ProzHoze™ Repair Kits

PRO-14 REPAIR	Repair kit for 1/4" hose
PRO-38 REPAIR	Repair kit for 3/8" hose



PRO-14 REPAIR

Miscellaneous Kits

Item Number	Description
CNTK1	Contact Trigger Conversion Kit
CNTK2	Contact Trigger Conversion Kit
CNTK4	Smart Trigger Conversion Kit
DC3	N80C / N86C Coil Framing Nailer Dial-A-Depth
MCN-KIT2	Metal Connector Kit for N88RH
MIIFOOT-KIT	Large Foot Kit for MIIFS/FN
SEQ4	Sequential Trigger Conversion Kit
SEQ6	Sequential Trigger Conversion Kit
SEQ7	Sequential Trigger Conversion Kit
TIPPAK1	Application Tips for N62FNK
TIPPAK2	Application Tips for FN16250K
TVA11	Trigger Valve Kit
TVA6	Trigger Valve Kit
VSA2	Vinyl Siding Adapter for RN45B Roofing Nailer
VSA4	Vinyl Siding Adapter for RN46



DC3



MIIFOOT-KIT



VSA2



VSA4

O-Ring Kits

Item Number	Description
N88ORK	N88 O-Ring Kit
N89ORK	F21/F8/F33/N89C O-Ring Kit
ORK1	T40, T50, N50FN, N60FN O-Ring Kit
ORK6	MIII O-Ring Kit
ORK10	S32, BT35, BT50 O-Ring Kit
ORK11	N80, N90 O-Ring Kit
ORK12	N63, N64, SDCN14 O-Ring Kit
ORK13	RN45 O-Ring Kit
120965	PN100 O-Ring Kit



Bumper Kits

Item Number	Description
BK2	MIIIFS Bumper Kit
BK3	N70 / N80 Bumper Kit
BK6	N50FN, N60FN, T40, T50 Bumper Kit
BK7	T40 & T50 Wide Crown Bumper Kit
BK11	RN45 Bumper Kit
BK12	N63CP / N64C Bumper Kit
N88BK	N88 Bumper Kit



Performance and Rebuild Kits

Performance kits contain all the necessary parts to return your Bostitch® tool to like-new performance

Item Number	Description
BOSCAP-RK	Bostitch Cap Rebuild Kit
BT125-RK	BT125 Rebuild Kit
BT200-RK	BT200 Rebuild Kit
FN16250-RK	FN16250 Rebuild Kit
MIIISK	MIII Rebuild Kit
N62-RK	N62 Rebuild Kit
N66C-RK	N66C Rebuild Kit
RN46-RK	RN46 Rebuild Kit
SX150-RK	SX150 Rebuild Kit

Lubricants and Oils

Item Number	Description	Size
BC601	Industrial Pneumatic Tool Lubricant	4 Ounces
BC602	Industrial Pneumatic Tool Lubricant	1 Pint
BC603	Industrial Cold Weather Pneumatic Tool Lubricant	1 Pint
BC604	Industrial Pneumatic Tool Lubricant	1 Quart
851871	Air Compressor Oil	1 Quart





851462K
Light Series
Connector Plug
1/4"
MPT



851683K
Light Series
Connector Plug
1/4"
FPT



86517K
Industrial Series
Connector Plug
3/8"
MPT



86522K
Industrial Series
Connector Plug
1/4"
MPT



86546K
Industrial Series
Connector Plug
3/8"
FPT



851461K
Light Series Quick
Coupler
3/8"
MPT



86551K
Industrial Series
Quick Coupler
3/8"
FPT



87103K
Industrial Series
Quick Coupler
3/8"
MPT



851684K
Light Series Quick
Coupler
1/4"
FPT



86523K
Industrial Series
Quick Coupler
1/4"
MPT



852059K
3-Way
Manifold
1/4"
FPT



851393K
3/8" Airline
Splicing Kit



86504
Industrial Series
Regulator w/ Gauge
3/8"
NPT



89403
Industrial Series Mini
Regulator w/ Gauge
1/4"
NPT



851870
Combination
Regulator
& Air Filter w/ Gauge
1/4"
FPT



86503
Industrial Series
Air Filter
3/8"
NPT



851460K
Solid Brass
Tee Fitting
3/8"
FPT



851869
Solid Brass
Tee Kit
3/8"
NPT



850541K
Industrial
Blow Gun
1/4"
FPT



851397K
Tire Inflator
Chuck
1/4"
FPT

MCN150LM-KIT
Long magazine
conversion kit for
MCN150



852058K
Thread Sealant
Tape


PC2K *PowerSlam™ PowerCrown™ Hammer Tacker***Features:**

- Exclusive long reach knuckle saver handle with comfortable non-slip grip
- High-capacity quick-load magazine holds up to two full sticks of staples, minimizing reloading
- Die cast frame and through hardened steel components for extreme durability
- Jam-free design for maximum productivity

Tool Specifications:

- Tool Weight: 2.25 lbs.
- Staple Capacity: 168

Bostitch® PowerCrown™
Staples STCR5019 Series



* See fastener list BB on page 54


H30-8D6 *PowerCrown™ Hammer Tacker w/Holster***Features:**

- Die cast frame and through hardened steel components for extreme durability
- Quick-load magazine
- Tool-free jam clearing
- Kit includes quick draw holster and 1000 3/8" staples

Tool Specifications:

- Tool Weight: 2.25 lbs.
- Staple Capacity: 84

Bostitch® PowerCrown™
Staples STCR5019 Series



* See fastener list BB on page 54

H30-8 *PowerCrown™ Hammer Tacker***Features:**

- Die cast frame and through hardened steel components for extreme durability
- Quick-load magazine
- Tool-free jam clearing

Tool Specifications:

- Tool Weight: 1.8 lbs.
- Staple Capacity: 84

Bostitch® PowerCrown™
Staples STCR5019 Series



* See fastener list BB on page 54


H30-6 *PowerCrown™ Light Wire Hammer Tacker***Features:**

- Die cast frame and through hardened steel components for extreme durability
- Quick-load magazine
- Tool-free jam clearing

Tool Specifications:

- Tool Weight: 1.7 lbs.
- Staple Capacity: 84

Bostitch® Light Wire
PowerCrown™ Staples
STCR2619 Series




* See fastener list BB on page 54

PC4000 *Heavy-Duty PowerCrown™ Tacker*



Bostitch® PowerCrown™
Staples STCR5019 Series



* See fastener list BB on page 54

Features:

- All-steel construction
- Patented, easy squeeze design
- Jam-free design

Tool Specifications:

- Tool Weight: 2.2 lbs.
- Staple Capacity: 84

PC4000-OC2 *Heavy-Duty Outward Clinch Tacker*



Bostitch® PowerCrown™
Staples STCR5019 Series



* See fastener list BB on page 54

Features:

- Patented, easy squeeze design
- Jam-free design
- Unique design turns staple legs outward


Tool Specifications:

- Tool Weight: 2.2 lbs.
- Staple Capacity: 84

PC3000-OC2 *Outward Clinch Tacker*



Bostitch® Light Wire
PowerCrown™ Staples
STCR2619 Series



* See fastener list BB on page 54

Features:

- Patented, easy squeeze design
- Jam-free design
- Unique design turns staple legs outward

Tool Specifications:

- Tool Weight: 2.2 lbs.
- Staple Capacity: 84

P6C-8 PowerCrown™ Stapling Plier**Features:**

- Case hardened steel components for extreme durability
- Ergonomic design and patented easy squeeze bearing system for ease of use
- Quick-load magazine

Tool Specifications:

- Tool Weight: 1 lb.
- Staple Capacity: 84
- Throat Depth: 2.5"

Bostitch® PowerCrown™
Staples STCR5019 Series

* See fastener list BB on page 54

P6C-6 PowerCrown™ Light Wire Stapling Plier**Features:**

- Case hardened steel components for extreme durability
- Ergonomic design and patented easy squeeze bearing system for ease of use
- Quick-load magazine

Tool Specifications:

- Tool Weight: 1 lb.
- Staple Capacity: 84
- Throat Depth: 2.5"

Bostitch® Light Wire
PowerCrown™ Staples
STCR2619 Series

* See fastener list BB on page 54



P3-CHROME *Heavy-Duty Light Wire Stapling Plier*



Features:

- Case hardened steel components for extreme durability
- Ergonomic design for ease of use
- Jam-free design for maximum productivity
- Quick-load magazine

Tool Specifications:

- Tool Weight: .5 lbs.
- Staple Capacity: 208
- Throat Depth: 2.5"

Bostitch® Light Wire Staples
SP19 1/4" Staple



* See fastener list BB on page 54

P7 *Collated Ring Plier*



Features:

- Case hardened steel components for extreme durability
- Easy one-hand operation
- Automatic feed system for ease of use and productivity

Tool Specifications:

- Tool Weight: .8 lbs.
- Staple Capacity: 50 rings

16-Gauge C-Rings



* See fastener list BB on page 54



BB. Manual Fasteners

Item #	Description	Wire Gauge	Crown	Length	Qty.	Fits Bostitch® Tools
STCR50191/4-1M	Heavy-Duty PowerCrown™ Staple	.050" x .019"	7/16"	1/4"	1000	PC1000, PC2000, PC4000, PC4000OC1, PC5000, H30-8, P6C-8, US056-1
STCR50191/4-6M	Heavy-Duty PowerCrown™ Staple	.050" x .019"	7/16"	1/4"	6000	PC1000, PC2000, PC4000, PC4000OC1, PC5000, H30-8, P6C-8, US056-1
STCR50195/16-5M	Heavy-Duty PowerCrown™ Staple	.050" x .019"	7/16"	5/16"	5000	PC1000, PC2000, PC4000, PC4000OC1, PC5000, H30-8, P6C-8, US056-1
STCR50193/8-1M	Heavy-Duty PowerCrown™ Staple	.050" x .019"	7/16"	3/8"	1000	PC1000, PC2000, PC4000, PC4000OC1, PC5000, H30-8, P6C-8, US056-1
STCR50193/8-5M	Heavy-Duty PowerCrown™ Staple	.050" x .019"	7/16"	3/8"	5000	PC1000, PC2000, PC4000, PC4000OC1, PC5000, H30-8, P6C-8, US056-1
STCR50191/2-1M	Heavy-Duty PowerCrown™ Staple	.050" x .019"	7/16"	1/2"	1000	PC1000, PC2000, PC3000, PC4000, PC4000OC2, PC5000, PC3000, US056-1
STCR50191/2-4M	Heavy-Duty PowerCrown™ Staple	.050" x .019"	7/16"	1/2"	4000	PC1000, PC2000, PC4000, PC4000OC2, PC5000, US056-1
STCR50199/16-4M	Heavy-Duty PowerCrown™ Staple	.050" x .019"	7/16"	9/16"	4000	US056-1, PC4000, PC4000OC2
STCR26191/4	Light-Duty PowerCrown™ Staple	.026" x .019"	7/16"	1/4"	5000	T5-6, H30-6, P6C-6
STCR26195/16	Light-Duty PowerCrown™ Staple	.026" x .019"	7/16"	5/16"	5000	T5-6, H30-6, P6C-6
STCR26193/8	Light Duty PowerCrown™ Staple	.026" x .019"	7/16"	3/8"	5000	T5-6, P6C-6, H30-6
STCR26191/2	Light-Duty PowerCrown™ Staple	.026" x .019"	7/16"	1/2"	5000	T5-6, PC3000OC2
SP191/4	Light Wire Staple	.019"	3/8"	1/4"	5000	P3-IND, P3-Chrome
RING616G50	Galvanized C Ring	16-Gauge		11/16"	2500	P7
RING616SS50	Stainless Steel C Ring	16-Gauge		11/16"	2500	P7



STANLEY

BOSTITCH®



SERVICE AND REPAIR

WARRANTY SERVICE

Bostitch warrants to the original retail purchaser that the product is free from defects in material and workmanship, and agrees to repair or replace, at Bostitch's option, any defective product within the specified warranty period with proof of purchase.

NATIONAL FACTORY SERVICE CENTER

- Tools can be sent to our Factory Owned Service Center in Louisville, KY.
- Repair and return within 5 working days.
- Factory trained service technicians.
- Send tools to: Bostitch Repair Center
13126 Forrest Center Court
Louisville, KY 40223
502-244-0256

300 INDEPENDENT AUTHORIZED SERVICE CENTERS

- Local businesses that specialize in service and repairs of your Bostitch tools.
- Trained service technicians.
- To find your nearest independent service center, call 800-556-6696 or Visit our Website Service Directory at www.BOSTITCH.com.

SERVICE PLUS DEALERS

- Service Plus Dealers located throughout the country who will send your tools to our Louisville Service Center.
- Tools repaired and returned to your Service Plus Dealer within 5 working days.
- To find your nearest Service Plus Dealer, call 800-556-6696.

For more service locations visit us at www.BOSTITCH.com

Authorized Warranty Service Centers

AK

Fairbanks Aero Services, Inc.
1915 Ada Street
Fairbanks, AK 99709
(907) 479-6666

MJ Rentals
2005 Richardson Highway
North Pole, AK 99705
(907) 488-9407

Precision Sharpening & Repair
11697 North Tongass Hwy
Ketchikan, AK 99901
(907) 247-8732

AL

Alabama Jack Co., Inc.
1140 5th Ave, North
Birmingham, AL 35203
(205) 251-8156

Big John's Tree Service, Inc.
8243 Twin Beech Rd. Hwy 44
Fairhope, AL 36532
(251) 928-7659

Power Tool Supply & Repair
1713 Creighton Ave, S.E.
Decatur, AL 35601
(256) 350-0079

Professional Tool Repair
1551 Rex Street
Montgomery, AL 36107
(334) 263-6776

AR

Air Compressor Services
801 Dyer Street
Springdale, AR 72765
(479) 756-5938

C & W Tool and Equipment
1400 South Main Street
Little Rock, AR 72202
(501) 374-1911

Carr's Tool & Equip. Rental
1467 East Kentucky St.
Morrilton, AR 72110
(501) 354-0846

Harrison Tool Room LLC
1306 Hwy 62-65N
Harrison, AR 72602
(870) 365-0406

Tool Service Co.
5732 Wheeler Ave.
Fortsmith, AR 72901
(479) 648-3125

AZ

Arizona Armature Service
4641 South 33rd Street
Phoenix, AZ 85040
(602) 276-4434

Prescott Power Tool
1050 Willow Creek Rd, Ste 1
Prescott, AZ 86301
(928) 445-2628

Tri State Tool Repair
5010 Hwy. 95 Suite #18
Ft. Mohave, AZ 86426
(928) 788-3420
Western Tool Inc.
702 S. Campbell
Tucson, AZ 85719
(520) 884-0504

CA

ABC Repair
520 McGlincy Lane #13
Campbell, CA 95008
(408) 378-1075

ACME Tool Repair
452 Moore Lane
Healdsburg, CA 95448
(707) 431-0444

All Tool Service & Supply
1571 North Maple
Fresno, CA 93703
(559) 252-2879

Bay Area Floor Machine
652 B Charles Street
San Jose, CA 95112
(408) 971-1230

Bucknall Power Tool Service, Inc.
11910 Vose St.
North Hollywood, CA 91605
(818) 765-0228

C.E.S.- L. Forest
22500 Muirlands Blvd. Ste B
Lake Forest, CA 92630
(949) 586-9479

C.E.S.- Concord
1170-G Burnett Avenue
Concord, CA 94520
(925) 827-1011

C.E.S.-Covina
612 S. Shopper Lane
Covina, CA 91723
(626) 915-4935

Jim Klippel Tool Repair
424 Laguna St.
Santa Barbara, CA 93101
(805) 963-0020

King Power Tools
5810 N. Figueroa Street
Los Angeles, CA 90042
(323) 256-7455

Mart's Appliance Service
743 E. Valley Parkway
Escondido, CA 92025
(760) 745-7711

Outdoor Power of Napa
849 Jackson Street #2A
Napa, CA 94559
(707) 226-5855

Power Equipment Company
12525 Monterey Road
San Martin, CA 95046
(408) 683-9555

Rodeo Small Engine
250 Pacific Avenue
Rodeo, CA 94572
(510) 799-0138

Speedy Appliance Service
22747 Ventura Blvd.
Woodland Hills, CA 91364
(818) 225-7774

Stockton Service Station
Equip. Co.
808 N. Union St.
Stockton, CA 95205
(209) 464-8333

Universal Tool Service
21804 S. Vermont Ave.
Torrance, CA 90502
(310) 328-2121

Unlimited Tool Rpr. & Fab.
131 S. Maple Ave., Suite #2
South San Francisco, CA 94080
(650) 589-2941

Valley Tool Repair
4131-B Power Inn Road
Sacramento, CA 95826
(916) 737-6300

Wisdom Tool Repair, Inc.
2238 South Ritchey Street
Santa Ana, CA 92705
(714) 432-1601

CO

A Pro Tool, Inc
1950 W. 13th Avenue, #2
Denver, CO 80204
(303) 623-3743

Action Shop Service, Inc.
2412 Access Road
Rifle, CO 81650
(970) 625-0943

Boulder Electric Motor
3865 Walnut Street
Boulder, CO 80301
(303) 443-1331

Central Colorado Tool Service
3005 Grandview Lane
Colorado Springs, CO 80907
(719) 635-8615

Greeley Electric Repair, Inc.
2509 1/2 8th Avenue
Greeley, CO 80631
(970) 352-1961

Professional Tool Services
2420 I 70 Business Loop
Grand Junction, CO 81501
(970) 242-1224

Pueblo West Rental Center
579 E. Enterprise Drive
Pueblo West, CO 81007
(719) 647-2071

Tools For Living
0560 Highway 133
Carbondale, CO 81623
(970) 963-8776

CT

Baltimore Electronics Inc.
5 Manila Avenue
Hamden, CT 06514
(203) 248-7553

Gottier Small Engine Repair
427 Tooland Stage Road
Tolland, CT 06084
(860) 875-2802

Tibby's Electric Motor Service
40 Taylor Avenue
Bethel, CT 06801
(203) 748-4694

Utility Electric Service Inc.
53 Main Street
Hartford, CT 06106
(860) 246-7271

For more service locations visit us at www.BOSTITCH.com

Watertown Tool Repair
28 Main Street
Oakville, CT 06779
(203) 596-1344

Appliance Servicer, Inc.
3317 "B" Old Capital Trail
Wilmington, DE 19808
(302) 994-6259

Utility Electric Service Inc.
53 Main Street
Hartford, CT 06106
(860) 246-7271

Watertown Tool Repair
28 Main Street
Oakville, CT 06779
(203) 596-1344

DE
Appliance Servicer, Inc.
3317 "B" Old Capital Trail
Wilmington, DE 19808
(302) 994-6259

Grand Rental Station
803-G Rehoboth Ave.
Rehoboth Beach, DE 19971
(302) 227-7368

FL
A1A Small Engine & Equip
424 S. Dixie Hwy E.
Pompano Beach, FL 33060
(954) 946-5044

Appliance Doctors
3166 S.E. Dixie Hwy
Stuart, FL 34997
(772) 287-6437

Circle Service of Florida, Inc.
1001 S.E. 12th Court STE C
Cape Coral, FL 33990
(239) 772-1133

Contractor's Tool Service, Inc.
5409 Edgewater Drive
Orlando, FL 32810
(407) 292-2808

Davron Inc.
10724 S.W. 188th Street
Miami, FL 33157
(305) 278-7690

Dixie Power Equipment
1401 Allendale Road, Suite C
West Palm Beach, FL 33405
(561) 689-4468

Florida Tool Warranty, Inc.
4509 Orient Road Suite D
Tampa, FL 33610
(813) 246-5375

Greenbriar Mechanical
152 Blake Avenue
Ft. Walton Beach, FL 32548
(850) 243-3062

LC Electric Motor Service Inc.
117 Industrial Blvd.
Pensacola, FL 32505
(850) 476-7655

M & W Electric Motors. Inc.
1250 Barrancas Ave
Pensacola, FL 32501
(850) 433-0400

Mid-Florida Tool & Equipment
Repair
8228 S.W. 103rd Street
Ocala, FL 34481
(352) 854-5000

Mobile Tool Repair, Inc.
2126 Hwy 2321
Southport, FL 32409
(850) 271-1707

Naples Electric Tool
3427 Exchange Ave Unit D
Naples, FL 34120
(239) 352-6331

Power Tool Repair Co., Inc.
4750 Bayline Drive
North Fort Myers, FL 33917
(239) 995-8805

Precision Tool Services
1561 Garden Street
Titusville, FL 32796
(321) 269-7441

Rent All Equip. Sales Inc.
8819 Arlington Expressway
Jacksonville, FL 32211
(904) 725-0544

S & S Mowers Inc.
681 SW State Rd. 47, Ste 110
Lake City, FL 32025
(386) 755-2957

Southern Electric Co.
510 N. Parramore Ave
Orlando, FL 32801
(407) 841-8824

Southside Mower & Magneto
Repr
1885 S. Monroe Street
Tallahassee, FL 32301
(850) 224-5613

Suncoast Tool Repair Inc.
14606 Marina Drive
Hudson, FL 34667
(727) 697-0134

Sunray-Babcock's Repair Center
1621 Desoto Road
Sarasota, FL 34243
(941) 358-9999

Tool Dr. of Manasota, Inc.
502 36th Street West
Bradenton, FL 34205
(941) 746-2958

Tool Master Inc.
196 East 4th Avenue
Hialeah, FL 33010
(305) 883-1903

Tool Shack, Inc.
226 Edgewood Avenue South
Jacksonville, FL 32254
(904) 387-1466

GA
A1's Air Compressor Service
2028 Old Covington Hwy, Suite C
Conyers, GA 30012
(770) 922-1273

F & D Tool Service & Supply
132 A Richardson Dr.
Dalton, GA 30721
(706) 277-6100

Industrial Controls, Inc.
1710 Eastman Drive
Tifton, GA 31793
(229) 387-8114

Power Tool Service Inc.
1939 Hills Avenue NW
Atlanta, GA 30318
(404) 605-0101

Precision Tool Repair, Inc.
1726 B. Hazelwood Drive
Marietta, GA 30067
(678) 560-6811

The Tool Box, Inc.
439 A Telfair Road
Savannah, GA 31415
(912) 238-5512

Tool Service Center
302 Walton Way
Augusta, GA 30901
(706) 724-4803

Tool Service Co. Inc.
1810 Auger Drive Units A-B
Tucker, GA 30084
(404) 524-4249

Total Tool Service, Inc.
266 Sailors Drive, #1
Ellijay, GA 30540
(706) 276-3141

IA
Blink Electric Motors Inc.
Rear 116 N 1st Ave
Marshalltown, IA 50158
(641) 752-3036

Industrial Motors, Inc.
1511 Mt. Pleasant Street
Burlington, IA 52601
(319) 752-4917

Pneumatic Tool Repair
1991 Marion Street
Dubuque, IA 52003
(563) 580-2075

Puckett Tools & Fasteners
410 1st Ave NW
Cedar Rapids, IA 52405
(319) 363-2211

Puckett Tools & Fasteners
841 11th Street
Des Moines, IA 50309
(515) 244-4189

ID
Crandall Service Co. Inc.
227 So. Park Ave W.
Twin Falls, ID 83301
(208) 733-8953

Rossiter Electric Motors
1501 S. Capital Ave
Idaho Falls, ID 83402
(208) 529-3665

Tool Medic
158 East 52nd Street
Boise, ID 83714
(208) 323-9931

IL
Air-Pneumatic Tool Repair
220 N. Water Street
Rockford, IL 61107
(815) 965-1130

Bud & Ray's Repair
701 N. 5th Street
Quincy, IL 62301
(217) 223-2955

Evergreen Tool & Equipment
21964 Howell Drive
New Lenox, IL 60451
(815) 462-7787

Hugo's Equipment Repair
415 W. Kay Avenue
Addison, IL 60101
(630) 628-7977

Authorized Warranty Service Centers

J W Small Engine Repair
176 Detroit Street
Cary, IL 60013
(847) 462-1905

Keith's Power Equipment
3701 Chicago Rd.
Steger, IL 60475
(708) 755-2660

M & M Small Engine Repair
325 S. Main
O'Fallon, IL 62269
(618) 632-8064

McCabe Brothers, Inc.
411 N. Wright Street
Champaign, IL 61824
(217) 352-5620

Mid-West Hydra-Line, Inc.
698 U.S. Hwy 150 East
Galesburg, IL 61401
(309) 342-6171

Professional Elec. Motor
Repair
1807 South Morris Ave.
Bloomington, IL 61701
(309) 829-3552

Puig Tool & Equipment
10600 W. 191st Street
Mokena, IL 60448
(708) 479-7017

Rent-All and Sales, Inc.
8460 Express Drive
Marion, IL 62959
(618) 993-5044

Superior Small Engine Repair,
Inc.
15062 South Archer Avenue
Lockport, IL 60441
(815) 588-1200

IN
Almac Air Tools Service
6011 East Hanna Ave. Ste. B
Indianapolis, IN 46203
(317) 786-1355

B & B Air Repair
4261 Filby Road
Richmond, IN 47374
(866) 935-6856

Lawrence Bowers Electric
729 Navaco Drive
Lafayette, IN 47905
(765) 446-7171

Lensing Tool & Supply
306 N. Seventh Ave.
Evansville, IN 47710
(812) 425-9049

R & C Small Engine Repair
13630 Wicker Ave. Ste. A
Cedar Lake, IN 46303
(219) 374-9660

The Gun Men, Inc.
3021 Emerald Drive
Hobart, IN 46342
(219) 712-3801

Wagner Electric of Ft. Wayne
3610 North Clinton St.
Fort Wayne, IN 46805
(206) 484-5532

KS
Alan Appliance Service, Inc.
1300 E. Central
Wichita, KS 67214
(316) 262-7228

Mid-Kansas Tool & Electric
314 W. Cloud Street
Salina, KS 67401
(785) 825-6287

KY
Roman's Repair Center
601 College Street
Bowling Green, KY 42101
(270) 746-0857

Smiley's Air Tool Inc.
4552 Poplar Level Road
Louisville, KY 40213
(502) 966-3433

Warden Electric Co. Inc.
P.O. Box 1283
Paducah, KY 42001
(270) 443-4622

LA
Koehn Repair Shop
1125 E. First Street
DeRidder, LA 70634
(337) 463-7370

Robert's Repair Rental and
Retail Inc
4919 LA 182
Houma, LA 70364
(985) 872-0896

Theriot's Lawn Equipment, Inc.
608 Westwood Drive
Marrero, LA 70072
(504) 348-7109

Tom's Construction & Rentals
301 Miller Street
Farmerville, LA 71241
(318) 368-7343

Tri-Star Sales & Repair Svc.
46327 Milton Road
Hammond, LA 70401
(225) 567-4867

Universal Power Equipment
3812 Coliseum Blvd.
Alexandria, LA 71301
(318) 445-1611

MA
Foxboro Tool Repair, Inc.
16 Railroad Ave
Foxboro, MA 02035
(508) 543-2606

Jack's Vacuum & Appliance
Center
167 East Street
Ludlow, MA 01056
(413) 547-2800

Panda Electric Service Inc.
165 Main Street
Everett, MA 02149
(617) 389-1442

Red's Tool Repair, Inc.
382 Middlesex Avenue
Wilmington, MA 01887
(781) 933-5757

Rogers Power Tool Repair
683 American Legion Highway
Westport, MA 02790
(508) 636-3484

MD
ATMS Incorporated
8907 Garland Ave
Silver Spring, MD 20901
(301) 563-6601

Hemp's Power Tool Repair,
Inc.
13407 Graceham Road
Thurmont, MD 21788
(301) 898-9916

Mower Works, Inc.
12260 Route 108
Clarksville, MD 21029
(410) 531-6982

Waters Appliance Service Inc.
216 E. Diamond Ave
Gaithersburg, MD 20877
(301) 258-7500

WTS, Inc
4000 Coolidge Avenue
Arbutus, MD 21229
(443) 543-0100

ME
Custom Sharpening
805 Farmington Falls Rd,
Unit 7&8
Farmington, ME 04938
(207) 778-3446

June's Sharpening Service
12 Brookside Drive
Fort Kent, ME 04743
(207) 834-3774

Morneault's Service Center
187 Ohio Street
Bangor, ME 04401
(207) 942-6005

Poulin Electric Motors
195 Church Hill Road
Augusta, ME 04330
(207) 622-1689

Yerxa's Lawn & Garden
753 Broadway
South Portland, ME 04106
(207) 799-2241

MI
Air Tool Service Company
12758 Inkster Road
Redford, MI 48239
(313) 535-1120

All Tool Repair
7225 Stanke Drive
East Lansing, MI 48823
(517) 339-8011

Atlas Tool Service
2505 South Getty Street
Muskegon Heights, MI 49444
(231) 739-6555

Bridgeway Power
863 South Airport Road
Traverse, MI 49686
(231) 947-5824

Bridgeway Power
977 N. Center Ave.
Gaylord, MI 49735
(989) 732-5055

Ed's Electric Appliance Service
3916 Charlevoix Rd.
Petoskey, MI 49770
(231) 347-9599

For more service locations visit us at www.BOSTITCH.com

Lange & Leaman Elec. Co.
2840 Universal Drive
Saginaw, MI 48603
(989) 754-5266

McNichols Electric Service, Inc.
13725 West McNichols Rd.
Detroit, MI 48235
(313) 342-6070

Mid-Michigan Repair Service
680 Poseyville Road
Midland, MI 48640
(989) 835-6014

Northend Small Engines
3871 Pine Grove Ave.
Ft. Gratiot, MI 48059
(810) 984-8268

Northwest Tool Supply, Inc.
30270 Beck Road
Wixom, MI 48393
(248) 669-4040

R & A Tool Repair
5959 Sterling Drive
Howell, MI 48843
(517) 552-0070

Robinson's Saw Service
52211 Van Dyke Street
Shelby Township, MI 48316
(586) 731-7175

The Shaver Shop Inc.
61 W. Huron
Pontiac, MI 48342
(248) 334-1411

Total Hydraulic Engineering
& Supply
120 N. Union Street
P.O. Box 160
Parma, MI 49269
(517) 531-8100

Total Tool & Equip. Svc., Inc.
200 N. 12 Street
Escanaba, MI 49829
(906) 786-7242

MN
Air & AG Supply, Inc
30217 Hwy 15 South
Winthrop, MN 55396
(507) 647-4247

DEKO Factory Service
3048 Bloomington Ave. South
Minneapolis, MN 55407
(612) 721-6651

Electric Motor/ Bearing Service
1401 West 9th Street
Albert Lea, MN 56007
(507) 377-0032

Lackore Electric Motor Repair
108 West 2nd Street
Winona, MN 55987
(507) 452-3103

Lakes Motor & Tool, LLC
14507 Ironwood Lane
Brainerd, MN 56401
(218) 829-3546

Neil's Electric
5115 65th Street N.W.
Rochester, MN 55901
(507) 288-0908

Reeds Sales & Service Inc.
1260 Payne Avenue
St. Paul, MN 55101
(651) 774-9515

Schons Repair
23638 Co Road 104
Detroit Lakes, MN 56501
(218) 841-1511

Zahl Equipment Service
1832 N. Riverfront Drive
Mankato, MN 56001
(507) 387-4478

MO
AAA Small Engine Repair
1310 North 4th Street
St. Joseph, MO 64501
(816) 364-6160

Construction Tool Repair
806 Pannell Street Unit C
Columbia, MO 65201
(573) 499-1808

Darco Equipment Service Co.
6519 Stadium Dr.
Kansas, MO 64129
(816) 924-1245

H & H Small Engine
207 N. Frisco Street
Sikeston, MO 63801
(573) 472-3228

P.M. Electric Co., Inc.
5280 Fyler Avenue
St. Louis, MO 63139
(314) 351-4550

Ray's Repair Service
1004 E. Commercial Street
Springfield, MO 65803
(417) 569-4236

Thompson Service Center
1625 South Main Street
Joplin, MO 64804
(417) 781-5030

Tool Service Center, Inc.
2431 Raymond Drive
St. Charles, MO 63301
(636) 940-2525

MS
Power Tool Repair & Parts
1305 Nelle Street
Tupelo, MS 38801
(662) 842-0977

Power Tool Source, Inc.
6820 Washington Ave
Ocean Springs, MS 39564
(228) 872-8511

R & D Compressor's & Tools
1003 Building A
South Pearson Road
Pearl, MS 39208
(601) 933-4991

Walker Rent-All
19079 Pineville Road
Long Beach, MS 39560
(228) 864-0864

MT
Allen's Tool Repair
115 5th Street West
Billings, MT 59101
(406) 248-3865

Big Sky Power Equip.
1439 Northwest Bypass
Great Falls, MT 59404
(406) 761-6688

First Choice Repair &
Sharpening
55 West Reserve Drive
Kalispell, MT 59901
(406) 257-3946

Hellgate Tool Repair
2006 North Avenue West
Missoula, MT 59801
(406) 549-3067

Northwest Tool Repair
1000 Baker Avenue
Whitefish, MT 59937
(406) 862-6275

NC
A & L Rental and Repair Inc.
1505 Greenville Hwy
Kinston, NC 28501
(252) 523-8848

American Tool & Tractor
1950 Dawson Street
Wilmington, NC 28403
(910) 251-0259

Bear Paw, Inc.
221 Toosweet Road
Sylva, NC 28779
(828) 631-2327

DJM Tool
997 Salem Church Road
Lincolnton, NC 28092
(704) 736-0671

J & S Tool Repair
1309 Hodges Street
Raleigh, NC 27604
(919) 856-0050

Piedmont Power Machine Serv.
4994C Indiana Avenue
Winston-Salem, NC 27106
(336) 759-2022

Rye's Glass
183 Shady Lane, Holiday Island
Hertford, NC 27944
(252) 426-9237

Small Engine Repair Center
4260 Long Beach Road
Southport, NC 28461
(910) 454-4066

Tool Repair LLC
807 Huffman Street
Greensboro, NC 27415
(336) 275-6125

ND
Fix-It-Shop
316 21st Street East
P.O. Box 1444
Dickinson, ND 58601
(701) 225-0766

NE
A & B Tool & Equip Rental
1408 West 1st Street
Ogallala, NE 69153
(308) 284-2304

Flohr Electric Service, Inc.
4356 South 90th Street
Omaha, NE 68127
(402) 331-6863

Tool Doctor
607 Avenue D
Kearney, NE 68847
(308) 237-0802

Authorized Warranty Service Centers

NH

Bill's Rapid Gun Repair
129 Newton Road
Plaistow, NH 03865
(603) 382-7313

Red Eagle Product
19 Red Eagle Street
Conway, NH 03818
(603) 447-5865

Taylor Rental Center
231 South Main Street
Concord, NH 03301
(603) 224-1931

NJ

Cougar Electronics & Tool
Repair
622 Broadway
Long Branch, NJ 07740
(732) 870-3302

Liberty Power Tool Repairs
LLC
101-D Newton Ave.
Oaklyn, NJ 08107
(856) 854-4384

Middlesex Industrial Sales
522 New Brunswick Ave.
Fords, NJ 08863
(732) 738-0537

Power Tool Co.
609 Memorial Drive
Neptune, NJ 07753
(732) 776-8282

Prompt Service Inc.
518 Union Hill Road
Englishtown, NJ 07726
(732) 972-2789

Raw Power Tool Repair
66 Clinton Road
Fairfield, NJ 07004
(973) 244-1014

NM

Telco Electric Inc.
2906 4th St. NW
Albuquerque, NM 87107
(505) 345-2426

NV

Tool Service
3239 Industrial Road
Las Vegas, NV 89109
(702) 734-9161

NY

A & T Power Tool
515 E. Jericho Turnpike
Huntington Station, NY 11746
(631) 271-2141

A.H. Todd Small Engine Repair
1527 Route 32
Saugerties, NY 12477
(845) 336-8244

B C Electric & Air Co.
885 Route 376
Wappinger Falls, NY 12590
(845) 227-8289

Blose Tool Repair
1487 Foote Ave Ext.
Jamestown, NY 14701
(716) 487-1922

Boro Tool Repair
4406 Martha Avenue
Yonkers, NY 10704
(914) 776-7859

Eastern Industrial Equipment
2231 Jericho Turnpike
Garden City Park, NY 11040
(516) 741-3198

EDM Contractors Equipment
2028 County Route 8
Oswego, NY 13126
(315) 342-1671

Eldred Power Equip & Auto
Parts, Inc.
550 Route 55
Eldred, NY 12732
(845) 557-6168

Five Boro Pneu-Tronics, Inc.
801 East 42nd Street
Brooklyn, NY 11210
(718) 338-8911

Ira D. Conklin & Sons, Inc
92-94 Stewart Ave
Newburgh, NY 12550
(845) 561-1512

J & A Repair
6202 20th Ave
Brooklyn, NY 11204
(718) 232-5746

Kinequip, Inc.
365 Old Niagara Falls Blvd.
Buffalo, NY 14228
(716) 694-5000

Kinequip, Inc./Northeast
Comp.
7340 Thompson Road North
Syracuse, NY 13212
(315) 463-7785

Mahopac Mower Mart
(Evergreen Power Equip. Inc)
834 Route 6
Mahopac, NY 10541
(845) 628-7749

MJR Small Engine & Tool
Repair
1734 Hilton Parma Road
Spencer Port, NY 14559
(585) 349-9333

Precision Propeller & Tool
Repair
135 South William Street
Newburgh, NY 12550
(845) 562-3880

R.P. Rentals
1855 Stanhope Street
Ridgewood, NY 11385
(718) 456-7397

Reliable Tool Service
491 Main Street
Islip, NY 11751
(631) 581-8180

Rochester Tool & Torch Repair
LLC
313 Jefferson Ave.
Fairport, NY 14450
(585) 388-6650

Stewart Electric Repair Co.
412 Broadway
Schenectady, NY 12305
(518) 393-5837

Taylor Rental
363 Elmira Road
Ithaca, NY 14850
(607) 273-1807

Taylor Rental Center
136 North Jensen Road
Vestal, NY 13850
(607) 729-7156

United/ Richter Electric Motors
106 Michigan Ave
Buffalo, NY 14204
(716) 855-1945

Westchester Electric Motors &
Pumps Inc.
50 Vernon Lane
Elmsford, NY 10523
(914) 592-1484

OH

Allied Electrical Repair
1404 Hardingway East
Gallion, OH 44833
(419) 468-4962

Kay-Dee Air & Electric Tool
Repair
5466 Lake Court
Cleveland, OH 44114
(216) 881-2565

MATS Equipment Co. Inc.
51 Pierce Avenue
West Carrollton, OH 45449
(937) 859-8057

Mek-Elek of Ohio
19097 Drake Rd.
Strongsville, OH 44149
(440) 238-1919

OHS Inc./Ohio Hydraulic
Service
24 North Grubb St.
Columbus, OH 43215
(800) 828-0049

Pro Tool Service, Inc.
1125 Glendale Milford Rd.
Cincinnati, OH 45215
(513) 772-1490

OK

Allied Tool Inc
8911 East Admiral Place
Tulsa, OK 74115
(918) 836-3939

ARA Equipment Rentals
2318 W. Gore Blvd
Lawton, OK 73505
(580) 355-1539

OR

Air Tool Maintenance
420 River Road
Eugene, OR 97404
(541) 461-1714

Jim's Tool Service
515 Wilson Street
Eugene, OR 97402
(541) 344-1243

Precision Power Tool Repair
2941 N. Pacific Hwy
Medford, OR 97501
(541) 770-5541

Quality Tool Repair
2960 Maywood Drive #12
Klamath Falls, OR 97603
(541) 883-5870

PA

A-1 Repair Service
1561 Easton Rd.
Roslyn, PA 19001
(215) 659-4215

For more service locations visit us at www.BOSTITCH.com

Airmatic Inc.
7317 State Rd.
Philadelphia, PA 19136
(215) 333-5600

Bob's Small Engine Repair
107 Elm Street Lakemont
Altoona, PA 16602
(814) 944-1942

C & E Pneumatic Service Inc.
301 Poplar Street
Hanover, PA 17331
(717) 632-5200

Dave's Air Tool Repair
6 Henne Road
Bernville, PA 19506
(610) 488-7973

Dave's Repair Service
1840 Liberty Drive
Williamsport, PA 17701
(570) 494-1716

Dom's Air Tool Repair
RR1 Box 98, Sand Bar Rd.
Port Royal, PA 17082
(717) 527-4877

Dorward Electric Corp.
450 West Church Street
Slatington, PA 18080
(610) 767-8148

Ideal Tool & Equipment Service
456 N. 8th Street
Philadelphia, PA 19123
(215) 925-0672

Next Generation Tool
501 North Keyser Avenue
Scranton, PA 18504
(570) 344-4160

Passmore Service Center
1108 Route 100
Bechtelsville, PA 19505
(610) 367-9084

Resharp
R.R. 6 Box 6328
Montrose, PA 18801
(570) 278-2146

Scranton Grinder & Hardware
1020 Hemlock Street
Scranton, PA 18505
(570) 344-2520

Stroudsburg Electric Motor Srv.
756 Phillips Street
Stroudsburg, PA 18360
(570) 421-8909

Tropp Electric Equip. Repair
172 Brier City Road
Pottsville, PA 17901
(570) 544-3318

West Side Lawn Mower
1122 N. Broad St.
Lansdale, PA 19446
(215) 855-5627

RI
Electric Motor Service, Inc.
3070 Post Road
Warwick, RI 02887
(401) 737-2534

SC
BACS. Inc.
2153 N. Main Street
Summerville, SC 29483
(843) 821-3487

Conway Electric Motor Service
P.O. Box 1705
Conway, SC 29526
(843) 248-5302

Industrial Tool Repair
237 Pine Lee Road
Columbia, SC 29223
(803) 736-7282

Lake Electric
135 Market Street
Orangeburg, SC 29115
(803) 534-1022

The Mac Master Co., Inc.
965 Westfield Court
Sumter, SC 29154
(803) 494-3441

SD
Hydraulic World, Inc.
123 N. Marion Road
Sioux Falls, SD 57107
(605) 334-7812

TN
Brady Tool Service, Inc.
2002 East Magnolia Ave.
Knoxville, TN 37917
(865) 546-7744

Clarksville Tool
601 Kraft Street, Ste #105
Clarksville, TN 37040
(931) 645-8022

Commercial Tool Service
319 Oakley Street
Livingston, TN 38570
(931) 403-1810

Rustic Enterprise
1565 Rock Springs Road
Kingsport, TN 37664
(423) 349-4312

Underwood Repair Center
1706 Antioch Pike
Antioch, TN 37013
(615) 833-2022

TX
American Industrial Sply & Tool
1101 A West Business 83
Pharr, TX 78577
(956) 702-4410

Bush Hydraulics
2012 N. Lexington Blvd.
Corpus Christi, TX 78409
(361) 289-0441

Caprock Equip. Service & Supply
2112 50th Street
Lubbock, TX 79412
(806) 747-9177

Earl's Repair Center
7900 Highway 71 West #A
Austin, TX 78735
(512) 288-1334

Fort Worth Shaver & Appliance
1900 Montgomery Street
Fort Worth, TX 76107
(817) 335-9970

Gorhum's Lawn Mower Shop
725 E. Grimes
Harlingen, TX 78550
(956) 423-3739

Handyman Services
2158 US Hwy 281 South
Wichita Falls, TX 76310
(940) 766-0202

Hurricane Tool & Supply
4330 Center Street
Deer Park, TX 77536
(281) 476-5530

Innovative Tooling Services
2506 W. Marshall
Grand Prairie, TX 75051
(972) 647-0800

J & T's Welding, LLC
5294 Old Christoval Road
San Angelo, TX 76904
(325) 651-1408

Ludwig Saw & Tool Sharpening
1701 Maple Avenue
Waco, TX 76707
(254) 754-6971

Mr. Fix-It
4450 FM 1387
Midlothian, TX 76065
(972) 723-0171

Nathan's Machine Shop
5758 Highway 62
Buna, TX 77612
(409) 994-2473

Q & S Small Engine Repair
2210 Shelton
Abilene, TX 79603
(325) 675-5104

Reid's Appliance Service, Inc.
906 S. Georgia
Amarillo, TX 79102
(806) 373-8812

Shaver Service Center
5320 Cameron Road
Austin, TX 78723
(512) 454-5848

Texas Shaver & Appliances
8039 Callaghan Road
San Antonio, TX 78230
(210) 979-6603

Texoma Tool Repair, Inc.
308 E. Houston Street
Sherman, TX 75090
(903) 892-1510

UT
AAIRCO
935 West 1860 South
Salt Lake City, UT 84104
(801) 972-3186

The Mending Shed
1735 South State Street
Orem, UT 84097
(800) 339-9297

VA
B & B Appliance & Lawn
Equipment
71 Lawson Road, Unit C
Leesburg, VA 20175
(703) 777-1093

D & S Repair Service, Inc.
20 S. Dove Street
Alexandria, VA 22314
(703) 683-0009

Fredericksburg Repair
10705 Stoner Drive
Fredericksburg, VA 22408
(540) 834-0031

Hydraulic Service Co., Inc
3215 Victory Blvd.
Portsmouth, VA 23702
(757) 487-2513

Authorized Warranty Service Centers

Master Tool Repair
1226 Executive Blvd. #105
Chesapeake, VA 23320
(757) 547-8665

Phillips Tool Repair, Inc.
2026 Chamberlayne Ave.
Richmond, VA 23222
(804) 321-6007

Roberts Small Engine Repair
1109 Curve Road
Pearisburg, VA 24134
(540) 921-3255

Sterling Mower Repair, Inc.
45565 W. Church Road
Sterling, VA 20164
(703) 430-3989

Stultz Machine, Tools & Equip,
Inc
1546 Brownlee Ave. S.E.
Roanoke, VA 24014
(540) 981-9359

VT
Burlington Tool Repair
3 Kellogg Road
Essex Junction, VT 05452
(802) 872-0051

Valley Sales & Rental
36 Noah's Lane
Brattleboro, VT 05301
(802) 257-9181

WA
Action Small Appliance, Inc.
1500-145th Place S.E.
Bellevue, WA 98007
(425) 643-9806

Harbor Rental Saw Shop
890 Guard Street
Friday Harbor, WA 98250
(360) 378-2220

Northwest Tool Repair
2837 Friday Creek Road
Burlington, WA 98233
(360) 724-6982

Power Tool Service
1902 E. Mission Ave
Spokane, WA 99202
(509) 535-1754

Tap Tool Repair, Inc.
1401 52nd Ave East
Tacoma, WA 98424
(253) 922-5787

WI
Dr. Tool Service Center
975 Parkview Road
Green Bay, WI 54304
(920) 336-7440

EMS Industrial, Inc
4901 Prairie Dock Drive
Madison, WI 53718
(608) 241-8866

Lackore Electric Motor Repair
4102 Mormon Coulee Court
LaCrosse, WI 54601
(608) 782-7635

Linder Electric Motors, Inc.
308 Adrian Street
Wausau, WI 54401
(715) 842-3725

Miles Sales & Service
13699 W. Thannum Fire Lane
Hayward, WI 54843
(715) 634-2245

Power Tool Service Co.
P.O. Box 1743
Green Bay, WI 54305
(920) 437-2594

R.W. Enterprise
5949 Highway 12
Eau Claire, WI 54701
(715) 832-5272

Rusch Electric Motor Repair
330 East North Street
Waukesha, WI 53188
(262) 547-4037

West Shore Tool Service, LLC
100 Brazeau Avenue
Oconto, WI 54153
(920) 835-8665

Wisconsin Valley Concrete
311 5th Ave. North
Wisconsin, WI 54495
(715) 423-7500

WV
A+ Rental Sales & Service
Route 6 Box 118
Buckhannon, WV 26201
(304) 472-3789

Air Tech Tool Service Inc.
325 City Avenue
Beckley, WV 25801
(304) 253-6799

Larry's Pneumatic Service
P.O. Box 1076
Bluefield, WV 24701
(304) 325-9262

Tool Index

438S2	.27	MIIIFN	.35
438S2R	.15	MIIIFN-KIT	.35
438S4	.27	N100S	.7
450S2	.27	N62FNK-2	.19
650S4	.28	N66BC-1	.16, 31
650S5	.28	N66C-1	.31
BIGBERTA160-2	.7	N75C-1	.7
BT125K-2	.20	N80CB-1	.6
BT200K-2	.20	N89C-1	.6
CAP1516	.42	P3-CHROME	.53
CAP2060P	.42	P6C-6	.52
CAP2080WB	.41	P6C-8	.52
CAP2560OL	.42	P7	.53
CAP6080WB	.41	PC2K	.50
CPACK1	.44	PC3000-OC2	.51
CPACK270	.44	PC4000	.51
CPACK3	.44	PC4000-OC2	.51
CR1000E	.36	PN100K	.32
CWC200ST	.41	PROZHOZE	.46
F21PL	.5	RN45B-1	.15
F28WW	.5	RN46-1	.15
F33PT	.5	SB150SLBC-1	.16, 31
FN16250K-2	.19	SB-1664FN	.19
H30-6	.50	SB-1850BN	.20
H30-8	.50	SB-2IN1	.21
H30-8D6	.50	SB-150SX	.22
HP118K	.21	SX150-BHF-2	.36
LHF97125	.36	SX150K-1	.21
MCN150	.6	USO56-1	.32
MFN200	.35		
MIII812CNCT	.32		
MIIIFS	.35		

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings present.

IMPORTANT SAFETY INFORMATION



IMPORTANT – READ CAREFULLY

You, and others working around you, can be seriously injured by fastener driving tools if you do not follow the instructions provided on the tool and in the operations manual. Used properly, these tools provide easy, safe, and efficient methods for driving nails and staples for all kinds of construction projects.

REFER to your Operations Manual, Parts List, or call Bostitch® Customer Service: 1-800-556-6696 if any of the terms used below are unfamiliar to you.



EYE PROTECTION which conforms to ANSI Z87.1 specifications and provides protection against flying particles both from the **FRONT** and **SIDE** should **ALWAYS** be worn by the operator and others in the work area when connecting to air supply, loading, operating or servicing this tool. Eye protection is required to guard against flying fasteners and debris, which could cause severe eye injury.

THE CONTACT OR SEQUENTIAL TRIP

Bostitch offers two types of triggers for pneumatic tools: Contact Trip (black trigger) and Sequential Trip (silver-gray trigger). Each trigger has specific advantages. For example, the Contact Trip is best suited for high-volume, rapid nailing or stapling where exact placement of the fastener is not important.

The Sequential Trip is best suited for applications where rapid nailing is not required or where the exact placement of the fasteners is important. You should evaluate your construction project to determine which trigger type is best for you.

CONTACT TRIP

A Bostitch® tool with the Contact Trip (black trigger) installed will drive a nail whenever both the trip and the trigger are depressed at the same time.

The tool can be used to rapidly drive nails by holding the trigger pulled and repeatedly bumping the trip against the work to be nailed (Bump Nailing). A nail is driven each time the trip is bumped against the work.

The Contact Trip (black trigger) will not prevent a nail from being accidentally driven if the trigger is held, pulled and the trip is bumped against any object or person. Never hold or carry the tool with your finger on the trigger unless driving fasteners.

The Contact Trip (black trigger) can also be operated by holding the tool against the work with the trip depressed and then pulling the trigger (Place Nailing).

When using a Contact Trip for Place Nailing, the tool may bounce due to recoil, and if the tool is allowed to recontact the work surface while you are holding the trigger pulled, a second nail will be driven. The operator should allow the tool to recoil far enough to release the trip and avoid a second cycle. Don't push the tool down extra hard; let the tool do the work.

SEQUENTIAL TRIP

The Sequential Trip (silver-gray trigger) offers a positive safety advantage since it will not accidentally drive a nail if the tool is bumped against any surface or anybody while the operator is holding the tool with the trigger pulled.

It also allows Place Nailing without the possibility of driving a second nail on recoil as described under "Contact Trip."

The Sequential Trip (silver-gray trigger) gets its name from the "sequence" required to operate the tool. To drive a nail, the operator must first depress the trip against the work and then pull the trigger. To drive a second nail, the operator must lift the tool from the work, release the trigger, and then repeat the above sequence.

If further information is required, call Bostitch® Customer Service at 1-800-556-6696 or write to: Bostitch® Customer Service, 1 Briggs Drive, East Greenwich, RI 02818.

STANLEY

BOSTITCH®

East Greenwich, Rhode Island 02818 USA



Bostitch® Service Plus

For fast tool maintenance and service, call

1-800-556-6696

LIMITED WARRANTY — U.S. and Canada Only

Effective December 1, 2005 Bostitch, L.P. warrants to the original retail purchaser that the product purchased is free from defects in material and workmanship, and agrees to repair or replace, at Bostitch's option, any defective Bostitch branded pneumatic stapler or nailer for a period of seven (7) years from date of purchase (one [1] year from the date of purchase for compressors and tools used in production applications). Warranty is not transferable. Proof of purchase date required. This warranty covers only damage resulting from defects in material or workmanship; it does not cover conditions or malfunctions resulting from normal wear, neglect, abuse, accident or repairs attempted or made by other than our national repair center or authorized warranty service centers. Driver blades, bumpers, o-rings, pistons and piston rings are considered normally wearing parts. For optimal performance of your Bostitch tool, always use genuine Bostitch fasteners and replacement parts.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES AND WITH RESPECT TO COMPRESSORS AND TOOLS USED IN PRODUCTION APPLICATIONS, LIMITS TO A PERIOD OF ONE (1) YEAR FROM THE DATE OF PURCHASE ALL IMPLIED WARRANTIES INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. BOSTITCH SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Some states and countries do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state and country to country.

To obtain warranty service in the U.S., return the product, together with proof of purchase, to the U.S. Bostitch National Repair Center. In the U.S. you may call us at 1-800- 556-6696 or visit www.BOSTITCH.com for address information. In Canada please call us at 1-800-567-7705 or visit www.BOSTITCH.com.

AD6036-07 © 2006 The Stanley Works
BOSTITCH®

Bostitch, East Greenwich, Rhode Island 02818
Customer Service Phone: 1-800-556-6696 Fax: 1-800-842-9360
www.BOSTITCH.com