

IMPACT SOCKETS

 **SUNEX[®]**
TOOLS

SOCKET SOURCEBOOK

www.sunextools.com

SPECIALTY APPLICATION SOCKETS





SUNEX TOOLS® WARRANTY PROGRAM

Sunex Tools' Impact Sockets are warranted against defects in materials and workmanship for the life of the product. This warranty does not apply to items that have been misused, abused, altered in any way, or worn out from use. Some adapters, reducers, and extra thin wall impact sockets are sold without warranty.

Sets: Sunex Tools' Lifetime Warranty on Sets applies to the individual parts within the set. If one part is deemed to be defective we will replace that part and not the complete set.

Super Reducers: Sunex Tools' Super Reducers are covered under the Lifetime Warranty for impact sockets. This policy extends only to Super Reducer model numbers 2303, 3303, 4305, and 5305.

Chrome Vanadium Sockets: All Sunex Tools' sockets are clearly marked with the material from which they are manufactured. Sockets intended for use with hand operated tools are made from Chrome-Vanadium steel. These sockets are not designed for use with impact tools of any kind. Doing so will void the warranty on these sockets.

TABLE OF CONTENTS

	1/4" DRIVE IMPACT SOCKETS	2
	3/8" DRIVE IMPACT SOCKETS	7
	1/2" DRIVE IMPACT SOCKETS	18
	3/4" DRIVE IMPACT SOCKETS	37
	1" DRIVE IMPACT SOCKETS	44
	1-1/2" DRIVE IMPACT SOCKETS	49
	#5 SPLINE DRIVE IMPACT SOCKETS	50
	HEX DRIVERS	51
	ADAPTERS, REDUCERS & SUPER REDUCERS	56
	EXTENSIONS	58
	APPLICATION ORIENTED SOCKETS	
	DRIVE TRAIN APPLICATION	60
	ENGINE SERVICE	72
	SPECIALTY SOCKETS	76
	PRODUCT INDEX	80

1/4" DRIVE IMPACT SOCKETS



1/4" DRIVE STANDARD 9 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



1809

INCLUDES:

5.5mm (8055M)	6mm (806M)	7mm (807M)
8mm (808M)	9mm (809M)	10mm (810M)
11mm (811M)	12mm (812M)	13mm (813M)



1/4" DRIVE STANDARD 10 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



1810

INCLUDES:

3/16" (806)	7/32" (807)	1/4" (808)
9/32" (809)	5/16" (810)	11/32" (811)
3/8" (812)	7/16" (814)	1/2" (816)
9/16" (818)		



1/4" DRIVE DEEP 10 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



1811

INCLUDES:

3/16" (806D)	7/32" (807D)	1/4" (808D)
9/32" (809D)	5/16" (810D)	11/32" (811D)
3/8" (812D)	7/16" (814D)	1/2" (816D)
9/16" (818D)		



1/4" DRIVE DEEP 9 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



1812

INCLUDES:

5.5mm (8055MD)	6mm (806MD)	7mm (807MD)
8mm (808MD)	9mm (809MD)	10mm (810MD)
11mm (811MD)	12mm (812MD)	13mm (813MD)

1/4" DRIVE IMPACT SOCKETS



1/4" DRIVE UNIVERSAL 6 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



1813

INCLUDES:

1/4" (808U)	5/16" (810U)	3/8" (812U)
7/16" (814U)	1/2" (816U)	9/16" (818U)



1/4" DRIVE UNIVERSAL 12 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



1814

INCLUDES:

5mm (805UM)	5.5mm (8055UM)	6mm (806UM)
7mm (807UM)	8mm (808UM)	9mm (809UM)
10mm (810UM)	11mm (811UM)	12mm (812UM)
13mm (813UM)	14mm (814UM)	15mm (815UM)



1/4" DRIVE MASTER MAGNETIC 23 PIECE SAE & METRIC IMPACT SOCKET SET

- > Magnetized to hold fasteners securely during installation and removal
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



1818

INCLUDES:

9 SAE Sockets:

3/16" (806MG)	7/32" (807MG)	1/4" (808MG)
9/32" (809MG)	5/16" (810MG)	11/32" (811MG)
3/8" (812MG)	7/16" (814MG)	1/2" (816MG)

12 Metric Sockets:

5mm (805MMG)	5.5mm (8055MMG)	6mm (806MMG)
7mm (807MMG)	8mm (808MMG)	9mm (809MMG)
10mm (810MMG)	11mm (811MMG)	12mm (812MMG)
13mm (813MMG)	14mm (814MMG)	15mm (815MMG)

1/4" Universal Joint (1800)

1/4" 2" Extension (1802)

All sockets
are also available
individually



Radius corner design
causes the socket to grab
the sturdy wall, or flat,
of the fastener instead
of grabbing the corners,
resulting in less corner
wear on the fastener.



1/4" DRIVE IMPACT SOCKETS



1/4", 3/8" & 1/2" DRIVE 12 PIECE INTERNAL STAR IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

1820S

INCLUDES:

1/4" Drive:

T10 (1820S1)	T15 (1820S2)	T20 (1820S3)
T25 (1820S4)	T27 (1820S5)	T30 (1820S6)

3/8" Drive:

T40 (3670S5)	T45 (3670S6)	T47 (3670S7)
T50 (3670S8)	T55 (3670S9)	

1/2" Drive: T60 (2690S7)



1/4" DRIVE 12 POINT 11 PIECE MAGNETIC METRIC UNIVERSAL IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Great for use in confined spaces
- > Magnetic sockets hold fastener securely in place
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 0.87



1825

INCLUDES 1/4" DR. 12 POINT:

5mm (805ZUMMG)	6mm (806ZUMMG)
7mm (807ZUMMG)	8mm (808ZUMMG)
9mm (809ZUMMG)	10mm (810ZUMMG)
11mm (811ZUMMG)	12mm (812ZUMMG)
13mm (813ZUMMG)	14mm (814ZUMMG)
15mm (815ZUMMG)	



1/4" DRIVE DEEP 10 PIECE MAGNETIC SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Sockets include a spring loaded magnet that retracts into the socket for extended bolt applications
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 0.87



1830

INCLUDES 1/4" DR. DEEP:

3/16" (806DMG)	7/32" (807DMG)	1/4" (808DMG)
9/32" (809DMG)	5/16" (810DMG)	11/32" (811DMG)
3/8" (812DMG)	7/16" (814DMG)	1/2" (816DMG)
9/16" (818DMG)		



1/4" DRIVE DEEP 14 PIECE MAGNETIC METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Sockets include a spring loaded magnet that retracts into the socket for extended bolt applications
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 1.2



1831

INCLUDES 1/4" DR. DEEP:

4mm (804MDMG)	4.5mm (8045MDMG)
5mm (805MDMG)	5.5mm (8055MDMG)
6mm (806MDMG)	7mm (807MDMG)
8mm (808MDMG)	9mm (809MDMG)
10mm (810MDMG)	11mm (811MDMG)
12mm (812MDMG)	13mm (813MDMG)
14mm (814MDMG)	15mm (815MDMG)

1/4" DRIVE IMPACT SOCKETS

1/4" DRIVE MASTER 74 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



1874

INCLUDES:

10 Standard Sockets:

3/16" (806)	7/32" (807)	1/4" (808)	9/32" (809)
5/16" (810)	11/32" (811)	3/8" (812)	7/16" (814)
1/2" (816)	9/16" (818)		

10 Deep SAE Sockets:

3/16" (806D)	7/32" (807D)	1/4" (808D)
9/32" (809D)	5/16" (810D)	11/32" (811D)
3/8" (812D)	7/16" (814D)	1/2" (816D)
9/16" (818D)		

14 Standard Metric Sockets:

4mm (804M)	4.5mm (8045M)	5mm (805M)
5.5mm (8055M)	6mm (806M)	7mm (807M)
8mm (808M)	9mm (809M)	10mm (810M)
11mm (811M)	12mm (812M)	13mm (813M)
14mm (814M)	15mm (815M)	

11 Deep Metric Sockets:

5.5mm (8055MD)	6mm (806MD)	7mm (807MD)
8mm (808MD)	9mm (809MD)	10mm (810MD)
11mm (811MD)	12mm (812MD)	13mm (813MD)
14mm (814MD)	15mm (815MD)	

6 Universal SAE Sockets:

1/4" (808U)	5/16" (810U)	3/8" (812U)
7/16" (814U)	1/2" (816U)	9/16" (818U)

12 Universal Metric Sockets:

5mm (805UM)	5.5mm (8055UM)	6mm (806UM)
7mm (807UM)	8mm (808UM)	9mm (809UM)
10mm (810UM)	11mm (811UM)	12mm (812UM)
13mm (813UM)	14mm (814UM)	15mm (815UM)

6 Internal Star Sockets:

T10 (1820S1)	T15 (1820S2)	T20 (1820S3)
T25 (1820S4)	T27 (1820S5)	T30 (1820S6)


3 Extensions:

2" (1802)	4" (1804)	6" (1806)
-----------	-----------	-----------

Universal Joint (1800)

3/8" Adapter (3301) (Adapters not under warranty)


1/4" DRIVE INDIVIDUAL INTERNAL STAR SOCKETS



Size	Model #
T10	1820S1
T15	1820S2
T20	1820S3
T25	1820S4
T27	1820S5
T30	1820S6


1/4" DRIVE IMPACT SOCKETS

1/4" DRIVE INDIVIDUAL SAE SOCKETS




Standard

Deep



Universal


Magnetic



Deep Magnetic


Size	Standard	Deep	Universal	Magnetic	Deep Magnetic
Inches	Model#	Model#	Model#	Model#	Model#
3/16	806	806D	806U	806MG	806DMG
7/32	807	807D	807U	807MG	807DMG
1/4	808	808D	808U	808MG	808DMG
9/32	809	809D	809U	809MG	809DMG
5/16	810	810D	810U	810MG	810DMG
11/32	811	811D	811U	811MG	811DMG
3/8	812	812D	812U	812MG	812DMG
7/16	814	814D	814U	814MG	814DMG
1/2	816	816D	816U	816MG	816DMG
9/16	818	818D	818U	818MG	818DMG

1/4" DRIVE INDIVIDUAL METRIC SOCKETS




Standard

Deep



Universal

Magnetic




Deep Magnetic



12 pt. Magnetic Universal


Size	Standard	Deep	Universal	Magnetic	Deep Magnetic	12 Pt. Mag. Universal
mm	Model#	Model#	Model#	Model#	Model#	Model#
4	804M	804MD	804UM	804MMG	804MDMG	
4.5	8045M	8045MD	8045UM	8045MMG	8045MDMG	
5	805M	805MD	805UM	805MMG	805MDMG	805ZUMMG
5.5	8055M	8055MD	8055UM	8055MMG	8055MDMG	
6	806M	806MD	806UM	806MMG	806MDMG	806ZUMMG
7	807M	807MD	807UM	807MMG	807MDMG	807ZUMMG
8	808M	808MD	808UM	808MMG	808MDMG	808ZUMMG
9	809M	809MD	809UM	809MMG	809MDMG	809ZUMMG
10	810M	810MD	810UM	810MMG	810MDMG	810ZUMMG
11	811M	811MD	811UM	811MMG	811MDMG	811ZUMMG
12	812M	812MD	812UM	812MMG	812MDMG	812ZUMMG
13	813M	813MD	813UM	813MMG	813MDMG	813ZUMMG
14	814M	814MD	814UM	814MMG	814MDMG	814ZUMMG
15	815M	815MD	815UM	815MMG	815MDMG	815ZUMMG

1/4" DRIVE INDIVIDUAL EXTENSIONS



Item	Model #
2" Extension	1802
4" Extension	1804
6" Extension	1806

1/4" DRIVE INDIVIDUAL UNIVERSAL JOINT



Item	Model #
Universal Joint	1800

3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE MASTER 25 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3325

INCLUDES:

12 Standard Sockets:

5/16" (310)	3/8" (312)	7/16" (314)	1/2" (316)
9/16" (318)	5/8" (320)	11/16" (322)	3/4" (324)
13/16" (326)	7/8" (328)	15/16" (330)	1" (332)

12 Deep Sockets:

5/16" (310D)	3/8" (312D)	7/16" (314D)
1/2" (316D)	9/16" (318D)	5/8" (320D)
11/16" (322D)	3/4" (324D)	13/16" (326D)
7/8" (328D)	15/16" (330D)	1" (332D)

Universal Joint (3301)

3/8" DRIVE MASTER 29 PIECE 12 POINT SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case



3326

INCLUDES:

12 -12 Point Standard Sockets:

5/16" (310Z)	3/8" (312Z)	7/16" (314Z)
1/2" (316Z)	9/16" (318Z)	5/8" (320Z)
11/16" (322Z)	3/4" (324Z)	13/16" (326Z)
7/8" (328Z)	15/16" (330Z)	1" (332Z)

12 -12 Point Deep Sockets:

5/16" (36801)	3/8" (36802)	7/16" (36803)
1/2" (36804)	9/16" (36805)	5/8" (36806)
11/16" (36807)	3/4" (36808)	13/16" (36809)
7/8" (368010)	15/16" (368011)	1" (368012)

Universal Joint (3301)

3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE MASTER 29 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3329

INCLUDES:

14 Standard Sockets:

8mm (308M)	9mm (309M)	10mm (310M)
11mm (311M)	12mm (312M)	13mm (313M)
14mm (314M)	15mm (315M)	16mm (316M)
17mm (317M)	18mm (318M)	19mm (319M)
21mm (321M)	22mm (322M)	

14 Deep Sockets:

8mm (308MD)	9mm (309MD)	10mm (310MD)
11mm (311MD)	12mm (312MD)	13mm (313MD)
14mm (314MD)	15mm (315MD)	16mm (316MD)
17mm (317MD)	18mm (318MD)	19mm (319MD)
21mm (321MD)	22mm (322MD)	

Universal Joint (3301)

3/8" DRIVE MASTER 29 PIECE 12 POINT METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case



3330

INCLUDES:

14 -12 Point Standard Sockets:

8mm (308MZ)	9mm (309MZ)	10mm (310MZ)
11mm (311MZ)	12mm (312MZ)	13mm (313MZ)
14mm (314MZ)	15mm (315MZ)	16mm (316MZ)
17mm (317MZ)	18mm (318MZ)	19mm (319MZ)
21mm (321ZM)	22mm (322ZM)	

14-12 Point Deep Sockets:

8mm (368208)	9mm (368209)	10mm (368210)
11mm (368211)	12mm (368212)	13mm (368213)
14mm (368214)	15mm (368215)	16mm (368216)
17mm (368217)	18mm (368218)	19mm (368219)
21mm (321ZMD)	22mm (322ZMD)	

Universal Joint (3301)

3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE STANDARD 13 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3358

INCLUDES:

7mm (307M)	8mm (308M)	9mm (309M)
10mm (310M)	11mm (311M)	12mm (312M)
13mm (313M)	14mm (314M)	15mm (315M)
16mm (316M)	17mm (317M)	18mm (318M)
19mm (319M)		



3/8" DRIVE DEEP 13 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3359

INCLUDES:

7mm (307MD)	8mm (308MD)	9mm (309MD)
10mm (310MD)	11mm (311MD)	12mm (312MD)
13mm (313MD)	14mm (314MD)	15mm (315MD)
16mm (316MD)	17mm (317MD)	18mm (318MD)
19mm (319MD)		



3/8" DRIVE STANDARD 12 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3360

INCLUDES:

5/16" (310)	3/8" (312)	7/16" (314)	1/2" (316)
9/16" (318)	5/8" (320)	11/16" (322)	3/4" (324)
13/16" (326)	7/8" (328)	15/16" (330)	1" (332)



3/8" DRIVE MASTER DEEP 28 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed (excluding adapter)
- > Heavy duty blow molded storage case

Replacement storage case - RS97201



3360DD

INCLUDES:

12 Deep SAE Sockets:

5/16" (310D)	3/8" (312D)	7/16" (314D)	1/2" (316D)
9/16" (318D)	5/8" (320D)	11/16" (322D)	3/4" (324D)
13/16" (326D)	7/8" (328D)	15/16" (330D)	1" (332D)

14 Deep Metric Sockets:

8mm (308MD)	9mm (309MD)	10mm (310MD)
11mm (311MD)	12mm (312MD)	13mm (313MD)
14mm (314MD)	15mm (315MD)	16mm (316MD)
17mm (317MD)	18mm (318MD)	19mm (319MD)
21mm (321MD)	22mm (322MD)	
1/2"(F) x 3/8"(M) Adapter (2301)		
3" Extension (3503)		

3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE DEEP 12 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3361

INCLUDES:

5/16" (310D)	3/8" (312D)	7/16" (314D)
1/2" (316D)	9/16" (318D)	5/8" (320D)
11/16" (322D)	3/4" (324D)	13/16" (326D)
7/8" (328D)	15/16" (330D)	1" (332D)



3/8" DRIVE STANDARD 8 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3650

INCLUDES:

5/16" (310)	3/8" (312)	7/16" (314)	1/2" (316)
9/16" (318)	5/8" (320)	11/16" (322)	3/4" (324)



3/8" DRIVE STANDARD 8 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3651

INCLUDES:

9mm (309M)	10mm (310M)	11mm (311M)
13mm (313M)	14mm (314M)	15mm (315M)
17mm (317M)	18mm (318M)	19mm (319M)



3/8" DRIVE DEEP 8 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3652

INCLUDES:

5/16" (310D)	3/8" (312D)	7/16" (314D)
1/2" (316D)	9/16" (318D)	5/8" (320D)
11/16" (322D)	3/4" (324D)	

3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE DEEP 8 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3653

INCLUDES:

9mm (309MD)	10mm (310MD)	11mm (311MD)
13mm (313MD)	14mm (314MD)	15mm (315MD)
17mm (317MD)	19mm (319MD)	



3/8" DRIVE UNIVERSAL 7 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3654

INCLUDES:

3/8" (312U)	7/16" (314U)	1/2" (316U)
9/16" (318U)	5/8" (320U)	11/16" (322U)
3/4" (324U)		



3/8" DRIVE UNIVERSAL 7 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3655

INCLUDES:

10mm (310UM)	13mm (313UM)	14mm (314UM)
15mm (315UM)	16mm (316UM)	17mm (317UM)
18mm (318UM)		

3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE DEEP UNIVERSAL 7 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3656

INCLUDES:

3/8" (312UD)	7/16" (314UD)	1/2" (316UD)
9/16" (318UD)	5/8" (320UD)	11/16" (322UD)
3/4" (324UD)		



3/8" DRIVE UNIVERSAL 10 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3657

INCLUDES:

10mm (310UM)	11mm (311UM)	12mm (312UM)
13mm (313UM)	14mm (314UM)	15mm (315UM)
16mm (316UM)	17mm (317UM)	18mm (318UM)
19mm (319UM)		



3/8" DRIVE DEEP UNIVERSAL 10 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3660

INCLUDES:

10mm (310UMD)	11mm (311UMD)	12mm (312UMD)
13mm (313UMD)	14mm (314UMD)	15mm (315UMD)
16mm (316UMD)	17mm (317UMD)	18mm (318UMD)
19mm (319UMD)		

3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE INTERNAL STAR 9 PIECE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

3670S

INCLUDES:

T20 (3670S1)	T25 (3670S2)	T27 (3670S3)
T30 (3670S4)	T40 (3670S5)	T45 (3670S6)
T47 (3670S7)	T50 (3670S8)	T55 (3670S9)



3/8" DRIVE EXTERNAL STAR 9 PIECE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

3670SE

INCLUDES:

E5 (3670SE1)	E6 (3670SE2)	E7 (3670SE3)
E8 (3670SE4)	E10 (3670SE5)	E11 (3670SE6)
E12 (3670SE7)	E14 (3670SE8)	E16 (3670SE9)



3/8" DRIVE STANDARD 12 PIECE 12 POINT SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 2.2

3674

INCLUDES 3/8" DR. STANDARD:

5/16" (310Z)	3/8" (312Z)	7/16" (314Z)
1/2" (316Z)	9/16" (318Z)	5/8" (320Z)
11/16" (322Z)	3/4" (324Z)	13/16" (326Z)
7/8" (328Z)	15/16" (330Z)	1" (332Z)



3/8" DRIVE STANDARD 13 PIECE 12 POINT METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 1.8

3675

INCLUDES 3/8" DR. STANDARD:

7mm (307MZ)	8mm (308MZ)	9mm (309MZ)
10mm (310MZ)	11mm (311MZ)	12mm (312MZ)
13mm (313MZ)	14mm (314MZ)	15mm (315MZ)
16mm (316MZ)	17mm (317MZ)	18mm (318MZ)
19mm (319MZ)		



3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE DEEP UNIVERSAL 12 PIECE 12 POINT SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 4.9



3677

INCLUDES 3/8" DR. DEEP UNIVERSAL:

5/16" (310ZUD)	3/8" (312ZUD)	7/16" (314ZUD)
1/2" (316ZUD)	9/16" (318ZUD)	5/8" (320ZUD)
11/16" (322ZUD)	3/4" (324ZUD)	13/16" (326ZUD)
7/8" (328ZUD)	15/16" (330ZUD)	1" (332ZUD)



3/8" DRIVE DEEP UNIVERSAL 13 PIECE 12 POINT METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 4.6



3678

INCLUDES 3/8" DR. DEEP UNIVERSAL:

7mm (307MZUD)	8mm (308MZUD)
9mm (309MZUD)	10mm (310MZUD)
11mm (311MZUD)	12mm (312MZUD)
13mm (313MZUD)	14mm (314MZUD)
15mm (315MZUD)	16mm (316MZUD)
17mm (317MZUD)	18mm (318MZUD)
19mm (319MZUD)	



3/8" DRIVE 12 POINT DEEP 12 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case



3680

INCLUDES:

5/16" (36801)	3/8" (36802)	7/16" (36803)
1/2" (36804)	9/16" (36805)	5/8" (36806)
11/16" (36807)	3/4" (36808)	13/16" (36809)
7/8" (368010)	15/16" (368011)	1" (368012)

3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE 12 POINT DEEP 13 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow case
- > Ideal for working in tight areas
- > Reduces wear on fasteners



3682

INCLUDES:

7mm (368207)	8mm (368208)
9mm (368209)	10mm (368210)
11mm (368211)	12mm (368212)
13mm (368213)	14mm (368214)
15mm (368215)	16mm (368216)
17mm (368217)	18mm (368218)
19mm (368219)	



3/8" DRIVE UNIVERSAL 12 PIECE 12 POINT SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 7.5



3690

INCLUDES 3/8" DR. UNIVERSAL:

5/16" (310UZ)	3/8" (312UZ)	7/16" (314UZ)
1/2" (316UZ)	9/16" (318UZ)	5/8" (320UZ)
11/16" (322UZ)	3/4" (324UZ)	13/16" (326UZ)
7/8" (328UZ)	15/16" (330UZ)	1" (332UZ)



3/8" DRIVE UNIVERSAL 13 PIECE 12 POINT METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 7.8








3691

INCLUDES 3/8" DR. UNIVERSAL:

7mm (307ZUM)	8mm (308ZUM)	9mm (309ZUM)
10mm (310ZUM)	11mm (311ZUM)	12mm (312ZUM)
13mm (313ZUM)	14mm (314ZUM)	15mm (315ZUM)
16mm (316ZUM)	17mm (317ZUM)	18mm (318ZUM)
19mm (319ZUM)		






3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE INDIVIDUAL SAE SOCKETS



Size	Standard	Deep	Universal	Deep Univ.	Magnetic	12 Point	12 Pt. Univ.	12 Pt. Deep
Inches	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#
3/16								
7/32								
1/4					308MG			
5/16	310	310D	310U	310UD	310MG	310Z	310UZ	36801
3/8	312	312D	312U	312UD	312MG	312Z	312UZ	36802
7/16	314	314D	314U	314UD	314MG	314Z	314UZ	36803
1/2	316	316D	316U	316UD	316MG	316Z	316UZ	36804
9/16	318	318D	318U	318UD	318MG	318Z	318UZ	36805
5/8	320	320D	320U	320UD	320MG	320Z	320UZ	36806
11/16	322	322D	322U	322UD	322MG	322Z	322UZ	36807
3/4	324	324D	324U	324UD	324MG	324Z	324UZ	36808
13/16	326	326D	326U	326UD		326Z	326UZ	36809
7/8	328	328D	328U	328UD		328Z	328UZ	368010
15/16	330	330D				330Z	330UZ	368011
1	332	332D				332Z	332UZ	368012

3/8" DRIVE INDIVIDUAL METRIC SOCKETS



Size	Standard	Deep	Universal	Deep Univ.	Magnetic	12 Point	12 Pt. Univ.	12 Pt. Deep
mm	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#
4								
5								
6								
7	307M	307MD			307MMG	307MZ	307ZUM	368207
8	308M	308MD			308MMG	308MZ	308ZUM	368208
9	309M	309MD			309MMG	309MZ	309ZUM	368209
10	310M	310MD	310UM	310UMD	310MMG	310MZ	310ZUM	368210
11	311M	311MD	311UM	311UMD	311MMG	311MZ	311ZUM	368211
12	312M	312MD	312UM	312UMD	312MMG	312MZ	312ZUM	368212
13	313M	313MD	313UM	313UMD	313MMG	313MZ	313ZUM	368213
14	314M	314MD	314UM	314UMD	314MMG	314MZ	314ZUM	368214
15	315M	315MD	315UM	315UMD	315MMG	315MZ	315ZUM	368215
16	316M	316MD	316UM	316UMD	316MMG	316MZ	316ZUM	368216
17	317M	317MD	317UM	317UMD	317MMG	317MZ	317ZUM	368217
18	318M	318MD	318UM	318UMD	318MMG	318MZ	318ZUM	368218
19	319M	319MD	319UM	319UMD	319MMG	319MZ	319ZUM	368219
20	320M	320MD	320UM	320UMD		320MZ		
21	321M	321MD	321UM	321UMD		321MZ		321ZMD
22	322M	322MD	322UM	322UMD		322MZ		322ZMD


3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE INDIVIDUAL INTERNAL STAR SOCKETS




Size	Model #
T20	3670S1
T25	3670S2
T27	3670S3
T30	3670S4
T40	3670S5
T45	3670S6
T47	3670S7
T50	3670S8
T55	3670S9

3/8" DRIVE INDIVIDUAL EXTERNAL STAR SOCKETS



Size	Model #
E4	304SE
E5	3670SE1
E6	3670SE2
E7	3670SE3
E8	3670SE4
E10	3670SE5
E11	3670SE6
E12	3670SE7
E14	3670SE8
E16	3670SE9

3/8" DRIVE INDIVIDUAL UNIVERSAL JOINT



Item	Model #
Universal Joint	3301

All sockets are also available individually

Radius corner design causes the socket to grab the sturdy wall, or flat, of the fastener instead of grabbing the corners, resulting in less corner wear on the fastener.



1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE EXTRA THIN WALL DEEP 11 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2611

INCLUDES:

5 SAE Sockets:

3/4" (2624)	13/16" (2626)	7/8" (2628)
1" (2632)	1-1/16" (2634)	

5 Metric Sockets:

17mm (2617)	19mm (2619)	21mm (2621)
22mm (2622)	23mm (2623)	
3" Extension	(2503)	



1/2" DRIVE 19 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2640

INCLUDES:

3/8" (212)	7/16" (214)	1/2" (216)
9/16" (218)	5/8" (220)	11/16" (222)
3/4" (224)	13/16" (226)	7/8" (228)
15/16" (230)	1" (232)	1-1/16" (234)
1-1/8" (236)	1-3/16" (238)	1-1/4" (240)
1-5/16" (242)	1-3/8" (244)	1-7/16" (246)
1-1/2" (248)		



1/2" DRIVE DEEP 19 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2641

INCLUDES:

3/8" (212D)	7/16" (214D)	1/2" (216D)
9/16" (218D)	5/8" (220D)	11/16" (222D)
3/4" (224D)	13/16" (226D)	7/8" (228D)
15/16" (230D)	1" (232D)	1-1/16" (234D)
1-1/8" (236D)	1-3/16" (238D)	1-1/4" (240D)
1-5/16" (242D)	1-3/8" (244D)	1-7/16" (246D)
1-1/2" (248D)		



1/2" DRIVE UNIVERSAL 14 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Radius corner design extends the life of fasteners
- > Fully guaranteed
- > Heavy duty blow molded storage case



2644

INCLUDES:

14 Universal Sockets:

7/16" (214U)	1/2" (216U)	9/16" (218U)
5/8" (220U)	11/16" (222U)	3/4" (224U)
13/16" (226U)	7/8" (228U)	15/16" (230U)
1" (232U)	1-1/16" (234U)	1-1/8" (236U)
1-3/16" (238U)	1-1/4" (240U)	

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE 26 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2645

INCLUDES:

10mm (210M)	11mm (211M)	12mm (212M)	13mm (213M)
14mm (214M)	15mm (215M)	16mm (216M)	17mm (217M)
18mm (218M)	19mm (219M)	20mm (220M)	21mm (221M)
22mm (222M)	23mm (223M)	24mm (224M)	25mm (225M)
26mm (226M)	27mm (227M)	28mm (228M)	29mm (229M)
30mm (230M)	32mm (232M)	33mm (233M)	34mm (234M)
35mm (235M)	36 mm (236M)		



1/2" DRIVE DEEP 26 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2646

INCLUDES:

10mm (210MD)	11mm (211MD)	12mm (212MD)
13mm (213MD)	14mm (214MD)	15mm (215MD)
16mm (216MD)	17mm (217MD)	18mm (218MD)
19mm (219MD)	20mm (220MD)	21mm (221MD)
22mm (222MD)	23mm (223MD)	24mm (224MD)
25mm (225MD)	26mm (226MD)	27mm (227MD)
28mm (228MD)	29mm (229MD)	30mm (230MD)
32mm (232MD)	33mm (233MD)	34mm (234MD)
35mm (235MD)	36 mm (236MD)	



1/2" DRIVE STANDARD 13 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2650

INCLUDES:

7/16" (214)	1/2" (216)	9/16" (218)	5/8" (220)
11/16" (222)	3/4" (224)	13/16" (226)	7/8" (228)
15/16" (230)	1" (232)	1-1/16" (234)	1-1/8" (236)
1-1/4" (240)			



1/2" DRIVE STANDARD 16 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2690

INCLUDES:

1-5/16" (242)	1-3/8" (244)	1-7/16" (246)	1-1/2" (248)
1-9/16" (250)	1-5/8" (252)	1-11/16" (254)	1-3/4" (256)
1-13/16" (258)	1-7/8" (260)	1-15/16" (262)	2" (264)
2-1/16" (266)	2-1/8" (268)	2-3/16" (270)	2-1/4" (272)

(Add on set for: set #2650)

↑ ADDS
16 SIZES
To model 2650

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE DEEP 13 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2651

INCLUDES:

7/16" (214D)	1/2" (216D)	9/16" (218D)
5/8" (220D)	11/16" (222D)	3/4" (224D)
13/16" (226D)	7/8" (228D)	15/16" (230D)
1" (232D)	1-1/16" (234D)	1-1/8" (236D)
1-1/4" (240D)		



1/2" DRIVE DEEP 16 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

(Add on set for: set# 2651)



2691

INCLUDES:

1-5/16" (242D)	1-3/8" (244D)	1-7/16" (246D)
1-1/2" (248D)	1-9/16" (250D)	1-5/8" (252D)
1-11/16" (254D)	1-3/4" (256D)	1-13/16" (258D)
1-7/8" (260D)	1-15/16" (262D)	2" (264D)
2-1/16" (266D)	2-1/8" (268D)	2-3/16" (270D)
2-1/4" (272D)		



1/2" DRIVE STANDARD 14 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2652

INCLUDES:

10mm (210M)	11mm (211M)	12mm (212M)
13mm (213M)	14mm (214M)	15mm (215M)
16mm (216M)	17mm (217M)	18mm (218M)
19mm (219M)	21mm (221M)	22mm (222M)
26mm (226M)	27mm (227M)	



1/2" DRIVE STANDARD 12 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

(Add on set for: set# 2652)



2692

INCLUDES:

23mm (223M)	24mm (224M)	25mm (225M)
26mm (226M)	27mm (227M)	28mm (228M)
29mm (229M)	30mm (230M)	31mm (231M)
32mm (232M)	34mm (234M)	36mm (236M)

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE DEEP 14 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2653

INCLUDES:

10mm (210MD)	11mm (211MD)	12mm (212MD)
13mm (213MD)	14mm (214MD)	15mm (215MD)
16mm (216MD)	17mm (217MD)	18mm (218MD)
19mm (219MD)	21mm (221MD)	22mm (222MD)
26mm (226MD)	27mm (227MD)	



To model 2653

1/2" DRIVE DEEP 12 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

(Add on set for: set# 2653)



2693

INCLUDES:

23mm (223MD)	24mm (224MD)	25mm (225MD)
26mm (226MD)	27mm (227MD)	28mm (228MD)
29mm (229MD)	30mm (230MD)	31mm (231MD)
32mm (232MD)	34mm (234MD)	36mm (236MD)



1/2" DRIVE UNIVERSAL 7 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2654

INCLUDES:

1/2" (216U)	9/16" (218U)	5/8" (220U)
11/16" (222U)	3/4" (224U)	13/16" (226U)
7/8" (228U)		



1/2" DRIVE UNIVERSAL 7 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2655

INCLUDES:

13mm (213UM)	14mm (214UM)	15mm (215UM)
16mm (216UM)	17mm (217UM)	18mm (218UM)
19mm (219UM)		

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE UNIVERSAL 9 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2657

INCLUDES:

7/16" (214U)	1/2" (216U)	9/16" (218U)
5/8" (220U)	11/16" (222U)	3/4" (224U)
13/16" (226U)	7/8" (228U)	15/16" (230U)



1/2" DRIVE DEEP UNIVERSAL 10 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2658

INCLUDES:

10mm (210UMD)	11mm (211UMD)	12mm (212UMD)
13mm (213UMD)	14mm (214UMD)	15mm (215UMD)
16mm (216UMD)	17mm (217UMD)	18mm (218UMD)
19mm (219UMD)		



1/2" DRIVE DEEP UNIVERSAL 10 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2659

INCLUDES:

3/8" (212UD)	7/16" (214UD)	1/2" (216UD)
9/16" (218UD)	5/8" (220UD)	11/16" (222UD)
3/4" (224UD)	13/16" (226UD)	7/8" (228UD)
15/16" (230UD)		

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE DEEP UNIVERSAL 15 PIECE 12 POINT SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 12.5



2661

INCLUDES 1/2" DR. DEEP UNIVERSAL:

3/8" (212ZUD)	7/16" (214ZUD)	1/2" (216ZUD)
9/16" (218ZUD)	5/8" (220ZUD)	11/16" (222ZUD)
3/4" (224ZUD)	13/16" (226ZUD)	7/8" (228ZUD)
15/16" (230ZUD)	1" (232ZUD)	1-1/16" (234ZUD)
1-1/8" (236ZUD)	1-3/16" (238ZUD)	1-1/4" (240ZUD)



1/2" DRIVE DEEP UNIVERSAL 15 PIECE 12 POINT METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 10.6



2662

INCLUDES 1/2" DR. DEEP UNIVERSAL:

10mm (210MZUD)	11mm (211MZUD)	12mm (212MZUD)
13mm (213MZUD)	14mm (214MZUD)	15mm (215MZUD)
16mm (216MZUD)	17mm (217MZUD)	18mm (218MZUD)
19mm (219MZUD)	20mm (220MZUD)	21mm (221MZUD)
22mm (222MZUD)	23mm (223MZUD)	24mm (224MZUD)



1/2" DRIVE UNIVERSAL 13 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2665

INCLUDES:

13 Universal Sockets:

12mm (212UM)	13mm (213UM)	14mm (214UM)
15mm (215UM)	16mm (216UM)	17mm (217UM)
18mm (218UM)	19mm (219UM)	20mm (220UM)
21mm (221UM)	22mm (222UM)	23mm (223UM)
24mm (224UM)		

1/2" DRIVE IMPACT SOCKETS

1/2" DRIVE MASTER 39 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2668

INCLUDES:

19 Standard Sockets:

3/8" (212)	7/16" (214)	1/2" (216)
9/16" (218)	5/8" (220)	11/16" (222)
3/4" (224)	13/16" (226)	7/8" (228)
15/16" (230)	1" (232)	1-1/16" (234)
1-1/8" (236)	1-3/16" (238)	1-1/4" (240)
1-5/16" (242)	1-3/8" (244)	
1-7/16" (246)	1-1/2" (248)	

19 Deep Sockets:

3/8" (212D)	7/16" (214D)	1/2" (216D)
9/16" (218D)	5/8" (220D)	11/16" (222D)
3/4" (224D)	13/16" (226D)	7/8" (228D)
15/16" (230D)	1" (232D)	1-1/16" (234D)
1-1/8" (236D)	1-3/16" (238D)	1-1/4" (240D)
1-5/16" (242D)	1-3/8" (244D)	1-7/16" (246D)
1-1/2" (248D)		

Universal Joint (2300)

1/2" DRIVE MASTER 39 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2669

INCLUDES:

19 Standard Sockets:

9mm (209M)	10mm (210M)	11mm (211M)
12mm (212M)	13mm (213M)	14mm (214M)
15mm (215M)	16mm (216M)	17mm (217M)
18mm (218M)	19mm (219M)	20mm (220M)
21mm (221M)	22mm (222M)	23mm (223M)
24mm (224M)	26mm (226M)	27mm (227M)
30mm (230M)		

19 Deep Sockets:

9mm (209MD)	10mm (210MD)	11mm (211MD)
12mm (212MD)	13mm (213MD)	14mm (214MD)
15mm (215MD)	16mm (216MD)	17mm (217MD)
18mm (218MD)	19mm (219MD)	20mm (220MD)
21mm (221MD)	22mm (222MD)	23mm (223MD)
24mm (224MD)	26mm (226MD)	27mm (227MD)
30mm (230MD)		

Universal Joint (2300)

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE 12 POINT DEEP 15 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case



2670

INCLUDES:

3/8" (26701)	7/16" (26702)	1/2" (26703)
9/16" (26704)	5/8" (26705)	11/16" (26706)
3/4" (26707)	13/16" (26708)	7/8" (26709)
15/16" (267010)	1" (267011)	1-1/16" (267012)
1-1/8" (267013)	1-3/16" (267014)	1-1/4" (267015)



1/2" DRIVE 12 POINT DEEP 15 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case



2672

INCLUDES:

10mm (267210)	11mm (267211)	12mm (267212)
13mm (267213)	14mm (267214)	15mm (267215)
16mm (267216)	17mm (267217)	18mm (267218)
19mm (267219)	20mm (267220)	21mm (267221)
22mm (267222)	23mm (267223)	24mm (267224)



1/2" DRIVE 12 POINT 14 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case



2678

INCLUDES:

7/16" (214Z)	1/2" (216Z)	9/16" (218Z)
5/8" (220Z)	11/16" (222Z)	3/4" (224Z)
13/16" (226Z)	7/8" (228Z)	15/16" (230Z)
1" (232Z)	1-1/16" (234Z)	1-1/8" (236Z)
1-3/16" (238Z)	1-1/4" (240Z)	

1/2" DRIVE IMPACT SOCKETS



FORD DRIVE LINE IMPACT SOCKET

12MM 12 PT - 1/2" DRIVE

- > Specifically designed for drive line applications on Ford Mustang, Crown Victoria, Taurus, Explorer, Expedition, Excursion, Ranger, F150, and Mercury equivalents from 1980's to present
- > Fully guaranteed
- > Patent Pending
- > Shipping weight (Lbs.) - 0.4

212ZUMDL



1/2" DRIVE 12 POINT 9 PIECE METRIC DRIVELINE LIMITED CLEARANCE SOCKET SET

- > Great for most limited access fasteners
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC and Jeep models
- > **See complete list of applications on page: 78**
- > Remove and install:
 - Driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- > Heavy duty blow molded storage case
- > Fully guaranteed
- > Patent Pending
- > Shipping weight (Lbs.) - 5.65



2695

INCLUDES:

8mm (208ZUMDL)	10mm (210ZUMDL)
11mm (211ZUMDL)	12mm (212ZUMDL)
13mm (213ZUMDL)	14mm (214ZUMDL)
15mm (215ZUMDL)	16mm (216ZUMDL)
17mm (217ZUMDL)	



1/2" DRIVE 12 POINT 7 PIECE SAE DRIVELINE LIMITED CLEARANCE SOCKET SET

- > Great for most limited access fasteners
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC and Jeep models
- > **See complete list of applications on page: 78**
- > Remove and install:
 - Driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- > Heavy duty blow molded storage case
- > Fully guaranteed
- > Patent Pending
- > Shipping weight (Lbs.) - 4.66



2696

INCLUDES:

5/16" (210ZUDL)	3/8" (212ZUDL)
7/16" (214ZUDL)	1/2" (216ZUDL)
9/16" (218ZUDL)	11/16" (222ZUDL)
3/4 (224ZUDL)	

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE 12 POINT 13 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case



2679

INCLUDES:

10mm (210ZM)	11mm (211ZM)	12mm (212ZM)
13mm (213ZM)	14mm (214ZM)	15mm (215ZM)
16mm (216ZM)	17mm (217ZM)	18mm (218ZM)
19mm (219ZM)	21mm (221ZM)	22mm (222ZM)
24mm (224ZM)		



1/2" DRIVE INTERNAL STAR 8 PIECE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

2690S

INCLUDES:

T30 (2690S1)	T40 (2690S2)	T45 (2690S3)
T47 (2690S4)	T50 (2690S5)	T55 (2690S6)
T60 (2690S7)	T70 (2690S8)	



1/2" DRIVE EXTERNAL STAR 9 PIECE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

2690SE

INCLUDES:

E10 (2690SE1)	E11 (2690SE2)	E12 (2690SE3)
E14 (2690SE4)	E16 (2690SE5)	E18 (2690SE6)
E20 (2690SE7)	E22 (2690SE8)	E24 (2690SE9)

1/2" DRIVE IMPACT SOCKETS

1/2" DRIVE 12 POINT 39 PIECE SAE MASTER IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Most complete 1/2" drive SAE 12 point set available
- > Fully guaranteed
- > Heavy duty blow molded storage case



2698

INCLUDES:

19 Standard Sockets:

3/8" (212Z)	7/16" (214Z)	1/2" (216Z)
9/16" (218Z)	5/8" (220Z)	11/16" (222Z)
3/4" (224Z)	13/16" (226Z)	7/8" (228Z)
15/16" (230Z)	1" (232Z)	1-1/16" (234Z)
1-1/8" (236Z)	1-3/16" (238Z)	1-1/4" (240Z)
1-5/16" (242Z)	1-3/8" (244Z)	1-7/16" (246Z)
1-1/2" (248Z)		

19 Deep Sockets:

3/8" (26701)	7/16" (26702)	1/2" (26703)
9/16" (26704)	5/8" (26705)	11/16" (26706)
3/4" (26707)	13/16" (26708)	7/8" (26709)
15/16" (267010)	1" (267011)	1-1/16" (267012)
1-1/8" (267013)	1-3/16" (267014)	1-1/4" (267015)
1-5/16" (242ZD)	1-3/8" (244ZD)	1-7/16" (246ZD)
1-1/2" (248ZD)		
Universal Joint (2300)		

1/2" DRIVE 12 POINT 39 PIECE METRIC MASTER IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Most complete 1/2" drive metric 12 point set available
- > Fully guaranteed
- > Heavy duty blow molded storage case



2699

INCLUDES:

19 Standard Sockets:

9mm (209ZM)	10mm (210ZM)	11mm (211ZM)
12mm (212ZM)	13mm (213ZM)	14mm (214ZM)
15mm (215ZM)	16mm (216ZM)	17mm (217ZM)
18mm (218ZM)	19mm (219ZM)	20mm (220ZM)
21mm (221ZM)	22mm (222ZM)	23mm (223ZM)
24mm (224ZM)	26mm (226ZM)	27mm (227ZM)
30mm (230ZM)		

19 Deep Sockets:

9mm (209ZMD)	10mm (267210)	11mm (267211)
12mm (267212)	13mm (267213)	14mm (267214)
15mm (267215)	16mm (267216)	17mm (267217)
18mm (267218)	19mm (267219)	20mm (267220)
21mm (267221)	22mm (267222)	23mm (267223)
24mm (267224)	26mm (226ZMD)	27mm (227ZMD)
30mm (230ZMD)		
Universal Joint (2300)		

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE 12 POINT 19 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow mold storage case



2819

INCLUDES:

3/8" (212Z)	7/16" (214Z)	1/2" (216Z)
9/16" (218Z)	5/8" (220Z)	11/16" (222Z)
3/4" (224Z)	13/16" (226Z)	7/8" (228Z)
15/16" (230Z)	1" (232Z)	1-1/16" (234Z)
1-1/8" (236Z)	1-3/16" (238Z)	1-1/4" (240Z)
1-5/16" (242Z)	1-3/8" (244Z)	1-7/16" (246Z)
1-1/2" (248Z)		



1/2" DRIVE 12 POINT 19 PIECE SAE DEEP IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow mold storage case



2820

INCLUDES:

3/8" (26701)	7/16" (26702)	1/2" (26703)
9/16" (26704)	5/8" (26705)	11/16" (26706)
3/4" (26707)	13/16" (26708)	7/8" (26709)
15/16" (267010)	1" (267011)	1-1/16" (267012)
1-1/8" (267013)	1-3/16" (267014)	1-1/4" (267015)
1-5/16" (242ZD)	1-3/8" (244ZD)	1-7/16" (246ZD)
1-1/2" (248ZD)		



1/2" DRIVE 12 POINT 26 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow mold storage case



2826

INCLUDES:

10mm (210ZM)	11mm (211ZM)	12mm (212ZM)
13mm (213ZM)	14mm (214ZM)	15mm (215ZM)
16mm (216ZM)	17mm (217ZM)	18mm (218ZM)
19mm (219ZM)	20mm (220ZM)	21mm (221ZM)
22mm (222ZM)	23mm (223ZM)	24mm (224ZM)
25mm (225ZM)	26mm (226ZM)	27mm (227ZM)
28mm (228ZM)	29mm (229ZM)	30mm (230ZM)
32mm (232ZM)	33mm (233ZM)	34mm (234ZM)
35mm (235ZM)	36mm (236ZM)	



1/2" DRIVE 12 POINT 26 PIECE METRIC DEEP IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow mold storage case



2827

INCLUDES:

10mm (267210)	11mm (267211)	12mm (267212)
13mm (267213)	14mm (267214)	15mm (267215)
16mm (267216)	17mm (267217)	18mm (267218)
19mm (267219)	20mm (267220)	21mm (267221)
22mm (267222)	23mm (267223)	24mm (267224)
25mm (225ZMD)	26mm (226ZMD)	27mm (227ZMD)
28mm (228ZMD)	29mm (229ZMD)	30mm (230ZMD)
32mm (232ZMD)	33mm (233ZMD)	34mm (234ZMD)
35mm (235ZMD)	36mm (236ZMD)	

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE DEEP / THIN WALL 4 PIECE SAE & METRIC FLIP IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2724

INCLUDES:

3/4" x 13/16" Thin Wall Flip Socket (2706)

7/8" x 15/16" Thin Wall Flip Socket (2710)

19mm x 21mm Deep Flip Socket (2708)

3" Extension (2503)



1/2" DRIVE DEEP SPINDLE NUT 4 PIECE METRIC IMPACT SOCKET SET

- > Deep design for GM & Chrysler spindle nut applications
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

Replacement storage case - RS97101



2838

INCLUDES:

30mm (2800)

32mm (2832)

34mm (2834)

36mm (2802)



1/2" DRIVE DEEP SPINDLE NUT 7 PIECE METRIC IMPACT SOCKET SET

- > Deep design for GM & Chrysler spindle nut applications
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2839

INCLUDES:

29mm (2830)

30mm (2800)

32mm (2832)

34mm (2834)

35mm (2806)

36mm (2802)

38mm (2803)



1/2" DRIVE EXTRA LONG 5 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow mold storage case



2845

INCLUDES:

1" (232XD)

1-1/16" (234XD)

1-1/8" (236XD)

1-1/4" (240XD)

1-5/16" (242XD)

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE 5" EXTRA LONG DEEP 8 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2848


INCLUDES:

1/2" (216XD)	9/16" (218XD)	5/8" (220XD)
11/16" (222XD)	3/4" (224XD)	13/16" (226XD)
7/8" (228XD)	15/16" (230XD)	



1/2" DRIVE 5" EXTRA LONG DEEP 12 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 11.0



Standard vs. Deep vs. Extra Long Deep

2851


INCLUDES 1/2" DR. EXTRA DEEP:

13mm (213MXD)	14mm (214MXD)	15mm (215MXD)
16mm (216MXD)	17mm (217MXD)	18mm (218MXD)
19mm (219MXD)	20mm (220MXD)	21mm (221MXD)
22mm (222MXD)	23mm (223MXD)	24mm (224MXD)



1/2" DRIVE EXTRA LONG DEEP 9 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 19.9



Standard vs. Deep vs. Extra Long Deep

2852

INCLUDES 1/2" DR. EXTRA DEEP:

26mm (226MXD)	27mm (227MXD)	28mm (228MXD)
29mm (229MXD)	30mm (230MXD)	31mm (231MXD)
32mm (232MXD)	33mm (233MXD)	34mm (234MXD)

1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE UNIVERSAL 15 PIECE 12 POINT METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 11.4



2855

INCLUDES 1/2" DR. UNIVERSAL:

10mm (210ZUM)	11mm (211ZUM)	12mm (212ZUM)
13mm (213ZUM)	14mm (214ZUM)	15mm (215ZUM)
16mm (216ZUM)	17mm (217ZUM)	18mm (218ZUM)
19mm (219ZUM)	20mm (220ZUM)	21mm (221ZUM)
22mm (222ZUM)	23mm (223ZUM)	24mm (224ZUM)



1/2" DRIVE UNIVERSAL 15 PIECE 12 POINT SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 11.4



2856

INCLUDES 1/2" DR. UNIVERSAL:

3/8" (212UZ)	7/16" (214UZ)	1/2" (216UZ)
9/16" (218UZ)	5/8" (220UZ)	11/16" (222UZ)
3/4" (224UZ)	13/16" (226UZ)	7/8" (228UZ)
15/16" (230UZ)	1" (232UZ)	1-1/16" (234UZ)
1-1/8" (236UZ)	1-3/16" (238UZ)	1-1/4" (240UZ)



1/2" DRIVE DEEP 13 PIECE 8 POINT SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 8 point design accommodates most railroad applications
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 13.9



2858

INCLUDES 1/2" DR. DEEP:

3/8" (212QD)	7/16" (214QD)	1/2" (216QD)
9/16" (218QD)	5/8" (220QD)	11/16" (222QD)
3/4" (224QD)	13/16" (226QD)	7/8" (228QD)
15/16" (230QD)	1" (232QD)	1-1/16" (234QD)
1-1/8" (236QD)		

1/2" DRIVE IMPACT SOCKETS

1/2" DRIVE DEEP MASTER 29 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed

Replacement storage case - RS97301



5153DD

INCLUDES:

13 Deep SAE Sockets:

7/16" (214D)	1/2" (216D)	9/16" (218D)
5/8" (220D)	11/16" (222D)	3/4" (224D)
13/16" (226D)	7/8" (228D)	15/16" (230D)
1" (232D)	1-1/16" (234D)	1-1/8" (236D)
1-1/4" (240D)		


14 Deep Metric Sockets:

10mm (210MD)	11mm (211MD)	12mm (212MD)
13mm (213MD)	14mm (214MD)	15mm (215MD)
16mm (216MD)	17mm (217MD)	18mm (218MD)
19mm (219MD)	21mm (221MD)	22mm (222MD)
26mm (226MD)	27mm (227MD)	

2 Deep Flip Sockets:


3/4" x 13/16" (2701)	19mm x 21mm (2704)
----------------------	--------------------

1/2" DRIVE INDIVIDUAL INTERNAL STAR SOCKETS




Size	Model #	Size	Model #
T30	2690S1	T50	2690S5
T40	2690S2	T55	2690S6
T45	2690S3	T60	2690S7
T47	2690S4	T70	2690S8

1/2" DRIVE INDIVIDUAL EXTERNAL STAR SOCKETS



Size	Model #	Size	Model #
E10	2690SE1	E18	2690SE6
E11	2690SE2	E20	2690SE7
E12	2690SE3	E22	2690SE8
E14	2690SE4	E24	2690SE9
E16	2690SE5		


1/2" DRIVE INDIVIDUAL UNIVERSAL JOINT



Item	Model #
Universal Joint	2300

1/2" DRIVE IMPACT SOCKETS


1/2" DRIVE INDIVIDUAL SPECIALTY SOCKETS



Deep Spindle Nut




Tie Rod



Heavy Duty Deep

Size	Model #
29mm Deep Spindle Nut	2830
30mm Deep Spindle Nut	2800
32mm Deep Spindle Nut	2832
34mm Deep Spindle Nut	2834
35mm Deep Spindle Nut	2806
36mm Deep Spindle Nut	2802
38mm Deep Spindle Nut	2803
Tie Rod Socket	2801
1-1/4" Heavy Duty Deep	240HDD

1/2" DRIVE INDIVIDUAL WHEEL LOCK REMOVAL



Hubcap Lock Removers




Lug Nut Remover



Extractor Punch

Size	Model #
Ford & Chrysler Hubcap Locks	28401
Ford Wheel Locks & 18mm Lug Nuts	28402
Corvette, GM "M" & "F" Hubcap Locks	28403
Oversize McGard Wheel Locks	28404
McGard Wheel Locks and GM Hubcap Locks	28405
Extractor Punch	28406
Chrysler Hubcap Locks	28407
GM Hubcap Locks	28408
GM Spline Hubcap Locks	28409


1/2" DRIVE INDIVIDUAL FLIP SOCKETS



Size	Model #
3/4" x 13/16"	2700
3/4" x 13/16" Deep	2701
3/4" x 13/16" Thin Wall	2706
7/8" x 15/16" Thin Wall	2710
1" x 1-1/16" Thin Wall	2712
17mm x 19mm	2707

Size	Model #
17mm x 21mm Deep	2705
19mm x 21mm	2702
3/4" x 13/16" with 3" Extension Bar	2703
19mm x 21mm Deep	2704
19mm x 21mm Deep Thin Wall	2708
21mm x 22mm	2713


12 POINT DRIVE INDIVIDUAL SAE & METRIC UNIVERSAL LIMITED CLEARANCE SOCKETS



Size	Model #	Size	Model #
5/16"	210ZUDL	8mm	208ZUMDL
3/8"	212ZUDL	10mm	210ZUMDL
7/16"	214ZUDL	11mm	211ZUMDL
1/2"	216ZUDL	12mm	212ZUMDL
9/16"	218ZUDL	13mm	213ZUMDL
11/16"	222ZUDL	14mm	214ZUMDL
3/4"	224ZUDL	15mm	215ZUMDL
		16mm	216ZUMDL
		17mm	217ZUMDL

1/2" DRIVE IMPACT SOCKETS


1/2" DRIVE INDIVIDUAL SAE SOCKETS



Size	Std.	Deep	Extra Long Deep	Univ.	Deep Univ.	12 Pt.	12 Pt. Deep	Extra Thin-Wall Deep	Magnetic	Wheel Protect.	8 Pt. Deep	12 Pt. Deep Univ.	12 Pt. Univ.
Inches	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model #	Model#	Model#	Model#	Model#	Model#
1/4													
5/16	210	210D	210XD										
3/8	212	212D	212XD	212U	212UD	212Z	26701		212MG		212QD	212ZUD	212UZ
7/16	214	214D	214XD	214U	214UD	214Z	26702		214MG		214QD	214ZUD	214UZ
1/2	216	216D	216XD	216U	216UD	216Z	26703		216MG		216QD	216ZUD	216UZ
9/16	218	218D	218XD	218U	218UD	218Z	26704		218MG		218QD	218ZUD	218UZ
5/8	220	220D	220XD	220U	220UD	220Z	26705		220MG		220QD	220ZUD	220UZ
11/16	222	222D	222XD	222U	222UD	222Z	26706		222MG		222QD	222ZUD	222UZ
3/4	224	224D	224XD	224U	224UD	224Z	26707	2624	224MG	28492	224QD	224ZUD	224UZ
13/16	226	226D	226XD	226U	226UD	226Z	26708	2626	226MG	28494	226QD	226ZUD	226UZ
7/8	228	228D	228XD	228U	228UD	228Z	26709	2628	228MG	28496	228QD	228ZUD	228UZ
15/16	230	230D	230XD	230U	230UD	230Z	267010		230MG	28498	230QD	230ZUD	230UZ
1	232	232D	232XD	232U		232Z	267011	2632	232MG	284910	232QD	232ZUD	232UZ
1-1/16	234	234D	234XD	234U		234Z	267012	2634		284912	234QD	234ZUD	234UZ
1-1/8	236	236D	236XD	236U		236Z	267013				236QD	236ZUD	236UZ
1-3/16	238	238D	238XD	238U		238Z	267014					238ZUD	238UZ
1-1/4	240	240D	240XD	240U		240Z	267015					240ZUD	240UZ
1-5/16	242	242D	242XD			242Z	242ZD						
1-3/8	244	244D	244XD			244Z	244ZD						
1-7/16	246	246D	246XD			246Z	246ZD						
1-1/2	248	248D	248XD			248Z	248ZD						
1-9/16	250	250D											
1-5/8	252	252D											
1-11/16	254	254D											
1-3/4	256	256D											
1-13/16	258	258D											
1-7/8	260	260D											
1-15/16	262	262D											
2	264	264D											
2-1/16	266	266D											
2-1/8	268	268D											
2-3/16	270	270D											
2-1/4	272	272D											

1/2" DRIVE IMPACT SOCKETS

1/2" DRIVE INDIVIDUAL METRIC SOCKETS



Size	Std.	Deep	Univ.	Deep Univ.	12 Pt.	12 Pt. Deep	Extra Thin-Wall Deep	Magnetic	Wheel Protect.	Extra Long Deep	12 Pt. Deep Univ.	12 Pt. Univ.
mm	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	
6												
7												
8	208M	208MD								208MXD		
9	209M	209MD			209ZM	209ZMD				209MXD		
10	210M	210MD	210UM	210UMD	210ZM	267210		210MMG		210MXD	210MZUD	210ZUM
11	211M	211MD	211UM	211UMD	211ZM	267211		211MMG		211MXD	211MZUD	211ZUM
12	212M	212MD	212UM	212UMD	212ZM	267212		212MMG		212MXD	212MZUD	212ZUM
13	213M	213MD	213UM	213UMD	213ZM	267213		213MMG		213MXD	213MZUD	213ZUM
14	214M	214MD	214UM	214UMD	214ZM	267214		214MMG		214MXD	214MZUD	214ZUM
15	215M	215MD	215UM	215UMD	215ZM	267215		215MMG		215MXD	215MZUD	215ZUM
16	216M	216MD	216UM	216UMD	216ZM	267216		216MMG		216MXD	216MZUD	216ZUM
17	217M	217MD	217UM	217UMD	217ZM	267217	2617	217MMG	284917	217MXD	217MZUD	217ZUM
18	218M	218MD	218UM	218UMD	218ZM	267218		218MMG		218MXD	218MZUD	218ZUM
19	219M	219MD	219UM	219UMD	219ZM	267219	2619	219MMG	284919	219MXD	219MZUD	219ZUM
20	220M	220MD	220UM	220UMD	220ZM	267220		220MMG		220MXD	220MZUD	220ZUM
21	221M	221MD	221UM	221UMD	221ZM	267221	2621	221MMG	284921	221MXD	221MZUD	221ZUM
22	222M	222MD	222UM	222UMD	222ZM	267222	2622			222MXD	222MZUD	222ZUM
23	223M	223MD	223UM	223UMD	223ZM	267223	2623			223MXD	223MZUD	223ZUM
24	224M	224MD	224UM	224UMD	224ZM	267224				224MXD	224MZUD	224ZUM
25	225M	225MD			225ZM	225ZMD				225MXD		
26	226M	226MD			226ZM	226ZMD				226MXD		
27	227M	227MD			227ZM	227ZMD				227MXD		
28	228M	228MD			228ZM	228ZMD				228MXD		
29	229M	229MD			229ZM	229ZMD				229MXD		
30	230M	230MD			230ZM	230ZMD				230MXD		
31	231M	231MD			231ZM	231ZMD				231MXD		
32	232M	232MD			232ZM	232ZMD				232MXD		
33	233M	233MD			233ZM	233ZMD				233MXD		
34	234M	234MD			234ZM	234ZMD				234MXD		
35	235M	235MD			235ZM	235ZMD				235MXD		
36	236M	236MD			236ZM	236ZMD				236MXD		
37										237MXD		
38										238MXD		

3/4" DRIVE IMPACT SOCKETS



3/4" DRIVE TRUCK SERVICE 11 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4011BMC



4011M

INCLUDES:

8 Deep Sockets:

27mm (427MD)	30mm (430MD)	32mm (432MD)
33mm (433MD)	35mm (435MD)	36mm (436MD)
38mm (438MD)	41mm (441MD)	

3 Square Sockets:

17mm (417MSS)	20mm (420MS)	21mm (421MSS)
---------------	--------------	---------------



3/4" DRIVE WHEEL SERVICE 5 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4050BMC



4050

INCLUDES:

4 Deep Sockets:

1-1/16" (434D)	1-1/4" (440D)	1-1/2" (448D)
33mm(433MD)		

1 Square Socket:

13/16" (426S)



3/4" DRIVE WHEEL SERVICE 5 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4050BMC



4050M

INCLUDES:

2 Standard Sockets:

27mm (427M)	30mm (430M)
-------------	-------------

2 Deep Sockets:

33mm (433MD)	35mm (435MD)
--------------	--------------

1 Square Socket:

17mm (417MSS)



3/4" DRIVE TRUCK SERVICE 7 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4050BMC



4070M

INCLUDES:

5 Deep Sockets:

27mm (427MD)	30mm (430MD)	33mm (433MD)
35mm (435MD)	41mm (441MD)	

2 Square Sockets:

17mm (417MSS)	21mm (421MSS)
---------------	---------------

3/4" DRIVE IMPACT SOCKETS



3/4" DRIVE 4 PIECE COMBINATION BUDD WHEEL IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4626BMC



4626

INCLUDES:

3 Square Budd Wheel Sockets:

1-1/2" x 13/16" (4826C)

35mm x 17mm (43517B) 41mm x 21mm (4121C)

1 Deep Socket

33mm (433MD)



3/4" DRIVE STANDARD 8 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4680BMC



4680

INCLUDES:

1" (432) 1-1/16" (434) 1-1/8" (436)

1-1/4" (440) 1-5/16" (442) 1-3/8" (444)

1-7/16" (446) 1-1/2" (448)



3/4" DRIVE DEEP 8 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4681BMC



4681

INCLUDES:

1" (432D) 1-1/16" (434D) 1-1/8" (436D)

1-1/4" (440D) 1-5/16" (442D) 1-3/8" (444D)

1-7/16" (446D) 1-1/2" (448D)



3/4" DRIVE TRUCK SERVICE 11 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4682BMC



4682

INCLUDES:

10 Standard Sockets:

3/4" (424) 13/16" (426) 7/8" (428)

15/16" (430) 1" (432) 1-1/16" (434)

1-1/8" (436) 1-3/16" (438) 1-1/4" (440)

1-1/2" (448)

1 Square Socket:

13/16" (426S)

3/4" DRIVE IMPACT SOCKETS



3/4" DRIVE HEAVY DUTY 17 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Ideal for work in tight spaces
- > Reduces wear on fasteners
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4683BMC



4683

INCLUDES:

1" (432)	1-1/16" (434)	1-1/8" (436)
1-3/16" (438)	1-1/4" (440)	1-5/16" (442)
1-3/8" (444)	1-7/16" (446)	1-1/2" (448)
1-9/16" (450)	1-5/8" (452)	1-11/16" (454)
1-3/4" (456)	1-13/16" (458)	1-7/8" (460)
1-15/16" (462)	2" (464)	



3/4" DRIVE HEAVY DUTY 17 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 26.0



4684

INCLUDES:

26mm (426M)	27mm (427M)	28mm (428M)
29mm (429M)	30mm (430M)	32mm (432M)
33mm (433M)	35mm (435M)	36mm (436M)
38mm (438M)	40mm (440M)	41mm (441M)
42mm (442M)	43mm (443M)	44mm (444M)
45mm (445M)	46mm (446M)	



3/4" DRIVE DEEP 17 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 42.9



4685

INCLUDES 3/4" DR. DEEP:

1" (432D)	1-1/16" (434D)	1-1/8" (436D)
1-3/16" (438D)	1-1/4" (440D)	1-5/16" (442D)
1-3/8" (444D)	1-7/16" (446D)	1-1/2" (448D)
1-9/16" (450D)	1-5/8" (452D)	1-11/16" (454D)
1-3/4" (456D)	1-13/16" (458D)	1-7/8" (460D)
1-15/16" (462D)	2" (464D)	



3/4" DRIVE DEEP 17 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 42.9



4686

INCLUDES 3/4" DR. DEEP:

26mm (426MD)	27mm (427MD)	28mm (428MD)
29mm (429MD)	30mm (430MD)	31mm (431MD)
32mm (432MD)	33mm (433MD)	35mm (435MD)
36mm (436MD)	38mm (438MD)	39mm (439MD)
40mm (440MD)	41mm (441MD)	42mm (442MD)
43mm (443MD)	44mm (444MD)	

3/4" DRIVE IMPACT SOCKETS



3/4" DRIVE 12 POINT THIN WALL 9 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Fully guaranteed
- > Ideal for work in tight spaces
- > Reduces wear on fasteners
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4687BMC



4687

INCLUDES:

3/4" (424ZT)	13/16" (426ZT)	7/8" (428ZT)
15/16" (430ZT)	1" (432ZT)	1-1/16" (434ZT)
1-1/8" (436ZT)	1-3/16" (438ZT)	1-1/4" (440ZT)

OVER 30"

in Height with Locking Case, Handle and Wheel Kit



3/4" DRIVE DEEP 29 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Wheel kit and grip handle for easy maneuvering
- > Heavy duty blow molded storage case - over 30" tall
- > Shipping weight (Lbs.) - 65.2



4695

INCLUDES 3/4" DR. DEEP:

3/4" (424D)	13/16" (426D)	7/8" (428D)
15/16" (430D)	1" (432D)	1-1/16" (434D)
1-1/8" (436D)	1-3/16" (438D)	1-1/4" (440)
1-5/16" (442D)	1-3/8" (444D)	1-7/16" (446D)
1-1/2" (448D)	1-9/16" (450D)	1-5/8" (452D)
1-11/16" (454D)	1-3/4" (456D)	1-13/16" (458D)
1-7/8" (460D)	1-15/16" (462D)	2" (464D)
2-1/16" (466D)	2-1/8" (468D)	2-3/16" (470D)
2-1/4" (472D)	2-5/16" (474D)	2-3/8" (476D)
2-7/16" (478D)	2-1/2" (480D)	

OVER 30"

in Height with Locking Case, Handle and Wheel Kit



3/4" DRIVE 29 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Wheel kit and grip handle for easy maneuvering
- > Heavy duty blow molded storage case - over 30" tall
- > Shipping weight (Lbs.) - 51.0




4696

INCLUDES 3/4" DR.:


3/4" (424)	13/16" (426)	7/8" (428)
15/16" (430)	1" (432)	1-1/16" (434)
1-1/8" (436)	1-3/16" (438)	1-1/4" (440)
1-5/16" (442)	1-3/8" (444)	1-7/16" (446)
1-1/2" (448)	1-9/16" (450)	1-5/8" (452)
1-11/16" (454)	1-3/4" (456)	1-13/16" (458)
1-7/8" (460)	1-15/16" (462)	2" (464)
2-1/16" (466)	2-1/8" (468)	2-3/16" (470)
2-1/4" (472)	2-5/16" (474)	2-3/8" (476)
2-7/16" (478)	2-1/2" (480)	

3/4" DRIVE IMPACT SOCKETS


3/4" DRIVE INDIVIDUAL SAE SPECIALTY SOCKETS




Square




Heavy Duty Square




Deep Thin Wall



Combination Budd Wheel



Limited Depth Budd Wheel




Deep Hex Budd Wheel




Extra Long

Size	Square	Heavy Duty Square	Deep Thin Wall	Comb. Budd Wheel	Limited Depth Budd Wheel	Deep Hex Budd Wheel	Extra Long
Inches	Model#	Model#	Model#	Model#	Model#	Model#	Model#
13/16	426S	426HDS					426XL
15/16	430S						
1-1/16			434DT				434XL
1-1/8			436DT				436XL
1-1/4			440DT				440XL
1-1/2					448LD	448DH	448XL
1-1/2 x 13/16				4826C			


3/4" DRIVE INDIVIDUAL METRIC SPECIALTY SOCKETS




Square



Heavy Duty Square



Combination Budd Wheel



Deep Hex Budd Wheel




Extra Long


Size	Square	Double Square	Comb. Budd Wheel	Extra Long
mm	Model#	Model#	Model#	Model#
17		417MSS		
19	419MS			
20	420MS			
21		421MSS		
33				433MXL
35 X 17			43517B	
41 X 21			4121C	

3/4" DRIVE IMPACT SOCKETS

3/4" DRIVE INDIVIDUAL SAE SOCKETS




Standard



Deep



Universal



12 Point Thin Wall



All sockets are also available individually



Radius corner design causes the socket to grab the sturdy wall, or flat, of the fastener instead of grabbing the corners, resulting in less corner wear on the fastener.




Size	Standard	Deep	Universal	12 Point Thin Wall
Inches	Model#	Model#		Model#
1/2	416	416D		
9/16	418	418D		
5/8	420	420D		420ZT
11/16	422	422D		422ZT
3/4	424	424D		424ZT
13/16	426	426D	426U	426ZT
7/8	428	428D	428U	428ZT
15/16	430	430D	430U	430ZT
1	432	432D	432U	432ZT
1-1/16	434	434D	434U	434ZT
1-1/8	436	436D	436U	436ZT
1-3/16	438	438D	438U	438ZT
1-1/4	440	440D	440U	440ZT
1-5/16	442	442D	442U	
1-3/8	444	444D	444U	444ZT
1-7/16	446	446D	446U	
1-1/2	448	448D	448U	448ZT
1-9/16	450	450D	450U	
1-5/8	452	452D	452U	452ZT
1-11/16	454	454D	454U	
1-3/4	456	456D	456U	456ZT
1-13/16	458	458D	458U	
1-7/8	460	460D	460U	460ZT
1-15/16	462	462D	462U	
2	464	464D		
2-1/16	466	466D		
2-1/8	468	468D		
2-3/16	470	470D		
2-1/4	472	472D		
2-5/16	474	474D		
2-3/8	476	476D		
2-7/16	478	478D		
2-1/2	480	480D		
2-9/16	482	482D		
2-5/8	484	484D		
2-11/16	486	486D		
2-3/4	488	488D		
2-13/16	490	490D		
2-7/8	492	492D		
2-15/16	494	494D		
3	496	496D		

3/4" DRIVE IMPACT SOCKETS

3/4" DRIVE INDIVIDUAL METRIC SOCKETS


mm




Standard



Deep



Universal




12 Point Thin Wall



Size	Standard	Deep	Universal	12 Point Thin Wall
mm	Model#	Model#		Model#
15				415MZT
16				416MZT
17				417MZT
18				418MZT
19	419M	419MD	419UM	419MZT
20	420M	420MD	420UM	420MZT
21	421M	421MD	421UM	421MZT
22	422M	422MD	422UM	422MZT
23	423M	423MD	423UM	423MZT
24	424M	424MD	424UM	424MZT
25	425M	425MD	425UM	425MZT
26	426M	426MD	426UM	426MZT
27	427M	427MD	427UM	427MZT
28	428M	428MD	428UM	428MZT
29	429M	429MD	429UM	429MZT
30	430M	430MD	430UM	430MZT
31	431M	431MD	431UM	
32	432M	432MD	432UM	432MZT
33	433M	433MD	433UM	433MZT
34	434M	434MD	434UM	
35	435M	435MD	435UM	435MZT
36	436M	436MD	436UM	436MZT
37			437UM	
38	438M	438MD	438UM	438MZT
39		439MD	439UM	
40	440M	440MD	440UM	440MZT
41	441M	441MD	441UM	
42	442M	442MD	442UM	
43	443M	443MD	443UM	
44	444M	444MD	444UM	
45	445M		445UM	
46	446M	446MD	446UM	
47	447M	447MD		
48	448M	448MD		
49	449M	449MD		
50	450M	450MD		
52	452M	452MD		
54	454M			
55	455M	455MD		
56	456M			
60	460M	460MD		
63	463M			
65	465M	465MD		

3/4" DRIVE INDIVIDUAL UNIVERSAL JOINT



Item	Model #
Universal Joint	4304

3/4" DRIVE INDIVIDUAL RETAINING PIN & RING SET



Item	Model #
Pin & Ring Set	4303

1" DRIVE IMPACT SOCKETS



1" DRIVE COMBINATION BUDD WHEEL 5 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5626BMC



5626

INCLUDES:

4 Square Budd Wheel Sockets:

1-1/2" x 13/16" (5826C) 35mm x 17mm (53517)

38mm x 20mm (53820) 41mm x 21mm (54121)

1 Deep Socket:

33mm (533MD)



1" DRIVE DEEP 8 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5681BMC



5681

INCLUDES:

7/8" (528D) 15/16" (530D) 1" (532D)

1-1/16" (534D) 1-1/8" (536D) 1-3/16" (538D)

1-1/4" (540D) 1-1/2" (548D)



1" DRIVE WHEEL SERVICE 5 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5685BMC



5685

INCLUDES:

2 Deep Sockets:

1-1/2" (548D) 33mm (533MD)

2 Deep Thin Wall Sockets:

1-1/8" (536DT) 1-1/4" (540DT)

1 Square Socket:

13/16" (526S)



1" DRIVE WHEEL SERVICE 8 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5688BMC



5688

INCLUDES:

3 Standard Sockets:

7/8" (528) 1" (532) 33mm (533M)

3 Deep Thin Wall Sockets:

1-1/16" (534DT) 1-1/8" (536DT) 1-1/4" (540DT)

1 Square Socket:

13/16" (526S)

1 Controlled Depth Socket:

1-1/2" (548CDS)

1" DRIVE IMPACT SOCKETS

OVER 30"

*in Height with Locking Case,
Handle and Wheel Kit*



1" DRIVE 21 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Wheel kit and grip handle for easy maneuvering
- > Heavy duty blow molded storage case - over 30" tall
- > Shipping weight (Lbs.) - 35.0



5692

INCLUDES 1" DR.:

3/4" (524)	13/16" (526)	7/8" (528)
15/16" (530)	1" (532)	1-1/16" (534)
1-1/8" (536)	1-3/16" (538)	1-1/4" (540)
1-5/16" (542)	1-3/8" (544)	1-7/16" (546)
1-1/2" (548)	1-9/16" (550)	1-5/8" (552)
1-11/16" (554)	1-3/4" (556)	1-13/16" (558)
1-7/8" (560)	1-15/16" (562)	2" (564)

OVER 30"

*in Height with Locking Case,
Handle and Wheel Kit*



1" DRIVE DEEP 21 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Wheel kit and grip handle for easy maneuvering
- > Heavy duty blow molded storage case - over 30" tall
- > Shipping weight (Lbs.) - 50.1



5693

INCLUDES 1" DR. DEEP:

3/4" (524D)	13/16" (526D)	7/8" (528D)
15/16" (530D)	1" (532D)	1-1/16" (534D)
1-1/8" (536D)	1-3/16" (538D)	1-1/4" (540D)
1-5/16" (542D)	1-3/8" (544D)	1-7/16" (546D)
1-1/2" (548D)	1-9/16" (550D)	1-5/8" (552D)
1-11/16" (554D)	1-3/4" (556D)	1-13/16" (558D)
1-7/8" (560D)	1-15/16" (562D)	2" (564D)

1" DRIVE IMPACT SOCKETS



1" DRIVE HEAVY DUTY WHEEL 10 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5690ABMC



5690A

INCLUDES:

4 Deep Sockets:

1" (532D)	1-3/16" (538D)	1-3/4" (556D)
33mm (533MD)		

3 Deep Thin Wall Sockets:

1-1/16" (534DT)	1-1/8" (536DT)	1-1/4" (540DT)
-----------------	----------------	----------------

2 Square Sockets:

13/16" (526S)	15/16" (530S)
---------------	---------------

1 Controlled Depth Socket:

1-1/2" (548CDS)



1" DRIVE DEEP 7 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5697BMC



5697M

INCLUDES:

5 Deep Sockets:

27mm (527MD)	33mm (533MD)	35mm (535MD)
36mm (536MD)	41mm (541MD)	

2 Square Sockets:

17mm (517MSS)	21mm (521MSS)
---------------	---------------



1" DRIVE STANDARD 9 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5699BMC




5699

INCLUDES:


1" (532)	1-1/8" (536)	1-1/4" (540)
1-3/8" (544)	1-1/2" (548)	1-5/8" (552)
1-3/4" (556)	1-7/8" (560)	2" (564)

1" DRIVE IMPACT SOCKETS

1" DRIVE INDIVIDUAL SAE SOCKETS



Standard




Deep



Size	Standard	Deep
Inches	Model#	Model#
3/4	524	524D
13/16	526	526D
7/8	528	528D
15/16	530	530D
1	532	532D
1-1/16	534	534D
1-1/8	536	536D
1-3/16	538	538D
1-1/4	540	540D
1-5/16	542	542D
1-3/8	544	544D
1-7/16	546	546D
1-1/2	548	548D
1-9/16	550	550D
1-5/8	552	552D
1-11/16	554	554D
1-3/4	556	556D
1-13/16	558	558D
1-7/8	560	560D
1-15/16	562	562D
2	564	564D
2-1/16	566	566D
2-1/8	568	568D
2-3/16	570	570D

Size	Standard	Deep
Inches	Model#	Model#
2-1/4	572	572D
2-5/16	574	574D
2-3/8	576	576D
2-7/16	578	578D
2-1/2	580	580D
2-9/16	582	582D
2-5/8	584	584D
2-11/16	586	586D
2-3/4	588	588D
2-13/16	590	590D
2-7/8	592	592D
2-15/16	594	594D
3	596	596D
3-1/8	5100	5100D
3-1/4	5104	5104D
3-3/8	5108	5108D
3-1/2	5112	5112D
3-5/8	5116	5116D
3-3/4	5120	5120D
3-7/8	5124	5124D
4	5128	5128D
4-1/8	5132	5132D
4-1/4	5136	5136D
4-1/2	5140	5140D

1" DRIVE INDIVIDUAL SAE SPECIALTY SOCKETS




Square




Deep Thin Wall




Extra Long




Combination Budd Wheel



Controlled Depth



Heavy Duty Square




Extra Deep


Size	Square	Deep Thin wall	Extra Long	Comb. Budd Wheel	Cont. depth	Heavy Duty Square	Extra Deep
Inches	Model#	Model#	Model#	Model#	Model#	Model#	Model#
13/16	526S					526HDS	
15/16	530S						
1-1/16		534DT					
1-1/8		536DT					
1-1/4		540DT	540EL				
1-5/16		542DT					
1-1/2		548DT			548CDS		
1-3/4							556XD
1-1/2 x 13/16				5826C			

1" DRIVE IMPACT SOCKETS

1" DRIVE INDIVIDUAL METRIC SOCKETS



Standard




Deep


Size	Standard	Deep
mm	Model#	Model#
19	519M	519MD
21	521M	521MD
22	522M	522MD
23	523M	523MD
24	524M	524MD
25	525M	525MD
26	526M	526MD
27	527M	527MD
28	528M	
29	529M	529MD
30	530M	530MD
32	532M	532MD
33	533M	533MD
35	535M	535MD
36	536M	536MD

Size	Standard	Deep
mm	Model#	Model#
38	538M	538MD
40	540M	540MD
41	541M	541MD
42	542M	542MD
46	546M	546MD
50	550M	550MD
52	552M	
54	554M	554MD
55	555M	555MD
56	556M	556MD
58	558M	558MD
60	560M	560MD
65	565M	565MD
70	570M	570MD

1" DRIVE INDIVIDUAL METRIC SPECIALTY SOCKETS




Square




Heavy Duty Square



Extra Long




Deep Thin Wall



Combination Budd Wheel

Size	Square	Double Square	Deep Thin Wall	Extra Long	Comb. Budd Wheel
mm	Model#	Model#	Model#	Model#	Model#
17		517MSS			
19	519MS				
20	520MS				
21		521MSS			
33				533MEL	
41			541MDT		
35 x 17					53517
38 x 20					53820
41 x 21					54121

1" DRIVE INDIVIDUAL UNIVERSAL JOINT



Item	Model #
Universal Joint	5304


1" DRIVE INDIVIDUAL RETAINING PIN & RING SETS




Item	Model #
1-11/16" Pin & Ring Set	5301
1-3/4" Pin & 1-7/8" Ring	5302

1-1/2" DRIVE INDIVIDUAL SAE IMPACT SOCKETS

1-1/2" DRIVE INDIVIDUAL SAE SOCKETS



Standard



Deep




Size	Standard	Metric Equiv.	Deep	Metric Equiv.
Inches	Model#	SAE to Metric	Model#	Deep
1-3/8"	644		644D	
1-7/16"	646		646D	
1-1/2"	648		648D	
1-9/16"	650		650D	
1-5/8"	652	41mm	652D	41mm
1-11/16"	654		654D	
1-3/4"	656		656D	
1-13/16"	658	46mm	658D	46mm
1-7/8"	660		660D	
1-15/16"	662	50mm	662D	50mm
2"	664		664D	
2-1/16"	666	52mm	666D	52mm
2-1/8"	668		668D	54mm
2-3/16"	670	55mm	670D	55mm
2-1/4"	672		672D	
2-5/16"	674	58mm	674D	58mm
2-3/8"	676		676D	60mm
2-7/16"	678		678D	
2-1/2"	680		680D	
2-9/16"	682	65mm	682D	65mm
2-5/8"	684		684D	
2-11/16"	686		686D	
2-3/4"	688	70mm	688D	70mm
2-13/16"	690		690D	
2-7/8"	692		692D	
2-15/16"	694	75mm	694D	75mm


Size	Standard	Metric Equiv.	Deep	Metric Equiv.
Inches	Model#	SAE to Metric	Model#	Deep
3"	696		696D	
3-1/8"	6100		6100D	
3-3/16"	6102		6102D	
3-1/4"	6104		6104D	
3-5/16"	6106	85mm	6106D	85mm
3-3/8"	6108		6108D	
3-7/16"	6110		6110D	
3-1/2"	6112	90mm	6112D	90mm
3-9/16"	6114		6114D	
3-5/8"	6116		6116D	
3-11/16"	6118		6118D	
3-3/4"	6120	95mm	6120D	95mm
3-13/16"	6122		6122D	
3-7/8"	6124		6124D	
3-15/16"	6126		6126D	
4"	6128		6128D	
4-1/16"	6130		6130D	
4-1/8"	6132		6132D	
4-3/16"	6134		6134D	
4-1/4"	6136	110mm	6136D	110mm
4-3/8"	6138		6138D	
4-1/2"	6140	115mm	6140D	115mm
4-5/8"	6144	120mm	6144D	120mm
4-3/4"	6148		6148D	
5"	6156		6156D	
5-1/8"	6160		6160D	

5 SPLINE DRIVE IMPACT SOCKETS

5 SPLINE DRIVE INDIVIDUAL SAE SOCKETS



Standard




Deep


Size	Standard	Deep
Inches	Model#	Model#
7/8	5500S	
15/16	5525	
1-1/16	5526	
1-1/8	5502	
1-3/16	5504	
1-1/4	5503	
1-5/16	5534	
1-3/8	5533	
1-7/16	5535	
1-1/2	5505	5548D
1-5/8	5506	5552D
1-3/4	5507	5556D
1	5501	

Size	Standard	Deep
Inches	Model#	Model#
1-13/16	5536	
1-7/8	5508	
1-15/16	5537	
2	5509	
2-1/8	5568	
2-1/4	5572	
2-3/8	5576	
2-1/2	5580	
2-5/8	5584	
2-3/4	5588	
3	5596	
3-1/8	5600	

5 SPLINE DRIVE INDIVIDUAL METRIC SOCKETS



Standard




Deep


Size	Standard	Deep
mm	Model#	Model#
22	5522M	
24	5524M	
25	5525M	
27	5527M	
29	5529M	
30	5530M	
32	5532M	

Size	Standard	Deep
mm	Model#	Model#
33	5533M	5533MD
35	5535M	
36		5536MD
38	5538M	
40	5540M	
41	5541M	
46	5546M	


5 SPLINE DRIVE INDIVIDUAL SAE & METRIC SPECIALTY SOCKETS




Square




Heavy Duty Square




Thin Wall



Deep Thin Wall



Controlled Depth



Extra Deep Hex

Size	Square	Heavy Duty Square	Thin Wall	Deep Thin Wall	Cont. Depth	Extra Deep Hex
	Model#	Model#	Model#	Model#	Model#	Model#
13/16"	5532	5532HDS				
7/8"	5500S					
15/16"	5510					
1-1/16"			5527			
1-1/8"			5528			
1-1/4"			5529			
1-5/16				5542DT		
1-1/2"				5548DT		5548XDH
1-1/2" x 13/16"	5530					
17mm	5517MSS					
21mm	5521MSS					
35mm				5535MDT		
41mm				5541MDT		



3/8" DRIVE HEX 16 PIECE SAE & METRIC STUBBY IMPACT DRIVER SET

- > CR-MO alloy steel for long life
- > Stubby one piece design fits into tight areas
- > Fully guaranteed
- > Heavy duty blow molded storage case



3646

SAE SIZES:

1/4" (36460)	5/16" (364601)	3/8" (364602)
7/16" (364603)	1/2" (364604)	9/16" (364605)
5/8" (364609)	3/4" (364611)	

METRIC SIZES:

6mm (364606)	7mm (364607)	8mm (364608)
10mm (364610)	12mm (364612)	14mm (364614)
17mm (364617)	19mm (364619)	



3/8" DRIVE HEX 7 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3647

INCLUDES:

3/16" (36471)	7/32" (36472)	1/4" (36473)
5/16" (36474)	3/8" (36475)	7/16" (36476)
1/2" (36477)		



3/8" DRIVE HEX 7 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3648

INCLUDES:

4mm (36481)	5mm (36482)	6mm (36483)
7mm (36484)	8mm (36485)	10mm (36487)
12mm (36488)		



3/8" DRIVE HEX 13 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Includes most popular SAE and metric hex sizes
- > 5/16" (8mm) Included as 1 socket
- > Fully guaranteed
- > Heavy duty blow molded storage case



3649

SAE SIZES:

3/16" (36471)	7/32" (36472)	1/4" (36473)
5/16" & 8mm (36474)	3/8" (36475)	
7/16" (36476)	1/2" (36477)	

METRIC SIZES:

4mm (36481)	5mm (36482)	6mm (36483)
7mm (36484)	10mm (36487)	12mm (36488)

HEX DRIVERS



3/8" DRIVE UNIVERSAL HEX 7 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3658

INCLUDES:

3/16" (365802)	7/32" (365804)	1/4" (365806)
5/16" (365808)	3/8" (365810)	7/16" (365812)
1/2" (365814)		



3/8" DRIVE UNIVERSAL HEX 7 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



3659

INCLUDES:

4mm (365904)	5mm (365905)	6mm (365906)
7mm (365907)	8mm (365908)	10mm (365910)
12mm (365912)		

1/2" DRIVE MASTER 20 PIECE METRIC & SAE IMPACT HEX DRIVER SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Includes most common metric and SAE hex sizes used for automotive repair



2637

INCLUDES:

10 SAE Sockets:

1/4" (26481)	9/32" (264811)	5/16" (26482)
3/8" (26483)	7/16" (26484)	1/2" (26485)
9/16" (26486)	5/8" (26487)	11/16" (26488)
3/4" (26489)		

10 Metric Sockets:

6mm (26491)	7mm (26492)	8mm (26493)
10mm (26495)	12mm (26496)	14mm (26497)
15mm (264912)	17mm (26499)	18mm (264913)
19mm (264910)		



1/2" DRIVE 10 PIECE SAE IMPACT HEX DRIVER SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Includes popular SAE hex sizes used for automotive repair



2638

INCLUDES:

1/4" (26481)	9/32" (264811)	5/16" (26482)
3/8" (26483)	7/16" (26484)	1/2" (26485)
9/16" (26486)	5/8" (26487)	11/16" (26488)
3/4" (26489)		



1/2" DRIVE 10 PIECE METRIC IMPACT HEX DRIVER SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Includes popular metric hex sizes used for automotive repair



2639

INCLUDES:

6mm (26491)	7mm (26492)	8mm (26493)
10mm (26495)	12mm (26496)	14mm (26497)
15mm (264912)	17mm (26499)	18mm (264913)
19mm (264910)		



1/2" DRIVE UNIVERSAL HEX 8 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2748

INCLUDES:

1/4" (274806)	5/16" (274808)	3/8" (274810)
7/16" (274812)	1/2" (274814)	9/16" (274816)
5/8" (274818)	3/4" (274820)	



1/2" DRIVE UNIVERSAL HEX 8 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2749

INCLUDES:

6mm (274906)	7mm (274907)	8mm (274908)
10mm (274910)	12mm (274912)	14mm (274914)
17mm (274917)	19mm (274919)	

HEX DRIVERS



3/4" DRIVE HEX 5 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

Replacement storage case - RS4506BMC



4506

INCLUDES:

3/4" (45061)	7/8" (45062)	1" (45063)
1-1/8" (45064)	1-1/4" (45065)	



3/4" DRIVE HEX 5 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

Replacement storage case - RS4507BMC



4507

INCLUDES:

14mm (450714)	17mm (450717)	19mm (450719)
22mm (450722)	24mm (450724)	



1" HEX DRIVE 6 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 7.45



5606

INCLUDES 1" HEX DR.:

3/4" (56061)	7/8" (56062)	1" (56063)
1-1/8" (56064)	1-1/4" (56065)	1-3/8" (56066)



1" HEX DRIVE 6 PIECE METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 7.5




5607


INCLUDES 1" HEX DR.:

14mm (560714)	17mm (560717)	19mm (560719)
22mm (560722)	24mm (560724)	27mm (560727)

3/8" DRIVE INDIVIDUAL SAE & METRIC HEX DRIVE SOCKETS



Hex




Universal Hex


Size	Hex	Hex Univ.
Inches	Model#	Model#
3/16	36471	365802
7/32	36472	365804
1/4	36473	365806
5/16	36474	365808
3/8	36475	365810
7/16	36476	365812
1/2	36477	365814
9/16	36478	
5/8	36479	

Size	Hex	Hex Univ.
mm	Model#	Model#
4	36481	365904
5	36482	365905
6	36483	365906
7	36484	365907
8	36485	365908
9	36486	
10	36487	365910
12	36488	365912
14	36489	
16	364810	
17	364811	

1/2" DRIVE INDIVIDUAL SAE & METRIC HEX DRIVE SOCKETS



Hex




Universal Hex

Size	Hex	Hex Univ.
Inches	Model#	Model#
1/4	26481	274806
9/32	264811	
5/16	26482	274808
3/8	26483	274810
7/16	26484	274812
1/2	26485	274814
9/16	26486	274816
5/8	26487	274818
11/16	26488	
3/4	26489	274820
13/16	264810	

Size	Hex	Hex Univ.
mm	Model#	Model#
6	26491	274906
7	26492	274907
8	26493	274908
9	26494	
10	26495	274910
11	264914	
12	26496	274912
13	264915	
14	26497	274914
15	264912	274915
16	26498	
17	26499	274917
18	264913	274918
19	264910	274919
21	264911	

3/4" DRIVE INDIVIDUAL SAE & METRIC HEX DRIVE SOCKETS



Size	Hex
Inches	Model#
1/2	416H
3/4	45061
7/8	45062
1	45063
1-1/8	45064
1-1/4	45065

Size	Hex
mm	Model#
12	412MH
14	450714
17	450717
19	450719
22	450722
24	450724

1" DRIVE INDIVIDUAL SAE & METRIC HEX DRIVE SOCKETS



Size	Hex
Inches	Model#
3/4"	56061
7/8"	56062
1"	56063
1-1/8"	56064
1-1/4"	56065
1-3/8"	56066

Size	Hex
Inches	Model#
14mm	560714
17mm	560717
19mm	560719
22mm	560722
24mm	560724
27mm	560727

MAN OF STEEL

Sunex saves the day with our brand new, virtually unbreakable Super Adapters.



INDIVIDUAL SUPER REDUCERS

- > Engineered to dramatically increase durability, these reducers outlast the competition
- > Shipping weight (Lbs.) - from 0.2 - 0.8

4 SIZES AVAILABLE

ITEM:	MODEL:	DRIVE SIZE:
A	2303	1/2"F x 3/8"M
B	3303	3/8"F x 1/4"M
C	4305	3/4"F x 1/2"M
D	5305	1"F x 3/4"M



THE TOOL ADVERTISED HAS BEEN RATED

LW

LIFETIME WARRANTY



Some material may be inappropriate for individuals opposed to great value

You've never seen a reducer like this before, these brand new Super Reducers have been re-engineered to dramatically increase durability. These reducers outlast the competition and are backed by a lifetime warranty. There are four sizes to fit all popular drive sizes as well as a set of three:



3 PIECE SUNEX SUPER REDUCER SET

- > Engineered to dramatically increase durability, these reducers outlast the competition
- > Heavy duty blow molded storage case
- > Shipping weight (lbs.) - 12.7

2343

INCLUDES 3 DRIVE SIZES:

MODEL:	DRIVE SIZE:
2303	1/2"F x 3/8"M
3303	3/8"F x 1/4"M
4305	3/4"F x 1/2"M

ADAPTERS, REDUCERS & SUPER REDUCERS



3/8" & 1/2" DRIVE ADAPTER & UNIVERSAL JOINT 5 PIECE IMPACT SET

- > CR-MO alloy steel for long life
- > Fully guaranteed (except adapters)
- > Heavy duty blow molded storage case

3305

INCLUDES:

3/8" Dr. Universal Joint	(3301)
3/8"(F) x 1/2"(M) Adapter	(3300)
1/2" Universal Joint	(2300)
1/2"(F) x 3/8"(M) Adapter	(2301)
1/2"(F) x 3/4"(M) Adapter	(2302)



3/4" & 1" DRIVE 5 PIECE ADAPTER & UNIVERSAL JOINT IMPACT SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

4405

INCLUDES:

3/4" Dr. Universal Joint (4304)
3/4"(F) X 1/2"(M) Reducer (4301)
3/4"(F) X 1"(M) Adapter (4300)
1"(F) X 3/4"(M) Reducer (5303)
1" Dr. Universal Joint (5304)



3 PIECE SUPER REDUCER SET

- > Engineered to dramatically increase durability, these reducers outlast the competition
- > Heavy duty blow molded storage case
- > Shipping weight (lbs.) - 12.7

2343

INCLUDES 3 DRIVE SIZES:

MODEL:	DRIVE SIZE:	MODEL:	DRIVE SIZE:
2303	1/2"F x 3/8"M	3303	3/8"F x 1/4"M
4305	3/4"F x 1/2"M		

INDIVIDUAL ADAPTERS AND REDUCERS



Size		
Inches	Adaper Model#	Reducer Model #
3/8"(F) x 1/4"(M)	1805	3303
3/8"(F) x 1/2"(M)	3300	
1/4"(F) x 3/8"(M)	1801	
1/2"(F) x 3/8"(M)	2301	2303
1/2"(F) x 3/4"(M)	2302	
3/4"(F) x 1/2"(M)	4301	4305
3/4"(F) x 1"(M)	4300	
1"(F) x 3/4"(M) w/ ball ret.	5303	5305
1"(F) x 1-1/2"(M) w/ pin hole	5306	
1-1/2"(F) x 1"(M) w/ pin hole	6332	
#5(F) x 3/4"(M) w/ ball ret.	5524	
#5(F) x 1"(M) w/ pin hole	5531	

EXTENSIONS



3/8" DRIVE EXTENSIONS 4 PIECE IMPACT SET

- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

3500

INCLUDES:

3" (3503) 5" (3505) 10" (3510) 15" (3515)



3/8" WOBBLE DRIVE EXTENSIONS 4 PIECE IMPACT SET

- > Steel ball retainer on male end
- > Wobble drive provides 15° offset in all directions
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

3504

INCLUDES:

3" (3503W) 5" (3505W) 10" (3510W)
15" (3515W)



1/2" DRIVE EXTENSIONS 4 PIECE IMPACT SET

- > Steel ball retainer on male end
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

2500

INCLUDES:

3" (2503) 5" (2505) 10" (2510) 15" (2515)



1/2" WOBBLE DRIVE EXTENSIONS 4 PIECE IMPACT SET


- > Steel ball retainer on male end
- > Wobble drive provides 15° offset in all directions
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case

2504

INCLUDES:

3" (2503W) 5" (2505W) 10" (2510W)
15" (2515W)

INDIVIDUAL EXTENSIONS



Size	3/8"	1/2"	3/4"	1"	1/2" Wobble	3/8" Wobble
Inches	Model#	Model#	Model#	Model#	Model#	Model#
3"	3503	2503			2503W	3503W
5"	3505	2505			2505W	3505W
6"			4302	5300		
10"	3510	2510	4310	5310	2510W	3510W
13"			4313	5313		
15"	3515	2515			2515W	3515W
24"		2524				
36"		2536				
36" for Transmissions		2536T				
1/2" (F) x 3/8" (M)						

SPECIALTY APPLICATION SOCKETS



For those jobs that require a specialized tool, look no further than Sunex Tools® specialty application sockets. Sunex is always looking to make the technician's life easier, one tool at a time.

DRIVE TRAIN APPLICATION



3/8" DRIVE ABS PRESSURE SWITCH SOCKET DODGE, CHRYSLER, PLYMOUTH

10212

- > Forged from CR-V alloy steel for maximum strength
- > Designed for damage-free removal of ABS pressure switch. Removes and installs Bendix 10 ABS pressure switch on a 1990 or newer Dodge Monaco, Eagle Premier and 1991 and newer Chrysler, Plymouth and Dodge minivans

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



1/2" DRIVE SPANNER SOCKET FORD

10004

- > Forged from CR-V alloy steel for maximum strength
- > Designed for use with 1985 and later Ford F250/F350 trucks with floating rear axle

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



1/2" DRIVE AXLE FLANGE NUT SOCKET MERCEDES BENZ

10203

- > Forged from CR-V alloy steel for maximum strength
- > Removes rear axle flange grooved nuts on Mercedes Benz models 107, 114, 115, 116, 126 axles with CV joints when replacing axle seals and axle bearings

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



3/4" DRIVE AXLE NUT SPANNER SOCKET CHEVROLET, GMC

10205

- > Forged from CR-V alloy steel for maximum strength
- > Six-lug, spanner-type wrench removes and installs rear wheel bearing locknuts. Services 1954-current Chevrolet and GMC 15,000 lb. axles; 1966-current 17,000 lb. 2 speed. axles; 1965-current 15,000 lb. trailing axles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.

DRIVE TRAIN APPLICATION



3/4" DRIVE AXLE NUT SPANNER SOCKET CHEVROLET, GMC

10206

- > Forged from CR-V alloy steel for maximum strength
- > Six-lug, spanner-type wrench removes and installs rear wheel bearing locknuts; services 1954-current Chevrolet and GMC 11,000 to 13,500 lb. axles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



3/4" DRIVE AXLE NUT SPANNER SOCKET CHEVROLET, GMC

10207

- > Forged from CR-V alloy steel for maximum strength
- > Six lug spanner type socket removes and installs rear wheel bearing locknuts on 1946-present Chevrolet and GMC 5200 and 7200 lb axles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



3/4" DRIVE RATCHETING LOCKNUT TOOL FORD TRUCKS

10636

- > Forged from CR-V alloy steel for maximum strength
- > Small end fits Ford 1986 to 1994 light trucks with Dana 44 front axle; large end fits 1985 and newer Ford F-150 and F-350 trucks with Dana full floating rear axle - this flip socket allows for dual application

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



1/2" DRIVE TRANSIT LOCK NUT TOOL FORD

10209

- > Forged from CR-V alloy steel for maximum strength
- > For Ford locknuts fitted on pre-1998 Ford Transit 80, 100, 115, 120 models with type 34 axles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.

DRIVE TRAIN APPLICATION



3/4" DRIVE BALL JOINT IMPACT SOCKET CHRYSLER CARS

10213

- > CR-MO alloy steel for long life
- > Removes and installs the ball joints used on mid-size, rear-wheel drive Chrysler cars - fits 1-59/64" ball joints



3/4" DRIVE BALL JOINT IMPACT SOCKET CHRYSLER LIGHT TRUCKS

10214

- > CR-MO alloy steel for long life
- > Removes and installs the ball joints used on Chrysler/Dodge light trucks and vans - fits 2-9/64" ball joints



1/2" DRIVE 12.5MM BRAKE CALIPER SOCKET CITROEN AND PEUGEOT

10210

- > Forged from CR-V alloy steel for maximum strength
- > Pentagon shaped driver applicable for use on Citroen and Peugeot calipers

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



3/4" DRIVE DIFFERENTIAL SOCKET MERCEDES BENZ

10204

- > Forged from CR-V alloy steel for maximum strength
- > Applicable for use on Mercedes Benz models 107, 114, 115, and 116 when removing the drive pinion shaft flange nut of the differential

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.

DRIVE TRAIN APPLICATION



1/2" DRIVE 8 PIECE DRAIN/ PIPE PLUG IMPACT SOCKET SET

FOR USE ON MOST VEHICLES

MALE 7/16" - 5/8" / FEMALE 7/16" - 5/8"

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case

2841

1/2" DRIVE INDIVIDUAL DRAIN/ PIPE PLUG SOCKETS

MALE 7/16" - 5/8" / FEMALE 7/16" - 5/8"

Model #	Size	Type
214FP	1/2" Drive 7/16"	Female Pipe Plug Socket
214P	1/2" Drive 7/16"	Male Pipe Plug Socket
216FP	1/2" Drive 1/2"	Female Pipe Plug Socket
216P	1/2" Drive 1/2"	Male Pipe Plug Socket
218FP	1/2" Drive 9/16"	Female Pipe Plug Socket
218P	1/2" Drive 9/16"	Male Pipe Plug Socket
220FP	1/2" Drive 5/8"	Female Pipe Plug Socket
220P	1/2" Drive 5/8"	Male Pipe Plug Socket



3/8" DRIVE 11 PIECE DRAIN/ PIPE PLUG IMPACT SOCKET SET

FOR USE ON MOST VEHICLES

MALE 3/16" - 3/8" / FEMALE 1/4" - 3/8"

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > Fully guaranteed
- > Shipping weight (lbs) – 1.4

3841

3/8" DRIVE INDIVIDUAL DRAIN/ PIPE PLUG SOCKETS

MALE 3/16" - 3/8" / FEMALE 1/4" - 3/8"

Model #	Size	Type
304PC	3/8" Drive 3/16"	Male Pipe Plug Socket
308PC	3/8" Drive 1/4"	Male Pipe Plug Socket
309PC	3/8" Drive 9/32"	Male Pipe Plug Socket
310PC	3/8" Drive 5/16"	Male Pipe Plug Socket
311PC	3/8" Drive 11/32"	Male Pipe Plug Socket
312PC	3/8" Drive 3/8"	Male Pipe Plug Socket
308EPC	3/8" Drive 1/4"	Female Pipe Plug Socket
309EPC	3/8" Drive 9/32"	Female Pipe Plug Socket
310EPC	3/8" Drive 5/16"	Female Pipe Plug Socket
311EPC	3/8" Drive 11/32"	Female Pipe Plug Socket
312EPC	3/8" Drive 3/8"	Female Pipe Plug Socket

DRIVE TRAIN APPLICATION



1/2" DRIVE SPINDLE NUT SOCKET FORD/ DODGE 4WD VEHICLES

10200

- > Forged from CR-V alloy steel for maximum strength
- > Applicable for use on 1984-92 Ford Ranger and Bronco II with manual hubs; 1986-95 Ford F-Series 1/2 ton pickup trucks; full size Bronco with Dana 44 front axle; 1990-93 Dodge trucks with Dana 44 automatic hubs

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



1/2" DRIVE SPINDLE NUT SOCKET ISUZU, HONDA, JEEP J20 PICKUPS

10202

- > Forged from CR-V alloy steel for maximum strength
- > Services 1988-95 Isuzu Trooper, Rodeo, Amigo, and pickups; 1985-89 Honda Passport; Jeep J20 pickups with Dana 60 Axle

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



SPINDLE PULLER IMPACT SOCKET FULL SIZE FORD, GM, INTERNATIONAL, JEEP

10208

- > Forged from CR-V alloy steel for maximum strength
- > For use when removing the front spindle on light duty 4WD trucks. Applicable to full size Ford, GM, International, and Jeep pick-ups with Dana front Axles; also applicable to Ford Ranger and Bronco II - fits spindle thread sizes 2"-16, 1-5/8"-16, 38mm-1.5

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



1/2" DRIVE 2-1/4" LOCKNUT SOCKET FORD, GM, INTERNATIONAL, DODGE

272LN

- > Forged from CR-V alloy steel for maximum strength
- > Services 1993 - Newer Ford Ranger and Bronco II and Explorer with manual hubs. 1995-1996 Ford F Series 1/2 Ton truck and Full Size Bronco with manual hubs. 1995-newer Ford F Series 3/4 Ton and 1 Ton Trucks and Full size Bronco. 1960-1990 GM 1/2 Ton truck and full size Jimmy/Blazer. 1969-1989 Dodge 1/2 Ton Truck with manual hubs. 1969-72 International 1/2 Ton Truck. 1/2" Square Drive. Weight 1.5 lbs.

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



1/2" DRIVE 2-5/8" LOCKNUT SOCKET FORD, GM

284LN

- > Forged from CR-V alloy steel for maximum strength
- > 6 lug socket for removal and installation of 4 slot front axle locknuts on 1978-1984 Ford F-Series and 4WD heavy duty 3/4 and 1 ton trucks; 1973-81 GM 4WD 3/4 and 1 Ton Trucks.

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.

DRIVE TRAIN APPLICATION



1/2" DRIVE 30MM & 36MM 12 POINT 2 PIECE SPINDLE NUT IMPACT SOCKET SET

FOR USE ON MOST VEHICLES

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > 12 point design
- > For use on 30mm and 36mm spindle nut applications



2836Z



1/2" DRIVE 12 POINT METRIC 4 PIECE SPINDLE NUT IMPACT SOCKET SET

FOR USE ON MOST VEHICLES


- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > 12 point design
- > Set provides the most common size sockets used on today's spindle nut applications



2837

Size	Model#
30mm	2800ZD
32mm	2804ZD
34mm	2806ZD
36mm	2802ZD

1/2" DRIVE INDIVIDUAL SPINDLE NUT SOCKETS



Deep Spindle Nut

Size	12 Pt. Spindle Nut Deep
Inches	Model#
1/2	2800ZD
1/2	2802ZD

Size	Spindle Nut Deep
mm	Model#
29	2830
30	2800
32	2832
34	2834
35	2806
36	2802
38	2803



TIE ROD SOCKET

- > CR-MO alloy steel for long life
- > Innovative, non-slip design
- > Capable of removing most bolts that have 75% of their corners stripped away

2801

DRIVE TRAIN APPLICATION



1/2" DRIVE 5 PIECE TORQUE LIMITING EXTENSION SET FOR USE ON MOST VEHICLES

- > Made of flexible spring steel that stops turning when the required torque has been reached
- > Heavy duty blow mold case
- > This set contains the most popular sizes and torque ratings needed in the automotive service industry; torque limiting extensions often extend the life of thin wall impact sockets by limiting the torque to the required rating - available as a set or individually

2450

1/2" DRIVE INDIVIDUAL TORQUE LIMITING EXTENSIONS

Model #	Type
2465	65 ft. lbs. Extension / 90 Nm
2480	80 ft. lbs. Extension / 110 Nm
24100	100 ft. lbs. Extension / 135 Nm
24120	120 ft. lbs. Extension / 160 Nm
24140	140 ft. lbs. Extension / 190 Nm



1/2" DRIVE 10 PIECE TORQUE LIMITING SOCKET SET FOR USE ON MOST VEHICLES

- > Made of flexible spring steel that stops turning when the required torque has been reached
- > Heavy duty blow mold case
- > Torque limiting socket set will tighten wheel nuts to the correct torque on most makes and models of foreign and domestic cars, light trucks and vans; these tools are designed for use with a 1/2" impact wrench - available as a set or individually

2880

1/2" DRIVE INDIVIDUAL TORQUE LIMITING SOCKETS

Model #	Type
21755M	17mm / 55 ft. lbs. / 75 Nm
21780M	17mm / 80 ft. lbs. / 110 Nm
22180M	21mm / 80 ft. lbs. / 110 Nm
21910M	19mm (3/4") / 100 ft. lbs. / 135 Nm
21965M	19mm (3/4") / 65 ft. lbs. / 90 Nm
21980M	19mm (3/4") / 80 ft. lbs. / 110 Nm
22212M	22mm (7/8") / 120 ft. lbs. / 160 Nm
22214M	22mm (7/8") / 140 ft. lbs. / 190 Nm
22610	13/16" / 100 ft. lbs. / 135 Nm
23014	15/16" / 140 ft. lbs. / 190 Nm

DRIVE TRAIN APPLICATION

3/4" & 1" DRIVE TRUCK TORQUE EXTENSIONS & SOCKETS

- > Provides the ability to torque inner and outer cap nuts and flange nuts on heavy duty trucks
- > Torque sockets and extensions allow user to ensure that lug nuts are tightened to the required torque specification
- > Designed to extend life of thin wall impact sockets
- > Each socket and extension is individually packaged



INCLUDES:

3/4" Drive truck torque extensions:

A	4315TE	175 Ft/Lbs Extension
B	4320TE	250 Ft/Lbs Extension
C	4325TE	350 Ft/Lbs Extension
D	4330TE	475 Ft/Lbs Extension

1" Drive truck torque extensions and sockets:

E	5315TE	175 Ft/Lbs Extension
F	5320TE	250 Ft/Lbs Extension
G	5325TE	350 Ft/Lbs Extension
H	5330TE	400 Ft/Lbs Extension
I	5335TE	475 Ft/Lbs Extension
J	5340TE	550 Ft/Lbs Extension
K	5345TE	650 Ft/Lbs Extension
L	533TS	33mm x 475 Ft/Lbs Socket
M	540TS	1-1/4" Socket
N	548TS	1-1/2" Socket




TPMS SENSOR KIT

- > For use in installation and removal of TPMS sensors
- > Includes chrome vanadium 11mm x 12mm flip socket and 2" extension
- > Shipping weight (Lbs.) - 0.2
- > Also available separately:
 - Flip Socket - part # 1819CS
 - 2" Extension - part # 1819CE

1819C

1819CS	11mm x 12mm Flip Socket
1819CE	2" Extension



DRIVE TRAIN APPLICATION



1/2" DRIVE 9 PIECE WHEEL LOCK REMOVAL IMPACT SOCKET SET

- > MOST DOMESTIC AND IMPORT PASSENGER VEHICLES AND LIGHT TRUCKS
- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > Easily removes most lug nuts and wheel locks on most domestic and import passenger vehicles and light trucks. Use with hand driver or impact wrench.

2840

INCLUDES:

28401	Ford & Chrysler Hubcap Lock Remover
28402	Ford Wheel Lock Remover
28403	GM "M" & "F" Body Wheel Lock Remover
28404	Oversized Wheel Lock Remover
28405	McGard Wheel Lock Remover
28406	Lug Nut Extractor Punch
28407	Chrysler Hubcap Lock Remover
28408	GM Hubcap Lock Remover
28409	GM Spline Hubcap Lock Remover



1/2" DRIVE 3 PIECE EXTRA THIN WALL METRIC DEEP WHEEL PROTECTOR IMPACT SOCKET SET

- > Durable outer sleeve and insert protects high polished wheels and lug nuts from damage
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Packaged on convenient storage rail

2842

INCLUDES: 1/2" Drive Metric Deep

284317	Metric 17mm
284319	Metric 19mm
284321	Metric 21mm



1/2" DRIVE 3 PIECE EXTRA THIN WALL METRIC DEEP WHEEL PROTECTOR IMPACT SOCKET SET

- > Durable outer sleeve and insert protects high polished wheels and lug nuts from damage
- > 150mm (5.9") length of these extra long thin wall sockets enable usage of a standard impact wrench, rather than one with a 2" anvil
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2843

INCLUDES: 1/2" Drive Metric Deep

284317	Metric 17mm
284319	Metric 19mm
284321	Metric 21mm



1/2" DRIVE 9 PIECE EXTRA THIN WALL SAE & METRIC DEEP WHEEL PROTECTOR IMPACT SOCKET SET

- > Durable outer sleeve and insert protects high polished wheels and lug nuts from damage
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2849

INCLUDES:

6 SAE Sockets:

3/4" [lt. green] (28492)	13/16" [purple] (28494)
7/8" [green] (28496)	15/16" [brown] (28498)
1" [silver] (284910)	1-1/16" [black] (284912)

3 Metric Sockets:

17mm [blue] (284917)	19mm [yellow] (284919)
21mm [red] (284921)	

DRIVE TRAIN APPLICATION



3/4" DRIVE 7 PIECE TRUCK PINION LOCKNUT IMPACT SOCKET SET

- > 7 extra thin wall deep impact sockets for removing or installing transmission and differential end yoke lock nuts on most trucks
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 27.6

4667

INCLUDES:

2" (464AN)	2-1/8" (468AN)
2-1/4" (472AN)	2-3/8" (476AN)
2-1/2" (480AN)	2-5/8" (484AN)
2-3/4" (488AN)	



1/2" DRIVE 7 PIECE WHEEL BEARING LOCKNUT SET

- > For use with 1/2" ratchet or breaker bar
- > Heavy duty blow molded case for easy storage
- > Shipping weight (Lbs.) - 12.7

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
 ⚠ Caution: Use of this socket with an impact tool can cause serious injury.



2847

INCLUDES:

Rounded Hex:	6PT. Hex:
2-3/8" (28477)	2-3/8" (28472)
2-1/2" (28474)	2-1/2" (28473)
2-9/16" (28476)	55mm (28471)
2-3/4" (28475)	

1/2" DRIVE INDIVIDUAL WHEEL BEARING LOCKNUT SOCKETS

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.



6 and 8 point locknut sockets fit rounded hex nuts found on Dana axles and some Ford trucks.




Measure from flat to flat to determine the size of the locknut. Refer to the chart above to determine which socket is best for your project.

Model #	Size	Point	Model #	Size
10600	2-3/32"	6	10617	4-7/8"
10601	2-3/8"	8	10618	2-1/4"
10602	2-9/16"	6	10619	2-5/8"
10603	2-9/16"	8	10620	2-3/4"
10604	3"	6	10629	2-3/4"
10605	3"	8	10621	3-3/8"
10606	3-1/4"	6	10622	3-3/4"
10607	3-1/4"	8	10623	3-3/4"
10608	3-1/2"	6	10624	3-13/16"
10609	3-1/2"	8	10625	2-7/8"
10610	3-7/8"	6	10626	2-7/8"
10611	3-7/8"	8	10627	3-1/8"
10612	4"	6	10628	3-1/8"
10613	4-1/8"	6	10630	4-1/2"
10614	4-3/8"	6	10631	5-1/4"
10615	4-3/8"	8	10632	4-1/8"
10616	4-7/8"	6	10633	4-13/16"

DRIVE TRAIN APPLICATION


1/2" DRIVE INDIVIDUAL TRUCK WHEEL SOCKETS METRIC HEAVY DUTY




Heavy Duty Deep

Size	Heavy Duty Deep
In.	Model#
1-1/4"	240HDD


3/4" DRIVE INDIVIDUAL TRUCK WHEEL SOCKETS METRIC HEAVY DUTY




Square



Heavy Duty Square



Combination Budd Wheel




Deep Hex Budd Wheel




Extra Long

Size	Square	Double Square	Comb. Budd Wheel	Extra Long
mm	Model#	Model#	Model#	Model#
17		417MSS		
19	419MS			
20	420MS			
21		421MSS		
33				433MXL
35 X 20			43517B	
41 X 21			4121C	

3/4" DRIVE INDIVIDUAL TRUCK WHEEL SOCKETS SAE HEAVY DUTY




Square




Heavy Duty Square




Deep Thin Wall




Combination Budd Wheel



Limited Depth Budd Wheel



Deep Hex Budd Wheel



Extra Long

Size	Square	Heavy Duty Square	Deep Thin Wall	Comb. Budd Wheel	Limited Depth Budd Wheel	Deep Hex Budd Wheel	Extra Long
Inches	Model#	Model#	Model#	Model#	Model#	Model#	Model#
13/16	426S	426HDS					426XL
15/16	430S						
1-1/16			434DT				434XL
1-1/8			436DT				436XL
1-1/4			440DT				440XL
1-1/2					448LD	448DH	448XL
1-1/2 x 13/16				4826C			

DRIVE TRAIN APPLICATION

1" DRIVE INDIVIDUAL TRUCK WHEEL SOCKETS METRIC HEAVY DUTY




Heavy Duty Square Square



Extra Long




Deep Thin Wall




Combination Budd Wheel

Size	Square	Double Square	Deep Thin Wall	Extra Long	Comb. Budd Wheel
mm	Model#	Model#	Model#	Model#	Model#
17		517MSS			
19	519MS				
20	520MS				
21		521MSS			
33				533MEL	
41			541MDT		
35 x 17					53517
38					53820
41 x 21					54121


1" DRIVE INDIVIDUAL TRUCK WHEEL SOCKETS SAE HEAVY DUTY



Deep Thin Wall Square



Extra Long



Controlled Depth Combination Budd Wheel



Heavy Duty Square Extra Deep

Size	Square	Deep Thin wall	Extra Long	Comb. Budd Wheel	Cont. depth	Heavy Duty Square	Extra Deep
Inches	Model#	Model#	Model#	Model#	Model#	Model#	Model#
13/16	526S					526HDS	
15/16	530S						
1-1/16		534DT					
1-1/8		536DT					
1-1/4		540DT	540EL				
1-5/16		542DT					
1-1/2		548DT			548CDS		
1-3/4							556XD
1-1/2 x 13/16				5826C			

ENGINE SERVICE



1/2" DRIVE CRANKSHAFT PULLEY SOCKET HONDA, ACURA

10006

- > Forged from CR-V alloy steel for maximum strength
- > Designed for use on most Honda/Acura engines for the removal and installation of the crankshaft pulley bolt



1/2" DRIVE CRANKSHAFT TURNING SOCKET SMALL BLOCK CHEVY V8, 90° V6

10000

- > Aluminium metal construction
- > Designed for use on small block Chevy engines, this aluminum socket rotates the crankshaft when the harmonic balancer is off. Fits 2-9/64" ball joints

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



1/2" DRIVE CRANKSHAFT TURNING SOCKET BIG BLOCK CHEVY V8

10001

- > Aluminium metal construction
- > Designed for use on big block Chevy engines, this aluminum socket rotates the crankshaft when the harmonic balancer is off

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



1/2" DRIVE CRANKSHAFT TURNING SOCKET FORD, BUICK, OLDSMOBILE, PONTIAC WITH 3/16" KEYWAY

10002

- > Aluminium metal construction
- > Designed for use on Ford, Buick, Oldsmobile, or Pontiac with 3/16" or 1/4" keyway, this aluminum socket rotates the crankshaft when the harmonic balancer is off

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



5.5MM DRIVE DISTRIBUTOR MODULE SOCKET FORD

10009

- > Forged from CR-V alloy steel for maximum strength
- > Designed for use on 7/32" hex retaining bolts on Ford distributor modules

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.



3/8" DRIVE FUEL FILTER BANJO BOLT IMPACT SOCKET HONDA, ACURA

10005

- > CR-MO alloy steel for long life
- > Designed for use on most 1986 and later fuel injected Honda and Acura vehicles, this socket is designed to easily remove and install the uniquely designed banjo bolt used to attach the fuel line to the fuel filter



3/8" DRIVE 6 PIECE OIL AND FUEL FILTER SOCKET SET FOR USE ON MOST VEHICLES

3671

- > Forged from CR-V alloy steel for maximum strength
- > Heavy duty blow mold case

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

3/8" DRIVE INDIVIDUAL OIL & FUEL FILTER SOCKETS

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

Model #	Type
367124	24mm Oil Filter Socket: Applicable for use on Buick with WT-V6 engines, Rendezvous Ultra, Lacrosse CSX, Cadillac WT-V6 - CTS, STS, SRX and Saturn L3000
367129	29mm Oil Filter Socket: Applicable for use on Dodge Cummins fuel filter housing 14700
367132	32mm Oil Filter Socket: Applicable for use on GM EcoTec and Saab engines
367135	35/36mm Oil Filter Socket: Applicable for use on BMW M52, M60, M62, M70, M73, MB, OM604, OM605 and OM606 engines; also fits Audi and VW models
367127	27mm Oil Filter Socket: Applicable for use on Cadillac STS 3.2 liter V6 and Mercedes Benz 1.8 liter I4 engines
367138	38mm Oil Filter Socket: Vauxhaul Vectra 2.0 liter diesel engines

ENGINE SERVICE



1-3/16 X 1/2" DRIVE OIL PRESSURE SENDING UNIT SOCKET GM

10003

- > CR-MO alloy steel for long life
- > For use when removing or replacing oil pressure sending units on 1987 to current GM engines including 2.0L, 2.5L, 2.8L, and 3.0L used in Chevy, Buick, Oldsmobile, Pontiac, and Cadillac; 1-3/16 hex - turn with 1/2" square drive tools or 15/16" wrench



1/2" DRIVE OXYGEN SENSOR SOCKET ALL FOREIGN AND DOMESTIC VEHICLES WITH OXYGEN SENSORS

10010

- > Forged from CR-V alloy steel for maximum strength
- > Works on all domestic and imported vehicles with oxygen sensors; slot in socket's side allows wire clearance - 7/8" hex, 3-7/8" socket length

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠
Caution: Use of this socket with an impact tool can cause serious injury.



7 PIECE OXYGEN SENSOR SOCKET SET

- > Easily removes vacuum switches, oil pressure sending units, brake light switches, and oxygen sensors on most car models
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow mold case
- > Shipping weight (Lbs.) - 5.5

2850

INCLUDES:

29mm pressure/ vacuum switch socket	28501
7/8" vacuum switch socket with 7.5mm gap	28502
27mm oil pressure sending unit socket	28503
7/8" vacuum switch socket with 20.6mm gap	28504
1-1/16" and 1" oil pressure sending unit socket	28505
7/8" short oxygen sensor socket	28506
7/8" hex, 1/2" double square driver	28507



5/8", 3/8" DRIVE SPARK PLUG EXTRA LONG SOCKET MODERN FOREIGN AND DOMESTIC VEHICLES WITH RECESSED SPARK PLUGS

10008

- > CR-MO alloy steel for long life
- > Length: 4.5"
- > Designed for easy removal and installation of recessed, hard to reach spark plugs that are often deep within a tube

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.



3/8" DRIVE 4 PIECE UNIVERSAL SPARK PLUG SOCKET SET

8844

- > All four sized spark plug sockets in one convenient set
- > Fully polished chrome vanadium alloy steel for durability
- > Universal joint design for easy access in confined areas
- > Rubber inserts hold spark plug securely during installation and removal
- > Includes new 9/16" size
- > Convenient blow mold case
- > Fully guaranteed

INCLUDES:

Model:	Size:
8844-9/16	9/16"
8844-5/8	5/8"
8844-3/4	3/4"
8844-13/16	13/16"



3/8" DRIVE 7 PIECE 2-1/2" & 6" LENGTHS SPARK PLUG MASTER SOCKET SET FOR USE ON MOST VEHICLES

8845

- > Forged from CR-V alloy steel for maximum strength
- > Heavy duty blow mold case
- > For easy removal and installation of spark plug sizes common to most vehicle the spark plug socket is a normal deep socket with a small rubber piece inside of it intended to grab on to the terminal and hold the plug inside of the socket while it is maneuvered into position

(Includes three extra deep spark plugs sockets and one thin wall spark plug socket for hard to reach plugs - for use with 3/8" drive ratchets)

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

3/8" DRIVE INDIVIDUAL SPARK PLUG SOCKETS

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

Model #	Length	Type / Application
884501	2-1/2"	9/16" Spark Plug Socket - Various foreign and domestic models
884502	2-1/2"	5/8" Spark Plug Socket - Various foreign and domestic models
884503	2-1/2"	13/16" Spark Plug Socket - Various foreign and domestic models
884504	2-1/2"	16mm Thin Wall Spark Plug Socket - Honda/Acura and Toyota
884505	6"	9/16" Extra Deep Spark Plug Socket - Various foreign and domestic models
884506	6"	5/8" Extra Deep Spark Plug Socket - Various foreign and domestic models
884507	6"	13/16" Extra Deep Spark Plug Socket - Various foreign and domestic models

SPECIALTY SOCKETS



1/2" DRIVE 5 POINT 13/16" BUFFALO COVER IMPACT SOCKET

2265PT

- > CR-MO alloy steel for long life
- > **Designed for use on tamper-proof buffalo covers used by water and gas utility companies**
- > Fully guaranteed
- > Shipping weight (Lbs.) - 0.3



FORD DRIVELINE IMPACT SOCKET

212ZUMDL

12MM 12 PT - 1/2" DRIVE

- > Specifically designed for driveline applications on Ford Mustang, Crown Victoria, Taurus, Explorer, Expedition, Excursion, Ranger, F150, and Mercury equivalents from 1980's to present
- > Fully guaranteed
- > Shipping weight (Lbs.) - 0.4



1/2" DRIVE 12 POINT 9 PIECE METRIC DRIVELINE LIMITED CLEARANCE SOCKET SET

2695

INCLUDES:

- > Great for most limited access fasteners
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC and Jeep models
- > **See complete list of applications on page: 78**
- > Remove and install:
 - Driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- > Heavy duty blow molded storage case
- > Fully guaranteed
- > Patent Pending
- > Shipping weight (Lbs.) - 5.65

8mm (208ZUMDL)	10mm (210ZUMDL)
11mm (211ZUMDL)	12mm (212ZUMDL)
13mm (213ZUMDL)	14mm (214ZUMDL)
15mm (215ZUMDL)	16mm (216ZUMDL)
17mm (217ZUMDL)	



1/2" DRIVE 12 POINT 7 PIECE SAE DRIVELINE LIMITED CLEARANCE SOCKET SET

2696

INCLUDES:

- > Great for most limited access fasteners
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC and Jeep models
- > **See complete list of applications on page: 78**
- > Remove and install:
 - Driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- > Heavy duty blow molded storage case
- > Fully guaranteed
- > Patent Pending
- > Shipping weight (Lbs.) - 4.66

5/16" (210ZUDL)	3/8" (212ZUDL)
7/16" (214ZUDL)	1/2" (216ZUDL)
9/16" (218ZUDL)	11/16" (222ZUDL)
3/4" (224ZUDL)	



Tight Fit? Limited Clearance? No Problem.

1/2" DRIVE 12 POINT METRIC AND SAE LIMITED CLEARANCE SOCKET SETS

- > Great for most limited access fasteners.
- > Eliminates the need for the extensions and wobble sets.
- > Engineered to sit flush to reduce wear on the fastener and socket wall.
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC, and Jeep models.
- > Remove and install:
 - Driveline bolts, Torque converters, Cylinder heads, 4x4 Transmission casings
- > Heavy duty blow molded case.
- > 212ZUMDL Ford Driveline socket was a proud winner of the PTEN 2008 Innovation Awards.

2695

INCLUDES:

8mm (208ZUMDL)	10mm (210ZUMDL)
11mm (211ZUMDL)	12mm (212ZUMDL)
13mm (213ZUMDL)	14mm (214ZUMDL)
15mm (215ZUMDL)	16mm (216ZUMDL)
17mm (217ZUMDL)	

2696

INCLUDES:

5/16" (210ZUDL)	3/8" (212ZUDL)
7/16" (214ZUDL)	1/2" (216ZUDL)
9/16" (218ZUDL)	11/16" (222ZUDL)
3/4" (224ZUDL)	

sae

mm



FORD DRIVELINE IMPACT SOCKET

12MM 12 PT - 1/2" DRIVE

- > Specifically designed for driveline applications on Ford Mustang, Crown Victoria, Taurus, Explorer, Expedition, Excursion, Ranger, F150, and Mercury equivalents from 1980's to present
- > Fully guaranteed
- > Shipping weight (Lbs.) - 0.4

212ZUMDL

Applications For Driveline Sockets

Metric:

208ZUMDL (8mm)	Jeep Cherokee Drive Shafts, Ford Super Duty Truck drivelines
210ZUMDL (10mm)	Pontiac Drive Shafts and Torque Converter removal /install
211ZUMDL (11mm)	Chevrolet Applications
212ZUMDL (12mm)	Ford Mustang, Taurus, Explorer, Fusion, 500, F-150, Bronco drivelines and Mercury equivalents
213ZUMDL (13mm)	For limited clearance applications
214 ZUMDL (14mm)	Removal of Torque converters
215ZUMDL (15mm)	Removal of 4x4 units of transmission casings on 4WD drive vehicles
217ZUMDL (17mm)	Ford F-350 Trucks

SAE:

210ZUDL (5/16")	Chrysler/Dodge Exhaust manifolds
212ZUDL (3/8")	For limited clearance applications
214ZUDL (7/16")	For limited clearance applications
216ZUDL (1/2")	Heavy Duty starter applications
218ZUDL (9/16")	Pre 1980 Ford Drivelines
222ZUDL (11/16")	For limited clearance applications
224ZUDL (3/4")	For limited clearance applications

GO WHERE NO OTHER SOCKET'S GONE BEFORE.



Standard sockets do not allow you to grasp the bolt head straight on.



Sunex limited clearance sockets bend and give you the extra length to grab the bolt head and remove or install with ease.

PATENTS PENDING

SPECIALTY SOCKETS

1/4", 3/8" & 1/2" DRIVE 8 PIECE ANTENNA AND MIRROR MAINTENANCE SOCKET SET

MERCEDES, BMW, VW, GM, AUDI, FORD,
HONDA, SUBARU, MAZDA, NISSAN,
MITSUBISHI, TOYOTA, LAND ROVER,

- > Forged from CR-V alloy steel for maximum strength
- > Heavy duty blow mold case

3921

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.

⚠ Caution: Use of this socket with an impact tool can cause serious injury.



1/4", 3/8" & 1/2" DRIVE INDIVIDUAL ANTENNA & MIRROR MAINTENANCE SOCKETS

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED
FOR USE WITH AN IMPACT TOOL OF ANY KIND.

⚠ Caution: Use of this socket with an impact
tool can cause serious injury.

Model #	Type
392101	Remote Control Mirror Socket (Two-Prong) Hollow socket clears adjustment lever - 3/8" sq. dr. - services many Ford and VW vehicles
392102	Radio Trim Nut Socket (Two-Prong) Hollow socket clears adjustment lever - 1/4" sq. dr. - services some GM and Ford cars
392103	Antenna Nut Socket (Three-Prong) 11/16" external hex, 1-1/2" long - services 1987- current Chrysler vehicles
392104	Antenna Nut Socket (Two-Prong) 11/16" external hex - services 1989-90 Ford Probe, 1989-90 Mazda RX7 and 926 Nissan Stanza and Maxima
392105	Antenna Nut Socket (Four-Prong) 11/16" external hex - services 1985-1990 Ford Taurus and Mercury Sable, 1990 Lincoln Mark V
392106	Power Antenna Nut Socket (Four-Prong) 11/16" external hex, 44.5mm long - services 1977- current GM vehicles
392107	Antenna Nut Socket (Four-Prong) 11/16" external hex - services GMC 400 Pickups C and K, 1989 Lincoln Town Car and Continental, 1990 Toyota Camry and Celica, Chrysler, Mitsubishi Eclipse, Gal- ant, and Sigma
392108	Ball Joint Socket (Four-Prong) 1/2" sq. dr. - for use on 4-5 B axles such as found on Dodge, Ford, Chevrolet, GMC and international four wheel drive trucks - adjusts the sleeve in the top of the yoke on the front suspension

SPECIALTY SOCKETS

24 PIECE RIBE BIT SET

- > Bits made from industrial S2 steel
- > M4 - M14 Bit sizes in both 30mm and 75mm lengths
- > 3/8" Dr. and 1/2" Dr. bit holders included
- > Ideal for late model German engineered vehicles for cylinder head, headlight, and transmission fill plug applications
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 2.9



THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
 ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

9724

INCLUDES:

3/8" Dr. Bit Holder (972423)

1/2" Dr. Bit Holder (972424)

M4 - M14: 30mm & 75mm lengths

Model # (972401 to 972422)

Model #	Type	Model #	Type
972401	M4 Ribe Bit (30mm)	972413	M5 Ribe Bit (75mm)
972402	M5 Ribe Bit (30mm)	972414	M6 Ribe Bit (75mm)
972403	M6 Ribe Bit (30mm)	972415	M7 Ribe Bit (75mm)
972404	M7 Ribe Bit (30mm)	972416	M8 Ribe Bit (75mm)
972405	M8 Ribe Bit (30mm)	972417	M9 Ribe Bit (75mm)
972406	M9 Ribe Bit (30mm)	972418	M10 Ribe Bit (75mm)
972407	M10 Ribe Bit (30mm)	972419	M11 Ribe Bit (75mm)
972408	M11 Ribe Bit (30mm)	972420	M12 Ribe Bit (75mm)
972409	M12 Ribe Bit (30mm)	972421	M13 Ribe Bit (75mm)
972410	M13 Ribe Bit (30mm)	972422	M14 Ribe Bit (75mm)
972411	M14 Ribe Bit (30mm)	972423	3/8" Dr. Bit Holder Socket
972412	M4 Ribe Bit (75mm)	972424	1/2" Dr. Bit Holder Socket

3/8" & 1/2" DRIVE INDIVIDUAL RIBE BIT SOCKETS

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

3/8" DRIVE 13 PIECE SAE WEATHERHEAD SOCKET SET

- > Used to remove to install Weatherhead fittings
- > Used in 90° elbow joint applications
- > Ideal for hydraulic hose and fitting removal and installations
- > Fully guaranteed
- > Packaged on plastic rail for tool box storage



9913

INCLUDES:

7/16" (991301) 15/32" (991302)

1/2" (991303) 17/32" (991304)

9/16" (991305) 19/32" (991306)

5/8" (991307) 11/16" (991308)

23/32" (991309) 3/4" (991310)

25/32" (991311) 27/32" (991314)

29/32" (991315)

THESE SOCKETS (AS A SET AND AS INDIVIDUALS) ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
 ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

PRODUCT INDEX

1/4" Drive Impact Sockets & Sets	2 - 6
3/8" Drive Impact Sockets & Sets	7 - 17
1/2" Drive Impact Sockets & Sets	18 - 36
3/4" Drive Impact Sockets & Sets	37 - 43
1" Drive Impact Sockets & Sets.....	44 - 48
1-1/2" Drive Impact Sockets	49
#5 Spline Drive Impact Sockets.....	50

Hex Drivers:

3/8"	51, 52 & 55
1/2"	52, 53 & 55
3/4"	54 - 55
1"	54 - 55
Extensions	58
Adapters, Reducers & Super Reducers	56 - 57

Drive Train Application Sockets:

Axle Nut Sockets	60 - 61
Ball Joint Sockets	62
Brake Caliper Socket.....	62
Differential Socket.....	62
Drain/Pipe Plug Sockets & Sets	63
Pressure Switch Socket.....	60
Spanner Socket	60
Spindle Nut Sockets & Sets	64, 65 & 76
Tie Rod Socket	65
Torque Limiting Sockets & Sets.....	66 - 67
TPMS Kit.....	67
Truck Pinion Locknut Socket Set	69
Truck Wheel Sockets	70- 71
Wheel Lock Removal Set	68
Wheel Protector Socket Sets	68
Wheel Bearing Locknut Socket & Sets	69

Engine Service Sockets:

Crankshaft Sockets	72
Distributor Module Socket	73
Fuel Filter Banjo Bolt Socket	73
Oil Pressure & Fuel Filter Sockets & Set.....	73 - 74
Oxygen Sensor Socket Set	74
5 Point Buffalo Cover Socket	74
Spark Plug Sockets & Sets	75

Specialty Tools:

Antenna & Mirror Sockets & Set.....	78
Driveline Socket.....	76
Limited Clearance Sockets & Sets.....	76 - 77
Ribe Bit Sockets & Set	79
Weatherhead Socket Set	79

NOTES

[illegible]



**SOCKETS
WITH BITE!™**

**ALWAYS BEEN THERE.
ALWAYS WILL BE.**

For almost 30 years, Sunex Tools® has delivered and continues to provide the highest quality impact sockets at the best value. With nearly 2,000 sockets available, you've got virtually every application covered. Constructed from the highest quality chrome molybdenum alloy steel and backed by a lifetime warranty, you can be sure these sockets will continue to be your "other" faithful

Distributed by:



www.sunextools.com

P.O. Box 1233 • Travelers Rest, SC 29690

Sunex Tools® Service: 877.786.3939 • Toll Free: 1.800.833.7869

Fax: 864.834.7954



REF: SXSC187

Rev. 04/26/10