Lightweight/Reroof





Your Company of Choice.





Table of Contents

Introduction to Eagle	4
Reroof with Eagle	6
Designer Color Series	8
Camino Real Designer Series	9
Cityscapes Designer Series	9
American Heirloom Designer Series	9
Capistrano	10
Malibu	12
Bel Air	14
Golden Eagle	15
Ponderosa	16
CE DUR™	18
Energy Saving Options	20
Eagle Solar Roofs with SolarBlend™ by SunTech™	21
Eagle Design Centers	22

Icons of interest throughout the brochure

The EAGLE star rating category system has been developed to assist you in your budgeting needs. A single star denotes the most economical choice of roof tile/color, while three stars represents our more diverse color schemes.





Energy Star & Cool Roof Rating Council

These ratings establish guidelines to measure and qualify roofing materials to industry green and energy standards.



Ref = Reflectance

Emi = Emittance

SRI = Solar Reflectance Index

A-Ref = Calculated Aged Reflectance

A-SRI = Aged Solar Reflectance Index



Leadership in Energy and **Environmental Design**

Eagle Roofing Products. The Company Of Choice.

When you choose Eagle, you're choosing American-made quality, customer-centric service, and innovative products that advance the roofing products industry while treading lightly on the planet.

Eagle Roofing Products is a Division of Burlingame Industries, a family-owned, privately held company based in California. In addition to our original roof tile manufacturing facility in Rialto, California—the world's largest—we operate facilities in Phoenix, Arizona and Stockton, California and Sumterville, Florida to serve local customers with experienced local teams. These sophisticated, high volume manufacturing plants ensure timely availability of high quality products, and they help us remain knowledgeable of regional trends and needs.



Eagle Green

We take our commitment to being environmentally friendly seriously, which is evident in our Eagle Green initiative. We lead all other concrete tile manufacturers with our recycling and re-use activities:

- We make a concerted effort to reduce haul-off from all of our plants while purchasing the most energy-efficient and environmentally safe equipment we can find
- Rejected tile is crushed and re-introduced into the manufacturing process
- Trash that cannot be recycled is compacted to reduce landfill deposits
- Wood tile pallets are repaired and re-used whenever possible
- Synthetic oils are used on machinery when possible due to their long life-span
- Engine oil and filters from plant equipment are recycled
- All Eagle tile sealers are water-based

The Eagle Way.

We have grown over the years due to a philosophy that revolves around growing personal relationships. This starts with our people, and it is reflected in our relationships with our customers and our business partners. Having earned a reputation as the company of choice, we listen to our customers and react quickly to satisfy their needs. Every person in our company is a customer service representative, regardless of their job title. From our people in the field, to our Order and Shipping departments, all the way to our Tile-Makers, each person performs with the singular goal of customer satisfaction.

Eagle's long experience in the roofing tile industry and dedication to prompt personal response to our customers' needs have resulted in a well-deserved reputation for quality and service throughout the construction community.

At Eagle, Innovation Comes In Many Choices.

Our product development teams never stop thinking about or creating—what's next in roofing products. All of our products are designed to deliver exceptional value, performance and aesthetics.

Our Cool Roof and Energy Saving Roof systems are setting the standard for energy efficiency. And our Solar Roof leads the way in unmatched beauty and effectiveness.

Another recent example of Eagle innovation is CE DUR. This incredibly realistic cedar shake substitute is made from an advanced thermoset polymer. It offers the aesthetics of natural wood shake with the durability, protection and value of the highest fire and hail ratings—plus excellent resistance to wind and freeze/thaw conditions. And it's so incredibly lightweight, there's no need for costly structural reinforcements.

Of course, we also offer the latest in standard weight and lightweight concrete tile, in a myriad of colors from which to choose. As the foundation of our product offering, our concrete tile is renowned for its durability and beauty.

Tile Roofs That Rise Above With Value, Durability And Beauty.

An Eagle tile roof is one of the longest-lasting roofing products you can buy. Unlike some other roofing materials, it's engineered to last for the life of the structure. It's important to take this lifecycle cost into consideration, as the cost of a tile roof is quite affordable when compared to other materials.

Tile has been around for centuries in some of the world's most inclement climates. So your properly installed Eagle tile roof can withstand rain, snow, high wind and scorching heat, and provide years of worry-free performance.

- All Eagle roof tile and CE DUR shake is Class A fire rated.
- Eagle roof tile exceeds current seismic load requirements.
- Eagle's standard weight tile (Phoenix) have Class 3 & 4 hail ratings per FM4473.
- CE DUR has Class 4 hail rating per UL 2218.
- All Eagle standard weight color thru tile passes Freeze-Thaw requirements, and CE DUR eliminates freeze/thaw cycle effects due to its very low (less than 1%) water absorption.*
- Eagle roof tile is protected by a Lifetime Transferable Limited Product Warranty. (Warranty must be properly registered.)
- Eagle roof tile can help to lower energy costs by reducing heat transfer through air circulation under the tile and because of concrete's inherent insulating properties.







If you live in a region prone to fire or hail, an Eagle tile roof may even provide a reduction in your insurance premiums.

Eagle concrete tile roofs are as beautiful as they are durable. The available styles and colors help enhance any architecture, resulting in curb appeal that is simply not available with other roofing materials. Our products emulate historic roofing materials such as wood shake, clay and slate—but are much more affordable alternatives.

Whether you are a production builder looking for ways to differentiate your development or a homeowner who plans to sell your home in the near future, an Eagle concrete tile roof will help increase the home's value.

Discover Eagle. Discover The Company Of Choice.

We invite you to explore the styles and colors of Eagle products in this brochure, and we hope you will make Eagle your company of choice. We will do everything in our power to ensure that you become another satisfied Eagle customer.

Reroof With Eagle.

Regardless of why you have chosen to reroof your home, Eagle understands it can be challenging to build or replace a roof. As the company of choice, we provide the following information to help you become familiar with the process and to experience a successful reroofing project.

Research And Select A Roofing Material

When considering choices for your reroofing investment, be sure to educate yourself on the various options available. Information and samples can be obtained from the Internet, roofing/building distributors, local home shows and roofing contractors. Many contractors will be able to provide you with bids and timetables to replace your existing roof with tile.

When evaluating your reroofing options, look at the life-cycle cost of the roofing material—the cost of your roof per year over its entire lifespan. You will also want to consider the durability, warranty, energy efficiency and available styles of various materials.

Lightweight reroofing products from Eagle are not only beautiful, they can last a lifetime. And they're covered by Eagle's Lifetime Transferable Limited Product Warranty. That eliminates the worry of possibly needing to reroof again in a few years and, from a financial perspective, it means the annual cost of your Eagle roof can actually be less than an asphalt roof.

Choosing an Eagle product for your roof will bring you the following benefits:

- The unmatched durability and protection of an Eagle tile or CE DUR roof
- A superior warranty for all of our concrete roof tile and CE DUR shingles
- The excellent insulating qualities of an Eagle roof can help reduce energy costs—especially when installed with our Energy Saving Roof system
- ENERGY STAR and Cool Roof Rating Council approved Cool Roof Tile options
- A green roofing solution—tile is not a petroleum-based product, and is sourced locally and produced with energyefficient processes that utilize recycling and re-use
- In some areas, local utilities and municipalities may offer incentives and rebates for cool roofing, green and energyefficient roofing products
- A multitude of styles and colors are available to beautify your home and increase its resale value and curb appeal
- The peace of mind knowing that Eagle concrete roof tile meets Building Code requirements
- Confidence in Eagle's AAA rating from the Better Business Bureau

It is advisable to make your final roofing material decision after obtaining samples. You can consult with an Eagle roofing professional at our local design centers, where you can view roofing products and obtain samples of our tile and CE DUR roofs, as well as other exterior products such as stucco and cultured stone. Or, we can deliver samples of your color and profile selections to your door.

Select A Licensed And Insured Roofing Contractor

Once you have established your preference for a tile or CE DUR roof, choosing a reliable and qualified roofing contractor is important to ensure your satisfaction with your new roof.

- Ask your neighbors or friends who have reroofed recently
- Visit your local roofing distributor for a list of contractors in your area
- Consult your architect or general contractor
- Acquire a list of qualified professionals from the Better Business Bureau or Chamber of Commerce
- Contact Eagle for a recommendation of a local roofer
- Check online directories and/or Yellow Page listings

It's very important to choose a contractor who is licensed, insured and trained in the process of installing tile and CE DUR products. Ask for references and clarify estimates, schedules and payment plans. It's also important to know how their crew will be managed, and that you understand how your home will be impacted during the reroofing process.

As you narrow your search, it's a good idea to get bids from up to three contractors for your project. Your ideal choice should provide you with confidence in their knowledge and ability to professionally install your new roof, and to communicate the details along the way.

Reroofing Your Home

Eagle Roofing Products offers you a variety of accessories and solar products that can be included in your installation to improve your roof's longevity, performance and energy efficiency. Be sure to ask for these to be included in your bid.

Ultimately, the installation of your roof is the responsibility of your roofing contractor. So it's important to ensure the attic is properly ventilated and the valleys, eaves and roof-to-wall intersections are properly flashed to help prevent water intrusion.

Asking your roofing contractor to purchase a small quantity of extra tile is also a good idea; so it can be used for any unexpected future repair needs. Not only will this be convenient, it will also be the closest color match to the product installed on your roof.



Regular Maintenance

Eagle manufactures all our products with quality in mind, to ensure our customers have a roof that looks as good as it performs. With basic regular maintenance, an Eagle concrete tile roof can last a lifetime.

Routine inspections are important for any roof, and any cleaning or maintenance should be done by your professional roofing contractor. For your own safety, you should not walk on your roof, and any inspections should be done visually.

Regular maintenance includes making sure your roof and gutters are clear of debris, so that water can flow off your roof and not accumulate. You can also check for any visual signs of damage or problems due to weather, like wind, rain or hail.

In some climates, a concrete tile roof may show signs of efflorescence, which is a temporary white-colored patch that can develop on the tile. This is a common chemical reaction that occurs in all concrete products—from sidewalks to roofs.

Choose Eagle.

Eagle Roofing Products created its EagleLite and CE DUR products specifically to provide homeowners and HOA's quality, lightweight reroofing solutions.

There are many roofing products and companies to choose from, but only Eagle Roofing Products delivers both the service, and quality you expect from a leader. Our experience and dedication is exemplified in our continued innovation in green and energy saving roofing solutions, as well as our valued and personable Eagle roofing team.

Eagle Designer Series

Our Designer Series provides a choice of our most sophisticated blends and unique, color intense pallets. These color choices were developed to complement local architectural trends and are suitable for any new construction or reroof project.



Camino Real

If you want the authentic look of clay without the premium cost, consider our Camino Real line. This naturalistic alternative has rich color variations which enhance any architectural style.



Cityscapes

The Cityscapes color line represents blends that are bold and avant garde, taking inspiration from the latest design trends. These color blends are ideal when you are looking for a color that is distinctive and unique. Cityscapes make a powerful statement that will make your home stand out.



American Heirloom

Our American Heirloom color line combines subtle color variations that emulate the natural look of traditional materials like shake, slate and clay.





No: LMC8402 Name: Santa Cruz Ref Emi SRI A.Ref A.SRI .14 .89 11 .16 13





No: LCC8807 Name: Monterey Ref Emi SRI A.Ref A.SRI .17 .89 15 .18 16





No: LHP8706 Name: Cascade Blend



No: LHE8704 Name: Lehigh Blend Ref Emi SRI A.Ref A.SRI .15 .94 15 .17 17



No: LHC8710 Name: Ladera Blend Ref Emi SRI A.Ref A.SRI .18 .89 16 .19 17



CRRC



No: LHP8707 Name: Sierra Blend



No: LHE8715 Name: Roanoke Blend



No: LHE8773

Name: Walnut Creek Blend

Ref Emi SRI A.Ref A.SRI


.20 .94 21 .20 21



Capistrano

88.5 Tiles per 100 sq ft with 3" headlap

Aprox installed weight field tile per 100 sq ft





Boosted Capistrano

Achieve an authentic boosted roof by combining our Capistrano tile with our standard weight Boosted Cap tiles.



Hip Starter



Bird Stop



No: 518 Name: Terracotta Gold* Ref Emi SRI A.Ref A.SRI .35 .76 32 .31 27





No: 526 Name: Valencia Ref Emi SRI A.Ref A.SRI .19 .89 17 .19 17



No: 545 Name: Sunrise Blend Ref Emi SRI A.Ref A.SRI .15 .93 14 .17 17



No: 598 Name: Kona Red Range Ref Emi SRI A.Ref A.SRI .25 .83 22 .24 21








Malibu

88 Tiles per 100 sq ft with 3" headlap

550 Aprox installed weight field tile per 100 sq ft





Hip Starter (Use with Malibu or Capistrano)




Bird Stop



No: 497 Name: Slate Range Ref Emi SRI A.Ref A.SRI .13 .94 12 .15 15





Name: Cayenne*

Ref Emi SRI A.Ref A.SRI
.30 .91 32 .27 28



No: 455 Name: Alhambra Ref Emi SRI A.Ref A.SRI .22 .89 21 .21 20



No: 414 Name: Walnut Brown Ref Emi SRI A.Ref A.SRI .13 .94 12 .15 15





LEED[†] CRRC

CRRC

No: 426 Name: Valencia Ref Emi SRI A.Ref A.SRI .19 .89 17 .19 17



No: 418

Name: Terracotta Gold*


Ref Emi SRI A.Ref A.SRI
.35 .76 32 .31 27



LEED† CRRC

No: 445 Name: Sunrise Blend Ref Emi SRI A.Ref A.SRI .15 .93 14 .17 17






Bel Air

88.5 Tiles per 100 sq ft with 3" headlap

700 Aprox installed weight field tile per 100 sq ft







Hip Starter




No: 287 Name: Brown Gray Range Ref Emi SRI A.Ref A.SRI .13 .91 11 .15 13



No: 297 Name: Slate Range Ref Emi SRI A.Ref A.SRI .13 .94 12 .15 15



Golden Eagle & Double Eagle Ponderosa



The number of tiles and installed weights are the same for all of our flat lightweight profiles.

Our rake and ridge trim pieces can also be used with any of the flat profile styles.

Golden Eagle:



No: 134 Name: Kings Canyon Blend Ref Emi SRI A.Ref A.SRI .13 .94 12 .15 15



No: 187 Name: Brown Gray Range Ref Emi SRI A.Ref A.SRI .13 .91 11 .15 13



No: 199 Name: Charcoal Range Ref Emi SRI A.Ref A.SRI .13 .94 12 .15 15





Double Golden Eagle:



No: 901 Name: Oakwood



No: 987 Name: Brown Gray Range Ref Emi SRI A.Ref A.SRI .13 .91 11 .15 13




No: 999 Name: Charcoal Range Ref Emi SRI A.Ref A.SRI .13 .94 12 .15 15



Ponderosa

88.5 Tiles per 100 sq ft with 3" headlap

700 Aprox installed weight field tile per 100 sq ft







No: 320 Name: Weathered Terracotta Flashed



No: 302 Name: Arcadia Ref Emi SRI A.Ref A.SRI .13 .94 12 .15 15



No: 303 Name: Sierra Madre



No: 357 Name: Live Oak Ref Emi SRI A.Ref A.SRI .15 .90 13 .17 15



Name: Brown Gray Range
Ref Emi SRI A.Ref A.SRI
.13 .91 11 .15 13



No: 399 Name: Charcoal Range Ref Emi SRI A.Ref A.SRI .13 .94 12 .15 15





No: 331 Name: Oro Valley Ref Emi SRI A.Ref A.SRI .15 .91 13 .17 15



No: 304 Name: New Cedar



No: 390 Name: Pewter Gray Ref Emi SRI A.Ref A.SRI .15 .90 13 .17 15





CE DUR™ It's Like Nothing Else.

Cleverly disguised as natural wood shake, CE DUR offers the durability of an advanced thermoset polymer that resists Mother Nature's severe mood swings like nothing else.



For over a decade, CE DUR has proven itself in one of nature's toughest testing grounds—the state of Colorado—where wind, rain, hail and snow conspire against all things man-made. It offers Class A fire and Class 4 hail ratings, along with excellent resistance to wind and water absorption.

You'll also appreciate CE DUR's insulative qualities both in warm and cold climates—where it can lower heating and cooling costs.

At only 170 pounds per square, CE DUR also is one of the lightest roofing products available. There's no need to perform costly structural retrofitting on your home that is typically required by other roofing materials. And it's backed by a fully transferable lifetime warranty.

Visit www.cedurshake.com to find out more about CE DUR and our other energy efficient roofing and solar solutions.

Eagle Tech. The Company Of Choice.


CE DUR is made by Eagle Tech, which, along with its sister company Eagle Roofing, is a division of Burlingame Industries, Inc. This California-based, family-owned organization has been manufacturing quality roofing products for over 40 years.



Primary Colors:



No: 93078 Name: Live Oak



No: 93089 Name: Walden




No: 93099 Name: Shiloh

Accent Colors:



No: 93064 & 93089 Name: Walden with Redwood Application: Custom Blend, Staggered*



No: 93067 & 93099 Name: Shiloh with Moss Application: Custom Blend, Staggered*

*Custom blends are created from mixing individual product colors. The percentage of each color is determined when purchasing, and is left to the discretion of the customer. Individual pallets will be delivered and custom colors will be mixed and installed to each customer's preference by your roofing contractor.

Find out more about CE DUR at www.cedurshake.com

Higher Performance. Lower Energy Costs.

Are you ready to have your roof do more than just beautify the structure it protects? Now you can create a superior roof by incorporating Eagle's Cool Roofing products and accessories. These can be used together or separately to increase the performance, longevity and efficiency of your new roof.

Eagle Cool Roof Tile ~ Title 24 Compliant

Cool Roof Rated products have been approved as highly reflective by the Cool Roof Rating Council (CRRC). These products can not only help you meet local building code requirements, they also provide superior benefits for homeowners and the environment. Eagle's Cool Roof Tile products can provide 10-30 percent savings on energy bills as well as possible additional rebates through local utility companies. Beyond this tangible monetary benefit, Eagle Cool Roof Tile products are also kind to the environment. They help to reduce heat islands, reduce the dissemination of smog producing chemicals and reduce the production of CO2.

Energy Star Ratings have a reflectivity value of greater than 25% (.25). The product also has to be available in the market for more than 3 years to qualify. Although this is a well recognized rating system, there typically are no additional credits or monetary value associated to these colors. It is recommended you check with your local utility and building code guidelines for compliance with programs.

Eagle Roofing Accessories

These products help your contractor ensure your roof is installed properly; providing increased longevity and improved performance in varied weather conditions.



Ventilated Eave Closure

In addition to elevating the eave course and helping to prevent bird nesting, the Ventilated Bird Stop design allows for air to enter the space between the tile and the roof deck.



Scalloped Battens

These are used when installing the tile to raise it off the roof deck, which helps increase the flow of air and allows the free flow of water. This keeps moisture from accumulating on your roof deck which can damage your underlayment.



Ridge Riser

This will be used to increase ventilation at the ridge of your roof, and can be used with any tile profile.



Flex Vent, Flex Seal & Flex Flash

Works at the ridge of your roof to provide ventilation that allows hot air to escape from the roof deck. It also works as a weather block seal helping to prevent any water intrusion at the ridge, or hard to manage areas.



Energy Saving Roof

The Eagle Energy Saving Roof is an installation method utilizing Eagle's concrete roof tile and several Eagle accessory products to install the roof in an energy efficient manner.

With the Eagle Energy Saving Roof installation, an air current is created drawing air in at the eave level and out at the ridge. This ventilation of the roof deck helps to reduce heat transfer into your attic and thus into your home. The result means less work for the air conditioner, less expenditure of energy and lower electrical bills for the end user.

For further information about these Eagle products or installation techniques, please visit www.eagleroofing.com. You may also contact your local Eagle representative or consult the applicable Tile Roofing Institute installation manual.

Eagle's Solar Roof With SolarBlend™

A shining example of energy efficiency and aesthetics.

The Eagle Solar Roof is a solar system that not only harnesses the sun's energy, it also integrates seamlessly with Eagle concrete roof tile. This perfect fit maintains the aesthetics of your roof, while maintaining the integrity of the roof system.

With the potential for substantial federal tax credits and state rebates, there's never been a better time to use your roof to reduce your energy expenses. And, homes and buildings equipped with solar systems appraise for significantly more than the cost of their investment.

The Eagle Solar Roof. It's a safe, quiet, beautiful and environmentally responsible way to lower energy costs.



A Durable, Reliable Solar Choice

- 25-Year power warranty
- Free internet monitoring system for 10 years
- Class A Fire Rated system installation
- Most advanced building integrated photovoltaic solution available
- Beautifully and unobtrusively integrates with concrete tile roof
- Environmentally responsible; significantly and positively impacts your energy and resource use
- Provides quiet, safe and reliable power generation

Saving You Money Every Month

- Significantly reduces monthly energy bill
- Get credit from your local utility for power your home produces
- 30% Federal tax credit is available
- · Adds significant resale value to the home
- Protect yourself from utility cost increases
- Rest assured in your low maintenance, state-of-the-art system

"A solar electric system increases home value by \$20,000 for each \$1,000 in annual reduced operating costs, according to the Appraisal Institute. That is to say, if a solar system can reduce the electric bill by \$1,000 per year, the home is worth about \$20,000 more in increased appraisable value.

A solar electric system compares very favorably with other home improvements in percentage of cost recovered. Often, a solar system can recover much more than 100% of its cost and this percentage actually increases over time as electric rates rise."

Source: Andrew J. Black, Why Is A Solar Electric Home Worth More?

For more information about Eagle's Solar Roof, please contact your local Eagle representative or email us at: sales@eaglesolar.com

Eagle Design Centers

Eagle understands a beautiful roof is one of the most important architectural elements of a well-designed home. In order to support our customers in this process, Eagle's regional Design Centers play a key role in assuring trade/design professionals and homeowners have the support they need to make the best choices in roof color, texture, style and quality.

A Visit To An Eagle Design Center Includes:

- A place to meet with enthusiastic, knowledgeable representatives focused on making the tile selection process easy through helpful information on Eagle products, supporting components and installation.
- An opportunity to preview a wide range of product samples in a variety of the most popular profiles and colors Eagle offers a range of colors and styles that are unmatched in the industry.
- A source for obtaining address lists of locally installed Eagle products for customers and/or design professionals interested in viewing the product on a finished home.
- A central pick-up station for architects requesting Eagle's architectural binders, literature or samples; as well as a single source location for answering design professional's technical questions.

At Eagle, we understand what you need to make one of the most vital decisions for a home's exterior and look forward to being of service to you. Visit your nearest Eagle Design Center at a location listed below.

Southern California 17875 Sky Park Circle, Suite F Irvine, CA 92614 Phone: 949-553-8333 Fax: 949-553-9556 Southern California 2352 N. Locust Ave. Rialto, CA 92377 Phone: 800-400-3245 Fax: 909-822-5940 Northern California 9001 Foothills Blvd., Suite 120 Roseville, CA 95747 Phone: 916-789-4555 Fax: 916-789-8746

Southwest 4608 W. Elwood Phoenix, AZ 85043 Phone: 602-346-1749 Fax: 602-447-0674





Installation & Structural Considerations For Tile

It's important to understand your local Building Codes to be aware of your local permits and guidelines; as well as any requirements for inspections by a licensed structural engineer or inspector. Make sure your roofer makes you aware of the products and accessories available that will improve your performance and reduce the chances of problems occurring.

Most homes in America are constructed in accordance with the Conventional Light-Frame Construction section of the building codes and will support a wide range of roofing materials. Should your home require additional bracing, the process is simple and costs minimal when you consider the benefits and energy-efficiency of an Eagle roof.

Both our EagleLite and CE DUR shake roofing products are designed specifically for reroofing, and provide beauty and performance in a roof that is built to outlast the structure they protect.

APPROVALS—ICC-ES ESR 1900: City of Los Angeles Research Report # ICC 1900. FIRE RESISTANCE—EAGLE tiles easily exceed the resistance requirements for burning brands and spread of flame listed in A.S.T.M. Class A fire test criteria.

COLD WEATHER RESISTANCE—All EAGLE tile products surpass the freeze-thaw test requirements of all known building code development agencies. Color-bonded/slurry coated tiles are not recommended in regions subject to repeated freeze-thaw cycles.

INSTALLATION—Detailed installation recommendations can be found in the Installation Manual for Moderate Climate Regions published by the Tile Roof Institute. For further information please visit: tileroofing.org. ICC-ES-ES R 2015P upon request, or visit: icc-es.org

WARRANTY—Limited lifetime product warranty available. Note: EAGLE warrants the performance of tiles only. Workmanship and accessory materials must be warranted by others.

EFFLORESCENCE—Temporary light patterning may appear on darker tiles. This is caused by efflorescence and occurs naturally as seen on sidewalks, and brick walls when alkaline deposits gravitate to surfaces exposed to moisture. The surface of every EAGLE tile has been treated to minimize efflorescence.

DISCLAIMER—The printed colors shown in this brochure may vary from actual tile colors. Before making a final selection, be sure to obtain current tile samples and view current roof installations.















Manufacturing and Stocking Yards

Southern California 2352 N. Locust Ave. Rialto, CA 92377 Phone: 800-300-3245 Fax: 909-854-7181

Northern California 4555 S. McKinley Stockton, CA 95206 Phone: 800-998-3245 Fax: 209-234-4366

Southwest 4602 W. Elwood Phoenix, AZ 85043 Phone: 800-346-5260 Fax: 602-442-8841

Florida 1575 E. C R 470 Sumterville, FL 33585 Phone: 877-300-3245 Fax: 877-300-3248

South Florida Stocking Yard 1801 SW 42nd Way Deerfield Beach, FL 33442 Phone: 877-300-3245













Corporate Offices

3546 N. Riverside Ave. Rialto, CA 92377 Phone: 909-822-6000

www.eagleroofing.com