







RELIABILITY BUILT IN™

P-8

PARTS CATALOG

T&S Brass and Bronze Works, Inc.





The Alliance for Water Efficiency is a national nonprofit organization that advocates for water efficiency and conservation among its diverse membership.



T&S is a member of the U.S. Green Building Council (USGBC), an independent accrediting body that has developed a rating system (the Leadership in Energy and Environmental Design (LEED®)) to measure energy efficiency and sustainable building practices.



As a WaterSense Partner we signed an agreement with the U.S. Environmental Protection Agency (EPA) to show our commitment to promote its goals for national water efficiency.



T&S is deeply committed to water and energy conservation and sustainable practices in manufacturing the industry's most energy-efficient foodservice and plumbing products. We are proud to be affiliated with these three organizations.

Company History

With a steadfast commitment to quality, T&S Brass and Bronze Works, Inc. for over 60 years has set the standard of excellence for the plumbing industry.

Founded in 1947, T&S originally developed foodservice plumbing equipment, including the markets' first pre-rinse unit, which became the industry standard. In 1950, we introduced its full line of foodservice plumbing products, establishing T&S as the premier manufacturer in the industry. By 1953, T&S introduced the foot pedal valve, the next T&S product to become the industry standard.

Over the next four decades, we entered new markets within the plumbing industry. In 1956, T&S made its debut into the laboratory market with its Lab-Flo line of laboratory service fittings. Four years later, the company expanded into nonresidential markets with industrial grade faucets for institutional applications, and penetration of the commercial plumbing market began.

Today, T&S produces faucets, fittings and specialty products for foodservice, industrial, commercial plumbing and laboratory markets. Our products have become the standard for the majority of U.S. hospitals, schools, restaurants, prisons, and public facilities.

T&S expansion, however, has not been limited to the borders of the United States. During the last thirty years, the company has significantly increased overseas exports. Today, representatives sell T&S products around the world – in Europe, Australia, the Middle East, Canada, Japan, southeast Asia and Central and South America.

To support its growing global distribution system, T&S has established facilities on several continents. More than 200 employees manufacture products and service customers from company headquarters in Travelers Rest, South Carolina, with a second U.S. distribution center in Simi Valley, California to more efficiently serve the west coast. An overseas office and distribution center is located in Europe.

Leading the way in innovation, quality manufacturing and customer service, T&S will remain dedicated to the same level of excellence which established its reputation and what our customers rely on – Reliability Built In™.

Warranty Information

All T&S products are warranted to be free from defects in material and workmanship for a period of one (1) year from the date of purchase. Liability is limited thereunder to factory repair and/or replacement of material found to be defective, after examination by T&S, during the warranty period. No claims for labor, shipping costs or consequential damages will be accepted or honored.

Replacement and/or repair under this warranty will be made within a reasonable time after receipt by T&S of the allegedly defective item.

Items which have received secondary finishing or have been altered in any way after purchase are not covered by this warranty. Claims resulting from damaged cartons must be filed with the carrier.

Some states do not allow limitations on how long an implied warranty lasts or on the exclusion of incidental or consequential damages, so all the limitations or exclusions appearing herein may not be permitted by your state and, therefore, your local statutes should be consulted with respect thereto or with respect to any other rights which your state statutes may specifically confer on you.

After receiving proper authorization, all returns of merchandise which are claimed defective under this warranty must be sent to T&S Brass and Bronze Works, Inc., P.O. Box 1088, 2 Saddleback Cove, Travelers Rest, SC 29690, clearly marked to the attention of the Warranty Repair Department. Shipping charges, both ways, shall be paid by the customer.



RELIABILITY BUILT IN™

Table of Contents

Adapters, Handles, Hoses and Nozzles/Goosenecks	5	B-0155	27	B-0512	49
Spindle Assemblies	6	B-0155-CR-LN	27	B-0520	50
Union Coupling Inlets	7	B-0155-LN	27	B-0575	51
B-0044-H	9	B-0156	27	B-0576	51
B-0044-H2A	9	B-0175	28	B-0580	52
B-0068-H	9	B-0200-LN	29	B-0592	53
B-0068-H2A	9	B-0201	29	B-0605	54
B-0084-H	9	B-0205	30	B-0610	55
B-0084-H2A	9	B-0207	30	B-0655-BSTP	56
B-0096-H	9	B-0208	31	B-0655-BSTR	56
B-0096-H2A	9	B-0220	32	B-0657	57
B-0100	10	B-0220-LN	32	B-0665-BSTP	58
B-0100-08	12	B-0221-CC	33	B-0665-BSTR	58
B-0100-C	13	B-0221-EE	33	B-0665-RGH	58
B-0101	10	B-0225	34	B-0667-POL	59
B-0101-A	10	B-0225-LN	34	B-0667-RGH	59
B-0102	11	B-0230	35	B-0674-BSTP	60
B-0102-A	11	B-0230-CR-LN	35	B-0674-BSTR	60
B-0107	14	B-0230-LN	35	B-0674-RGH	60
B-0107-035	15	B-0231	36	B-0675	61
B-0107-C	16	B-0231-CC	36	B-0676	61
B-0107-C35	17	B-0231-CR	36	B-0678	62
B-0108	18	B-0231-EE	36	B-0706	63
B-0108-C	19	B-0232	36	B-0708	64
B-0113	20	B-0235	37	B-0710	65
B-0113-B	20	B-0235-LN	37	B-0711	66
B-0113-B08	21	B-0290	38	B-0712	67
B-0123	22	B-0291	38	B-0712-01	67
B-0123-B	22	B-0293	38	B-0800	68
B-0131	23	B-0300	39	B-0805	69
B-0131-B	23	B-0301	39	B-0805-DP	70
B-0131-BC	23	B-0305	40	B-0805-DP-LF05	70
B-0133	25	B-0305-01	41	B-0807	71
B-0133-01	24	B-0305-LN	40	B-0831	72
B-0133-ADF12-B	25	B-0325	42	B-0831-02VR	72
B-0133-ADF-LN	25	B-0330	43	B-0831-PA	73
B-0133-B	25	B-0475	44	B-0865-04	74
B-0133-BC	25	B-0502	45	B-0867-04	75
B-0133-CR-B	26	B-0504	46	B-0871	76
B-0133-CR-BC	26	B-0507	47	B-0874	77
		B-0509	48	B-0890	78



RELIABILITY BUILT IN™

Table of Contents

B-0890-CR	78	B-2339	105	B-3990	137
B-0891	78	B-2339-LR	105	B-3992	137
B-0892	79	B-2347	106	B-7102	138
B-0892-01	79	B-2360	107	B-7102-01	139
B-0892-133X	80	B-2360-01	107	B-7102-08H	138
B-0892-CR	79	B-2386	108	B-7122-C01	140
B-0892-FC	81	B-2460	109	B-7132-01	141
B-0892-VRS	82	B-2701	110	B-7142-01	142
B-0893	83	B-2703	110	B-7142-02	142
B-0894	84	B-2710	111	B-7142-05	142
B-0950	85	B-2711	111	B-7142-C01	143
B-1110	86	B-2730	112	B-7212-01	144
B-1110-LN	86	B-2731	112	B-7222-C01	145
B-1115	87	B-2742	113	B-7222-C05	145
B-1115-LN	87	B-2850	114	B-7232-01	146
B-1120	88	B-2855	115	B-7242-01	146
B-1120-LN	88	B-2862	116	B-7242-05	147
B-1121	88	B-2865-04	117	BL-4000-01	148
B-1123	88	B-2866	118	BL-5700-08	149
B-1125-LN	89	B-2866-04	119	BL-5705-08	150
B-1128	89	B-2866-05	120	BL-5707-01	151
B-1141	90	B-2866-05CR	121	BL-5709-08	152
B-1142	90	B-2866-05FC	122	BL-6005-02	153
B-1146	91	B-2866-LF16-WH4	123	BL-9505-01	154
B-1146-01	91	B-2867-04	124	BL-9515-01	155
B-1146-04	92	B-2990	125	EC-3100	156
B-1200	93	B-2990-WH4	126	EC-3100-HG	157
B-1205	94	B-2991	127	EC-3101	158
B-1210	95	B-3200	128	EC-3101-HG	159
B-1230	96	B-3940	129	EC-3102	160
B-1256	97	B-3940-01	129	EC-3102-HG	161
B-1430	98	B-3942	130	EC-3103	162
B-1432	99	B-3950	131	EC-3103-HG	163
B-1433	100	B-3950-01	131	EC-3106	164
B-1433-01	100	B-3952	132	MPZ-2DCN-06	165
B-1433-02	100	B-3952-01	132	MPZ-2DLN-06	166
B-1436	101	B-3960	133	Certification/Associations	169
B-2250	102	B-3962	134	Product Adaptability	170
B-2282	103	B-3970	135	T&S Commitment to	
B-2282-01	103	B-3970-01	135	Water Conservation	171
B-2338	104	B-3972	136		



Handles

Lever Handle



001636-45 Cold
001637-45 Hot
001638-45 Blank

Order B-9K Parts Kit
(includes Hot and Cold)

Dome Lavatory Handle



001784-40 Cold
001783-40 Hot
(no index or screw)

Pivot Action Metering Handle



PA-H Hot, with retaining nut and spanner bit
PA-C Cold, with retaining nut and spanner bit
PA-B Blank, with retaining nut and spanner bit

Four Arm Handle



002521-45 Handle only
001660-45 Cold
001661-45 Hot
000059-45 Lab Handle
001147-45 Black Handle

Wrist-Action Handle 4"



B-WH4C Cold
B-WH4H Hot
(above include button & screw)
B-WH4 Handle only

Order B-WH4K Parts Kit
(includes Hot and Cold)

Conversion Adapters

B-0412

Rigid to Swivel



B-0413

Swivel to Rigid




B-0414

Gooseneck Coupling




Swing Nozzles and Goosenecks

Rigid Gooseneck




Model	D	H	K
119X	2 3/4"	8 3/4"	5 1/4"
120X	5 1/2"	10 1/4"	5 5/16"
122X	5 1/2"	11 1/2"	6 1/2"
123X	5 1/2"	12 1/2"	7 9/16"
129X	8 5/8"	11 3/4"	5 1/2"

Swivel Gooseneck




Model	D	H	K
131X	2 13/16"	4 3/4"	2 9/16"
132X	2 5/8"	9 1/16"	5 9/16"
133X	5 11/16"	10 11/16"	6 3/8"
135X	8 3/4"	12 1/16"	5 9/16"

Swing Nozzle



Model	A	B
059X	6"	2 5/16"
060X	8"	2 15/16"
061X	10"	3 13/16"
062X	12"	4 5/16"
063X	14"	4 13/16"
064X	16"	5 13/16"

Double-Joint Nozzle



Model	C	D	E
066X	6"	6"	12"
067X	6"	9"	15"
068X	6"	12"	18"
069X	12"	12"	24"

Many outlets available for nozzles shown above. Check our G-9 catalog.

Hose Adapter Chart

When specified, these adapters will be provided in place of the 1/2" NPT male adapter normally furnished

052A	1/4" NPT female
053A	3/8" NPT male (Chicago)
054A	3/8" NPT female
055A	1/2" NPT male (standard)
056A	1/2" NPT female
057A	3/4" NPT male
058A	3/4" NPT female
059A	Garden hose female
172A	1/4" NPT male (Fisher)
098A	Connect two hoses

Stainless Steel Hoses



B-0020-H	20" Stainless Steel Hose
B-0026-H	26" Stainless Steel Hose
B-0036-H	36" Stainless Steel Hose
B-0044-H	44" Stainless Steel Hose
B-0068-H	68" Stainless Steel Hose
B-0072-H	72" Stainless Steel Hose
B-0096-H	96" Stainless Steel Hose



RELIABILITY BUILT IN™







No.	Part Number	Description
1	001022-45	Bottom Gasket
2	000788-20	Removable Insert (Hot) 64L
3	000789-20	Removable Insert (Cold) 66L
4	000933-45	Seat Screw
5	001092-45	Seat Washer
6	000811-25	Spindle (Hot) 18L
7	000812-25	Spindle (Cold) 67L
8	002601-45	Top Gasket
9	000744-45	Bonnet
10	013430-45	Bonnet Seat Packing
11	000718-25	Packing Nut
12	003164-45	Spring Check Seat
13	001479-45	Spring
14	001907-25	Spindle (Hot) 264L
15	001908-45	Spindle (Cold) 263L
16	001466-20	Quarter-Turn Sleeve
17	001638-45	Lever Handle, Blank
18	001637-45	Lever Handle, Hot
19	001636-45	Lever Handle, Cold
20	001661-45	Index, Red, Hot
21	001660-45	Index, Blue, Cold
22	000922-45	Lever Handle Screw
23	002721-45	O-Ring
24	000685-20	Removable Insert
25	000976-45	Brass Washer
26	001042-45	Rubber Washer
27	002726-45	Stainless Steel Washer
28	001075-45	O-Ring
29	009752-45	Washer
30	009750-25	Bonnet
31	000933-45	Seat Screw
32	001088-45	Seat Washer
33	000794-25	Spindle (Hot and Cold)
34	001047-45	Rubber Washer
35	000986-45	Bonnet
36	000801-25	Brass Washer
37	000800-25	Spindle (Cold)
38	001136-45	Spindle (Hot)
39	001136-45	Seat Washer
40	016751-40	CWS EZ Bonnet Assembly
41	011616-25	Hot
42	011617-25	Cold
43	011618-25	Hot with Check Valve
44	011619-25	Cold with Check Valve
45	016767-25	Hot (LTC)
46	016768-25	Cold (RTC)
47	011278-25	Hot
48	011279-25	Cold
49	012394-25	Hot with Check Valve
50	012395-25	Cold with Check Valve
51	012444-25	Hot
52	012445-25	Cold
53	012446-25	Hot with Check Valve
54	012447-25	Cold with Check Valve
55	011276-45	Hot
56	011277-45	Cold
57	011311-25	Hot with Check Valve
58	011312-25	Cold with Check Valve

For Standard Faucets	Ref. Part No.	002714-40
Hot Side	002713-40	Cold Side
For Standard Faucets-No Handle	Ref. Part No.	005959-40
Hot Side	005960-40	Cold Side
For Pre-Rise Units	Ref. Part No.	002712-40
Hot Side	002711-40	Cold Side
For Pre-Rise Units-No Handle	Ref. Part No.	012442-40
Hot Side	012443-40	Cold Side
Ref. Part No.	006482-40	Hot and Cold Side
Ref. Part No.	002710-40	Hot Side
Ref. Part No.	002709-40	Cold Side
For use without Escutcheon (Ceramic - NO ESC)	Ref. Part No.	016752-40
Hot Side (LTC)	016751-40	Cold Side (RTC)

Hot and Cold Spindle Assemblies




Eterna Cartridge




Eterna Cartridge with Spring Check

Big-Flo Assembly with Four-Arm Handle




B-1100 Faucet Series




Ceramic Cartridges




Eterna Cartridge For EasyInstall CWS Faucets




RELIABILITY BUILT IN™




00AA
00BB




00CC




00EE




00GG




00XX



00JJ



00WW




00YY

Union Coupling Inlets

The following inlets are polished chrome plated and used on mixing faucets to meet varying conditions of installation. All are interchangeable and are used in lieu of the "00AA" inlets which are ordinarily furnished on faucets using union coupling inlets.

All are available in rough chrome if specified. To order, add suffix letters to faucet model number.

For example: "B-0230-CC" – Sink mixing faucet with 1/2" NPT male inlet, 1" (25 mm) long.



00KK
For use with deck at
45° angle
Maximum countertop
thickness 1"


00AA	1/2" NPT female eccentric flanged inlet
00BB	1/2" NPT female eccentric flanged inlet
00CC	1/2" NPT male inlet, 1 1/8" (25 mm) long
00EE	1/2" NPT male inlet with adjustable flange, 1 1/2" (25 mm) long
00GG	1/2" NPT female flanged adjustable inlet
00XX	1/2" NPT female flanged adjustable inlet with screwdriver stop
00JJ	1/2" NPT female inlet with loose key stop
00WW	1/2" NPT female flange 90° inlet
00YY	3/4" NPT female flange 90° inlet
00KK	1/2" NPT male inlet for use on 45° decks. Inlet is at 45° angle to mounting face.



[illegible]



B-0044-H 44" Stainless Steel Hose Assembly



B-0044-H

ITEM

NO.	SALES NO.	DESCRIPTION
1	001014-45	Washer, B-0100 Hose Barrel
2	002987-40	Grip Handle Assembly
3	000729-40	Nut, 7/8"-20 Male x 3/4"-14 Female
4	010476-45	#27 Washer

B-0068-H

B-0084-H

B-0096-H

B-0068-H, B-0084-H and B-0096-H Stainless Steel Hose Assemblies

B-0068-H 68" length stainless steel hose

B-0084-H 84" length stainless steel hose

B-0096-H 96" length stainless steel hose



B-0044-H2A

B-0044-H2A 44" Stainless Steel Hose Assembly Less Handle (shown left)

ITEM

NO.	SALES NO.	DESCRIPTION
1	001014-45	Washer, B-0100 Hose Barrel
2	000729-40	Nut
3	010476-45	#27 Washer
B-0068-H2A		68" stainless steel hose less handle
B-0084-H2A		84" stainless steel hose less handle
B-0096-H2A		96" stainless steel hose less handle



RELIABILITY BUILT IN™




B-0100, B-0101 and B-0101-A Spray Assemblies



B-0100
Spray Valve (B-0107)
with Stainless Steel
Hose Assembly
(B-0044-H)




ITEM NO.	SALES NO.	DESCRIPTION
1	055A	Adapter
2	010476-45	#27 Washer
3	000907-45	Ring, Spray Valve Hold Down
4	B-0107	Spray Valve Assembly
5	B-0044-H	Stainless Steel Hose



B-0101
Spray Valve with Rosespray
Outlet and Stainless Steel
Hose Assembly

ITEM NO.	SALES NO.	DESCRIPTION
1	B-0103	Spray Head Assembly
2	001043-45	Washer
3	002857-40	Spray Valve Assembly w/ Rosespray Outlet
4	001010-40	Washer, Stainless Steel
5	010476-45	#27 Washer
6	013E-36H	Flex Stainless Steel Hose, 36"
7	055A	Adapter, 1/2 NPT Male




B-0101-A
Spray Valve with Aerator
and Stainless Steel Hose
Assembly

ITEM NO.	SALES NO.	DESCRIPTION
1	001043-45	Washer
2	002858-40	Spray Valve Assembly w/ 2.2 GPM Aerator
3	001010-40	Washer, Stainless Steel
4	010476-45	#27 Washer
5	055A	Adapter, 1/2 NPT Male
6	013E-36H	Flex Stainless Steel Hose, 36"
7	044A	3/8" to Aerator Adapter
8	B-0199-02	2.2 GPM Aerator w/ Adapter & Washer
9	B-0199-01	2.2 GPM Aerator, Female







B-0102 and B-0102-A Pot and Glass Filler Assemblies



B-0102
Pot and Glass Filler
Assembly with 68" Hose
and 90° Spray Valve

ITEM NO.	SALES NO.	DESCRIPTION
1	002866-40	Valve & Nozzle Assembly
2	010476-45	#27 Washer
3	B-0068-H	Flex Stainless Steel Hose
4	055A	Adapter
5	000907-45	Spray Valve Hold Down Ring



B-0102-A
Pot Filler Spray Assembly

ITEM NO.	SALES NO.	DESCRIPTION
1	002851-40	B-187 Spray Valve & Hook Nozzle Assembly
2	010476-45	#27 Washer
3	B-0068-H	Flex Stainless Steel Hose
4	055A	Adapter
5	000907-45	Spray Valve Hold Down Ring




RELIABILITY BUILT IN™



B-0100-08 Spray Assembly

B-0100-08

B-0108 Pre-Rinse Spray Valve with 44" Flexible Stainless Steel Hose Assembly



Note:
Standard flex hose is 44" long;
other lengths available upon
request

ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0108	Spray Valve
2	001014-45	Washer, B-0100 Hose Barrel
3	B-0044-H2A	44" Flex Hose Assembly Less Handle
4	010476-45	#27 Washer
5	055A	Adapter, 1/2 NPT Male



RELIABILITY BUILT IN™


2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-0100-C Spray Assembly

B-0100-C

B-0107-C Low Flow Pre-Rinse Spray Valve with 44" Flexible Stainless Steel Hose Assembly



Note:
Standard flex hose is 44" long;
other lengths available upon
request

ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0107-C	Low Flow Spray Valve Assembly
2	B-0044-H	Stainless Steel Hose
3	010476-45	#27 Washer
4	055A	Adapter, 1/2 NPT Male
5	000907-45	Ring, Spray valve Hold Down



RELIABILITY BUILT IN™






B-0107 Pre-Rinse Spray Valve

B-0107

Self-Closing Pre-Rinse Spray Valve with Rubber Bumper and 1.42 GPM Flow Control Spray Face



ITEM NO.	SALES NO.	DESCRIPTION
1	000913-45	Screw
2	001121-45	Spray Face, B-0107
3	007861-45	Sprayhead Ring, B-0107
4	000019-40	Spray Cup, B-0107
5	002856-40	Bonnet Asm, B-0107
6	003199-45	Handle Screw, B-0107
7	001120-45	Spray Valve Handle
8	003198-45	Handle Nut, B-0107
9	010476-45	#27 Washer
10	000907-45	Ring, Spray Valve Hold Down




RELIABILITY BUILT IN™



B-0107-035 Pre-Rinse Spray Valve

B-0107-035

Self-Closing Pre-Rinse Angled Spray Valve with Rubber Bumper and 1.42 GPM Flow Control Spray Face



ITEM NO.	SALES NO.	DESCRIPTION
1	003199-45	Handle Screw, Spray Valve
2	001120-45	Spray Valve Handle
3	002856-40	Bonnet Asm, Spray Valve
4	003198-45	Handle Nut, Spray Valve
5	010476-45	#27 Washer
6	000907-45	Ring, Spray Valve Hold Down
7	007861-45	Sprayhead Ring, B-0107
8	001121-45	Spray Face, B-0107
9	000913-45	Screw




RELIABILITY BUILT IN™



B-0107-C Pre-Rinse Spray Valve

B-0107-C
Ultimate Low-Flow Self-Closing Pre-Rinse Spray Valve with
0.65 GPM Spray Nozzle



ITEM NO.	SALES NO.	DESCRIPTION
1	003199-45	Handle Screw, Spray Valve
2	001120-45	Spray Valve Handle
3	002856-40	Bonnet Asm, Spray Valve
4	003198-45	Handle Nut, Spray Valve
5	010476-45	#27 Washer
6	000907-45	Ring, Spray Valve Hold Down
7	002659-45	Shield, Low Flow 0.65 GPM






B-0107-C35 Pre-Rinse Spray Valve

B-0107-C35

Self-Closing Pre-Rinse Angled Spray Valve with 0.65 GPM
Spray Nozzle



ITEM NO.	SALES NO.	DESCRIPTION
1	003199-45	Handle Screw, Spray Valve
2	001120-45	Spray Valve Handle
3	002856-40	Bonnet Asm, Spray Valve
4	003198-45	Handle Nut, Spray Valve
5	010476-45	#27 Washer
6	000907-45	Ring, Spray Valve Hold Down
7	002659-45	Shield, Low Flow 0.65 GPM






B-0108 Pre-Rinse Spray Valve



B-0108

JeTSpray Self-Closing Pre-Rinse Spray Valve with Ergo-Grip,
Integrated One-Handed Trigger Lock, 0.65 GPM



ITEM

NO.	SALES NO.	DESCRIPTION
1	108T-RK	Trigger Repair Kit
2	108SF-RK	Spray Face Repair Kit
3	108S-RK	Inlet Screen/Washer Repair Kit
4	108V-RK	Valve Repair Kit

Note:
Individual items in repair kits
are not sold separately



RELIABILITY BUILT IN™




B-0108-C

Pre-Rinse Spray Valve



B-0108-C

JeTSpray Self-Closing Pre-Rinse Spray Valve with Ergo-Grip,
Integrated One-Handed Trigger Lock, 0.65 GPM



ITEM

NO.	SALES NO.	DESCRIPTION
1	108T-RK	Trigger Repair Kit
2	108CSF-RK	Spray Face Repair Kit
3	108S-RK	Inlet Screen/Washer Repair Kit
4	108V-RK	Valve Repair Kit

Note:
Individual items in repair kits
are not sold separately



RELIABILITY BUILT IN™



B-0113 and B-0113-B Pre-Rinse Units

B-0113

EasyInstall Pre-Rinse Unit


Single Deck Mount Base Faucet with Flexible Supply Hoses,
24" Riser, Overhead Spring, 44" Flex Hose and B-0107
Spray Valve

B-0113-B (shown right)

Includes Wall Bracket (B-0109-01)

EasyInstall

B-0113-B



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0107	Spray Valve Asm
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	002987-40	Grip Handle Assembly
5	001014-45	Washer, B-0100 Hose Barrel
6	B-0044-H2A	44" Flex Hose Assembly Less Handle
7	000888-45	EasyInstall Overhead Spring
8	000821-40	Spring Body
9	B-0109-01	6" Wall Bracket Asy (B-0113-B)
10	004R	Finger Hook Assembly
11	000372-40	3/8" NPT x 24" Long Riser
12	EZ-K	EasyInstall Kit: Bushing, O-Ring, Lock Washer & Loctite 222
13	001065-45	O-Ring
14	014200-45	Star Washer, Anti-Rotation
15	012442-40	Cold Eterna Spindle Assembly w/Spring Check
16	002711-40	Cold Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
17	001660-45	Blue Index-CW
18	002290-45	Lock Washer
19	000965-45	Lock Nut
20	012534-45	Flexible Connector Hose (2)
21	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
22	001638-45	Lever Handle
23	002712-40	Hot Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
24	001661-45	Red Index-HW
25	000922-45	Lever Handle Screw



RELIABILITY BUILT IN™



B-0113-B08 Pre-Rinse Unit

B-0113-B08


EasyInstall Pre-Rinse Unit

Single Deck Mount Mixing Base Faucet with Flexible Hoses, 24" Riser, Overhead Spring, 44" Flex Hose, B-0108 Spray Valve and 6" Wall Bracket

EasyInstall



B-0113-B08



See pg. 18 for Spray Valve Parts Explosion

See pg. 6 for Cartridge Parts Explosion

ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0108	Spray Valve
2	001014-45	Washer, B-0100 Hose Barrel
3	B-0044-H2A	44" Flex Hose Assembly, Less Handle
4	000888-45	EasyInstall Overhead Spring
5	010476-45	#27 Washer
6	000821-40	Spring Body
7	B-0109-01	6" Wall Bracket Assembly
8	004R	Finger Hook Assembly
9	000372-40	3/8" NPT x 24" Long Riser
10	EZ-K	EasyInstall Kit: Bushing, O-Ring, Lock Washer & Loctite 222
11	001065-45	O-Ring
12	014200-45	Star Washer, Anti-Rotation
13	012442-40	Cold Eterna Spindle Assembly w/ Spring Check
14	002711-40	Cold Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
15	001660-45	Blue Index-CW
16	002290-45	Lock Washer
17	000965-45	Lock Nut
18	012534-45	Flexible Connector Hose (2)
19	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
20	001638-45	Lever Handle
21	002712-40	Hot Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
22	001661-45	Red Index-HW
23	000922-45	Lever Handle Screw



RELIABILITY BUILT IN™



EasyInstall

B-0123 and B-0123-B Pre-Rinse Units

B-0123


EasyInstall Pre-Rinse Unit

8" Deck Mount Base Faucet with Flexible Supply Hoses,
24" Riser, Overhead Spring, 44" Flex Hose and B-0107
Spray Valve

B-0123-B (shown right)

Includes Wall Bracket (B-0109-01)

B-0123-B



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0107	Spray Valve Asm
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	002987-40	Grip Handle Assembly
5	001014-45	Washer, B-0100 Hose Barrel
6	B-0044-H2A	44" Flex Hose Assembly, Less Handle
7	000888-45	EasyInstall Overhead Spring
8	002712-40	Hot Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
9	001661-45	Red Index-HW
10	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
11	EZ-K	EasyInstall Kit: Bushing, O-Ring, Lock Washer & Loctite 222
12	000821-40	Spring Body
13	B-0109-01	6" Wall Bracket Asm. (B-0123-B)
14	004R	Finger Hook Assembly
15	000372-40	3/8" NPT x 24" Long Riser
16	002711-40	Cold Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
17	000922-45	Lever Handle Screw
18	001660-45	Blue Index-CW
19	001638-45	Lever Handle
20	012442-40	Cold Eterna Spindle Assembly w/ Spring Check
21	001065-45	O-Ring
22	014200-45	Star Washer, Anti-Rotation
23	001019-45	Coupling Nut Washer
24	00AA	Flange Assembly



RELIABILITY BUILT IN™



B-0131, B-0131-B and B-0131-BC Pre-Rinse Units

B-0131 (shown right) Pre-Rinse Unit

Wall Mount Mixing Base Faucet with 1/2" NPT Female Inlets, 26" Riser, 20" Flex Hose and B-0107 Spray Valve


B-0131-B (shown below)

Includes Wall Bracket (B-0109-01)

B-0131-BC (shown below)

Includes Wall Bracket (B-0109-01) and B-0107-C Low Flow Spray Valve

B-0131



ITEM


NO.	SALES NO.	DESCRIPTION
1	002882-40	L-Tube Assembly, 12"
2	010476-45	#27 Washer
3	B-0020-H	Flex Stainless Steel Hose
4	000907-45	Spray Valve Hold Down Ring
5	B-0107	Spray Valve Asm. (B-0131, B-0131-B)
	B-0107-C	0.65 GPM Low Flow Spray Valve, Washer and Hold-Down Ring (B-0131-BC)
6	002712-40	Hot Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
7	001661-45	Red Index-HW
8	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
9	000373-40	3/8" NPT, 26" Length Riser
10	B-0109-01	6" Wall Bracket Asm. (B-0131-B, B-0131-BC)
11	004R	Finger Hook Assembly
12	000922-45	Lever Handle Screw
13	001660-45	Blue Index-CW
14	001638-45	Lever Handle
15	002711-40	Cold Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
16	012442-40	Cold Eterna Spindle Assembly w/ Spring Check
17	001019-45	Coupling Nut Washer
18	00AA	Flange Assembly, 00AA



RELIABILITY BUILT IN™

**EasyInstall****B-033-01****EasyInstall Pre-Rinse Unit**

8" C/C Wall Mount Base Faucet with 00CC 1/2" NPT Male Inlets, 18" Riser, Overhead Spring, 56" Flex Hose and B-0107 Spray Valve, 063X Swing Nozzle, Add-On Faucet and B-0109-02 9" Wall Support



See pg. 14
for Spray
Valve Parts
Explosion

ITEM


NO.	SALES NO.	DESCRIPTION
1	B-0107	Spray Valve Assembly w/ Hold Down Ring & Washer
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	002987-40	Grip Handle Assembly
5	001014-45	Washer, B-0100 Hose Barrel
6	B-0056-H2A	56" Flex Hose Assembly, Less Handle
7	000888-45	EasyInstall Overhead Spring
8	001048-45	Nozzle Tip Washer
9	B-PT	Stream Regulator Outlet
10	001661-45	Red Index-HW
11	001638-45	Lever Handle
12	002712-40	Hot Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
13	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
14	014200-45	Star Washer, Anti-Rotation
15	002711-40	Cold Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
16	000821-40	Spring Body
17	004R	Finger Hook Assembly
18	000369-40	3/8" NPT x 18" Long Riser
19	B-0109-02	9" Wall Support Assembly
20	063X	14" Swing Nozzle Assembly
21	B-0155-LNEZ	EasyInstall Add-On Faucet Less Nozzle
22	000922-45	Lever Handle Screw
23	001660-45	Blue Index-CW
24	012442-40	Cold Eterna Spindle Assembly w/ Spring Check
25	00CC	Flange Coupling Nut
26	001019-45	Coupling Nut Washer

See pg. 6 for Cartridge
Parts Explosion

**RELIABILITY BUILT IN™**

**EasyInstall****B-0133
Pre-Rinse Unit**Wall Mount Mixing Base Faucet with 1/2" NPT Female Inlets,
18" Riser, 44" Flex Hose and B-0107 Spray Valve**B-0133-B (shown right)**

Includes Wall Bracket (B-0109-01)

B-0133-BC**EasyInstall Pre-Rinse Unit**Same as B-0133-B except with B-0107-C
Low-Flow Spray Valve 0.65 GPM**B-0133-ADF12-B (shown below)**Includes EasyInstall Add-On Faucet with 12"
Swing Nozzle

B-0133, B-0133-B, B-0133-BC, B-0133-ADF12-B and B-0133-ADF-LN Pre-Rinse Units

B-0133-ADF-LNSame as B-0133-ADF12-B except with
no Wall Bracket and no Swing Nozzle -
includes Add-On Faucet

ITEM NO.	SALES NO.	DESCRIPTION
1	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
2	002712-40	Hot Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
3	001638-45	Lever Handle
4	000922-45	Lever Handle Screw
5	B-0155-LNEZ	EasyInstall Add-On Faucet Less Nozzle (B-0133-ADF12-B, B-0133-ADF-LN)
6	007947-40	Quarter-Turn Spindle Assembly (B-0133-ADF12-B, B-0133-ADF-LN)
7	B-PT	Stream Regulator Outlet (B-0133-ADF12-B)
8	001048-45	Nozzle Tip Washer (B-0133-ADF12-B)
9	062X	12" Swing Nozzle Assembly (B-0133-ADF12-B)
10	B-0107 B-0107-C	Spray Valve Assembly Low Flow Spray Valve (B-0133-BC)
11	010476-45	#27 Washer
12	000907-45	Spray Valve Hold Down Ring
13	002987-40	Grip Handle Assembly
14	001014-45	Washer, B-0100 Hose Barrel
15	B-0044-H2A	44" Flex Hose Assembly, Less Handle
16	000888-45	EasyInstall Overhead Spring
17	000821-40	Spring Body
18	004R	Finger Hook Assembly
19	B-0109-01	6" Wall Bracket Assembly
20	000369-40	3/8" NPT x 18" Long Riser
21	EZ-K	EasyInstall Retro Fit Kit, Nut, Bushing, O-Ring & Lock Washer
22	001065-45	O-Ring (B-0133-ADF12-B, B-0133-ADF-LN)
23	014200-45	Star Washer, Anti-Rotation (B-0133-ADF12-B, B-0133-ADF-LN)
24	001661-45	Red Index-HW
25	002711-40	Cold Eterna Spindle Assembly w/Spring Check, Handle, Index & Screw
26	001660-45	Blue Index-CW
27	012442-40	Cold Eterna Spindle Asy w/Spring Check
28	001019-45	Coupling Nut Washer
29	00AA	Coupling Flange Assembly

**RELIABILITY BUILT IN™**

**EasyInstall**


B-0133-CR-B and B-0133-CR-BC Pre-Rinse Units

B-0133-CR-B

Wall Mount Mixing Base Faucet with Cerama Cartridges and 1/2" NPT Female Inlets, 18" Riser, 44" Flex Hose and B-0107 Spray Valve

B-0133-CR-BC

Same as B-0133-CR-B except with B-0107-C Low-Flow Spray Valve 0.65 GPM



ITEM

ITEM NO.	SALES NO.	DESCRIPTION
1	012394-25	Cerama Cartridge, RTC w/ Check Valve
2	001638-45	Lever Handle
3	001661-45	Red Index-HW
4	000922-45	Lever Handle Screw
5	B-0107	Spray Valve Assembly w/ Hold Down Ring & Washer (B-0133-CR-B)
	B-0107-C	Low Flow Spray Valve Asm. w/ Hold Down Ring & Washer (B-0133-CR-BC)
6	010476-45	#27 Washer
7	000907-45	Spray Valve Hold Down Ring
8	002987-40	Grip Handle Assembly
9	001014-45	Washer, B-0100 Hose Barrel
10	B-0044-H2A	44" Flex Hose Assembly, Less Handle
11	000888-45	EasyInstall Overhead Spring
12	000821-40	Spring Body
13	004R	Finger Hook Assembly
14	B-0109-01	6" Wall Bracket Assembly
15	000369-40	3/8" NPT x 18" Long Riser
16	EZ-K	EasyInstall Retro Fit Kit, Nut, Bushing, O-Ring & Lock Washer
17	001065-45	O-Ring
18	014200-45	Star Washer, Anti-Rotation
19	001660-45	Blue Index-CW
20	012395-25	Cerama Cartridge, LTC w/ Check Valve
21	00AA	Coupling Flange Assembly
22	001019-45	Coupling Nut Washer

**RELIABILITY BUILT IN™**



B-0155, B-0155-LN, B-0155-CR-LN and B-0156

Add-On Faucets

B-0155

Add-On Faucet (shown below)

With 6" Swing Nozzle with B-PT Stream Regulator Outlet,
3" Nipple, Eterna Cartridge

B-0155-LN

With No Nozzle, 3" Nipple

B-0155-CR-LN


Same as B-0155-LN except with Cerama Cartridge

B-0156 (shown right)

Same as B-0155 except with 12" swing nozzle



B-0156



ITEM

NO.	SALES NO.	DESCRIPTION
1	059X	6" Swing Nozzle w/ B-PT Stream Regulator Outlet (B-0155)
	062X	12" Swing Nozzle w/ B-PT Stream Regulator Outlet (B-0156)
2	B-PT	Stream Regulator
3	001048-45	Nozzle Tip Washer
5	009538-45	Swivel Washer
6	011429-45	Swivel Sleeves (2)
7	001074-45	O-Ring
8	000358-40	Nipple, 3/8" NPT x 3" Long
9	007947-40	Quarter Turn Spindle Assembly (B-0155, B-0155-LN and B-0156)
	011278-25	Cerama Cartridge (B-0155-CR-LN)
10	001638-45	Lever Handle
11	000922-45	Lever Handle Screw



RELIABILITY BUILT IN™



B-0175 Pre-Rinse Unit


B-0175

Pre-Rinse Unit

8" Wall-Mounted Base Faucet with Swivel Adapter Assembly, 104" Flexible Stainless Steel Hose, B-0107-035 Angled Spray Valve and Add-On Faucet with 12" Swing Nozzle with Stream Regulator Outlet



B-0175



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0107-035	Spray Valve Assembly
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	B-0104-H	104" Flex Hose Assembly
5	B-0156	Add-On Faucet w/ 12" Nozzle
6	009638-45	Washer
7	B-PT	Stream Regulator Outlet
8	000922-45	Lever Handle Screw
9	001661-45	Red Index-HW
10	001638-45	Lever Handle
11	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
12	002712-40	Hot Eterna Spindle Assembly w/ Spring Check, Handle Index & Screw
13	062X	12" Swing Nozzle Asm
14	009538-45	Swivel Washer
15	011429-45	Swivel Sleeves (2)
16	001074-45	O-Ring
17	034A	Swivel Adapter Assembly
18	B-0412	Rigid to Swivel Adapter
19	B-0155-LN	Add-on Faucet
20	002711-40	Cold Eterna Spindle Assembly w/ Spring Check, Handle, Index & Screw
21	001660-45	Blue Index-CW
22	001019-45	Coupling Nut Washer
23	B-0166	Hanger Hook Assembly
24	001584-45	Set Screw, B-0119 Rod End (1)
25	012442-40	Cold Eterna Spindle Assembly w/ Spring Check
26	00AA	Flange Assembly, 00AA
27	000915-45	Mounting Screw



RELIABILITY BUILT IN™




B-0200-LN and B-0201 Pantry Faucets

B-0200-LN

Single Hole Double Pantry Faucet Less Nozzle with Eterna Cartridges, Spreader with 1/2" NPT Male Inlets and Lever Handles

B-0201

Same as B-0200-LN except includes 12" Swing Nozzle with B-PT Stream Regulator Outlet



ITEM

NO.	SALES NO.	DESCRIPTION
1	000922-45	Lever Handle Screw
2	001661-45	Red Index-HW
3	005960-40	Spindle Asm, Eterna "Hot"
4	001048-45	Nozzle Tip Washer (B-0201)
5	B-PT	Stream Regulator Asm (B-0201)
6	062X	12" Swing Nozzle Asm (B-0201)
7	005959-40	Spindle Asm. Eterna "Cold"
8	001660-45	Blue Index-CW
9	001638-45	Lever Handle
10	002290-45	Lock Washer
11	000965-45	Lock Nut
12	000736-20	Spreader Coupler Nut
13	001041-45	Spreader Washer
14	002898-40	4" Spreader Unit
15	150A	Bag of (1) Nut & (1) Tailpiece



RELIABILITY BUILT IN™



B-0205 and B-0207 Pantry Faucets

B-0205


Single Pantry Faucet with Eterna Cartridge, 18" Swing Nozzle with B-PT Stream Regulator Outlet, Lever Handle and Tailpiece

B-0207

Same as B-0205 except with 6" Swing Nozzle



B-0205



See pg. 6 for
Cartridge Parts
Explosion

ITEM

NO.	SALES NO.	DESCRIPTION
1	150A	Bag of (1) Nut & (1) Tailpiece
2	002954-45	Shank Lock Nut
3	000999-45	Brass Lock Washer
4	001074-45	O-Ring
5	011429-45	Swivel Sleeves (2)
6	009538-45	Swivel Washer
7	065X	18" Swing Nozzle Asm (B-0205)
	059X	6" Swing Nozzle Asm (B-0207)
8	001048-45	Nozzle Tip Washer
9	B-PT	Stream Regulator Assembly
10	000922-45	Lever Handle Screw
11	001660-45	Blue Index-CW
12	001638-45	Lever Handle
13	005960-40	Spindle Asm, Eterna "Hot"



RELIABILITY BUILT IN™




B-0208 Single Temperature Faucet

B-0208

Single Temperature Deck Mount Faucet with Eterna Cartridge, 1/2" NPSM Male Shank, Lever Handle and 6" Cast Spout with 2.2 GPM Aerator



B-0208



ITEM

NO.	SALES NO.	DESCRIPTION
1	150A	Bag of (1) Nut & (1) Tailpiece
2	002954-45	Shank Lock Nut
3	000999-45	Brass Lock Washer
4	005960-40	Spindle Asm, Eterna "Hot"
5	001638-45	Lever Handle
6	000922-45	Lever Handle Screw
7	001660-45	Blue Index-CW
8	0CS6	6" Cast Spout
9	001074-45	O-Ring
10	011429-45	Swivel Sleeve (2)
11	044A	3/8" to Aerator Adapter
12	001043-45	Washer
13	B-0199-02	2.2 GPM Aerator w/ 3/8" NPT Male Thread Adapter
14	B-0199-01	2.2 GPM Aerator, Female



RELIABILITY BUILT IN™




B-0220 and B-0220-LN Deck Mixing Faucets

B-0220

Sink Mixing Faucet with Eterna Cartridges, 18" Swing Nozzle with B-PT Stream Regulator Outlet, Lever Handles and 1/2" NPT Female OOA Inlets

B-0220-LN

Same as B-0220 except less Swing Nozzle



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-PT	Stream Regulator Asm (B-0220)
2	001048-45	Nozzle Tip Washer (B-0220)
3	065X	18" Swing Nozzle (B-0220)
4	009538-45	Swivel Washer (B-0220)
5	011429-45	Swivel Sleeves (2) (B-0220)
6	001074-45	O-Ring (B-0220)
7	001660-45	Blue Index-CW
8	005959-40	Spindle Asm. Eterna "Cold"
9	001019-45	Coupling Nut Washer
10	00AA	Flange Assembly
11	005960-40	Spindle Asm, Eterna "Hot"
12	001638-45	Lever Handle
13	001661-45	Red Index-HW
14	000922-45	Lever Handle Screw



RELIABILITY BUILT IN™



B-0221-CC and B-0221-EE Deck Mixing Faucets

B-0221-CC

Sink Mixing Faucet, 8" C/C with Eterna Cartridges, 12" Swing Nozzle with B-PT Stream Regulator Outlet, Lever Handles and 1/2" NPT 00CC Male Inlets

B-0221-EE

Same as B-0221-CC except with 00EE Inlets

B-0221-CC


B-0221-EE



00CC Inlet



00EE Inlet



ITEM NO.	SALES NO.	DESCRIPTION
1	005960-40	Spindle Asm, Eterna "Hot"
2	001638-45	Lever Handle
3	062X	12" Swing Nozzle Assembly
4	B-PT	Stream Regulator
5	001048-45	Nozzle Tip Washer
6	009538-45	Swivel Washer
7	011429-45	Swivel Sleeves (2)
8	001074-45	O-Ring
9	001661-45	Red Index-HW
10	000922-45	Lever Handle Screw
11	001660-45	Blue Index-CW
12	005959-40	Spindle Asm. Eterna "Cold"
13	001019-45	Coupling Nut Washer
14	00CC	1/2" NPT Male Inlet Asm. (B-0221-CC)
15	000999-45	Brass Lock Washer
16	002954-45	Shank Lock Nut
17	00EE	Inlet Flange Asm. (B-0221-EE)



RELIABILITY BUILT IN™




B-0225 and B-0225-LN Deck Mixing Faucets

B-0225

Double Pantry Faucet, 4" C/C with Eterna Cartridges, 12" Swing Nozzle with B-PT Stream Regulator Outlet, Lever Handles and 1/2" NPT 00AA Female Inlets

B-0225-LN

Same as B-0225 except less Swing Nozzle



ITEM NO.	SALES NO.	DESCRIPTION
1	001048-45	Nozzle Tip Washer (B-0225)
2	B-PT	Stream Regulator Outlet (B-0225)
3	000922-45	Lever Handle Screw
4	001661-45	Red Index-HW
5	001638-45	Lever Handle
6	005960-40	Spindle Asm, Eterna "Hot"
7	009538-45	Swivel Washer
8	001074-45	O-Ring
9	001660-45	Blue Index-CW
10	005959-40	Spindle Asm. Eterna "Cold"
11	001019-45	Coupling Nut Washer
12	00AA	Flange Assembly
13	011429-45	Swivel Sleeves (2)
14	062X	12" Swing Nozzle (B-0225)



RELIABILITY BUILT IN™



B-0230, B-0230-CR-LN and B-0230-LN Pantry Mixing Faucets

B-0230


Double Pantry Faucet, Wall Mount with 8" C/C, Eterna Cartridges, 18" Swing Nozzle with B-PT Stream Regulator Outlet, Lever Handles and 1/2" NPT 00AA Female Inlets

B-0230-CR-LN

Same as B-0230 except with Ceramic Cartridges and Less Swing Nozzle

B-0230-LN

Same as B-0230 except less Swing Nozzle



ITEM NO.	SALES NO.	DESCRIPTION
1	065X	18" Swing Nozzle Assembly w/ B-PT Stream Regulator (B-0230)
2	B-PT	Stream Regulator
3	001048-45	Nozzle Tip Washer
4	000922-45	Lever Handle Screw
5	001661-45	Red Index-HW
6	001638-45	Lever Handle
7	005960-40	Spindle Asm, Eterna "Hot" (B-0230 and B-0230-LN)
	011278-25	Ceramic Cartridge RTC (B-0230-CR-LN)
8	009538-45	Swivel Washer
9	011429-45	Swivel Sleeves (2)
10	001074-45	O-Ring
11	001660-45	Blue Index-CW
12	005959-40	Spindle Asm. Eterna "Cold" (B-0230 and B-0230-LN)
	011279-25	Ceramic Cartridge LTC (B-0230-CR-LN)
13	001019-45	Coupling Nut Washer
14	00AA	1/2" NPT Female Inlet Assembly

See pg. 6 for
Cartridge Parts
Explosion



RELIABILITY BUILT IN™



B-0231, B-0231-CC, B-0231-CR, B-0231-EE and B-0232 Wall Mount Mixing Faucets

B-0231

Double Pantry Faucet, Wall Mount with 8" C/C, Eterna Cartridges, 12" Swing Nozzle with B-PT Stream Regulator Outlet, Lever Handles and 1/2" NPT 00AA Female Inlets

B-0231-CC

Same as B-0231 except with 00CC Inlets

B-0231-CR

Same as B-0231 except with Ceramic Cartridges

B-0231-EE

Same as B-0231 except with 00EE Inlets

B-0232

Same as B-0-231 except with 6" Swing Nozzle




B-0231 and
B-0232



00CC
Inlet



00EE
Inlet



See pg. 6 for
Cartridge Parts
Explosion

ITEM NO.	SALES NO.	DESCRIPTION
1	062X 059X	12" Swing Nozzle (B-0231) 6" Swing Nozzle (B-0232)
2	001048-45	Nozzle Tip Washer
3	B-PT	Stream Regulator
4	001661-45	Red Index-HW
5	005960-40 011278-25	Spindle Asm, Eterna "Hot" Ceramic Cartridge RTC (B-0231-CR)
6	009538-45	Swivel Washer
7	011429-45	Swivel Sleeves (2)
8	001074-45	O-Ring
9	000922-45	Lever Handle Screw
10	001660-45	Blue Index-CW
11	001638-45	Lever Handle
12	005959-40 011279-25	Spindle Asm. Eterna "Cold" Ceramic Cartridge LTC (B-0231-CR)
13	00AA 00CC 00EE	Coupling Wall Flange Asm. w/ Washer (B-0231) Coupling Wall Flange Asm. w/ Washer (B-0231-CC) Coupling Wall Flange Asm. w/ Washer (B-0231-EE)
14	001019-45	Coupling Nut Washer



RELIABILITY BUILT IN™





B-0235 and B-0235-LN Pantry Mixing Faucets

B-0235

Combination Sink Faucet, Wall Mount with Eterna Cartridges, 18" Swing Nozzle with B-PT Stream Regulator Outlet, Lever Handles and 1/2" NPT 00GG Adjustable Female Inlets

B-0235-LN

Same as B-0235 except less Swing Nozzle



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-PT	Stream Regulator (B-0235)
2	001048-45	Nozzle Tip Washer (B-0325)
3	065X	18" Swing Nozzle Asm (B-0235)
4	009538-45	Swivel Washer (B-0235)
5	011429-45	Swivel Sleeves (2) (B-0235)
6	001074-45	O-Ring (B-0235)
7	001019-45	Coupling Nut Washer
8	00GG	1/2" NPT, Adjustable Inlet Asm
9	000922-45	Lever Handle Screw
10	001660-45	Blue Index-CW
11	001638-45	Lever Handle
12	005959-40	Spindle Asm. Eterna "Cold"
13	005960-40	Spindle Asm, Eterna "Hot"
14	001661-45	Red Index-HW

See pg. 6 for
Cartridge Parts
Explosion



RELIABILITY BUILT IN™



B-0290, B-0291 and B-0293 Big-Flo Faucets

B-0290

Kettle and Pot Sink Mixing Faucet with Big-Flo 12" Swing Nozzle, 4-Arm Kitchen Handles, Color Coded Indexes and 00LL 3/4" NPT Street Elbows

B-0291

Same as B-0290 except with 18" Big-Flo Swing Nozzle

B-0293


Same as B-0290 except with 00YY 3/4" NPT Inlets



B-0290



B-0293



ITEM

NO.	SALES NO.	DESCRIPTION
1	000922-45	Lever Handle Screw
2	001661-45	Red Index-HW
3	002521-45	4-Arm Handle
4	006482-40	Spindle Asm., B-0290 (RH)
5	000764-20	Seat, B-290 RM
6	114X	12" Big-Flo Swing Nozzle (B-0290, and B-0293)
	115X	18" Big-Flo Swing Nozzle (B-0291)
7	001068-45	O-Ring, Size -118
8	001660-45	Blue Index-CW
9	001019-45	Coupling Nut Washer
10	00BB	Flange Assembly
11	00LL	"LL" Flange Assembly
	00YY	YY Inlets (B-0293)

See pg. 6 for
Cartridge Parts
Explosion



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-0300 and B-0301 Single Hole Mixing Faucets

B-0300

Single Hole Deck-Mount Mixing Faucet with Under-counter Spreader Assembly, Eterna Cartridges, Lever Handles, Rigid Gooseneck with Stream Regulator

B-0301

Same as B-0300 except with 133X Swivel Gooseneck with B-PT Stream Regulator Outlet




B-0300

B-0301



B-0300



ITEM NO.	SALES NO.	DESCRIPTION
1	000965-45	Lock Nut
2	002290-45	Lock Washer
3	002898-40	Spreader Assembly
4	005959-40	Eterna Spindle Asm., Cold
5	005960-40	Eterna Spindle Asm., Hot
6	001638-45	Lever Handle
7	001660-45	Blue Index-CW
8	001661-45	Red Index-HW
9	000922-45	Lever Handle Screw
10	150A	Bag of (1) Nut & (1) Tailpiece
11	009634-45	Spreader Washer
12	120X	Rigid Gooseneck w/B-LT (B-0300)
	133X	Swivel Gooseneck (B-0301)
13	B-LT	Tip, Lab Faucet (B-0300)
	B-PT	Stream Regulator Outlet (B-0301)
14	001043-45	Washer (B-0300)
	001048-45	Nozzle Tip Washer (B-0301)



RELIABILITY BUILT IN™



B-0305 and B-0305-LN Single Temperature Faucets

B-0305

Single Temperature Deck-Mount Faucet with Eterna Cartridges, Lever Handle, Rigid Gooseneck with B-LT Stream Regulator Outlet and Tailpiece

B-0305-LN


Same as B-0305 except Less Swing Nozzle



B-0305



B-0305-LN



ITEM NO.	SALES NO.	DESCRIPTION
1	B-LT	Stream Regulator Outlet (B-0305)
2	001043-45	Washer (B-0305)
3	120X	Gooseneck w/ B-LT Stream Regulator Assembly (B-0305)
4	000922-45	Lever Handle Screw
5	001660-45	Blue Index-CW
6	001638-45	Lever Handle
7	005960-40	Spindle Asm, Eterna "Hot"
8	150A	Bag of (1) Nut & (1) Tailpiece
9	002954-45	Shank Lock Nut
10	000999-45	Brass Lock Washer



RELIABILITY BUILT IN™




B-0305-01 Single Temperature Faucet

B-0305-01

Single Pantry Deck-Mount Faucet with Eterna Cartridge, Lever Handle, 1/2" NPSM Male Inlet and Rigid Gooseneck with 2.2 GPM Aerator

B-0305-01



ITEM NO.	SALES NO.	DESCRIPTION
1	B-0199-02	2.2 GPM Aerator w/ Adapter
2	B-0199-01	2.2 GPM Aerator, Female
3	044A	3/8" to Aerator Adapter
4	001043-45	Washer
5	000398-40	Rigid Gooseneck
6	005960-40	Eterna Cartridge - RTC
7	001638-45	Lever Handle
8	001660-45	Blue Index-CW
9	000922-45	Lever Handle Screw
10	002954-45	Shank Lock Nut
11	000999-45	Brass Lock Washer
12	150A	Bag of (1) Nut & (1) Tailpiece




RELIABILITY BUILT IN™



B-0325 Pantry Faucet

B-0325

Deck Mount Double Pantry Faucet with Eterna Cartridges, Lever Handles, Swivel Gooseneck with B-PT Stream Regulator Outlet and 1/2" NPT Female Inlets



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-PT	Stream Regulator Assembly
2	001048-45	Nozzle Tip Washer
3	133X	Swivel Gooseneck Assembly
4	009538-45	Swivel Washer
5	011429-45	Swivel Sleeves (2)
6	001074-45	O-Ring
7	001661-45	Red Index-HW
8	000922-45	Lever Handle Screw
9	001660-45	Blue Index-CW
10	005959-40	Spindle Asm, Eterna "Cold"
11	001019-45	Coupling Nut Washer
12	00AA	Flange Assembly
13	005960-40	Spindle Asm, Eterna "Hot"
14	001638-45	Lever Handle

See pg. 6 for
Cartridge Parts
Explosion



RELIABILITY BUILT IN™



B-0330 Rigid Faucet

B-0330


Wall-Mount Mixing Faucet with Eterna Cartridges, Lever Handle, Rigid Gooseneck with B-LT Stream Regulator Outlet and 00AA Inlets



B-0330



ITEM NO.	SALES NO.	DESCRIPTION
1	B-LT	Stream Regulator Outlet
2	001043-45	Washer
3	120X	Rigid Gooseneck w/ B-LT Tip
4	000398-40	Rigid Gooseneck
5	001661-45	Red Index-HW
6	000922-45	Lever Handle Screw
7	001660-45	Blue Index-CW
8	00AA	Wall Coupling Flange
9	001019-45	Coupling Nut Washer
10	005959-40	Eterna Cartridge - LTC
11	005960-40	Eterna Cartridge - RTC



See pg. 6 for
Cartridge Parts
Explosion



RELIABILITY BUILT IN™



B-0475 Knee Action Valve

B-0475


Knee Action Valve with 1/2" NPT Female Inlets and Outlet



B-0475

ITEM

NO.	SALES NO.	DESCRIPTION
1	000125-40	Knee Stirrup
2	001123-45	Nylon Set Screw
3	000952-45	Nut
4	000124-40	Cantilever
5	002983-40	Bonnet Assembly
6	000123-40	B-0475 Cam, Cam Bolt & (3) O-Rings
7	001065-45	O-Ring (1)
8	000630-40	Cam Bolt
9	000919-45	Screw
10	001310-45	Roll Pin
11	001253-45	Cover Plate
12	000951-45	Nylon Lock Nut



RELIABILITY BUILT IN™




B-0502 Double Pedal Valve

B-0502

Floor-mount Double Pedal Valve with 1/2" NPT
Female Inlets and Outlet



B-0502



ITEM

NO.	SALES NO.	DESCRIPTION
1	012512-45	Retaining Ring
2	000091-25	Cold Pedal
3	000092-25	Hot Pedal
4	005312-40	Bonnet Asm
5	000915-45	Mounting Screw



RELIABILITY BUILT IN™



B-0504 Double Pedal Valve

B-0504


Double Pedal Valve, Wall Mount with 1/2" NPT Female Inlets and Outlet, Adjustable Pedal Height



B-0504

ITEM

NO.	SALES NO.	DESCRIPTION
1	000240-30	Pedal (Hot)
2	012512-45	Retaining Ring
3	001602-45	Bushing, Pedal Valve
4	003749-45	Foot Pedal Mtg. Screw
5	000886-45	Spring, LH (Hot Pedal)
6	001483-25	Screw & Spacer, Pedal Spring
7	012513-10	Pad
8	005312-40	Bonnet Assembly
9	012523-45	Screw
10	000887-45	Spring, RH (Cold Pedal)
11	000952-45	Nut
12	001123-45	Nylon Set Screw
13	000239-30	Pedal (Cold)



RELIABILITY BUILT IN™



B-0507 Single Pedal Valve

B-0507


Single Foot Pedal Valve, Floor Mount with 1/2" NPT
Female Inlet and Outlet



B-0507

ITEM

NO.	SALES NO.	DESCRIPTION
1	005312-40	Bonnet Assembly
2	000090-25	Foot Pedal
3	012512-45	Retaining Ring
4	003749-45	Foot Pedal Mounting Screw




RELIABILITY BUILT IN™




B-0509 Knee Action Pedal Valve

B-0509
Knee Action Pedal Valve Assembly, Wall Mount



B-0509



ITEM NO.	SALES NO.	DESCRIPTION
1	000915-45	Mounting Screw
2	001602-45	Bushing, Pedal Valve
3	012512-45	E-clip Retaining Ring
4	005312-40	Pedal Valve Bonnet Assembly
5	008987-20	Knee Pedal




RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-0512 Concealed Mixing Faucet

B-0512
Concealed Mixing Faucet Assembly



B-0512

ITEM NO.	SALES NO.	DESCRIPTION
1	006020-40	Eterna Cartridge - RTC
2	015986-45	Spacer
3	000020-40	Escutcheon
4	002819-45	Screw
5	001661-45	Red Index-HW
6	000922-45	Lever Handle Screw
7	001660-45	Blue Index-CW
8	002521-45	4-Arm Handle



RELIABILITY BUILT IN™




B-0520 Dummy Gooseneck

B-0520

Dummy Gooseneck, Deck Mount with 1/2" NPSM Male Shank
and 120X Rigid Gooseneck with Stream Regulator



B-0520



ITEM

NO.	SALES NO.	DESCRIPTION
1	000398-40	Rigid Gooseneck
2	000999-45	Brass Lock Washer
3	002954-45	Shank Lock Nut
4	150A	1/4" NPT Tailpiece
5	001043-45	Washer
6	B-LT	Stream Regulator
7	B-0430	Deck Rigid Base Assembly
8	120X	Rigid Gooseneck Assembly



B-0575 and B-0576 “Wok Wand” Range Faucets

B-0575

“Wok Wand” Range Faucet with Aerator Outlet,
Swivel Nozzle with 90° Rotation Activation and
3/8” NPT Female Inlet

B-0576


Same as B-0575 except with 3/8” NPT Male Inlet



B-0575

ITEM

NO.	SALES NO.	DESCRIPTION
1	001069-45	O-Ring
2	009268-45	O-Ring
3	001621-20	Dynamic Bearing
4	009267-45	O-Ring
5	001625-45	Wrist Action Return Spring
6	001626-40	Nozzle
7	001624-25	Adapter, 1/8” Female
8	B-0199-01	Aerator, 2.2 GPM, 55/64-27 Female



RELIABILITY BUILT IN™





B-0580


Double-Joint Pot Filler

B-0580

Pot Filler with 18" Double Joint Swing Nozzle, Heat Resistant Handle, 1/2" NPT Female Inlet




B-0580



ITEM

NO.	SALES NO.	DESCRIPTION
1	002848-40	18" Double Joint Nozzle Assembly
2	002870-40	6" Front Section Assembly
3	003426-45	O-Ring
4	001089-45	Seal
5	001498-25	Spout
6	000587-25	Spout Body
7	001126-20	Handle
8	000936-45	Handle Set Screw
9	002871-40	12" Back Section Assembly
10	035A	Outlet Assembly
11	000101-40	Flange
12	011429-45	Swivel Sleeve (2)
13	001074-45	O-Ring
14	009538-45	Swivel Washer



RELIABILITY BUILT IN™




B-0592 Pot filler Wall Mount Faucets

B-0592

Pot Filler Wall Mount Faucet, Single Control with 18" Double Joint Nozzle, Heat Resistant Handle and 1/2" NPT Female Inlet




B-0592



ITEM

NO.	SALES NO.	DESCRIPTION
1	000587-25	Spout Body
2	001498-25	Spout
3	001089-45	Seal
4	003426-45	O-Ring
5	002870-40	Nozzle, 6" Front Section
6	002848-40	Dbl. Jt. Nozzle Asm., 18"
7	002871-40	12" Back Section Asm., 12"
8	009538-45	Swivel Washer
9	011429-45	Swivel Sleeve (2)
10	001074-45	O-Ring
11	005960-40	Eterna Cartridge - RTC
12	002521-45	4-Arm Handle
13	001660-45	Blue Index-CW
14	000922-45	Lever Handle Screw
15	006537-40	Faucet Handle, Index & Screw
16	001126-20	B-0580 Black Handle
17	000936-45	Handle Set Screw
18	035A	Outlet Assembly



See pg. 6 for
Cartridge Parts
Explosion



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-0605 Kettle and Pot Filler Assembly

B-0605

Kettle and Pot Filler Assembly, Wall Mount with
B-0068-H Flex Hose, Wall Mount Faucet, Vacuum Breaker,
4-Arm Handle and Spray Valve with Hook Nozzle



B-0605



See pg. 6 for
Cartridge Parts
Explosion

ITEM

NO.	SALES NO.	DESCRIPTION
1	002851-40	B-187 Spray Valve & Hook Nozzle Assembly
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	B-0068H	Flex Stainless Steel Hose
5	000545-25	Adapter, 3/8" NPT x 3/4"-14 UNS
6	001355-40	Elbow, 3/8 NPT
7	000357-40	Nipple, 3/8" x 2"
8	B-0968	Vacuum Breaker Asm, 3/8"
9	004R	Finger Hook Assembly
10	005960-40	Eterna Cartridge - RTC
11	002521-45	4-Arm Handle
12	001660-45	Blue Index-CW
13	000922-45	Lever Handle Screw



RELIABILITY BUILT IN™



B-0610


Kettle and Pot Filler Assembly

B-0610

Kettle and Pot Filler Assembly, Wall Mount with
B-0068-H Flex Hose, Wall Mount Faucet, Vacuum
Breaker, Lever Handles and Spray Valve with Hook Nozzle

ITEM

NO.	SALES NO.	DESCRIPTION
1	002851-40	B-0187 Spray Valve & Hook Nozzle Assembly
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	B-0068-H	Flex Stainless Steel Hose
5	000545-25	Adapter
6	000922-45	Lever Handle Screw
7	001661-45	Red Index-HW
8	001638-45	Lever Handle
9	002712-40	Eterna Cartridge - RTC w/ Spring Check, Handle, Index & Screw
10	012443-40	Eterna Cartridge - RTC w/ Spring Check
11	001355-40	Elbow, 3/8 NPT
12	000357-40	Nipple, 3/8" x 2"
13	001660-45	Blue Index-CW
14	012442-40	Eterna Cartridge - LTC w/ Spring Check
15	B-0968	Vacuum Breaker Asm, 3/8" NPT
16	004R	Finger Hook Assembly
17	002711-40	Eterna Cartridge - LTC w/ Spring Check, Handle, Index & Screw
18	001019-45	Coupling Nut Washer
19	00AA	Flange Assembly, 00AA



B-0610



RELIABILITY BUILT IN™



B-0655-BSTP and B-0655-BSTR Service Sink Faucets

B-0655-BSTP (right)


Service Sink Faucet with Polished Chrome Finish, Built-In Stops, Lever Handles, Lower Wall Support Brace Assembly and Screws, 1/2" NPT Female Extended Inlets and Garden Hose Outlet

B-0655-BSTR

Same as B-0655-BSTP except with Rough Chrome Finish



B-0655-BSTP



ITEM

NO.	SALES NO.	DESCRIPTION
1	009616-40	Lower Wall Support Assembly w/ Mounting Screws
2	016450-25	Spout Assembly Rough Chrome w/ Bottom Support Clevis (B-0655-BSTR)
	016450-40	Spout Assembly Polish Chrome w/ Bottom Support Clevis (B-0655-BSTP)
3	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
4	002712-40	Hot Eterna Spindle Asm. w/ Spring Check, Handle, Index & Screw
5	001661-45	Red Index-HW
6	000922-45	Lever Handle Screw
7	B-0969	Vacuum Breaker, 1/2"
8	001660-45	Blue Index-CW
9	002534-25	Close Nipple, 1/2" x 1 5/32" Lg Rough Chrome
10	002711-40	Cold Eterna Spindle Asm. w/ Spring Check, Handle, Index & Screw
11	001638-45	Lever Handle
12	012442-40	Cold Eterna Spindle Assembly w/ Spring Check
13	163A	BST Assembly, 163A
14	B-0441	1/2" x 4" Extension Flange Inlet
15	001019-45	Coupling Nut Washer



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-0657 Service Sink Faucet


B-0657

8" Wall Mount Service Sink Faucet with Polished Chrome Finish, 6" Wrist Action Handles, Lower Support Rod, 1/2" NPT Extended Inlets with Integral Stops, Garden Hose Outlet and 1/2" Vacuum Breaker



B-0657

See pg. 6 for
Cartridge Parts
Explosion



ITEM NO.	SALES NO.	DESCRIPTION
1	009616-40	Lower Support Rod Assembly w/ Mounting Screws
2	016450-40	Spout w/ Lower Clevis Polish Chrome
3	012443-40	Hot Eterna Spindle Assembly w/ Spring Check
4	B-WH6	6" Wrist Action Handle
5	001194-45	Red HW Index
6	B-0969	Vacuum Breaker, 1/2"
7	012442-40	Cold Eterna Spindle Assembly w/ Spring Check
8	002534-25	Close Nipple, 1/2" x 1 5/32" Lg Rough Chrome
9	001686-45	Blue CW Index
10	000925-45	Lab Handle Screw
11	000611-25	Extension, 1 3/4" Long
12	001019-45	Coupling Nut Washer
13	000721-25	Flange Coupling Nut
14	000763-20	Seat
15	00JJ-XT	1/2" NPT Female Thread Inlet Asm. w/ Integral Stop & Extension
16	002892-40	Spindle Assembly w/ Cap
17	001605-45	Cap
18	001802-45	Handle, Supply Stop "T"
19	002432-45	Loose Key Handle Screw



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-0665-BSTP, B-0665-BSTR and B-0665-RGH Service Sink Faucets

B-0665-BSTP (right)

Service Sink Faucet with Polished Chrome Finish, Inlet Stops, Eterna Spring Check Cartridges, Lever Handles, Top Support Rod with Wall Bracket and Screws, 1/2" NPT Vacuum Breaker and Male Garden Hose Connection

B-0665-BSTR

Same as B-0665-BSTP except with Rough Chrome Finish

B-0665-RGH


Same as B-0665-BSTR except without Built-In Stops

B-0665-BSTP



ITEM

NO.	SALES NO.	DESCRIPTION
1	009545-25	Spout Asm. Rough Chrome (B-0665-BSTR) w/ Support Clevis
	009545-40	Spout Asm. Polish Chrome (B-0665-BSTP) w/ Support Clevis
2	009546-40	Support Rod B-0665 - Polish Chrome
3	B-0969	1/2" NPT Vacuum Breaker
4	002534-25	Close Nipple, 1/2" x 1-5/32" Rough Chrome (B-0665-BSTR) or Polish Chrome (B-0665-BSTP)
5	001661-45	Red Index-HW
6	000922-45	Lever Handle Screw
7	002711-40	Cold Eterna Spindle Asm. w/Spring Check, Handle, Index & Screw
8	001660-45	Blue Index-CW
9	00AA	1/2" NPT Wall Flange
10	001019-45	Coupling Nut Washer
11	012442-40	Cold Eterna Spindle Asm. w/ Spring Check
12	163A	Built-In Stop Assembly
13	002712-40	Hot Eterna Spindle Asm. w/Spring Check, Handle, Index & Screw
14	012443-40	Hot Eterna Spindle Asm. w/ Spring Check
15	001638-45	Lever Handle



RELIABILITY BUILT IN™



B-0667-POL and B-0667-RGH Service Sink Faucets


B-0667-POL (right)

Service Sink Faucet with Polished Chrome Finish, Hot and Cold Spring Check Cartridges, Lever Handles, 1/2" Vacuum Breaker, Upper Wall Support Brace Assembly and Screws, 00XX Adjustable Inlets with Integral Service Stops and Male Garden Hose Connection

B-0667-RGH

Same as B-0667-POL except with Rough Chrome Finish

B-0667-POL



ITEM

NO.	SALES NO.	DESCRIPTION
1	002712-40	Eterna Spindle Assembly - Hot
2	002711-40	Eterna Spindle Assembly - Cold
3	009546-40	Upper Support Rod Assembly with Screws
4	B-0969	1/2" Vacuum Breaker
5	002534-25	Close Nipple, 1/2 - Rough Chrome
6	00XX	1/2" NPT Female Flanged Adjustable Inlet with Screwdriver Stop
7	001019-45	Washer B-230 Coupling Nut



RELIABILITY BUILT IN™



B-0674-BSTP, B-0674-BSTR and B-0674-RGH Service Sink Faucets

B-0674-BSTP (right)

Service Sink Faucet with Polished Chrome Finish, Eterna Spring Check Cartridges, Lever Handles, Built-In Stops, 00AA Inlets, 1/2" NPT Vacuum Breaker and Male Garden Hose Connection

B-0674-BSTR


Same as B-0665-BSTP except with Rough Chrome Finish

B-0674-RGH

Same as B-0665-BSTR except without Built-In Stops



B-0674-BSTP



B-0674-RGH Faucet Body

ITEM NO.	SALES NO.	DESCRIPTION
1	002712-40	Eterna Spindle Assembly - Hot
2	002711-40	Eterna Spindle Assembly - Cold
3	163A	Built-In Stop Assembly (B-0674-BSTP and B-0674-BSTR)
4	B-0969	1/2" Vacuum Breaker
5	002534-25	Close Nipple, 1/2 - Rough Chrome
6	00AA	Coupling Flange Assembly
7	001019-45	Washer B-230 Coupling Nut



RELIABILITY BUILT IN™



B-0675 and B-0676 Bedpan Washers


B-0675 (right)

Bedpan Washer with Foot Valve Control, Integral Loose Key Stops, Vacuum Breaker Assembly, Wall Hook Hose Outlet, Spray Valve with Extended Nozzle and Reinforced PVC Rubber Hose

B-0676

Same as B-0675 except Extended Nozzle directly attached to Hose (no Self-Closing Valve)

ITEM NO.	SALES NO.	DESCRIPTION
1	002865-40	Bed Pan Spray Valve w/ Nozzle Assembly (B-0675)
	002861-40	Bed Pan Spray Nozzle Asm. (B-0676)
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring (B-0675)
4	B-1350	Loose Key 1/2" NPT Angle Stop Asm. w/ Tee Handle & Screw
5	001019-45	Coupling Nut Washer
6	000763-20	Seat
7	166A	Service Stop Spindle Asm. w/ Tee Handle & Screw
8	B-0068-R	68" Reinforced PVC Hose Asm.
9	B-0929	Atmospheric Vacuum Breaker
10	B-0968	3/8" NPT Vacuum Breaker
11	B-0104	3/4-14 UN Male Outlet Wall Hook
12	B-0504-01	Wall Mount Double Pedal Valve Asm. w/ Angle Stops
13	B-1355	Loose Key 3/8" NPT Angle Stop Assembly w/ Tee Handle & Screw
14	010092-40	Nipple, 3/8" NPT x 4-1/4" Lng
15	001605-45	Cap
16	B-0504	Wall Mount Double Pedal Valve Assembly
17	002432-45	Screw, Tee Handle
18	001802-45	Handle, Supply Stop "T"



RELIABILITY BUILT IN™




B-0678 Bedpan Washer

B-0678

Bedpan Washer with Integral Loose Key Stop, Vacuum Breaker Outlet, Wall Hanger Hook, Control Valve with 4-Arm Handle, Spray Valve with Extended Nozzle and Reinforced PVC Rubber Hose

B-0678



ITEM

NO.	SALES NO.	DESCRIPTION
1	002865-40	Bed Pan Spray Valve w/ Nozzle Assembly
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	B-0068-R	68" Reinforced PVC Hose Asm.
5	B-0104-D	Hanger Hook
6	B-0968	Vacuum Breaker Asm., 3/8"
7	002341-40	3/8 NPT x 1-1/2" Nipple
8	001355-40	Elbow, 3/8 NPT
9	053A	Adapter, 3/8" NPT x 3/4"-14 UNS
10	007010-40	Straight Stop Assembly w/ 4-Arm & Blue Index
11	002535-25	3/8" Close Nipple
12	B-1351	Loose Key Angle Stop Asm. w/ 1/2" NPT Female Inlet & 3/8" NPT Female Union Coupling Outlet



Order separately: Tee Handle (001802-45)
Mounting Screw (002432-45)



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-0706 Single Sink Faucet

B-0706

Self-Closing Hose Bib Faucet with 1/2" NPT Female Inlet,
Plain Outlet, 4-Arm Handle and Blue "CW" Index

B-0706



ITEM

NO.	SALES NO.	DESCRIPTION
1	001022-45	Washer
2	000789-20	Removable Insert, LH Thread
3	001092-45	Seat Washer
4	002601-45	Washer
5	000933-45	B-1100 Seat Washer Screw
6	000674-40	Slow Close Index Ring
7	001013-45	Slow Close Handle Disc
8	001686-45	Blue CW Index
9	007900-40	Slow-Closing Cold Cartridge Assembly



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-0708 Single Sink Faucet

B-0708

Self-Closing Hose Bib Faucet with 1/2" NPT Male Inlet,
Plain Outlet, 4-Arm Handle and Blue "CW" Index

B-0708



ITEM

NO.	SALES NO.	DESCRIPTION
1	001022-45	Washer
2	000789-20	Removable Insert, LH Thread
3	001092-45	Seat Washer
4	002601-45	Washer
5	000933-45	B-1100 Seat Washer Screw
6	000674-40	Slow Close Index Ring
7	001013-45	Slow Close Handle Disc
8	001686-45	Blue CW Index
9	007900-40	Slow-Closing Cold Cartridge Assembly



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-0710 Single Basin Faucet

B-0710

Single Temperature Basin Faucet with 1/2" NPSM Male Shank, 4-Arm Kitchen Handle and 2.2 GPM Aerator



B-0710



ITEM

NO.	SALES NO.	DESCRIPTION
1	000922-45	Lever Handle Screw
2	001660-45	Blue Index-CW
3	002521-45	4-Arm Handle
4	005960-40	Eterna Spindle Asm, Hot
5	001000-45	Rosette Washer
6	002954-45	Shank Lock Nut
7	150A	Nut & Tailpiece
8	001043-45	Washer
9	044A	3/8" to Aerator Adapter
10	B-0199-01	2.2 GPM Aerator, Female
11	B-0199-02	2.2 GPM Aerator, 3/8" NPSM



RELIABILITY BUILT IN™




B-0711 Single Basin Faucet

B-0711

Single Temperature Basin Faucet with 1/2" NPSM Male Shank, Fast 4-Arm Self-Closing Handle and 2.2 GPM Aerato

B-0711



ITEM

NO.	SALES NO.	DESCRIPTION
1	001686-45	Blue CW Index
2	001013-45	Slow Close Handle Disc
3	000674-40	Slow Close Index Ring
4	001092-45	Seat Washer
5	002601-45	Washer
6	000933-45	B-1100 Seat Washer Screw
7	000789-20	Removable Insert, LH Thread
8	001022-45	Washer
9	001000-45	Rosette Washer
10	002954-45	Shank Lock Nut
11	150A	Nut and Tailpiece Assembly
12	001043-45	Washer
13	044A	3/8" to Aerator Adapter
14	B-0199-01	2.2 GPM Aerator, Female
15	B-0199-02	Aerator, 2.2 GPM, 3/8" NPSM
16	007900-40	Slow-Closing Cold Cartridge Asm.



RELIABILITY BUILT IN™



B-0712 and B-0712-01 Push Button Metering Faucet

B-0712


Single Temperature Basin Faucet with 1/2" NPSM Male Shank, Push Button Metering Cartridge and Handle and 2.2 GPM Aerator

B-0712-01

Same as B-0712 except with 4" Wrist Action Handle




B-0712



ITEM

NO.	SALES NO.	DESCRIPTION
1	014193-40	Push Button Cap Assembly
2	238A	Push Button Metering Cartridge
3	001000-45	Rosette Washer
4	002954-45	Shank Lock Nut
5	150A	Nut & Tailpiece
6	001043-45	Washer
7	044A	3/8" to Aerator Adapter
8	B-0199-01	2.2 GPM Aerator, Female
9	B-0199-02	Aerator, 2.2 GPM, 3/8" NPSM
10	014734-45	Spanner Bit



RELIABILITY BUILT IN™



B-0800


Slow Self-Closing Single Temperature Faucet

B-0800

Wash Sink Wall Mount Metering Faucet with 1/2" NPT Female Inlet, Rosespray Outlet and Adjustable Flow



B-0800



ITEM NO.	SALES NO.	DESCRIPTION
1	014193-40	Push Button Cap Assembly
2	B-0103	Rosespray Outlet
3	001043-45	Washer
4	014734-45	#8 Spanner Bit
5	238A	Push Button Metering Cartridge



B-0805 **Slow Self-Closing Single** **Temperature Faucet**


B-0805

Single Temperature Deck Mount Faucet with 1/2" NPSM Male Shank, Push Button Metering Cartridge, 2.2 GPM Aerator and Adjustable Flow



B-0805

See pg. 6 for
 Cartridge Parts
 Explosion



ITEM NO.	SALES NO.	DESCRIPTION
1	014193-40	Push Button Cap Assembly
2	238A	Push Button Metering Cartridge
3	001043-45	Washer
4	044A	3/8" to Aerator Adapter
5	B-0199-01	2.2 GPM Aerator, Female
6	B-0199-02	Aerator, 2.2 GPM, 3/8" NPSM
7	000999-45	Brass Lock Washer
8	002954-45	Shank Lock Nut
9	000958-20	Coupling Nut



RELIABILITY BUILT IN™



B-0805-DP and B-0805-DP-LF05 Slow Self-Closing Single Temperature Faucets

B-0805-DP


Single Temperature Deck Mount Faucet with 1/2" NPSM Male Shank, Push Button Metering Cartridge with Adjustable Flow, 2.2 GPM Aerator and Chrome Deck Plate

B-0805-DP-LF05

Same as B-0805-DP except with 0.5 GPM Vandal-Resistant Aerator Assembly




B-0805-DP



ITEM NO.	SALES NO.	DESCRIPTION
1	001043-45	Washer (B-0805-DP)
2	044A	3/8" to Aerator Adapter (B-0805-DP)
3	B-0199-01	2.2 GPM Aerator, 55/64-27 Female (B-0805-DP)
4	B-0199-02	2.2 GPM Aerator, 3/8" NPSM (B-0805-DP)
5	000999-45	Brass Lock Washer
6	002954-45	Shank Lock Nut
7	000958-20	Coupling Nut
8	238A	Push Button Metering Cartridge
9	014193-40	Push Button Cap Assembly
10	009345-45	Deck Plate w/ Supports
11	B-0199-07F-05	0.5 Vandal Resistant Aerator Assembly (B-0805-DP-LF05)
12	001043-45	Washer (B-0805-DP-LF05)

Vandal-Resistant Tool



Aerator Key
Q015425-45



RELIABILITY BUILT IN™


2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-0807 Slow Self-Closing Single Temperature Faucet

B-0807

Push Button Metering Single Temperature Faucet,
Deck Mount Faucet with Under Counter Spreader
Assembly, Check Valves, Push Button Metering Cartridge
with Adjustable Flow and 2.2 GPM Aerator



See pg. 6 for
Cartridge Parts
Explosion

Spanner Bit
(014734-45)

ITEM NO.	SALES NO.	DESCRIPTION
1	000999-45	Brass Lock Washer
2	002954-45	Shank Lock Nut
3	002899-40	4" Spreader Unit
4	001043-45	Washer
5	044A	3/8" to Aerator Adapter
6	B-0199-01	2.2 GPM Aerator, 55/64-27 Female
7	B-0199-02	2.2 GPM Aerator, 3/8" NPSM
8	238A	Push Button Metering Cartridge
9	014193-40	Blank Push Cap Assembly
10	238AB	Push Button Metering Cartridge w/ Push Button Cap



RELIABILITY BUILT IN™



B-0831 and B-0831-02VR 4" Centerset Metering Faucets

B-0831

4" Centerset Metering and Mixing Faucet with Push Button
Metering Cartridges and 2.2 GPM Aerator

B-0831-02VR

Same as B-0831 except with 0.5 GPM Vandal-Resistant
Aerator



B-0831

Vandal-Resistant Tool
(B-0831-02VR)




Aerator Key
(015425-45)



Spanner Bit
(014734-45)

B-0831-02VR



ITEM NO.	SALES NO.	DESCRIPTION
1	014194-40	Hot Cap Assembly
2	238AH	Push Button Metering Cartridge w/ Hot Push Button Asm. and Spanner Bit
4	014195-40	Cold Cap Assembly
5	238A	Push Button Metering Cartridge
6	238AC	Push Button Metering Cartridge w/ Cold Push Button Asm. and Spanner Bit
7	001000-45	Rosette Washer
8	002954-45	Shank Lock Nut
9	000958-20	Coupling Nut
10	B-0199-03	2.2 GPM Aerator (B-0831)
11	001048-45	Nozzle Tip Washer (B-0831-02VR)
12	B-0199-08F-05	0.5 GPM Vandal Resistant Aerator w/ Flow Control & Key (B-0831-02VR)



RELIABILITY BUILT IN™



B-0831-PA


4" Centerset Metering Faucet

B-0831-PA

4" Centerset Metering and Mixing Faucet with Pivot Action
Metering Cartridges and 2.2 GPM Aerator



B-0831



ITEM NO.	SALES NO.	DESCRIPTION
1	PA-N	Retaining Nut
2	PA-C	Cold Pivot Action Handle Assembly w/ Retaining Nut and Spanner Bit
3	238A-PA	Pivot Action Metering Cartridge w/ Retaining nut
4	238AC-PA	Pivot Action Metering Cartridge w/ Cold Pivot Action Handle, Retaining Nut and Spanner Bit
5	PA-H	Hot Pivot Action Handle Asm. w/ Retaining Nut and Spanner Bit
6	238AH-PA	Pivot Action Metering Cartridge w/ Hot Pivot Action Handle, Retaining Nut and Spanner Bit
7	001000-45	Rosette Washer
8	002954-45	Shank Lock Nut
9	000958-20	Coupling Nut
10	B-0199-03	2.2 GPM Aerator

Spanner Bit
(014734-45)



Pivot Action
Handle Vandal-
Resistant Screw
(016654-45)




RELIABILITY BUILT IN™



B-0865-04 Medical Lavatory Faucet

B-0865-04

8" C/C Deck Mount Mixing Faucet with Eterna Cartridges,
4" Wrist Action Handles, 1/2" NPSM Coupling Nuts,
Escutcheons, Rigid Gooseneck with Rosespray and
Adjustable Centers



ITEM

NO.	SALES NO.	DESCRIPTION
1	001043-45	Washer
2	B-0103	Spray Head Assembly
3	001194-45	Red HW Index
4	001257-40	Bell Escutcheon
5	006478-40	Spindle Asm., RH Eterna
6	000958-20	Coupling Nut
7	001686-45	Blue CW Index
8	000925-45	Lab Handle Screw
9	B-WH4	4" Wrist Action Handle
10	006477-40	Spindle Asm., LH Eterna

See pg. 6 for
Cartridge Parts
Explosion



RELIABILITY BUILT IN™




B-0867-04 **Medical Lavatory Faucet**

B-0867-04

8" C/C Deck Mount Mixing Faucet with Eterna Cartridges, 4" Wrist Action Handles, 1/2" NPSM Coupling Nuts, Escutcheons, Rigid Gooseneck with 2.2 GPM Aerator and Adjustable Centers



B-0867-04



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0199-02	2.2 GPM Male Aerator
2	B-0199-01	2.2 GPM Aerator, Female
3	044A	3/8" to Aerator Adapter
4	001043-45	Washer
5	001686-45	Blue CW Index
6	000925-45	Lab Handle Screw
7	B-WH4	4" Wrist Action Handle
8	006477-40	Spindle Asm., LH Eterna
9	000958-20	Coupling Nut
10	006478-40	Spindle Asm., RH Eterna
11	001257-40	Bell Escutcheon
12	001194-45	Red HW Index

See pg. 6 for
 Cartridge Parts
 Explosion



RELIABILITY BUILT IN™



B-0871


Centerset Mixing Faucet

B-0871

4" Centerset Commercial Mixing Faucet with Eterna Cartridges, Lever Handles and 2.2 GPM Aerator



B-0871



ITEM

NO.	SALES NO.	DESCRIPTION
1	001661-45	Red Index-HW
2	001638-45	Lever Handle
3	005960-40	Spindle Asm. Eterna "Hot"
4	002714-40	Hot Eterna Spindle Asm. w/ Handle, Index & Screw
5	B-0199-03	2.2 GPM Aerator
6	000922-45	Lever Handle Screw
7	001660-45	Blue Index-CW
8	005959-40	Spindle Asm. Eterna "Cold"
9	002713-40	Cold Eterna Spindle Asm. w/ Handle, Index & Screw
10	001000-45	Rosette Washer
11	002954-45	Shank Lock Nut
12	000958-20	Coupling Nut

See pg. 6 for
Cartridge Parts
Explosion



RELIABILITY BUILT IN™




B-0874

Centerset Mixing Faucet

B-0874

4" Centerset Mixing Faucet with 1/2" NPSM Male Shanks, Eterna Cartridges, Lever Handles, Rigid Gooseneck and 2.2 GPM Aerator

B-0874



See pg. 6 for
Cartridge Parts
Explosion

ITEM

NO.	SALES NO.	DESCRIPTION
1	001000-45	Rosette Washer
2	002954-45	Shank Lock Nut
3	B-0199-01	2.2 GPM Aerator, Female
4	001638-45	Lever Handle
5	000922-45	Lever Handle Screw
6	001660-45	Blue Index-CW
7	001661-45	Red Index-HW
8	044A	3/8" to Aerator Adapter
9	001043-45	Washer
10	005959-40	Eterna Spindle Asm. Cold
11	005960-40	Eterna Spindle Asm. Hot
12	000958-20	Coupling Nut
13	B-0199-02	Aerator, 2.2 GPM, 3/8" NPSM



RELIABILITY BUILT IN™



B-0890, B-0890-CR and B-0891 Centerset Mixing Faucets

B-0890

Medical Deck Mount Mixing Faucet with Eterna Cartridges, Wrist Action Handles and 2.2 GPM Aerator

B-0890-CR


Same as B-0890 except with Ceramic Cartridges

B-0891

Same as B-0890 except with Pop-Up Valve Assembly



B-0890



See pg. 6 for
Cartridge Parts
Explosion

ITEM

NO.	SALES NO.	DESCRIPTION
1	B-WH4	4" Wrist Action Handle
2	006010-40	Hot Spindle Asm. Eterna (B-0890, B-0891)
	011278-25	Cerama Cartridge - RTC (B-0890-CR)
3	B-0199-03	2.2 GPM Aerator
4	001194-45	Red HW Index
5	001686-45	Blue CW Index
6	000925-45	Lab Handle Screw
7	006009-40	Cold Spindle Asm. Eterna (B-0890, B-0891)
	011279-25	Cerama Cartridge - LTC (B-0890-CR)
8	001000-45	Rosette Washer
9	002954-45	Shank Lock Nut
10	000958-20	Coupling Nut



B-0891 includes
B-0898 Pop-Up
Assembly



RELIABILITY BUILT IN™



B-0892, B-0892-CR and B-0892-01 Centerset Mixing Faucets

B-0892

4" Centerset Mixing Faucet with 1/2" NPSM Male Shanks, Eterna Cartridges, 4" Wrist Action Handles, Rigid Gooseneck and 2.2 GPM Aerator

B-0892-CR


Same as B-0892 except with Ceramic Cartridges

B-0892-01

Same as B-0892 except with 165X rigid gooseneck



B-0892



ITEM

NO.	SALES NO.	DESCRIPTION
1	001000-45	Rosette Washer
2	002954-45	Shank Lock Nut
3	000958-20	Coupling Nut
4	006009-40	Cold Spindle Asm. Eterna (B-0892, B-0892-01)
	011279-25	Ceramic Cartridge LTC (B-0892-CR)
5	006010-40	Hot Spindle Asm. Eterna (B-0892, B-0892-01)
	011278-25	Ceramic Cartridge RTC (B-0892-CR)
6	B-0199-01	2.2 GPM Aerator
7	B-WH4	4" Wrist Action Handle
8	001686-45	Blue CW Index
9	000925-45	Lab Handle Screw
10	001194-45	Red HW Index
11	001043-45	Washer (B-0892-01)
12	044A	3/8" to Aerator Adapter (B-0892-01)
13	B-0199-02	Aerator, 2.2 GPM, 3/8" NPSM (B-892-01)
14	005028-40	Gooseneck (B-0892-CR)
	165X	Rigid Gooseneck (B-0892-01)



RELIABILITY BUILT IN™



B-0892-133X


Centerset Mixing Faucet

B-0892-133X

4" Centerset Mixing Faucet with 1/2" NPSM Male Shanks, Eterna Cartridges, 4" Wrist Action Handles, 133X Swivel Gooseneck and Stream Regulator



B-0892-133X



See pg. 6 for
Cartridge Parts
Explosion

ITEM

NO.	SALES NO.	DESCRIPTION
1	001000-45	Rosette Washer
2	002954-45	Shank Lock Nut
3	001194-45	Red HW Index
4	001686-45	Blue CW Index
5	000925-45	Lab Handle Screw
6	133X	Swivel Gooseneck
7	B-WH4	4" Wrist Action Handle
8	000958-20	Coupling Nut
10	B-0412	Rigid to Swivel Adapter
11	006009-40	Cold Spindle Assembly
12	006010-40	Hot Spindle Assembly
13	009538-45	Swivel Washer
14	011429-45	Swivel Sleeves (2)
15	001074-45	O-Ring
16	001048-45	Nozzle Tip Washer
17	B-PT	Stream Regulator Outlet




RELIABILITY BUILT IN™




B-0892-FC Centerset Mixing Faucet

B-0892-FC

4" Centerset Mixing Faucet with 1/2" NPSM Male Shanks, 0.7 GPM Flow Control Cartridges, 4" Wrist Action Handles, Rigid Gooseneck and Plain End Outlet



B-0892-FC



ITEM

ITEM NO.	SALES NO.	DESCRIPTION
1	001000-45	Rosette Washer
2	002954-45	Shank Lock Nut
3	015178-40	Flow Control Cartridge
4	001194-45	Red HW Index
5	001686-45	Blue CW Index
6	000925-45	Lab Handle Screw
7	015177-40	Flow Control Cartridge
8	B-WH4	4" Wrist Action Handle
9	000958-20	Coupling Nut
10	119XP	Rigid Gooseneck



RELIABILITY BUILT IN™




B-0892-VRS Centerset Mixing Faucet

B-0892-133X

4" Centerset Mixing Faucet with 1/2" NPSM Male Inlet Shanks, Eterna Cartridges, 4" Wrist Action Handles, Vandal-Resistant Screws, Rigid Gooseneck and 2.2 GPM Vandal-Resistant Aerator



B-0892-133X



See pg. 6 for
Cartridge Parts
Explosion

ITEM

NO.	SALES NO.	DESCRIPTION
1	001000-45	Rosette Washer
2	002954-45	Shank Lock Nut
3	001194-45	Red HW Index
4	001686-45	Blue CW Index
5	VRS-2	Vandal-Resistant Screw w/ Spanner Bit
6	B-0199-06	2.2 GPM Vandal-Resistant Aerator
7	006009-40	Cold Spindle Assembly
8	006010-40	Hot Spindle Assembly
9	B-WH4 4"	Wrist Action Handle
10	000958-20	Coupling Nut
12	005028-40	Gooseneck

Furnished with
Vandal-Resistant
Key and Bit



Vandal-
Resistant
Aerator Key
(015425-45)



Spanner Bit
(014075-45)




RELIABILITY BUILT IN™



B-0893 Centerset Mixing Faucet

B-0893

4" Centerset Mixing Faucet with 1/2" NPSM Male Inlet Shanks, Eterna Cartridges, 4" Wrist Action Handles, Rigid Gooseneck and 2.2 GPM Aerator and Pop-Up Drain Assembly



ITEM

NO.	SALES NO.	DESCRIPTION
1	001000-45	Rosette Washer
2	002954-45	Shank Lock Nut
3	001194-45	Red HW Index
4	001686-45	Blue CW Index
5	000925-45	Screw
6	B-0199-01	2.2 GPM Female Aerator
7	006009-40	Cold Spindle Assembly
8	006010-40	Hot Spindle Assembly
9	B-WH4	4" Wrist Action Handle
10	000958-20	Coupling Nut
11	B-0898	Pop-Up Drain Assembly
12	000393-40	Gooseneck
13	001043-45	Washer
14	044A	3/8" to Aerator Adapter
15	B-0199-02	Aerator, 2.2 GPM, 3/8" NPSM



RELIABILITY BUILT IN™




B-0894 Centerset Mixing Faucet

B-0894

4" Centerset Mixing Faucet with 1/2" NPSM Male Inlet Shanks, Eterna Cartridges, 4" Wrist Action Handles and Drip-Proof Sprayface Outlet



B-0894



ITEM

NO.	SALES NO.	DESCRIPTION
1	000921-45	Flat Head Screw
2	010574-25	Drip Proof Spray Face
3	001018-45	Santoprene Washer
4	006010-40	Eterna Cartridge (RTC)
5	B-WH4	4" Wrist Action Handle
6	001194-45	Red HW Index
7	001686-45	Blue CW Index
8	000925-45	Lab Handle Screw
9	006009-40	Eterna Cartridge (LTC)
10	001000-45	Rosette Washer
11	002954-45	Shank Lock Nut
12	000958-20	Coupling Nut

See pg. 6 for
Cartridge Parts
Explosion






B-0950 Pre-Rinse Spray Valve Assembly

B-0950

B-0950

Pre-Rinse Spray Valve Assembly with B-0107-035 Spray Valve and B-0044-H Flexible Stainless Steel Hose



ITEM

NO.	SALES NO.	DESCRIPTION
1	055A	Adapter, 1/2 NPT Male
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	B-0107-035	Spray Valve Assembly
5	B-0044-H	B-0044-H Flex Hose Assembly



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-1110 and B-1110-LN Workboard Faucets

B-1110


Workboard Faucet, Deck Mount with 4" Centers, Lever Handles, 6" Swing Nozzle Assembly, B-PT Stream Regulator, Polished Chrome Plated Escutcheon and 1/2" NPT Male Shanks

B-1110-LN


Same as B-1110 except without Swing Nozzle Assembly



B-1110



B-1110-LN



ITEM

NO.	SALES NO.	DESCRIPTION
1	059X	6" Swing Nozzle Assembly
2	001048-45	Nozzle Tip Washer
3	000922-45	Lever Handle Screw
4	001661-45	Red Index-HW
5	001638-45	Lever Handle
6	009749-25	Bonnet Nut
7	009753-25	Spindle Assembly - RTC
8	000763-20	Seat
9	000712-25	Escutcheon Lock Nut
10	001258-40	Escutcheon
11	B-PT	Stream Regulator Outlet
12	009538-45	Swivel Washer
13	011429-45	Swivel Sleeve (2)
14	001074-45	O-Ring
15	001660-45	Blue Index-CW
16	009754-25	Spindle Assembly - LTC
17	000999-45	Brass Lock Washer
18	002954-45	Shank Lock Nut
19	150A	Bag of (1) Nut & (1) Tailpiece



RELIABILITY BUILT IN™



B-1115 and B-1115-LN Workboard Faucets

B-1115

Workboard Faucet, Wall Mount with 4" Centers, Lever Handles, 6" Swing Nozzle Assembly, B-PT Stream Regulator, Polished Chrome Plated Escutcheon and 1/2" NPT Male Shanks

B-1115-LN

Same as B-1115 except without Swing Nozzle




B-1115



B-1115-LN

ITEM NO.	SALES NO.	DESCRIPTION
1	059X	6" Swing Nozzle
2	001048-45	Nozzle Tip Washer
3	009538-45	Swivel Washer
4	B-PT	Stream Regulator
5	011429-45	Swivel Sleeve (2)
6	001074-45	O-Ring
7	009754-25	Spindle Assembly - LTC
8	001017-45	Washer
9	001661-45	Red Index-HW
10	000922-45	Lever Handle Screw
11	001660-45	Blue Index-CW
12	001638-45	Lever Handle
13	009749-25	Bonnet Nut
14	009753-25	Spindle Assembly - RTC
15	000712-25	Escutcheon Lock Nut
16	000763-20	Seat
17	001258-40	Escutcheon
18	000999-45	Brass Lock Washer
19	002954-45	Shank Lock Nut
20	150A	Bag of (1) Nut & (1) Tailpiece



RELIABILITY BUILT IN™



B-1120, B-1120-LN, B-1121 and B-1123 Workboard Faucets

B-1120

Workboard Faucet, Deck Mount with 8" Centers, Lever Handles, 6" Swing Nozzle Assembly, B-PT Stream Regulator, Polished Chrome Plated Escutcheon and 1/2" NPT Male Shanks

B-1120-LN

Same as B-1120 except without Swing Nozzle

B-1121

Same as B-1120 except with 8" Swing Nozzle


B-1123

Same as B-1120 except with 12" Swing Nozzle



B-1120

B-1120-LN



ITEM

NO.	SALES NO.	DESCRIPTION
1	059X	6" Swing Nozzle Assembly
2	001048-45	Nozzle Tip Washer
3	000922-45	Lever Handle Screw
4	001661-45	Red Index-HW
5	001638-45	Lever Handle
6	009749-25	Bonnet Nut
7	009753-25	Spindle Assembly - RTC
8	000763-20	Seat
9	000712-25	Escutcheon Lock Nut
10	001259-40	Escutcheon
11	B-PT	Stream Regulator Outlet
12	009538-45	Swivel Washer
13	011429-45	Swivel Sleeve (2)
14	001074-45	O-Ring
15	001660-45	Blue Index-CW
16	009754-25	Spindle Assembly - LTC
17	000999-45	Brass Lock Washer
18	002954-45	Shank Lock Nut
19	150A	Bag of (1) Nut & (1) Tailpiece



B-1125-LN and B-1128 Workboard Faucets

B-1128

Workboard Faucet, Wall Mount with 8" Centers, Lever Handles, 12" Swing Nozzle Assembly, B-PT Stream Regulator, Polished Chrome Plated Escutcheon and 1/2" NPT Male Shanks


B-1125-LN

Same as B-1128 except without Swing Nozzle



ITEM

NO.	SALES NO.	DESCRIPTION
1	001048-45	Nozzle Tip Washer
2	B-PT	Stream Regulator Outlet
3	009754-25	Spindle Assembly - LTC
4	001661-45	Red Index-HW
5	062X	12" Swing Nozzle Asm.
6	009538-45	Swivel Washer
7	011429-45	Swivel Sleeves (2)
8	001074-45	O-Ring
9	001017-45	Washer
10	000922-45	Lever Handle Screw
11	001660-45	Blue Index-CW
12	001638-45	Lever Handle
13	009749-25	Bonnet Nut
14	009753-25	Spindle Assembly - RTC
15	000712-25	Escutcheon Lock Nut
16	000763-20	Seat
17	001259-40	Escutcheon
18	000999-45	Brass Lock Washer
19	002954-45	Shank Lock Nut
20	150A	Bag of (1) Nut & (1) Tailpiece



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-1141 and B-1142 Workboard Mixing Faucets

B-1141

Workboard Mixing Faucet, Deck Mount with 4" Centers, Lever Handles, 133X Swivel Gooseneck Assembly, B-PT Stream Regulator, Polished Chrome Plated Escutcheon and 1/2" NPT Male Shanks

B-1142

Same as B-1141 except with 8" Centers



ITEM NO.	SALES NO.	DESCRIPTION
1	133X	Swivel Gooseneck Asm.
2	001048-45	Nozzle Tip Washer
3	000922-45	Lever Handle Screw
4	001661-45	Red Index-HW
5	001638-45	Lever Handle
6	009749-25	Bonnet Nut
7	009753-25	Spindle Assembly - RTC
8	000763-20	Seat
9	000712-25	Escutcheon Lock Nut
10	001258-40	Escutcheon (B-1141)
	001259-40	Escutcheon (B-1142)
11	B-PT	Stream Regulator Outlet
12	009538-45	Swivel Washer
13	011429-45	Swivel Sleeves (2)
14	001074-45	O-Ring
15	001660-45	Blue Index-CW
16	009754-25	Spindle Assembly - LTC
17	000999-45	Brass Lock Washer
18	002954-45	Shank Lock Nut
19	150A	Bag of (1) Nut & (1) Tailpiece



RELIABILITY BUILT IN™



B-1146 and B-1146-01 Workboard Faucets

B-1146


Workboard Faucet, Wall Mount with 4" Centers, Lever Handles, 133X Swivel Gooseneck Assembly, B-PT Stream Regulator, Polished Chrome Plated Escutcheon and 1/2" NPT Male Shanks

B-1146-01


Same as B-1146 except with 131X Swivel Gooseneck



B-1146




B-1146-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	001048-45	Nozzle Tip Washer
2	B-PT	Stream Regulator Outlet
3	009538-45	Swivel Washer
4	011429-45	Swivel Sleeves (2)
5	001074-45	O-Ring
6	133X	Swivel Gooseneck (B-1146)
	131X	Swivel Gooseneck (B-1146-01)
7	009754-25	Spindle Assembly - LTC
8	001017-45	Washer
9	001661-45	Red Index-HW
10	000922-45	Lever Handle Screw
11	001660-45	Blue Index-CW
12	001638-45	Lever Handle
13	009749-25	Bonnet Nut
14	009753-25	Spindle Assembly - RTC
15	000712-25	Escutcheon Lock Nut
16	000763-20	Seat
17	001258-40	Escutcheon
18	000999-45	Brass Lock Washer
19	002954-45	Shank Lock Nut
20	150A	Bag of (1) Nut & (1) Tailpiece



RELIABILITY BUILT IN™



B-1146-04

Workboard Mixing Faucet


B-1146-04

Workboard Mixing Faucet, Deck Mount with 4" Centers, Wrist Action Handles, 133X-AER Swivel Gooseneck Assembly with B-0199-01 Aerator, B-PT Stream Regulator, Polished Chrome Plated Escutcheon and 1/2" NPT Male Shanks



B-1146-04

ITEM NO.	SALES NO.	DESCRIPTION
1	B-0199-01	2.2 GPM Aerator, Female
2	009538-45	Swivel Washer
3	011429-45	Swivel Sleeve (2)
4	001074-45	O-Ring
5	133X-AER	133X Swivel Goosneck w/ Aerator
6	009424-40	Spindle Assembly - LTC
7	001017-45	Washer
8	001194-45	Red HW Index
9	001686-45	Blue CW Index
10	000925-45	Lab Handle Screw
11	B-WH4	4" Wrist Action Handle
12	009749-25	Bonnet Nut
13	009423-40	Spindle Assembly - RTC
14	000712-25	Escutcheon Lock Nut
15	000763-20	Seat
16	001258-40	Escutcheon
17	000999-45	Brass Lock Washer
18	002954-45	Shank Lock Nut
19	150A	Bag of (1) Nut & (1) Tailpiece



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-1200 Wall Mount Glass Filler

B-1200

Wall Mount Glass Filler with Push Back Design, 3/8" NPT Female Inlet, Adjustable Flange and Blue Lexan Self-Closing Arm



B-1200



ITEM NO.	SALES NO.	DESCRIPTION
1	016782-40	Adjustable Wall Flange Repair Kit
2	015588-40	Adjustable Outlet w/ Torx Wrench
3	015589-40	Valve Assembly
4	015550-45	Lever Arm Repair Kit



016640-45
T-45 Torx Wrench



RELIABILITY BUILT IN™




B-1205 Wall Mount Glass Filler

B-1205

Wall Mount Glass Filler with Push Back Design,
3/8" NPT Male Inlet less Flange and Blue Lexan Self-
Closing Arm



B-1205



ITEM

NO.	SALES NO.	DESCRIPTION
1	015588-40	Adjustable Outlet w/ Torx Wrench
2	015589-40	Valve Assembly
3	015550-45	Lever Arm Repair Kit



016640-45
T-45 Torx Wrench




B-1210 Pedestal Glass Filler

B-1210

Pedestal Deck Mount Glass Filler with Push Back Design, 3/8" NPT Male Shank, Adjustable Flange and Blue Lexan Self-Closing Arm



B-1210



ITEM NO.	SALES NO.	DESCRIPTION
1	015588-40	Adjustable Outlet w/ Torx Wrench
2	015589-40	Valve Assembly
3	015550-45	Lever Arm Repair Kit
4	016783-40	Adjustable Deck Flange Repair Kit
5	015887-40	Pedestal Assembly
6	015886-40	B-1210 Pedestal



016640-45
T-45 Torx Wrench



RELIABILITY BUILT IN™




B-1230 Water Station

B-1230

Water Station with Pedestal Glass Filler, Deck Mount,
18 Gauge Stainless Steel Drip Pan with Drip Pan Grid,
1/4" Tailpiece for Copper Tubing and 1-1/4" Drain



B-1230



ITEM

ITEM NO.	SALES NO.	DESCRIPTION
1	B-1210	8" Pedestal Glass Filler
2	010126-45	Drip Pan Drain
3	015550-45	Lever Arm Repair Kit
4	016783-40	Adjustable Deck Flange Repair Kit
5	015588-40	Adjustable Outlet w/ Torx Wrench
6	015589-40	Valve Assembly
7	183F	Drip Pan Grid
8	010123-45	Drip Pan
9	015887-40	Pedestal Assembly
10	015886-40	B-1210 Pedestal



016640-45
T-45 Torx Wrench




RELIABILITY BUILT IN™



B-1256

Glass Filler Repair Kit

B-1256
Glass Filler Repair Kit



RELIABILITY BUILT IN™






B-1430

Enclosed Hose Reel Assembly

B-1430

Enclosed Hose Reel with 30' Hose, Blue Spray Valve, Vacuum Breaker, 3/8" NPT Flex Water Connector Assembly, 3" C/C Wall Mounted Faucet and Control Valve in Riser



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0513	B-0513 Mixing Faucet
2	B-CVH1-2	1/2" Check Valve
3	000373-40	3/8" x 26" Nipple
4	0RK3	Valve Control
5	002558-40	3/8" NPT x 40" Riser
6	B-0109-07	Wall Bracket
7	B-0963	B-0963 Vacuum Breaker
8	HW-2B-36	3/8 NPT x 36" Flex Water Hose
9	AW-5B	Quick-Disconnect Water Socket/ Plug 3/8" Brass
10	002535-25	3/8" Close Nipple
11	B-7222-C01	Enclosed Coated Reel w/ 30' of 3/8" Hose
12	000907-45	Spray Valve Hold Down Ring
13	010476-45	#27 Washer
14	EB-0107	EB-0107 Spray Valve
15	B-0462	3/8" Angle Slip Flange
16	001355-40	Elbow, 3/8 NPT



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-1432

Enclosed Hose Reel Assembly

B-1432

Enclosed Hose Reel with 30' Hose, Blue Spray Valve, Vacuum Breaker, 3/8" NPT Flex Water Connector Assembly, 3" C/C Wall Mounted Faucet and Control Valve in Riser



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0513	B-0513 Mixing Faucet
2	B-CVH1-2	1/2" Check Valve
3	145X	12" Nipple, 3/8" NPT
4	0RK2	Control Valve
5	001355-40	Elbow, 3/8 NPT
6	000371-40	Nipple, 3/8" x 22"
7	B-0963	B-0963 Vacuum Breaker
8	B-0109-07	Wall Bracket
9	HW-2B-36	3/8 NPT x 36" Flex Water Hose
10	AW-5B	Quick-Disconnect Water Socket/Plug 3/8" Brass
11	002535-25	3/8" Close Nipple
12	B-7222-C01	Enclosed Coated Reel w/ 35' of 3/8" Hose
13	000907-45	Spray Valve Hold Down Ring
14	010476-45	#27 Washer
15	EB-0107	EB-0107 Spray Valve



RELIABILITY BUILT IN™



B-1433, B-1433-01 and B-1433-02

Enclosed Hose Reel Assemblies

B-1433


Enclosed Hose Reel with 30' Hose, Blue Spray Valve, Vacuum Breaker, 3/8" NPT Flex Water Connector Assembly, 8" C/C Wall Mount Faucet and Control Valves in Riser

B-1433-01

Same as B-1433 except with B-7232-01 Open Hose Reel

B-1433-02

Same as B-1433 except with 20" Flexible Hose Supply and FreeSpin Quick Connect



ITEM NO.	SALES NO.	DESCRIPTION
1	002832-40	B-131 Base Faucet
2	000368-40	16" Nipple, 3/8" NPT
3	0RK3	Valve Control
4	002558-40	3/8" NPT x 40" Riser
5	B-0963	B-0963 Vacuum Breaker
6	HW-2B-36	3/8" NPT x 36" Flex Water Hose (B-1433, B-1433-01)
	B-0020-H2A	20" Flex Stainless Steel Hose (B-1433-02)
7	AW-5B	Quick-Disconnect Water Socket/ Plug 3/8" Brass (B-1433, B-1433-01)
	AW-5B-SS	Quick-Disconnect Water Socket/ Plug 3/8" Stainless Steel (B-1433-02)
8	002535-25	3/8" Close Nipple
9	B-7222-C01	Enclosed Coated Hose Reel w/ 30' of 3/8" Hose (B-1433, B-1433-02)
	B-7232-01	Open Coated Hose Reel w/ 30' of 3/8" Hose (B-1433-01)
10	000907-45	Spray Valve Hold Down Ring
11	010476-45	#27 Washer
12	EB-0107	EB-0107 Spray Valve
13	B-0109-07	Wall Bracket



RELIABILITY BUILT IN™




B-1436


Open Hose Reel Assembly

B-1436

Open Stainless Steel Hose Reel with 35' Hose on Stainless Steel Backplate, Blue Spray Valve, Vacuum Breaker, 3/8" NPT Flex Water Connector Assembly, 8" C/C Deck Mount Faucet and Control Valve in Riser



ITEM NO.	SALES NO.	DESCRIPTION
1	002829-40	8" Deck Mount Faucet
2	0RK3	Valve Control
3	145X	3/8" NPT x 12" Riser
4	002475-40	3/8" NPT Union
5	000357-40	3/8" NPT x 2" Riser
6	B-0963	Vacuum Breaker
7	HW-2B-24	3/8" NPT x 24" Flex Water Hose
8	AW-5B	QD Water Socket/Plug 3/8" Brass
9	002535-25	3/8" NPT Close Nipple
10	B-7132-01	Open Stainless Steel Hose Reel w/ 35' of 3/8" Hose
11	000907-45	Spray Valve Hold Down Ring
12	010476-45	#27 Washer
13	EB-0107	EB-0107 Blue Spray Valve



RELIABILITY BUILT IN™



B-2250 Pre-Rinse Unit

B-2250

Pre-Rinse Unit with 44" Flexible Stainless Steel Hose, Overhead Spring, 24" Riser and B-0107 Spray Valve



B-2250



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0107	Spray Valve Assembly
2	010476-45	#27 Washer
3	000907-45	Ring, Spray Valve Hold Down
4	002987-40	Grip Handle Assembly
5	001014-45	Washer B-100 Hose Barrel
6	B-0044-H2A	44" Flex Hose Assembly Less Handle
7	000888-45	Overhead Spring, EZ-Install
8	000821-25	Spring Body
9	000372-40	Riser, 3/8" NPT, 24" Length
10	004R	Finger Hook Assembly





B-2282 and B-2282-01 Dipperwell Faucet/Bowl

B-2282

Dipperwell Faucet, Polish Chrome Plated with Solid Brass Knob, Sweat Fitting (or 1/2" NPSM Male Shank)


B-2282-01

Same as B-2282 except with Stainless Steel Dipperwell Bowl with Inner Overflow Cup and Drain



B-2282
Faucet only

B-2282-01
Bowl and Faucet



ITEM

NO.	SALES NO.	DESCRIPTION
1	006678-45	Dipperwell w/ Stainless Steel Overflow Cup and Drain
2	017225-45	Dipperwell Drain
3	B-2282	Dipperwell Faucet
4	B-2282-RK	Parts Kit for Dipperwell Faucet



RELIABILITY BUILT IN™






B-2338 Pre-Rinse Unit

EasyInstall

B-2338

EasyInstall Single Hole Pre-Rinse Unit with Add-On Faucet, 12" Swing Nozzle, Wall Bracket, Finger Hook, Flex Stainless Steel Hose with Overhead Spring and B-0107 Spray Valve

ITEM NO.	SALES NO.	DESCRIPTION
1	B-0107	Spray Valve Assembly
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	002987-40	Handle Grip
5	001014-45	Washer, B-0100 Hose Barrel
6	B-0044-H2A	44" SS Flex Hose without Handle
7	000888-45	EasyInstall Overhead Spring
8	000821-40	Spring Body
9	B-0109-01	6" Wall Bracket
10	004R	Finger Hook Assembly
11	000372-40	3/8" NPT x 24" Long Riser
12	B-0155-LN	B-0155 Add-On Faucet Body
13	012442-40	Cold Eterna Cartridge (LTC) w/ Spring Check
14	002711-40	Cold Eterna Cartridge (LTC) w/ Spring Check, Handle, Index, & Screw
15	001660-45	Blue Index-CW
16	000922-45	Lever Handle Screw
17	001638-45	Lever Handle
18	002290-45	Lock Washer
19	000965-45	Lock Nut
20	001041-45	Spreader Washer
21	000736-20	Spreader Coupler Nut
22	002898-40	4" Spreader Unit
23	150A	1/4" NPT Tailpiece
24	012443-40	Hot Eterna Cartridge (RTC) w/ Spring Check
25	002712-40	Hot Eterna Cartridge (RTC) w/ Spring Check, Handle, Index, & Screw
26	001661-45	Red Index-HW
27	007947-40	Quarter Turn Eterna Cartridge
28	B-PT	Stream Regulator Outlet
29	001048-45	Nozzle Tip Washer
30	062X	12" Swing Nozzle





B-2339 and B-2339-LR Control Unit / Hose Reel Assembly

B-2339

B-7222-C01 Enclosed Hose Reel Assembly with 30' Hose, EB-0107 Spray Valve, Rinse Control Cabinet with Control Valve, Dual Check Valves, Thermometer and Water Hammer Arrestor

B-2339-LR (exploded illustration)

Same as B-2339 except does not include Hose Reel Assembly and Spray Valve


B-2339-LR Control Unit only



B-2339 Hose Reel and Control Unit

ITEM

NO.	SALES NO.	DESCRIPTION
1	006649-20	Union, 1/2" 250#
2	B-CVH1-2	1/2" Check Valve
3	ORK1	Mixing Valve Asm. w/ Loose Keys
4	B-2339-TEE	Thermometer Tee
5	003799-45	Thermometer, Bi-Metal
6	007842-45	Dual Check Valve
7	002521-45	4-Arm Handle
8	000922-45	Lever Handle Screw
9	011927-25	Globe Valve Asm. 1/2" NPT
10	009401-45	Water Hammer Arrestor



B-7222-C01 Enclosed Hose Reel – see page 145 for exploded view



RELIABILITY BUILT IN™




EasyInstall

B-2347 Faucet with Sidespray

B-2347

EasyInstall Concealed Widespread (CWS) Faucet with 4" Sidespray, 4" Wrist Action Handles, Compression Cartridges, 8" Inlet Centers and Swivel Gooseneck with Deck Flange and Rosespray Outlet

B-2347



ITEM NO.	SALES NO.	DESCRIPTION
1	B-0103	Rosespray Outlet
2	009436-40	Assembly, B-2347 Nozzle
3	001194-45	Red HW Index
4	017208-40	Center Body Diverter Asm.
5	002338-45	Diverter
6	001686-45	Blue CW Index
7	000925-45	Lab Handle Screw
8	B-WH4	4" Wrist Action Handle
9	016742-45	Center Flange Nut
10	016752-40	CWS Bonnet & LTC Eterna Cartridge
11	016749-45	C-Washer
12	016745-45	Compression Nut & Fitting
13	016777-45	Concealed Widespread Hanger
14	001495-45	Side Spray
15	001496-45	Hose Guide
16	000958-20	Coupling Nut
17	016753-40	CWS Bonnet & RTC Eterna Cartridge
18	016743-25	CWS Bonnet Assembly
19	009002-25	Packing Assembly
20	001257-40	Bell Escutcheon



Installation Repair Kit
017245-40
Includes #9, (2) #11
and #13



RELIABILITY BUILT IN™



B-2360 and B-2360-01 Bubbler

B-2360

Bubbler, Deck Mounted with Rubber Mouth Guard, Polish Chrome Finish, Fast Self-Closing Cartridge with Lever Handle and Vandal-Resistant Screw, Hidden Flow Control, 1/2" NPSM Shank and Coupling Nut


B-2360-01

Same as B-2360 except with Push Button Metering Cartridge; Threaded Holes on Bottom accept Anti-Rotation Pins

B-2360



B-2360-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	015317-40	Fast Close Cartridge (B-2360)
	238A	Bonnet, Push Button Metering Cartridge (B-2360-01)
2	001638-45	Lever Handle (B-2360)
3	VRS-1	VR Screw w/ Bit (B-2360)
4	009598-45	Mouth Guard Screw
5	009595-45	Rubber Mouth Guard
6	009596-40	Mouth Guard Holder
7	009594-45	Flow Straightener
8	012697-45	Flow Control Screw
9	015319-45	O-Ring
10	000958-20	Coupling Nut
11	002954-45	Shank Lock Nut
12	000999-45	Brass Lock Washer
13	001000-45	Rosette Washer
14	014195-40	Cold Cap Assembly (B-2360-01)
15	014734-45	#8 Spanner Bit (B-2360-01)



RELIABILITY BUILT IN™



EasyInstall


B-2386

EasyInstall Concealed Widespread (CWS) Faucet with Lever Handles, Compression Cartridges, 8" Inlet Centers and Swing Nozzle with 2.2 GPM Aerator

B-2386
EasyInstall Faucet



B-2386



ITEM

NO.	SALES NO.	DESCRIPTION
1	001661-45	Red Index-HW
2	B-0199-01	2.2 GPM Aerator
3	001660-45	Blue Index-CW
4	000922-45	Lever Handle Screw
5	001638-45	Lever Handle
6	001257-40	Bell Escutcheon
7	016742-45	Center Flange Nut
8	016745-45	Compression Nut & Fitting
9	016752-40	EasyInstall CWS LTC Eterna (Teflon)
10	016749-45	C-Washer
11	016777-45	CWS Hanger
12	000958-20	Coupling Nut
13	016753-40	EasyInstall CWS RTC Eterna (Teflon)
14	016743-25	CWS Bonnet Assembly
15	009002-25	Packing Nut Assembly
16	014200-45	Star Washer, Anti-Rotation



Installation Repair Kit
017245-40
Includes #7, (2) #10
and #11





B-2460 Lavatory Faucet

B-2460


Single Hole Lavatory Faucet with Ceramic Cartridge, 4" Wrist Action Handle, Vandal-Resistant Aerator with Key, Anti-Rotation Deckplate and 1/2" NPSM Male Shank Outlet

B-2460



ITEM NO.	SALES NO.	DESCRIPTION
1	002954-45	Shank Lock Nut
2	001000-45	Rosette Washer
3	013824-40	4" c/c Deck Plate w/ Vandal Resistant Notch
4	011278-25	Cerama Cartridge - RTC
5	009188-40	4" Wrist Action Handle
6	000922-45	Lever Handle Screw
7	001066-45	O-Ring
8	009285-40	Cap Insert Blank
9	044A	3/8" to Aerator Adapter
10	001043-45	Washer
11	B-0199-06	VR Aerator w/ Key
12	015425-45	Vandal Resistant Key
13	B-0199-07	Vandal Resistant 2.2 GPM Aerator w/ Key
14	150A	Bag of (1) Nut & (1) Tailpiece

Furnished with Vandal-Resistant Aerator Key



RELIABILITY BUILT IN™



B-2701 and B-2703 Single Lever Faucets

B-2701

Single Lever Faucet with Rigid Base, Ceramic Cartridge with Temperature Limit Adjustment, Brass Locking Post with Clamp and Nut and Flexible Supplies


B-2703 (shown below)

Same as B-2701 except with 4" Deck Plate

B-2701



B-2703



ITEM

NO.	SALES NO.	DESCRIPTION
1	013113-45	Handle, Single Lever
2	016675-45	Set Screw
3	014173-45	Index, Temperature
4	016661-45	Trim Ring
5	016663-45	Locking Nut
6	013111-45	Cartridge Assembly
7	016671-45	Aerator, 2.2 GPM
8	013824-40	4" Deckplate (B-2703)
9	016879-45	Supply Hose, 9/16-24 (3/8 Comp.) x 1/8 NPSM



B-2710 and B-2711 Single Lever Faucets

B-2710

4" Centerset Single Lever Faucet with 1/2" NPSM Male Inlet Shanks, Pop-Up Drain Assembly, Temperature Limit Stop and Ceramic Cartridge



B-2711

Same as B-2710 except without Pop-Up Assembly

B-2710



ITEM NO.	SALES NO.	DESCRIPTION
1	013113-45	B-2710 Handle, Single Lever
2	013111-45	B-2710 Cartridge Assembly
3	014173-45	Index, Temperature
4	016675-45	Set Screw
5	015400-45	Limit Switch
6	016663-45	Locking Nut
7	016661-45	Trim Ring
8	014167-45	Deck Gasket
9	000999-45	Brass Lock Washer
10	016673-45	Shank Nut
11	000958-20	Coupling Nut
12	B-0898	Pop-up Assembly (B-2710)
13	016671-45	Aerator 2.2 GPM



RELIABILITY BUILT IN™



B-2730 and B-2731 Single Lever Faucets


B-2730

Single Lever Faucet with 9" Spout, Swivel Base, Flexible Supplies, 10" Deckplate, 48" Sidespray with Hose Guide, Temperature Limit Stop and Ceramic Cartridge

B-2731


Same as B-2730 except without Sidespray

B-2730



ITEM

NO.	SALES NO.	DESCRIPTION
1	013113-45	B-2710 Handle, Single Lever
2	016661-45	Trim Ring
3	016663-45	Locking Nut
4	015400-45	Limit Switch
5	013080-45	Cartridge, B-2740 Side Mount
6	014161-45	Deck Plate, B-2730/B-2731
7	014160-45	Deck Plate Gasket, B-2730/B-2731
8	013842-45	48" Side Spray w/ Hose Guide (B-2730)
9	016879-45	Supply Hose (2), 1/8 NPS x (9/16) 3/8 COMP.
10	014163-45	Center Mounting Kit
11	014162-45	Side Mounting Post & Lock Nut Kit (Set of 2)
12	016671-45	Aerator 2.2 GPM
13	014173-45	Index, Temperature
14	016675-45	Set Screw
15	001496-45	Hose Guide



RELIABILITY BUILT IN™




B-2742 Side Mount Faucet

B-2742

Side Mount Faucet with Remote Control Base, Flexible Stainless Steel Water Connectors, Ceramic Cartridge, Swivel Gooseneck and Vandal-Resistant Aerator

B-2742



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-2740	Base, B-2740 Side Mount
2	000137-40	Flange, Swivel Center
3	002954-45	Shank Lock Nut
4	000999-45	Brass Lock Washer
5	009538-45	Swivel Washer
6	011429-45	Swivel Sleeve (2)
7	001074-45	O-Ring
8	B-0199-06	Vandal Resistant Aerator w/ Key
9	015425-45	Vandal Resistant Key



RELIABILITY BUILT IN™




EasyInstall

B-2850

EasyInstall Concealed Widespread (CWS) Faucet with Lever Handles, Compression Cartridges, 8" Inlet Centers and Gooseneck with Stream Regulator Outlet

B-2850
EasyInstall Faucet




ITEM

NO.	SALES NO.	DESCRIPTION
1	B-LT	Stream Regulator Outlet
2	001043-45	Washer
3	000922-45	Lever Handle Screw
4	001660-45	Blue Index-CW
5	001638-45	Lever Handle
6	016742-45	Center Flange Nut
7	016745-45	Compression Nut & Fitting
8	016752-40	EasyInstall CWS LTC Eterna (Teflon)
9	016749-45	Sidebody C-Washer
10	016777-45	CWS Hanger
11	000958-20	Coupling Nut
12	016753-40	CWS EasyInstall RTC Eterna (Teflon)
13	016743-25	CWS Bonnet Assembly
14	009002-25	Packing Nut Assembly
15	001257-40	Bell Escutcheon
16	001661-45	Red Index-HW



Installation Repair Kit
017245-40
Includes #6, (2) #9
and #10



RELIABILITY BUILT IN™




EasyInstall

B-2855 EasyInstall Faucet


B-2855

EasyInstall Concealed Widespread (CWS) Faucet with Lever Handles, Eterna Cartridges, 8" Inlet Centers and 9" Swing Nozzle with Stream Regulator Outlet

B-2855



Washer
Converts
Swivel
Gooseneck
to Rigid



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-PT	Stream Regulator Outlet
2	001048-45	Nozzle Tip Washer
3	166X	Swing Nozzle Assembly w/ B-PT Stream Regulator
4	014200-45	Star Washer, Anti-Rotation
5	001660-45	Blue Index-CW
6	000922-45	Lever Handle Screw
7	001638-45	Lever Handle
8	001257-40	Bell Escutcheon
9	016742-45	Center Flange Nut
10	016745-45	Compression Nut & Fitting
11	016752-40	CWS EasyInstall LTC Eterna (Teflon)
12	016749-45	Sidebody C-Washer
13	016777-45	CWS Hanger
14	000958-20	Coupling Nut
15	016753-40	CWS EasyInstall RTC Eterna (Teflon)
16	016743-25	CWS Eterna Bonnet
17	009002-25	Packing Nut Assembly
18	001661-45	Red Index-HW



Installation Repair Kit
017245-40
Includes #9, (2) #12
and #13



RELIABILITY BUILT IN™






EasyInstall

B-2862 EasyInstall Faucet



B-2862

EasyInstall Concealed Widespread (CWS) Faucet with 4" Wrist Action Handles, Compression Cartridges, 8" Inlet Centers and Swivel Gooseneck with 2.2 GPM Outlet



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0199-01	2.2 GPM Female Aerator
2	B-0199-02	2.2 GPM Male Aerator
3	044A	Adapter
4	009636-45	Washer
5	000557-25	Bell Adapter
6	016742-45	Center Flange Nut
7	016745-45	Compression Nut & Fitting
8	001686-45	Blue CW Index
9	000925-45	Lab Handle Screw
10	B-WH4	4" Wrist Action Handle
11	016752-40	CWS Bonnet & LTC Eterna Cartridge
12	016749-45	C-Washer
13	016777-45	CWS Hanger
14	000958-20	Coupling Nut
15	016753-40	CWS Bonnet & RTC Eterna Cartridge
16	016743-25	CWS Bonnet Assembly
17	009002-25	Packing Nut Assembly
18	001257-40	Bell Escutcheon
19	001194-45	Red HW Index
20	014200-45	Star Washer, Anti-Rotation



Installation Repair Kit
017245-40
Includes #6, (2) #12
and #13



RELIABILITY BUILT IN™




EasyInstall

B-2865-04 EasyInstall Faucet

B-2865-04

EasyInstall Concealed Widespread (CWS) Faucet with Wrist Action Handles, Eterna Cartridges, 8" Inlet Centers and 9" Rigid Gooseneck with Rosespray Outlet

B-2865-04



ITEM

NO.	SALES NO.	DESCRIPTION
1	002209-25	Rosespray Outlet
2	001043-45	Washer
3	B-0103	Rosespray Outlet Assembly
4	000398-40	Rigid Gooseneck
5	016742-45	Center Flange Nut
6	016745-45	Compression Nut & Fitting
7	001686-45	Blue CW Index
8	000925-45	Lab Handle Screw
9	B-WH4	4" Wrist Action Handle
10	001257-40	Bell Escutcheon
11	016752-40	EZ-Install LTC Eterna (Teflon)
12	016749-45	Sidebody C-Washer
13	016777-45	CWS Hanger
14	000958-20	Coupling Nut
15	016753-40	EZ-Install RTC Eterna (Teflon)
16	016743-25	CWS Bonnet Assembly
17	009002-25	Packing Nut Assembly
18	001194-45	Red HW Index



Installation Repair Kit
017245-40
Includes #5, (2) #12
and #13



RELIABILITY BUILT IN™




EasyInstall

B-2866

EasyInstall Concealed Widespread (CWS) Faucet with 6" Wrist Action Handles, Compression Cartridges, 8" Inlet Centers and Swivel Gooseneck with Rosespray

B-2866
EasyInstall Faucet



Washer
Converts
Swivel
Gooseneck
to Rigid

ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0103-01	Rosespray Outlet Assembly
2	001048-45	Nozzle Tip Washer
3	016742-45	Center Flange Nut
4	016745-45	Compression Nut & Fitting
5	001686-45	Blue CW Index
6	000925-45	Lab Handle Screw
7	B-WH6	6" Wrist Action Handle
8	001257-40	Bell Escutcheon
9	016752-40	EZ-Install LTC Eterna (Teflon)
10	016749-45	Sidebody C-Washer
11	016777-45	CWS Hanger
12	000958-20	Coupling Nut
13	016753-40	EZ-Install RTC Eterna (Teflon)
14	016743-25	CWS Bonnet Assembly
15	009002-25	Packing Nut Assembly
16	001194-45	Red HW Index
17	014200-45	Star Washer, Anti-Rotation



Installation Repair Kit
017245-40
Includes #3, (2) #10
and #11



RELIABILITY BUILT IN™




Easy Install

B-2866-04 EasyInstall Faucet

B-2866-04

EasyInstall Concealed Widespread (CWS) Faucet with 4" Wrist Action Handles, Compression Cartridges, 8" Inlet Centers and Swivel Gooseneck with B-0103-01 Rosespray Outlet

B-2866-04



Washer
Converts
Swivel
Gooseneck
to Rigid

ITEM

NO.	SALES NO.	DESCRIPTION
1	001048-45	Nozzle Tip Washer
2	B-0103-01	Rosespray Outlet
3	016742-45	Center Flange Nut
4	016745-45	Compression Nut & Fitting
5	001686-45	Blue CW Index
6	000925-45	Lab Handle Screw
7	B-WH4	4" Wrist Action Handle
8	001257-40	Bell Escutcheon
9	016752-40	EZ-Install LTC Eterna (Teflon)
10	016749-45	Sidebody C-Washer
11	016777-45	CWS Hanger
12	000958-20	Coupling Nut
13	016753-40	EZ-Install RTC Eterna (Teflon)
14	016743-25	CWS Bonnet Assembly
15	009002-25	Packing Nut Assembly
16	001194-45	Red HW Index
17	014200-45	Star Washer, Anti-Rotation



Installation Repair Kit
017245-40
Includes #3, (2) #10
and #11



RELIABILITY BUILT IN™




Easy Install

B-2866-05 EasyInstall Faucet

B-2866-05

EasyInstall Concealed Widespread (CWS) Faucet with 4" Wrist Action Handles, Compression Cartridges, 8" Inlet Centers and Swivel Gooseneck with B-0199-01 Aerator

B-2866-05



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0199-01	2.2 GPM Aerator, Female
2	016742-45	Center Flange Nut
3	016745-45	Compression Nut & Fitting
4	001686-45	Blue CW Index
5	000925-45	Lab Handle Screw
6	B-WH4	4" Wrist Action Handle
7	001257-40	Bell Escutcheon
8	016752-40	EZ-Install LTC Eterna (Teflon)
9	016749-45	Sidebody C-Washer
10	016777-45	CWS Hanger
11	000958-20	Coupling Nut
12	016753-40	EZ-Install RTC Eterna (Teflon)
13	016743-25	CWS Bonnet Assembly
14	009002-25	Packing Nut Assembly
15	001194-45	Red HW Index
16	014200-45	Star Washer, Anti-Rotation



Installation Repair Kit
017245-40
Includes #2, (2) #9
and #10





EasyInstall


B-2866-05CR

EasyInstall Faucet

B-2866-05CR

EasyInstall Concealed Widespread (CWS) Faucet with 4" Wrist Action Handles, Cerama Cartridges, 8" Inlet Centers and Swivel Gooseneck with Stream Regulator Outlet

B-2866-05CR



ITEM

NO.	SALES NO.	DESCRIPTION
1	000863-25	Nozzle Tip & Index Ring
2	001323-45	Screen
3	B-PT	Stream Regulator Outlet
4	001048-45	Nozzle Tip Washer
5	014200-45	Star Washer, Anti-Rotation
6	016742-45	Center Flange Nut
7	016745-45	Compression Nut & Fitting
8	001686-45	Blue CW Index
9	000925-45	Lab Handle Screw
10	B-WH4	4" Wrist Action Handle
11	001257-40	Bell Escutcheon
12	016768-25	EZ-Install CWS Cerama LTC
13	016749-45	Sidebody C-Washer
14	016777-45	CWS Hanger
15	000958-20	Coupling Nut
16	016767-25	EZ-Install CWS Cerama RTC
17	016743-25	CWS Bonnet Assembly
18	009002-25	Packing Nut Assembly
19	001194-45	Red HW Index



Installation Repair Kit
017245-40
Includes #6, (2) #13
and #14



RELIABILITY BUILT IN™



EasyInstall


B-2866-05FC

EasyInstall Faucet

B-2866-05FC

EasyInstall Concealed Widespread (CWS) Faucet with 4" Wrist Action Handles, Eterna Cartridges, 1.6 GPM Flow Control, 8" Inlet Centers and Swivel Gooseneck with Plain End Spout

B-2866-05FC



ITEM

NO.	SALES NO.	DESCRIPTION
1	133XP	Plain End Swivel Gooseneck
2	014200-45	Star Washer, Anti-Rotation
3	016742-45	Center Flange Nut
4	016745-45	Compression Nut & Fitting
5	001686-45	Blue CW Index
6	000925-45	Lab Handle Screw
7	B-WH4	4" Wrist Action Handle
8	001257-40	Bell Escutcheon
9	016752-40	EZ-Install LTC Eterna (Teflon)
10	016749-45	Sidebody C-Washer
11	016777-45	CWS Hanger
12	000958-20	Coupling Nut
13	016753-40	EZ-Install RTC Eterna (Teflon)
14	016743-25	CWS Bonnet Assembly
15	009002-25	Packing Nut Assembly
16	001194-45	Red HW Index
17	009069-45	Flow Control Holder
18	016232-45	Flow Tower, 1.6 GPM



Installation Repair Kit
017245-40
Includes #3, (2) #10
and #11



RELIABILITY BUILT IN™



EasyInstall


B-2866-LF16-WH4

EasyInstall Concealed Widespread (CWS) Faucet with 1.6 GPM Flow Control, 4" Wrist Action Handles, 1/4-Turn Compression Cartridges, 8" Inlet Centers and Swivel Gooseneck with B-PT Stream Regulator Outlet


B-2866-LF16-WH4
EasyInstall Faucet



B-2866-LF16-WH4



ITEM NO.	SALES NO.	DESCRIPTION
1	000863-25	Nozzle Tip & Index Ring
2	001323-45	Screen
3	B-PT	Stream Regulator Outlet
4	001048-45	Nozzle Tip Washer
5	014200-45	Star Washer, Anti-Rotation
6	009069-45	Flow Control Holder
7	016232-45	Flow Tower, 1.6 GPM
8	016742-45	Center Flange Nut
9	016745-45	Compression Nut & Fitting
10	001686-45	Blue CW Index
11	000925-45	Lab Handle Screw
12	B-WH4	4" Wrist Action Handle
13	001257-40	Bell Escutcheon
14	016925-40	1/4 Turn LTC Eterna (Teflon)
15	016749-45	Sidebody C-Washer
16	016777-45	CWS Hanger
17	000958-20	Coupling Nut
18	016926-40	1/4 Turn RTC Eterna (Teflon)
19	016743-25	CWS Bonnet Assembly
20	009002-25	Packing Nut Assembly
21	001194-45	Red HW Index



Installation
Repair Kit
017245-40
Includes #8,
(2) #15 and
#16



RELIABILITY BUILT IN™




EasyInstall

B-2867-04 EasyInstall Faucet

B-2867-04


EasyInstall Concealed Widespread (CWS) Faucet with 4" Wrist Action Handles, Compression Cartridges, 8" Inlet Centers and Rigid Gooseneck with B-0199-01 Aerator

B-2867-04



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0199-01	2.2 GPM Aerator, Female
2	B-0199-02	2.2 GPM Aerator, Male
3	044A	3/8" to Aerator Adapter
4	001043-45	Washer
5	016742-45	Center Flange Nut
6	016745-45	Compression Nut & Fitting
7	001686-45	Blue CW Index
8	000925-45	Lab Handle Screw
9	B-WH4	4" Wrist Action Handle
10	001257-40	Bell Escutcheon
11	016752-40	EZ-Install LTC Eterna (Teflon)
12	016749-45	Sidebody C-Washer
13	016777-45	CWS Hanger
14	000958-20	Coupling Nut
15	016753-40	EZ-Install RTC Eterna (Teflon)
16	016743-25	CWS Bonnet Assembly
17	009002-25	Packing Nut Assembly
18	001194-45	Red HW Index



Installation
Repair Kit
017245-40
Includes #5,
(2) #12 and
#13



RELIABILITY BUILT IN™




EasyInstall

B-2990 EasyInstall Faucet

B-2990

EasyInstall Concealed Widespread (CWS) Faucet with Lever Handles, Compression Cartridges, 8" Inlet Centers and Lavatory Spout with B-0199-03 Aerator

B-2990



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0199-03	2.2 GPM Aerator
2	000922-45	Lever Handle Screw
3	001660-45	Blue Index-CW
4	001638-45	Lever Handle
5	016742-45	Center Flange Nut
6	016745-45	Compression Nut & Fitting
7	016752-40	CWS EasyInstall LTC Eterna (Teflon)
8	016749-45	Sidebody C-Washer
9	016777-45	CWS Hanger
10	000958-20	Coupling Nut
11	016753-40	CWS EasyInstall RTC Eterna (Teflon)
12	016743-25	CWS Bonnet Assembly
13	009002-25	Packing Nut Assembly
14	001257-40	Bell Escutcheon
15	001661-45	Red Index-HW

Installation
Repair Kit
017245-40
Includes #5,
(2) #8 and #9



RELIABILITY BUILT IN™




EasyInstall

B-2990-WH4 EasyInstall Faucet

B-2990-WH4

EasyInstall Concealed Widespread (CWS) Faucet with 4" Wrist Action Handles, Compression Cartridges, 8" Inlet Centers and Lavatory Spout with B-0199-03 Male Aerator

B-2990-WH4



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0199-03	2.2 GPM Aerator
2	016742-45	Center Flange Nut
3	016745-45	Compression Nut & Fitting
4	001686-45	Blue CW Index
5	000925-45	Lab Handle Screw
6	B-WH4	4" Wrist Action Handle
7	001257-40	Bell Escutcheon
8	016752-40	EZ-Install LTC Eterna (Teflon)
9	016749-45	Sidebody C-Washer
10	016777-45	CWS Hanger
11	000958-20	Coupling Nut
12	016753-40	EZ-Install RTC Eterna (Teflon)
13	016743-25	CWS Bonnet Assembly
14	009002-25	Packing Nut Assembly
15	001194-45	Red HW Index



Installation Repair Kit
017245-40
Includes #2, (2) #9 and #10



RELIABILITY BUILT IN™




EasyInstall

B-2991 EasyInstall Faucet

B-2991


EasyInstall Concealed Widespread (CWS) Faucet with Push Button Handles, Metering Cartridges, 8" Inlet Centers and Lavatory Spout with 2.2 GPM Aerator

B-2991



ITEM

ITEM NO.	SALES NO.	DESCRIPTION
1	014194-40	Hot Cap Assembly
2	B-0199-03	2.2 GPM Aerator
3	014195-40	Cold Cap Assembly
4	238A	Push Button Metering Cartridge
5	016742-45	Center Flange Nut
6	016745-45	Compression Nut & Fitting
7	017292-45	Metering CWS Escutcheon
8	016749-45	Sidebody C-Washer
9	016777-45	CWS Hanger
10	014734-45	#8 Spanner Bit
11	000958-20	Coupling Nut



Installation Repair Kit
017245-40
Includes #5, (2) #8
and #9



RELIABILITY BUILT IN™



B-3200 Pressure Balance Shower Valve

B-3200


Pressure Balance Shower Valve (ASSE 1016) with Adjustable Temperature Limit Stop, Cover Plate Assembly and 1/2" Sweat Connections, 2.5 GPM Shower Head with Shower Arm and Escutcheon and Tub Spout with Diverter

B-3200



ITEM

NO.	SALES NO.	DESCRIPTION
1	017442-45	Shower Head w/ Arm & Escutcheon
2	B-3204	Pressure Balance Shower Valve
3	017444-45	PBV Cover Plate Assembly
4	017441-45	PBV Cartridge Assembly
5	017443-45	Handle w/ Set Screw & Temp. Index
6	017439-45	Tub Spout w/ Diverter




RELIABILITY BUILT IN™



B-3940 and B-3940-01 Twist Handle Waste Valves

B-3940

Waste Valve with Twist Handle, 3" Sink Opening,
2" NPT Male Outlet and 1-1/2" NPT Male Adapter




B-3940

B-3940-01

Same as B-3940 except includes
Overflow Tube with Head Assembly

ITEM NO.	SALES NO.	DESCRIPTION
1	010389-45	O-Ring, Plunger
2	010390-45	Ferrule, Coupling Nut
3	010391-45	Nut, Coupling For Twist Drain
4	010381-45	Gasket, 3" Face Flange
5	015306-45	Flange, 3" Face
6	010385-45	Strainer, 3" Snap-in
7	010388-45	Plunger, Twist Drain
8	010393-45	Handle Asm., Waste Valve, Twist
9	B-3945	Adapter, 2" NPT x 1-1/2" NPT
10	011355-45	Tube, Overflow Elbow (B-3940-01)
11	011356-45	Head Assembly, Overflow Tube (B-3940-01)



RELIABILITY BUILT IN™



B-3942

Twist Handle Waste Valve

B-3942


Waste Valve with Twist Handle, 3" Sink Opening, 2" NPT Male Outlet, 1-1/2" NPT Female Thread Outlet



B-3942

ITEM

NO.	SALES NO.	DESCRIPTION
1	010389-45	O-Ring, Plunger
2	010390-45	Ferrule, Coupling Nut
3	010391-45	Nut, Coupling For Twist Drain
4	010381-45	Gasket, 3" Face Flange
5	015306-45	Flange, 3" Face
6	010385-45	Strainer, 3" Snap-in
7	010388-45	Plunger, Twist Drain
8	010393-45	Handle Asm., Waste Valve, Twist



Washers,
O-Rings and
Gaskets
included in
Parts Kit
B-39K

Includes Sealing Cap
When Overflow Tube
Coupling Nut is not used.
#012640-45



RELIABILITY BUILT IN™


2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-3950 and B-3950-01 Twist Handle Waste Valves

B-3950

Waste Valve with Twist Handle, 3-1/2" Sink Opening, 2" NPT Male Outlet and 1-1/2" NPT Male Adapter


**B-3950**

B-3950-01

Same as B-3950 except includes Overflow Tube with Head Assembly

ITEM NO.	SALES NO.	DESCRIPTION
1	010389-45	O-Ring, Plunger
2	010390-45	Ferrule, Coupling Nut
3	010391-45	Nut, Coupling For Twist Drain
4	010382-45	Gasket, 3-1/2" Face Flange
5	015384-45	Flange, 3-1/2" Face
6	010386-45	Strainer, 3-1/2" Snap-in
7	010388-45	Plunger, Twist Drain
8	010393-45	Handle Asm., Waste Valve, Twist
9	011355-45	Tube, Overflow Elbow (B-3950-01)
10	011356-45	Head Asm., Overflow Tube (B-3950-01)
11	B-3945	Adapter, 2" NPT x 1-1/2" NPT

Washers,
O-Rings and
Gaskets
included in
Parts Kit B-39K

**RELIABILITY BUILT IN™**



B-3952 and B-3952-01 Twist Handle Waste Valves

B-3952

Waste Valve with Twist Handle, 3-1/2" Sink
Opening, 2" NPT / 1-1/2" NPT Female Outlet

B-3952-01

Same as B-3952 except includes Overflow Tube with
Head Assembly




B-3952

ITEM

NO.	SALES NO.	DESCRIPTION
1	010389-45	O-Ring, Plunger
2	010390-45	Ferrule, Coupling Nut
3	010391-45	Nut, Coupling For Twist Drain
4	010382-45	Gasket, 3-1/2" Face Flange
5	010384-45	Flange, 3-1/2" Face
6	010386-45	Strainer, 3-1/2" Snap-in Removable
7	010388-45	Plunger, Twist Drain
8	010393-45	Handle Asm., Waste Valve, Twist
9	011355-45	Tube, Overflow Elbow (B-3952-01)
10	011356-45	Head Assembly, Overflow Tube (B-3952-01)



Washers,
O-Rings and
Gaskets
included in
Parts Kit
B-39K



Includes Sealing Cap
When Overflow Tube
Coupling Nut is not used.
#012640-45




RELIABILITY BUILT IN™



B-3960 Lever Handle Waste Valve

B-3960


Waste Valve with Lever Handle, 3" Sink Opening, 2" NPT Male Outlet, 1-1/2" NPT Male Adapter



B-3960

ITEM

NO.	SALES NO.	DESCRIPTION
1	010389-45	O-Ring, Plunger
2	010390-45	Ferrule, Coupling Nut
3	010391-45	Nut, Coupling For Twist Drain
4	010381-45	Gasket, 3" Face Flange
5	015306-45	Flange, 3" Face
6	010385-45	Strainer, 3" Snap-in
7	010388-45	Plunger, Lever and Twist Drain
8	010394-45	Handle Asm. , Waste Drain Valve, Lever
9	010392-45	Bushing, Waste Drain Lever Handle
10	B-3945	Adapter, 2" NPT x 1-1/2" NPT



Includes Sealing Cap
When Overflow Tube
Coupling Nut is not used.
#012640-45



RELIABILITY BUILT IN™



B-3962 Lever Handle Waste Valve

B-3962


Waste Valve with Lever Handle, 3" Sink Opening, 2" NPT Male / 1-1/2" NPT Female Outlet



B-3962

ITEM

NO.	SALES NO.	DESCRIPTION
1	010389-45	O-Ring, Plunger
2	010390-45	Ferrule, Coupling Nut
3	010391-45	Nut, Coupling For Twist Drain
4	010381-45	Gasket, 3" Face Flange
5	015306-45	Flange, 3" Face
6	010385-45	Strainer, 3" Snap-in
7	010388-45	Plunger, Lever and Twist Drain
8	010394-45	Handle Asm., Waste Drain Valve, Lever
9	010392-45	Bushing, Waste Drain Lever Handle



Includes Sealing Cap
When Overflow Tube
Coupling Nut is not used.
#012640-45






B-3970 and B-3970-01 Lever Handle Waste Valves

B-3970

Waste Valve with Lever Handle, 3-1/2" Sink Opening, 2" NPT Male Outlet and 1-1/2" NPT Male Adapter

B-3970-01

Same as B-3970 except includes Overflow Tube with Head Assembly





B-3970

ITEM

NO.	SALES NO.	DESCRIPTION
1	010389-45	O-Ring, Plunger
2	010390-45	Ferrule, Coupling Nut
3	010391-45	Nut, Coupling For Twist Drain
4	010382-45	Gasket, 3-1/2" Face Flange
5	010384-45	Flange, 3-1/2" Face
6	010386-45	Strainer, 3-1/2" Snap-in Removable
7	010388-45	Plunger, Lever and Twist Drain
8	010394-45	Handle Asm., Waste Drain Valve, Lever
9	010392-45	Bushing, Waste Drain Lever Handle
10	011355-45	Tube, Overflow Elbow (B-3970-01)
11	011356-45	Head Asm., Overflow Tube (B-3970-01)
12	B-3945	Adapter, 2" NPT x 1 1/2" NPT

Washers,
O-Rings and
Gaskets
included in
Parts Kit B-39K




RELIABILITY BUILT IN™



B-3972 Lever Handle Waste Valve

B-3972


Waste Valve with Lever Handle, 3-1/2" Sink Opening,
2" NPT Male / 1-1/2" NPT Female Thread Outlet



B-3972

ITEM

NO.	SALES NO.	DESCRIPTION
1	010389-45	O-Ring, Plunger
2	010390-45	Ferrule, Coupling Nut
3	010391-45	Nut, Coupling For Twist Drain
4	010382-45	Gasket, 3-1/2" Face Flange
5	010384-45	Flange, 3-1/2" Face
6	010386-45	Strainer, 3-1/2" Snap-in Removable
7	010388-45	Plunger, Lever and Twist Drain
8	010394-45	Handle Asm., Waste Drain Valve, Lever
9	010392-45	Bushing, Waste Drain Lever Handle



Includes Sealing Cap
When Overflow Tube
Coupling Nut is not used.
#012640-45



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




B-3990 and B-3992 Modular Waste Valves

B-3990 (shown below)

Modular Waste Valve with Pull Handle, 3-1/2" Sink Opening, 2" NPT Female x 1-1/2" NPT Male Adapter

B-3992 (shown, right)


Same as B-3990 except 2" NPT Male x 1-1/2" NPT Female Outlet



B-3992
(shown open)

Available Handle Extension Kits:
B-3990-3KIT (3" Extension)
B-3990-5KIT (5" Extension)

ITEM NO.	SALES NO.	DESCRIPTION
1	010386-45	Strainer, 3 1/2" Snap-in Removable
2	016654-45	Truss Head Drilled Spanner 8-32 x 1/4", 18-8 SS
3	010384-45	Flange, 3 1/2" Face
4	017694-45	Guard, 3 1/2" Vandal Resistant Drain
5	010382-45	Gasket, 3 1/2" Face Flange
6	017219-45	Valve Body Assembly w/ (2) Seals
7	017698-45K	Valve Body Seal Kit, Bag of (2)
8	017669-45	10-32 x 1-1/8 SHCS, SS
9	B-3945	Adapter, 2" NPT x 1 1/2" NPT (B-3990)
10	010391-45	Nut, Coupling For Twist Drain
11	010390-45	Ferrule, Coupling Nut
12	017454-45	1/4-20 x 1-1/4 SHCS, SS
13	017451-20	Support Rod
14	017448-45	Handle
15	017670-45	Waste Drain Installation Tool



#014734-45

 #8 Spanner Bit for Vandal-Resistant Screw (included)

#012640-45

 Sealing Cap when Overflow Tube Coupling Nut is not used (included)



RELIABILITY BUILT IN™





B-7102 and B-7102-08H

Open Stainless Steel Hose Reels

B-7102 (shown, right)
Open Stainless Steel Hose Reel with 3/8" x 12' Hose,
less Spray Valve

B-7102-08H (shown below)
Same as B-7102 except with B-0108-H Hi-Flow
JeTSpray Valve




B-7102



**Spray Valve for
B-7102-08H**

ITEM NO.	SALES NO.	DESCRIPTION
1	B-0108-H	Hi-Flow Spray Valve (B-7102-08H)
2	017938-45	3/8" x 12 Ft. Hose Replacement Kit
3	G016590-45	Hose Stop Repair Kit
4	017355-45	Swivel Repair Kit
5	014948-45	O-Ring Replacement Kit
6	017352-45	Guide Bushing Kit
7	017362-45	Spring Assembly
8	017359-45	Ratchet Lever Kit



RELIABILITY BUILT IN™



B-7102-01

Open Stainless Steel Hose Reel

B-7102-01


Open Stainless Steel Hose Reel with 3/8" x 12' Hose
and EB-0107 Hi-Flow Blue Spray Valve

ITEM NO.	SALES NO.	DESCRIPTION
1	EB-0107	Hi-Flow Blue Spray Valve
2	012504-40	Blue Handle Grip
3	010476-45	Hose Washer
4	017938-45	3/8" x 12 Ft. Hose Replacement Kit
5	G016590-45	Hose Stop Repair Kit
6	017355-45	Swivel Repair Kit
7	014948-45	O-Ring Replacement Kit
8	017352-45	Guide Bushing Kit
9	017362-45	Spring Assembly
10	017359-45	Ratchet Lever Kit

B-7102-01



Spray Valve for
B-7102-01



RELIABILITY BUILT IN™



B-7122-C01


Enclosed Stainless Steel Hose Reel

B-7122-C01
Stainless Steel Hose Reel with 3/8" x 30' Hose and
EB-0107 Blue Spray Valve

B-7122-C01



ITEM NO.	SALES NO.	DESCRIPTION
1	EB-0107	Hi-Flow Blue Spray Valve
2	012504-40	Blue Handle Grip
3	014936-45	Roller Assembly Repair Kit
4	014949-45	Hose Stop Repair Kit
5	014943-45	3/8" x 30' Hose Replacement Kit
6	014933-45	Small Stainless Steel Spring Assembly
7	014946-45	3/8" Swivel Repair Kit
8	014948-45	O-Ring Replacement Kit
9	014940-45	Ratchet Repair Kit



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-7132-01

Open Stainless Steel Hose Reel

B-7132-01


Stainless Steel Hose Reel with 3/8" x 35' Hose and
EB-0107 Blue Spray Valve

B-7132-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	EB-0107	Hi-Flow Blue Spray Valve
2	012504-40	Blue Handle Grip
3	014938-45	Roller Assembly Repair Kit
4	014949-45	Hose Stop Repair Kit
5	014941-45	3/8" x 35' Hose Replacement Kit
6	014933-45	Small Stainless Steel Spring Assembly
7	014946-45	3/8" Swivel Repair Kit
8	014948-45	O-Ring Replacement Kit
9	014940-45	Ratchet Repair Kit



RELIABILITY BUILT IN™



B-7142-01, B-7142-02 and B-7142-05

Open Stainless Steel Hose Reels

B-7142-01

Stainless Steel Hose Reel with 3/8" x 50' Hose and
EB-0107 Blue Spray Valve

B-7142-02

Same as B-7142-01 except with MV-2516-24 Rear Trigger
Water Gun

B-7142-05



Same as B-7142-01 except with MV-2522-24
Front Trigger Water Gun

B-7142-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	EB-0107	Hi-Flow Blue Spray Valve (-01 model)
	MV-2516-24	5/16" Orifice, Rear Trigger Water Gun (-02 Model)
	MV-2522-24	5/16" Orifice, Front Trigger Water Gun (-05 model)
2	012504-40	Blue Handle Grip (B-7142-01)
3	014938-45	Roller Assembly Repair Kit
4	014949-45	Hose Stop Repair Kit
5	014942-45	3/8" x 50' Hose Replacement Kit
6	014935-45	Large Stainless Steel Spring Asm.
7	014946-45	3/8" Swivel Repair Kit
8	014948-45	O-Ring Replacement Kit
9	014940-45	Ratchet Repair Kit
10	001359-40	1/2" NPT-M x 3/8" NPT-F Adapter (-02 and -05 models)



RELIABILITY BUILT IN™



B-7142-C01

Enclosed Stainless Steel Hose Reel

B-7142-C01


Enclosed Stainless Steel Hose Reel with 3/8" x 50' Hose and EB-0107 Blue Spray Valve

B-7142-C01



ITEM

NO.	SALES NO.	DESCRIPTION
1	EB-0107	Hi-Flow Blue Spray Valve
2	012504-40	Blue Handle Grip
3	014937-45	Roller Assembly Repair Kit
4	014949-45	Hose Stop Repair Kit
5	014942-45	3/8" x 50' Hose Replacement Kit
6	014935-45	Large Stainless Steel Spring Assembly
7	014946-45	3/8" Swivel Repair Kit
8	014948-45	O-Ring Replacement Kit
9	014940-45	Ratchet Repair Kit



RELIABILITY BUILT IN™



B-7212-01 Open Epoxy Coated Hose Reel

B-7212-01


Open Epoxy Coated Hose Reel with 3/8" x 15' Hose and
EB-0107 Blue Spray Valve

B-7212-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	EB-0107	Hi-Flow Blue Spray Valve
2	012504-40	Blue Handle Grip
3	014938-45	Roller Assembly Repair Kit
4	014949-45	Hose Stop Repair Kit
5	014944-45	3/8" x 15' Hose Replacement Kit
6	014932-45	Small Epoxy Coated Spring Assembly
7	014946-45	3/8" Swivel Repair Kit
8	014948-45	O-Ring Replacement Kit
9	014940-45	Ratchet Repair Kit



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-7222-C01 and B-7222-C05 Enclosed Epoxy Coated Hose Reels

B-7222-C01

Enclosed Epoxy Coated Hose Reel with 3/8" x 30' Hose and
EB-0107 Blue Spray Valve


B-7222-C05

Same as B-7222-C01 except with MV-2522-24 Front Trigger
Water Gun

B-7222-C01



ITEM NO.	SALES NO.	DESCRIPTION
1	EB-0107 MV-2522-24	Hi-Flow Blue Spray Valve (B-7222-C01) 5/16" Orifice, Front Trigger Water Gun (B-7222-C05)
2	012504-40	Blue Handle Grip (B-7222-C01)
3	014936-45	Roller Assembly Repair Kit
4	014949-45	Hose Stop Repair Kit
5	014943-45	3/8" x 30' Hose Replacement Kit
6	014932-45	Small Epoxy Coated Spring Assembly
7	014946-45	3/8" Swivel Repair Kit
8	014948-45	O-Ring Replacement Kit
9	014940-45	Ratchet Repair Kit
10	001359-40	1/2" NPT-M x 3/8" NPT-F Adapter (B-7222-C05)



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-7232-01 and B-7242-01 Open Epoxy Coated Hose Reels

B-7232-01

Open Epoxy Coated Hose Reel with 3/8" x 35' Hose and
EB-0107 Blue Spray Valve

B-7242-01


Same as B-7232-01 except with 3/8" x 50' Hose

B-7232-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	EB-0107	Hi-Flow Blue Spray Valve
2	012504-40	Blue Handle Grip
3	014938-45	Roller Assembly Repair Kit
4	014949-45	Hose Stop Repair Kit
5	014941-45	3/8" x 35' Hose Replacement Kit (B-7232-01)
	014942-45	3/8" x 50' Hose Replacement Kit (B-7242-01)
6	014932-45	Small Epoxy Coated Spring Asm.
7	014946-45	3/8" Swivel Repair Kit
8	014948-45	O-Ring Replacement Kit
9	014940-45	Ratchet Repair Kit



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



B-7242-05

Open Epoxy Coated Hose Reel

B-7242-05


Open Epoxy Coated Hose Reel with 3/8" x 50' Hose and 5/16" MV-2522-24 Front Trigger Water Gun

B-7242-05



ITEM

NO.	SALES NO.	DESCRIPTION
1	MV-2522-24	5/16" Orifice, Front Trigger Water Gun
2	014938-45	Roller Assembly Repair Kit
3	014949-45	Hose Stop Repair Kit
4	014942-45	3/8" x 50' Hose Replacement Kit
5	014934-45	Large Spring Assembly
6	014946-45	3/8" Swivel Repair Kit
7	014948-45	O-Ring Replacement Kit
8	014940-45	Ratchet Repair Kit
9	001359-40	1/2" NPT-M x 3/8" NPT-F Adapter



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



BL-4000-01 Ground Key Hose Cock

BL-4000-01


Ground Key Hose Cock, 3/8" NPT Male Inlet with Snap-In Color Coded Index (Gas) and optional Vacuum and Air Color Coded Indexes

BL-4000-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	001197-45	Cap, Index, Blue, Gas
2	001200-45	Cap, Index, Yellow, Vacuum
3	001203-45	Cap, Index, Orange, Air






BL-5700-08 Lab Mixing Faucet

BL-5700-08

Deck Mount Laboratory Mixing Faucet with Rigid Vacuum Breaker Nozzle, Serrated Tip and Four-Arm Handles

BL-5700-08



ITEM NO.	SALES NO.	DESCRIPTION
1	B-0968	Vacuum Breaker Asm., 3/8" NPT
2	001051-45	Washer
3	B-0198	Serrated Tip & Washer
4	001194-45	Red HW Index
5	000059-40	4-Arm Lab Handle
6	005960-40	Eterna Cartridge - RTC
7	000965-45	Lock Nut
8	002898-40	Spreader Assembly
9	150A	Nut and Tailpiece Assembly
10	000925-45	Lab Handle Screw
11	001191-45	Cap, Index, Green, Cold Water



RELIABILITY BUILT IN™




BL-5705-08

Single Temperature Lab Faucet

BL-5705-08

Single Temperature Lab Faucet with Rigid Vacuum Breaker Nozzle, Serrated Tip, Four-Arm Handle and 1/2" NPSM Male Inlet

BL-5705-08



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0198	Serrated Tip
2	001051-45	Washer
3	B-0968	Vacuum Breaker Asm., 3/8"
4	000363-40	3/8" NPT x 7" Riser
5	005960-40	Eterna Cartridge - RTC
6	000059-40	4-Arm Lab Handle
7	000925-45	Lab Handle Screw
8	001191-45	Cap, Index, Green, Cold Water
9	002954-45	Shank Lock Nut
10	000999-45	Brass Washer
11	144L	Gasket Polypropylene






BL-5707-01

Single Temperature Lab Faucet, Vandal-Resistant

BL-5707-01

Vandal-Resistant Single Temperature Lab Faucet with Rigid Vacuum Breaker Nozzle, Serrated Tip Outlet, Four-Arm Handle and 1/2" NPSM Male Shank Inlet

BL-5707-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0198	Serrated Tip
2	001051-45	Washer
3	001507-40	BL-5707 Riser
4	001359-40	Hex Bushing, 1/2" Male x 3/8" Female
5	B-0969	Vacuum Breaker, 1/2"
6	005960-40	Eterna Cartridge - RTC
7	000059-40	4-Arm Lab Handle
8	000925-45	Lab Handle Screw
9	001191-45	Cap, Index, Green, Cold Water
10	150A	Bag of (1) Nut & (1) Tailpiece
11	002954-45	Shank Lock Nut
12	000999-45	Brass Lock Washer
13	144L	Gasket Polypropylene
14	001408-45	5/16" Brass Ball (1)



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




BL-5709-08

Single Temperature Lab Faucet

BL-5709-08

Single Temperature Laboratory Faucet with Rigid Vacuum Breaker Nozzle, Serrated Tip Outlet, Four-Arm Handle and 1/2" NPSM Male Shank Inlet

BL-5709-08



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0198	Serrated Tip
2	001051-45	Washer
3	B-0968	Vacuum Breaker Asm., 3/8"
4	007283-40	Vacuum Breaker & Nozzle Assembly
5	000363-40	3/8" NPT x 7" Riser
6	005960-40	Eterna Cartridge - RTC
7	000059-40	4-Arm Lab Handle
8	007263-40	BL-5708-01 Base Faucet Assembly
9	000925-45	Lab Handle Screw
10	001191-45	Cap, Index, Green, Cold Water
11	150A	Tapered Tailpiece Assembly For 1/4" NPT Connection
12	002954-45	Shank Lock Nut
13	000999-45	Brass Lock Washer
14	144L	Gasket Polypropylene



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com




BL-6005-02

Combination Lab Faucet Assembly

BL-6005-02

Combination Gas and Water Fixture with Two Gas Cocks with Color Coded Indexes (Water and Gas), Vacuum Breaker, Gooseneck with Serrated Tip, Four-Arm Handle and 3/8" NPT Inlets

BL-6005-02



ITEM

NO.	SALES NO.	DESCRIPTION
1	002986-40	Nozzle, Vacuum Breaker Asm.
2	B-0198	Serrated Tip & Washer
3	001051-45	Washer
4	B-0968	Vacuum Breaker Asm., 3/8"
5	001522-40	Riser, BL-6005-01, 7"
6	000381-20	Nipple, Supply, 3/8" Pipe, Brass
7	000969-45	Nut, Lock, 3/8" NPSL, Brass
8	001004-45	Washer, Turret BL-6000, Brass
9	001160-45	Gasket, BL-6000
10	BL-4000-01	Hose Cock, Ground Key, 0.5 PSIG
11	001197-45	Cap, Index, Blue, Gas
12	001191-45	Cap, Index, Green, Cold Water



RELIABILITY BUILT IN™



BL-9505-01 PVC Single Ledge Faucet

BL-9505-01

Gray PVC Single Ledge Faucet with Rigid Gooseneck, Serrated Tip Outlet, PVC Knob and 3/8" NPT Female Inlet for Distilled or Deionized Water Applications

BL-9505-01



ITEM NO.	SALES NO.	DESCRIPTION
1	209L-DW	White Snap-In Index "DW"
2	001492-20	Knob, PVC
3	007549-40	Bonnet Assembly, PVC
4	000512-20	Nut, PVC Lock
5	BL-9541-02	PVC Gooseneck & Serrated Tip Asm.
6	000938-45	Set Screw (1)





BL-9515-01 PVC Single Ledge Faucet

BL-9515-01


Gray PVC Single Ledge Faucet with Rigid Gooseneck, Serrated Tip Outlet and 3/8" NPT Female Inlet for Distilled or Deionized Water Applications. Faucet has both manual and self-closing operations

BL-9515-01



ITEM

NO.	SALES NO.	DESCRIPTION
1	137A	Bonnet Assembly, SC/MAN, PVC
2	000512-20	Nut, PVC Lock
3	BL-9541-02	PVC Gooseneck & Serrated Tip Asm.



RELIABILITY BUILT IN™



EC-3100

Electronic Sensor Faucet

**EC-3100**


Chrome Plated Brass Electronic Faucet, Deck Mount with Rigid Gooseneck and Vandal-Resistant Aerator, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves and 18" long Hot and Cold Supply Stop Flexible Connector Hoses

EC-3100



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0199-06	VR Aerator w/ Key
2	044A	3/8" to Aerator Adapter
3	006575-45	-015 O-Ring
4	017195-45	Angled Sensor w/ Cable
5	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
6	5EF-0006	Mechanical Mixing Valve
7	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
8	015425-45	Vandal Resistant Key
9	016647-45	ChekPoint Module (Blue)
10	5EF-0002	A/C Transformer



- Label for Flow Control Switch Settings is located on Inside of Back Cover.
- Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

*Switches are set to DEFAULT position:

- Auto Time Out = 10 seconds
- Shut Off Delay = 1 second
- Auto Flush = OFF

- Remove (4) screws and back cover to access switches.

* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min
- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec
- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com


**EC-3100-HG**

Chrome Plated Brass Electronic Faucet, Deck Mount with Rigid Gooseneck and Vandal-Resistant Aerator, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves, Hydro-Generator and 18" long Hot and Cold Supply Stop Flexible Connector Hoses


EC-3100-HG

Electronic Sensor Faucet with Hydro-Generator

EC-3100-HG



ITEM NO.	SALES NO.	DESCRIPTION
1	B-0199-06	VR Aerator w/ Key
2	044A	3/8" to Aerator Adapter
3	006575-45	-015 O-Ring
4	017195-45	Angled Sensor w/ Cable
5	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
6	016647-45	ChekPoint Module (Blue)
7	5EF-0002	A/C Transformer
8	5EF-0006	Mechanical Mixing Valve
9	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
10	015425-45	Vandal Resistant Key
11	EC-HYDROGEN	Hydro-generator & Swivel Coupling
12	017506-45	1/2 NPSM Swivel Coupling



* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min
- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec
- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF

- Label for Flow Control Switch Settings is located on Inside of Back Cover.
- Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

*Switches are set to DEFAULT position:

- Auto Time Out = 10 seconds
- Shut Off Delay = 1 second
- Auto Flush = OFF

- Remove (4) screws and back cover to access switches.

**RELIABILITY BUILT IN™**




EC-3101

Electronic Sensor Faucet

**EC-3101**

Chrome Plated Brass Electronic Faucet, Wall Mount with Rigid Gooseneck and Vandal-Resistant Aerator, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves and 18" long Hot and Cold Supply Stop Flexible Connector Hoses

EC-3101**ITEM**

NO.	SALES NO.	DESCRIPTION
1	B-0199-06	VR Aerator w/ Key
2	044A	3/8" to Aerator Adapter
3	006575-45	-015 O-Ring
4	017195-45	Angled Sensor w/ Cable
5	016325-45	Inlet Hose, Faucet, 1/2" NPSM-F x 3/8" NPSM-F
6	016647-45	ChekPoint Module (Blue)
7	5EF-0006	Mechanical Mixing Valve
8	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
9	5EF-0002	A/C Transformer
10	015425-45	Vandal Resistant Key

- Label for Flow Control Switch Settings is located on Inside of Back Cover.
- Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

*Switches are set to DEFAULT position:

Auto Time Out = 10 seconds

Shut Off Delay = 1 second

Auto Flush = OFF

- Remove (4) screws and back cover to access switches.

* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min
- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec
- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com


**EC-3101-HG**

Chrome Plated Brass Electronic Faucet, Wall Mount with Rigid Gooseneck and Vandal-Resistant Aerator, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves, Hydro-Generator and 18" long Hot and Cold Supply Stop Flexible Connector Hoses

EC-3101-HG

Electronic Sensor Faucet with Hydro-Generator

EC-3101-HG

**ITEM**

NO.	SALES NO.	DESCRIPTION
1	B-0199-06	VR Aerator w/ Key
2	044A	3/8" to Aerator Adapter
3	006575-45	-015 O-Ring
4	017195-45	Angled Sensor w/ Cable
5	016325-45	Inlet Hose, Faucet, 1/2" NPSM-F x 3/8" NPSM-F
6	016647-45	ChekPoint Module (Blue)
7	5EF-0002	A/C Transformer
8	5EF-0006	Mechanical Mixing Valve
9	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
10	015425-45	Vandal Resistant Key
11	EC-HYDROGEN	Hydro-generator & Swivel Coupling
12	017506-45	1/2 NPSM Swivel Coupling

- Label for Flow Control Switch Settings is located on Inside of Back Cover.
- Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

*Switches are set to DEFAULT position:

Auto Time Out = 10 seconds

Shut Off Delay = 1 second

Auto Flush = OFF

- Remove (4) screws and back cover to access switches.

* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min

- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec

- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com



EC-3102


Electronic Sensor Faucet

**EC-3102**

Chrome Plated Brass Electronic Faucet, Single Hole Deck Mount Spout with Vandal-Resistant Aerator, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves and 18" long Hot and Cold Supply Stop Flexible Connector Hoses

EC-3102

ITEM NO.	SALES NO.	DESCRIPTION
1	016355-45	Aerator w/ Key, Vandal Resistant, 2.2 GPM, 13/16-27 Male
2	017195-45	Angled Sensor w/ Cable
3	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
4	016647-45	ChekPoint Module (Blue)
5	5EF-0002	A/C Transformer
6	5EF-0006	Mechanical Mixing Valve
7	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
8	015425-45	Vandal Resistant Key



- Label for Flow Control Switch Settings is located on Inside of Back Cover.
- Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

*Switches are set to DEFAULT position:

- Auto Time Out = 10 seconds
- Shut Off Delay = 1 second
- Auto Flush = OFF

- Remove (4) screws and back cover to access switches.

* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min
- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec
- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com


**EC-3102-HG**

Chrome Plated Brass Electronic Faucet, Single Hole Deck Mount Spout with Vandal-Resistant Aerator, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves, Hydro-Generator and 18" long Hot and Cold Supply Stop Flexible Connector Hoses

EC-3102-HG


Electronic Sensor Faucet with Hydro-Generator

EC-3102-HG



ITEM

NO.	SALES NO.	DESCRIPTION
1	016355-45	Aerator w/ Key, Vandal Resistant, 2.2 GPM, 13/16-27 Male
2	017195-45	Angled Sensor w/ Cable
3	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
4	016647-45	ChekPoint Module (Blue)
5	5EF-0002	A/C Transformer
6	5EF-0006	Mechanical Mixing Valve
7	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
8	015425-45	Vandal Resistant Key
9	EC-HYDROGEN	Hydro-generator and Swivel Coupling
10	017506-45	1/2 NPSM Swivel Coupling



- Label for Flow Control Switch Settings is located on Inside of Back Cover.
- Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

*Switches are set to DEFAULT position:

Auto Time Out = 10 seconds
Shut Off Delay = 1 second
Auto Flush = OFF

- Remove (4) screws and back cover to access switches.

* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min
- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec
- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF



RELIABILITY BUILT IN™



EC-3103


Electronic Sensor Faucet

**EC-3103**

Chrome Plated Brass Electronic Faucet, 4" C/C Deck Mount Spout with Vandal-Resistant Aerator, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves and 18" long Hot and Cold Supply Stop Flexible Connector Hoses

EC-3103

ITEM NO.	SALES NO.	DESCRIPTION
1	016355-45	Aerator w/ Key, Vandal Resistant, 2.2 GPM, 13/16-27 Male
2	017195-45	Angled Sensor w/ Cable
3	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
4	016647-45	ChekPoint Module (Blue)
5	5EF-0002	A/C Transformer
6	5EF-0006	Mechanical Mixing Valve
7	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
8	015425-45	Vandal Resistant Key



· Label for Flow Control Switch Settings is located on Inside of Back Cover.

· Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

*Switches are set to DEFAULT position:

Auto Time Out = 10 seconds

Shut Off Delay = 1 second

Auto Flush = OFF

· Remove (4) screws and back cover to access switches.

* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min
- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec
- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF



RELIABILITY BUILT IN™

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690
800-476-4103 • www.tsbrass.com

**EC-3103-HG**


Chrome Plated Brass Electronic Faucet, 4" C/C Deck Mount Spout with Vandal-Resistant Aerator, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves, Hydro-Generator and 18" long Hot and Cold Supply Stop Flexible Connector Hoses

EC-3103-HG

Electronic Sensor Faucet with Hydro-Generator

EC-3103-HG

ITEM NO.	SALES NO.	DESCRIPTION
1	016355-45	Aerator w/ Key, Vandal Resistant, 2.2 GPM, 13/16-27 Male
2	017195-45	Angled Sensor w/ Cable
3	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
4	016647-45	ChekPoint Module (Blue)
5	5EF-0002	A/C Transformer
6	5EF-0006	Mechanical Mixing Valve
7	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
8	015425-45	Vandal Resistant Key
9	EC-HYDROGEN	Hydro-generator and Swivel Coupling
10	017506-45	1/2 NPSM Swivel Coupling



- Label for Flow Control Switch Settings is located on Inside of Back Cover.
- Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

*Switches are set to DEFAULT position:
 Auto Time Out = 10 seconds
 Shut Off Delay = 1 second
 Auto Flush = OFF

- Remove (4) screws and back cover to access switches.

* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min
- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec
- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF

**RELIABILITY BUILT IN™**



EC-3106


Electronic Sensor Faucet



EC-3106


Chrome Plated Brass Electronic Faucet, Single Hole Deck Mount Spout with Vandal-Resistant Aerator and Manual Bypass, AC/DC Control Module with Internal Flow Control Setting Switches, Temperature Control Mixing Valve with Integral Check Valves and 18" long Hot and Cold Supply Stop Flexible Connector Hoses

EC-3106



ITEM

NO.	SALES NO.	DESCRIPTION
1	017493-45	ChekPoint Module (Blue) w/ Bypass Tee
2	5EF-0002	A/C Transformer
3	5EF-0006	Manual Mixing Valve
4	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
5	B-0199-09	VR Aerator w/ Key
6	015425-45	Vandal Resistant Key



* Available Flow Control Selections:

- (6) Auto Time Out Selections - 10 sec, 25 sec, 45 sec, 60 sec, 3 min, 20 min
- (4) Shut Off Delay Selections - 1 sec, 2 sec, 4 sec, 10 sec
- Auto Flush for 30 Seconds After Every 12 Inactive Hours - ON or OFF

- Label for Flow Control Switch Settings is located on Inside of Back Cover.
- Flow Control Switches are located inside Module Housing in Black Box next to Battery Compartment.

* Switches are set to DEFAULT position:

- Auto Time Out = 10 seconds
- Shut Off Delay = 1 second
- Auto Flush = OFF

- Remove (4) screws and back cover to access switches.




RELIABILITY BUILT IN™



EasyInstall

MPZ-2DCN-06

EasyInstall Mini Pre-Rinse Unit with Single Deck Mount Base Mixing Faucet, Add-On Faucet, 6" Swing Nozzle, Compact Spring and Flex Hose, B-0107 Spray Valve, Wall Bracket and Club Handles



MPZ-2DCN-06

Mini Pre-Rinse Unit

MPZ-2DCN-06



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0107	1.42 GPM Spray Valve
2	010476-45	#27 Washer
3	000907-45	Hold Down Ring
4	002987-40	Grip Handle Assembly
5	001014-45	Washer, B-0100 Hose Barrel
6	B-0024-H2A	24" Flex Hose Less Handle
7	016795-45	Compact Pre-Rinse Spring
8	000821-40	Spring Body
9	B-0109-01	Bracket Assembly, 6" Wall
10	004R	Finger Hook
11	000364-40	3/8" x 8" Riser
12	009304-41	Cap Insert, Cold
13	009331-41	Decorative Handle Asm-Cold
14	012442-40	Spindle Asm, Eterna SC Cold
15	012443-40	Spindle Asm, Eterna SC Hot
16	007947-40	1/4-Turn Spindle Assembly, Eterna - Hot
17	009332-41	Decorative Handle Asm-Hot
18	009303-41	Cap Insert, Hot
19	009285-41	Cap Insert, Blank
20	001066-45	O-Ring
21	000922-45	Screw, Lever
22	017181-41	Decorative Handle Asm-Blank
23	B-PT	Stream Regulator Outlet
24	001038-45	Nozzle Tip Washer
25	059X	6" Swing Nozzle
26	000965-45	Lock Nut
27	012534-45	Flexible Connector Hose (2)
28	007365-45	Lock Washer



RELIABILITY BUILT IN™



EasyInstall


MPZ-2DLN-06

Mini Pre-Rinse Unit

MPZ-2DLN-06

EasyInstall Mini Pre-Rinse Unit with Single Deck Mount Base Mixing Faucet, Add-On Faucet, 6" Swing Nozzle, Compact Spring and Flex Hose, B-0107 Spray Valve, 6" Wall Bracket and Lever Handles

MPZ-2DLN-06



ITEM

NO.	SALES NO.	DESCRIPTION
1	B-0107	1.42 GPM Spray Valve
2	010476-45	#27 Washer
3	000907-45	Hold Down Ring
4	002987-40	Grip Handle Assembly
5	001014-45	Washer, B-0100 Hose Barrel
6	B-0024-H2A	24" Flex Hose Less Handle
7	016795-45	Compact Pre-Rinse Spring
8	000821-40	Spring Body
9	000364-40	3/8" x 8" Riser
10	004R	Finger Hook
11	B-0109-01	Bracket Assembly, 6" Wall
12	000922-45	Screw, Lever
13	001660-45	Blue Index - CW
14	001638-45	Lever Handle
15	002711-40	Eterna w/ Spring Check, Cold w/ Handle, Index & Screw
16	002712-40	Eterna w/ Spring Check, Hot w/ Handle, Index & Screw
17	007947-40	1/4-Turn Spindle Assembly, Eterna - Hot
18	001661-45	Red Index - HW
19	B-PT	Stream Regulator Outlet
20	001048-45	Nozzle Tip Washer
21	059X	6" Swing Nozzle
22	000965-45	Lock Nut
23	012534-45	Flexible Connector Hose (2)
24	007365-45	Lock Washer
25	012442-40	Cold Eterna Spindle Assembly w/ Spring Check
26	012443-40	Hot Eterna Spindle Assembly w/ Spring Check



RELIABILITY BUILT IN™

[illegible]

RELIABILITY BUILT IN™



[illegible]

CERTIFICATION

As a leader in quality manufacturing, T&S Brass proudly displays certificates that demonstrate that we have met the stringent standards developed by the International Standardization Organization (ISO), ASME International, NSF International and CSA International (Canadian Standards Association).

Our company's ISO-9001:2008 certification is based on an evaluation of its performance of the various jobs and processes that potentially affect product quality. T&S guarantees its products will be manufactured to the highest standards in the industry with the finest craftsmanship possible.



Underwriters Laboratories plays a key role in evaluating how T&S meets the ISO-9001:2008 standard. As the Quality Systems Registrar, UL DQS Inc. was responsible for the entire registration process and oversees periodic assessments to help T&S maintain its goal of exceeding customer expectations for quality manufacturing and service.

CSA International handles the vast majority of third party testing and certifications for T&S Brass products. These product certifications are a further demonstration of our company's commitment to the needs of our customers and their communities. Following an evaluation for both the leaching of contaminants into drinking water from faucets and the mechanical quality standards, T&S pre-rinse units and drinking water and lavatory faucets meet or exceed the NSF/ANSI Standard 61, Section 9 standard for Drinking Water Systems (Health Effects) and the ASME A112.18.1 / CSA B125.1 standard for mechanical quality. In short, T&S products are both safe for use within any drinking water system and adhere to the mechanical quality standards for ease of installation, operation, and reliability.

By meeting or exceeding the standards set by these internationally recognized organizations, we demonstrate our commitment to deliver the highest quality products to customers around the world.



At T&S Brass, we are pleased to take a leading role in innovating and developing AB1953-compliant fixture fittings. Look to T&S's website, www.tsbrass.com for news and products related to AB1953 and the newly released NSF/ANSI 372 Drinking Water Systems Components – Lead Content. Contact your sales representative or T&S customer service for more information. And enjoy the confidence that comes with Reliability Built In™.



Endorsed by



ASSOCIATIONS






Product Adaptability

T&S Brass offers unparalleled product adaptability. Our extensive product lines include base faucets, nozzles, aerators, goosenecks, spouts, handles and inlet options, and many combinations of T&S components are available.

Nozzles, Goosenecks and Spouts



Handles



Inlets



Aerators



T&S Swivel or Rigid Faucets Can Combine with a Wide Variety of Goosenecks, Nozzles, Spouts, Handles, Inlets and Aerators

For example to customize your faucet, you could specify:



The T&S Commitment To Water Conservation



T&S Brass is relentlessly searching for ways to help you conserve water and save money. With this goal in mind, we have designed three areas to control water flow in our Concealed Widespread Faucets

and four flow control locations in our Lavatory Faucets. The modified flow control faucets shown below illustrate how you can specify one option listed and the requirements for that option.

CONCEALED WIDESPREAD FAUCETS

1 AERATOR Flow Control

- Order faucet "modified with flow control aerator or laminar control device"

2

SPINDLE ASSEMBLY Flow Control

- Available with Eterna cartridges
- Order faucet "modified with flow control in spindle assembly"

3

CENTER BODY Flow Control

- Available with New Style EASYINSTALL Concealed Widespread Body faucets
- Order faucet "modified with flow control in center body"

Flow Tower Chart

Flow (GPM)
0.25
0.40
0.70
0.90
1.20
1.40
2.00

1 AERATOR Flow Control

- Order faucet "modified with flow control aerator or laminar control device"

3 SPINDLE ASSEMBLY Flow Control

- Available with Eterna cartridges
- Order faucet "modified with flow control in spindle assembly"

LAVATORY FAUCETS

2

SHANK Flow Control

- Available on models including inlet shanks
- Order faucet "modified with flow control in shank"

4

B-0412-FXX ADAPTER Flow Control

- B-0412-FXX Series rigid to swivel adapter with flow control
- Order faucet "modified with B-0412-FXX adapter with flow control" and specify flow control rate





RELIABILITY BUILT IN™

www.tsbrass.com

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove • P.O. Box 1088 • Travelers Rest, SC 29690

U.S. Toll-free 800-476-4103 • +1 864-834-4102 • Fax 800-868-0084 • E-mail tsbrass@tsbrass.com

West Coast Sales and Distribution

4596 Ish Drive • Unit 220 • Simi Valley, CA 93063

U.S. Toll-free 800-423-0150 • +1 805-527-7696

Shanghai Sales and Distribution

Section A, 1st Floor, Building A • No. 368 Delin Road WGQ FTZ • Pudong, Shanghai, P.R.C. 200131

Phone +86 21 5046 2618

European Sales Representative

Versele Global • 10B, 8530 Harelbeke-Stasegem • Belgium

Phone + 32 5624 5800

