

Evap Coils



Tecumseh

Lo-Profile Evaporator Coils
Standard & Premium, Medium & Low Temp,
Standard Humi-Jet

Lo-Profile Evaporator Coils

Standard, Premium & Standard Humi-Jet


Standard:

- Low silhouette height of only 13 1/2 inches
- Flush ceiling mounted
- Removable side panel and hinged drain pan for easy servicing
- Textured aluminum cabinet
- Aluminum fins and seamless copper tubing
- Easily adapted as a replacement unit or for use in original equipment
- Thermally protected, permanently lubricated motors
- Factory wired for convenience
- Junction box outside cabinet for easy hook up
- Heaters are UL approved, moisture proof, odor and taste free, with molded neoprene sealed ends
- Serpentine tubular heating elements are evenly spaced for ideal defrosting
- Defrost termination switch and fan delay control insures defrost overheating



Standard Humi-Jet:

- Ideal for heavy duty applications requiring low velocity, high humidity levels & greater temperature control
- Air is drawn through fans under the unit and passed over the coil surface, which extends the full width of unit, for consistent air distribution
- Low velocity for draft free comfort
- All refrigeration and electrical connections inside cabinet
- Moisture proof wiring harness




Premium:

- High efficiency staggered tube arrangement
- Fans equipped with harness connections for easy replacement
- Aluminum fan blades and plated steel fan guards
- Schrader valve mounted coil outlet
- Easy push-in electrical connections
- Inner grooved copper tubing for enhanced heat transfer
- Expanded, cleaned, dried and sealed coil blocks
- Stainless steel electric defrost heaters in coil and drain pan
- Heaters mounted in aluminum sheaths within the coil for energy efficiency & improved defrost capability
- Built-in fan delay and defrost termination sensors factory wired



DIMENSIONS



NOMENCLATURE

Standard

CP 430 E * A - HJ PLP

Tecumseh Capacity Electric Defrost ——— **Humi-Jet Lo-Profile ECM Motors**

- Lo-Profile designed for medium temperature applications, capacity 3,800 - 30,000 Btu/h
- Humi-Jet capacity: 5,000 - 27,000 Btu/h Air Defrost: 35°F - 55°F Electric Defrost: 28°F - 34°F

Premium

T A L 0066 .0 A E

Tecumseh Defrost ——— **ECM motors Voltage**

A = Air (6 FPI)
E = Electric (6FPI)
D = Electric (4FPI)

Lo-Profile ——— **Vintage Capacity**

- Air Defrost: 3,500 - 39,000 Btu/h
- Electric Defrost: 3,200 - 28,000 Btu/h
- TAL: Room temperature between 25°F and 40°F
- TEL and TDL: Room temperature -20°F and 10°F

Model Number	Part Number	Voltage	Fan Type	Defrost Type	FPI	Btu/h @ 10 °F TD	Air Throw Ft	Dimensions (in)			Wt lbs	Connection Size (in)		Drain Conn NPT (in)	Fan #
								L	D	H		Liquid	Suction		
Premium Lo-Profile															
TAL 0037.OAE	14948133-E	115/60/1	EC	Air	6	3,458	30	30 7/16	17 9/16	15 1/4	40	1/2 ODF	1/2 ODF	3/4	1
TAL 0052.OAE	14948134-E	115/60/1	EC	Air	6	5,189	29	30 7/16	17 9/16	15 1/4	42	1/2 ODF	1/2 ODF	3/4	1
TAL 0066.OAE	14948135-E	115/60/1	EC	Air	6	6,106	25	30 7/16	17 9/16	15 1/4	45	1/2 ODF	5/8 ODF	3/4	1
TAL 0074.OAE	14948136-E	115/60/1	EC	Air	6	6,938	30	49 5/16	17 9/16	15 1/4	66	1/2 ODF	5/8 ODF	3/4	2
TAL 0105.OAE	14948137-E	115/60/1	EC	Air	6	10,498	29	49 5/16	17 9/16	15 1/4	71	1/2 ODF	5/8 ODF	3/4	2
TAL 0128.OAE	14948138-E	115/60/1	EC	Air	6	13,052	25	49 5/16	17 9/16	15 1/4	77	1/2 ODF	5/8 ODF	3/4	2
TAL 0145.OXE	14959749-E	115/60/1	EC	Air	6	14,749	24	49 5/16	17 9/16	15 1/4	84	1/2 ODF	5/8 ODF	3/4	2
TAL 0154.OAE	14948139-E	115/60/1	EC	Air	6	15,570	29	68 1/4	17 9/16	15 1/4	98	1/2 ODF	5/8 ODF	3/4	3
TAL 0192.OAE	14948140-E	115/60/1	EC	Air	6	18,905	25	68 1/4	17 9/16	15 1/4	106	1/2 ODF	7/8 ODF	3/4	3
TAL 0220.OAE	14948141-E	115/60/1	EC	Air	6	20,163	29	87 1/8	17 9/16	15 1/4	127	1/2 ODF	1 1/8 ODF	3/4	4
TAL 0266.OAE	14948142-E	115/60/1	EC	Air	6	24,506	25	87 1/8	17 9/16	15 1/4	138	1/2 ODF	1 1/8 ODF	3/4	4
TAL 0324.OAE	14948143-E	115/60/1	EC	Air	6	30,758	25	106	17 9/16	15 1/4	167	1/2 ODF	1 1/8 ODF	3/4	5
TAL 0404.OAE	14948144-E	115/60/1	EC	Air	6	41,077	24	106	17 9/16	15 1/4	180	1/2 ODF	1 1/8 ODF	3/4	5
TEL 0033.OXE	14948145-E	230/60/1	EC	Electric	6	3,270	30	30 7/16	17 9/16	15 1/4	69	1/2 ODF	1/2 ODF	3/4	1
TEL 0042.OXE	14948146-E	230/60/1	EC	Electric	6	4,183	29	30 7/16	17 9/16	15 1/4	71	1/2 ODF	1/2 ODF	3/4	1
TEL 0050.OXE	14948147-E	230/60/1	EC	Electric	6	4,689	29	30 7/16	17 9/16	15 1/4	71	1/2 ODF	5/8 ODF	3/4	1
TEL 0068.OXE	14948148-E	230/60/1	EC	Electric	6	6,644	29	49 5/16	17 9/16	15 1/4	98	1/2 ODF	5/8 ODF	3/4	2
TEL 0087.OXE	14948149-E	230/60/1	EC	Electric	6	8,606	28	49 5/16	17 9/16	15 1/4	124	1/2 ODF	5/8 ODF	3/4	2
TEL 0120.OXE	14948150-E	230/60/1	EC	Electric	6	11,373	25	49 5/16	17 9/16	15 1/4	130	1/2 ODF	7/8 ODF	3/4	2
TEL 0148.OXE	14948151-E	230/60/1	EC	Electric	6	14,338	28	68 1/4	17 9/16	15 1/4	161	1/2 ODF	1 1/8 ODF	3/4	3
TEL 0168.OXE	14948152-E	230/60/1	EC	Electric	6	16,636	25	68 1/4	17 9/16	15 1/4	167	1/2 ODF	7/8 ODF	3/4	3
TEL 0202.OXE	14948159-E	230/60/1	EC	Electric	6	18,891	28	87 1/8	17 9/16	15 1/4	183	1/2 ODF	1 1/8 ODF	3/4	4
TEL 0244.OXE	14948160-E	230/60/1	EC	Electric	6	23,837	28	106	17 9/16	15 1/4	214	1/2 ODF	1 1/8 ODF	3/4	5
TEL 0290.OXE	14948161-E	230/60/1	EC	Electric	6	28,795	25	106	17 9/16	15 1/4	241	1/2 ODF	1 1/8 ODF	3/4	5
TDL 0041.OXE	14948162-E	230/60/1	EC	Electric	4	4,089	28	30 7/16	17 9/16	15 1/4	74	1/2 ODF	5/8 ODF	3/4	1
TDL 0066.OXE	14948163-E	230/60/1	EC	Electric	4	6,469	31	49 5/16	17 9/16	15 1/4	101	1/2 ODF	5/8 ODF	3/4	2
TDL 0083.OXE	14948164-E	230/60/1	EC	Electric	4	8,214	28	49 5/16	17 9/16	15 1/4	114	1/2 ODF	7/8 ODF	3/4	2
TDL 0105.OXE	14959750-E	230/60/1	EC	Electric	4	9,852	31	68 1/4	17 9/16	15 1/4	130	1/2 ODF	7/8 ODF	3/4	3
TDL 0125.OXE	14959751-E	230/60/1	EC	Electric	4	12,299	28	68 1/4	17 9/16	15 1/4	148	1/2 ODF	7/8 ODF	3/4	3
TDL 0133.OXE	14948168-E	230/60/1	EC	Electric	4	13,266	31	87 1/8	17 9/16	15 1/4	161	1/2 ODF	1 1/8 ODF	3/4	4
TDL 0168.OXE	14948170-E	230/60/1	EC	Electric	4	16,466	28	87 1/8	17 9/16	15 1/4	183	1/2 ODF	1 1/8 ODF	3/4	4
TDL 0210.OXE	14948172-E	230/60/1	EC	Electric	4	20,563	28	106	17 9/16	15 1/4	214	1/2 ODF	1 1/8 ODF	3/4	5
TDL 0265.OXE	14959752-E	230/60/1	EC	Electric	4	25,290	27	106	17 9/16	15 1/4	241	7/8 ODF	1 1/8 ODF	3/4	5
TAL 0037.OA	14948133	115/60/1	SP	Air	6	3,570	25	30 7/16	18 1/2	15 1/4	40	1/2 ODF	1/2 ODF	3/4	1
TAL 0052.OA	14948134	115/60/1	SP	Air	6	4,970	24	30 7/16	18 1/2	15 1/4	42	1/2 ODF	1/2 ODF	3/4	1
TAL 0066.OA	14948135	115/60/1	SP	Air	6	6,460	22	30 7/16	18 1/2	15 1/4	45	1/2 ODF	5/8 ODF	3/4	1
TAL 0074.OA	14948136	115/60/1	SP	Air	6	7,150	25	49 5/16	18 1/2	15 1/4	66	1/2 ODF	5/8 ODF	3/4	2
TAL 0105.OA	14948137	115/60/1	SP	Air	6	10,010	24	49 5/16	18 1/2	15 1/4	71	1/2 ODF	5/8 ODF	3/4	2
TAL 0128.OA	14948138	115/60/1	SP	Air	6	12,330	22	49 5/16	18 1/2	15 1/4	77	1/2 ODF	5/8 ODF	3/4	2



Model Number	Part Number	TEV Evap Temp (°F)	404A ⁺	507 ⁺	22 ⁺	134a ⁺
Premium Lo-Profile			^ Sporlan Valve TEV Part Number			
TAL 0037.0AE	14948133-E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AAA-C	SBFJE-AA-C
TAL 0052.0AE	14948134-E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
TAL 0066.0AE	14948135-E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
TAL 0074.0AE	14948136-E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
TAL 0105.0AE	14948137-E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
TAL 0128.0AE	14948138-E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
TAL 0145.0XE	14959749-E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-B-C
TAL 0154.0AE	14948139-E	25	SBFSE-A-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
TAL 0192.0AE	14948140-E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
TAL 0220.0AE	14948141-E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
TAL 0266.0AE	14948142-E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-B-C	SBFJE-C-C
TAL 0324.0AE	14948143-E	25	SBFSE-C-C	SBFPE-C-C	SBFVE-B-C	SBFJE-C-C
TAL 0404.0AE	14948144-E	25	SBFSE-C-C	SBFPE-C-C	SBFVE-C-C	SBFJE-C-C
TEL 0033.0XE	14948145-E	-20	SBFSE-AA-Z	SBFPE-AA-Z	SBFVE-AA-Z	SBFJE-AA-Z
TEL 0042.0XE	14948146-E	-20	SBFSE-AA-Z	SBFPE-AA-Z	SBFVE-AA-Z	SBFJE-AA-Z
TEL 0050.0XE	14948147-E	-20	SBFSE-AA-Z	SBFPE-AA-Z	SBFVE-AA-Z	SBFJE-A-Z
TEL 0068.0XE	14948148-E	-20	SBFSE-A-Z	SBFPE-A-Z	SBFVE-AA-Z	SBFJE-A-Z
TEL 0087.0XE	14948149-E	-20	SBFSE-A-Z	SBFPE-A-Z	SBFVE-A-Z	SBFJE-A-Z
TEL 0120.0XE	14948150-E	-20	SBFSE-A-Z	SBFPE-A-Z	SBFVE-A-Z	SBFJE-B-Z
TEL 0148.0XE	14948151-E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-B-Z
TEL 0168.0XE	14948152-E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
TEL 0202.0XE	14948159-E	-20	SBFSE-B-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
TEL 0244.0XE	14948160-E	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
TEL 0290.0XE	14948161-E	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-C-Z	SBFJE-C-Z
TDL 0041.0XE	14948162-E	-20	SBFSE-AA-Z	SBFPE-AA-Z	SBFVE-AA-Z	SBFJE-AA-Z
TDL 0066.0XE	14948163-E	-20	SBFSE-A-Z	SBFPE-A-Z	SBFVE-AA-Z	SBFJE-A-Z
TDL 0083.0XE	14948164-E	-20	SBFSE-A-Z	SBFPE-A-Z	SBFVE-A-Z	SBFJE-A-Z
TDL 0105.0XE	14959750-E	-20	SBFSE-A-Z	SBFPE-A-Z	SBFVE-A-Z	SBFJE-A-Z
TDL 0125.0XE	14959751-E	-20	SBFSE-A-Z	SBFPE-A-Z	SBFVE-A-Z	SBFJE-B-Z
TDL 0133.0XE	14948168-E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-A-Z	SBFJE-B-Z
TDL 0168.0XE	14948170-E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
TDL 0210.0XE	14948172-E	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
TDL 0265.0XE	14959752-E	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-C-Z	SBFJE-C-Z
TAL 0037.0A	14948133	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AAA-C	SBFJE-AA-C
TAL 0052.0A	14948134	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
TAL 0066.0A	14948135	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
TAL 0074.0A	14948136	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
TAL 0105.0A	14948137	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
TAL 0128.0A	14948138	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C



Model Number	Part Number	Voltage	Fan Type	Defrost Type	FPI	Btu/h @ 10°F TD	Air Throw	Dimensions (in)			Wt lbs	Connection Size (in)		Drain Conn NPT	Fan #
								L	D	H		Liquid	Suction		
Premium Lo-Profile (continued)															
TAL 0154.OA	14948139	115/60/1	SP	Air	6	14,820	24	68 1/4	18 1/2	15 1/4	98	1/2 ODF	5/8 ODF	3/4	3
TAL 0192.OA	14948140	115/60/1	SP	Air	6	18,560	22	68 1/4	18 1/2	15 1/4	106	1/2 ODF	7/8 ODF	3/4	3
TAL 0220.OA	14948141	115/60/1	SP	Air	6	21,270	24	87 1/8	18 1/2	15 1/4	127	1/2 ODF	1 1/8 ODF	3/4	4
TAL 0266.OA	14948142	115/60/1	SP	Air	6	24,120	22	87 1/8	18 1/2	15 1/4	138	1/2 ODF	1 1/8 ODF	3/4	4
TAL 0324.OA	14948143	115/60/1	SP	Air	6	31,430	22	106	18 1/2	15 1/4	167	1/2 ODF	1 1/8 ODF	3/4	5
TAL 0404.OA	14948144	115/60/1	SP	Air	6	39,060	21	106	18 1/2	15 1/4	180	1/2 ODF	1 1/8 ODF	3/4	5
TEL 0033.OX	14948145	230/60/1	SP	Electric	6	3,230	26	30 7/16	18 1/2	15 1/4	69	1/2 ODF	1/2 ODF	3/4	1
TEL 0042.OX	14948146	230/60/1	SP	Electric	6	4,090	23	30 7/16	18 1/2	15 1/4	71	1/2 ODF	1/2 ODF	3/4	1
TEL 0050.OX	14948147	230/60/1	SP	Electric	6	4,700	23	30 7/16	18 1/2	15 1/4	71	1/2 ODF	5/8 ODF	3/4	1
TEL 0068.OX	14948148	230/60/1	SP	Electric	6	6,520	26	49 5/16	18 1/2	15 1/4	98	1/2 ODF	5/8 ODF	3/4	2
TEL 0087.OX	14948149	230/60/1	SP	Electric	6	8,350	23	49 5/16	18 1/2	15 1/4	124	1/2 ODF	5/8 ODF	3/4	2
TEL 0120.OX	14948150	230/60/1	SP	Electric	6	11,600	23	49 5/16	18 1/2	15 1/4	130	1/2 ODF	7/8 ODF	3/4	2
TEL 0148.OX	14948151	230/60/1	SP	Electric	6	13,950	23	68 1/4	18 1/2	15 1/4	161	1/2 ODF	1 1/8 ODF	3/4	3
TEL 0168.OX	14948152	230/60/1	SP	Electric	6	16,270	23	68 1/4	18 1/2	15 1/4	167	1/2 ODF	7/8 ODF	3/4	3
TEL 0202.OX	14948159	230/60/1	SP	Electric	6	19,120	23	87 1/8	18 1/2	15 1/4	183	1/2 ODF	1 1/8 ODF	3/4	4
TEL 0244.OX	14948160	230/60/1	SP	Electric	6	23,190	23	106	18 1/2	15 1/4	214	1/2 ODF	1 1/8 ODF	3/4	5
TEL 0290.OX	14948161	230/60/1	SP	Electric	6	28,050	23	106	18 1/2	15 1/4	241	1/2 ODF	1 1/8 ODF	3/4	5
TDL 0041.OX	14948162	230/60/1	SP	Electric	4	3,940	28	30 7/16	18 1/2	15 1/4	74	1/2 ODF	5/8 ODF	3/4	1
TDL 0066.OX	14948163	230/60/1	SP	Electric	4	6,260	31	49 5/16	18 1/2	15 1/4	101	1/2 ODF	5/8 ODF	3/4	2
TDL 0083.OX	14948164	230/60/1	SP	Electric	4	7,920	28	49 5/16	18 1/2	15 1/4	114	1/2 ODF	7/8 ODF	3/4	2
TDL 0133.OX	14948168	230/60/1	SP	Electric	4	12,510	31	87 1/8	18 1/2	15 1/4	161	1/2 ODF	1 1/8 ODF	3/4	4
TDL 0168.OX	14948170	230/60/1	SP	Electric	4	15,870	28	87 1/8	18 1/2	15 1/4	183	1/2 ODF	1 1/8 ODF	3/4	4
TDL 0210.OX	14948172	230/60/1	SP	Electric	4	20,140	28	106	18 1/2	15 1/4	214	1/2 ODF	1 1/8 ODF	3/4	5
TDL 0250.OX	14948175	230/60/1	SP	Electric	4	24,120	27	106	18 1/2	15 1/4	241	1/2 ODF	1 1/8 ODF	3/4	5
Standard Lo-Profile															
CP380-PLP	6290007	115/60/1	PSC	Air	6	3,800	15	22 1/2	12 1/4	13 1/2	35	1/2 ODF	5/8 ODF	1" FPT	1
CP500-PLP	6291007	115/60/1	PSC	Air	6	5,000	15	27	12 1/4	13 1/2	38	1/2 ODF	7/8 ODF	1" FPT	1
CP600-PLP	6288007	115/60/1	PSC	Air	6	6,000	15	33	12 1/4	13 1/2	46	1/2 ODF	7/8 ODF	1" FPT	1
CP750-PLP	6289007	115/60/1	PSC	Air	6	7,500	18	38	12 1/4	13 1/2	55	1/2 ODF	7/8 ODF	1" FPT	2
CP900-PLP	6275007	115/60/1	PSC	Air	6	9,000	18	45	12 1/4	13 1/2	64	1/2 ODF	7/8 ODF	1" FPT	2
CP1000-PLP	6292007	115/60/1	PSC	Air	6	10,000	18	45	12 1/4	13 1/2	67	1/2 ODF	7/8 ODF	1" FPT	2
CP1250-PLP	6277007	115/60/1	PSC	Air	6	12,500	18	54	12 1/4	13 1/2	81	1/2 ODF	7/8 ODF	1" FPT	2
CP1500-PLP	6293007	115/60/1	PSC	Air	6	15,000	20	63	12 1/4	13 1/2	90	1/2 ODF	7/8 ODF	1" FPT	3
CP1750-PLP	6279007	115/60/1	PSC	Air	6	17,500	20	72	12 1/4	13 1/2	99	1/2 ODF	7/8 ODF	1" FPT	3
CP2000-PLP	6294007	115/60/1	PSC	Air	6	20,000	22	81	12 1/4	13 1/2	120	1/2 ODF	1 1/8 ODF	1" FPT	4
CP2500-PLP	6295007	115/60/1	PSC	Air	6	25,000	25	99	12 1/4	13 1/2	155	1/2 ODF	1 1/8 ODF	1" FPT	5
CP3000-PLP	6296007	115/60/1	PSC	Air	6	30,000	25	117	12 1/4	13 1/2	180	1/2 ODF	1 1/8 ODF	1" FPT	6
CP380-230V-PLP	6305007	230/60/1	PSC	Air	6	3,800	15	22 1/2	12 1/4	13 1/2	35	1/2 ODF	5/8 ODF	1" FPT	1
CP500-230V-PLP	6306007	230/60/1	PSC	Air	6	5,000	15	27	12 1/4	13 1/2	38	1/2 ODF	7/8 ODF	1" FPT	1
CP600-230V-PLP	6307007	230/60/1	PSC	Air	6	6,000	15	33	12 1/4	13 1/2	46	1/2 ODF	7/8 ODF	1" FPT	1



Model Number	Part Number	TEV Evap Temp (°F)	404A [^]	507 [^]	22 [^]	134a [^]
Premium Lo-Profile (continued)			^ Sporlan Valve TEV Part Number			
TAL 0154.0A	14948139	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-B-C
TAL 0192.0A	14948140	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
TAL 0220.0A	14948141	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
TAL 0266.0A	14948142	25	SBFSE-B-C	SBFPE-B-C	SBFVE-B-C	SBFJE-B-C
TAL 0324.0A	14948143	25	SBFSE-C-C	SBFPE-C-C	SBFVE-B-C	SBFJE-C-C
TAL 0404.0A	14948144	25	SBFSE-C-C	SBFPE-C-C	SBFVE-C-C	SBFJE-C-C
TEL 0033.0X	14948145	-20	SBFSE-AA-ZP	SBFPE-AA-ZP	SBFVE-AA-ZP40	SBFJE-AA-ZP
TEL 0042.0X	14948146	-20	SBFSE-AA-ZP	SBFPE-AA-ZP	SBFVE-AA-ZP40	SBFJE-AA-ZP
TEL 0050.0X	14948147	-20	SBFSE-AA-ZP	SBFPE-AA-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
TEL 0068.0X	14948148	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
TEL 0087.0X	14948149	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-A-ZP
TEL 0120.0X	14948150	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-B-Z
TEL 0148.0X	14948151	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-B-Z
TEL 0168.0X	14948152	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
TEL 0202.0X	14948159	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
TEL 0244.0X	14948160	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
TEL 0290.0X	14948161	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-C-Z	SBFJE-C-Z
TDL 0041.0X	14948162	-20	SBFSE-AA-ZP	SBFPE-AA-ZP	SBFVE-AA-ZP40	SBFJE-AA-ZP
TDL 0066.0X	14948163	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
TDL 0083.0X	14948164	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-A-ZP
TDL 0133.0X	14948168	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-B-Z
TDL 0168.0X	14948170	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
TDL 0210.0X	14948172	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
TDL 0250.0X	14948175	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
Standard Lo-Profile						
CP380-PLP	6290007	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AAA-C	SBFJE-AA-C
CP500-PLP	6291007	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP600-PLP	6288007	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP750-PLP	6289007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP900-PLP	6275007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP1000-PLP	6292007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP1250-PLP	6277007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1500-PLP	6293007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-B-C
CP1750-PLP	6279007	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2000-PLP	6294007	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2500-PLP	6295007	25	SBFSE-B-C	SBFPE-B-C	SBFVE-B-C	SBFJE-C-C
CP3000-PLP	6296007	25	SBFSE-C-C	SBFPE-C-C	SBFVE-B-C	SBFJE-C-C
CP380-230V-PLP	6305007	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AAA-C	SBFJE-AA-C
CP500-230V-PLP	6306007	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP600-230V-PLP	6307007	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C

Model Number	Part Number	Voltage	Fan Type	Defrost Type	FPI	Btu/h @ 10 °F TD	Air Throw Ft	Dimensions (in)			Wt lbs	Connection Size (in)		Drain Conn NPT (in)	Fan #
								L	D	H		Liquid	Suction		
Standard Lo-Profile (continued)															
CP750-230V-PLP	6308007	230/60/1	PSC	Air	6	7,500	18	38	12 1/4	13 1/2	55	1/2 ODF	7/8 ODF	1" FPT	2
CP900-230V-PLP	6314007	230/60/1	PSC	Air	6	9,000	18	45	12 1/4	13 1/2	64	1/2 ODF	7/8 ODF	1" FPT	2
CP1000-230V-PLP	6309007	230/60/1	PSC	Air	6	10,000	18	45	12 1/4	13 1/2	67	1/2 ODF	7/8 ODF	1" FPT	2
CP1250-230V-PLP	6315007	230/60/1	PSC	Air	6	12,500	18	54	12 1/4	13 1/2	81	1/2 ODF	7/8 ODF	1" FPT	2
CP1500-230V-PLP	6310007	230/60/1	PSC	Air	6	15,000	20	63	12 1/4	13 1/2	90	1/2 ODF	7/8 ODF	1" FPT	3
CP1750-230V-PLP	6316007	230/60/1	PSC	Air	6	17,500	20	72	12 1/4	13 1/2	99	1/2 ODF	7/8 ODF	1" FPT	3
CP2000-230V-PLP	6311007	230/60/1	PSC	Air	6	20,000	22	81	12 1/4	13 1/2	120	1/2 ODF	1 1/8 ODF	1" FPT	4
CP2500-230V-PLP	6312007	230/60/1	PSC	Air	6	25,000	25	99	12 1/4	13 1/2	155	1/2 ODF	1 1/8 ODF	1" FPT	5
CP3000-230V-PLP	6313007	230/60/1	PSC	Air	6	30,000	25	117	12 1/4	13 1/2	180	1/2 ODF	1 1/8 ODF	1" FPT	6
CP430E-PLP	6281007	230/60/1	PSC	Electric	6	4,400	15	27	12 1/4	13 1/2	38	1/2 ODF	5/8 ODF	1" FPT	1
CP640E-PLP	6282007	230/60/1	PSC	Electric	6	6,600	18	38	12 1/4	13 1/2	55	1/2 ODF	7/8 ODF	1" FPT	2
CP760E-PLP	6276007	230/60/1	PSC	Electric	6	7,900	18	45	12 1/4	13 1/2	61	1/2 ODF	7/8 ODF	1" FPT	2
CP860E-PLP	6283007	230/60/1	PSC	Electric	6	8,800	18	45	12 1/4	13 1/2	67	1/2 ODF	7/8 ODF	1" FPT	2
CP1070E-PLP	6278007	230/60/1	PSC	Electric	6	11,000	18	54	12 1/4	13 1/2	80	1/2 ODF	7/8 ODF	1" FPT	2
CP1290E-PLP	6284007	230/60/1	PSC	Electric	6	13,200	20	63	12 1/4	13 1/2	90	1/2 ODF	7/8 ODF	1" FPT	3
CP1560E-PLP	6280007	230/60/1	PSC	Electric	6	15,400	20	72	12 1/4	13 1/2	105	1/2 ODF	7/8 ODF	1" FPT	3
CP1720E-PLP	6285007	230/60/1	PSC	Electric	6	17,600	22	81	12 1/4	13 1/2	120	1/2 ODF	1 1/8 ODF	1" FPT	4
CP2150E-PLP	6286007	230/60/1	PSC	Electric	6	22,000	25	99	12 1/4	13 1/2	155	1/2 ODF	1 1/8 ODF	1" FPT	5
CP2580E-PLP	6287007	230/60/1	PSC	Electric	6	26,400	25	117	12 1/4	13 1/2	180	1/2 ODF	1 1/8 ODF	1" FPT	6
CP380*A-PLP	6689E	115/60/1	EC	Air	6	3,800	15	22 1/2	12 1/4	13 1/2	35	1/2 ODF	5/8 ODF	1" FPT	1
CP500*A-PLP	6692E	115/60/1	EC	Air	6	5,000	15	27	12 1/4	13 1/2	38	1/2 ODF	7/8 ODF	1" FPT	1
CP600*A-PLP	6695E	115/60/1	EC	Air	6	6,000	15	33	12 1/4	13 1/2	46	1/2 ODF	7/8 ODF	1" FPT	1
CP750*A-PLP	6698E	115/60/1	EC	Air	6	7,500	18	38	12 1/4	13 1/2	55	1/2 ODF	7/8 ODF	1" FPT	2
CP900*A-PLP	6715E	115/60/1	EC	Air	6	9,000	18	45	12 1/4	13 1/2	64	1/2 ODF	7/8 ODF	1" FPT	2
CP1000*A-PLP	6701E	115/60/1	EC	Air	6	10,000	18	45	12 1/4	13 1/2	67	1/2 ODF	7/8 ODF	1" FPT	2
CP1250*A-PLP	6717E	115/60/1	EC	Air	6	12,500	18	54	12 1/4	13 1/2	81	1/2 ODF	7/8 ODF	1" FPT	2
CP1500*A-PLP	6704E	115/60/1	EC	Air	6	15,000	20	63	12 1/4	13 1/2	90	1/2 ODF	7/8 ODF	1" FPT	3
CP1750*A-PLP	6720E	115/60/1	EC	Air	6	17,500	20	72	12 1/4	13 1/2	99	1/2 ODF	7/8 ODF	1" FPT	3
CP2000*A-PLP	6707E	115/60/1	EC	Air	6	20,000	22	81	12 1/4	13 1/2	120	1/2 ODF	1 1/8 ODF	1" FPT	4
CP2500*A-PLP	6710E	115/60/1	EC	Air	6	25,000	25	99	12 1/4	13 1/2	155	1/2 ODF	1 1/8 ODF	1" FPT	5
CP3000*A-PLP	6712E	115/60/1	EC	Air	6	30,000	25	117	12 1/4	13 1/2	180	1/2 ODF	1 1/8 ODF	1" FPT	6
CP380-230V*A-PLP	6690E	230/60/1	EC	Air	6	3,800	15	22 1/2	12 1/4	13 1/2	35	1/2 ODF	5/8 ODF	1" FPT	1
CP500-230V*A-PLP	6693E	230/60/1	EC	Air	6	5,000	15	27	12 1/4	13 1/2	38	1/2 ODF	7/8 ODF	1" FPT	1
CP600-230V*A-PLP	6696E	230/60/1	EC	Air	6	6,000	15	33	12 1/4	13 1/2	46	1/2 ODF	7/8 ODF	1" FPT	1
CP750-230V*A-PLP	6699E	230/60/1	EC	Air	6	7,500	18	38	12 1/4	13 1/2	55	1/2 ODF	7/8 ODF	1" FPT	2
CP900-230V*A-PLP	6716E	230/60/1	EC	Air	6	9,000	18	45	12 1/4	13 1/2	64	1/2 ODF	7/8 ODF	1" FPT	2
CP1000-230V*A-PLP	6702E	230/60/1	EC	Air	6	10,000	18	45	12 1/4	13 1/2	67	1/2 ODF	7/8 ODF	1" FPT	2
CP1250-230V*A-PLP	6718E	230/60/1	EC	Air	6	12,500	18	54	12 1/4	13 1/2	81	1/2 ODF	7/8 ODF	1" FPT	2
CP1500-230V*A-PLP	6705E	230/60/1	EC	Air	6	15,000	20	63	12 1/4	13 1/2	90	1/2 ODF	7/8 ODF	1" FPT	3
CP1750-230V*A-PLP	6721E	230/60/1	EC	Air	6	17,500	20	72	12 1/4	13 1/2	99	1/2 ODF	7/8 ODF	1" FPT	3
CP2000-230V*A-PLP	6708E	230/60/1	EC	Air	6	20,000	22	81	12 1/4	13 1/2	120	1/2 ODF	1 1/8 ODF	1" FPT	4



Model Number	Part Number	TEV Evap Temp (°F)	404A [^]	507 [^]	22 [^]	134a [^]
Standard Lo-Profile (continued)			[^] Sporlan Valve TEV Part Number			
CP750-230V-PLP	6308007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP900-230V-PLP	6314007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP1000-230V-PLP	6309007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1250-230V-PLP	6315007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1500-230V-PLP	6310007	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-B-C
CP1750-230V-PLP	6316007	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2000-230V-PLP	6311007	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2500-230V-PLP	6312007	25	SBFSE-B-C	SBFPE-B-C	SBFVE-B-C	SBFJE-C-C
CP3000-230V-PLP	6313007	25	SBFSE-C-C	SBFPE-C-C	SBFVE-B-C	SBFJE-C-C
CP430E-PLP	6281007	-20	SBFSE-AA-ZP	SBFPE-AA-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
CP640E-PLP	6282007	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
CP760E-PLP	6276007	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-A-ZP
CP860E-PLP	6283007	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-A-ZP
CP1070E-PLP	6278007	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-B-Z
CP1290E-PLP	6284007	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-A-ZP40	SBFJE-B-Z
CP1560E-PLP	6280007	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
CP1720E-PLP	6285007	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
CP2150E-PLP	6286007	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
CP2580E-PLP	6287007	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-C-Z	SBFJE-C-Z
CP380*A-PLP	6689E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AAA-C	SBFJE-AA-C
CP500*A-PLP	6692E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP600*A-PLP	6695E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP750*A-PLP	6698E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP900*A-PLP	6715E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP1000*A-PLP	6701E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP1250*A-PLP	6717E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1500*A-PLP	6704E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-B-C
CP1750*A-PLP	6720E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2000*A-PLP	6707E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2500*A-PLP	6710E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-B-C	SBFJE-C-C
CP3000*A-PLP	6712E	25	SBFSE-C-C	SBFPE-C-C	SBFVE-B-C	SBFJE-C-C
CP380-230V*A-PLP	6690E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AAA-C	SBFJE-AA-C
CP500-230V*A-PLP	6693E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP600-230V*A-PLP	6696E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP750-230V*A-PLP	6699E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP900-230V*A-PLP	6716E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP1000-230V*A-PLP	6702E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1250-230V*A-PLP	6718E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1500-230V*A-PLP	6705E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-B-C
CP1750-230V*A-PLP	6721E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2000-230V*A-PLP	6708E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C



Model Number	Part Number	Voltage	Fan Type	Defrost Type	FPI	Btu/h @ 10 °F TD	Air Throw Ft	Dimensions (in)			Wt lbs	Connection Size (in)		Drain Conn NPT (in)	Fan #
								L	D	H		Liquid	Suction		
Standard Lo-Profile (continued)															
CP2500-230V*A-PLP	6711E	230/60/1	EC	Air	6	25,000	25	99	12 1/4	13 1/2	155	1/2 ODF	1 1/8 ODF	1" FPT	5
CP3000-230V*A-PLP	6713E	230/60/1	EC	Air	6	30,000	25	117	12 1/4	13 1/2	180	1/2 ODF	1 1/8 ODF	1" FPT	6
CP430E*A-PLP	6691E	230/60/1	EC	Electric	6	4,400	15	27	12 1/4	13 1/2	38	1/2 ODF	5/8 ODF	1" FPT	1
CP640E*A-PLP	6694E	230/60/1	EC	Electric	6	6,600	18	38	12 1/4	13 1/2	55	1/2 ODF	7/8 ODF	1" FPT	2
CP760E*A-PLP	6714E	230/60/1	EC	Electric	6	7,900	18	45	12 1/4	13 1/2	61	1/2 ODF	7/8 ODF	1" FPT	2
CP860E*A-PLP	6697E	230/60/1	EC	Electric	6	8,800	18	45	12 1/4	13 1/2	67	1/2 ODF	7/8 ODF	1" FPT	2
CP1070E*A-PLP	6719E	230/60/1	EC	Electric	6	11,000	18	54	12 1/4	13 1/2	80	1/2 ODF	7/8 ODF	1" FPT	2
CP1290E*A-PLP	6700E	230/60/1	EC	Electric	6	13,200	20	63	12 1/4	13 1/2	90	1/2 ODF	7/8 ODF	1" FPT	3
CP1560E*A-PLP	6722E	230/60/1	EC	Electric	6	15,400	20	72	12 1/4	13 1/2	105	1/2 ODF	7/8 ODF	1" FPT	3
CP1720E*A-PLP	6703E	230/60/1	EC	Electric	6	17,600	22	81	12 1/4	13 1/2	120	1/2 ODF	1 1/8 ODF	1" FPT	4
CP2150E*A-PLP	6706E	230/60/1	EC	Electric	6	22,000	25	99	12 1/4	13 1/2	155	1/2 ODF	1 1/8 ODF	1" FPT	5
CP2580E*A-PLP	6709E	230/60/1	EC	Electric	6	26,400	25	117	12 1/4	13 1/2	180	1/2 ODF	1 1/8 ODF	1" FPT	6
Standard Humi Jet															
CP500*A-HJ	6500E	115/60/1	EC	Air	6	5,000	~	54	29 7/8	10 1/2	102	1/2 ODF	7/8 ODF	1" FPT	1
CP500 - 230V*A-HJ	6508E	230/60/1	EC	Air	6	5,000	~	54	29 7/8	10 1/2	102	1/2 ODF	7/8 ODF	1" FPT	1
CP500E*A-HJ	6516E	230/60/1	EC	Electric	6	5,000	~	54	29 7/8	10 1/2	102	1/2 ODF	7/8 ODF	1" FPT	1
CP-750*A-HJ	6501E	115/60/1	EC	Air	6	7,500	~	54	29 7/8	10 1/2	120	1/2 ODF	7/8 ODF	1" FPT	1
CP750-230V*A-HJ	6509E	230/60/1	EC	Air	6	7,500	~	54	29 7/8	10 1/2	120	1/2 ODF	7/8 ODF	1" FPT	1
CP750E*A-HJ	6517E	230/60/1	EC	Electric	6	7,500	~	54	29 7/8	10 1/2	120	1/2 ODF	7/8 ODF	1" FPT	1
CP1000*A-HJ	6502E	115/60/1	EC	Air	6	10,000	~	76	29 7/8	13	150	1/2 ODF	7/8 ODF	1" FPT	2
CP1000-230V*A-HJ	6510E	230/60/1	EC	Air	6	10,000	~	76	29 7/8	13	150	1/2 ODF	7/8 ODF	1" FPT	2
CP1000E*A-HJ	6518E	230/60/1	EC	Electric	6	10,000	~	76	29 7/8	13	150	1/2 ODF	7/8 ODF	1" FPT	2
CP1250*A-HJ	6503E	115/60/1	EC	Air	6	12,500	~	76	29 7/8	13	166	1/2 ODF	7/8 ODF	1" FPT	2
CP1250-230V*A-HJ	6511E	230/60/1	EC	Air	6	12,500	~	76	29 7/8	13	166	1/2 ODF	7/8 ODF	1" FPT	2
CP1250E*A-HJ	6519E	230/60/1	EC	Electric	6	12,500	~	76	29 7/8	13	166	1/2 ODF	7/8 ODF	1" FPT	2
CP1550*A-HJ	6504E	115/60/1	EC	Air	6	15,500	~	76	29 7/8	15 1/2	200	7/8 ODF	1 1/8 ODF	1" FPT	2
CP1550-230V*A-HJ	6512E	230/60/1	EC	Air	6	15,500	~	76	29 7/8	15 1/2	200	7/8 ODF	1 1/8 ODF	1" FPT	2
CP1550E*A-HJ	6520E	230/60/1	EC	Electric	6	15,500	~	76	29 7/8	15 1/2	200	7/8 ODF	1 1/8 ODF	1" FPT	2
CP1800*A-HJ	6505E	115/60/1	EC	Air	6	18,000	~	76	29 7/8	15 1/2	240	7/8 ODF	1 1/8 ODF	1" FPT	3
CP1800-230V*A-HJ	6513E	230/60/1	EC	Air	6	18,000	~	76	29 7/8	15 1/2	240	7/8 ODF	1 1/8 ODF	1" FPT	3
CP1800E*A-HJ	6521E	230/60/1	EC	Electric	6	18,000	~	76	29 7/8	15 1/2	240	7/8 ODF	1 1/8 ODF	1" FPT	3
CP2100*A-HJ	6506E	115/60/1	EC	Air	6	21,000	~	98	29 7/8	15 1/2	260	7/8 ODF	1 1/8 ODF	1" FPT	4
CP2100-230V*A-HJ	6514E	230/60/1	EC	Air	6	21,000	~	98	29 7/8	15 1/2	260	7/8 ODF	1 1/8 ODF	1" FPT	4
CP2100E*A-HJ	6522E	230/60/1	EC	Electric	6	21,000	~	98	29 7/8	15 1/2	260	7/8 ODF	1 1/8 ODF	1" FPT	4
CP2700*A-HJ	6507E	115/60/1	EC	Air	6	27,000	~	98	29 7/8	15 1/2	282	7/8 ODF	1 1/8 ODF	1" FPT	4

Premium Model Notes

- Capacities based on Refrigerant R 404a and Condensing Temperature Tc = 100 °F
- * For 50 Hz data please contact our sales office
- Capacity @ TD 10 °F @ SST 25 °F

All field wiring must conform to equipment requirements and all applicable national, state and municipal codes.

Reduce potential for injury by avoiding direct contact with sharp edges and coil surfaces when handling these units.

Standard Model Notes

- External equalized expansion valve required.
- (1/4" dia. External equalizer tube provided).

Disconnect all power sources prior to installing, servicing, or maintaining these units. Only personnel qualified and familiar with this type of equipment should be responsible for the installation, service and maintenance of these units.



Model Number	Part Number	TEV Evap Temp (°F)	404A [^]	507 [^]	22 [^]	134a [^]
Standard Lo-Profile (continued)			^ Sporlan Valve TEV Part Number			
CP2500-230V*A-PLP	6711E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-B-C	SBFJE-C-C
CP3000-230V*A-PLP	6713E	25	SBFSE-C-C	SBFPE-C-C	SBFVE-B-C	SBFJE-C-C
CP430E*A-PLP	6691E	-20	SBFSE-AA-ZP	SBFPE-AA-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
CP640E*A-PLP	6694E	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
CP760E*A-PLP	6714E	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-A-ZP
CP860E*A-PLP	6697E	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-A-ZP
CP1070E*A-PLP	6719E	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-B-Z
CP1290E*A-PLP	6700E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-A-ZP40	SBFJE-B-Z
CP1560E*A-PLP	6722E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
CP1720E*A-PLP	6703E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
CP2150E*A-PLP	6706E	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
CP2580E*A-PLP	6709E	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-C-Z	SBFJE-C-Z
Standard Humi Jet						
CP500*A-HJ	6500E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP500 - 230V*A-HJ	6508E	25	SBFSE-AA-C	SBFPE-AA-C	SBFVE-AA-C	SBFJE-AA-C
CP500E*A-HJ	6516E	-20	SBFSE-AA-ZP	SBFPE-AA-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
CP-750*A-HJ	6501E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP750-230V*A-HJ	6509E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-AA-C	SBFJE-A-C
CP750E*A-HJ	6517E	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-AA-ZP40	SBFJE-A-ZP
CP1000*A-HJ	6502E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1000-230V*A-HJ	6510E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1000E*A-HJ	6518E	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-A-ZP
CP1250*A-HJ	6503E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1250-230V*A-HJ	6511E	25	SBFSE-A-C	SBFPE-A-C	SBFVE-A-C	SBFJE-A-C
CP1250E*A-HJ	6519E	-20	SBFSE-A-ZP	SBFPE-A-ZP	SBFVE-A-ZP40	SBFJE-B-Z
CP1550*A-HJ	6504E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP1550-230V*A-HJ	6512E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP1550E*A-HJ	6520E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
CP1800*A-HJ	6505E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP1800-230V*A-HJ	6513E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP1800E*A-HJ	6521E	-20	SBFSE-B-Z	SBFPE-B-Z	SBFVE-B-Z	SBFJE-C-Z
CP2100*A-HJ	6506E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2100-230V*A-HJ	6514E	25	SBFSE-B-C	SBFPE-B-C	SBFVE-A-C	SBFJE-B-C
CP2100E*A-HJ	6522E	-20	SBFSE-C-Z	SBFPE-C-Z	SBFVE-B-Z	SBFJE-C-Z
CP2700*A-HJ	6507E	25	SBFSE-C-C	SBFPE-C-C	SBFVE-B-C	SBFJE-C-C

For more information on products by Tecumseh,
please visit our website www.tecumseh.com or contact us:

Tecumseh Products Company

1136 Oak Valley Drive

Ann Arbor, MI 48108

tecumsehmarketing@tecumseh.com

Phone: 800.211.3427

734.585.9500



Tecumseh