

BATH VENTS



CATALOG 2014



TEDDICO
ELECTRICAL PRODUCTS



1104 Parkway View Dr.
Pittsburgh, PA 15205

TEL: 412-747-4970 FAX: 412-747-4973

E-Mail:
Sales@teddico.com

Website:
www.teddico.com




DUCTLESS BATH FAN

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- No duct work necessary.
- Built-in junction box for easy wiring.
- Replaceable ACTIVATED CHARCOAL FILTER.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille for easy homeowner cleaning.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.



PART NUMBER

BFD00



BATH VENTS

DUCTLESS BATH FAN REPLACEMENT PARTS


PART NUMBER & DESCRIPTION

BFD00CF Charcoal Filter
BFD00MA Motor Assembly
BFVSGR White replacement
Grille


DESIGNER GRILLES

(not dishwasher safe)

BFVSGRBZ - BRONZE
BFVSGRORB - OIL RUBBED
BRONZE
BFVSGRRG - RENAISSANCE
GOLD
BFVSGRVS - VENETIAN SILVER
BFVSGRSN - SATIN NICKEL



BFD00CF



BFD00MA



BFVSGR



BFVSGRBZ



BFVSGRORB



BFVSGRRG



BFVSGRVS



BFVSGRSN

BATH VENTS



50 CFM BATH VENT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille for easy homeowner cleaning.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper





PART NUMBER

BFV50—4" Duct

BFV50-3—3" Duct

57 dB



BATH VENTS



50 CFM BATH VENT CONTRACTOR 6 PACKS



PART NUMBER

BFV50BA-3—3" Duct Housings

BFV50BB-3—3" Duct Grille & Motor

BFV50BA-4—4" Duct Housings

BFV50BB-4—4" Duct Grille & Motor



BATH VENTS



70 CFM BATH VENT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille for easy homeowner cleaning.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper





PART NUMBER

BFV70—4" Duct

BFV70-3—3" Duct

60 dB



BATH VENTS



70 CFM BATH VENT CONTRACTOR 6 PACKS



PART NUMBER

BFV70BA-3—3" Duct Housings

BFV70BB-3—3" Duct Grille & Motor

BFV70BA-4—4" Duct Housings

BFV70BB-4—4" Duct Grille & Motor



BATH VENTS



50 & 70 CFM BATH VENT REPLACEMENT PARTS

PART NUMBER & DESCRIPTION

BFV50MA 50 CFM Motor Assembly

BFV70MA 70 CFM Motor Assembly

BFVA4 4" Duct Adapter

BFVA3 3" Duct Adapter

**BFVSGR White replacement
Grille**

DESIGNER GRILLES

(not dishwasher safe)


BFVSGRBZ - BRONZE

**BFVSGRORB - OIL RUBBED
BRONZE**


**BFVSGRRG - RENAISSANCE
GOLD**

BFVSGRVS - VENETIAN SILVER


BFVSGRSN - SATIN NICKEL




BFV50MA



BFV70MA



BFVA4



BFVA3



BFVSGR



BFVSGRBZ



BFVSGRORB



BFVSGRRG



BFVSGRVS



BFVSGRSN

BATH VENTS



50 CFM BATH VENT/LIGHT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille with polycarbonate light lens for easy cleaning.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper
- Combination lamp compartment & aluminum reflector— includes built-in lampholder
- Incandescent units accept maximum 100w medium base lamp (not included)
- Fluorescent units accept 13w PL Fluorescent lamp, included.
- State-of-the-art LED light produces 1200 lumens at 12 watts.



PART NUMBER


BFV50L—4" Duct

BFVF50L—4" Duct

BFV50LED—4" Duct



57 dB



BATH VENTS



70 CFM BATH VENT/LIGHT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille with polycarbonate light lens for easy cleaning.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper
- Combination lamp compartment & aluminum reflector— includes built-in lampholder
- Incandescent units accept maximum 100w medium base lamp (not included)
- Fluorescent units accept 13w PL Fluorescent lamp, included.
- State-of-the-art LED light produces 1200 lumens at 12 watts.



PART NUMBER


BFV70L—4" Duct

BFVF70L—4" Duct

BFV70LED—4" Duct



60 dB



BATH VENTS

50 & 70 CFM BATH VENT/LIGHT

REPLACEMENT PARTS


PART NUMBER & DESCRIPTION

BFV50LMA 50 CFM Motor Assembly


BFV70LMA 70 CFM Motor Assembly

BFVRGR White Round Grill with Light Lens, Reflector, Incandescent Socket, & Mounting Screws

BFVFRGR White Round Grill with Light Lens, Reflector, Fluorescent Socket, & Mounting Screws



BFV50LMA



BFV70LMA



BFVRGR



BFVFRGR

DESIGNER GRILLES

(not dishwasher safe)


BFVRGRBZ - BRONZE

BFVRGRORB - OIL RUBBED BRONZE


BFVRGRRG - RENAISSANCE GOLD

BFVRGRVS - VENETIAN SILVER

BFVRGRSN - SATIN NICKEL



BFVRGR*




BFVGRL


BFVA4 4" Duct Adapter

BFVA3 3" Duct Adapter

BFVGRL Lens Cover



BFVA4



BFVA3

BATH VENTS



90 CFM BATH VENT & VENT/LIGHT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.



BFV90, BFV90L, BFVF90L

- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille, lighted model includes polycarbonate light lens for easy homeowner cleaning.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper
- Combination lamp compartment & aluminum reflector— includes built-in lampholder.
- Incandescent units accept maximum 100w medium base lamp (not included)
- Fluorescent units accept 13w PL Fluorescent lamp, included.
- State-of-the-art LED light produces 1200 lumens at just 12 watts of power.

PART NUMBER

BFV90—4" Duct


BFV90L—4" Duct

BFVF90L-4" Duct

BFV90LED—4" Duct



50 dB



BATH VENTS



90 CFM BATH VENT & VENT/LIGHT REPLACEMENT PARTS



BFV90MA,
BFV90LMA

PART NUMBER & DESCRIPTION

BFV90MA Motor Assembly for BFV90

BFV90LMA Motor Assembly for BFV90L

BFVA4 4" Duct Adapter

BFVA3 3" Duct Adapter

**BFV90GR Large White Square Grille for
BFV90, includes two Spring Clips**

**BFV90LGR Large White Square Grille for
BFV90L, includes two Spring Clips &
Polycarbonate Light Lens**

DESIGNER GRILLES for BFV90

(not dishwasher safe)

BFV90GRBZ - BRONZE

BFV90GRORB - OIL RUBBED BRONZE

BFV90GRRG - RENAISSANCE GOLD

BFV90GRVS - VENETIAN SILVER

BFV90GRSN - SATIN NICKEL

DESIGNER GRILLES w/lens for BFV90L

(not dishwasher safe)


BFV90LGRBZ - BRONZE

BFV90LGRORB - OIL RUBBED BRONZE


BFV90LGRRG - RENAISSANCE GOLD

BFV90LGRVS - VENETIAN SILVER

BFV90LGRSN - SATIN NICKEL



BFVA4



BFVA3



BATH VENTS

110 CFM BATH VENT & VENT/LIGHT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille, lighted model includes polycarbonate light lens for easy homeowner cleaning.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper
- Combination lamp compartment & aluminum reflector— includes built-in lampholder.
- Incandescent units accept maximum 100w medium base lamp (not included)
- Fluorescent units accept 13w PL Fluorescent lamp, included.
- State-of-the-art LED light produces 1200 lumens at just 12 watts of power.



BFV110, BFV110L

PART NUMBER

BFV110—4" Duct


BFV110L—4" Duct

BFVF110L-4" Duct


BFV110LED—4" Duct



58 dB



BATH VENTS



BFV110MA,
BFV110LMA

110 CFM BATH VENT & VENT/LIGHT REPLACEMENT PARTS

PART NUMBER & DESCRIPTION

BFV110MA Motor Assembly for BFV110

BFV110LMA Motor Assembly for BFV110L

BFVA4 4" Duct Adapter

BFVA3 3" Duct Adapter

**BFV90GR Large White Square Grille for
BFV90, includes two Spring Clips**

**BFV90LGR Large White Square Grille for
BFV90L, includes two Spring Clips &
Polycarbonate Light Lens**

DESIGNER GRILLES for BFV110

(not dishwasher safe)

BFV90GRBZ - BRONZE

BFV90GRORB - OIL RUBBED BRONZE

BFV90GRRG - RENAISSANCE GOLD

BFV90GRVS - VENETIAN SILVER

BFV90GRSN - SATIN NICKEL

DESIGNER GRILLES w/lens for BFV110L

(not dishwasher safe)


BFV90LGRBZ - BRONZE

BFV90LGRORB - OIL RUBBED BRONZE


BFV90LGRRG - RENAISSANCE GOLD

BFV90LGRVS - VENETIAN SILVER

BFV90LGRSN - SATIN NICKEL



BFVA4



BFVA3



BATH VENTS



ULTRA
QUIET
OPERATION

60 CFM Ultra-Quiet Bath Vent & Vent/Light

- Galvanized housing with plated sound absorbing finish for humid conditions & various attic temperatures.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in receptacle for quick activation.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille, lighted model includes polycarbonate light lens for easy homeowner cleaning.
- Built-in junction box for easy wiring.
- Permanently lubricated ball bearing motor, capacitor driven & rated for continuous operation.
- Centrifugal polymeric blower wheel with unique two way air dissipation for maximum airflow & quiet operation.
- Designed for ultra low RPM for quiet operation.
- Molded 6" & 4" duct adaptors included.
- Two way mounting: 16" or 24" on-center key hole slots.
- Lighted Model includes 2 X 18w PL fluorescent lamps & ballast.
- Lighted Model also includes 4w night light.



BFV60UQ




BFVF60L36UQE



PART NUMBER

BFV60UQ—4" + 6" Duct—1.5 Sones

BFVF60L36UQE—4" + 6" Duct—1.5 Sones



BATH VENTS



ULTRA
QUIET
OPERATION

80 CFM Ultra-Quiet Bath Vent & Vent/Light

- Galvanized housing with plated sound absorbing finish for humid conditions & various attic temperatures.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in receptacle for quick activation.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille, lighted model includes polycarbonate light lens for easy homeowner cleaning.
- Built-in junction box for easy wiring.
- Permanently lubricated ball bearing motor, capacitor driven & rated for continuous operation.
- Centrifugal polymeric blower wheel with unique two way air dissipation for maximum airflow & quiet operation.
- Designed for ultra low RPM for quiet operation.
- Molded 6" & 4" duct adaptors included.
- Two way mounting: 16" or 24" on-center key hole slots.
- Lighted Model includes 2 X 18w PL fluorescent lamps & ballast.
- Lighted Model also includes 4w night light.



BFV80UQ



BFVF80L36UQE




PART NUMBER

BFV80UQ—4" + 6" Duct—1.8 Sones

BFVF80L36UQE—4" + 6" Duct—1.8 Sones

BFV80LEDUQ—4" + 6" Duct—1.8 Sones



BATH VENTS

TEDDICO
ELECTRICAL PRODUCTS



ULTRA
QUIET
OPERATION

110 CFM Ultra-Quiet Bath Vent & Vent/Light

- Galvanized housing with plated sound absorbing finish for humid conditions & various attic temperatures.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille, lighted model includes polycarbonate light lens for easy homeowner cleaning.
- Built-in junction box for easy wiring.
- Permanently lubricated ball bearing motor, capacitor driven & rated for continuous operation.
- Centrifugal polymeric blower wheel with unique two way air dissipation for maximum airflow & quiet operation.
- Designed for ultra low RPM for quiet operation.
- Molded 6" & 4" duct adaptors included.
- Two way mounting: 16" or 24" on-center key hole slots.
- Lighted Model includes 2 X 18w PL fluorescent lamps & ballast.
- Lighted Model also includes 4w night light.
- State-of-the-art LED light produces 1200 lumens at 12 watts of power.



BFV110UQ



BFVF110L36UQE




PART NUMBER

BFV110UQ—4" + 6" Duct—1.8 Sones

BFVF110L36UQE—4" + 6" Duct—1.8 Sones

BFV110LEDUQ—4" + 6" Duct—1.8 Sones



BATH VENTS

TEDDICO
ELECTRICAL PRODUCTS



**ULTRA
QUIET
OPERATION**

150 CFM Ultra-Quiet Bath Vent & Vent/Light

- Galvanized housing with plated sound absorbing finish for humid conditions & various attic temperatures.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in receptacle for quick activation.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille, lighted model includes polycarbonate light lens for easy homeowner cleaning.
- Built-in junction box for easy wiring.
- Permanently lubricated ball bearing motor, capacitor driven & rated for continuous operation.
- Centrifugal polymeric blower wheel with unique two way air dissipation for maximum airflow & quiet operation.
- Designed for ultra low RPM for quiet operation.
- Molded 6" & 4" duct adaptors included.
- Two way mounting: 16" or 24" on-center key hole slots.
- Lighted Model includes 2 X 18w PL fluorescent lamps & ballast.
- Lighted Model also includes 4w night light.
- State-of-the-art LED light produces 1200 lumens at 12 watts of power.



BFV150UQ



BFVF150L36UQE




PART NUMBER

BFV150UQ—4" + 6" Duct—2.5 Sones

BFVF150L36UQE—4" + 6" Duct—2.5 Sones

BFV150LEDUQ—4" + 6" Duct—2.5 Sones



BATH VENTS

50 CFM ECONOMY DESIGNER BATH VENT/LIGHT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Precision stamped grille with 360 degree of air openings & white powdercoat finish.
- Molded designer frosted glass globe.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper.
- Single medium base lampholder, maximum 60w incandescent lamp. (not included)



BFV50LMGWH

PART NUMBER 57dB

BFV50LMGWH—4" Duct—White


BFV50LMGPB—4" Duct—Polished Brass

BFV50LMGSSP—4" Duct—Stainless Steel Plate

BFV50LMGSS—4" Duct—Stainless Steel

BFV50LMGTG—4" Duct—Rustic Gold

FV50LMGORB—4" Duct—Oil Rubbed Bronze



BATH VENTS

50 CFM ECONOMY DESIGNER Bath Vent


REPLACEMENT PARTS

PART NUMBER & DESCRIPTION


BFV50MA Motor Assembly for 50 CFM Vent
BFVA4 4" Duct Adapter
BFVA3 3" Duct Adapter
BFVEMGG Replacement Globe for BFV50LMG

**11-1/2" diameter Pan Assembly &
Mounting Hardware for BFV50LMG, with
Frosted Glass Globe & 60w Incandescent
Lampholder (lamp not included)**


BFVEMGWH - White Pan Assembly
BFVEMGPB - Electro-Plated Polished Brass
BFVEMGSS - Stainless Steel
**BFVEMGPVD - Physical Vapor Deposition
Polished Brass**
BFVEMGSSP - Stainless Steel Plate




BFV50MA




BFVA4



BFVA3



BFVEMGG



BFVEMG



**ENERGY-SAVING
FLUORESCENT
OPTION**

70 CFM DESIGNER VENT/LIGHT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Precision stamped grille with 360 degree of air openings & white powdercoat finish
- Molded designer frosted glass globe
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded 4 inch duct adaptor with built-in damper
- Incandescent models have twin lampholders, maximum 60w each (lamps not included)
- Fluorescent model includes twin 13w PL sockets & ballasts (lamps included)



BFV70LMGSS




BFV70LMGORB

PART NUMBER 57dB

BFV70LMGWH—White
 BFV70LMGSS—Stainless Steel
 BFV70LMGORB—Oil Rubbed Bronze
 BFV70LMGPB—Plated Polished Brass
 BFV70LMGPVD—Physical Vapor Deposition Polished Brass

BFVF70LMGWH—White
 BFVF70LMGSS—Stainless Steel
 BFVF70LMGORB—Oil Rubbed Bronze
 BFVF70LMGPB—Plated Polished Brass
 BFVF70LMGPVD—Physical Vapor Deposition Polished Brass



BATH VENTS

70 CFM DESIGNER VENT/LIGHT

REPLACEMENT PARTS

PART NUMBER & DESCRIPTION

BFV50MA Motor Assembly for 70 CFM Vent
BFVA4 4" Duct Adapter
BFVA3 3" Duct Adapter
BFVLMGG Glass Globe for Designer Bath Vent

11-1/2" diameter Pan Assembly & Mounting
 Hardware with Frosted Glass Globe & Twin 60w
 Incandescent Lampholders (lamps not included)


BFVLMGWH - White Pan Assembly
BFVLMGPB - Electro-Plated Polished Brass
BFVLMGSS - Stainless Steel
BFVLMGORB - Oil Rubbed Bronze
BFVLMGPVD - Physical Vapor Deposition
 Polished Brass

11-1/2" diameter Pan Assembly & Mounting
 Hardware with Frosted Glass Globe & Twin 13w
 PL Fluorescent Sockets (lamps not included)


BFVFLMGWH - White Pan Assembly
BFVFLMGPB - Electro-Plated Polished Brass
BFVFLMGSS - Stainless Steel
BFVFLMGORB - Oil Rubbed Bronze
BFVFLMGPVD - Physical Vapor Deposition
 Polished Brass




BFV50MA




BFVA4




BFVA3



BFVLMGG



BFVLMG



BFVFLMG

BATH VENTS



70 CFM BATH VENT/LIGHT/HEAT

- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Attractive molded grille with spring clips for smooth fit against ceiling or wall.
- Dishwasher safe grille with polycarbonate light lens for easy cleaning.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper
- Combination lamp compartment & aluminum reflector— includes built-in lampholder
- Incandescent units accept maximum 100w medium base lamp (not included)
- Fluorescent units accept 13w PL Fluorescent lamp & ballast, (included)
- 1100w Heating Element—Fan Forced.
- State-of-the-art LED light produces 1200 lumens at 12 watts of power.




BFV70LH

PART NUMBER **60dB**

BFV70LH—4" Duct-Incandescent

BFVF70LH—4" Duct-Fluorescent

BFV70LEDH—4" Duct-LED



BATH VENTS




70 CFM BATH VENT/LIGHT/HEAT


REPLACEMENT PARTS

PART NUMBER & DESCRIPTION


- BFVHHMA** Heater Element/Motor
BFV70MA 70 CFM Motor Assembly
BFVA4 4" Duct Adapter
BFVA3 3" Duct Adapter
BFVGRLL Lens Cover
BFVOGR White Oval Molded Grille with
 Light Lens, Reflector, Incandescent
 Socket, & Mounting Screws
BFVFOGR White Oval Molded Grille with
 Light Lens, Reflector, Fluorescent
 Socket, & Mounting Screws




BFVHHMA




BFV70MA




BFVGRLL



BFVA3



BFVA4




BFVOGR*


DESIGNER GRILLES

(not dishwasher safe)

- BFVOGRBZ** - BRONZE
BFVOGRORB - OIL RUBBED BRONZE
BFVOGRRG - RENAISSANCE GOLD
BFVOGRVS - VENETIAN SILVER
BFVOGRSN - SATIN NICKEL



BFVOGR



BFVFOGR

BATH VENTS



70 CFM RECESSED BATH VENT/LIGHT


- Galvanized housing resists humid conditions and changing attic temperatures, unlike plain steel housings.
- Housing has ceiling/wall thickness indicator markings & built-in mounting tabs for quick installation.
- Built-in junction box for easy wiring.
- Attractive white recessed trim.
- Easy remove and install motor assembly with keyhole mounting bracket.
- Permanently lubricated motor with plug for quick activation.
- Molded fan blade — precision balanced for quiet operation.
- Molded duct adaptor with built-in damper
- Includes medium base lampholder, maximum 75w incandescent lamp (not included)



BFVR70L

PART NUMBER

BFVR70L—4" Duct—50dB



BATH VENTS

70 CFM RECESSED BATH VENT/LIGHT


REPLACEMENT PARTS

PART NUMBER & DESCRIPTION


BFV70LMA 70 CFM Motor Assembly

BFVA4 4" Duct Adapter


BFVA3 3" Duct Adapter



BFV70MA



BFVA4



BFVA3



A Leading Manufacturer of Outdoor Lighting Products

1104 Parkway View Drive, Bldg 11 • Pittsburgh, PA 15205 • Phone 412-747-4970 • Fax 412-747-4973 • www.teddico.com