


TEOS plus+







TEOS plus+



TEOS plus+







TEOS plus+

IP65 PROTECTION CATEGORY



► Sealing gasket applications on all doors and covers like front door, rear, side and top panels. This gasket application works performance temperature in -10°C between $+50^{\circ}\text{C}$.



► All gasketing applications on the covers press to convex bends of the frames. Dust and liquid crumbs left inside the space between the both convex bends. Thanks to this advantage, the crumbs press on to gasket is terminated.



► In the bottom cover, the gasketing system protects against dust and liquid crumbs thanks to gaskets on the convex bends and the gland plates also.



► Applied isolation gasket in the double doored enclosures commits perfect protection mission when the double doors close on them.



► The gasket application which applies on all doors executes as a whole also on the double doors for isolation between two doors. Both of the doors' locking system works separately and gasketing pres elicited perfectly.

POWERED FRAME STRUCTURE

► Manufactured closed styled Teos frames have got a special clamp system to close itself without welding. Closed style Teos frames have got a highest resistance against vertical and horizontal beats when comparing with the open style frames. This resistance gives big advantages against movement pulls from the electrical equipments and heavy currents.

Turkish Patent No: TR 201009615Y






► Teos closed frame made by galvanized steel (DIN EN 10142-00 DX51 D+Z) and coated iron-phosphated and powder coated from outside of the surface. Non-powder coated inside surface can not corrode because of the galvanized material style.



► Frame joint corner part is made by aluminum (E-160) material. Thanks to aluminum material structure (Non-Ferrous metal) does not give possibility to occur corrosion.



► All the sheet steel parts of the enclosures follow special painting process from spray cleaning-iron phosphating-deionized passivation-drying-powder coating to ovening. Thanks to this automated painting process, all the sheet steel parts painted homogenic and effectively. From the results of the foggy salt test for the parts are 500 hours protection.



EARTHING CONTINUITY



► The earthing claws on the aluminium corner piece fix into the unpainted inside surface of the profile with narrow and obliterated. By this way at all profiles and all parts which fix on it can be earthed with integrity.



► Thanks to special welded earthing screw on the inside surface of the front door can be increase the conductive surface. By this way the front door which is the most important part of the enclosure relating to earthing can be earthed with more effective.





► Thanks to earthing screws on the all other panels can be earthed with effective. In Teosplus+ serie all screws fastened with the earthing washers.

CLASSY AND MODERN VIEW | *TEOS plus+*



EASY ASSEMBLING AND LOGISTICAL ADVANTAGES



► The Toesplus+ serie is tendered without assembled. It is created for easy and fast assembling. The frame construction is not required squaring and all enclosure can assemble with in 15-20 minutes by two persons.

► Tendered with small flat packages and unassembled Toesplus+ serie saves place during in the transportation and stocking. Furthermore small flat packages subs to eachother, by this way with less stock solves more size requirements.

► Lock and hinge application on 4 points



► Standard comfort swing handle



► Wide using space and strong door stiffener



Locking system works into the profile space and it is not engross of the using door space.


The door stiffeners produced by closed type, by this way the door endurance capability is too high against flexion.

► Unstretched and uncorrupted lock lama structure





The situation of the unlocking problems in the length of time is stoppped in Toesplus+ serie. With the bended edge system locking lamas can not be stretched and attriated. It administers to its users for a long time.

BASE / PLINTH SYSTEM



- ▶ The plinth system designed with in 100 mm and 200 mm height. The plinth corner parts' front surface is open and it closes helping with plastic cover. This opening gives advantages to user during in the plinth assembling to enclosure and fixing to floor.
- ▶ The base/plinth front covers asamble from the front position by the screws, side covers assemble from the inside position by self tapper screws.
- ▶ Application for 200 mm plinth height, the user can choose 200 mm height corner piece or can choose two 100 mm height corner piece fixing to each other by overlapping.

BOTTOM AND GLAND SYSTEM



- ▶ Enclosure's bottom space closes with 3 or 4 piece gland plates.
- ▶ Partial 3 or 4 pieces gland plates can erected to one to another. In one mounting plate or two mounting plate applications the positions can be adaptated.
- ▶ Regarding to isolation foam or brush options are available.



► The mounting plate of the Teosplus+ serie is produced by 3,00 mm galvanized steel and it is assembled with cradle system from the bottom. Thanks to thickness of the material it can not stretched during in the fixing heavy equipments and it is not requires additionally support rails for the middle field. By this way in the bayed enclosures the passing fields can be bulked.



► The intermediate mounting plate is fixed to directly mounting plates, by this way the mounting plates can remove to front together with the intermediate mounting plate.



SIZES AND MODELS

SELECTION STEPS



STEP 1: TOP/BOTTOM GROUP

► **Interested Size:** WIDTH x DEPTH of the ENCLOSURE

► **Material**

Frame: 1,50 mm galvanized steel + powder coated RAL 7035
Top Cover: 1,50 mm sheet steel + powder coated RAL 7035
Bottom Cover: 1,50 mm sheet steel + powder coated RAL 7035
Grand Plate: 1,50 mm galvanized steel

► **Supply Includes**

1 set of top frame, 1 set of bottom frame, 1 set of gland plate
1 pc bottom cover, 1 pc top cover, 4 pcs lifting eyebolts and frame assembly parts



STEP 2: VERTICAL FRAMES GROUP


► **Interested Size:** HEIGHT of the ENCLOSURE

► **Material**

Frame: 1,50 mm galvanized steel + powder coated RAL 7035

► **Supply Includes**

4 pcs of vertical frames



STEP 3: BASE/PLINTH CORNER PART GROUP


► **Interested Size:** HEIGHT of the PLINTH

► **Material**

Corner Part: 2 mm galvanized steel + powder coated RAL 7012
Plastic Cover: ABS plastic RAL 7012


► **Supply Includes**

4 pcs of 100 mm height or 200 mm height corner parts, 4 pcs of plastic covers and assembly parts




STEP 4: BASE/PLINTH FRONT COVERS GROUP

- ▶ **Interested Size:** WIDTH of the ENCLOSURE
- ▶ **Material**
1,50 mm galvanized steel + powder coated RAL 7012
- ▶ **Supply Includes**
2 pcs of 100 mm height front covers and assembly parts
- ! **Required**
For the 200 mm plinths, 2 packs of front covers group is required.



STEP 5: BASE/PLINTH SIDE COVERS GROUP

- ▶ **Interested Size:** DEPTH of the ENCLOSURE
- ▶ **Material**
1,50 mm galvanized steel + powder coated RAL 7012
- ▶ **Supply Includes**
2 pcs of 100 mm height side covers and assembly parts
- ! **Required**
For the 200 mm plinths, 2 packs of side covers group is required.



STEP 6: REAR PANEL

- ▶ **Interested Size:** WIDTH x HEIGHT of the ENCLOSURE
- ▶ **Material**
1,50 mm galvanized steel + powder coated RAL 7035
- ▶ **Supply Includes**
1 pc of rear panel and assembly parts

SIZES AND MODELS

SELECTION STEPS



STEP 7: FRONT DOOR

► **Interested Size:** WIDTH x HEIGHT of the ENCLOSURE

► **Material**

Solid Door: 2,00 mm sheet steel + powder coated RAL 7035

Glazed Door: 2,00 mm sheet steel + powder coated RAL 7035
4,00 mm tampered glass

► **Supply Includes**

Solid Door: 1 pc of solid front door, 1 set of lock, 4 sets of hinges and door support rails

Glazed Door: 1 pc of glazed front door, 1 set of lock, 4 sets of hinges and door support rails

! **Important**

In 800 mm and 1000 mm widths enclosures there are single and double-door versions.

In 1200 mm width enclosures there are only single-door versions. Glazed-door option is only available in 600 mm and 800 mm width enclosures.

! **Important**

In double-door versions, the doors are delivered in two packages.



STEP 8: SIDE PANELS


► **Interested Size:** HEIGHT x DEPTH of the ENCLOSURE

► **Material**

1,50 mm sheet steel + powder coated RAL 7035

► **Supply Includes**

2 pcs of side panels and assembly parts




STEP 9: MOUNTING PLATE

- ▶ **Interested Size:** WIDTH x HEIGHT of the ENCLOSURE
- ▶ **Material**
3,00 mm galvanized steel
- ▶ **Supply Includes**
1 pc of mounting plate and assembly parts




STEP 10: BAYING KIT

- ▶ **Material**
3,00 mm - 4,00 mm sheet steel + zinc passivated parts
- ▶ **Supply Includes**
2 pcs of combination angles, 4 pcs of angular brackets, 2 pcs of fitting clamps, 4 pcs of fixing clamps, 5,60 meters gasket and assembly parts



HEIGHT 1200 mm

TEOS plus+




STEP	HEIGHT (H) 1200 mm, DEPTH (D) 400 mm			DOUBLE DOOR
	ENCLOSURE WIDTH (W) ►	600 mm	800 mm	1200 mm
1	TOP/BOTTOM GROUP	701.640	701.840	701.240
2	VERTICAL FRAMES GROUP	702.120	702.120	702.120
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.140	710.140	710.140
6	REAR PANEL	703.612	703.812	703.212
7	FRONT DOOR (SOLID)	704.612	704.812	704.212
8	SIDE PANELS (2 pcs)	706.124	706.124	706.124
9	MOUNTING PLATE	707.612	707.812	707.212
10	BAYING KIT	711.000	711.000	711.000

STEP	HEIGHT (H) 1200 mm, DEPTH (D) 500 mm			DOUBLE DOOR
	ENCLOSURE WIDTH (W) ►	600 mm	800 mm	1200 mm
1	TOP/BOTTOM GROUP	701.650	701.850	701.250
2	VERTICAL FRAMES GROUP	702.120	702.120	702.120
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.150	710.150	710.150
6	REAR PANEL	703.612	703.812	703.212
7	FRONT DOOR (SOLID)	704.612	704.812	704.212
8	SIDE PANELS (2 pcs)	706.125	706.125	706.125
9	MOUNTING PLATE	707.612	707.812	707.212
10	BAYING KIT	711.000	711.000	711.000

STEP	HEIGHT (H) 1200 mm, DEPTH (D) 600 mm			DOUBLE DOOR
	ENCLOSURE WIDTH (W) ►	600 mm	800 mm	1200 mm
1	TOP/BOTTOM GROUP	701.660	701.860	701.260
2	VERTICAL FRAMES GROUP	702.120	702.120	702.120
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.160	710.160	710.160
6	REAR PANEL	703.612	703.812	703.212
7	FRONT DOOR (SOLID)	704.612	704.812	704.212
8	SIDE PANELS (2 pcs)	706.126	706.126	706.126
9	MOUNTING PLATE	707.612	707.812	707.212
10	BAYING KIT	711.000	711.000	711.000

HEIGHT 1600 mm

TEOS plus+



STEP	HEIGHT (H) 1600 mm, DEPTH (D) 400 mm			DOUBLE DOOR
	ENCLOSURE WIDTH (W) ▶	600 mm	800 mm	1200 mm
1	TOP/BOTTOM GROUP	701.640	701.840	701.240
2	VERTICAL FRAMES GROUP	702.160	702.160	702.160
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.140	710.140	710.140
6	REAR PANEL	703.616	703.816	703.216
7	FRONT DOOR (SOLID)	704.616	704.816	704.216
8	SIDE PANELS (2 pcs)	706.164	706.164	706.164
9	MOUNTING PLATE	707.616	707.816	707.216
10	BAYING KIT	711.000	711.000	711.000

STEP	HEIGHT (H) 1600 mm, DEPTH (D) 500 mm			DOUBLE DOOR
	ENCLOSURE WIDTH (W) ▶	600 mm	800 mm	1200 mm
1	TOP/BOTTOM GROUP	701.650	701.850	701.250
2	VERTICAL FRAMES GROUP	702.160	702.160	702.160
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.150	710.150	710.150
6	REAR PANEL	703.616	703.816	703.216
7	FRONT DOOR (SOLID)	704.616	704.816	704.216
8	SIDE PANELS (2 pcs)	706.165	706.165	706.165
9	MOUNTING PLATE	707.616	707.816	707.216
10	BAYING KIT	711.000	711.000	711.000

STEP	HEIGHT (H) 1600 mm, DEPTH (D) 600 mm			DOUBLE DOOR
	ENCLOSURE WIDTH (W) ▶	600 mm	800 mm	1200 mm
1	TOP/BOTTOM GROUP	701.660	701.860	701.260
2	VERTICAL FRAMES GROUP	702.160	702.160	702.160
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.160	710.160	710.160
6	REAR PANEL	703.616	703.816	703.216
7	FRONT DOOR (SOLID)	704.616	704.816	704.216
8	SIDE PANELS (2 pcs)	706.166	706.166	706.166
9	MOUNTING PLATE	707.616	707.816	707.216
10	BAYING KIT	711.000	711.000	711.000

HEIGHT 1800 mm

TEOS plus+

STEP	HEIGHT (H) 1800 mm, DEPTH (D) 400 mm			DOUBLE DOOR	DOUBLE DOOR	DOUBLE DOOR
	ENCLOSURE WIDTH (W) ▶	600 mm	800 mm	800 mm	1000 mm	1200 mm
1	TOP/BOTTOM GROUP	701.640	701.840	701.840	701.040	701.240
2	VERTICAL FRAMES GROUP	702.180	702.180	702.180	702.180	702.180
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.180	709.100	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.140	710.140	710.140	710.140	710.140
6	REAR PANEL	703.618	703.818	703.818	703.018	703.218
7	FRONT DOOR (SOLID)	704.618	704.818	704.811	704.018	704.218
7	FRONT DOOR (GLAZED)	705.618	705.818	*	*	*
8	SIDE PANELS (2 pcs)	706.184	706.184	706.184	706.184	706.184
9	MOUNTING PLATE	707.618	707.818	707.818	707.018	707.218
10	BAYING KIT	711.000	711.000	711.000	711.000	711.000

STEP	HEIGHT (H) 1800 mm, DEPTH (D) 500 mm				DOUBLE DOOR	DOUBLE DOOR	DOUBLE DOOR
	ENCLOSURE WIDTH (W) ▶	400 mm	600 mm	800 mm	800 mm	1000 mm	1200 mm
1	TOP/BOTTOM GROUP	701.450	701.650	701.850	701.850	701.050	701.250
2	VERTICAL FRAMES GROUP	702.180	702.180	702.180	702.180	702.180	702.180
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.140	709.160	709.180	709.180	709.100	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.150	710.150	710.150	710.150	710.150	710.150
6	REAR PANEL	703.418	703.618	703.818	703.818	703.018	703.218
7	FRONT DOOR (SOLID)	704.418	704.618	704.818	704.811	704.018	704.218
7	FRONT DOOR (GLAZED)	*	705.618	705.818	*	*	*
8	SIDE PANELS (2 pcs)	706.185	706.185	706.185	706.185	706.185	706.185
9	MOUNTING PLATE	*	707.618	707.818	707.818	707.018	707.218
10	BAYING KIT	711.000	711.000	711.000	711.000	711.000	711.000

STEP	HEIGHT (H) 1800 mm, DEPTH (D) 600 mm				DOUBLE DOOR	DOUBLE DOOR	DOUBLE DOOR
	ENCLOSURE WIDTH (W) ▶	400 mm	600 mm	800 mm	800 mm	1000 mm	1200 mm
1	TOP/BOTTOM GROUP	701.460	701.660	701.860	701.860	701.060	701.260
2	VERTICAL FRAMES GROUP	702.180	702.180	702.180	702.180	702.180	702.180
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.140	709.160	709.180	709.180	709.100	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.160	710.160	710.160	710.160	710.160	710.160
6	REAR PANEL	703.418	703.618	703.818	703.818	703.018	703.218
7	FRONT DOOR (SOLID)	704.418	704.618	704.818	704.811	704.018	704.218
7	FRONT DOOR (GLAZED)	*	705.618	705.818	*	*	*
8	SIDE PANELS (2 pcs)	706.186	706.186	706.186	706.186	706.186	706.186
9	MOUNTING PLATE	*	707.618	707.818	707.818	707.018	707.218
10	BAYING KIT	711.000	711.000	711.000	711.000	711.000	711.000

STEP	HEIGHT (H) 1800 mm, DEPTH (D) 800 mm				DOUBLE DOOR
	ENCLOSURE WIDTH (W) ▶	400 mm	600 mm	800 mm	800 mm
1	TOP/BOTTOM GROUP	701.460	701.660	701.860	701.860
2	VERTICAL FRAMES GROUP	702.180	702.180	702.180	702.180
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.140	709.160	709.180	709.180
5	PLINTH SIDE COVERS H100mm (H2)	710.160	710.160	710.160	710.160
6	REAR PANEL	703.418	703.618	703.818	703.818
7	FRONT DOOR (SOLID)	704.418	704.618	704.818	704.811
7	FRONT DOOR (GLAZED)	*	705.618	705.818	*
8	SIDE PANELS (2 pcs)	706.188	706.188	706.188	706.188
9	MOUNTING PLATE	*	707.618	707.818	707.818
10	BAYING KIT	711.000	711.000	711.000	711.000

HEIGHT 2000 mm

TEOS plus+

STEP	HEIGHT (H) 2000 mm, DEPTH (D) 400 mm			DOUBLE DOOR		DOUBLE DOOR	DOUBLE DOOR
	ENCLOSURE WIDTH (W) ►	600 mm	800 mm	800 mm	1000 mm	1000 mm	1200 mm
1	TOP/BOTTOM GROUP	701.640	701.840	701.840	701.040	701.040	701.240
2	VERTICAL FRAMES GROUP	702.200	702.200	702.200	702.200	702.200	702.200
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.180	709.100	709.100	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.140	710.140	710.140	710.140	710.140	710.140
6	REAR PANEL	703.620	703.820	703.820	703.020	703.020	703.220
7	FRONT DOOR (SOLID)	704.620	704.820	704.821	704.021	704.020	704.220
7	FRONT DOOR (GLAZED)	705.620	705.820	*	*	*	*
8	SIDE PANELS (2 pcs)	706.204	706.204	706.204	706.204	706.204	706.204
9	MOUNTING PLATE	707.620	707.820	707.820	707.020	707.020	707.220
10	BAYING KIT	711.000	711.000	711.000	711.000	711.000	711.000


STEP	HEIGHT (H) 2000 mm, DEPTH (D) 500 mm				DOUBLE DOOR		DOUBLE DOOR	DOUBLE DOOR
	ENCLOSURE WIDTH (W) ►	400 mm	600 mm	800 mm	800 mm	1000 mm	1000 mm	1200 mm
1	TOP/BOTTOM GROUP	701.450	701.650	701.850	701.850	701.050	701.050	701.250
2	VERTICAL FRAMES GROUP	702.200	702.200	702.200	702.200	702.200	702.200	702.200
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100	708.100	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200	708.200	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.140	709.160	709.180	709.180	709.100	709.100	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.150	710.150	710.150	710.150	710.150	710.150	710.150
6	REAR PANEL	703.420	703.620	703.820	703.820	703.020	703.020	703.220
7	FRONT DOOR (SOLID)	704.420	704.620	704.820	704.821	704.021	704.020	704.220
7	FRONT DOOR (GLAZED)	*	705.620	705.820	*	*	*	*
8	SIDE PANELS (2 pcs)	706.205	706.205	706.205	706.205	706.205	706.205	706.205
9	MOUNTING PLATE	*	707.620	707.820	707.820	707.020	707.020	707.220
10	BAYING KIT	711.000	711.000	711.000	711.000	711.000	711.000	711.000

STEP	HEIGHT (H) 2000 mm, DEPTH (D) 600 mm				DOUBLE DOOR		DOUBLE DOOR	DOUBLE DOOR
	ENCLOSURE WIDTH (W) ►	400 mm	600 mm	800 mm	800 mm	1000 mm	1000 mm	1200 mm
1	TOP/BOTTOM GROUP	701.460	701.660	701.860	701.860	701.060	701.060	701.260
2	VERTICAL FRAMES GROUP	702.200	702.200	702.200	702.200	702.200	702.200	702.200
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100	708.100	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200	708.200	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.140	709.160	709.180	709.180	709.100	709.100	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.160	710.160	710.160	710.160	710.160	710.160	710.160
6	REAR PANEL	703.420	703.620	703.820	703.820	703.020	703.020	703.220
7	FRONT DOOR (SOLID)	704.420	704.620	704.820	704.821	704.021	704.020	704.220
7	FRONT DOOR (GLAZED)	*	705.620	705.820	*	*	*	*
8	SIDE PANELS (2 pcs)	706.206	706.206	706.206	706.206	706.206	706.206	706.206
9	MOUNTING PLATE	*	707.620	707.820	707.820	707.020	707.020	707.220
10	BAYING KIT	711.000	711.000	711.000	711.000	711.000	711.000	711.000

STEP	HEIGHT (H) 2000 mm, DEPTH (D) 800 mm				DOUBLE DOOR
	ENCLOSURE WIDTH (W) ►	400 mm	600 mm	800 mm	800 mm
1	TOP/BOTTOM GROUP	701.480	701.680	701.880	701.880
2	VERTICAL FRAMES GROUP	702.200	702.200	702.200	702.200
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.140	709.160	709.180	709.180
5	PLINTH SIDE COVERS H100mm (H2)	710.180	710.180	710.180	710.180
6	REAR PANEL	703.420	703.620	703.820	703.820
7	FRONT DOOR (SOLID)	704.420	704.620	704.820	704.821
7	FRONT DOOR (GLAZED)	*	705.620	705.820	*
8	SIDE PANELS (2 pcs)	706.208	706.208	706.208	706.208
9	MOUNTING PLATE	*	707.620	707.820	707.820
10	BAYING KIT	711.000	711.000	711.000	711.000

HEIGHT 2200 mm

TEOS plus+



STEP	HEIGHT (H) 2200 mm, DEPTH (D) 600 mm			DOUBLE DOOR
	ENCLOSURE WIDTH (W) ▶	600 mm	800 mm	1200 mm
1	TOP/BOTTOM GROUP	701.660	701.860	701.260
2	VERTICAL FRAMES GROUP	702.220	702.220	702.220
3	PLINTH CORNER PART H100mm (H2)	708.100	708.100	708.100
3	PLINTH CORNER PART H200mm (H2)	708.200	708.200	708.200
4	PLINTH FRONT COVERS H100mm (H2)	709.160	709.180	709.120
5	PLINTH SIDE COVERS H100mm (H2)	710.160	710.160	710.160
6	REAR PANEL	703.622	703.822	703.222
7	FRONT DOOR (SOLID)	704.622	704.822	704.222
8	SIDE PANELS (2 pcs)	706.226	706.226	706.226
9	MOUNTING PLATE	707.622	707.822	707.222
10	BAYING KIT	711.000	711.000	711.000

BASE / PLINTH ACCESORIES | *TEOS plus+*




M12 LEVELLING FEET

► Supply Includes:

4 pcs of M12 levelling feet

► Referans Numarası: 995.510

GLANDE PLATE / CABLE ENTRY ACCESSORIES




FOAM RUBBER CABLE ENTRY SYSTEM

- ▶ **Interested Size**
WIDTH of the ENCLOSURE
- ▶ **Material:** Polyurethane foam
- ▶ **Supply Includes**
Polyurethane foam, fixing rail and assembling parts

ENCLOSURE WIDTH	REFERENCE NO
400	923.400
600	923.600
800	923.800
1000 *	923.100
1200 *	923.120

! * **Note:** At the 1000 mm and 1200 mm width reference number there are 2 pcs of accesories.




BRUSHED CABLE ENTRY SYSTEM

- ▶ **Interested Size**
WIDTH of the ENCLOSURE
- ▶ **Material:** ABS plastic
- ▶ **Supply Includes**
Brush strip, fixing rail and assembling parts

ENCLOSURE WIDTH	REFERENCE NO
400	923.401
600	923.601
800	923.801
1000 *	923.101
1200 *	923.121

! * **Note:** At the 1000 mm and 1200 mm width reference number there are 2 pcs of accesories.



CABLE CLAMP RAIL (CLIPPED TYPE)

- ▶ **Interested Size**
WIDTH of the ENCLOSURE
- ▶ **Material**
2,00 mm sheet steel + zinc passivated
- ▶ **Supply Includes**
Rail and assembling parts

ENCLOSURE WIDTH	REFERENCE NO
400	998.400
600	998.600
800	998.800
1000	998.100
1200	998.120



INTERMEDIATE MOUNTING PLATE

- **Interested Size**
HEIGHT of the ENCLOSURE
- **Material**
2,00 mm galvanized steel
- **Supply Includes**
1 pc of intermediate mounting plate,
3 pcs of brackets and assembling parts.

ENCLOSURE HEIGHT	REFERENCE NUMBER
1200	712.120
1600	712.160
1800	712.180
2000	712.200
2200	712.220



DOOR RAIL FOR CABLE TRAY

- **Interested Size**
WIDTH of the ENCLOSURE
- **Material**
2,00 mm sheet steel +
zinc passivated
- **Supply Includes**
1 pc of door rail and assembling
parts


ENCLOSURE WIDTH	REFERENCE NO
400	997.104
600	997.113
800	997.114
DOUBLE DOORS 800	997.118
1000	997.111
DOUBLE DOORS 1000	997.115
DOUBLE DOORS 1200	997.112

! **Note:** It requires 2 pcs of accessories for double doors.



M6 HIDE NUT

- M6 Hide Nut for fixing support and mounting rails to the enclosure. It is putting from the front of uprights.
- **Reference Number:** 994.170 (100 pcs of packs)



METAL PLAN POCKET

- **Interested Size**
WIDTH of the ENCLOSURE
- **Material**
1,50 mm sheet steel +
powder coated RAL 7035
- **Supply Includes**
1 pc of plan pocket and assembling
parts

ENCLOSURE WIDTH	REFERENCE NO
400	994.704
600	994.706
800	994.708
DOUBLE DOORS 800	994.718
1000	994.711
DOUBLE DOORS 1000	994.710
DOUBLE DOORS 1200	994.712

LIGHTING ACCESSORIES



LED LIGHT ENCLOSURE LAMP (SCREWED TYPE)

- ▶ 230V AC 6W
- ▶ 2 pcs of socket plugs + switch cable
- ▶ **Reference Number:** 901.110

! **Required:** Lamp rail is required for fixing the lamp.
(Please see other lighting accessories at page 29)



LED LIGHT ENCLOSURE LAMP (MAGNETIC TYPE)

- ▶ 230V AC 6W
- ▶ 2 pcs of socket plugs + switch cable
- ▶ **Reference Number:** 901.120



DOOR LAMP SWITCH

- ▶ 230 V, 3A and IP 65 protection
- ▶ Without cable
- ▶ **Reference Number:** 902.110

! **Required:** Switch bracket is required for fixing the lamp switch.
(Please see other lighting accessories at page 29)



LAMP RAIL

- **Interested Size**
WIDTH of the ENCLOSURE
- **Material**
2,00 mm sheet steel + zinc passivated
- **Supply Includes**
1 pc of lamp rail and assembling parts

ENCLOSURE WIDTH	REFERENCE NO
400	903.204
600	903.206
800	903.208
1000	903.210
1200	903.212



SWITCH BRACKET

- **Material:** 2,00 mm sheet steel + zinc passivated
- **Supply Includes**
1 pc of bracket and assembling parts
- **Reference Number:** 903.300

ENCLOSURE AIR VENTILATION ACCESSORIES



ROOF TYPE VENTILATION FAN

- **Color:** RAL 7035
- It ejects the heated air inside of the enclosure coming from vertical angle to horizontal angle. From the reason type of fan which ejects the air with horizontal angle, the counterpressure is at the minimum level. By this way it makes active and economic cooling with less power/ consumption and low fan cost.
- It requires sufficient size of air filters for compensation of the enclosure inside pressure between fan force of gravity.
- It suggests using at the situation which the maximum inside required temprature is higher than or equal maximum outside temperature.

Required max. inside temp. $\geq$ Outside max. temp.



- **IP Protection:** IP 54
- 230V AC
- **Used Fan:** Ebm

FAN FLOW	FAN POWER	REFERANCE NO
560 m³/h	58 W	982.202
970 m³/h	85 W	982.203



FAN WITH FILTERS

- **Color:** RAL 7035
- **IP Protection:** IP 54
- **Used Fan:** Ebm
- 230V AC Voltage
- It suggests using at the situation which the maximum inside required temprature is higher than or equal maximum outside temprature.
- At standard fans fix to eject air. For opposite the fan positions must be changed.



FILTER SIZE	AIR FLOW	FAN POWER	REFERENCE NO
150 x 150 mm	60 m³/h	19 W	983.131
250 x 250 mm	160 m³/h	45 W	983.141
250 x 250 mm	450 m³/h	64 W	983.151



AIR FILTERS

- **Color:** RAL 7035
- **IP Protection:** IP 54

FILTER SIZE	REFERENCE NO
150 x 150 mm	983.106
250 x 250 mm	983.107
325 x 325 mm	983.110

NOTES

This image shows a full page of blank, lined paper. It features approximately 28 horizontal blue lines spaced evenly across the page, typical of standard notebook paper. The lines are thin and light blue, set against a plain white background. There is no handwriting or other markings on the page.

TEKPAN INDUSTRIAL ENCLOSURES & CABINETS

► Address : Ankara Asfaltı 14. km İstiklal Mh. 17.Sk. No:8
Ulucak / Kemalpaşa / İZMİR / TURKEY
Phone : +90 (232) 877 1877 - 877 1346 / 47
Fax : +90 (232) 877 1348
E-mail : info@tekpan.com.tr

Domestic Sales Department : satis@tekpan.com.tr
Export Department : export@tekpan.com.tr



Türkmen