

Locks for narrow stiles

TESA

ASSA ABLOY



Leading the ironwork lock segment



Among the products that have turned TESA into a global Product code for security are our locks for narrow stiles. Thanks to the tests carried out in the lab, TESA's locks for aluminium profiles present the highest resistance and the highest passive security, plus they easily beat the mark

of 200,000 cycles. Which is why every time you install a TESA lock you are choosing a guaranteed solution for the door, providing it with the maximum security and resistance. Choose TESA for the highest security.

Why do installers prefer TESA locks?

When it comes to aluminium-profile locks, only one thing is more important for us than creating a top-security product: to make the ironwork installer's job as easy as possible. That's why our locks have been developed with the aim of allowing a quick and simple installation as well as an easy maintenance.

Thanks to this, we have maintained our position as leaders of our segment in Spain, and this is the reason why in 2005 we manufactured in our plants more than 4'5 million locks for wood and aluminium.



Easier to install, safer and with better protection

The latest models of locks incorporate 15mm-wide cases, thus minimizing the mechanizing of ribs. Also, a new range of escutcheons and strikes has been developed in order to bring higher security and to enable an easier installation of the locks.



Guaranteed by TESA

To purchase TESA products is a quality guarantee. All our locks have been certified to the highest degree by the ISO 9001 Quality Standard, the ISO 14001 environmental standard, and the Security at Work and Occupational Hazard Prevention standard. For this reason, every time you purchase a TESA product you can be sure you are buying a top-quality product.

We bring you an integral locking solution

TESA brings you the widest range of products for aluminium stiles, ranging from sliding locks to the latest generation of monopoint and multipoint PREMIUM locks with gear mechanism; from the swinging hook series to the panic exit locks for aluminium profiles.

The great variety of backsets (up to 35mm) and the combinations of latches and bolts, along with a wide range of accessories, provides the user with the right technical solution for every locking problem.



Guaranteed process

Our R+D department works hard to improve our production processes, offering the market newer and better products that meet the market's increasingly demanding needs.

For the manufacturing of its products, TESA uses stainless steel as the standard material for fronts and strikes. The other components have been protected with a nickel-plating process that ensures the durability of the components in outdoors installations.



Visual index



2210BE:
Page 20



2240BE series:
Page 16



2230G series:
Page 7



2230X series:
Page 8



2210E series:
Page 24



2230 series:
Page 24



2240 aut. series:
Page 6

Visual index


C



2230PE series:
Page 10



2230PA panic series:
Page 29



Special strikes:
Page 41



Adjustable strikes:
Page 37



2240BA panic series:
Page 30



Adjustable strikes:
Page 33



Escutcheons:
Page 42

Automatic single point lock

Automatic hook + reinforced hook




2240 AUT series

Automatic locking system

- » Stainless steel frontplate and strike plate.
- » Backset 30.
- » Distance between axes 85mm.
- » Maximum distance between hook and strike plate 5mm.

Backset	Product code	CYL	STR	ESC
30	4240AUT305NI		•	



Detail of the automatic hook



Premium lock, gear mechanism

Sliding bolt + two hooks

2230G series

Gear Mechanism

- It allows a smooth operation of the lock.
- It reduces the risks of failure of the lock.


Three independent locking points.


- It is necessary to break the three points one by one to force the lock.
- 2 hook + sliding bolt.


The cases, with 15mm of wide, reduce the aluminium mechanization.

- » Flat profile face plate, length of 2030mm.
- » Face plate and strike plates made in stainless steel.
- » Adjustable latch.

Options			
Cylinder cam	15 mm		
Latch	Adjustable		
Front plate	Flat		
Accessories			
Escutcheons	E190	E205	E240
Strikes	C22	Adjustable	Electric


2230G	Cylinder	Backsets	Product code	CYL	STR	ESC
	TE-5	25	2230G2555RSI	•	A	•
		30	2230G3055RSI	•	A	•
		35	2230G3555RSI	•	A	•
	Cylinder not included	25	4230G2555RSI		A	•
		30	4230G3055RSI		A	•
		35	4230G3555RSI		A	•

2231G	Cylinder	Backsets	Product code	CYL	STR	ESC
	TE-5	25	2231G2555RSI	•	A	•
		30	2231G3055RSI	•	A	•
		35	2231G3555RSI	•	A	•
	Cylinder not included	25	4231G2555RSI		A	•
		30	4231G3055RSI		A	•
		35	4231G3555RSI		A	•

2236G	Cylinder	Backsets	Product code	CYL	STR	ESC
	TE-5	25	2236G2555RSI	•	A	•
		30	2236G3055RSI	•	A	•
		35	2236G3555RSI	•	A	•
	Cylinder not included	25	4236G2555RSI		A	•
		30	4236G3055RSI		A	•
		35	4236G3555RSI		A	•

CYL: cylinder TE5 50303040N // **ESC:** 2 units 44200NE escutcheons

STR: stainless steel strikes. **A** = 1 unit. C2210XNOX + 2 units C2230XNOX //




2230X series

» Adjustable latch.

2236X	Cylinder	Backsets	Product code	CYL.	STR.	ESC
	TE-5	25	2236X2555RSI	•	A	•
		30	2236X3055RSI	•	A	•
		35	2236X3555RSI	•	A	•
	Cylinder not included	25	4236X2555RSI		A	•
		30	4236X3055RSI		A	•
		35	4236X3555RSI		A	•

STR.: stainless steel strikes. **A** = 1 unit C2210XNOX + 2units C2230XNOX //



Premium lock, gear mechanism

3 lock points - sliding reinforced bolts

2230U series

Gear Mechanism

» It allows a smooth operation of the lock.

Three independent locking points

» It is necessary to break the three points one by one to force the lock.

» Reinforced bolts.

The cases, with 15mm of wide, reduce the aluminium mechnization.


» "U" type face plate, length of 2030mm.


» Face plate and strike plates made in stainless steel.

» Adjustable latch.

Options			
Cylinder cam	15 mm		
Latch	Adjustable		
Face plate	U Type		
Accessories			
Escutcheons	E190	E205	E240
Strikes	C22	Adjustable	Electric

2230U	Cylinder	Backsets	Product code	CYL.	STR.	ESC
	TE-5	21	2230U2155RSI	•	A	•
		26	2230U2655RSI	•	A	•
		31	2230U3155RSI	•	A	•
	Cylinder not included	21	4230U2155RSI		A	•
		26	4230U2655RSI		A	•
		31	4230U3155RSI		A	•


2231U	Cylinder	Backsets	Product code	CYL.	STR.	ESC
	TE-5	21	2231U2155RSI	•	A	•
		26	2231U2655RSI	•	A	•
		31	2231U3155RSI	•	A	•
	Cylinder not included	21	4231U2155RSI		A	•
		26	4231U2655RSI		A	•
		31	4231U3155RSI		A	•

2236U	Cylinder	Backsets	Product code	CYL.	STR.	ESC
	TE-5	21	2236U2155RSI	•	A	•
		26	2236U2655RSI	•	A	•
		31	2236U3155RSI	•	A	•
	Cylinder not included	21	4236U2155RSI		A	•
		26	4236U2655RSI		A	•
		31	4236U3155RSI		A	•


CYL: cylinder TE5 50303040N // **ESC:** 2 units 44200NE escutcheons

STR: stainless steel strikes. **A** = 1 unit C2210XNOX + 2 units C2230XNOX //

Frontplates detail



A = backset + 15 mm



Multipoint lock

3 locking points - reinforced hook




2230PE series

Features:

- » 3 locking points, two swinging bolts + reinforced hook.
- » New reversible latch.
- » The cases, with 15mm of wide, reduce the aluminium mechanization.
- » Flat profile face plate, length of 2030mm.
- » Face plate and strike plates made in stainless steel.
- » Two E-190 cylinder oval roses included.
- » 30 x 40 cylinder.

Options				
Backsets	25	30	35	
Cylinder cam	15 mm			
Latch	Narrow	Adjustable		
Face plate	Flat			
Accessories				
Escutcheons	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable

2230PE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2230PE255SI	•	A	•
		30	2230PE305SI	•	A	•
		35	2230PE355SI	•	A	•
	Cylinder not included	25	4230PE255SI		A	•
		30	4230PE305SI		A	•
		35	4230PE355SI		A	•


2231PE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2231PE255SI	•	A	•
		30	2231PE305SI	•	A	•
		35	2231PE355SI	•	A	•
	Cylinder not included	25	4231PE255SI		A	•
		30	4231PE305SI		A	•
		35	4231PE355SI		A	•

2236PE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2236PE255SI	•	B	•
		30	2236PE305SI	•	B	•
		35	2236PE355SI	•	B	•
	Cylinder not included	25	4236PE255SI		B	•
		30	4236PE305SI		B	•
		35	4236PE355SI		B	•

CYL: cylinder TE5 50303040N // ESC: 2units E19000NE escutcheons

STR.: stainless steel strikes A = 1 unit C2240BEAI + 2units C2230INOX //

B = 1 unit C2246BEAI + 2 units C2230INOX



Multipoint lock

3 locking points - reinforced hook




2230LE series

Features:

- » 3 locking points, two swinging bolts + reinforced hook.
- » New reversible latch.
- » The cases, with 15mm of wide, reduce the aluminium mechanization.
- » "U" type face plate, length of 2030mm.
- » Face plate and strike plates made in stainless steel.
- » Two E-190 cylinder oval roses included.
- » 30 x 40 cylinder.

Options				
Backsets		21	26	31
Cylinder cam	15 mm			
Latch	Narrow	Adjustable		
Face plate		U Type		
Accessories				
Escutcheons	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable

2230LE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	21	2230LE215SI	•	A	•
		26	2230LE265SI	•	A	•
		31	2230LE315SI	•	A	•
	Cylinder not included	21	4230LE215SI		A	•
		26	4230LE265SI		A	•
		31	4230LE315SI		A	•

2231LE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	21	2231LE215SI	•	A	•
		26	2231LE265SI	•	A	•
		31	2231LE315SI	•	A	•
	Cylinder not included	21	4231LE215SI		A	•
		26	4231LE265SI		A	•
		31	4231LE315SI		A	•




2236LE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	21	2236LE215SI	•	B	•
		26	2236LE265SI	•	B	•
		31	2236LE315SI	•	B	•
	Cylinder not included	21	4236LE215SI		B	•
		26	4236LE265SI		B	•
		31	4236LE315SI		B	•

CYL: cylinder TE5 50303040N // ESC: 2units E19000NE escutcheons

STR.: stainless steel strikes A = 1 unit C2240BEAI + 2units C2230INOX //

B = 1 unit C2246BEAI + 2 units C2230INOX

Frontplates detail



Multipoint lock

3 locking points - reinforced hook

2230P series

Features:

- » Faceplate and strike plates made in stainless steel.
- » 3 locking points, two swinging bolts + reinforced hook.
- » Two E-190 cylinder oval roses included.
- » 30 x 30 cylinder.

Options				
Backsets		25	30	35
Cylinder cam	15 mm			
Latch	Standard			
Face plate	Flat			
Accessories				
Escutcheons	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable

2230P	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2230P55NM	•	A	•
		30	2230P35NM	•	A	•
		35	2230P355NM	•	A	•
	Cylinder not included	25	4230P55NM		A	•
		30	4230P35NM		A	•
		35	4230P355NM		A	•


2231P	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2231P55NM	•	A	•
		30	2231P35NM	•	A	•
		35	2231P355NM	•	A	•
	Cylinder not included	25	4231P55NM		A	•
		30	4231P35NM		A	•
		35	4231P355NM		A	•

2236P	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2236P55NM	•	B	•
		30	2236P35NM	•	B	•
		35	2236P355NM	•	B	•
	Cylinder not included	25	4236P55NM		B	•
		30	4236P35NM		B	•
		35	4236P355NM		B	•

CIL: cylinder TE5 50303030N // **ESC:** 1 unit E19000NE escutcheons

STR.: stainless steel. **A** = 1 unit C2240INOX + 2 units C2230INOX //

B = 1 unit C2246INOX + 2 units C2230INOX



Multipoint lock

3 locking points - reinforced hook

2230L series

Features:

- » Faceplate and strike plates made in stainless steel.
- » 3 locking points, two swinging bolts + reinforced hook.
- » Two E-190 cylinder oval roses included.
- » 30 x 30 cylinder.

Options				
Backsets		21	26	31
Cylinder cam	15 mm			
Latch	Standard			
Face plate	Sección U			
Accessories				
Escutcheons	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable

2230L	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	21	2230L25NM	•	A	•
		26	2230L65NM	•	A	•
		31	2230L35NM	•	A	•
	Cylinder not included	21	4230L25NM		A	•
		26	4230L65NM		A	•
		31	4230L35NM		A	•


2231L	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	21	2231L25NM	•	A	•
		26	2231L65NM	•	A	•
		31	2231L35NM	•	A	•
	Cylinder not included	21	4231L25NM		A	•
		26	4231L65NM		A	•
		31	4231L35NM		A	•

2236L	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	21	2236L25NM	•	B	•
		26	2236L65NM	•	B	•
		31	2236L35NM	•	B	•
	Cylinder not included	21	4236L25NM		B	•
		26	4236L65NM		B	•
		31	4236L35NM		B	•

CIL: cylinder TE5 50303030N // **ESC:** 1 unit E19000NE escutcheons

STR.: stainless steel. **A** = 1 unit C2240INOX + 2 units C2230INOX //

B = 1 unit C2246INOX + 2 units C2230INOX




Multipoint lock

Swinging bolt + top jamb + floor locking points

2230 series

- » Face plate and strike plates made in stainless steel.
- » Bolt throw is 25mm. and top-jamb&floor throw is 15mm.
- » Two threaded connecting rods for top-jamb and floor locking by means of M8 threaded bars. The M8 threaded bars are not supplied.
- » Top jamb and floor locking zones can be reinforced with hardened steel locking bolts that have an inner thread to match the M8 bars: PAB2230.

Options				
Backsets	20	25	30	35
Cylinder cam	15 mm			
Latch	Standard			
Accessories				
Escutcheons	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable



Recommended accessories



Floor strike:
ref. GUARPOHC



Reinforced locking points:
ref. PAB2230

2230	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2230205NM	•	A	•
		25	2230255NM	•	A	•
		30	2230305NM	•	A	•
		35	2230355NM	•	A	•
Cylinder not included		20	4230205NM		A	•
		25	4230255NM		A	•
		30	4230305NM		A	•
		35	4230355NM		A	•

2231	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2231205NM	•	A	•
		25	2231255NM	•	A	•
		30	2231305NM	•	A	•
		35	2231355NM	•	A	•
Cylinder not included		20	4231205NM		A	•
		25	4231255NM		A	•
		30	4231305NM		A	•
		35	4231355NM		A	•

2236	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2236205NM	•	B	•
		25	2236255NM	•	B	•
		30	2236305NM	•	B	•
		35	2236355NM	•	B	•
Cylinder not included		20	4236205NM		B	•
		25	4236255NM		B	•
		30	4236305NM		B	•
		35	4236355NM		B	•

2237	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2237205NM	•		•
		25	2237255NM	•		•
		30	2237305NM	•		•
		35	2237355NM	•		•
Cylinder not included		20	4237205NM			•
		25	4237255NM			•
		30	4237305NM			•
		35	4237355NM			•

CYL: cylinder TE5 50303030N // STR.: stainless steel strikes.

A = 1 unit C2210INOX // B = 1 unit C2216INOX ESC: 1 unit E21000NE escutcheons

Single point lock, gear mechanism

Sliding bolt

Gear mechanism


Gear Mechanism

- It allows a smooth operation of the lock.
- It reduces the risks of failure of the lock.

The cases, with 15mm of wide, reduce the aluminium mechanization.

- » Face plate and strike plate made in stainless steel.
- » Adjustable latch.

Options		
Backsets	25	30
Cylinder cam	15 mm	
Latch	Adjustable	



2210X	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2210X2555RSI	•	A	•
		30	2210X3055RSI	•	A	•
		35	2210X3555RSI	•	A	•
	Cylinder not included	25	4210X2555RSI		A	•
		30	4210X3055RSI		A	•
		35	4210X3555RSI		A	•

2211X	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2211X2555RSI	•	A	•
		30	2211X3055RSI	•	A	•
		35	2211X3555RSI	•	A	•
	Cylinder not included	25	4211X2555RSI		A	•
		30	4211X3055RSI		A	•
		35	4211X3555RSI		A	•

2216X	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	25	2216X2555RSI	•	A	•
		30	2216X3055RSI	•	A	•
		35	2216X3555RSI	•	A	•
	Cylinder not included	25	4216X2555RSI		A	•
		30	4216X3055RSI		A	•
		35	4216X3555RSI		A	•

CYL: cylinder TE5 50303040N // **STR.:** stainless steel strike.

A = 1 unit C2210XNOX // **ESC:** 2 units 44200NE escutcheon

Single point lock

Swinging hook - narrow case




2240BE series

Features:

- » Reinforced hook.
- » New reversible latch.
- » The cases, with 15mm of wide, reduce the aluminium mechanization.
- » Face plate and strike plates made in stainless steel.
- » Two E-190 cylinder oval roses included.
- » 30 x 40 cylinder.

Options				
Backsets	20	25	30	35
Cylinder cam	15 mm			
Latch	Narrow	Adjustable		
Accessories				
Escutcheons	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable



2240BE	Cylinder	Backset	Product code	CYL	STR.	ESC
	TE-5	20	2240BE20SSI	•	A	•
		25	2240BE25SSI	•	A	•
		30	2240BE30SSI	•	A	•
		35	2240BE35SSI	•	A	•
	Cylinder not included	20	4240BE20SSI		A	•
		25	4240BE25SSI		A	•
		30	4240BE30SSI		A	•
		35	4240BE35SSI		A	•

2241BE	Cylinder	Backset	Product code	CYL	STR.	ESC
	TE-5	20	2241BE20SSI	•	A	•
		25	2241BE25SSI	•	A	•
		30	2241BE30SSI	•	A	•
		35	2241BE35SSI	•	A	•
	Cylinder not included	20	4241BE20SSI		A	•
		25	4241BE25SSI		A	•
		30	4241BE30SSI		A	•
		35	4241BE35SSI		A	•

2241BEC	Cylinder	Backset	Product code	CYL	STR.	ESC
	TE-5	20	2241BEC20SSI	•	B	•
		25	2241BEC25SSI	•	B	•
		30	2241BEC30SSI	•	B	•
		35	2241BEC35SSI	•	B	•
	Cylinder not included	20	4241BEC20SSI		B	•
		25	4241BEC25SSI		B	•
		30	4241BEC30SSI		B	•
		35	4241BEC35SSI		B	•

2246BE	Cylinder	Backset	Product code	CYL	STR.	ESC
	TE-5	20	2246BE20SSI	•	C	•
		25	2246BE25SSI	•	C	•
		30	2246BE30SSI	•	C	•
		35	2246BE35SSI	•	C	•
	Cylinder not included	20	4246BE20SSI		C	•
		25	4246BE25SSI		C	•
		30	4246BE30SSI		C	•
		35	4246BE35SSI		C	•

CYL: cylinder TE5 50303040N // **STR.:** stainless steel strike. A = 1unit C2240BEAI // B = 1unit C2241BEAI // C = C2246BEAI // **ESC:** 2units E19000NE escutcheon


Single point lock

Swinging hook

2240 series

- » Faceplate and strike plate made in stainless steel.
- » Solid steel reinforced hook.
- » Nickel plated latch is reversible and can be retracted by handle or key.
- » Four different functions available, see below.
- » Two E-190 cylinder oval roses included.

Options				
Backsets	20	25	30	35
Cylinder cam	15 mm			
Latch	Standard			
Accessories				
Escutcheon	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable



2240	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2240205SI	•	A	•
		25	2240255SI	•	A	•
		30	2240305SI	•	A	•
		35	2240355SI	•	A	•
	Cylinder not included	20	4240205SI		A	•
		25	4240255SI		A	•
		30	4240305SI		A	•
		35	4240355SI		A	•

2241	Cylinder	Entrada	Product code	CYL	STR.	ESC
	TE-5	20	2241205SI	•	A	•
		25	2241255SI	•	A	•
		30	2241305SI	•	A	•
		35	2241355SI	•	A	•
	Cylinder not included	20	4241205SI		A	•
		25	4241255SI		A	•
		30	4241305SI		A	•
		35	4241355SI		A	•

2241C	Cylinder	Entrada	Product code	CYL	STR.	ESC
	TE-5	20	2241C205SI	•	B	•
		25	2241C255SI	•	B	•
		30	2241C305SI	•	B	•
		35	2241C355SI	•	B	•
	Cylinder not included	20	4241C205SI		B	•
		25	4241C255SI		B	•
		30	4241C305SI		B	•
		35	4241C355SI		B	•

2246	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2246205SI	•	C	•
		25	2246255SI	•	C	•
		30	2246305SI	•	C	•
		35	2246355SI	•	C	•
	Cylinder not included	20	4246205SI		C	•
		25	4246255SI		C	•
		30	4246305SI		C	•
		35	4246355SI		C	•

CYL: cylinder TE5 50303030N // **STR.:** stainless steel strike.
A = 1 unit C2240INOX // B = 1 unit C2241CNOX // C = C2246INOX // **ESC:**
2 units E19000NE escutcheon

Single point lock

Swinging deadbolt - narrow case




2210BE series

Features:

- » Swinging deadbolt
- » New reversible latch.
- » The cases, with 15mm of wide, reduce the aluminium mechanization.
- » Face plate and strike plates made in stainless steel.
- » Two E-190 cylinder oval roses included.
- » 30 x 40 cylinder.

Options				
Backsets	20	25	30	35
Cylinder cam	15 mm			
Latch	Narrow	Adjustable		
Accessories				
Escutcheon	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable



2210BE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2210BE205SI	•	A	•
		25	2210BE255SI	•	A	•
		30	2210BE305SI	•	A	•
		35	2210BE355SI	•	A	•
	Cylinder not included	20	4210BE205SI		A	•
		25	4210BE255SI		A	•
		30	4210BE305SI		A	•
		35	4210BE355SI		A	•
2211BE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2211BE205SI	•	A	•
		25	2211BE255SI	•	A	•
		30	2211BE305SI	•	A	•
		35	2211BE355SI	•	A	•
	Cylinder not included	20	4211BE205SI		A	•
		25	4211BE255SI		A	•
		30	4211BE305SI		A	•
		35	4211BE355SI		A	•
2214BE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	20	2214BE20AI	•	A	
		25	2214BE25AI	•	A	
		30	2214BE30AI	•	A	
		35	2214BE35AI	•	A	
2215BE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	20	2215BE20AI	•	A	
		25	2215BE25AI	•	A	
		30	2215BE30AI	•	A	
		35	2215BE35AI	•	A	
2216BE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2216BE205SI	•	B	•
		25	2216BE255SI	•	B	•
		30	2216BE305SI	•	B	•
		35	2216BE355SI	•	B	•
	Cylinder not included	20	4216BE205SI		B	•
		25	4216BE255SI		B	•
		30	4216BE305SI		B	•
		35	4216BE355SI		B	•
2218BE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	20	2218BE20AI	•	B	
2219BE	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2219BE205SI	1	•	
		25	2219BE255SI	1	•	
		30	2219BE305SI	1	•	
		35	2219BE355SI	1	•	
	Cylinder not included	20	4219BE205SI		•	
		25	4219BE255SI		•	
		30	4219BE305SI		•	
		35	4219BE355SI		•	

CYL: cylinder TE5 50303040N // 1: 50304010N // STR.: stainless steel strikes
A = C2210BEAI // B = C2216BEAI // ESC: 2units E19000NE escutcheons


Single point lock

Swinging deadbolt

2210 series

- » Faceplate and strike plate made in stainless steel.
- » Nickel plated steel bolt with reinforced swinging mechanism. Bolt throw: 25mm.
- » Seven different functions available, see below.
- » Two E-190 cylinder oval roses included.
- » There is a complete range of special strikes for the existing types of aluminium stiles in the market.

Options				
Backsets	20	25	30	35
Cylinder cam	15 mm			
Latch	Standar			
Accessories				
Escutcheon	E190	E205	E210	E240
Strikes	C22	T21	Electric	Adjustable



2210	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2210205NM	•	A	•
		25	2210255NM	•	A	•
		30	2210305NM	•	A	•
		35	2210355NM	•	A	•
	Cylinder not included	20	4210205NM		A	•
		25	4210255NM		A	•
		30	4210305NM			•
		35	4210355NM			•
2211	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2211205NM	•	A	•
		25	2211255NM	•	A	•
		30	2211305NM	•	A	•
		35	2211355NM	•	A	•
	Cylinder not included	20	4211205NM		A	•
		25	4211255NM		A	•
		30	4211305NM			•
		35	4211355NM			•
2214	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	20	2214200NM	•	A	
		25	2214250NM	•	A	
		30	2214300NM	•	A	
		35	2214350NM	•	A	
2215	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	20	221520AI	•	A	
		25	221525AI	•	A	
		30	221530AI	•	A	
		35	221535AI	•	A	
2216	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2216205NM	•	B	•
		25	2216255NM	•	B	•
		30	2216305NM	•	B	•
		35	2216355NM	•	B	•
	Cylinder not included	20	4216205NM		B	•
		25	4216255NM		B	•
		30	4216305NM			•
		35	4216355NM			•
2218	Cylinder	Backsets	Product code	CIL	CER	ESC
	Cylinder not included	20	2218200AI	•	B	
2219	Cylinder	Backsets	Referencia	CIL	CER	ESC
	TE-5	20	2219205NM	1		•
		25	2219255NM	1		•
		30	2219305NM	1		•
		35	2219355NM	1		•
	Cylinder not included	20	4219205NM			•
		25	4219255NM			•
		30	4219305NM			•
		35	4219355NM			•

CYL: cylinder TE5 50303030N // 1: 50303010N // STR.: stainless steel strike
A = C2210INOX // B = C2216INOX // ESC: 2 units E19000NE escutcheons


Single point lock

Sliding deadbolt - narrow case

2210E series


- » The cases, with 15mm of wide, reduce the aluminium mechanization.
- » Faceplate and strike plate made in stainless steel.
- » Nickel plated latch is reversible and can be retracted by handle or key.
- » Galvanised steel lock case.
- » Two anodised aluminium roses included .
- » The standard stainless steel strike is supplied with the lock.

2210E			
Backsets	20	25	30
Cylinder cam	13 mm		
Latch	Narrow	Adjustable	
Accessories			
Escutcheon	E190	E205	
Strikes	C22	Electric	




2210E	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2210E203AI	•	A	•
		25	2210E253AI	•	A	•
		30	2210E303AI	•	A	•
		35	2210E353AI	•	A	•
	Cylinder not included	20	4210E203AI		A	•
		25	4210E253AI		A	•
		30	4210E303AI			•
		35	4210E353AI			•

2211E	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2211E203AI	•	B	•
		25	2211E253AI	•	B	•
		30	2211E303AI	•	B	•
		35	2211E353AI	•	B	•
	Cylinder not included	20	4211E203AI		B	•
		25	4211E253AI		B	•
		30	4211E303AI			•
		35	4211E353AI			•

2214E	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	20	2214E203AI	•	A	
		25	2214E253AI	•	A	
		30	2214E303AI	•	A	
		35	2214E353AI	•	A	

2215E	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	20	2215E203AI	•	C	
		25	2215E253AI	•	C	
		30	2215E303AI	•	C	
		35	2215E353AI	•	C	

2216E	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	2216E203AI	•	A	•
		25	2216E253AI	•	A	•
		30	2216E303AI	•	A	•
		35	2216E353AI	•	A	•
	Cylinder not included	20	4216E203AI		A	•
		25	4216E253AI		A	•
		30	4216E303AI			•
		35	4216E353AI			•

2218E	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	20	2218E200AI	•	D	

CYL: cilinder TE5 52003030N // CER: stainless steel strike A = C2210ENOX // B = C2230XNOX // C = C2215ENOX // D = C2218ENOX //

ESC: 2 units 44200NE escutcheons


Single point lock

Sliding deadbolt

2210 series

- » Faceplate and strike plate made in stainless steel.
- » Nickel plated steel deadbolt.
- » Nickel plated latch is reversible and can be retracted by handle or key.
- » Galvanised steel lock case.
- » Two anodised aluminium roses included .
- » The standard stainless steel strike is supplied with the lock.

2210D		
Backsets	20	25
Cylinder cam	13 mm	
Latch	Standard	
Accessories		
Escutcheon	E190	E205
Strikes	C22	Electric



2210	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	221028AI	•	A	•
		20	221028SSI	•		
		25	221038AI	•	A	•
		25	221038SSI	•		
	Cylinder not included	20	421028AI		A	•
		20	421028SSI			
		25	421038AI		A	•
		25	421038SSI			
2211	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	221120AI	•	B	•
		25	221125AI	•	B	•
	Cylinder not included	20	421120AI		B	•
		25	421125AI		B	•
2214	Cylinder	Backsets	Product code	CYL	STR.	ESC
		20	221428AI	•	A	
	Cylinder not included					
2215	Cylinder	Backsets	Product code	CYL	STR.	ESC
		20	221528AI	•	D	
	Cylinder not included					
2216	Cylinder	Backsets	Product code	CYL	STR.	ESC
	TE-5	20	221620AI	•	C	•
		25	221625AI	•	C	•
	Cylinder not included	20	421620AI		C	•
		25	421625AI		C	•
2218	Cylinder	Backsets	Product code	CYL	STR.	ESC
		20	221820AI	•	E	
	Cylinder not included					


CYL: cylinder TE5 52003030N // STR.: stainless steel strike A = C2210DNOX // B = C2211DNOX // C = C2216DNOX // D = C2215DNOX // E = C2218DNOX
ESC: 2 units 44200NE escutcheons

Single point lock

Sliding deadbolt

2200 series

- » Galvanised faceplate plus an anodised aluminium faceplate supplement.
- » Latchbolt, deadbolt and cylinder are nickel-plated.
- » Latchbolt is reversible.
- » Distance between centres: 65mm.
- » Two anodised aluminium roses included
- » There is no strike plate supplied.



2200	Cylinder	Backsets	Product code	CYL	STR.	ESC
		13,5	220015HZ	•		
	TE-5					
	Cylinder not included	13,5	420015HZ			
2201	Cylinder	Backsets	Product code	CYL	STR.	ESC
		13,5	220115HZ	•		
	TE-5					
	Cylinder not included	13,5	420115HZ			
2204	Cylinder	Backsets	Product code	CYL	STR.	ESC
		15	220415NM			
	Cylinder not included					
2206	Cylinder	Backsets	Product code	CYL	STR.	ESC
		13,5	220615HZ	•		
	TE-5					
	Cylinder not included	13,5	420615HZ			


CYL: cylinder TE5 52003030L

2270 series

The multipurpose lock for sliding doors and windows.

- » The hook is specially designed for sliding doors.
- » Backset is 16,5 mm.
- » Cross key type cylinder. Locks are supplied with three keys.
- » Strike plate and a pair of key-guide plastic roses are standard equipment.
- » Nickel plated faceplate, strike plate and hook.

2270	Cylinder	Backsets	Product code	CYL	STR.	ESC
		16	227016NM	•	•	•
	Cross key					




Single point lock

11,5 mm backset lock

2220 series

- » Nickel plated faceplate, latchbolt, deadbolt and cylinder.
- » Latchbolt is reversible.
- » Oval cylinder cam has 10,7mm. radius to prevent interference with the stile bottom
- » Distance between centres: 70mm.
- » Strike and roses are not supplied.



2220	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Oval	11,5	222012NM	•		
2221	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Oval	11,5	222112NM	•		
2225	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	11,5	222512NM			
2226	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Oval	11,5	222612NM	•		
2228	Cylinder	Backsets	Product code	CYL	STR.	ESC
	Cylinder not included	11,5	222812NM			

CYL: cylinder TE5 522060LN

C

Locks with panic function

Single leaf doors




2240BA series

- » Lock with panic function, applicable with panic bars
- » Certified according with EN 1125
- » The cases, with 15mm of wide, reduce the aluminium mechanization.


Features:

- » Panic B function, split follower
- » Reinforced hook.
- » Face plate and strike plates made in stainless steel.
- » Available Backsets 30 and 35




Backsets	Opening	Hand	Product code
30	Outwards	R	4240BA30ED5AI
30	Outwards	L	4240BA30EI5AI
30	Inwards	R	4240BA30ID5AI
30	Inwards	L	4240BA30II5AI
Backsets	Opening	Hand	Product code
35	Outwards	R	4240BA35ED5AI
35	Outwards	L	4240BA35EI5AI
35	Inwards	R	4240BA35ID5AI
35	Inwards	L	4240BA35II5AI

Outwards opening




Right hand




Left hand

Inwards opening



Right hand



Left hand

PANIC B:

- » Split follower.
- » The interior handle unlocks the latch and the deadbolt
- » The exterior handle unlocks the latch



Locks with panic function

Single leaf doors

NEW



2230PA series

- » Lock with panic function, applicable with panic bars
- » Certified according with EN 1125
- » The cases, with 15mm of wide, reduce the aluminium mechanization.

Features:


- » Panic B function, split follower
- » 3 locking points, two swinging bolts + reinforced hook.
- » Flat profile face plate, length of 2030mm.
- » Face plate and strike plates made in stainless steel.
- » Available Backsets 30 and 35

Backsets	Opening	Hand	Product code
30	Outwards	R	4230PA30ED5AI
30	Outwards	L	4230PA30EI5AI
30	Inwards	R	4230PA30ID5AI
30	Inwards	L	4230PA30II5AI
Backsets	Opening	Hand	Product code
35	Outwards	R	4230PA35ED5AI
35	Outwards	L	4230PA35EI5AI
35	Inwards	R	4230PA35ID5AI
35	Inwards	L	4230PA35II5AI

Outwards opening




Right hand



Left hand

Inwards opening




Right hand



Left hand

PANIC B:

- » Split follower.
- » The interior handle unlocks the latch and the deadbolt
- » The exterior handle unlocks the latch




Locks with panic function

Single leaf doors




2280 series

- » Distance between centres is 92mm.
- » Backsets available: 22, 27, 32, 37 and 42mm.
- » Follower 9mm.
- » Right or left hand must be indicated.
- » Panic B and Panic C functions available.
- » Optionally they can be ordered without panic function.
- » Faceplate and strike-plate are stainless steel (AISI 304)
- » Closed, galvanised steel lock case.
- » 100% of parts manufactured with fire-resistant materials. Fire Certified according with DIN 18251.
- » Designed to work with euro-profile cylinders.



Backsets	Function	Hand	Product code
22	B	R	4280B22DAI
22	B	L	4280B22IAI
22	C	R	4280C22DAI
22	C	L	4280C22IAI
27	B	R	4280N27DAI
27	B	L	4280N27IAI
27	C	R	4280C27DAI
27	C	L	4280C27IAI
32	B	R	4280N32DAI
32	B	L	4280N32IAI
32	C	R	4280C32DAI
32	C	L	4280C32IAI
37	B	R	4280B37DAI
37	B	L	4280B37IAI
37	C	R	4280C37DAI
37	C	L	4280C37IAI
42	B	R	4280B42DAI
42	B	L	4280B42IAI
42	C	R	4280C42DAI
42	C	L	4280C42IAI

LOCK HANDING CRITERIA



Function type B:

- » Split follower.
- » The latch can not be retracted by key.
- » They are installed with handle on both sides.



Access from the exterior is made in three steps:

- » Deadbolt is retracted with the key (One turn).
- » The key is turned an additional 1/4 turn.
- » Latch is retracted with the handle in the exterior.

If the key is extracted after the first step, the handle in the exterior will not retract the latch.


Extracting the key after the second step leaves the entrance as a pass door.

PANIC B APPLICATIONS:

- » Deadbolt locking: Access denied, except for key owners.
- » Latchbolt locking:
 - Controlled access with electric strike
 - Pass door

Function type C:

- » Standard follower.
- » The latch can be retracted by key.
- » They are installed with handle on the interior and pull-knob on the exterior.



PANIC C APPLICATIONS:

- » Deadbolt locking: Access denied, except for key owners.
- » Latchbolt locking:
 - Controlled access with electric strike

Common features

- » Distance between centres is 92mm.
- » Backsets available: 22, 27, 32, 37 and 42mm.
- » Follower 9mm.
- » Right or left hand must be indicated.
- » Faceplate and strike-plate are stainless steel (AISI 304)
- » Closed, galvanised steel lock case.
- » 100% of parts manufactured with fire-resistant materials. Fire Certified according with DIN 18251.

Right hand

Inactive Active


OUTSIDE

Left hand

Active Inactive

OUTSIDE

- » Panic lock designed for the ACTIVE door in double leaf exit doors.
- » Panic B and Panic C functions available.
- » The faceplate is 400mm. long and possesses the trigger to release the automatic locking in 2283 counterlock.
- » Designed to work with euro-profile cylinders.

C

Locks with panic function

Double leaf doors



2282 and 2283 series


Way of working

When the ACTIVE door shuts, the faceplate of the 4282 lock releases the trigger on the 4283 counter lock and this way top jamb & floor locking points are thrown, locking the INACTIVE door.

When the INACTIVE door is opened from the interior with the handle, the top jamb & floor locking points are retracted and, simultaneously, both latchbolt and deadbolt are pushed into the 4282 lock, thus letting free exit through the complete double leaf door.

2283 counter lock

- » Panic counter lock designed for the INACTIVE door in double leaf exit doors.
- » When the follower is turned from the interior, the top jamb & floor locking points are retracted and, simultaneously, both latchbolt and deadbolt are pushed into the 2282 lock, thus letting free exit through the complete double leaf door.



Backsets	Hand	Product code
22	R	428322DAI
22	L	428322IAI
27	R	428327DAI
27	L	428327IAI
32	R	428332DAI
32	L	428332IAI
37	R	428337DAI
37	L	428337IAI
42	R	428342DAI
42	L	428342IAI

Standard electric strikes

Mechanical features

- » Reversible
- » Stainless Steel Front (also Glazed in Brown).
- » Deadlocking tab for latch with 3 mm side regulation.

Electric features

- » 12Vca standard reel.
- » Available in special versions with direct current, in Normal and Inverted operations (Fail Safe).
- » Available in a special 24V (AC or DC) reel.

Control functions


- » NORMAL (electric unblocking during the control pulse)
- » AUTOMATIC (the control pulse unblocks the door, after which the pulse remains unblocked for an only opening. The door's lock then blocks the strike).
- » WITH UNBLOCKING LEVER (permanent manual unblocking).

Short face plate

Application

- » Main door locks: 2219 and 2039
- » Passage function locks: 2015, 2035, 135, 2215 and knobs.

Function	Finish	Model
Normal	Stainless steel	CERNORCIN
Normal with unblocking	Stainless steel	CERNODCIN
Automatic	Stainless steel	CERAUTCIN
Automatic with unblocking	Stainless steel	CERAUDCIN




Long face plate. Wooden door

Application

Bolt locks: 100B, R200B, TLB, CANB


Function	Finish	Model
Normal	AE	CERNORBUE
Normal with unblocking	AE	CERNODBUE
Automatic	AE	CERAUTBUE
Automatic with unblocking	AE	CERAUBUE
Normal	Stainless steel	CERNORBUI
Normal with unblocking	Stainless steel	CERNODBUI
Automatic	Stainless steel	CERAUTBUI
Automatic with unblocking	Stainless steel	CERAUBUI



Application

Slide Action Lever Locks: 2010, 130, 2030, R200N, TLP

Function	Finish	Model
Normal	AE	CERNORLCE
Normal with unblocking	AE	CERNODLCE
Automatic	AE	CERAUTLCE
Automatic with unblocking	AE	CERAUDLCE
Normal	Stainless steel	CERNORLCI
Normal with unblocking	Stainless steel	CERNODLCI
Automatic	Stainless steel	CERNODLCI
Automatic with unblocking	Stainless steel	CERAUDLCI



Standard electric strikes

Long face plate. Ironwork door

Application
Swinging Lever Locks: 2210B, 2230.


Function	Finish	Model
Normal	Stainless steel	CERNORLBI
Normal with unblocking	Stainless steel	CERNODLBI
Automatic	Stainless steel	CERAUTLBI
Automatic with unblocking	Stainless steel	CERAUDLBI

Application
Slide Action Lever Locks: 2210.

Function	Finish	Model
Normal	Stainless steel	CERNORLCI
Normal with unblocking	Stainless steel	CERNODLCI
Automatic	Stainless steel	CERAUTLCI
Automatic with unblocking	Stainless steel	CERAUDLCI

Application
Hook Bolt Locks: 2240, 2230L, 2230P.

Function	Finish	Model
Normal	Stainless steel	CERNORLGI
Normal with unblocking	Stainless steel	CERNODLGI
Automatic	Stainless steel	CERAUTLGI
Automatic with unblocking	Stainless steel	CERAUDLGI



Electric strikes for thermal break aluminium stiles

Mortise electric strike

Mechanical features

- » Reversible
- » Stainless Steel Front / steel front.
- » Deadlocking tab for latch with 1 mm side regulation.

Electric features

- » 12Vca standard reel.
- » Available in special versions with direct current, in Normal and Inverted operations (Fail Safe).
- » Available in a special 24V (AC or DC) coil.

Control functions


- » NORMAL (electric unblocking during the control pulse)
- » AUTOMATIC (the control pulse unblocks the door, after which the pulse remains unblocked for an only opening. The door's lock then blocks the strike).
- » WITH UNBLOCKING LEVER (permanent manual unblocking).

Short face plate

Application

- » Main door locks: 2219 and 2039
- » Passage function locks: 2015, 2035, 135, 2215 and knobs.

Función	Finish	Model
Normal	Inox	CESNORCIN
Normal with unblocking	Inox	CESNODCIN
Automatic	Inox	CESAUTCIN
Automatic with unblocking	Inox	CESAUDCIN




Long face plate

Application

Swinging Lever Locks: 2210B, 2230.

Función	Finish	Model
Normal	Inox	CESNORLBI
Normal with unblocking	Inox	CESNODLBI
Automatic	Inox	CESAUTLBI
Automatic with unblocking	Inox	CESAUDLBI




Electric strikes for thermal break aluminium stiles

Long face plate


Application
Slide Action Lever Locks: 2210.

Function	Finish	Model
Normal	Stainless steel	CESNORLCI
Normal with unblocking	Stainless steel	CESNODLCI
Automatic	Stainless steel	CESAUTLCI
Automatic with unblocking	Stainless steel	CESAUDLCI



Application
Hook Bolt Locks: 2240, 2230L, 2230P.

Function	Finish	Model
Normal	Stainless steel	CESNORLGI
Normal with unblocking	Stainless steel	CESNODLGI
Automatic	Stainless steel	CESAUTLGI
Automatic with unblocking	Stainless steel	CESAUDLGI





Adjustable strikes

Stiles with european chamber


CRN series

- » Strike material; stainless steel.
- » Specific design for Normalized aluminium profiles.
- » Lateral regulation of 10 mm (+5, -5).



CRE series


- » Strike material; stainless steel.
- » Specific design for Normalized aluminium profiles.
- » Lateral regulation of 6 mm (+3, -3).



Adjustable strikes


C22 series

- » Stainless steel strikes.
- » Lateral regulation of 6 mm.





T21G series

- » Metallic alloyed strikes
- » Specific design for Normalized aluminium profiles
- » Lateral regulation of 6mm (+3, -3).



Product	Lock	Finish
T2110510G	2210B/ 2216B/ 2210BE	NE
T2110511G	2211B/ Aux lock 2230P / Aux lock 2230PE	NE
T2110540G	2240 / 2240BE / 2230P / 2230PE	NE
T2110541G	2241BE	NE



Strike application guide

Premium series

Strike	Product code	2210X	Central 2230X	Central 2230U	Central 2230G	Aux lock 2230X	Aux lock 2230U	Aux lock 2230G
		2211X	Central 2231X	Central 2231U	Central 2231G	Aux lock 2231X	Aux lock 2231U	Aux lock 2231G
		2216X	Central 2236X	Central 2236U	Central 2236G	Aux lock 2236X	Aux lock 2236U	Aux lock 2236G
C22	C2210XNOX	•	•	•	•			
	C2230XNOX					•	•	
	C2230GNOX							•
CRE	CRE2210XI	•	•	•	•			
	CRE2230XI					•	•	
	CRE2230GI							•
CRN	CRN2210XI	•	•	•	•			
	CRN2230XI					•	•	
	CRN2230GI							•

Swinging bolt series - narrow case

Strike	Product code	2210BE	2216BE	2240BE	2246BE	Central 2230PE	Central 2236PE	Aux lock 2230PE	Aux lock 2230LE
		2211BE		Central 2231PE		Aux lock 2231PE		Aux lock 2231LE	
		2214BE		Central 2230LE		Aux lock 2236PE		Aux lock 2236LE	
		2215BE		Central 2231LE					
C22	C2210BEAI	•							
	C2216BEAI		•						
	C2240BEAI			•		•			
	C2246BEAI				•		•		
	C2230INOX							•	•
CRE	CRE2210BEI	•							
	CRE2216BEI		•						
	CRE2240BEI			•		•			
	CRE2246BEI				•		•		
	CRE2230AI							•	•
CRN	CRN2210BEI	•							
	CRN2216BEI		•						
	CRN2240BEI			•		•			
	CRN2246BEI				•		•		
	CRN2230AI							•	•

Strike application guide

Swinging bolt series

Strike	Product code	2210B 2211B 2214B 2215B	2216B 2218B	2240 2241	2246	2230 2231	2236	Central 2230P Central 2231P Central 2230L Central 2231L	Central 2236P Central 2236L	Aux lock 2230P Aux lock 2231P Aux lock 2236P Aux lock 2230P Aux lock 2231P Aux lock 2236P
C22	C2210INOX	•				•				
	C2216INOX		•				•			
	C2240INOX			•				•		
	C2246INOX				•				•	
	C2230INOX									•
CRE	CRE2210AI	•				•				
	CRE2216AI		•				•			
	CRE2240AI			•				•		
	CRE2246AI				•				•	
	CRE2230AI									•
CRN	CRN2210BI	•				•				
	CRN2216BI		•				•			
	CRN2240BI			•				•		
	CRN2246BI				•				•	
	CRN2230AI									•

Sliding bolt series


Strike	Product code	2210D 2214D	2211D 2211E	2215D	2216D	2218D 2218E	2210E 2214E 2216E
C22	C2210DNOX	•					
	C2211DNOX		•				
	C2215DNOX			•			
	C2216DNOX				•		
	C2218DNOX					•	
	C2210ENOX						•

Special strikes

T21 / T30 / U29 / U30 series

- » The wide range of special polyamide strikes allows perfect fitting to the vast majority of aluminium stiles in the market.
- » Their glass-fibre reinforced polyamide construction assures a smooth latch sliding and high durability.

- » T21 model, which is manufactured in a metallic alloy for higher resistance, is the perfect choice for channelled stiles. (See application picture below)



Product code	2210B 2214B 2215B 2216B 2218B	2211B 2231	2230 2236	2230L / P 2236L / P	2231L / P	2240 2246	2241
T21 105 40				•		•	
T21 105 41					•		•
T21 105 10	•		•				
T21 105 11		•		••	••		
T30 085 10	•		•				
T30 105 10	•		•				
T30 105 11		•		••	••		
T30 105 40				•		•	
T30 105 41					•		•
U29 102 10	•		•				
U29 102 11		•		••	••		
U29 102 40				•		•	
U29 102 41					•		•
U30 133 10	•		•				
U30 130 11		•		••	••		
U30 133 40				•		•	
U30 133 41					•		•

• = One piece required •• = Two pieces required

Escutcheon

Security escutcheons E240

- » The new cylinder escutcheon, the E240, offers design and security.
- » 2 tempered plates protects the cylinder from direct attacks using drill, offering the same security level that the cylinder escutcheons used in Tesa security doors.



Product code	Finish
E24000BL	BL
E24000NE	NE
E24000NS	NS

Anti extraction attack E210

- » Anti extraction attack cylinder rose manufactured in metallic alloy.
- » Nickel plated steel plate in the interior is hidden with a snap-in polyamide cover.
- » Very easy installation with bolt through fixing with M5 screws.



Product code	Finish
E21000BL	BL
E21000NE	NE
E21000NM	NM

E205 escutcheon

- » Designed for its simple and fast installation.
- » The installation does not require screws that go through the lockcase; the cylinder rose is placed riveting the plate to the profile.



Product code	Finish
E20500BL	BL
E20500NE	NE

E190 escutcheon

- » Nickel plated steel plates are hidden with snap-in polyamide covers.
- » Finishes : Black and white.




Product code	Finish
E19000BL	BL
E19000NE	NE

Accessories


GUARPOHC floor strike

- » Floor strike for bottom locking in 2 230 series locks.
- » It possesses a spring-loaded protective lid that prevents dust from getting into the strike hole.
- » Nickel plated finish.



PAB2230 locking bolts


- » Hardened steel top jamb & floor locking bolts. (Set of two units).
- » M8 interior thread.




Follower reduction square sleeves

- » Zinc plated steel square sleeves.


44700NM
7mm. spindle into 8mm.
Follower adaptation.



44600NM
6mm. spindle into 8mm.
Follower adaptation.



44900NM
8mm. spindle into 9mm.
Follower adaptation.





ASSA ABLOY

Talleres de Escoriaza, S.A.U.
Barrio Ventas, 35 • E-20305 Irun • SPAIN
Tel.: +34 943 669 100 • Fax: +34 943 622 189
www.tesa.es

ASSA ABLOY is the global leader in door opening solutions,
dedicated to satisfying end-user needs for security, safety and convenience.