

LAMPS



***The New Topaz...
You'll See Us in a Whole New Light***



TABLE OF **CONTENTS**

2-3 *Welcome To Topaz*

4-7 *The Topaz Story*

8-9 *The California Story*

10-11 *The Products You Need
When You Need Them*

12-13 *Lamp Reference Guide*

14-15 *Lamp Energy and
Comparison Guide*

16-17 *Topaz Product Lines*

18 *Introducing the New Topaz Website*

19-30 *Compact Fluorescent*

31-44 *Linear Fluorescent*

45-62 *Halogen*

63-80 *Incandescent*

81-92 *HID - Metal Halide (MH),
High-Pressure Sodium (HPS),
Mercury Vapor (MV),
Low-Pressure Sodium (LPS)*

93-96 *Other Lamp Types - Tough Skin,
Germicidal,
Tube Guards,
Miniature/Sealed Beams*

97-100 *Index*



WELCOME TO **TOPAZ**

To all our Customers, Friends and New Visitors to Topaz:

Thank you for giving us this opportunity to help you with your lamp and lighting product needs. To our valued customers, we appreciate your business, friendship and the confidence that you've demonstrated by selecting Topaz. We welcome those of you who are new to Topaz, and look forward to fulfilling your customer's lighting needs and to developing new relationships.

Ever since Topaz was started in 1985, we have been dedicated to one core objective – that is to support and protect your relationship with your customer. Everything we've accomplished and everything we continue to do is a direct result of creating support systems for you and your customers.

Over time, we added our electrical and recessed downlighting divisions to our lamp and lighting products. By manufacturing more product lines we were able to offer a greater range of products and solutions.

In order to help support your customer relationships, Topaz created several valued-added services:

- **PartnerPledge™** provides your customer with neutral packaging for all Lamps and Lighting Products, Recessed Downlighting and Fixtures.
- **FullFill™** was developed to ensure filling over 99% of your orders from existing inventory.
- **In By 4 Out By 5™** the same day was established to answer your need for quick product delivery.
- Our Fittings are **Guaranteed-for-Life™** to help increase your customers' confidence in purchasing products from you.

Our goal is to continue helping you build your business and to exceed your customers' needs. We will continue manufacturing quality products, including a complete line of Lamps and Lighting Products, Fittings and Electrical Products and Recessed Downlighting and Fixtures, and adding new products and services in the future. Count on us to always provide what you need when you need it.

Topaz's Lamp Catalog for 2006 features a new look that reflects our ongoing commitment to providing you with *Friendly Service and Powerful Solutions* for your business. You'll find over 5,000 lamp SKUs in the six major lamp categories and a variety of hard-to-find items. This catalog has been developed as a reference tool to help you select Topaz products and to meet some of our people.

We're proud to be considered the "friendly company" so give us a call, become a customer... become our friend.



Tim Gomes
President



Russ Gomes
Executive Vice President

THE **TOPAZ** STORY

History of Topaz

Topaz Lighting was founded in 1985 to fill a need in the electrical distribution industry. It was our intention to manufacture quality products, offer an extensive inventory and to provide superior customer service with a smile – all within the core objective of supporting and protecting distributor relationships with their customers.


With just three employees, Topaz started as an importer and master distributor of light bulbs and ballasts in the US. The Topaz name quickly gained a reputation for quality and on-time delivery in the industry so the company's growth and development as a manufacturer was accelerated.

We began operations at our headquarters in Holtsville, NY and opened our first warehouse in 1986. In 1992, we opened our electrical division when Topaz Electrical was created as a supplier to distributors of conduit fittings and electrical construction materials. In 1993, Topaz bought Heyco Electric Products Corporation, considerably enlarging our product line and customer base, as well as our manufacturing capabilities.

To provide better customer service to our west coast customers, we opened our West Coast office in San Fernando, CA in 2001.

Today, Topaz employs over 150 professionals and support staff nationally. We operate out of 17 warehouses in the US to provide our customers with an extensive selection of quality lamps, fittings and downlighting products. Now, more than ever, we are committed to meeting our founding goals and to provide you with the lamps and lighting products you need when you need them.

2006 marks the year that Topaz takes another leap forward with a new look to our brand and an even greater commitment to do what we do best – manufacture quality products, support and protect your customer relationships, supply you with extensive inventory, and to provide you with *Friendly Service and Powerful Solutions*.



Mission

"Topaz is a quality manufacturer that provides the electrical distribution industry with the ability to exceed their customer's needs. Through our quality products, extensive inventory and superior customer service we build lasting relationships...helping you do your job better."

Topaz Customer Commitments

To ensure the ongoing delivery of high-level service, and to provide you with added-value services that will help you generate more business with your customers, we developed Topaz Customer Commitments.



PartnerPledge ensures that we support you with neutral packaging. Unlike virtually all of our competitors, Topaz will not sell any Lamps and Lighting Products or Recessed Downlighting and Fixtures with the Topaz name to your customer or your customer's customer!



We are well known for the depth and breadth of our inventory. *FullFill* reflects our promise to you that we can fill over 99% of the orders we receive from existing inventory.



Just give us your order by 4 PM and in most cases, we will get your order out before 5 PM on the same day.



Industry Knowledge You Can Rely On

With over 20 years of manufacturing experience throughout the world, Topaz has built a wealth of industry knowledge and developed a leadership position that you can rely on to help you meet your customers' needs and build your business. If you or your customer are faced with industry or product related challenges, or if there is anything in the industry that you need to learn about, you can contact us at Topaz and leverage our knowledge, expertise, people and resources for the solution that will work best for you and your customer.

In addition, we constantly build on our expertise by developing and designing new products that will help make life easier for your customers, and as a result, generate greater revenues for you. For example, we are currently joining composites (kitting) to develop new products that will feature easier usage in several lighting applications. In effect, we are constantly building our industry knowledge through direct experience and we want to share our knowledge with you so you in turn can build better relationships with your customers.

Topaz Keeps Up With the Latest Industry Trends So You Do Too

Topaz keeps abreast of the latest trends in the industry so that we are prepared to support your effort in staying ahead of the changing needs of your customers. For example, two recent trends point to developments in LEDs and their lesser-known cousin OLEDs.

LEDs continue to grow in popularity due to their extended life, brighter, cooler light and more efficient energy use than incandescent or fluorescent lamps. In time, if manufacturers, including Topaz, can produce LEDs for a low cost, LEDs may become the future of lighting.

However, a recent development that bears watching is the use of OLEDs in sheet form. Recently, scientists have adapted a technology – organic LEDs or OLEDs – now used for mobile phone display screens that they say could be an efficient and flexible source of indoor lighting. OLED-based lighting burns little energy and can take almost any shape because it is so thin. OLEDs can be made into light bulbs, flat panels, wrapped around corners, etc. It can even be turned into a window allowing light into the room during the day when it's off, and lighting both the inside and outside of the window at night when it's on. It's new and not yet available to manufacturers but it's an example of how Topaz stays informed to develop new products that will help you.

Business with a Smile

Regardless of the business situation, all of us at Topaz like to approach our day with a smile. We enjoy working with our customers and we enjoy working for Topaz. As a result, we believe that a friendly approach allows us to find better solutions for our customers.

Not surprisingly, we enjoy sharing a good joke with our customers. We hope you find this catalog an extension of the camaraderie that we share with them on a daily basis.

If you think or hear of a good one, send it to us through our website at www.topaz-usa.com. If it's chosen to appear on our web site, we'll include your name with the joke and give you a great reward!





TOPAZ™

Friendly Service...Powerful Solutions

The California Story



THE **CALIFORNIA** STORY

Providing the West with Better Service

Topaz Lighting's California location opened in 2001 to better serve our customers from the Western states with shorter lead times and extended hours. We have grown rapidly and now provide lighting products to over 700 distribution customers throughout the West.

Located in San Fernando, California 50 miles north of the busiest port in the US, Port of Los Angeles/Long Beach, we serve as a strategic point to consolidate and distribute our CXL branded products from our factories worldwide.

Our 20,000 square foot warehouse is stocked from floor to ceiling on 20-ft high racks with lamps, ballasts, and recessed downlighting so that we can offer the same great service to our Western Regional customers.

California is frequently first in passing legislation on energy conservation and environmental issues. Very often the rest of the country follows suit. We make sure our Topaz CXL products conform to the most stringent standards and you as a customer can be sure that the lighting products

you are buying from us are the most energy efficient and environmentally friendly products in the market.

We offer all the same great conveniences that our New York location offers, fully stocked inventory of over 5,000 items in CXL and major brands. We pride ourselves on same day shipping, and friendly, knowledgeable inside sales staff, as well as a team of outside sales agents to offer face to face service and support directly to our customers.

In addition, we offer our CXL brand of commercial grade lighting fixtures with an assembly team on staff for quick custom turnaround of HID and Compact Fluorescent fixtures.

Our Los Angeles location is managed by Carol Aronson VP/COO and Marchell Peterson, Sales Manager with over 20 years and 10 years experience respectively in the Lighting Industry. Our sales and support staff have an additional 20 plus years in industry/distribution experience.

True to the Topaz philosophy our door is always open and we welcome any inquiries, comments, jokes and of course compliments you may wish to send our way!

Carol Aronson

**Topaz Lighting Corp.
225 Parkside Drive
San Fernando, CA 91340**

Phone: (888)-551-2852

Ext. 225

Email: Carol@topaz-usa.com



The California Story

**TOPAZ™***Friendly Service...Powerful Solutions***Products You Need**

THE PRODUCTS YOU NEED WHEN YOU NEED THEM

Our network of 17 warehouses is strategically located in order to provide our customers with the products they need when they need them.

With over 110,000 square feet of space containing over 5,000 lamp and lighting products nationally, we pride ourselves in maintaining an inventory that virtually guarantees that we will always have the products needed by our customers in stock.

We are well known for the depth and breadth of our inventory, and **FullFill™** reflects our commitment that we can fill over 99% of the orders we receive from existing inventory.

In connection with **FullFill™**, our Topaz Customer Commitment of **In By 4 Out By 5™** means that if you place your order by 4 PM, in most cases we will get your order out before 5 PM on the same day.

Plus, we have our own fleet of ten trucks to ensure that our products are always where they need to be for our customers.

New York Office:

Topaz Lighting Corp.

**925 Waverly Avenue
Holtsville, NY 11742**

Phone: (800)-666-BULB
(631)-758-5507
Fax: (631)-758-8026

California Office:

Topaz Lighting Corp.

**225 Parkside Drive
San Fernando, CA 91340**

Phone: (888)-551-BULB
(818)-838-3123
Fax: (818)-838-3102

Florida Office:

Topaz Lighting Corp.

**2020 West 26th Street
Jacksonville, FL 32209**

Phone: (800)-338-2852
Fax: (772)-778-5386

**Email: sales@topaz-usa.com
www.topaz-usa.com**





Products You Need

**TOPAZ™***Friendly Service...Powerful Solutions*

LAMP REFERENCE GUIDE



To help you select the Topaz lamps and lighting products you need, the following reference guide shows you a number of popular bulb shapes and bases from which you can choose.

Compact Fluorescent

Pages 19–30

Bases


- Integral Starter for Magnetic Ballasts
- Electronic or Dimming Operation
- Temperature Scale



Linear Fluorescent


Pages 31–44

Bases



Bulb Shapes


- Preheat/ Rapid Start
- High Output/ Very High Output
- Instant Start




Halogen

Pages 45–62

Bases



Bulb Shapes






**VISIT OUR
NEW WEBSITE
WWW.TOPAZ-USA.COM**


Incandescent

Pages 63-80

Bases




Bulb Shapes




HID

Pages 81-92

Bases




Bulb Shapes




Other Lamp Types

Pages 93-96

Bases



Bulb Shapes





LAMP ENERGY AND COMPARISON GUIDE

Topaz is concerned with the cost of energy and the rate in which energy is being consumed. To help you serve your customers better, we have included the Lighting Comparison Chart below, which shows the energy consumption for different types of lighting. This chart will help you point out how your customers can save in operating costs and increase profit margins by using more efficient types of lighting based on their needs.

To help your customers, it is important to note that energy consumption for lamps is rated by efficacy. Efficacy is the ratio of light produced to energy consumed. It's measured as the number of lumens produced divided by the rate of electricity consumption (lumens per watt).

This chart shows the efficacy of different types of lighting, as well as other points of comparison.

Lighting Comparison Chart

LIGHTING TYPE	EFFICACY (LUMENS/WATT)	LIFETIME (HOURS)	COLOR RENDITION INDEX (CRI)	COLOR TEMPERATURE (K)	INDOORS/OUTDOORS
INCANDESCENT					
STANDARD "A" BULB	10-17	750-2500	98-100 (EXCELLENT)	2700-2800 (WARM)	INDOORS/OUTDOORS
TUNGSTEN HALOGEN	12-22	2000-4000	98-100 (EXCELLENT)	2900-3200 (WARM TO NEUTRAL)	INDOORS/OUTDOORS
REFLECTOR	12-19	2000-3000	98-100 (EXCELLENT)	2800 (WARM)	INDOORS/OUTDOORS
FLUORESCENT					
STRAIGHT TUBE	30-110	7000-24,000	50-90 (FAIR TO GOOD)	2700-6500 (WARM TO COOL)	INDOORS/OUTDOORS
COMPACT FLUORESCENT LAMP (CFL)	50-70	10,000	65-88 (GOOD)	2700-6500 (WARM TO COOL)	INDOORS/OUTDOORS
CIRCLINE	40-50	12,000	52-80 (FAIR TO GOOD)	3000-6500 (WARM TO COOL)	INDOORS
HIGH-INTENSITY DISCHARGE					
MERCURY VAPOR	25-60	16,000-24,000	50 (POOR TO FAIR)	3200-7000 (WARM TO COOL)	OUTDOORS
METAL HALIDE	70-115	5000-20,000	70 (FAIR)	3700 (COOL)	INDOORS/OUTDOORS
HIGH-PRESSURE SODIUM	50-140	16,000-24,000	25 (POOR)	2100 (WARM)	OUTDOORS
LOW-PRESSURE SODIUM	60-150	12,000-18,000	-44 (VERY POOR)		OUTDOORS

BASED ON U.S. DEPARTMENT OF ENERGY INFORMATION



Lamp Reference Guide



TOPAZ

PRODUCT LINES

Fittings and Electrical Products

G4L **GUARANTEED FOR LIFE**

In addition to Lamps and Lighting Products, Topaz is a manufacturer of

Fittings and Electrical Products for distributors. We offer a broad range of products for every application including conduit, connectors, couplings, tubular products, flexible cord, nylon products, grounding, wire accessories, box accessories, fixture accessories, hanging and support devices, and much more.

Topaz is well known among electrical distributors and construction contractors for the quality of its products, its superior customer service and the added value our customers receive. Topaz is also becoming a major supplier for architects and engineers who specify products for use in a variety of applications.

Our Topaz Customer Commitment to our Fittings and Electrical Products customers is **Guaranteed-4-Life**. That's right. If any of our Fittings and Electrical Products fail at any time during the life of the product we will replace it absolutely free. Please ask your sales representative for details.

For more information about Topaz Fittings and Electrical Products, please contact:

Carl Budrewicz

Vice President

Electrical Fittings and Supplies

Topaz Electric

925 Waverly Avenue

Holtsville, NY 11742

Phone: (800)-666-2852 ext. 228

Office: (631)-758-5507

Fax: (800)-333-3488

Email: Carl@topaz-usa.com

Dick Bischof

Vice President

Electrical Fittings and Supplies

Topaz Electric

925 Waverly Avenue

Holtsville, NY 11742

Office: (908)-719-0957

Fax: (908)-719-0958

Email: BischofR@aol.com

Recessed Downlighting and Fixtures

Topaz Recessed Downlighting and Fixtures completes the third prong of our major product offering categories.



As a manufacturer, we offer you a complete line of Downlighting products including recessed dual-purpose cans, trims, recessed cans for sloped ceilings, trims, low voltage recessed cans, mini trims, electronic transformers, downlighting for compact fluorescent lamps and a great deal more.

Topaz is considered a leader in the production of first-rate Recessed Downlighting and Fixtures for a wide range of applications in the commercial, industrial, institutional, and consumer markets. Our fixtures are made with the highest quality materials available to ensure years of operational reliability.

In addition, through our **PartnerPledge™** Customer Commitment, we support you with neutral packaging. Unlike virtually all of our competitors, Topaz will not sell any Recessed Downlighting and Fixtures with the Topaz name to your customer or your customer's customer!

For more information about Topaz Recessed Downlighting and Fixtures, please contact:

James H. McLaughlin

Lighting Sales Manager

Topaz Lighting Corp.

925 Waverly Avenue

Holtsville, NY 11742

Phone: (800)-666-BULB x 223

(631)-758-5507

Fax: (631)-758-8026

Email: James@topaz-usa.com

Topaz Product Lines



**TOPAZ™***Friendly Service...Powerful Solutions***New Topaz Website**

INTRODUCING THE NEW **TOPAZ** WEBSITE

We have a new website to provide you with more online services and to reflect our new look.

We invite you to visit us at www.topaz-usa.com to find:

- Topaz Product Information
- Information about Topaz – the Company and its People
- Topaz Catalogs
- Topaz Contact Information for all our products and divisions
- How to Become a Topaz Customer
- Topaz Customer Service Information

The new Topaz website is now available but certain sections will be under construction for a period of time. When completed, you will be able to:

- Access your orders and review their status online, including customer order history and order status.
- See New Products
- Learn about Special New Deals
- Learn about Employment Opportunities.
- Access Find-A-Part
- Access Compare-A-Part
- Learn about Industry News
- See the Topaz Newsletter
- Find a Topaz Representative
- Enjoy a surprise or two

Visit us soon at
www.topaz-usa.com



**Call and
request all of
our catalogs or
download them
from our new
website.**

**RECESSED
DOWNLIGHTING****ENERGY-SAVING
COMPACT FLUORESCENT****ELECTRICAL
FITTINGS &
SUPPLIES****EMERGENCY LIGHTING
& EXIT SIGNS****TOPAZ™**
Friendly Service...Powerful Solutions

COMPACT FLUORESCENT





Self Ballasted

**Exciting next generation replacements
for incandescent lamps**

- Medium (E26) Base
- 2700K, 3000K, 3500K, 4100K, 5000K or 6500K
- 6000 to 10,000 Hours

2U

Item	Watts	Incand Equiv	Lumens	MOL	Pkg
CF5/2U	5	20	180	4.4	50
CF7/2U	7	30	250	4.8	50
CF9/2U	9	40	440	5.2	50
CF11/2U	11	50	560	5.6	50



3U and 4U

Item	Watts	Incand Equiv	Lumens	MOL	Pkg
CF15/3U	15	60	900	5.70	50
CF20/3U	20	75	1200	6.10	50
CF23/3U	23	90	1500	6.30	50
CF25/3U	25	100	1700	6.70	50
CF14/4U	14	60	920	4.75	20
CF19/4U	19	65	1150	5.12	20
CF23/4U	23	90	1450	5.87	20
CF27/4U	27	100	1600	6.50	20
CF45/4U	45	200	2700	8.50	20
CF65/4U/E26	65	250	4200	12.60	20
CF65/4U/E39	65	250	4200	12.60	20



Mini-Spiral

Item	Watts	Incand Equiv	Lumens	MOL	Pkg
CF7/MS	7	30	250	4.20	10/50
CF9/MS	9	35	440	4.30	10/50
CF11/MS	11	40	560	4.60	10/50
CF13/MS	13	50	700	4.80	10/50
CF15/MS	15	60	900	4.90	10/50
CF20/MS	20	80	1200	5.10	10/50
CF23/MS	23	100	1380	5.40	10/50
CF27/MS	27	110	1650	5.60	10/50
CF30/MS	30	120	1910	5.80	10/50

Compact Fluorescent

**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**

New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**



**VISIT OUR
NEW WEBSITE
WWW.TOPAZ-USA.COM**

THE FACES OF TOPAZ



**Annmarie
Gagliardi-Lopez**
Chief Financial Officer

*I love to come to work
EVERY day; enjoy the
people I work with and the
fun we have doing our job.
It's almost as much fun as
the time I spend with family
and friends.*

**TOPAZ™***Friendly Service...Powerful Solutions***Compact Fluorescent*****Spiral***

Item	Watts	Incand Equiv	Lumens	MOL	Pkg
CF15/S	15	60	945	5.20	10/50
CF20/S	20	75	1260	5.40	10/50
CF23/S	23	90	1450	5.60	10/50
CF26/S	26	100	1740	5.80	10/50
CF32/S	32	125	2200	6.10	10/50

***3-Way and Bug Light***

Item	Watts	Incand Equiv	MOL	Pkg
CF13/20/25/S	13/20/25	30/70/100	5.60	10/50
CF11/S/BUG	11	40	5.40	10/50
CF15/S/BUG	15	60	5.50	10/50



Tubular

Item	Watts	Incand Equiv	Lumens	MOL	Pkg
CF15/T19	15	60	810	5.50	10
CF20/T19	20	75	1200	6.20	10
CF28/T22	28	100	1680	6.60	10

**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**

New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**



**VISIT OUR
NEW WEBSITE**
WWW.TOPAZ-USA.COM



A-Shape

Item	Watts	Incand Equiv	Lumens	MOL	Pkg
CF13/A19	13	60	825	4.80	10
CF15/A21	15	60	880	5.50	10
CF19/A21	19	75	1200	5.50	10
CF23/A21	23	90	1480	5.50	10



We support you with neutral packaging. Topaz will not sell any Lamps and Lighting Products or Recessed Downlighting and Fixtures with the Topaz name to your customer or your customer's customer!



Globe

Item	Watts	Incand Equiv	Lumens	MOL	Pkg
CF8G25	8	25	380	4.5	10/20
CF10G25	10	40	500	4.8	10/20
CF15G30	15	60	800	5.2	10/20
CF20G40	20	75	1070	6.3	10/20
CF25G30	25	100	1200	5.2	10/20



Candle Shape

Item	Watts	Incand Equiv	Base	Lumens	MOL	Pkg
CF3/CTW	3	15	CAND (E12)	170	4.6	10/20
CF5/CTW	5	20	CAND (E12)	220	4.8	10/20
CF7/CTW	7	25	CAND (E12)	340	5.0	10/20
CF7/ETW	7	25	MED (E26)	340	5.0	10/20
CF9/CTW	9	40	CAND (E12)	470	5.2	10/20
CF9/ETW	9	40	MED (E26)	470	5.2	10/20
CF11/CTW	11	50	CAND (E12)	590	5.4	10/20
CF11/ETW	11	50	MED (E26)	590	5.4	10/20



Reflector

Item	Watts	Incand Equiv	Lumens	MOL	Pkg
CF11/R20	11	40	380	4.6	10/20
CF15/R30	15	65	520	4.9	10/20
CF20/R40	20	85	850	5.8	10/20
CF20/PAR38	20	85	840	6.2	10/20
CF23/R40	23	100	1070	5.8	10/20

Compact Fluorescent

**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**

New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**



**VISIT OUR
NEW WEBSITE
WWW.TOPAZ-USA.COM**

THE FACES OF TOPAZ



Kirk Norman
Purchasing Manager


*Topaz is the best company
I have ever worked for. I
am excited to see what the
future holds for Topaz as we
continue to grow.*

Plug-In

PL

- Preheat 2-Pin and Instant-Start (4-Pin) Operation
- Twin Tube Design
- 2700K, 3000K, 3500K, 4100K, 5000K or 6500K
- 10,000 Hours

Item	Watts	Base	Lumens	MOL	Pkg
PL5	5	G23	260	4.2	50
PL7	7	G23	425	5.2	50
PL9	9	G23	610	6.5	50
PL11	11	G23	720	6.8	50
PL13	13	GX23	820	7.1	50
PL5/E	5	2G7	230	3.4	50
PL7/E	7	2G7	400	4.5	50
PL9/E	9	2G7	580	5.7	50
PL13/E	13	2G7	800	6.2	50





PLC

- Preheat (2-Pin) and Instant-Start (4-Pin) Operation
- Quad Tube Design
- 2700K, 3000K, 3500K, 4100K, 5000K or 6500K
- 10,000 Hours

Item	Watts	Base	Lumens	MOL	Pkg
2 PINS					
PLC9	9	G23-2	525	4.3	50
PLC13	13	GX23-2	780	4.6	50
PLC18	18	G24D-2	1150	6.0	50
PLC26	26	G24D-3	1710	6.8	50
PLC22/15mm	22	GX32d-2	1190	6.0	50
PLC28/15mm	28	GX32d-3	1610	6.8	50
4 PINS					
PLC13/E	13	G24Q-1	900	5.2	50
PLC18/E	18	G24Q-2	1150	5.8	50
PLC26/E	26	G24Q-3	1710	6.5	50

FullFill™

We are well known for the depth and breadth of our inventory. Our promise to you is that we can fill over 99% of the orders we receive from existing inventory.



PLT


- Preheat (2-Pin) and Instant-Start (4-Pin) Operation
- Triple Tube Design
- 2700K, 3000K, 3500K, 4100K, 5000K or 6500K
- 12,000 Hours

Item	Watts	Base	Lumens	MOL	Pkg
PLT18	18	GX24D-2	1200	4.80	50
PLT26	26	GX24D-3	1800	5.40	50
PLT18/E	18	GX24Q-2	1200	4.40	50
PLT26/E	26	GX24Q-3	1800	5.00	50
PLT32/E	32	GX24Q-3	2400	5.60	50
PLT42/E	42	GX24Q-4	3200	6.50	50
PLT57/E	57	GX24Q-5	4300	7.75	50
PLT70/E	70	GX24Q-6	5200	9.20	50

**JOKE
OF THE DAY!**

For the Topaz "Light Bulb Joke of the Day" just visit our website at www.topaz-usa.com

If you think or hear of a good one, send it to us through our website. If it's chosen to appear in the web site, we'll include your name with the joke and give you a great reward!



PLL

- Long Twin Tube Design
- 4-Pin Base
- 2700K, 3000K, 3500K, 4100K, 5000K or 6500K
- 12,000 Hours

Item	Watts	Base	Lumens	MOL	Pkg
PLL18	18	2G11	1250	10.5	50
PLL24	24	2G11	1800	12.9	50
PLL36	36	2G11	2900	16.6	50
PLL40	40	2G11	3150	22.6	50
PLL55	50	2G11	4800	21.1	50

**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**


New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**

THE FACES OF TOPAZ



Kristen Willig
Customer Service

Topaz is a very fun place to work. There's always something going on and management is very caring. Talking to customers makes the day go by faster; they always have such interesting stories to tell.

***"Pretzel" Shape***

- 4-Pin Base
- 2700K or 3500K
- 10,000 Hours

Item	Watts	Base	Lumens	MOL	Pkg
F102D/4P	10	GR10Q4	650	3.6	20
F162D/4P	16	GR10Q4	1050	5.5	20
F212D/4P	21	GR10Q4	1350	5.5	20
F282D/4P	28	GR10Q4	2050	8.1	20
F382D/4P	38	GR10Q4	2850	8.1	20
F552D/4P	55	GR10Q4	4000	8.1	20

***FUL***

- 4-Pin Base
- BL or BLB
- 3000K or 4000K

***PLF***

- Flat Tube Design
- 4-Pin Base
- 3000K or 4100K
- 10,000 Hours

Item	Watts	MOL	Pkg
FUL8T6	8	6.00	50
FUL12T6	12	6.25	50
FUL14T6	14	7.75	50
FUL15T6	15	7.75	50
FUL18T6	18	8.90	50
FUL40T8	40	12.20	50
FUL40T10	40	12.20	50

Item	Watts	Base	Lumens	MOL	Pkg
PLF24DF	24	2G10	1700	6.7	10
PLF36DF	36	2G10	2800	8.5	10

LINEAR FLUORESCENT





T2 Miniature

- Axial Base
- 80 CRI
- 3000K, 3500K or 4100K
- 10,000 Hours

Item	Watts	Nom Length	Lumens	Pkg
FM6	6	8.6"	330	20
FM8	8	12.6"	540	20
FM11	11	16.6"	750	20
FM13	13	20.6"	960	20



T5 Preheat

- Cool White, Warm White or Daylight
- Mini-Bipin Base
- 5,000 Hours


Item	Watts	Nom Length	Lumens	Pkg
F4T5	4	6"	135	25
F6T5	6	9"	295	25
F8T5	8	12"	320	25
F13T5	13	21"	850	25



T5 High Efficiency

- Instant-Start Operation for use with Electronic Ballasts
- Mini-Bipin Base
- 82 CRI
- 3000K, 3500K, 4100K, 5000K or 6500K
- 20,000 Hours

Item	Watts	Nom Length	Lumens	Pkg
F14T5	14	2'	1350	40
F21T5	21	3'	2100	40
F28T5	28	4'	2900	40
F35T5	35	5'	3650	40
F24T5/HO	24	2'	1880	40
F39T5/HO	39	3'	3290	40
F54T5/HO	54	4'	4700	40
F80T5/HO	80	5'	6580	40



T5 Circline - Instant-Start

- Instant-Start Operation for use with Electronic Ballasts
- 2GX13 Base
- 82 CRI
- 3000K, 3500K or 4100K
- 12,000 Hours

Item	Watts	Diameter	Lumens	Pkg
FC22T5	22	9"	1800	10
FC40T5	40	12"	3200	10
FC55T5	55	12"	4000	10

**T6 Slimline Instant-Start**

- Instant-Start Operation
- Single-Pin Base (Fa8)
- Cool White or Warm White
- 7,500 Hours

Item	Watts	Nom Length	Lumens	Pkg
F42T6	25	42"	1840	12
F64T6	38	64"	2920	12

**T8 Slimline Instant-Start**

- Instant-Start Operation
- Single-Pin Base (Fa8)
- Cool White, Warm White or Daylight
- 7,500 Hours

Item	Watts	Nom Length	Lumens	Pkg
F72T8	35	72"	3000	24
F96T8	51	96"	4000	24

**T8 Polylux**

- Medium-BiPin (G13) Base
- 3500K or 4000K
- 85 CRI

Item	Watts	Nom Length	Lumens	Pkg
F70T8	70	72"	6400	25

T8 Tri-Phosphor Instant-Start


- Instant-Start Operation for use with Electronic Ballasts
- "ECO" TCLP-Compliant
- 3000K, 3500K, 4100K, 5000K or 6500K
- 20,000 Hours Standard; 24,000 Hours "XL"

Item	Watts	Base	Nom Length	Lumens	Pkg
F17T8/75CRI	17	MED BIPIN	2'	1300	30
F17T8/85CRI	17	MED BIPIN	2'	1360	30
F17T8/85CRI/XL	17	MED BIPIN	2'	1340	30
F25T8/75CRI	25	MED BIPIN	3'	1940	30
F25T8/85CRI	25	MED BIPIN	3'	2130	30
F25T8/85CRI/XL	25	MED BIPIN	3'	2170	30
F28T8/85CRI/XL	28	MED BIPIN	4'	2700	30
F30T8/85CRI/XL	30	MED BIPIN	4'	2850	30
F32T8/75CRI	32	MED BIPIN	4'	2775	30
F32T8/85CRI	32	MED BIPIN	4'	2950	30
F32T8/85CRI/XL	32	MED BIPIN	4'	3000	30
F40T8/75CRI	40	MED BIPIN	5'	3400	30
F40T8/85CRI	40	MED BIPIN	5'	3600	30
F40T8/85CRI/XL	40	MED BIPIN	5'	3700	30
F96T8/75CRI	59	SINLGE PIN	8'	5610	24
F96T8/85CRI	59	SINLGE PIN	8'	5850	24
F96T8/85CRI/XL	59	SINLGE PIN	8'	6110	24
F48T8/85CRI/HO	44	RDC	4'	3560	24
F60T8/85CRI/HO	55	RDC	5'	4870	24
F72T8/85CRI/HO	65	RDC	6'	5255	24
F96T8/75CRI/HO	86	RDC	8'	7800	24
F96T8/85CRI/HO	86	RDC	8'	8200	24

**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**


New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**



T8 U-Shape

- 1-5/8" Leg Spacing
- Instant Start Operation for use with Electronic Ballasts
- 3000K, 3500K or 4100K
- 85 CRI
- 20,000 Hours Standard; 24,000 Hours "XL"

Item	Watts	Nom Length	Lumens	Pkg
FB16T8	16	10.5"	1100	15
FB24T8	24	16.5"	1910	15
FB31T8	31	22.5"	2700	15
FB31T8/XL	31	22.5"	2775	15



- 6" Leg Spacing
- Instant Start Operation for use with Electronic Ballasts
- 3000K, 3500K, 4100K, 5000K or 6500K
- 20,000 Hours Standard; 24,000 Hours "XL"
- Nominal Length 22.6"

Item	Watts	Lumens	Pkg
FB30T8/85CRI/XL	30	2800	15
FB32T8/75CRI	32	2700	15
FB32T8/85CRI	32	2800	15
FB32T8/85CRI/XL	32	2900	15



T9 Circline - Preheat

- Cool White, Warm White or Daylight
- 4-Pin Base
- 12,000 Hours

Item	Watts	Diameter	Lumens	Pkg
FC6T9	20	6"	760	12
FC8T9	22	8"	1080	12
FC12T9	32	12"	1910	12
FC16T9	40	16"	2775	12



T10 High Performance

- Rapid-Start Operation
- Higher Lumens
- High CRI
- 3000K, 3500, 4100K or 5000K
- Longer Life 24,000 Hours

Item	Watts	Nom Length	Lumens	Pkg
F40T10	40	4'	3575	30



T12 Bipin Preheat

- Preheat Operation requires use of a Starter
- Medium Bipin Base
- Cool White, Warm White, Daylight, 3000K, 3500K, 4100K, 5000K or 6500K

Item	Watts	Nom Length	Pkg
F14T12	14	15"	30
F15T12	15	18"	30
F20T12	20	24"	30



T12 Bipin Rapid Start

- Rapid Start operation on Magnetic Ballast
- Medium Bipin Base
- Cool White, Warm White, Daylight, 3000K, 3500K, 4100K, 5000K or 6500K in various CRI

FullFill™

We are well known for the depth and breadth of our inventory. Our promise to you is that we can fill over 99% of the orders we receive from existing inventory.

Item	Watts	Nom Length	Hours	Pkg
F30T12	30	3'	20,000	30
F34T12	34	4'	20,000	30
F40T12	40	4'	20,000	30
F40T12/XL	40	4'	24,000	30



T12 Instant Start Slimline

- Single Pin Base
- Instant Start operation for use with Magnetic Ballasts
- Cool White, Warm White, Daylight, 3000K, 3500K, 4100K, 5000K or 6500K in various CRI

Item	Watts	Nom Length	Hours	Pkg
F24T12	20	24"	7500	30
F36T12	30	36"	7500	30
F42T12	35	42"	7500	30
F48T12/ES	30	48"	9000	30
F48T12	40	48"	9000	30
F60T12	50	60"	12,000	15
F64T12	52	64"	12,000	15
F72T12	55	72"	12,000	15
F84T12	65	84"	12,000	15
F96T12/ES	60	96"	12,000	15
F96T12	75	96"	12,000	15

THE FACES OF TOPAZ



John Pyatt

*Director of Operations/
Warehouse Manager*

Topaz is a great place to work !!! We have a wonderful work environment, most of us who work here have been here for years... I have been here since 1988 and each year gets better and better.

**T12 High Output**

- 800 ma
- Rapid Start Operation for use with Magnetic Ballast
- Recessed Double-Contact (RDC) Base
- Cool White, Warm White, Daylight, 3000K, 3500K, 4100K, 5000K or 6500K in various CRI
- Low Temp Start versions available

Item	Watts	Nom Length	Hours	Pkg
F18T12/HO	25	18"	9000	24
F24T12/HO	35	24"	9000	24
F30T12/HO	40	30"	9000	24
F36T12/HO	45	36"	9000	24
F42T12/HO	55	42"	9000	24
F48T12/HO	60	48"	12,000	24
F60T12/HO	75	60"	12,000	15
F64T12/HO	80	64"	12,000	15
F72T12/HO	85	72"	12,000	15
F96T12/HO/ES	95	96"	12,000	15
F96T12/HO/O	110	96"	12,000	15
F96T12/HO	110	96"	12,000	15

**T12 Very High Output**

- 1500 ma
- Rapid Start Operation for use with Magnetic Ballast
- Recessed Double-Contact (RDC) Base
- Cool White, Warm White, Daylight, 3000K, 3500K, 4100K, 5000K or 6500K in various CRI


Item	Watts	Nom Length	Hours	Pkg
F18T12/VHO	110	48"	10,000	15
F60T12/VHO	110	60"	10,000	15
F72T12/VHO	165	72"	10,000	15
F96T12/VHO/ES	185	96"	10,000	15
F96T12/VHO	215	96"	10,000	15



T12 U3 Shape

- 3" Leg Spacing
- Rapid Start Operation for use with Magnetic Ballasts
- Cool White, Warm White, Daylight, 3000K, 3500K or 4100K in various CRI
- Nominal Length 22.5"

Item	Watts	Hours	Pkg
FB34/U3	34	14,000	12
FB40/U3	40	14,000	12



T12 U6 Shape

- 6" Leg Spacing
- Rapid Start Operation for use with Magnetic Ballasts
- Cool White, Warm White, Daylight, Lite White, 3000K, 3500K, 4100K, 5000K or 6500K in various CRI
- Nominal Length 22.5"

Item	Watts	Hours	Pkg
FB34/U6	34	14,000	12
FB40/U6	40	14,000	12

**JOKE
OF THE DAY!**

Not surprisingly, we enjoy sharing a good joke with our customers. For the Topaz "Light Bulb Joke of the Day" just visit our website at www.topaz-usa.com

If you think or hear of a good one, send it to us through our website. If it's chosen to appear in the web site, we'll include your name with the joke and give you a great reward!



Appliance

- Preheat Operation requires Starter
- Cool White, Warm White or Daylight
- Medium Bipin Base
- Common usages include: Vending Machines, Showcases, Bathroom Fixtures, and Freezers

Item	Watts	Nom Length	Bulb	Hours	Pkg
F/A18T8/24	18	24"	T8	7500	24
F/A18T8/26	18	26"	T8	7500	24
F/A18T8/28	18	28"	T8	7500	24
F/A18T8/30	18	30"	T8	7500	24
F/A25T12/28	25	28"	T12	7500	24
F/A25T12/30	25	30"	T12	7500	24
F/A25T12/33	25	33"	T12	7500	24



Sign High Output

- Outdoor Lighting for Billboards
- Cool White or Daylight
- Recessed Double-Contact (RDC) Base

Item	Watts	Nom Length	Lumens	Hours	Pkg
F108T12/HO	124	108"	8750	12,000	12
F117T12/HO	132	117"	9600	12,000	12
F120T12/HO	135	120"	9830	12,000	12



Grow and Aquarium

- Wide (WS) and Narrow Spectrums available
- Common applications include: Plant Grow and Aquarium

Item	Watts	Nom Length	Lumens	Hours	Pkg
F15T8GRO	15	18"	500	7500	24
F20T12GRO	20	24"	750	9000	24
F30T8GRO	30	36"	1300	7500	24
F30T12GRO	30	36"	1570	18,000	24
F032T8GRO	32	48"	1660	20,000	30
F40T12GRO	40	48"	1875	20,000	30
F96T12GRO	75	96"	3600	12,000	15
F96T12HO/GRO	110	96"	5200	12,000	15
F96T12VHO/GRO	215	96"	8500	10,000	15



BL

Blacklight (BL) and Blacklight Blue (BLB)

- Provides Special Lighting Effects for a Variety of Industries
- In addition BLB Filters out Visible Light Highlighting the Lighter Colors

Item	Watts	Nom Length	Hours	Pkg
F4T5	4	6"	6000	10
F6T5	6	9"	7500	10
F8T5	8	12"	7500	10
F15T8	15	18"	7500	24
F20T12	20	24"	9000	24
F032T8	32	48"	20,000	24
F40T12	40	48"	20,000	30




BLB

**Colored**

- Blue, Green, Gold, Pink or Red
- Common Usages include: Carnivals, Restaurants, Clubs and Special Lighting Effects

Item	Watts	Nom Length	Pkg
F15T8/COLOR	15	18"	24
F20T12/COLOR	20	24"	24
F032T8/COLOR	32	48"	24
F40T12/COLOR	40	48"	24
F72T12/COLOR	65	72"	15
F96T12/COLOR	75	96"	15
F96T12/HO/COLOR	215	96"	15

**Full Spectrum**

- Excellent Color Rendering across the Kelvin Spectrum
Produces a more Natural, Pleasing Light
- 95 CRI
- 5700K

Item	Watts	Nom Length	Lumens	Hours	Pkg
FS-F20T12	20	24"	810	9000	24
FS-F30T12	30	36"	1470	18,000	24
FS-F032T8	32	48"	1980	20,000	30
FS-F40T12	40	48"	2200	20,000	30
FS-F72T12	85	72"	3360	12,000	15
FS-F96T12	75	96"	4280	12,000	15
FS-F96T12/HO	215	96"	6770	12,000	15
FS-FB032T8	32	U-Shape	2050	18,000	12
FS-FB40T12/6	40	U-Shape	2050	18,000	12

HALOGEN



PAR

PAR20

Energy saving bright, crisp white light. Superior optics for precise beam control, produces dramatic effects for accent and display lighting

- Medium (E26) Base
- FL, NFL, WFL, SP or NSP Beam Spread
- 120V or 130V
- 2 1/2" Diameter
- 2500 Hours

Item	Watts	Lumens	MOL	Pkg
35PAR20	35	360	3.25	15
50PAR20	50	550	3.25	15
75PAR20	75	740	3.25	15



PAR14

- 1.75" Diameter
- Ceramic neck
- 2500 Hours



Item	Watts	Lumens	MOL	Pkg
35PAR14	35	300	2.44	15
45PAR16	45	450	2.88	15
60PAR16	60	650	2.88	15
75PAR16	75	900	2.88	15

PAR16

- 2" Diameter
- 2500 Hours





PAR30

- Medium (E26) Base
- FL, NFL, WFL, SP or NSP Beam Spread
- 120V or 130V
- 3.75" Diameter
- 2500 Hours

Item	Watts	Lumens	MOL	Pkg
50PAR30	50	660	3.63	15
60PAR30	60	800	3.63	15
75PAR30	75	1050	3.63	15

Halogen

JOKE OF THE DAY!

For the Topaz "Light Bulb Joke of the Day" just visit our website at www.topaz-usa.com

If you think or hear of a good one, send it to us through our website. If it's chosen to appear in the web site, we'll include your name with the joke and give you a great reward!



PAR30/Long Neck

- Extended Neck Length
- Medium (E26) Base
- FL, NFL, WFL, SP or NSP Beam Spread
- 120V or 130V

Item	Watts	Lumens	MOL	Pkg
35PAR30/L	35	450	4.63	15
50PAR30/L	50	660	4.63	15
75PAR30/L	75	1130	4.63	15



PAR38

- 4.75" Diameter
- 120V or 130V
- FL, NFL, WFL, SP, or WSP Beam Spread
- Medium (E26) Base
- 2500 Hours

Item	Watts	Lumens	MOL	Pkg
45PAR38/H	45	560	5.30	15
50PAR38/H	50	650	5.30	15
60PAR38/H	60	850	5.30	15
75PAR38/H	75	1060	5.30	15
90PAR38/H	90	1310	5.30	15
100PAR38/H	100	1500	5.30	15
120PAR38/H	120	1800	5.30	15
250PAR38/H	250	3600	5.30	6



PAR38/3 Side-Prong

- 4.75" Diameter
- 120V
- FL or SP Beam Spreads
- Medium Side-Prong Base

Item	Watts	Lumens	MOL	Pkg
45PAR38/H/3	60	770	5.30	15
90PAR38/H/3	90	1310	5.30	15



PAR36 Screw Terminal

- 12V

Item	Watts	Base	Lumens	MOL	Pkg
36PAR36/H	36	SCREW TERMINAL	500	2.75	12
50PAR36/H	50	SCREW TERMINAL	700	2.75	12



PAR56/64 Quartz

- 120V or 130V

Item	Watts	Base	Lumens	MOL	Pkg
500PAR56/H	500	MOG END PRONG	8000	5.0	6
1000PAR64/H	1000	EXT MOG END PRONG	19,400	6.0	6

PAR Infrared

Advanced infrared technology improves efficiency, lumen output and life

- FL, NFL, WFL, SP, NSP or VNSP Beam Spread



PAR30 & PAR38

- 120V or 130V

Item	Watts	Base	Lumens	MOL	Pkg
45PAR30/IR	45	MED	680	3.30	15
50PAR30/IR	50	MED	900	3.30	15
45PAR38/IR	45	MED	800	5.30	15
50PAR38/IR	50	MED	850	5.30	15
55PAR38/IR	55	MED	850	5.30	15
60PAR38/IR	60	MED	1110	5.30	15
70PAR38/IR	70	MED	1260	5.30	15
80PAR38/IR	80	MED	1500	5.30	15
90PAR38/IR	90	MED	1470	5.30	15
100PAR38/IR	100	MED	2030	5.30	15

Halogen

**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**

New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**



**VISIT OUR
NEW WEBSITE
WWW.TOPAZ-USA.COM**

THE FACES OF TOPAZ



Nancy Edwards
Credit Manager

The reason I like working at Topaz is for the great working environment that Tim and Russ have created. What other company has kids running around, people swinging golf clubs all day and a plasma TV hanging from the wall?



Reflectors

Aluminum – AR111

- G53 Base
- 12V
- FL25, SP8 or SSP4 Beam Spread

Item	Watts	MOL	Pkg
35AR111	35	2.38	6
50AR111	50	2.38	6
75AR111	75	2.38	6
100AR111	100	2.38	6



BR30

- Medium (E26) Base
- 120V or 130V
- FL Beam Spread

Item	Watts	Lumens	MOL	Pkg
65BR3030/H	65	740	5.38	6

**AR70**

Aluminum – AL12, AL18 & AR70

Item	Watts	Base	Volts	MOL	Pkg
20AL12NSP6	20	BA15D	12	1.50	50
20AL12SP18	20	BA15D	12	1.50	50
20AL12FL34	20	BA15D	12	1.50	50
50AL18SP10	50	BA15D	12	2.50	50
50AL18WFL25	50	BA15D	12	2.50	50
20AR70SP	20	BA15D	12	1.94	10
20AR70FL	20	BA15D	12	1.94	10
50AR70SP	50	BA15D	12	1.94	10
50AR70FL	50	BA15D	12	1.94	10

**AL18****AL12**

Decorative

Halogen



A19

- 120V or 130V

Item	Watts	Base	Lumens	MOL	Pkg
42A19/H	42	MED	570	4.30	12
52A19/H	52	MED	770	4.30	12
72A19/H	42	MED	1150	4.30	12



BT15

- Medium (E26) Base
- 120V
- 3000 Hours

Item	Watts	MOL	Pkg
60BT15/CL	60	4.0	10
60BT15/SW	60	4.0	10
75BT15/SW	75	4.0	10
100BT15/SW	100	4.0	10
150BT15/SW	150	4.0	10



ETC



CTC

Chandelier

- Clear or Frosted Finish

Item	Watts	Base	Pkg
Q20CTC	20	CAND (E12)	25
Q35CTC	35	CAND (E12)	25
Q50CTC	50	CAND (E12)	25
Q20ETC	20	MED (E26)	25
Q35ETC	35	MED (E26)	25
Q50ETC	50	MED (E26)	25



T10

- Medium (E26) Base
- 120V or 130V
- Clear or Frosted Finish

Item	Watts	Pkg
Q35T10	35	15
Q50T10	50	15
Q75T10	75	15
Q100T10	100	15
Q150T10	150	15
Q250T10	250	15



Quartz

Single Ended – Mini-Can (E11)

- CC-8 Filament
- 120V or 130V
- Clear or Frosted Finish
- 2000 Hours
- T4 Bulb Type

Item	Watts	Lumens	MOL	Pkg
Q20MC	20	260	2.3	10/20
Q35MC	35	410	2.3	10/20
Q50MC	50	740	2.3	10/20
Q75MC	75	1200	2.7	10/20
Q100MC	100	1625	2.7	10/20
Q150MC	150	2270	2.8	10/20
Q250MC	250	4400	3.2	10/20
Q400MC	400	6700	3.8	10/20
Q500MC	500	8475	4.2	10/20

Single Ended – Candelabra (E12)

- CC-8 Filament
- 120V or 130V
- Clear or Frosted Finish
- 2000 Hours
- T4 Bulb Type



Item	Watts	Lumens	MOL	Pkg
Q20E12	20	260	2.3	10/20
Q35E12	35	410	2.3	10/20
Q50E12	50	740	2.3	10/20
Q75E12	75	1200	2.7	10/20
Q100E12	100	1625	2.7	10/20

Single Ended – Medium (E26)

- 120V or 130V
- Clear or Frosted Finish
- 2000 Hours
- JD Type



Item	Watts	Lumens	MOL	Pkg
Q50E26	50	740	2.3	10/20
Q75E26	75	1200	2.7	10/20
Q100E26	100	1625	2.7	10/20
Q150E26	150	2270	2.8	10/20
Q250E26	250	4400	3.2	10/20



Single Ended – DC Bayonet (Ba15D)

- CC-8 Filament
- 120V or 130V
- Clear or Frosted Finish
- 2000 Hours
- T4 Bulb Type

Item	Watts	Lumens	MOL	Pkg
Q20DC	20	260	2.3	10/20
Q35DC	35	410	2.3	10/20
Q50DC	50	740	2.3	10/20
Q75DC	75	1200	2.7	10/20
Q100DC	100	1625	2.7	10/20
Q150DC	150	2270	2.8	10/20
Q250DC	250	4400	3.2	10/20
Q500DC	500	8475	4.2	10/20

JOKE OF THE DAY!

For the Topaz "Light Bulb Joke of the Day" just visit our website at www.topaz-usa.com


If you think or hear of a good one, send it to us through our website. If it's chosen to appear in the web site, we'll include your name with the joke and give you a great reward!



Single Ended – European (E14)

- CC-8 Filament
- 120V or 220V
- Clear or Frosted Finish
- 2000 Hours
- T4 Bulb Type


Item	Watts	Lumens	MOL	Pkg
Q75E14	75	1200	2.7	10/20
Q100E14	100	1625	2.7	10/20
Q150E14	150	2270	2.8	10/20
Q250E14	250	4400	3.2	10/20



Double Ended – R7S Base

- T3 Design
- RSC - Recessed Single Contact
- 120V, 130V, 208V, 220V, 240V, 277V Options
- Clear or Frosted Finish
- 78mm, 118mm, 189mm, 256mm Length Options
- 2000 Hours

Item	Watts	Lumens	MOL	Pkg
Q75T3/S	75	1220	78MM	10
Q75T3	75	1220	118MM	10
Q100T3/S	100	1660	78MM	10
Q100T3	100	1660	118MM	10
Q150T3/S	150	2620	78MM	10
Q150T3	150	2620	118MM	10
Q200T3/S	200	3220	78MM	10
Q200T3	200	3220	118MM	10
Q250T3/S	250	3960	78MM	10
Q250T3	250	3960	118MM	10
Q300T3/S	300	5020	78MM	10
Q300T3	300	5020	118MM	10
Q500T3	500	9500	118MM	10
Q1000T3	1000	21,110	256MM	10
Q1500T3	1500	34,000	256MM	10



Double Ended Infrared – R7S Base

Advanced infrared technology improves efficiency, lumen output and life

- 120V
- Clear Finish

Item	Watts	Lumens	MOL	Pkg
Q225T3/HIR	225	5750	118MM	10
Q350T3/HIR	350	9800	118MM	10
Q900T3/HIR	900	31,000	256MM	10

Bi-Pin Quartz



G4 Base

- Clear or Frosted Finish
- 6V, 12V or 24V
- 2000 Hours
- JC T3 Bulb Type

Item	Watts	Lumens	MOL	Pkg
Q5G4	5	50	1.3	10/50
Q10G4	10	110	1.3	10/50
Q20G4	20	300	1.3	10/50
Q35G4	35	540	1.3	10/50



GY6.3 Base

- Clear or Frosted Finish
- 6V, 12V, 24V, 30V, 120V or 130V
- 2000 Hours
- JC T4 Bulb Type

Item	Watts	Lumens	MOL	Pkg
Q20GY6	20	180	1.6	10/50
Q35GY6	35	630	1.6	10/50
Q50GY6	50	875	1.6	10/50
Q75GY6	75	1400	1.6	10/50
Q100GY6	100	2040	1.6	10/50



Just give us your order by
4 PM and in most cases, we
will get your order out before
5 PM on the same day.



G8 Base

- Clear or Frosted Finish
- 120V
- 2000 Hours

Item	Watts	Lumens	MOL	Pkg
Q20G8	20	180	1.8	10/50
Q35G8	35	430	1.8	10/50
Q45G8	45	680	1.8	10/50
Q50G8	50	760	1.8	10/50
Q75G8	75	1220	2.0	10/50
Q100G8	100	1950	2.0	10/50
Q150G8	150	3660	2.0	10/50



G9 Base

- Clear or Frosted Finish
- 120V
- Double Loop Base Type
- 2000 Hours

Item	Watts	Lumens	MOL	Pkg
Q20G9	20	180	1.8	10/50
Q35G9	35	430	1.8	10/50
Q45G9	45	680	1.8	10/50
Q50G9	50	760	1.8	10/50
Q75G9	75	1220	2.0	10/50



We support you with neutral packaging. Topaz will not sell any Lamps and Lighting Products or Recessed Downlighting and Fixtures with the Topaz name to your customer or your customer's customer!

MR Series

Compact size for maximum versatility
Precise optics for controlled beam management



MR8

- 1" Diameter
- 12V
- G4 Base
- Open or Covered Glass
- FL, NFL or SP Beam Spread
- Candle Power Determined by Beam Spread
- 2000 Hours

Item	Watts	MOL	Pkg
MR8/5	5	1.3	10/20
MR8/10	10	1.3	10/20
MR8/20	20	1.3	10/20
MR8/35	35	1.3	10/20



MR11

- 1.37" Diameter
- 12V
- G4 Base
- Open or Covered Glass
- FL, NFL or SP Beam Spread
- Candle Power Determined by Beam Spread
- 2000 Hours

Item	Watts	MOL	Pkg
MR11/5	5	1.3	20
MR11/10	10	1.3	20
MR11/20	20	1.3	20
MR11/35	35	1.3	20



MR11-DC

- 1.37" Diameter
- 12V
- Double Contact Bayonet Base
- Open or Covered Glass
- FL, NFL or SP Beam Spread
- Candle Power Determined by Beam Spread
- 2000 Hours

Item	Watts	MOL	Pkg
MR11DC/20	20	1.7	20
MR11DC/35	35	1.7	20

Halogen



MR16

- GU5.3 Base
- FL, NFL, WFL, VWFL, SP or NSP Beam Spread
- 12V
- Open or Covered Glass
- 2" Diameter
- 2000 Hours

Item	Watts	MOL	Pkg
MR16/5	5	1.8	20
MR16/10	10	1.8	20
MR16/20	20	1.8	20
MR16/35	35	1.8	20
MR16/42	42	1.8	20
MR16/50	50	1.8	20
MR16/65	65	1.8	20
MR16/75	75	1.8	20



MR16CC – Consistent Color

- No Color Shift over lamp life
- GX5.3 Base
- FL, NFL, WFL, SP or NSP Beam Spread
- 12V
- Open or Covered Glass
- 2" Diameter
- 4000 Hours

Item	Watts	MOL	Pkg
MR16CC/20	20	1.8	20
MR16CC/35	35	1.8	20
MR16CC/42	42	1.8	20
MR16CC/50	50	1.8	20
MR16CC/71	71	1.8	20



MR16 Colored Lens

- Red, Blue, Green, Orange, Yellow or Pink
- GX5.3 Base
- FL Beam Spread
- 12V
- 2" Diameter
- 2000 Hours

Item	Watts	MOL	Pkg
MR16/50FL/COLORS	50	1.8	20



MR16BB & MR16SB

- Colored for specific Decorative requirements
- GX5.3 Base
- FL, NFL or SP Beam Spread
- 12V
- Open or Covered Glass
- 2" Diameter
- 2000 Hours



Item	Watts	MOL	Pkg
MR16BB/20	20	1.8	20
MR16BB/35	35	1.8	20
MR16BB/50	50	1.8	20
MR16SB/20	20	1.8	20
MR16SB/35	35	1.8	20
MR16SB/50	50	1.8	20

THE FACES OF TOPAZ



Nick Toscano
Sales Representative

I started at Topaz over ten years ago and I like working here because of the family atmosphere. Talking to customers is enjoyable because there is always a story behind why they need certain products. It certainly keeps things interesting.



MR16IR

- Infrared Reflective Coating
- 2" Diameter
- 12V
- GX5.3 Base
- Covered Glass for use in Open Fixtures
- FL, NFL or SP Beam Spread
- Longer 3000 Hour Life

Item	Watts	MOL	Pkg
MR16IR/20	20	1.8	20
MR16IR/35	35	1.8	20
MR16IR/45	45	1.8	20
MR16IR/50	50	1.8	20



MR16 4K & 5K

- 2" Diameter
- 12V
- GX5.3 Base
- Open Glass
- FL Beam Spread
- Whiter Light for more specific applications
- 2000 Hours

Item	Watts	MOL	Pkg
MR16/20FL/4K	20	1.8	20
MR16/20FL/5K	20	1.8	20
MR16/35FL/4K	35	1.8	20
MR16/35FL/5K	35	1.8	20
MR16/50FL/4K	50	1.8	20
MR16/50FL/5K	50	1.8	20



MR16TAL Twist & Lock Consistent Color

- 2" Diameter
- 12V
- Twist and Lock Base
- Open Glass
- FL, NFL or SP Beam Spread
- No Color Shift over Lamp Life
- 2000 Hours

Item	Watts	MOL	Pkg
MR16TAL/35	35	2.0	20
MR16TAL/50	50	2.0	20



MR16DC

- 2" Diameter
- 12V
- Double Contact Bayonet Base
- Open or Covered Glass
- FL, NFL or SP Beam Spread
- 2000 Hours

Item	Watts	MOL	Pkg
MR16DC/20	20	2.0	20
MR16DC/35	35	2.0	20
MR16DC/50	50	2.0	20



MR16 Off-Voltage

- 2" Diameter
- 6V or 24V
- GU5.3 Base
- Open or Covered Glass
- FL or SP Beam Spread


Item	Watts	MOL	Pkg
MR16/20/6V	20	1.8	20
MR16/20/24V	20	1.8	20
MR16/35/6V	35	1.8	20
MR16/35/24V	35	1.8	20
MR16/50/6V	50	1.8	20
MR16/50/24V	50	1.8	20



MR16JDR

- Ceramic Neck
- 2" Diameter
- 120V
- Intermediate (E17) or Medium (E26) Base
- Covered Glass
- FL or SP Beam Spread

Item	Watts	MOL	Pkg
MR16JDR/35/E26	35	2.8	20
MR16JDR/50/E26	50	2.8	20
MR16JDR/75/E26	75	2.8	20
MR16JDR/75/E17	75	2.8	20
MR16JDR/100/E26	100	2.8	20
MR16JDR/100/E17	100	2.8	20



MR16 – Line Voltage (120V)

- 2" Diameter
- 120V
- Open or Covered Glass
- FL Beam Spread

Item	Watts	Base	MOL	Pkg
MR16/20FL/GX5.3	20	GX5.3	1.8	20
MR16/35FL/GX5.3	35	GX5.3	1.8	20
MR16/50FL/GX5.3	50	GX5.3	1.8	20
MR16/75FL/GX5.3	75	GX5.3	1.8	20
MR16/20FL/GY6.3	20	GY6.3	1.8	20
MR16/35FL/GY6.3	35	GY6.3	1.8	20
MR16/50FL/GY6.3	50	GY6.3	1.8	20
MR16/75FL/GY6.3	75	GY6.3	1.8	20
MR16/20FL/G8	20	G8	1.8	20
MR16/35FL/G8	35	G8	1.8	20
MR16/50FL/G8	50	G8	1.8	20
MR16/75FL/G8	75	G8	1.8	20
MR16/20FL/GU10	20	GU10	1.8	20
MR16/35FL/GU10	35	GU10	1.8	20
MR16/50FL/GU10	50	GU10	1.8	20
MR16/75FL/GU10	75	GU10	1.8	20

**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**

New York Office **1.800.666.BULB**

California Office **1.888.551.BULB**

Florida Office **1.800.338.BULB**



**VISIT OUR
NEW WEBSITE
WWW.TOPAZ-USA.COM**

INCANDESCENT





A-Type

A19

Most common general purpose lamp

- Medium (E26) Brass or Aluminum Base
- Clear, Inside Frosted or Soft White Finish
- 120V or 130V
- Also available in 12V, 24V, 42V, 220V, 250V or 277V
- Attractive 4-Bulb Packaging

Item	Watts	Lumens	Hours	MOL	Pkg
25A19	25	190	2500	4.00	120
40A19	40	505	1000	4.43	120
60A19	60	865	1000	4.43	120
75A19	75	1190	750	4.43	120
100A19	100	1710	750	4.43	120



A15

Appliance and Fan

- 120V or 130V
- Clear or Inside Frosted Finish
- Attractive 4-Bulb Packaging

Item	Watts	Lumens	Hours	MOL	Pkg
15A15	15	115	2500	3.5	120
25A15	25	210	1100	3.5	120
30A15	30	215	5000	3.5	120
40A15	40	350	1500	3.5	120
60A15	60	650	1500	3.5	120



A21 & A23

Long-Neck

- 120V or 130V
- Clear or Inside Frosted Finish
- Attractive Individual Packaging

Item	Watts	Lumens	Hours	MOL	Pkg
75A21	75	1190	750	4.5	120
100A21	100	1680	750	4.5	120
150A21	150	2850	750	4.5	120
200A21	200	3760	750	4.5	60
100A23	100	1680	750	5.93	120
150A23	150	2850	750	5.93	120
200A23	200	3030	1000	5.93	60



PS25 & PS30

Pear-shaped utility, general illumination

- Medium (E26) Base
- Clear or Inside Frosted Finish
- 120V or 130V

Item	Watts	Lumens	Hours	MOL	Pkg
150PS25	150	2330	750	3.12	60
300PS25	300	6200	750	6.93	60
200PS30	200	3540	750	8.06	60
300PS30	300	6100	1000	8.06	60



PS35 & PS52

Pear-shaped utility, general illumination

- Mogul (E39) Base
- Clear or Inside Frosted Finish
- 120V or 130V

Item	Watts	Lumens	Hours	MOL	Pkg
300PS35	300	5700	1000	9.38	24
500PS35	500	8170	1000	9.38	24
750PS52	750	17040	1000	9.5	12
1000PS52	1000	23740	1000	9.5	6



Energy-Saving

**Reduced wattage
replaces standard incandescents
Up to 10% Savings**

- Medium (E26) Brass or Aluminum Base
- Clear or Inside Frosted Finish
- Standard or Extended-Life
- 120V or 130V
- Attractive 4-Bulb Packaging

Item	Watts	Replaces	Bulb	Lumens	Hours	Pkg
40A34	34	40W	A19	380	1000	120
60A52	52	60W	A19	730	1000	120
75A67	67	75W	A19	1030	1000	120
100A90	90	100W	A19	1465	1000	120
150A135	135	150W	A21	2380	1000	120
40A34/XL	34	40W	A19	360	2500	120
60A52/XL	52	60W	A19	640	2500	120
75A67/XL	67	75W	A19	910	2500	120
100A90/XL	90	100W	A19	1260	2500	120
150A135/XL	135	150W	A21	2060	2500	120



3-Way

**1 Bulb,
3 Light Levels
For use
in table lamps**

- Soft White Finish

Item	Watts	Bulb	Lumens Max	Hours	Pkg
30/100SW	30-70-100	A19	1300	1500	12
50/150SW	50-100-150	A21	2155	1500	12
50/250SW	50-200-250	A21	3955	1500	12
100/300SW	100-200-300	PS35	4620	1500	12



Left Hand Thread

**Theft protection
for temporary
lighting
and hospitality
industry**

- Inside Frosted Finish
- Medium Reversed Thread Base
- 120V

Item	Watts	Bulb	Lumens	Hours	Pkg
100A/LHT	100	A19	1750	750	120
150A/LHT	150	A23	2850	750	60



Extended-Life

Used where greater intervals between lamping is required

- Medium (E26) Brass Base
- Clear or Inside Frosted Finish
- 130V
- Attractive 4-Bulb Packaging

5,000 Hours

Item	Watts	Bulb	Lumens	MOL	Pkg
25A/5M	25	A19	195	4.43	120
40A/5M	40	A19	310	4.43	120
60A/5M	60	A19	600	4.43	120
75A/5M	75	A19	825	4.43	120
100A/5M	100	A19	1250	4.43	120
150A/5M	150	A21	2850	5.31	120
200A/5M	200	A23	4010	5.88	60
300A/5M	300	PS25	6000	6.93	60

10,000 Hours

Item	Watts	Bulb	Lumens	MOL	Pkg
40A/10M	40	A19	290	4.43	120
60A/10M	60	A19	595	4.43	120
75A/10M	75	A19	850	4.43	120
100A/10M	100	A19	1190	4.43	120
150A/10M	150	A21	1890	5.31	120
200A/10M	200	A23	3640	5.88	60

20,000 Hours

Item	Watts	Bulb	Lumens	MOL	Pkg
60A/20M	60	A19	575	4.43	120
75A/20M	75	A19	880	4.43	120
100A/20M	100	A19	1130	4.43	120
150A/20M	150	A21	1800	5.31	120
200A/20M	200	A23	2575	5.88	60



Rough Service

Durable filaments, for use in harsh environments

- Medium (E26) Brass or Aluminum Base
- Inside Frosted Finish
- 120V or 130V
- Attractive 4-Bulb Packaging

Item	Watts	Bulb	Lumens	Pkg
25A/RS	25	A19	190	120
40A/RS	40	A19	400	120
50A/RS	50	A19	500	120
60A/RS	60	A19	575	120
75A/RS	75	A19	750	120
100A/RS	100	A19	1260	120
150A/RS	150	A23	1770	60
200A/RS	200	A23	2650	48
300A/RS	300	PS35	5700	24



Colored

Transparent Party & Ceramic Colors for a variety of applications

- Amber, Blue, Green, Pink, or Red
- Medium (E26) Brass Base
- 130V
- Attractive 4-Bulb Packaging

Item	Watts	Bulb	Hours	Pkg
15A15/CERAMIC	15	A15	4000	120
15A15/TRANSPARENT	15	A15	4000	120
25A19/CERAMIC	25	A19	4000	120
25A19/TRANSPARENT	25	A19	4000	120
40A19/CERAMIC	40	A19	4000	120
40A19/TRANSPARENT	40	A19	4000	120
60A19/CERAMIC	60	A19	4000	120
60A19/TRANSPARENT	60	A19	4000	120



Bug

Yellow color will not attract insects

- Medium (E26) Brass or Aluminum Base
- 120V or 130V
- Attractive 4-Bulb Packaging

Item	Watts	Bulb	Hours	Pkg
25A/BUG	25	A19	4000	120
40A/BUG	40	A19	4000	120
60A/BUG	60	A19	4000	120
100A/BUG	100	A19	4000	120



Traffic Signal

- Medium (E26) Base
- 120V or 130V
- Clear Finish
- 8,000 Hours

Item	Watts	Bulb	Lumens	Pkg
67A21/TS	67	A21	635	120
69A21/TS	69	A21	675	120
116A21/TS	116	A21	1280	120
135A21/TS	135	A21	1750	120

Incandescent

JOKE OF THE DAY!

For the Topaz "Light Bulb Joke of the Day" just visit our website at www.topaz-usa.com

If you think or hear of a good one, send it to us through our website. If it's chosen to appear in the web site, we'll include your name with the joke and give you a great reward!



Silvered Bowl

Reduced glare applications

- Medium (E26) Base
- Clear or Inside Frosted Finish
- 2,000 Hours

Item	Watts	Bulb	Finish	Pkg
40A19/SB/IF	40	A19	FROST	120
60A19/SB/IF	60	A19	FROST	120
60A19/SB	60	A19	CLEAR	120
60G25/SB	60	G25	CLEAR	120
100A21/SB/IF	100	A21	FROST	120
150PS25/SB/IF	150	PS25	FROST	120




Decorative

Chandelier

**A wide selection
for your decorative fixture needs**

- Candelabra (E12) or Edison (E26) Brass Base
- Torpedo or Flame Tip
- Clear or Frosted Finish
- Petite size available
- 130V
- 3,000 Hours
- 15W, 25W, 40W, or 60W
- Attractive Individual Packaging suitable for POP displays
- 25/500 Master Pack

**CTF****CFF****ETF****EFF**



G40

Globe

**For use in makeup,
vanity and pendent fixtures**

- 5" Diameter
- Medium (E26) Brass Base
- Clear or White Finish
- 3,000 Hours
- 130V
- Attractive Individual Packaging

Item	Watts	Lumens	Pkg
25G40	25	220	24
40G40	40	372	24
60G40	60	595	24
100G40	100	1100	24
150G40	150	1770	24

Incandescent



G25

- 3" Diameter
- Medium (E26) Brass Base
- Clear or White Finish
- 3,000 Hours
- 130V
- Attractive Individual Packaging

Item	Watts	Lumens	Pkg
25G25	25	235	25/100
40G25	40	460	25/100
60G25	60	775	25/500



G16.5

- 2" Diameter
- Candelabra (E12) Brass Base
- Clear or White Finish
- 3,000 Hours
- 130V
- Attractive Individual Packaging

Item	Watts	Lumens	Pkg
15G16.5	15	130	25/500
25G16.5	25	200	25/500
40G16.5	40	300	25/500
60G16.5	60	540	25/500

**G12**

Other Globes

Item	Watts	Diameter	Base	Pkg
10G12	10	1.50	CAND (E12)	25
25G18	25	1.50	MED (E26)	25
40G18	40	1.50	MED (E26)	25
40G30	40	3.25	MED (E26)	25
60G30	60	3.25	MED (E26)	25

**G18****G30****F15**

Fiesta

- 130V
- Clear, Amber or White Finish
- Brass Base
- 3,000 Hours
- Attractive Individual Packaging

Item	Watts	Base	MOL	Pkg
15F10	15	CAND (E12)	3.06	25
25F10	25	CAND (E12)	3.06	25
25F15	25	MED (E26)	4.37	25
40F15	40	MED (E26)	4.37	25
60F15	60	MED (E26)	4.37	25

**F10****F10**

Reflectors

BR30 and BR40


The most popular choice for indoor downlighting

- Medium (E26) Brass or Aluminum Base
- 120V or 130V
- Flood or Spot
- Attractive Individual Packaging



BR30

Item	Watts	Lumens	Hours	MOL	Pkg
45BR30	45	485	2000	5.37	24
50BR30	50	525	2000	5.37	24
65BR30	65	755	2000	5.37	24
65BR30/5M	65	740	5000	5.37	24
65BR30/20M	65	720	20,000	5.37	24
85BR30	85	855	2500	5.37	24



BR40

Item	Watts	Lumens	Hours	MOL	Pkg
65BR40	65	730	2000	6.50	24
75BR40	75	710	5000	6.50	24
85BR40	85	930	2000	6.50	24
90BR40	90	1000	2000	6.50	24
100BR40	100	935	2000	6.50	24
120BR40	120	1450	2000	6.50	24
120BR40/20M	120	1490	2000	6.50	24
200BR40	200	1950	5000	6.50	24
300BR40	300	3030	2500	6.50	24


R20

R14, R16, & R20

All purpose utility and task lighting

- 120V or 130V
- Brass or Aluminum Base

Item	Watts	Base	Lumens	Hours	MOL	Pkg
25R14N	25	INT (E17)	152	1500	2.50	25
25R14	25	MED (E26)	152	2000	2.08	25
40R14N	40	INT (E17)	370	1500	2.50	25
40R14	40	MED (E26)	370	2000	2.08	25
40R16	40	MED (E26)	370	1500	3.37	25
30R20	30	MED (E26)	210	3000	3.90	25
50R20	50	MED (E26)	440	3000	3.90	25
75R20	75	MED (E26)	700	3000	3.90	25

THE FACES OF TOPAZ



Travis Hebb
Inside Sales

The work environment at Topaz is second to none. The team we have all work hard and have excellent Customer Service skills. Our customers are all incredible and easy to work with which makes my job fun and rewarding.


R14

R16

GIVE US A CALL

BECOME A CUSTOMER BECOME A FRIEND

New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**



ER30

Elliptical Reflector

Elliptical shape improves lumen output and efficiency

- Medium (E26) Brass or Aluminum Base
- 120V or 130V
- 2000 Hours

Item	Watts	Lumens	MOL	Pkg
50ER30	50	350	6.38	24
75ER30	75	580	6.38	24
120ER40	120	1370	7.38	24



BR38

Indoor/outdoor directional lighting

- 1-piece construction
- Thermal-shock resistant glass
- 120V or 130V
- Medium (E26) Brass or Aluminum Base
- Flood or Spot

Item	Watts	Lumens	Hours	MOL	Pkg
75BR38	75	600	5000	5.25	24
100BR38	100	1000	5000	5.25	24
150BR38	150	1400	5000	5.25	24
150BR38/20	150	1200	20,000	5.25	24

FullFill™

We are well known for the depth and breadth of our inventory. Our promise to you is that we can fill over 99% of the orders we receive from existing inventory.



Heat Lamps

Direct heat source for use in food prep, bathrooms and poultry industry

- Clear or Red-Faced (Infrared)
- 120V or 130V
- Medium (E26) Brass or Aluminum Base
- Attractive Individual Packaging

Item	Watts	Finish	Hours	MOL	Pkg
125BR40/1	125	CLEAR	5000	6.50	24
175PAR38/1	175	CLEAR	5000	5.30	24
175PAR38/10	175	RED	5000	5.30	24
250BR40/1	250	CLEAR	5000	6.50	24
250R40/10	250	RED	5000	6.50	24
375R40/1	375	CLEAR	5000	7.25	24
375R40/10	375	RED	5000	7.25	24



THE FACES OF TOPAZ



Marc Schwartz
Regional Sales Manager

Working for Topaz has allowed me to develop great friendships with co-workers and customers alike. It's always exciting to experience our growth in this dynamic market, while continuing our commitment to excellent customer service.

**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**

New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**

Colored Reflectors

Directional, mood and accent lighting for dramatic effect

- Amber, Blue, Green, Pink, Red or Yellow
- Indoor or Outdoor Weatherproof Application
- Medium (E26) Base
- 120V or 130V
- Attractive Individual Packaging

Indoor

Item	Watts	Hours	MOL	Pkg
30R20/COLORS	30	2000	3.90	25
50R20/COLORS	50	2000	3.90	25
65BR30/COLORS	65	2000	5.30	24
120BR40/COLORS	120	2000	6.50	24
50R20/PLANT	50	2000	3.90	24
65BR30/PLANT	65	2000	5.30	24
75BR20/PLANT	75	2000	3.90	24
120BR40/PLANT	120	2000	6.50	24


Outdoor

Item	Watts	Hours	MOL	Pkg
90PAR38H/COLORS	90	3000	5.30	24
100BR38/COLORS	100	5000	5.30	24
150PAR38/COLORS	150	2000	5.30	24

Incandescent


**Side Prong (PAR3 Plug-in)**

Item	Watts	Lumens	Hours	Pkg
65PAR38/3	65	675	2000	12
75PAR38/3	75	765	2000	12
90PAR38H/3	90	1350	2500	12
120PAR38/3	120	1370	2000	12
150PAR38/3	150	1740	2000	12
200PAR46/3	200	2270	2000	12

**Screw Terminal**

- 12V
- VNSP, NSP, WFL, VWFL
Beam Spreads

Item	Watts	Lumens	Hours	Pkg
36PAR36H	36	500	4000	12
50PAR36H	50	330	2000	12
50PAR36H	50	700	4000	12

**Side Prong (PAR3 Plug-in)**

- VNSP, NSP, WFL, VWFL
Beam Spreads

Item	Watts	Lumens	Hours	Pkg
200PAR56	200	2700	2000	12
300PAR56	300	3840	2000	12
500PAR64	500	6500	2000	12



C7



S11



S14




S6

Specialty

Nightlight, Sign, Indicator, Exit, Appliance Applications

- Blue, Green, Orange, Red, Yellow, Pink, Clear or White
- 130V


Item	Watts	Base	Hours	MOL	Pkg
4C7	4	CAND (E12)	5000	2.10	25
4C7/COLOR	4	CAND (E12)	5000	2.10	25
7C7	7	CAND (E12)	5000	2.10	25
7C7/COLOR	7	CAND (E12)	5000	2.10	25
7C9	7	INT (E17)	5000	2.10	25
7C9/COLOR	7	INT (E17)	5000	2.10	25
7.5S11	7.5	MED (E26)	3500	2.25	25
7.5S11/COLOR	7.5	MED (E26)	3500	2.25	25
10S11	10	INT (E17)	5000	2.25	25
10S11/COLOR	10	INT (E17)	5000	2.25	25
25S11N	25	INT (E17)	5000	2.25	25
40S11N	40	INT (E17)	5000	2.25	25
11S14	11	MED (E26)	3000	3.50	120
11S14/COLOR	11	MED (E26)	3000	3.50	120
6S6	6	CAND (E12)	1500	1.88	25
6S6/COLOR	6	CAND (E12)	1500	1.88	25

**T6****T8****T6.5****T10**

Tubular

**Specific applications include:
showcase, exit signs, appliance
and accent.**

Item	Watts	Base	Lumens	MOL	Pkg
15T6	15	CAND (E12)	102	3.06	25
15T6DC	15	DC	102	3.06	25
20T6.5N	20	INT (E17)	90	5.50	25
20T6.5DC	20	DC	90	5.50	25
25T6.5N	25	INT (E17)	220	5.56	25
25T6.5DC	25	DC	220	5.56	25
40T6.5N	40	INT (E17)	420	5.50	25
40T6.5DC	40	DC	420	5.50	25
15T7	15	CAND (E12)	100	2.25	25
15T7N	15	INT (E17)	100	2.25	25
15T7DC	15	DC	100	2.25	25
15T8	15	CAND (E12)	100	2.25	25
15T8N	15	INT (E17)	100	2.25	25
15T8DC	15	DC	100	2.25	25
25T8	25	CAND (E12)	200	2.62	25
25T8N	25	INT (E17)	200	2.63	25
25T8DC	25	DC	200	2.63	25
40T8	40	MED (E26)	430	11.75	25
25T10	25	MED (E26)	260	5.63	25
40T10	40	MED (E26)	440	5.63	25
60T10	60	MED (E26)	740	5.63	25
L30	30	DISC	210	17.75	24
L30W	30	DISC	210	17.75	24
L40	40	DISC	325	11.75	24
L40W	40	DISC	325	11.75	24
L60	60	DISC	480	17.75	24
L60W	60	DISC	480	17.75	24
LN60	60	S14S	460	19.70	25
LN150	150	S14S	930	39.40	16

**LN150****L60**

HID

HIGH INTENSITY DISCHARGE



 **TOPAZ™**
Friendly Service...Powerful Solutions



Standard Metal Halide

Basic

High-efficiency lighting with good color rendering, offers maximum design flexibility and long life

- Medium (E26) or Mogul (E39) Base
- Clear or Coated Finish
- 3000K or 4000K

Item	Watts	Bulb	Lumens	Hours	Pkg
MH50/U/MED	50	E17	3420	10,000	12
MH70/U/MED	70	E17	5100	10,000	12
MH100/U/MED	100	E17	8220	10,000	12
MH150/U/MED	150	E17	12,450	10,000	12
MH175/U/MED	175	E17	14,200	10,000	12



Item	Watts	Bulb	Lumens	Hours	Pkg
MH100/U/MOG	100	ED28	8500	10,000	12
MH175/U/MOG	175	ED28	13,000	10,000	12
MH250/U	250	ED28	19,800	10,000	12
MH400/U	400	ED37	36,600	20,000	12
MH1000/U	1000	BT56	105,000	12,000	6
MH1500/U	1500	BT56	152,000	3000	6



Just give us your order by
4 PM and in most cases, we
will get your order out before
5 PM on the same day.



Compact Reduced Size

- Reduced Outer Jacket Sizes enabling smaller, more versatile Fixture Design
- Clear or Coated Finish

Item	Watts	Bulb	Lumens	Hours	Pkg
MH250/U/ET18	250	ET18	21,500	10,000	12
MH400/U/ED28	400	ED28	34,000	18,000	12
MH400T15	400	T15	27,000	9,000	12
MH1000/U/BT37	1000	BT37	109,800	12,000	6



High Output

- Position-oriented Lamp Design offers improved Lamp Efficiency, Longer-Life and Higher Maintained Lumens
- Base-Up (BU) or Horizontal (HOR) Burning Positions
- Clear or Coated Finish



Pulse Start

- Quick Restart Time with Improved Lumen Maintenance and Reduced Color Shift over Life of Lamp
- Clear or Coated Finish

Item	Watts	Lumens	Hours	Pkg
MS175	175	15,000	7,500	12
MS250	250	20,500	10,000	12
MS360	360	37,900	20,000	12
MS400	400	38,600	20,000	12
MS1000	1000	105,000	18,000	6

Item	Watts	Lumens	Hours	Pkg
MS175/BU/MED/PS	175	17,200	15,000	12
MS175/BU/PS	175	14,500	15,000	12
MS320/BU/PS	320	32,000	20,000	12
MS350/BU/PS	350	34,200	20,000	12
MS400/BU/PS	400	42,500	20,000	12
MS1000/BU/PS	1000	105,000	15,000	6



Protected

- *Protective Arc Tube Shield contains any Damage caused during a Rupture*
- *Can be used in Open or Enclosed Fixtures*
- *Medium (E26) or Mogul (E39) Base*


Item	Watts	Lumens	Hours	Pkg
MP50/U/MED	50	3420	15,000	12
MP70/U/MED	70	5220	13,500	12
MP100/U/MED	100	8250	13,500	12
MP150/U/MED	150	13,400	13,500	12
MP175/U/MED	175	14,000	10,000	12
MP175/BU	175	14,000	10,000	12
MP250/BU	250	22,600	10,000	12
MP320/BU	320	32,000	20,000	12
MP350/BU	350	33,000	20,000	12
MP400/BU	400	40,000	20,000	12
MP1000/BU	1000	105,000	12,000	6



PAR38

- *Low Wattage, High Output Lamps that feature Pulse-Start benefits in Open or Enclosed Fixtures*
- *FL, SP or WFL Beam Spread*
- *Medium (E26) Base*

Item	Watts	Lumens	Hours	Pkg
MP70PAR38	70	3410	8500	6
MP100PAR38	100	5820	8500	6
MP150PAR38	150	8810	8500	6



Double-Ended

- RX7S or FC2 Base
- 3000K (WDX) or 4000K (NDX)

Item	Watts	Bulb	Lumens	Hours	Pkg
MH70DE	70	T6	5200	10,000	12
MH150DE	150	T7	11,000	10,000	12
MH250DE	250	T9.5	20,000	10,000	12



Single-Ended

- G12 or E40 Base
- 4200K (NDX) or 5200K (DX)

Item	Watts	Bulb	Lumens	Hours	Pkg
MH150SE	150	T7.5	125,000	9,000	12
MH250SE	250	T14.5	19,000	9,000	12
MH400SE	400	BT	33,000	9,000	12

THE FACES OF TOPAZ



Sherrie Gerfen
Controller

I can't imagine working anywhere else. We have the best customers and we try to do the best job at helping them in the fastest, yet friendliest manner. It pays off because our customers are always courteous and friendly.

HID



Reflector

- Directional Beam Pattern Optimizes Lumen Output
- Medium (E26) Base
- Frosted Finish

Item	Watts	Bulb	Lumens	Hours	Pkg
MH175/PAR38	175	PAR38	12,000	7,000	6
MH175/RFL	175	R40	12,000	7,500	6



Retrofit

- Direct Replacement Lamp for other HID Lamp Designs utilizing the Original Ballast and Fixtures
- Clear Finish

Item	Watts	Replace	Base	Pkg
MH250/RETRO	250	HPS	MOG (E39)	12
MH325/RETRO	325	MERCURY VAPOR	MOG (E39)	6
MH400/RETRO	400	HPS	MOG (E39)	6



Self-Extinguishing

- Designed to Self Extinguish if Outer Glass Shell is Broken to Minimize Ultraviolet Radiation Exposure

Item	Watts	Bulb	Base	Lumens	Hours	Pkg
MHT400/BU	400	BT37	E39	36,000	20,000	6
MHT1000/BU	1,000	BT56	E39	105,000	10,000	6

Ceramic Metal Halide

Ceramic discharge tube design provides superior color stability. Improved efficiency reduces operational expenses

E17 – Medium Base

- Medium (E26) Base
- Protected for Open Fixtures Available
- Clear or Coated Finish
- 3000K or 4000K

Item	Watts	Lumens	Hours	Pkg
MHC50/U/M	50	3,975	10,000	12
MHC70/U/M	70	5,850	10,000	12
MHC100/U/M	100	9,000	10,000	12
MHC150/U/M	150	13,400	10,000	12



**VISIT OUR
NEW WEBSITE
WWW.TOPAZ-USA.COM**

THE FACES OF TOPAZ



Ana Gonzales
Accounts Receivable

Topaz is part of my family. I'm very close to the employees here and I have a great boss who makes me feel important because my opinion counts. There is a lot of growth here and I plan to be a part of it.

HID

**PAR20****PAR30****PAR38****PAR**

- Medium (E26) Base
- Protected for use in Open Fixtures
- 3000K or 4000K

Item	Watts	Lumens	Hours	Pkg
MHC35PAR20	35	2,100	9,000	12
MHC35PAR30L	35	2,200	9,000	6
MHC70PAR30L	70	4,750	9,000	6
MHC70PAR38	70	4,710	10,000	12
MHC100PAR38	100	6,520	12,000	12

**Single Ended
(G8.5 and G12 Base)**

- 3000K or 4000K
- Enclosed Fixtures only

Item	Watts	Bulb	Lumens	Hours	Pkg
MHC20TC/G8	20	T4	1,690	75,000	12
MHC35T6/G12	35	T6	3,400	10,000	12
MHC35T6/G8	35	T4	3,400	10,000	12
MHC70T6/G12	70	T6	6,200	15,000	12
MHC70TC/G8	70	T4	6,200	9,000	12
MHC150T6/G12	150	T6	14,000	12,000	12



**GIVE
US A
CALL**

**BECOME A CUSTOMER
BECOME A FRIEND**

New York Office **1.800.666.BULB**
California Office **1.888.551.BULB**
Florida Office **1.800.338.BULB**

Double Ended (RX7S Base)

- 3000K or 4000K
- Enclosed Fixtures only

Item	Watts	Bulb	Lumens	Hours	Pkg
MHC70T6	70	TD6	7,000	15,000	12
MHC150T7	150	TD7	14,000	15,000	12



SOX – Low Pressure Sodium

**Highest efficiency HID light made,
ideal where no color discrimination
is required. Parking areas and street
lighting are common uses**

Item	Watts	Nom Length	Lumens	Hours	Pkg
SOX18	18	8.50"	1800	16,000	16
SOX35	35	12.25"	4500	16,000	16
SOX55	55	16.75"	7300	16,000	16
SOX90	90	20.80"	13,500	16,000	12
SOX135	135	30.50"	22,000	16,000	9
SOX180	180	44.00"	30,000	16,000	9

HID

High Pressure Sodium (HPS)

Extremely efficient, HPS lamps provide exceptional value where quality of light is not critical



Basic

- Medium (E26) Base
- Clear or Diffused Finish

Item	Watts	Bulb	Lumens	Hours	Pkg
LU35/MED	35	E17	2240	16,000	12
LU50/MED	50	E17	3800	24,000	12
LU70/MED	70	E17	6200	24,000	12
LU100/MED	100	E17	9350	24,000	12
LU150/MED	150	E17	15,500	24,000	12



- Mogul (E39) Base
- Clear or Diffused Finish

Item	Watts	Bulb	Lumens	Hours	Pkg
LU50/MOG	50	ED23	4100	24,000	12
LU70/MOG	70	ED23	6200	24,000	12
LU100/MOG	100	ED23	9350	24,000	12
LU150/MOG	150	ED18	15,500	24,000	12
LU200/MOG	200	ED18	22,000	24,000	12
LU250/MOG	250	ED18	28,000	24,000	12
LU360/MOG	360	ED18	46,100	24,000	12
LU400/MOG	400	ED18	48,500	24,000	12
LU1000/MOG	1000	ED25	129,000	24,000	12



Improved Color

- The benefits of HPS Lamps (high efficiency, long life, lumens maintenance) but with a high color rendering index (CRI)

Item	Watts	Lumens	Hours	Pkg
LU70/MED/DX	70	3650	10,000	6
LU100/MED/DX	100	7770	15,000	6
LU150/MED/DX	150	9650	15,000	6
LU150/MOG/DX	150	9650	15,000	6
LU250/MOG/DX	250	20,500	15,000	6
LU400/MOG/DX	400	34,000	15,000	6



Standby – Instant Re-Strike

- Extra arc tube provides immediate restrike minimizing downtime after a power interruption
- Dual arc tube doubles life

Item	Watts	Bulb	Lumens	Hours	Pkg
LU70/MOG/SBY	70	ED23	6025	40,000	12
LU100/MOG/SBY	100	ED23	9450	40,000	12
LU150/MOG/SBY	150	ED23	15,625	40,000	12
LU200/MOG/SBY	200	ED18	21,400	40,000	12
LU250/MOG/SBY	250	ED18	27,200	40,000	12
LU400/MOG/SBY	400	ED18	47,200	40,000	12
LU1000/MOG/SBY	1000	E25	12,650	40,000	6



Retrofit

- Energy saving retrofit for Mercury Lamps
- Clear Finish

Item	Watts	Bulb	Lumens	Hours	Pkg
LU150/S63/RETRO	150	ED28	11,000	24,000	12
LU215/S65/RETRO	215	ED28	20,000	16,000	12
LU360/S64/RETRO	360	BT37	36,000	16,000	10



Mercury Vapor

Lowest initial cost HID product series. Now considered old technology, these lamps are commonly replaced by HPS and MH

Basic

Item	Watts	Bulb	Base	Finish	Lumens	Hours	Pkg
H46DL	50	E17	MED	DX	1560	24,000	12
H43AV	75	E17	MED	DX	2680	24,000	12
H38AV	100	E17	MED	DX	3880	24,000	12
H38MP	100	A23	MED	DX	3600	18,000	12
H38JA	100	ET23	MOG	DX	4050	24,000	12
H38BP	100	R40	MED	DX	2490	24,000	12
H44GS	100	PAR	MED SK	DX	2490	16,000	12
H39KB	175	ED28	MOG	CLEAR	7600	24,000	12
H39KC	175	ED28	MOG	DX	7400	24,000	12
H39BP	175	R40	MED	DX	4500	24,000	12
H37KB	250	ED28	MOG	CLEAR	10,700	24,000	12
H37KC	250	ED28	MOG	DX	11,000	24,000	12
H33CD	400	ED37	MOG	CLEAR	20,600	24,000	12
H33GL	400	ED37	MOG	DX	22,000	24,000	12
H33FS	400	R60	MOG	DX	15,000	24,000	12
H36GV	1000	BT56	MOG	CLEAR	57,100	24,000	12
H36GW	1000	BT56	MOG	DX	62,800	24,000	12

Self Extinguishing

If outer envelope is broken this lamp self-extinguishes within 15-minutes




Item	Watts	Bulb	Lumens	Hours	Pkg
H33GL/T	400	ED37	20,600	24,000	6
H36GW/T	1000	BT56	56,200	24,000	6

Self Ballasted

- Direct incandescent screw-in replacement
Does not require an auxiliary ballast

Item	Watts	Bulb	Pkg
SBMV100/E21	100	E21	12
SBMV160/E24	160	E24	12
SBMV160/R40	160	R40	12
SBMV250/ED28/MED	250	ED28	12
SBMV250/ED28/MOG	250	ED28	12
SBMV450/BT37	450	BT37	12
SBMV450/R57	450	R57	12
SBMV750/BT46	750	BT46	12
SBMV750/R57	750	R57	12

OTHER LAMPS





Tough Skin

Where safety is of utmost importance Tough Skin safety coating provides the greatest protection against glass shards from broken bulbs. Incandescent, halogen, fluorescent, compact fluorescent and HID types are all available with Tough Skin coating. Most commonly used for food preparation, restaurants, gymnasiums, hospitals and storage areas

Incandescent

- A Types
- Reflector Types
- Tubular

Halogen

- Reflector Types

Fluorescent Compact Fluorescent

- Standard Linear T5, T8, T12
- High Output
- T5
- Plug In compact fluorescents
- Self Ballasted fluorescents

HID

- Metal Halide
- HPS
- Mercury Vapor





Germicidal

- Used in air and water purification applications
- Common applications are in Hospital/Healthcare facilities, food processing plants and other commercial uses where it is important to eliminate biological contaminants.

Item	Watts	Bulb	Base	Nom Length	Pkg
G4T5	4	T5	MINI BIPIN	6"	24
G6T5	6	T5	G5	9"	24
G8T5	8	T5	MINI BIPIN	12"	24
G15T8	15	T8	BIPIN	18"	24
G25T8	25	T8	BIPIN	18"	24
G30T8	30	T8	BIPIN	36"	24



Tube Guards

- Designed to Reduce Lamp Breakage and Contain Broken Glass
- Amber, Blue, Green, Pink or Red
- All Tube Guards come with End Caps

Item	Length	Pkg
TG-F40T12	4'	24
TG-F40T12/COLORS	4'	24
TG-F72T12	6'	24
TG-F96T12	8'	24
TG-F96T12/COLORS	8'	24
TG-F032T8	4'	24
TG-F032T8/COLORS	4'	24
TG-F096T8	9'	24
TG-F14T5	2'	24
TG-F21T5	3'	24
TG-F28T5	4'	24
TG-F35T5	5'	24
TG-END CAPS T12	—	48
TG-END CAPS T8	—	48



Miniature/Sealed Beams

A wide variety of low voltage lamps designed to meet specific requirements. Most common usages: automotive, aircraft, emergency, lighting, instruments and indicator applications. Call with your specific requirements

Other Lamp Types



Miniature



Sealed Beam



INDEX



TOPAZ™
Friendly Service...Powerful Solutions

	Pages
Compact Fluorescent	
Self Ballasted	
2U	20
3U	20
4U	20
A-Shape	23
Bug Light	22
Candle Shape	24
Globe	24
Mini-Spiral	21
Reflector	25
Spiral	22
3-Way	22
Tubular	23
Plug-In	
FUL	30
PL	26
PLC	27
PLF	30
PLL	29
PLT	28
"Pretzel" Shape	30
Linear Fluorescent	
T2 Miniature	32
T5 Circline - Instant Start	33
T5 High Efficiency	33
T5 Preheat	32
T6 Slimline Instant Start	34
T8 Polylux	34
T8 Slimline Instant - Start	34
T8 Tri-Phosphor Instant-Start	35
T8 U-Shape	36
T9 Circline - Preheat	37
T10 High Performance	37
T12 Bipin Preheat	37
T12 Bipin Rapid Start	38
T12 Instant Start Slimline	39
T12 - High Output	40

	Pages
T12 – Very High Output	40
T12 U3 Shape	41
T12 U6 Shape	41
Appliance	42
Blacklight (BL)	43
Blacklight Blue (BLB)	43
Colored	44
Full Spectrum	44
Grow and Aquarium	43
Sign High Output	42
Halogen	
Bi-Pin Quartz	
G4 Base	55
G8 Base	56
G9 Base	56
GY6.3 Base	55
Decorative	
A19	51
BT15	51
Chandelier	
– CTC	51
– ETC	51
T10	51
MR Series	
MR8	57
MR11	57
MR11-DC	57
MR16	58
MR16BB	59
MR16CC - Consistent Color	58
MR16 Colored Lens	59
MR16DC	61
MR16 4K	60
MR16 5K	60
MR16IR	60
MR16JDR	61
MR16 Off-Voltage	61
MR16SB	59

	Pages
MR16TAL Twist & Lock	
– Consistent Color	60
MR 16 Line Voltage (120V)	62
PAR	
PAR14	46
PAR16	46
PAR20	46
PAR30	47
PAR30/Long Neck	47
PAR36 Screw Terminal	48
PAR38	48
PAR38/3 Side-Prong	48
PAR56/64 Quartz	48
PAR Infrared	
Par 30	49
Par 38	49
Quartz	
Single Ended	
– Mini-Can (E11)	52
– Candelabra (E12)	52
– Medium (E26)	52
– DC Bayonet (Ba15D)	53
– European (E14)	53
Double Ended	
– R7S Base	54
– Infrared – R7S Base	54
Reflectors	
Aluminum	
– AL12	50
– AL18	50
– AR70	50
– AR111	50
BR30	50
Incandescent	
A-Type	
A15	64
A19	64
A21	64

	Pages
A23	64
PS25	65
PS30	65
PS35	65
PS52	65
Bug	68
Colored	68
Energy-Saving	66
Extended-Life	
– 5,000 Hours	67
– 10,000 Hours	67
– 20,000 Hours	67
Left Hand Thread	66
Rough Service	67
Silvered Bowl	69
3-Way	66
Traffic Signal	69
Colored Reflectors	
Indoor	77
Outdoor	77
Decorative	
Chandelier	70
– CFF	70
– CTF	70
– EFF	70
– ETF	70
Fiesta	72
Globe	71
– G16.5	71
– G25	71
– G40	71
Other Globes	72
– G18	72
– G30	72
Eliptical Reflector	
BR38	75
Heat Lamps	76
Reflectors	
BR30	73

	Pages
BR40	73
R14	74
R16	74
R20	74
Screw Terminal	78
Side Prong (PAR3 Plug-in)	78
Specialty	
C7	79
S6	79
S11	79
S14	79
Tubular	
T6	80
T6.5	80
T8	80
T10	80
L60	80
LN150	80

HID – High Intensity Discharge

Ceramic Metal Halide	
E17 – Medium Base	87
PAR 20	88
PAR 30	88
PAR 38	88
Double Ended (RX7S Base)	89
Single Ended	
– G8.5 Base	88
– G12 Base	88

High Pressure Sodium (HPS)	
Basic	90
Improved Color	91
Retrofit	91
Standby – Instant Re-Strike	91
Mercury Vapor	
Basic	92
Self Ballasted	92
Self Extinguishing	92

SOX –

Low Pressure Sodium	89
Standard Metal Halide	
Basic	82
Compact Reduced Size	83
Double-Ended	85
High Output	83
Par 38	84
Protected	84
Pulse Start	83
Reflector	86
Retrofit	86
Self-Extinguishing	86
Single-Ended	85

Other Lamps

Tough Skin	
– Incandescent	94
– Halogen	94
– Fluorescent	94
– Compact Fluorescent	94
– HID	94
Germicidal	95
Tube Guards	95
Miniature /Sealed Beam	
Miniature	96
Sealed Beam	96



Friendly Service...Powerful Solutions

Index

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.





Manufacturers of:

- Lamps and Lighting Products
- Fittings and Electrical Products
- Recessed Downlighting and Fixtures

New York Office:

Topaz Lighting Corp.

925 Waverly Avenue
Holtsville, NY 11742

Phone: 1.800.666.BULB
1.631.758.5507

Fax: 1.631.758.8026

Email: sales@topaz-usa.com

California Office:

Topaz Lighting Corp.

225 Parkside Drive
San Fernando, CA 91340

Phone: 1.888.551.BULB
1.818.838.3123

Fax: 1.888.690.BULB

Email: saleswest@topaz-usa.com

Florida Office:

Topaz Lighting Corp.

2020 West 26th Street, Suite C
Jacksonville, FL 32209

Phone: 1.800.338.BULB

Fax: 1.772.778.5386

Email: topazlighting@aol.com

Web: www.topaz-usa.com