

TOTO®



Residential Products



The world has changed.

Pretty is no longer enough.

Standard is no longer enough.

The world wants more.

I want more.





I want

PERFORMANCE WITH PURPOSE.

DESIGN WITH A CONSCIENCE.

INNOVATION WITH A HEART.

QUALITY YOU CAN FEEL.

Today, most bath products do their job pretty well. But just showing up for work isn't enough anymore. You want fixtures that save money and water without sacrificing an ounce of performance. And the peace of mind that comes from knowing you bought a brand that sets the standards for world-class performance, enduring quality and reliability. And, of course, you want fixtures that can do it all with effortless beauty. That's what TOTO is really all about – connecting you with water in ways that enrich the flow of your everyday life. It's our passion. It's our mission. And it's pure TOTO.

ENDURING QUALITY

All TOTO products pass multiple performance tests to ensure quality, reliability and customer satisfaction. But what really matters is knowing that you'll feel just as good about your decision to buy TOTO next year, and the years after, as you do today.

WORLD-CLASS PERFORMANCE

With more "firsts" than anyone else, TOTO leads the world in innovating products that simply perform better. That means peace of mind, knowing that your TOTO fixtures will perform at the highest level, day in and day out, year after year, and look beautiful doing it.



ENLIGHTENED DESIGN

TOTO showers, toilets and faucets can save 20-63% on water usage bills. You use less water and save money without losing an ounce of performance. And TOTO is the only plumbing manufacturer to receive the EPA's Water Efficiency Leader Award.

REAL HUMAN VALUE

The day you install TOTO is the day you start saving with TOTO. Because with every use, you save money and water, while gaining something of real human value – the confidence that comes with buying the right product for all the right reasons.

you + water










TOILETS

At TOTO, our mission is delivering reliable, eco-friendly performance for complete customer satisfaction but more importantly to improve your quality of life. Our toilets go through rigorous performance testing that goes beyond compliance and industry standards to ensure one-flush performance and true water savings.

We offer a wide range of toilet models to accommodate any bathroom size or style, all while keeping water efficiency top of mind. Our 1.6 GPF toilets are designed to do more with less water and have made our name synonymous with flushing performance. Using the same proven technology as the 1.6 GPF toilets, our 1.28 GPF High Efficiency Toilets (HETs) save 20% more water and better yet, there is no sacrifice in performance. You can be confident that your TOTO toilet will perform at the highest level day in and day out and that you are saving a little bit of our future at the same time.



FLUSHING SYSTEMS



DOUBLE CYCLONE®

Can a better flush actually improve your quality of life? The Double Cyclone system helps with cleaning, saves water and money, and makes every flush count. Such quality and performance leads to customer satisfaction, and yes, even makes your life easier. Using only 1.28 gallons per flush (GPF), Double Cyclone high-efficiency toilets accomplish with one flush what most toilets cannot do with multiple flushes. Avoid unsightly toilet stains, save on your water bill, help the environment and best of all, gain peace of mind.

To maximize cleaning, Double Cyclone uses two high-speed water nozzles, instead of traditional rim holes, to propel the water around the rim. By eliminating the rim holes, debris and bacteria have fewer places to collect and the 360 degrees of cleansing action greatly reduces the time needed to clean.

• BALANCED FLUSHING for real life, real people.

Double Cyclone technology flushes all types of waste, not just sinking waste.

• WATER SAVINGS

TOTO's rigorous flushing performance testing methods go beyond compliance and beyond industry standards, ensuring outstanding one-flush performance and true water savings.

• REDUCTION OF BACTERIA

By the elimination of rim holes, bacteria doesn't have as many places to hide.

• EASY TO CLEAN

No rim holes mean the interior of the bowl is smooth and ideal for easy cleaning.

• SANAGLOSS glaze seals the china creating a uniform smooth surface; debris and waste particles simply rinse away with each use, which means your SanaGloss fixtures stay cleaner longer.





E-MAX®

Unlike pressure assist toilets that can be noisy and require complex moving parts, our quiet E-Max system provides a consistent, powerful flush every time. That means you can be confident that your TOTO toilet will perform at the highest level with each flush.

The E-Max flushing system is yet another example of world-class performance engineered by TOTO. Using the same proven technology as our 1.6 GPF G-Max system, our innovative E-Max system offers an effective flush with a 20% water savings. The combination of a wide 3" flush valve with a large glazed trapway and extra-large siphon jet removes waste using an eco-friendly 1.28 GPF.



DUAL-MAX®

The TOTO Dual-Max flushing system leads the way in dual-flush technology. Designed with the user in mind, this system lets you choose the appropriate amount of water to fit your needs. Select from 0.9 GPF for liquid waste or 1.6 GPF for solid waste. While other dual-flush toilets sacrifice either performance or conservation, TOTO called upon years of engineering supremacy to optimize all aspects within the Dual-Max system.

A balanced approach in designing the bowl and trapway, coupled with flushing mechanisms that raise the bar in both water conservation and flushing performance earned these products EPA WaterSense certification labels. Dual-Max toilets let you feel good about your decision to use less water and save money without sacrificing an ounce of performance.

LAVATORIES

Have you ever pictured your lavatory as the focal point of your bathroom? TOTO's large selection of lavatories are just that and with many colors available and styles ranging from vessel and pedestal to self-rimming and under-counter, they look more like a work of art. The selections are versatile in size and shape allowing them to accommodate different types of users and to be paired with many different vanity styles or bathroom decors.



ONE-PIECE TOILETS

ECO GUINEVERE®
MS974224CEF(G)



- Elongated front bowl
- SS224 seat included

ECO SOIRÉE®
MS964214CEF(G)



- Elongated front bowl
- SS214 seat included

AIMES®
MS626214CEF(G)



- Elongated front bowl
- SS214 seat included

CAROLINA® II
MS644114CEF(G)



- Elongated front bowl
- SS114 seat included

CARLYLE® II
MS614114CEF(G)



- Elongated front bowl
- SS114 seat included

SUPREME® II
MS634114CEF(G)



- Elongated front bowl
- SS114 seat included

ULTRAMAX® II
MS604114CEF(G)



- Elongated front bowl
- SS114 seat included
- Right-hand trip lever available

ECO LLOYD®
*MS934304EF



- Elongated front bowl
- SS304 seat included

ECO LLOYD®
*MS934214EF



- Elongated front bowl
- SS214 seat included

ECO SUPREME®
*MS864114E



- Elongated front bowl
- SS114 seat included

ECO SUPREME®
*MS863113E



- Round front bowl
- SS113 seat included

ECO ULTRAMAX®
*MS854114EL(G)



- Elongated front bowl
- SS114 seat included

ECO ULTRAMAX®
*MS854114E(G)



- Elongated front bowl
- SS114 seat included

ECO ULTRAMAX®
*MS853113E



- Round front bowl
- SS113 seat included

*1.28 GPF toilets shown, 1.6 GPF version available.

Please check www.totousa.com for finish availability



DOUBLE CYCLONE®

Double Cyclone indicates the cleanest and most powerful flushing system for HETs available on the market today.



E-MAX®

E-Max indicates high performance, HET flushing technology with a wide flush valve, large trapway and extra-large syphon jet.



G-MAX®

G-Max indicates a flawless, quiet and powerful flushing system with gravity-fed boost to performance.



DUAL-MAX®

Dual-Max indicates a dual flushing system that optimizes conservation by allowing you to select 0.9 or 1.6 GPF.



SANAGLOSS®

SanaGloss glaze prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning. (not available on #51 Ebony)



SKIRTED DESIGN

Skirted Design indicates toilets featuring TOTO's 10", 12", and 14" Unifit Rough-In and concealed trapway design.



UNIVERSAL HEIGHT

Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



ADA

Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSESM

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less. Faucets are 1.5 GPM.

ONE-PIECE TOILETS cont.

RYOHAN®
MS984244CFG



- Elongated front bowl
- SS244 seat included
- #01 Cotton only

PACIFICA®
MS904114



- Elongated front bowl
- SS114 seat included

CARLYLE®
MS874114S(G)



- Elongated front bowl
- SS114 seat included

WILLINGHAM®
MS924114F



- Elongated front bowl
- SS114 seat included

SUPREME®
MS864114L



- Elongated front bowl
- SS114 seat included

ULTIMATE®
MS854114



- Elongated front bowl
- SS114 seat included

ULTIMATE®
MS853113




- Round front bowl
- SS113 seat included

AQUIA® WALL-HUNG
CWT418FMG-1, CWT418FMG-2 (with DuoFit and
YT800#WH Push Plate), CT418FG (bowl only)



- Elongated front bowl
- Can be mounted at ADA height
- Seat not included

DUOFIT™ IN-WALL TANK SYSTEM
WT151M, WT152M



PUSH PLATES
(sold separately)

- YT800#WH
- YT820#SS
- YT820#CP
- YT830#WH

- Save valuable floor space compared to traditional floor-mounted toilets
- Can be mounted at ADA height

TWO-PIECE TOILETS

VESPIN® II
CST474CEF(G)



- Elongated front bowl
- Seat sold separately
- Right-hand trip lever available

DRAKE® II
CST454CEF(G)



- Elongated front bowl
- Seat sold separately
- Right-hand trip lever available

ECO NEXUS®
*CST794EF



- Elongated front bowl
- Seat sold separately

ECO CLAYTON®
*CST784EF



- Elongated front bowl
- Seat sold separately

ECO DARTMOUTH®
*CST754EF



- Elongated front bowl
- Seat sold separately

ECO WHITNEY®
*CST754EFN



- Elongated front bowl
- Seat sold separately

*1.28 GPF toilets shown, 1.6 GPF version available.

Please check www.totousa.com for finish availability



DOUBLE CYCLONE®

Double Cyclone indicates the cleanest and most powerful flushing system for HETs available on the market today.



E-MAX®

E-Max indicates high performance, HET flushing technology with a wide flush valve, large trapway and extra-large syphon jet.



G-MAX®

G-Max indicates a flawless, quiet and powerful flushing system with gravity-fed boost to performance.



DUAL-MAX®

Dual-Max indicates a dual flushing system that optimizes conservation by allowing you to select 0.9 or 1.6 GPF.



SANAGLOSS®

SanaGloss glaze prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning. (not available on #51 Ebony)



SKIRTED DESIGN

Skirted Design indicates toilets featuring TOTO's 10", 12", and 14" Unifit Rough-In and concealed trapway design.



UNIVERSAL HEIGHT

Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



ADA

Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSESM

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less. Faucets are 1.5 GPM.

TWO-PIECE TOILETS cont.

ECO PROMENADE®
*CST424EF(G)



- Elongated front bowl
- Seat sold separately

ECO PROMENADE®
*CST423EF(G)



- Round front bowl
- Seat sold separately

ECO DRAKE®
*CST744E(G)



- Elongated front bowl
- Seat sold separately
- Right-hand trip lever available
- Bolt-down tank lid available

ECO DRAKE®
*CST744EL



- Elongated front bowl
- Seat sold separately
- Right-hand trip lever available
- Bolt-down tank lid available

ECO DRAKE®
*CST744EF.10



- Elongated front bowl
- Seat sold separately
- 10" Rough-in
- Right-hand trip lever available
- Bolt-down tank lid available

ECO DRAKE®
*CST743E



- Round front bowl
- Seat sold separately
- Right-hand trip lever available
- Bolt-down tank lid available

AQUIA® III
CST464MF



- Elongated front bowl
- Seat sold separately

AQUIA®
CST412MF or
CST412MF.10



- Elongated front bowl
- Seat sold separately
- 12" or 10" Rough-in available

AQUIA® II
CST416M



- Elongated front bowl
- Seat sold separately

MERCER®
MS756204SF



- Elongated front bowl
- SS204 seat included

CARROLLTON®
CST774S



- Elongated front bowl
- Seat sold separately

PACIFICA®
CST804S



- Elongated front bowl
- Seat sold separately

*1.28 GPF toilets shown, 1.6 GPF version available.

Please check www.totousa.com for finish availability



DOUBLE CYCLONE®

Double Cyclone indicates the cleanest and most powerful flushing system for HETs available on the market today.



E-MAX®

E-Max indicates high performance, HET flushing technology with a wide flush valve, large trapway and extra-large syphon jet.



G-MAX®

G-Max indicates a flawless, quiet and powerful flushing system with gravity-fed boost to performance.



DUAL-MAX®

Dual-Max indicates a dual flushing system that optimizes conservation by allowing you to select 0.9 or 1.6 GPF.



SANAGLOSS®

SanaGloss glaze prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning. (not available on #51 Ebony)



SKIRTED DESIGN

Skirted Design indicates toilets featuring TOTO's 10", 12", and 14" Unifit Rough-In and concealed trapway design.



UNIVERSAL HEIGHT

Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



ADA

Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSESM

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less. Faucets are 1.5 GPM.

PEDESTAL LAVATORIES



1





2



3



4

- 1 **SOIRÉE®**
LPT960.8 (large) W 29-1/2" x D 19-5/8" x H 34" 
LPT962.8 (small) W 25-1/8" x D 18-1/2" x H 34" 

- 2 **GUINEVERE®**
LPT970.8 (large) W 27-1/8" x D 19-7/8" x H 34" 
LPT972.8 (small) W 24-3/8" x D 19-7/8" x H 34" 


- 3 **LLOYD®**
LPT930.8 W 28-3/4" x D 19-5/8" x H 34-1/4" 

- 4 **NEXUS®**
LPT790.8 W 24" x D 17-3/8" x H 34" 

- 5 **MERCER®**
LPT750.8 W 25-3/8" x D 18-3/4" x H 34" 

- 6 **CLAYTON®**
LPT780.8 W 27" x D 19-5/8" x H 34" 

- 7 **CARROLLTON®**
LPT770.8 W 24" x D 19" x H 34" 


- 8 **PROMENADE®**
LPT530.8N (large) W 27-1/2" x D 22-1/4" x H 34-3/8" 
LPT532.8N (small) W 24" x D 19" x H 34-3/8" 

- 9 **DARTMOUTH®**
LPT642.8 W 24-1/4" x D 18-1/4" x H 34" 

- 10 **SUPREME®**
LPT241.8(G) W 22-7/8" x D 19-5/8" x H 34-1/2"  

- PROMINENCE®**
LPT242.8(G) W 26" x D 21-1/2" x H 34-1/2"  

- 11 **ULTIMATE®**
LPT243.8(G) W 22-5/8" x D 19-3/8" x H 34-1/2"  

- 12 **PACIFICA®**
LPT908.8N W 25-5/8" x D 19-1/2" x H 34" 

- 13 **ETHOS™ DESIGN N I**
LPT670.8G W 28-3/4" x D 18-7/8" x H 34"  

- 14 **ETHOS DESIGN N II**
LPT690.8G W 29-1/8" x D 19-1/8" x H 34-1/2"  

- 15 **ETHOS DESIGN L**
LPT660.8G W 29-7/8" x D 20-3/4" x H 34"  

- 16 **ETHOS DESIGN C**
LPT680.8G W 27-1/2" x D 19-5/8" x H 34"  

- 17 **LPT315.8G**
W 26" x D 19-11/16" x H 34"  

- 18 **LPT325.8G**
W 29-1/2" x D 17-3/4" x H 34"  

- 19 **CARLYLE®**
LPT890.8(G) W 26-3/4" x D 20-1/8" x H 34"  

- 20 **WHITNEY®**
LPT754.8 W 25" x D 19" x H 34" 



5



6



7



8



9



10



11



12



13



14



15



16



17



18



19



20

All pedestal lavs are available in single-hole, 4" or 8" centers.

Please check www.totousa.com for finish availability


VESSEL LAVATORIES



1



2



3



4



5



6



7



8



9



10



11



12



13



14












15



16



17

- 1 **LUMINIST™ LIGHTED ROUND LAVATORY**
LLT152#63-BL ø15-5/8" Dia.
Basin ø14" Dia. 
- 2 **LUMINIST™ LIGHTED ROUND LAVATORY**
LLT152#63-WH ø15-5/8" Dia.
Basin ø14" Dia. 
- 3 **LUMINIST™ RECTANGLE LAVATORY**
LLT151 W 19-1/16" x D 12-5/8" x H 3-9/16"
Basin W 17-7/8" x D 10-13/16" 
- 4 **LUMINIST™ ROUND LAVATORY**
LLT150 ø15-3/4" Dia.
Basin ø14-7/8" Dia. 
- 5 **KIWAMI™ RENESSE® DESIGN II**
LT171 G - Single-Hole Lav
LT171.8G - 8" Centers
W 23-5/8" x D 17-3/4" x H 2-3/4"
Basin W 21-5/8" x D 12-3/4"  
- 6 **KIWAMI™ RENESSE® DESIGN I**
LT172 G - Single-Hole Lav
LT172.8G - 8" Centers
W 18-1/8" x D 18-1/8" x H 2-1/8"
Basin W 16-1/8" x D 12-1/2"  
- 7 **NEXUS®**
*LT791.8
W 24" x D 17-3/8" x H 6-3/8"
Basin W 15-3/4" x D 11" 
- 8 *LT645.8G
W 19-7/8" x D 19-7/8" x H 6-1/8"
Basin D 5-1/8" 
- 9 **LARISSA™**
LT523(G) ø17" Dia. x Basin 6-1/4" 
- 10 **ALEXIS™**
LT524(G) ø17-3/4" Dia. x Basin 6-3/8" 
- 11 **CURVA™**
LT185 W ø18" Dia. x H 3-13/16"
Basin W ø13" Dia. 
- 12 **PO™**
LT380G
W 26-3/4" x D 19-1/2" x H 6-7/16"
Basin W 22" x D 16-5/16" x H 4" 
- 13 **WAZA™ AYA™**
LT161 W ø15-3/4" Dia. x H 5-1/2"
Basin W ø14-3/4" Dia. 
- 14 **WAZA™ AYA™**
LT162 W ø15-3/4" Dia. x H 5-1/2"
Basin W ø14-3/4" Dia. 
- 15 **WAZA™ AYA™**
LT163 W 17-3/4" x D 14-1/8" x H 6-1/4"
Basin W ø9-7/8" Dia. 
- 16 **WAZA™ NOIR™**
FLT141 W ø18-1/8" Dia. x H 3-9/16"
Basin W ø15-9/16" Dia. 
- 17 **WAZA™ NOIR™**
FLT132 W 24" x D 15" x H 3-5/8"
Basin W 22-11/16" x D 12-13/16" 

* Available in single-hole, 4" or 8" centers.

Please check www.totousa.com for finish availability



1



2



3



4



5



6



7



8



9



10



11



12



13



14



15



16



17



18



19



20



21

UNDER-COUNTER LAVATORIES

1 SOIRÉE®
LT967
W 24-3/4" x D 14-1/8"



2 LLOYD®
LT931
W 21" x D 14"



3 VERNICA™
LT156
W 19-1/2" x D 12-1/4"



4 DARTMOUTH®
LT641
W 18-3/4" x D 13-3/4"

LT643
W 17-1/4" x D 12-7/8"



5 PROMENADE®
LT533
W 18-1/2" x D 14-1/2"



6 LEGATO™
LT624(G)
W 17" x D 15"



7 AIMES®
LT626(G)
W 17" x D 15"



8 LT542G
W 19" x D 12-3/8"

LT540G
W 21-1/4" x D 14"



9 LT546(G)
W 21-5/8" x D 15-3/4"



10 LT548(G)
W 23-5/8" x D 16-1/2"



11 LT553
W 19-5/8" x D 12-5/8"



12 RENDEZVOUS™
LT579(G)
W 19-1/2" x D 16-1/4"



DANESCA™
LT597(G)
W 21-1/4" x D 17-1/4"



13 LT577
W 15" x D 12"



14 LT193(G)
W ø15-3/8" Dia.



15 CURVA™
LT181
W 17" x D 14"



16 CURVA™
LT183
W ø14" Dia.



17 LT191(G)
W 20-1/2" x D 12-3/8"



18 WAZA™ NOIR™
FLT132
W 24" x D 15-1/16"



19 WAZA® BARROCCO™
LT641#01-NA
W 18-3/4" x D 13-3/4"



20 WAZA® SULTANA™
LT624#01-NB
W 17" x D 15"



21 WAZA® TIRAZ™
LT624#01-NC
W 17" x D 15"



Please check www.totousa.com for finish availability

SELF-RIMMING LAVATORIES



1



2



3



4



5



6



7



8



9



10



11



12



13



14



15



16



17

1 SOIRÉE®
*LT963 W 27-1/2" x D 18-7/8"



2 GUINEVERE®
*LT971 W 28-1/8" x D 19-5/8"



3 PACIFICA®
*LT909.8 W 25-5/8" x D 17-3/4"



4 MERCER®
*LT751.8 W 25-1/4" x D 19"



5 CARROLLTON®
*LT771.8 W 24" x D 18"



6 CLAYTON®
*LT781.8 W 25" x D 18-1/4"



7 WHITNEY®
*LT753.8 W 25" x D 18"



8 PROMENADE®
*LT531.8 W 22-1/2" x D 18-7/8"



9 PROMINENCE®
*LT521.8 W 21-1/4" x D 19-1/4"



10 ULTIMATE®
*LT512.8(G) W 19" x D 19"



11 VERNICA™
LT155 - single hole
LT155.8 - 8" centers
W 20" x D 18" x H 3"
Basin W 16-1/2" x W 11"



12 CURVA™
LT182 W 22" x D 19" w/faucet hole



LT180 W 22" x D 19" w/o faucet hole



13 EN™
LT382G
ø21" Dia.



14 SUPREME®
*LT511.8(G) W 20" x D 17"



15 RYOHAN®
LT987G
W 28" x D 18-3/4" x H 1-7/8"
Basin ø15" Dia. x H 3-1/2"



16 WAZA™ NOIR™
FLT132
W 24" x D 15-1/16" x H 1/2"



17 WAZA™ NOIR™
FLT142
W 25-9/16" x D 17-1/16" x H 6-3/8"



* Available in single-hole, 4" or 8" centers.
Please check www.totousa.com for finish availability

WALL-MOUNT LAVATORIES



1



2



3

1 SUPREME®
*LHT241.8(G)
W 22-7/8" x D 19-5/8"



2 PROMINENCE®
*LHT242.8(G)
W 25-3/4" x D 21-1/4"



3 LT650G
W 29-1/2" x D 11-13/16"



* Available in single-hole, 4" or 8" centers.



FAUCETS and SHOWERS

At TOTO, we think your bathroom should be more than just a functional room. After all, there is no other space in your home that is as personal. It should be a room to relax, rejuvenate and show off your sense of style. Our faucets and showers add that perfect touch of beauty and with a selection ranging from traditional to contemporary it can reflect any design sensibility.

TOTO faucets and showers are designed to provide you with long lasting quality and durability, which means you can rely on them to perform at the highest level every day. We offer a variety of faucet styles and shower configurations to make sure you get the best out of your TOTO product. And best of all, our high efficiency faucets and showerheads allow you save water and money and look beautiful doing it.



SMA TECHNOLOGY

PEACE OF MIND

TOTO's dedication to innovative technology that enriches your life is legendary. We understand that an uninterrupted, pleasurable shower experience must be backed up by consistent flow and temperature. Our exclusive Shape Memory Alloy (SMA) thermostatic mixing valve features a nickel and titanium alloy coil that responds to temperature changes more quickly than traditional wax-based systems.

The SMA valve allows you to achieve and maintain your ideal temperature and a consistent flow, even in the most demanding shower configurations. Best of all, SMA valves are compatible with almost all TOTO shower components and systems.





1



2



3



4



5



6



7



8

AIMES[®] SHOWER SET

- 1 AIMES SHOWERHEAD
TS626A
- 2 AIMES TWO-WAY VOLUME CONTROL TRIM
TS626D2
(Requires TS2D Two-Way Volume Control Valve)
- 3 AIMES WALL SPOUT
TS626E
- 4 AIMES ONE-WAY VOLUME CONTROL TRIM
TS626C2
(Requires TS2A One-Way Volume Control Valve)
- 5 AIMES THERMOSTATIC VALVE TRIM
TS626T
(Requires TS2T SMA Thermostatic Mixing Valve)
- 6 AIMES HANDSHOWER SET
TS626F2
- 7 GYROSTREAM[®] BODYSPRAY
TS100J
(Requires TS1B valve)
- 8 AIMES DECK-MOUNT TUB FILLER TRIM
WITH HANDSHOWER
TB626S1
(Requires TB6TR valve)



Please check www.totousa.com for finish availability



1



2



3



4



5



6



7



8

AQUIA[®] SHOWER SET

- 1 AQUIA SHOWERHEAD
TS416A
- 2 AQUIA TWO-WAY VOLUME CONTROL TRIM
TS416D2
(Requires TS2D Two-Way Volume Control Valve)
- 3 AQUIA WALL SPOUT
TS416E
- 4 AQUIA ONE-WAY VOLUME CONTROL TRIM
TS416C2
(Requires TS2A One-Way Volume Control Valve)
- 5 AQUIA THERMOSTATIC VALVE TRIM
TS416T
(Requires TS2T SMA Thermostatic Mixing Valve)
- 6 TRILOGY HANDSHOWER SET
TS100F2L
- 7 GYROSTREAM BODYSPRAY
TS100J
(Requires TS1B valve)
- 8 AQUIA DECK-MOUNT TUB FILLER TRIM
TB416DD
(Requires TB6TR valve)



Please check www.totousa.com for finish availability



UPTON SHOWER SET

- 1 UPTON SHOWERHEAD
TS630A
- 2 UPTON TWO-WAY VOLUME CONTROL TRIM
TS630D2
(Requires TS2D Two-Way Volume Control Valve)
- 3 UPTON WALL SPOUT
TS630E
- 4 UPTON ONE-WAY VOLUME CONTROL TRIM
TS630C2
(Requires TS2A One-Way Volume Control Valve)
- 5 UPTON THERMOSTATIC VALVE TRIM
TS630T
(Requires TS2T SMA Thermostatic Mixing Valve)
- 6 UPTON HANDSHOWER SET
TS630F2
- 7 GYROSTREAM® BODYSPRAY
TS100J (Requires TS1B valve)
- 8 UPTON DECK-MOUNT TUB FILLER TRIM
TB630DD
(Requires TB6TR valve)



Please check www.totousa.com for finish availability

FREESTANDING TUB FILLERS



- 1 TWO-HANDLE FREESTANDING TUB FILLER
TB100DF
- 2 SINGLE-HANDLE FREESTANDING TUB FILLER
TB100SF



Please check www.totousa.com for finish availability



1



2



3



4



5



6



7

KIWAMI™ RENESSE® SHOWER SET

- 1 RENESSE SHOWERHEAD
TS170A
- 2 RENESSE TWO-WAY VOLUME CONTROL TRIM
TS170D
(TSKD SMA Thermostatic Mixing Valve sold separately) T
- 3 RENESSE ONE-WAY VOLUME
CONTROL TRIM for SHOWERHEAD
TS170C
(TSKA Valve sold separately)
- 4 RENESSE ONE-WAY VOLUME
CONTROL TRIM for HANDSHOWER
TS170C1
(TSKA Valve sold separately)
- 5 RENESSE WALL SPOUT
TS170E
- 6 RENESSE HANDSHOWER TRIM SET
TS170H
(TSKH handshower adapter sold separately)
- 7 RENESSE DECK-MOUNT TUB FILLER TRIM
TB170DD

Please check www.totousa.com for finish availability



1



2



3



4



5



6



7



8

SOIRÉE® SHOWER SET

- 1 SOIRÉE SHOWERHEAD
TS960A

TS960AL
- 2 SOIRÉE THERMOSTATIC MIXING VALVE TRIM
WITH TWO-WAY VOLUME CONTROL
TS960D, TS960D1 (Lever handle not shown) T
(Requires TSTD/TSTDR Thermostatic Mixing Valve with Two-Way Volume Control Valve)
- SOIRÉE THERMOSTATIC MIXING VALVE TRIM
WITH ONE-WAY VOLUME CONTROL
TS960C, TS960C1 (Lever handle not shown) T
(Requires TSTA/TSTAR Thermostatic Mixing Valve with One-Way Volume Control Valve)
- 3 SOIRÉE WALL SPOUT
TS960E
- 4 SOIRÉE ONE-WAY VOLUME CONTROL TRIM
TS960C2 (Requires TS6A One-Way Volume Control Valve)
- 5 SOIRÉE THERMOSTATIC VALVE TRIM
TS960T (Requires TSST SMA Thermostatic Valve) T
- 6 SOIRÉE HANDSHOWER SET WITH VALVE
AND SLIDE BAR
TS960H

SOIRÉE HANDSHOWER SET WITH LEVER
TYPE VALVE
TS960F1

SOIRÉE HANDSHOWER SET
TS960F2
- 7 SOIRÉE PUSH BUTTON TRIM
TS960C3
(Requires TS6P valve)
- 8 SOIRÉE DECK-MOUNT TUB FILLER TRIM
TB960DD
(Requires TB6T valve)

Please check www.totousa.com for finish availability



GUINEVERE® SHOWER SET

- 1 GUINEVERE SHOWERHEAD
TS970A

TS970AL
- 2 GUINEVERE THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL TRIM
TS970D
(Requires TSTD/TSTDOR Thermostatic Mixing Valve with Two-Way Volume Control Valve) T

GUINEVERE THERMOSTATIC MIXING VALVE TRIM WITH ONE-WAY VOLUME CONTROL TRIM
TS970C
(Requires TSTA/TSTAR Thermostatic Mixing Valve with One-Way Volume Control Valve) T
- 3 GUINEVERE WALL SPOUT
TS970E
- 4 GUINEVERE ONE-WAY VOLUME CONTROL TRIM
TS970C2 (Requires TS7A One-Way Volume Control Valve)
- 5 GUINEVERE THERMOSTATIC VALVE TRIM
TS970T (TSTT SMA Thermostatic Valve) T
- 6 GUINEVERE HANDSHOWER SET WITH VALVE AND SLIDE BAR
TS970H

GUINEVERE HANDSHOWER SET WITH LEVER TYPE VALVE
TS970F1

GUINEVERE HANDSHOWER SET
TS970F2
- 7 GUINEVERE PUSH BUTTON TRIM
TS970C3
(Requires TS6P valve)
- 8 GUINEVERE DECK-MOUNT TUB FILLER TRIM
TB970DD, TB970DD1 (Lever handle not shown)
(Requires TB7T valve), (TB970DD1 requires TB7TR valve)

Please check www.totousa.com for finish availability



LLOYD® SHOWER SET

- 1 LLOYD SHOWERHEAD
TS930A

TS930AL
- 2 LLOYD PRESSURE BALANCE VALVE TRIM
TS930PV (with diverter)
(TSPV/TSPVR pressure balance valve sold separately)

LLOYD PRESSURE BALANCE VALVE TRIM
TS930P (without diverter)
(TSPT/TSPTR pressure balance valve sold separately)
- 3 LLOYD WALL SPOUT
TS930E
- 4 LLOYD RAIN SHOWERHEAD 8"
TS930A1

TS930A1L
- 5 LLOYD THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL
TS930D
(Requires TSTD/TSTDOR Thermostatic Mixing Valve with Two-Way Volume Control Valve) T

LLOYD THERMOSTATIC MIXING VALVE TRIM WITH ONE-WAY VOLUME CONTROL
TS930C
(Requires TSTA/TSTAR Thermostatic Mixing Valve with One-Way Volume Control Valve) T
- 6 LLOYD DECK-MOUNT TUB FILLER TRIM
TB930DD
(Valve included)



Please check www.totousa.com for finish availability



NEXUS[®] SHOWER SET

- 1 NEXUS SHOWERHEAD
TS794A

TS794AL
- 2 NEXUS PRESSURE BALANCE VALVE TRIM
TS794PV
(TSPVR pressure balance valve sold separately)

NEXUS PRESSURE BALANCE VALVE TRIM
TS794P (without diverter)
(TSPT/TSPTR pressure balance valve sold separately)
- 3 NEXUS WALL SPOUT
TS794E
- 4 NEXUS HANDSHOWER SET
TS794F2
- 5 NEXUS THERMOSTATIC MIXING VALVE TRIM
WITH TWO-WAY VOLUME CONTROL
TS794D 
(Requires TSTD/TSDR Thermostatic Mixing Valve with Two-Way Volume Control Valve)
- NEXUS THERMOSTATIC MIXING VALVE TRIM
WITH ONE-WAY VOLUME CONTROL
TS794C 
(Requires TSTA/TSTAR Thermostatic Mixing Valve with One-Way Volume Control Valve)
- 6 NEXUS DECK-MOUNT TUB FILLER TRIM
TB794DD
(Valve included)



MERCER[®] SHOWER SET

- 1 MERCER SHOWERHEAD
TS756A

TS756AL
- 2 MERCER PRESSURE BALANCE VALVE TRIM
TS756PV
(TSPVR pressure balance valve sold separately)

MERCER PRESSURE BALANCE VALVE TRIM
TS756P (without diverter)
(TSPT/TSPTR pressure balance valve sold separately)
- 3 MERCER WALL SPOUT
TS756E
- 4 MERCER DECK-MOUNT TUB FILLER TRIM
TB756DD (Valve included)



CLAYTON[®] SHOWER SET

- 1 CLAYTON SHOWERHEAD
TS784A

TS784AL
- 2 CLAYTON PRESSURE BALANCE VALVE TRIM
TS784PV
(TSPVR pressure balance valve sold separately)

CLAYTON PRESSURE BALANCE VALVE TRIM
TS784P (without diverter)
(TSPT/TSPTR pressure balance valve sold separately)
- 3 CLAYTON WALL SPOUT
TS784E
- 4 CLAYTON DECK-MOUNT TUB FILLER TRIM
TB784DD (Valve included)



TOTO[®] RAIN SHOWERHEAD

- 1 TOTO RAIN SHOWERHEAD
TS100B

TS100BL
- 2 TOTO SQUARE RAIN SHOWERHEAD
TS100B1

TS100B1L
- 3 TRILOGY[™] SHOWERHEAD
TS100A

TS100AL
- 4 RAIN SHOWER ARM (CEILING-MOUNT)
TS100MC9, 9" TS100MC3, 3"

Please check www.totousa.com for finish availability

LAVATORY FAUCETS



KIWAMI™ RENESSE®
TL170DD, *TL170DDLQ,
TL170DDA, *TL170DDALQ



KIWAMI™ RENESSE®
TL170SD, *TL170SDLQ,
TL170SDA, *TL170SDALQ



GUINEVERE®
TL970DD, *TL970DDLQ (shown)
TL970DD1, *TL970DD1LQ (Lever handle not shown)



GUINEVERE®
TL960SD, *TL960SDLQ



SOIRÉE®
TL960DD, *TL960DDLQ



SOIRÉE®
TL960SD, *TL960SDLQ



AIMES®
*TL626DD



UPTON®
*TL630SD



UPTON®
*TL630SDH



AQUIA®
*TL416SD



AQUIA®
*TL416SDH



NEXUS®
TL794DD, TL794DDL, *TL794DDLQ
* Compliant with California AB1953 & Vermont S.152
Please check www.totousa.com for finish availability



ADA


Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSEsm

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less. Faucets are 1.5 GPM.

LAVATORY FAUCETS cont.



LLOYD®
TL930DD, TL930DDL,
*TL930DDLQ



ETHOS™ DESIGN C
TL680DD, TL680DDL



ETHOS™ DESIGN C
TL680SD, TL680SDL



ETHOS™ DESIGN L
TL660DD, TL660DDL



ETHOS™ DESIGN L
TL660SD, TL660SDL



ETHOS™ DESIGN N I
TL670DD, TL670DDL



ETHOS™ DESIGN N I
TL670SD, TL670SDL



ETHOS™ DESIGN N II
TL690DD, TL690DDL



ETHOS™ DESIGN N II
TL690SD, TL690SDL



MERCER®
TL756DD, TL756DDL



CLAYTON®
TL784DD, TL784DDL

* Compliant with California AB1953 & Vermont S.152
Please check www.totousa.com for finish availability



ADA

Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSEsm

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less. Faucets are 1.5 GPM.

TOTO ECOPOWER® SENSOR FAUCETS

Engineered to require no electricity or routine battery replacement, EcoPower technology is the perfect marriage of hands-free operation, low maintenance, easy installation and ecology.

Found only in TOTO sensor faucets, EcoPower products are powered by water, a truly sustainable form of energy. No changing batteries that end up in landfills and no downtime required to install power supplies and wiring. Automatic water shut-off functionality reduces maintenance costs for common problems such as continuous running, flooding and water waste.

EcoPower technology saves energy and provides maximum performance in even the most demanding, high-traffic commercial spaces, making TOTO EcoPower faucets valves a perfect conservation solution.



HELIX®
TEL3GC10, TEL3GC60,
TEL5GC10, TEL5GC60
Available in Polished Chrome #CP only.



FORDHAM®
TEL3GT10, TEL3GT60,
TEL5GT10, TEL5GT60
Available in Polished Chrome #CP only.



AXIOM®
TEL3GK10, TEL3GK60,
TEL5GK10, TEL5GK60
Available in Polished Chrome #CP only.



RYOHAN®
TEL3GM60, TEL5GM60
Available in special Ryohan finish only.

WALL-MOUNT LAVATORY FAUCETS



PO®
TL380SW, TL380SWL



ECOPOWER® HELIX®
TEL3GW60, TEL5GW60
Available in Polished Chrome #CP only.

DECK-MOUNT LAVATORY FAUCETS



PO™
TL380SDL#CP
Available in Polished Chrome #CP only.



EN™
TL382SDL#CP
Available in Polished Chrome #CP only.



WAZA™ NOIR
TL382SDL#TB
Available in Textured Black #TB only.

Please check www.totousa.com for finish availability



ADA

Product complies with Americans with Disabilities Act accessibility guidelines.



ECOPOWER®

EcoPower indicates sensor faucets and sensor Flushometer valves that are powered by flowing water.

ACCESSORIES

GUINEVERE®



TOWEL BAR, 24"
YB970



TOWEL RING
YR970



PAPER HOLDER
YP970



ROBE HOOK
YH970



GRAB BAR, 42"
YG97042



GRAB BAR, 24"
YG97024

SOIRÉE®



TOWEL BAR, 24"
YB960



TOWEL RING
YR960



PAPER HOLDER
YP960



ROBE HOOK
YH960



GRAB BAR, 42"
YG96042



GRAB BAR, 24"
YG96024

AIMES®



TOWEL BAR, 24"
YB626



TOWEL RING
YR626



PAPER HOLDER
YP626



ROBE HOOK
YH626

UPTON™



TOWEL BAR, 24"
YB630



TOWEL RING
YR630



PAPER HOLDER
YP630



ROBE HOOK
YH630

AQUIA®



TOWEL BAR, 24"
YB416



TOWEL RING
YR416



PAPER HOLDER
YP416



ROBE HOOK
YH416

NEXUS®



TOWEL BAR, 24"
YB794



TOWEL RING
YR794



PAPER HOLDER
YP794



ROBE HOOK
YH794

LLOYD®



TOWEL BAR, 24"
YB960



TOWEL RING
YR930



PAPER HOLDER
YP930



ROBE HOOK
YH930

CLAYTON®



TOWEL BAR, 24"
YB784



TOWEL RING
YR784



PAPER HOLDER
YP784



ROBE HOOK
YH784



NEOREST®

To the designers at TOTO, it's about creating a new way to live in the modern bathroom; a refining of humanity's relationship with water. Here, technology and design bond to form a sense of relaxation like no other. The result is a suite that is as luxurious and intuitive as any can be. The Neorest suite is living, breathing proof of this. And we do mean 'living' and 'breathing'. It remembers the water temperature you prefer and how deep you like your bath. It even 'senses' your approach and prepares accordingly. In this respect, connecting human need with human desire has become a design philosophy. The restorative benefits of water are enhanced by pure innovation. We like to think of it as 'ergonomic technology'. It makes every single experience more rewarding. And that, we see as the peak of luxury.

NEOREST 600
MS990CGR



NEOREST 550
MS980CMG



NEOREST 500
MS950CG





NEOREST II VESSEL LAVATORY WITH LED LIGHTING
LLT993

NEOREST II LAVATORY FAUCET
TL993SE



NEOREST COMBINATION LAVATORY/FAUCET
LFC991G, LFC991GQ



BATH TOWEL HOLDER
YB991



HAND TOWEL HOLDER
YC991



PAPER HOLDER
YP991



ROBE HOOK
YH991





When it comes to comfort, hygiene and the personal satisfaction of feeling clean, the TOTO Washlet is the ultimate personal care system. Another example of TOTO's commitment to social sustainability, the Washlet incorporates universal design principles making it easy to use by all age groups and abilities. It uses pure clean water and multiple cleansing modes to keep you feeling fresh and rejuvenated. And using it couldn't be easier - just reach for the remote and select the area you want to wash. It even has a heated seat and warm air dryer plus many other features to pamper you beyond measure.



With the touch of a button, a nozzle extends from under the seat for soothing warm-water cleansing. Water temperature can be set between 86° and 104°F.



Users can set the water from the nozzle to pulsate or oscillate during use for maximum comfort and cleaning.



Enjoy the ease and comfort of hands-free drying with the temperature-adjustable warm-air dryer.



The specially designed, contoured seat is heated to provide maximum comfort. An integrated sensor maintains the desired setting between 86° and 104°F.



The self-cleaning function cleans and sanitizes the entire antibacterial nozzle before and after each use.



The SoftClose lid closes gently to eliminate seat slamming, and the S400 model lid is activated by sensors for automatic opening.

WASHLET® MODELS & FUNCTIONS

WASHLET S400
SW564T695 (Elongated)
SW563T695 (Round)

WASHLET S300
SW554 (Elongated)
SW553 (Round)

WASHLET E200
SW844 (Elongated)
SW843 (Round)

WASHLET C110
SW524 (Elongated)
SW523 (Round)



| NAME | | S400 | S300 | E200 | C110 |
|---|---------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| PRODUCT NUMBER | | SW563 (round) SW564 (elongated) | SW553 (round) SW554 (elongated) | SW843 (round) SW844 (elongated) | SW523 (round) SW524 (elongated) |
| COLOR: Cotton (#01), Colonial White (#11), Sedona Beige (#12) | | #01, #11, #12 | #01, #11, #12 | #01, #11, #12 | #01, #11, #12 |
| CLEANSE | REAR CLEANSE | • | • | • | • |
| | FRONT CLEANSE | • | • | • | • |
| | SOFT REAR CLEANSE | • | • | | |
| | OSCILLATING CLEANSE | • | • | • | |
| | PULSATING CLEANSE | • | • | | |
| | INSTANTANEOUS WATER HEATING | • | • | | |
| | WATER PRESSURE CONTROL | 7 Settings | 7 Settings | 5 Settings | 5 Settings |
| | WATER TEMPERATURE CONTROL | 5 Settings | 5 Settings | 5 Settings | 5 Settings |
| AIR | NOZZLE POSITION ADJUSTMENT | • | • | | |
| | AIR PURIFIER (DEODORIZER) | • | • | | |
| | AIR DRYER | • | • | • | |
| SEAT | AIR TEMPERATURE CONTROL | 5 Settings | 5 Settings | 5 Settings | |
| | HEATED SEAT | • | • | • | • |
| | HEATED SEAT TEMPERATURE CONTROL | 5 Settings | 5 Settings | 5 Settings | 5 Settings |
| SENSOR | SOFT CLOSE SEAT AND LID | • | • | • | • |
| | SEAT SENSOR | • | • | • | • |
| | AUTOMATIC OPEN AND CLOSE LID | • | | | |
| REMOTE CONTROL | AUTOMATIC FLUSH | • | | | |
| | REMOTE CONTROL | • | • | • | Side Panel |
| | REMOTE CONTROLLED SEAT AND LID | • | | | |
| HYGIENE | REMOTE CONTROLLED FLUSH | • | | | |
| | ANTIBACTERIAL COATING | • | • | • | • |
| | REMOVABLE SEAT AND LID | • | • | • | • |
| ENERGY SAVING | WAND CLEANING BUTTON | • | • | • | • |
| | SELF-CLEANING WAND | • | • | • | • |
| | ENERGY-SAVE TIMER | 3, 6, 9 Hours | 3, 6, 9 Hours | 3, 6, 9 Hours | 6, 9 Hours |
| | AUTO ENERGY SAVER | • | • | | • |
| | ON / OFF BUTTON | • | • | • | • |

| | | | | | | |
|--------------------------|---------------------|---------------------------------|------------------------|---------------------------------|-----------------------|-------------------------------|
| POWER RATING | | | 120V AC, 60Hz | 120V AC, 60Hz | 120V AC, 60Hz | 120V AC, 60Hz |
| STANDARD POWER USAGE | | | 1277W | 1277W | 410W | 570W |
| LENGTH OF POWER CORD | | | Maximum length 3 ft. | Maximum length 3 ft. | Maximum length 3 ft. | Maximum length 3 ft. |
| WASHLET | NOZZLE FLOW RATE | REAR | 9 ~ 14.5 oz. / min. | 9 ~ 14.5 oz. / min. | 9.8 ~ 18.6 oz. / min. | 11.8 ~ 30.4 oz. / min. |
| | | SOFT | 9 ~ 14.5 oz. / min. | 9 ~ 14.5 oz. / min. | - | - |
| | | FRONT | 9.5 ~ 14.5 oz. / min. | 9.5 ~ 14.5 oz. / min. | 9.3 ~ 18.6 oz. / min. | 15.2 ~ 33.8 oz. / min. |
| DRYER | WATER TEMPERATURE | | 86°F ~ 104°F | 86°F ~ 104°F | 86°F ~ 104°F | 86°F ~ 104°F |
| | AIR TEMPERATURE | | 104°F ~ 138°F | 104°F ~ 138°F | 104°F ~ 138°F | - |
| | CAPACITY OF AIR | | 10.5 ft³ / min. | 10.5 ft³ / min. | 9.2 ft³ / min. | - |
| HEATED SEAT | SURFACE TEMPERATURE | | 79° F - 97° F | 79° F - 97° F | 86° F - 97° F | 79° F - 97° F |
| AIR PURIFIER | METHOD | | Catalytic purification | Catalytic purification | - | - |
| | AIR VOLUME | | 5.5 ft³ / min. | 5.5 ft³ / min. | - | - |
| WATER SUPPLY PRESSURE | | | 20 psi - 80 psi | 20 psi - 80 psi | 20 psi - 80 psi | 20 psi - 80 psi |
| WATER SUPPLY TEMPERATURE | | | 33°F to 104°F | 33°F to 104°F | 33°F to 104°F | 33°F to 104°F |
| AMBIENT TEMPERATURE | | | 33°F to 104°F | 33°F to 104°F | 33°F to 104°F | 33°F to 104°F |
| SIZE | ROUND | 15-3/4"W x 19-3/4"D x 5-1/8"H | | 15-3/4"W x 19-3/4"D x 5-1/8"H | | 14-7/8"W x 20"D x 7"H |
| | ELONGATED | 15-3/4"W x 20-15/16"D x 5-1/8"H | | 15-3/4"W x 20-15/16"D x 5-1/8"H | | 14-7/8"W x 19-1/2"D x 6-3/4"H |
| | | | | | 19-3/8"W x 21"D x 7"H | |

★ TOTO® toilets compatible with Washlet S400:

CARLYLE® (MS874114S)(G), ULTIMATE® (MS953113), ULTIMATE (MS954114), ULTRAMAX® (MS853113S), ULTRAMAX (MS854114S)(G)(L), DARTMOUTH® (CST754SF), DRAKE® (CST743S), DRAKE (CST744S)(G)(L), MERCER® (MS756204SF), NEXUS® (CST794SF), VESPIN® (CST764S)(G).

TOTO® AIR BATH™ COLLECTION

TOTO's cast-acrylic, design-coordinated Air Baths have deep bathing wells and are equipped with solid brass grab bars and 14-16 individual air jets. The unique spring-loaded anti-return check valve system helps maintain clean and hygienic bathing environment. TOTO's air baths allows the bather to use soaps, bath oils, salts and other bathing essentials without the worry of harming the air system.



1



2

- 1 MERCER® AIR BATH**
ABA756L / ABA756R 72" x 42" x 22"

- 2 LLOYD® AIR BATH**
ABA930L / ABA930R 72" x 42" x 22-3/8"
WOOD TRIM KIT ABT930 77" x 47-1/4" x 2"



3



4

- 3 CLAYTON® AIR BATH**
ABA784L / ABA784R 71-5/8" x 35-7/8" x 22"

- 4 CLAYTON® TILE-IN AIR BATH**
ABA782L / ABA782R 60" x 32" x 24-7/8"

Also available:
ABA781L / ABA781R 60" x 32" x 24-3/4"
ABA785L / ABA785R 66" x 34" x 25-1/8"
ABA789L / ABA789R 66" x 36" x 24-3/4"



5



6

- 5 SOIRÉE® AIR BATH**
ABA964L / ABA964R 72-3/8" x 39-1/2" x 25-1/2"

- 6 CARROLLTON® AIR BATH**
ABA774L / ABA774R 72" x 42" x 23-5/8"



7



8

- 7 GUINEVERE® AIR BATH**
ABA974L / ABA974R 71-1/2" x 38" x 24-3/8"

- 8 PACIFICA® AIR BATH**
ABA904L / ABA904R 72" x 42" x 24-7/8"



9

- 9 NEXUS® AIR BATH**
ABA794L / ABA794R 71-3/8" x 35-7/16" x 24-3/16"

Please check www.totousa.com for finish availability

TOTO® FREESTANDING BATHTUBS

TOTO freestanding tubs are a must have for a relaxing bathing experience. They are generous in size and offer plenty of space for you to stretch out and wash away the day's stress. Freestanding tubs are versatile and allow for endless layout and design possibilities. And because they are accessible from all sides, cleaning is easier and more convenient. For a true spa-like experience design your bath space around a TOTO freestanding tub and create a bold statement in your home.



5



6

- 5 SOIRÉE® FREESTANDING TUB**
ABF964 72-3/8" x 39-1/2" x 25-3/8"

- 6 NEXUS® FREESTANDING TUB**
FBF794S 66-15/16" x 29-1/2" x 21-1/8"

Please check www.totousa.com for finish availability

FEATURES & TECHNOLOGIES

TOTO has created these icons to help you effectively identify the features and technologies available on our various products. We hope these icons will assist you in the planning stages of your next bath space project.



DOUBLE CYCLONE®

Double Cyclone indicates the cleanest and most powerful flushing system for HETs available on the market today.



E-MAX®

E-Max indicates high performance, HET flushing technology with a wide flush valve, large trapway and extra-large syphon jet.



G-MAX®

G-Max indicates a flawless, quiet and powerful flushing system with gravity-fed boost to performance.



DUAL-MAX®

Dual-Max indicates a dual flushing system that optimizes conservation by allowing you to select 0.9 or 1.6 GPF.



SANAGLOSS®

SanaGloss glaze prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning.



ECOPOWER®

EcoPower indicates sensor faucets and sensor Flushometer valves that are powered by flowing water.



SMA THERMOSTATIC VALVE TECHNOLOGY

Thermostatic valve that features Shape Memory Alloy (SMA) technology for reliability and maintaining consistent water temperature.



SKIRTED DESIGN

Skirted Design indicates toilets featuring TOTO's 10", 12", and 14" Unifit Rough-In and concealed trapway design.



UNIVERSAL HEIGHT

Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



ADA

Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSEsm

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less. Faucets are 1.5 GPM.

PRODUCT COLORS & FINISHES

TOTO WHITE



#01
COTTON



#11
COLONIAL WHITE

BASIC COLORS



#12
SEDONA BEIGE



#03
BONE

PREMIUM COLOR



#51
EBONY

STANDARD FINISH



Polished Chrome
(#CP)

PREMIUM FINISHES



LifeKoat™
Polished Nickel
(#PN)



LifeKoat™
Brushed Nickel
(#BN)



LifeKoat™
Rubbed Bronze
(#RB)

you + water

TOTO®

TOTO U.S.A., INC.
1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686

www.totousa.com

#K112010
Printed in U.S.A. 10/2010