




ADAPTORS

WELDING
ACCESSORIES


CYLINDER TO REGULATOR ADAPTORS

PART# F41
UPC# 43314

CGA200 "MC"
to CGA520 "B"



PART# F34
UPC# 43310
CGA200 "MC" 90°
to CGA520 "B"




PART# F25
UPC# 43305
CGA200 "MC" 90°
to CGA510 "POL"



PART# F38
UPC# 43313

CGA300 "CA" to
CGA200 "MC"




PART# F10X
UPC# 43300

CGA580 to
CGA540



PART# F32
UPC# 43308
CGA510 "POL"
to CGA520 "B"




PART# F28
UPC# 43306

CGA300 "CA"
to CGA510 "POL"




PART# F35
UPC# 43311

CGA300 "CA" to
CGA520 "B"




PART# F24X
UPC# 43304


CGA510 "POL"
to CGA300 "CA"



PART# F37
UPC# 43312
CGA510 "POL"
to CGA200 "MC"



PART# F31
UPC# 43307
CGA520 "B" to
CGA200 "MC"



PART# F50
UPC# 43315
CGA520 "B" 90°
to CGA520 "B"



PART# F60
UPC# 43316

ALC CGA410
Fitting to
CGA510 "POL"



PART# F33
UPC# 43309
CGA520 "B" 90°
to CGA510 "POL"




PART# F22X
UPC# 43303


CGA540 to
CGA580



PART# F36
UPC# 43319
CGA580 to
"CO." CGA320



PART# F61X
UPC# 43317
CGA520 "B" to
CGA300 "CA"



REPLACEMENT GAUGES

Oxygen cleaned welding gauges (cleaned for oxy per A.N.S.I. B40.1) suitable for use with oxygen, other fuel gases and medical equipment, (that is non corrosive to brass or bronze) and where stem mounting is desired. Quality brass and steel case construction with one piece polycarbonate lens. Recommended for use with compressed gas regulators.


Most 1-1/2" welding gauges are fitted with a protective rubber gauge boot.



G15



PSI Only

PSI/Kg
Add (-1)
to Part#PSI/kPa
Add (-2)
to Part#PSI/Bar
Add (-3)
to Part#

1-1/2" GAUGES (1/8" NPT)

2" GAUGES (1/4" NPT)

2-1/2" GAUGES (1/4" NPT**)

PRESSURE CALIBRATION	POWDER PAINTED STEEL CASE B.M.*	GOLD STEEL CASE B.M.*	GOLD STEEL CASE C.B.M.*	BRASS CASE B.M.*	BRASS CASE C.B.M.* WITH WEEP HOLE	GOLD STEEL CASE B.M.*	BRASS CASE B.M.*	GOLD STEEL CASE B.M.*
15 PSI (180° scale)	-	G20	-	-	-	-	-	-
30 PSI (Red Line 15-30)	G15 (RED)	G79	-	G2	-	G2S	G22	G22S
30 PSI	-	G80	-	G74	-	G74S	G75	G75S
60 PSI	-	G83	-	G5	G105	G5S	G25	G25S
100 PSI	G49 (GREEN)	G85	G185	G6	G106	G6S	G26	G26S
200 PSI	-	G78	G178	G4	G104	G4S	G24	G24S
300 PSI	-	G84	G184	G33	-	G33S	-	-
400 PSI	-	G73	-	G1	G101	G1S	G21	G21S
1/4, 1/2, 3/4 CONTENTS	G19 (RED)	-	-	-	-	-	-	-
600 PSI	-	-	-	G8	G108	G8S	G28	G28S
1000 PSI	-	-	-	G34	-	G34S	-	-
3000 PSI, (U) LISTED	-	G90	-	G3	-	G3S	G23	G23S
4000 PSI, (U) LISTED	G56 (GREEN)	G82	G182	G7	-	G7S	G27	G27S
6000 PSI, (U) LISTED	-	-	-	G44	-	G44S	G46	G46S

*B.M. = Bottom Mount - C.B.M. = Center Back Mount. ** For 1/8" NPT add (-4) to Part Number. For display cards add (-D) to Part Number

REPLACEMENT LENSES

DISPLAY CARD

PART#	1-1/2" DESCRIPTION	PART#	2" DESCRIPTION	PART#	2-1/2" DESCRIPTION
PL15	POSI-LOCK	PL2	POSI-LOCK	PL25	POSI-LOCK

BULK


05-1-52	FLAT PLASTIC	05-2-52-4	FLAT PLASTIC	05-3-52-8	POSI-LOCK
05-1-52-7	POSI-LOCK	05-2-52-7	POSI-LOCK		
05-1-63	FRICTION RING	05-2-63-2	FRICTION RING		



REPLACEMENT GAUGES

FLOW GAUGES & MEDICAL GAUGES

WELDING
ACCESSORIES



G51



G77



G55



G62



G63

1-1/2" FLOWGAUGES (1/8" NPT) GOLD STEEL CASE

G51 40 SCFH, Argon, AR/CO₂ Mix (75%-25%)
Calibrated for 71 Dr./0.026" Orifice (60 PSI Max.)

G87 10-40 SCFH, CO₂ Calibrated for 71 Dr./0.026"
Orifice (60 PSI Max.)

2" FLOWGAUGES (1/4" NPT) BRASS OR GOLD STEEL CASE

G76 10-55 SCFH, Argon, AR/CO₂ Mix (75%-25%)
Calibrated for 67 Dr./0.032" Orifice (60 PSI Max.)
G76S Same as above [Gold Steel Case]

G77 20-100 SCFH, CO₂ Calibrated for
67 Dr./0.032" Orifice (100 PSI Max.)
G77S Same as above [Gold Steel Case]

G86 10-50 SCFH, CO₂ Calibrated for
69 Dr./0.029" Orifice (60 PSI Max.)
G86S Same as above [Gold Steel Case]

1-1/2" MEDICAL GAUGES (1/8" NPT) CHROME PLATED CASE

G55 15 LPM, Plated Socket, Oxy Calibrated for
73 Dr./0.024" Orifice (60 PSI Max.)

G54 4000 PSI, Plated Socket, Bottom Mount

G154 4000 PSI, Brass Socket, Center Back Mount

2" MEDICAL GAUGES (1/4" NPT) CHROME PLATED CASE

G62 15 LPM Plated Socket, Oxy Calibrated for
77 Dr./0.018" Orifice (120 PSI Max.)

G63 4000 PSI, Plated Socket

(Medical Gauge Dials-green background with white numbers and letters)

High Pressure CO₂ gauge
with red zone for gas order alert.
Use CO₂ or other compressed gases.
Available with side mount or bottom
mount; right or left hand threads.
NOT for OXYGEN service.



GS243



2" HIGH PRESSURE CO₂ GAUGES BLACK STEEL CASE









GS241 Bottom Mount (RHT) 3000 PSI
GS242 Bottom Mount (LHT) 3000 PSI
GS243 Side Mount (RHT) 3000 PSI
GS244 Side Mount (LHT) 3000 PSI



GS241

CGA CYLINDER VALVE CONNECTIONS

VALVE NIPPLE NUT



Source: Compressed Gas Assoc., std. V-1, 1994

"MC"

PART#	Description	ACETYLENE	CGA200
MC24	Nut		.625" - 20 NGO-R.H.
MC52	Nipple		7/16" - 20 UNF, 1-1/8" Long (R)

Used on: RMC Regulators Approx. 10 cu. ft. cylinders only

"CA"

PART#	Description	ACETYLENE	CGA300
8159-4	Nut		.830" - 14 NGO-R.H.
11A05	Nipple		7/16" - 20 UNF, 1-5/16" Long (R)
8112-3	Nipple		1/4" - 18 NPT, 1-15/16" Long (RUH)

Used on: R, RUH, RHG, RHT, RVT, MR Regulators

PART#	Description	CARBON DIOXIDE	CGA320
8159-3	Nut		.830" - 14 NGO-R.H.
8312	Nipple		1/4" - 18 NPT, 2" Long
X09R	O-Ring		(Do not use with Gasket)

Used on: CEF, RUH, RHF, RHT, RV, RVT, RHFG, R1300 (CO₂) Regulators
Use "O-Ring X09R only for 8312 Nipple, Not Gasket

PART#	Description	AIR	CGA346
8959	Nut		.830" - 14 NGO-R.H.
1805	Nipple		1/4" - 18 NPT, 2-1/2" Long

Used on: RV, RVT, RHT, RUH, RHP, R1800 Regulators

PART#	Description	HYDROGEN	CGA350
8859	Nut		.830" - 14 NGO-L.H.
8812-2	Nipple		1/4" - 18 NPT, 2" Long

Used on: RUH, RV, RVT, RHT Regulators

"POL"

PART#	Description	ACETYLENE AND FUEL GAS	CGA510
8159-2	Nut		.880" - 14 NGO-L.H.
1205	Nipple		7/16" - 20 UNF 2-5/32" Long (R)
1205-2	Nipple		1/4" - 18 NPT, 2-13/32" Long (MR)
8112-2	Nipple		1/4" - 18 NPT, 3-3/16" Long (RV, RUH)

Used on: R, RUH, RHT, RHG, RV, RVT, MR Regulators
CGA410 (ALC) (Canada only) on request

"B"

PART#	Description	ACETYLENE	CGA520
B10	Nut		.899" - 18 NGO-R.H.
B51	Nipple		7/16" - 20 UNF 1-15/64" Long (R)
RU12-2	Nipple		1/4" - 18 NPT, 2-3/8" Long (MR, RUH)

Used on: RB, RUH, MR, R Regulators; Cylinder 35-75 cu. ft. only

PART#	Description	OXYGEN ONLY	CGA540
8059-2	Nut		.908" - 14 NGO-R.H.
1005-3*	Nipple		7/16" - 20 UNF 1-19/32" Long (R)
8012-2	Nipple		1/4" - 18 NPT, 2" Long (RV)
RU12	Nipple		1/4" - 18 NPT, 2-9/16" Long (RUH)

Used on: MR, R, RHG, RHT, RV, RVT, RUH Regulators; For Oxygen Service Only

*1005 1/4" - 18NPT(R)

PART#	UPC#	ARGON HELIUM NITROGEN	CGA580
8759	Nut		.960" - 14 NGO-R.H.
1205	Nipple		7/16" - 20 UNF 2-3/16" Long (R)
1205-2	Nipple		1/4" - 18 NPT, 2-13/32" Long (CEF)
8112-2	Nipple		1/4" - 18 NPT, 3-3/16" Long (RHF, RHFG)










Used on: RUH, RV, RVT, RHF, CEF, RHT, RHFG, R1500 (Ni), RAR, R15NI Regulators
Alternative Connections: CGA590 (LH), CGA555 (LH) on Request



CGA VALVE CONNECTIONS

WELDING
ACCESSORIES

B.S. 341 CYLINDER VALVE CONNECTIONS

		Gas	Connections	Cylinder to Regulator			
CONN. No. 2 and No. 4	Part#	Description	ACETYLENE HYDROGEN PROPANE	G 5/8 A-BSP-L.H. 1/4"-18 NPT, 2-3/4" Long 1/4"-18 NPT, 3-1/4" Long	VALVE	NIPPLE	NUT
	BSP59	Nut					
	BSP12	Nipple					
	BSP12-2	Nipple					
CONN. No. 3	Part#	Description	AIR, ARGON HELIUM NITROGEN OXYGEN	G 5/8 A-BSP-R.H. 1/4"-18 NPT, 2-3/4" Long 1/4"-18 NPT, 3-1/4" Long	VALVE	NIPPLE	NUT
	BSP59-2	Nut					
	BSP12	Nipple					
	BSP12-2	Nipple					
CONN. No. 8	Part#	Description	CARBON DIOXIDE	0.860"-14 T.P.I WHITWORTH-R.H. 1/4"-18 NPT, 2-1/2" Long	VALVE	NIPPLE	NUT
	E1359	Nut					
	E1305	Nipple					
	199X500	Gasket					

CYLINDER/TANKS OXYGEN/ACETYLENE/NITROGEN



"N20", "N40", "N60", "R40" AND "R"
CYLINDERS MEET SPECIFICATION:
DOT3AA2015
"B" AND "MC" CYLINDERS MEET SPECIFICATION:
DOTS
DISPOSABLE PROPANE AND MAPP® CYLINDERS
*CASES OF 12 ONLY ARE SHIPPED FULL AND MEET
DOT 39NRC SPECIFICATIONS



GAS SERVICE	PART#	UPC#	APROX. CAPACITY Cu. Ft.	O.D. INCHES	HEIGHT W/VALVE	WEIGHT LBS.	CGA CONNECTION
ACETYLENE	MC	40032	10	4	15	8	200
	B	40033	40	6	23.35	23.1	520
OXYGEN	R	40034	20	5.25	18.5	12.7	540
	R40	40035	40	7	22.5	24.3	540
NITROGEN	N20	40036	20	5.25	18.5	12.7	580
	N40	40037	40	7	22.5	24.3	580
	N60	40041	60	8	23	26	580

LIQUID CAPACITY

MAPP®	MDC*	40030	16 oz.	3	11	2	600
PROPANE	PDC*	40031	14.1 oz.	3	11	1.75	600

MAPP® is a registered trademark of BOC Group, Inc.


HOSE REPAIR KITS

- Quick and easy on-the-spot hose refitting and repair
- Splice damaged hoses with splicers and ferrules
- Repair hoses with nipple fittings and nuts
- 3 complete kits to choose from
- "A" and "B" size hose fittings
- Couplers, nipples, nuts, splicers and ferrules for 1/4" and 3/16" I.D. hose
- Compartmented plastic box
- Heavy duty crimper




**CRIMPER
PART# CT-V**

**PART# HRK-24
UPC# 43380**
"B" SIZE HOSE FITTINGS
FOR 1/4" AND 3/16" I.D. HOSE
KIT INCLUDES:
COUPLERS, NIPPLES, NUTS,
SPLICERS, FERRULES AND
HEAVY DUTY CRIMPER




INDIVIDUAL FITTINGS AVAILABLE IN A BULK PACKAGE

**PART# HRK-26
UPC# 43381**
"B" SIZE HOSE FITTINGS
FOR 1/4" I.D. HOSE
KIT INCLUDES:
COUPLERS, NIPPLES, NUTS,
SPLICERS, FERRULES AND
HEAVY DUTY CRIMPER



EXTRA CRIMPERS (CT-V) AVAILABLE IN A BULK PACKAGE


**PART# HRK-5
UPC# 43382**
"A" & "B" SIZE HOSE
FOR 1/4" AND 3/16" I.D.
HOSE KIT INCLUDES:
COUPLERS, NIPPLES, NUTS,
SPLICERS, FERRULES AND
HEAVY DUTY CRIMPER



HOSEDOCK®

[PART# HD1] Easily fix damaged hoses in minutes. Easy to mount on counter, wall or truck. It's like having an extra pair of hands when you need them the most. *Mounting hardware included.*

** [See Welding price list or contact customer service]*





HOSES HOSE FITTINGS

WELDING
ACCESSORIES

HOSES SINGLE/TWIN

Make the right connection with Uniweld's 3/16" and 1/4" hoses

Color coded twin hose sets:
Green/Oxygen; Red/Fuel.

"A", "B", and "AB" hose fittings

Twin hose available by the reel and special lengths. [Contact customer service]



SHLP



OXY LP GAS 3/16" GRADE "T" TWIN HOSES

OXY LP GAS 1/4" GRADE "T" TWIN HOSES

H32AT 43560	H32BT 43561	H32ABT 43562	HT41B 43529	HT43B 43523	HT44B 43524	HT100B 43528
12.5'	12.5'	12.5'	20'	25'	50'	100'
"A"	"B"	"AB"	"B"	"B"	"B"	"B"

OXYACETYLENE 3/16" TWIN HOSES (GRADE R)

1/4" TWIN HOSES (GRADE R)

PART# UPC#	H32A 43510	H32B 43512	H32AB 43511	H33A 43513	H33B 43515	H33AB 43514	H34A 43516	H34B 53517	H43B 43520	H44B 43521	H100B 43522
HOSE LENGTH	12-1/2'	12-1/2'	12-1/2'	25'	25'	25'	50'	50'	25'	50'	100'
CONNECTION	"A"	"B"	"AB"	"A"	"B"	"AB"	"A"	"B"	"B"	"B"	"B"

SINGLE 3/16" SINGLE ACETYLENE HOSES (GRADE R)

3/16" LP GAS SINGLE HOSES

PART# UPC#	H11 43500	H11B 43501	H12 43502	H12B 43503	H13 43504	H13B 43505	HLP10 43530	HLP10B 43531	HLP11 43533	HLP11B 43534	HLP13 43537	HLP13B 43538	HLP14 43541	HLP14B 43542
HOSE LENGTH	6'	6'	12-1/2'	12-1/2'	25'	25'	3'	3'	6'	6'	25'	25'	12-1/2'	12-1/2'
CONNECTION	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"

HOSE FITTINGS

HOSE NIPPLE PART# UPC#	Hose Nut to Nipple Size
HN83P 43370	3/16" "A"
HN87 43371	3/16" "B"
HN84 43372	1/4" "B"

HOSE NUT PART# UPC#	Hose Nut to Nipple Size
HN82A 43348	"A" RH 3/16"
HN83A 43349	"A" LH 3/16"
9059 43350	"B" RH 1/4" or 3/16"
9059-2 43351	"B" LH 1/4" or 3/16"

HOSE SPLICER (Push Type) PART# UPC#	Hose to Hose
HS53 43373	1/4" to 1/4"
HS54 43374	3/16" to 1/4"
HS55 43375	3/16" to 3/16"

BRASS HOSE CLAMPS PART# UPC#	Hose I.D.
HC01 43376	3/16"
HC02 43377	1/4"

"A" to "B" WELDING HANDLE ADAPTOR PART# UPC#	Handle to Hose
F29L 43322	"A" Conn LH "B" Hose Nut LH
F29R 43324	"A" Conn RH "B" Hose Nut RH

"A" to "B" OUTLET ADAPTOR PART# UPC#	Regulator To Hose
F27L 43320	"A" Conn LH "B" Hose Nut LH
F27R 43321	"A" Conn RH "B" Hose Nut RH

"A" SIZE "Y" OUTLET ADAPTOR

PART# UPC#	Inlet to Outlet
FY11XA 43332	"A" LH "A" Hose Nut LH
FY10XA 43331	"A" RH "A" Hose Nut RH

"Y" CONNECTORS W/VALVES

PART# UPC#	Inlet to Outlet
FY10XAV43334	"A" RH "A" Hose Nut RH
FY11XAV43335	"A" LH "A" Hose Nut LH
FY10XV 43336	"B" RH "B" Hose Nut RH
FY11XV 43337	"B" LH "B" Hose Nut LH

"B" SIZE "Y" CONNECTORS

PART# UPC#	Inlet to Outlet
FY11X 43330	"B" LH "B" Hose Nut LH
FY10X 43329	"B" RH "B" Hose Nut RH

HOSE COUPLING

PART# UPC#	Hose Nut to Hose Nut
HCC40 43342	"A" LH "A" LH
HCC46 43343	"A" LH "B" LH
HCC41 43344	"A" RH "A" RH
HCC79 43345	"B" RH "B" LH
HCC47 43346	"A" RH "B" RH
HCC78 43347	"B" RH "B" RH

"A" to "B" OUTLET ADAPTOR

PART# UPC#	Regulator To Hose
F58L 43325	"A" Conn LH "B" Hose Nut LH
F58R 43326	"A" Conn RH "B" Hose Nut RH

"B" to "A" OUTLET ADAPTOR

PART# UPC#	Regulator To Hose
F59L 43327	"B" Conn LH "A" Hose Nut LH
F59R 43328	"B" Conn RH "A" Hose Nut RH

Additional hose fittings available.
[See hose repair kits, page 102].

FLASHBACK ARRESTORS

TORCH & REGULATOR

Color
coded
for Fuel;
Oxygen

RFAB



RFA100



CHECK VALVES


TORCH & REGULATOR

Color
coded
for Fuel;
Oxygen

TCVB




- Conforms to OSHA safety standards
- Easy to install test & service



A flashback is a momentary or sustained retrogression of the flame upstream of the mixer usually in the torch or hoses. This is a potentially hazardous situation, particularly if the flame reaches the hoses, where an explosion may result causing a rupture or separation of the hose. A flashback (flame) arrestor is a device that helps prevent the propagation of a flame upstream. Note that this device reduces the volume of gases available at the tip/nozzle.

Series RFA & TFA arrestors have inlet filters to prevent dust, dirt and other contaminants larger than 100 microns from entering the system, thus providing longer unit service. Series AFT arrestors do not have filters but will still extinguish flashbacks while providing initial cost savings.



AFTFAB

Initial cost savings.

FILTERED					NON-FILTERED	
PART# UPC#	TFA100 04056	TFA101 04057	TFAM100 04061	TFAM101 04062	AFTFA100 04066	AFTFA101 04067
TORCH SINGLE	OXYGEN 9/16"-18 "B"*	FUEL 9/16"-18 "B"*	OXYGEN 3/8"-24 "A"	FUEL 3/8"-24 "A"	OXYGEN 9/16"-18 "B"	FUEL 9/16"-18 "B"
PART# UPC#	RFA100 10206	RFA101 10207	RFAM100 10211	RFAM101 10212		
REGULATOR SINGLE	OXYGEN 9/16"-18 "B"*	FUEL 9/16"-18 "B"*	OXYGEN 3/8"-24 "A"	FUEL 3/8"-24 "A"		
PART# UPC#	TFAB 04055	TFAA 04060	RFAB 10205	RFAA 10210		
TORCH SET OF 2	(1) OXYGEN (1) FUEL 9/16"-18 "B"*	(1) OXYGEN (1) FUEL 3/8"-24 "A"			(1) OXYGEN (1) FUEL 9/16"-18 "B"	
REGULATOR SET OF 2			(1) OXYGEN (1) FUEL 9/16"-18 "B"*	(1) OXYGEN (1) FUEL 3/8"-24 "A"		

Check valves provide added protection against reverse flow of gases, but not flashback. They should be tested for leakage and flow regularly. Check valves on regulators give the best service life.
** For "A" outlet regulators, use adaptor F58R or F58L [See pg. 103] to connect to "B" size regulator check valves on small portable outfits.

PART# UPC#	TCV100 04051	TCV101 04052	TCV10 02651	TCV11 02652
TORCH SINGLE	OXYGEN 9/16"-18 "B"	FUEL 9/16"-18 "B"	OXYGEN 3/8"-24 "A"	FUEL 3/8"-24 "A"
PART# UPC#	RCV100 10201	RCV101 10202	RCVB 10200	
REGULATOR SINGLE	OXYGEN 9/16"-18 "B"	FUEL 9/16"-18 "B"		
TORCH SET OF 2	(1) OXYGEN (1) FUEL 9/16"-18 "B"	(1) OXYGEN (1) FUEL 3/8"-24 "A"		
REGULATOR SET OF 2			(1) OXYGEN (1) FUEL 9/16"-18 "B"	



ACCESSORIES

**WELDING
ACCESSORIES**

FLINT LIGHTERS AND RENEWALS

Light your torch safely...
eliminate the dangerous
use of matches and
butane lighters

PART# UPC#	FL34 43404	FL35 43406
---------------	---------------	---------------

SINGLE
FLINT LIGHTER

TRIPLE
FLINT LIGHTER

PART# UPC#	FL37 43405	FL36 43407
---------------	---------------	---------------

ONE 5 FLINT
RENEWAL

ONE 3 FLINT
RENEWAL UNIT

PART# UPC#	FL3437 43403	FL3536 43425
---------------	-----------------	-----------------

SINGLE LIGHTER
ONE 5 FLINT RENEWAL

TRIPLE LIGHTER
ONE 3 FLINT RENEWAL


PART# UPC#	FL3437TC 43419	FL3536TC 43420
---------------	-------------------	-------------------

SINGLE LIGHTER
ONE 5 FLINT RENEWAL
WITH TCS TIP CLEANER

TRIPLE LIGHTER
ONE 3 FLINT RENEWAL
WITH TCS TIP CLEANER



FL3437TC



FL35



FL37



FL36

WRENCHES

FOR HOSE & CYLINDER CONNECTIONS

PART# UPC#	W94 43410	W05 43408
---------------	--------------	--------------

BC & MC COMBINATION
WRENCH FOR "A" FITTINGS

B & MC TANK
BOX WRENCH

PART# UPC#	W06 43409	W10X 43411
---------------	--------------	---------------

6 WAY WRENCH FOR
TORCHES, CYLINDERS
AND HOSES

10 WAY COMBO WRENCH
FOR TORCHES, CYLINDERS
AND HOSE CONNECTIONS



W94



W06



W05

W10X



GOGGLES & GLOVES

SHADE #5

PART# UPC#	WG53 43402
---------------	---------------

SAFETY GOGGLES WITH
FLIP UP TYPE SHADE#5 LENSES

WG53

PART# UPC#	GL2 43436
---------------	--------------

ALL LEATHER
WELDING GLOVES

GL2



SOAPSTONE

FLAT AND ROUND

PART# UPC#	SSRDK 43415	SSRD 43417
---------------	----------------	---------------

ROUND SOAPSTONE

6 PIECE KIT
INCL. HOLDER

REPLACEMENTS
(CTN. 1 GROSS)

PART# UPC#	SSFLATK 43416	SSFLAT 43418
---------------	------------------	-----------------

FLAT SOAPSTONE


6 PIECE KIT
INCL. HOLDER

REPLACEMENTS
(CTN. 1 GROSS)



TIP SAVERS® SPIRAL TIP CLEANERS

- Hinged aluminum case - cleaning data stamped on back of case
- Rustproof, stainless steel wire
- Spiral is roll-formed to last longer
- Exclusive LOCK-IN-KNOT on small wires
- Long spiral cleans larger number of tip styles
- Tapered pilot ends will not damage tip orifice
- Stainless steel file included in each case



**FREE
NAME AND ADDRESS
ON COVER OF 144 SETS
OR MORE ORDERED
(2 LINES, UP TO 30
LETTERS PER LINE)
• YOUR COMPANY
LOGO PRINTED
ON THE SILVER
ALUMINUM COVER.
CALL FOR QUOTE!**



TCJ

TCL


TCM

TCS



TCP

**X-TRA LONG
TIP CLEANER**



**BLADE
TIP
CLEANER**

**STANDARD
TIP CLEANER**

No. TCS

NO.	DRILL
1	75-74
2	73-72-71
3	70-69-68
4	67-66-65
5	64-63-62
6	61-60
7	59-58
8	57
9	56
10	55-54
11	53-52
12	51-50-49

Standard Set;
12 Cleaners
(Box of 12)

No. TCL

NO.	DRILL
1	75-74
2	73-72-71
3	70-69-68
4	67-66-65
5	64-63-62
6	61-60
7	59-58
8	57
9	56
10	55-54
11	53-52
12	51-50-49

X-Tra Long Set;
12 Extra Long Cleaners
(Box of 12)

No. TCJ

NO.	DRILL
13	48-47
14	46-45
15	44-43
16	42-41
17	40-39-38
18	37-36
19	35-34-33
20	32-31
21	30

Jumbo Set;
9 Cleaners
(Box of 12)

No. TCP

NO.	DRILL
1	BLADE
2	BLADE
3	BLADE
4	67-66-65
5	64-63-62
6	61-60
7	59-58
8	57
9	56
10	55-54
11	53-52
12	51-50-49

Propane Set;
9 Cleaners, 3 Blades
(Box of 12)

No. TCM

NO.	DRILL
1	75-74
2	73-72-71
3	70-69-68
4	67-66-65
5	64-63-62
6	61-60
7	59-58
8	57
9	56
10	55-54
11	53-52
12	51-50-49
13	48-47
14	46-45
15	44-43
16	42-41
17	40-39-38
18	37-36
19	35-34-33
20	32-31
21	30

Master Set;
21 Cleaners
(Box of 12)