

PureFlow



PureFlow

viega

Viega PureFlow

Viega PureFlow provides the industry's most comprehensive selection of PEX tubing, fittings and accessories. Along with a wide variety of PEX fittings, which include both PEX Press and PEX Crimp, Viega also offers the patented MANABLOC water distribution system which helps homeowners realize a reduction in water waste and increased energy savings.

FEATURES AND BENEFITS

- Proven quality
- Non-corroding
- Reduced flow noise
- Excellent chlorine resistance
- Most comprehensive warranty in the industry

CODES AND STANDARDS

- IPC: International Plumbing Code
- UPC: Uniform Plumbing Code
- NSPC: National Standard Plumbing Code
- NSF/ANSI 61: Drinking Water System Components – Health Effects
- NSF/ANSI 61G: Lead Content Evaluation Procedure to meet $\leq 0.25\%$ average lead content
- NSF/ANSI 14: Plastics Piping System Components and Related Materials
- CSA International: Canadian Standard Association
- B137.5: Standard Specification for PEX tubing systems in pressure applications
- ASTM F876: Standard Specification for PEX Tubing
- ASTM F877: Standard Specification for PEX Water Distribution System
- ASTM F1807/F2159: Standard Specification for PEX Fittings
- ASTM F2023: 08 Standard Test Method for Evaluating the Oxidative Resistance of Cross-linked Polyethylene PEX Tubing and Systems to Hot Chlorinated Water
- UL 1821: Thermoplastic Sprinkler Pipe and Fittings for Fire Protection Service

ZERO LEAD

ZERO LEAD identifies Viega products meeting the lead free requirements of California and Vermont law, effective January 1, 2010 and Maryland law, effective January 01, 2012, as tested and listed against NSF 61, Annex G. For more detailed information on zero lead issues and legislation, visit www.zeroleadfacts.com. For more information on Viega's Zero Lead products, contact Inside Sales.

ABBREVIATIONS

- BA – ProBloc Outlet Connection
- BSP – British Standard Pipe
- CTS – Copper Tube Size
- FNPT – Female National Pipe Thread
- FTG – Male Copper
- MNPT – Male National Pipe Thread
- P – ProPress Connection

Green Dot = **SMART CONNECT** feature

* Available while supplies last due to 2014 lead free requirements


Radel® R is a registered trademark of Solvay Advanced Polymers.


Table of Contents

ViegaPEX Tubing	98
ViegaPEX Ultra Tubing	99
FostaPEX Tubing	102
PEX Manifold Plumbing Systems	104
PEX Press Fittings	116
PEX Press Tools	132
Viega PEX Crimp Fittings	136
PEX Crimp Tools	145
Viega PEX Accessories	148


PureFlow

Flexible PEX tubing technology



	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
ViegaPEX Tubing					
 ViegaPEX - Coil Red ASTM F876/F877 PEX 5006 (CL5) Zero Lead DISCOUNT 1 <u>model V5001</u>		in x ft			
	32101	3/8 x 100	1	5.00	
	32105	3/8 x 500	1	21.00	
	32100	3/8 x 1000	1	42.00	
	32121	1/2 x 100	1	5.80	
	32123	1/2 x 300	1	17.10	
	32125	1/2 x 500	1	28.00	
	32120	1/2 x 1000	1	58.00	
	32141	3/4 x 100	1	11.00	
	32143	3/4 x 300	1	32.10	
	32145	3/4 x 500	1	53.00	
	32140	3/4 x 1000	1	106.00	
 ViegaPEX - Straight Length Red ASTM F876/F877 PEX 5006 (CL5) Zero Lead DISCOUNT 1 <u>model V5001.5</u>	33120	1/2 x 20	50	1.06	
	33145	3/4 x 20	25	2.04	
 ViegaPEX - Coil Blue ASTM F876/F877 PEX 5006 (CL5) Zero Lead DISCOUNT 1 <u>model V5002</u>		in x ft			
	32201	3/8 x 100	1	5.00	
	32205	3/8 x 500	1	21.00	
	32200	3/8 x 1000	1	42.00	
	32221	1/2 x 100	1	5.30	
	32223	1/2 x 300	1	17.10	
	32225	1/2 x 500	1	26.50	
	32220	1/2 x 1000	1	55.00	
	32241	3/4 x 100	1	11.00	
	32243	3/4 x 300	1	32.10	
	32245	3/4 x 500	1	53.00	
	32240	3/4 x 1000	1	106.00	
 ViegaPEX - Straight Length Blue ASTM F876/F877 PEX 5006 (CL5) Zero Lead DISCOUNT 1 <u>model V5002.5</u>	33240	1/2 x 20	50	1.06	
	33265	3/4 x 20	25	2.04	
 ViegaPEX - MANAPACS Fits between studs for easy installation Recycled Plastic Reels ASTM F876/F877 PEX 5006 (CL5) Zero Lead DISCOUNT 1 <u>model V5004</u>		in x ft - # of reels			
	32300	Red/Blue 3/8 x 500 - 2	1	58.00	
	32905	Blue 3/8 x 500 - 1	1	28.00	
	32805	Red 3/8 x 500 - 1	1	28.00	
	32326	Red/Blue 1/2 x 300 - 2	1	48.00	
	32923	Blue 1/2 x 300 - 1	1	23.10	
	32823	Red 1/2 x 300 - 1	1	23.10	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 ViegaPEX - Coil White ASTM F876/F877 PEX 5006 (CL5) Zero Lead DISCOUNT 1 model V5003		in x ft			
	32011	1/4 x 100	1	3.20	
	32015	1/4 x 500	1	14.00	
	32001	3/8 x 100	1	5.00	
	32005	3/8 x 500	1	21.00	
	32000	3/8 x 1000	1	42.00	
	32021	1/2 x 100	1	6.00	
	32023	1/2 x 300	1	17.10	
	32025	1/2 x 500	1	28.00	
	32020	1/2 x 1000	1	55.00	
	32041	3/4 x 100	1	11.00	
	32043	3/4 x 300	1	32.10	
	32045	3/4 x 500	1	53.00	
	32040	3/4 x 1000	1	106.00	
	32061	1 x 100	1	17.00	
	32065	1 x 500	1	88.00	
 ViegaPEX - Straight Length White ASTM F876/F877 PEX 5006 (CL5) Zero Lead DISCOUNT 1 model V5003.5		in x ft			
	33020	1/2 x 20	50	1.08	
	33045	3/4 x 20	25	2.06	
	33061	1 x 20	5	3.42	
ViegaPEX Ultra Tubing					
 ViegaPEX Ultra - Coil Red ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 model V5005		in x ft			
	32505	3/8 x 500	1	21.00	
	32521	1/2 x 100	1	6.00	
	32523	1/2 x 300	1	17.10	
	32525	1/2 x 500	1	28.00	
	32520	1/2 x 1000	1	55.00	
	32541	3/4 x 100	1	11.00	
	32543	3/4 x 300	1	32.10	
	32545	3/4 x 500	1	53.00	
	32551	1 x 100	1	17.00	
	32553	1 x 300	1	51.90	
 ViegaPEX Ultra - Straight Length Red ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 model V5005.5		in x ft			
	33529	1/2 x 10	50	0.55	
	33520	1/2 x 20	50	1.18	
	33549	3/4 x 10	25	0.55	
	33540	3/4 x 20	25	2.02	
	33551	1 x 20	5	3.48	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 ViegaPEX Ultra - Coil Blue ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 <u>model V5006</u>		in x ft			
	32605	3/8 x 500	1	21.00	
	32621	1/2 x 100	1	6.00	
	32623	1/2 x 300	1	15.90	
	32625	1/2 x 500	1	28.00	
	32620	1/2 x 1000	1	55.00	
	32641	3/4 x 100	1	11.00	
	32643	3/4 x 300	1	30.90	
	32645	3/4 x 500	1	53.00	
	32651	1 x 100	1	17.00	
	32653	1 x 300	1	51.90	
 ViegaPEX Ultra - Straight Length Blue ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 <u>model V5006.5</u>		in x ft			
	33629	1/2 x 10	50	0.55	
	33620	1/2 x 20	50	1.18	
	33649	3/4 x 10	25	0.55	
	33645	3/4 x 20	25	2.02	
	33651	1 x 20	5	3.48	
 ViegaPEX Ultra - MANAPACS Fits between studs for easy installation Recycled Plastic Reels Up to 6 months UV resistance ASTM F876/F877 PEX 5006 (CL5) Zero Lead DISCOUNT 1 <u>model V5008</u>		in x ft - # of reels			
	33300	Red/Blue 3/8 x 500 - 2	1	116.00	
	33905	Blue 3/8 x 500 - 1	1	28.00	
	33805	Red 3/8 x 500 - 1	1	28.00	
	33326	Red/Blue 1/2 x 300 - 2	1	48.00	
	33923	Blue 1/2 x 300 - 1	1	23.10	
	33823	Red 1/2 x 300 - 1	1	23.10	
 ViegaPEX Ultra - Coil White ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 <u>model V5007</u>		in x ft			
	32405	3/8 x 500	1	21.00	
	32421	1/2 x 100	1	6.00	
	32423	1/2 x 300	1	17.10	
	32425	1/2 x 500	1	28.00	
	32420	1/2 x 1000	1	55.00	
	32441	3/4 x 100	1	11.00	
	32443	3/4 x 300	1	32.10	
	32445	3/4 x 500	1	53.00	
	32461	1 x 100	1	17.00	
	32465	1 x 500	1	88.00	
 ViegaPEX Ultra - Straight Length White ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 <u>model V5007.5</u>		in x ft			
	33429	1/2 x 10	50	0.55	
	33420	1/2 x 20	50	1.10	
	33459	3/4 x 10	25	0.55	
	33405	3/4 x 20	25	2.10	
	33461	1 x 20	5	3.48	


	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 ViegaPEX Ultra - Coil Black ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 model V5009		in x ft			
	32701	3/8 x 100	1	4.20	
	32705	3/8 x 500	1	21.00	
	32721	1/2 x 100	1	5.50	
	32723	1/2 x 300	1	16.50	
	32725	1/2 x 500	1	29.00	
	32720	1/2 x 1000	1	55.00	
 ViegaPEX Ultra - Coil Black UL Listed for NFPA 13D systems ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 model V5009.1		in x ft			
	34741	3/4 x 100	1	10.50	
	34743	3/4 x 300	1	31.50	
	34745	3/4 x 500	1	52.50	
	34740	3/4 x 1000	1	105.00	
	34761	1 x 100	1	17.40	
	34765	1 x 500	1	87.00	
	34771	1 1/4 x 100	1	25.50	
	34773	1 1/4 x 300	1	76.50	
	34781	1 1/2 x 100	1	35.40	
	32791	2 x 100	1	63.00	
 ViegaPEX Ultra - Straight Length Black ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 model V5009.5		in x ft			
	33729	1/2 x 10	50	0.55	
	33720	1/2 x 20	50	1.10	
 ViegaPEX Ultra - Straight Length Black UL Listed for NFPA 13D systems ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance Zero Lead DISCOUNT 1 model V5009.51		in x ft			
	35745	3/4 x 20	25	2.10	
	35761	1 x 20	5	3.48	
	35771	1 1/4 x 20	5	5.10	
	35781	1 1/2 x 20	5	7.06	
	33791	2 x 20	5	73.14	


	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
FostaPEX Tubing					
	FostaPEX - Coil				
		in x ft			
	35020	1/2 x 150	1	15.00	
	35019	1/2 x 300	1	30.00	
	35021	1/2 x 400	1	38.00	
	35040	3/4 x 150	1	24.00	
	35060	1 x 150	1	39.00	
Silver Form Stable For use with Viega PEX Press fittings only ASTM F876/F877 PEX 5006 (CL5) Extended UV resistance Zero Lead DISCOUNT 6 <u>model 2805US</u>					
	FostaPEX - Straight Length				
		in x ft			
	35520	1/2 x 20	25	2.00	
	35540	3/4 x 20	25	3.20	
	35560	1 x 20	10	5.20	
Silver Form Stable For use with Viega PEX Press fittings only ASTM F876/F877 PEX 5006 (CL5) Extended UV resistance Zero Lead DISCOUNT 6 <u>model 2806US</u>					
	FostaPEX - Coil				
		in x ft			
	35120	1/2 x 150	1	15.00	
	35140	3/4 x 150	1	24.00	
	35160	1 x 150	1	39.00	
Red Form Stable For use with Viega PEX Press fittings only ASTM F876/F877 PEX 5006 (CL5) Extended UV resistance Zero Lead DISCOUNT 6 <u>model 2808US</u>					

PureFlow

Zero Lead PEX manifold plumbing systems


Number one rated PEX plumbing manifolds







	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 PEX Manifold Plumbing Systems MANABLOC - PEX Press Zero Lead Bronze Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5030ZL</u>		# of Outlets: Dimension (hot,cold)			
	38142	14 ports: 3/8 (6, 8)	1	6.038	
	38143	14 ports: 1/2 (6, 8)	1	6.118	
	38243	24 ports: 1/2 (9, 15)	1	9.457	
	38303	30 ports: 1/2 (12, 18)	1	11.947	
	38363	36 ports: 1/2 (14, 22)	1	13.481	
 Combination MANABLOC - PEX Press Zero Lead Bronze Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5040ZL</u>		# of Outlets: Dimension (hot,cold)			
	38183	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	7.808	
	38024	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	9.372	
	38030	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	11.967	
	38036	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	13.951	
 MINIBLOC - PEX Press Zero Lead Bronze Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for cold water Optional red valve caps included for hot water *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5050ZL</u>		# of Outlets: Dimension			
	38033	3 ports: 1/2	1	2.504	
	38043	4 ports: 1/2	1	2.479	
	38063	6 ports: 1/2	1	3.239	
	38083	8 ports: 1/2	1	4.209	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Dual Temperature MINIBLOC - PEX Press Zero Lead Bronze Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for hot and cold water *Supply connections sold separately Zero Lead <u>model V5065ZL</u>		Dimension (hot, cold) - # of Outlets			
	38263	1/2 (2, 3) - 5	1	2.905	
	38273	1/2 (3, 4) - 7	1	4.007	
	38203	1/2 (4, 6) - 10	1	4.765	
 Viega PEX Press Port Adapter Zero Lead Bronze Connects distribution lines to MANABLOC and MINIBLOC Zero Lead DISCOUNT 2 <u>model 2877.3ZL</u>	96101	Press x MANABLOC Port 3/8 x 1/2	6	0.095	
	96120	1/2 x 1/2	6	0.101	
 Viega PEX Press Supply Adapter Zero Lead Bronze Connects PEX supply lines to MANABLOC and MINIBLOC Zero Lead DISCOUNT 2 <u>model 2877.8ZL</u>		Press x MANABLOC Supply			
	96141	3/4 x 1	5	0.214	
	96161	1 x 1	5	0.236	
	96171	1 1/4 x 1	5	0.293	
 Viega PEX Press Supply Adapter Bronze Connects PEX supply lines to MANABLOC and MINIBLOC * Available while supplies last DISCOUNT 2 <u>model 2878.8NG</u>		Press x MANABLOC Supply			
	86141	3/4 x 1	5	0.216	
	86161	1 x 1	5	0.256	
	86171	1 1/4 x 1	5	0.317	
 ProPress MANABLOC Supply Adapter Zero Lead Bronze Connects Copper supply lines to MANABLOC and MINIBLOC Smart Connect feature Zero Lead DISCOUNT 2 <u>model 2913.6ZL</u>		P x MANABLOC Supply			
	90356	3/4 x 1	5	0.195	
	90366	1 x 1	5	0.272	



	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 ProPress MANABLOC Supply Adapter Bronze Connects Copper supply lines to MANABLOC and MINIBLOC Smart Connect feature * Available while supplies last DISCOUNT 2 <u>model 2913.6</u>	50356	P x MANABLOC Supply 3/4 x 1	5	0.205	
	50366	1 x 1	5	0.206	
 MANABLOC - PEX Press Radel R Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5630</u>	49142	# of Outlets: Dimension (hot,cold) 14 ports: 3/8 (6, 8)	1		
	49143	14 ports: 1/2 (6, 8)	1		
 Combination MANABLOC - PEX Press Radel R Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5640</u>	49183	18 ports: 1/2 (8, 10)	1		
	49243	24 ports: 1/2 (9, 15)	1		
 MINIBLOC - PEX Press Radel R Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded valves for cold water Optional red valves caps included for hot water *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5650</u>	49303	30 ports: 1/2 (12, 18)	1		
	49363	36 ports: 1/2 (14, 22)	1		
 Combination MANABLOC - PEX Press Radel R Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5640</u>	49186	# of Outlets: Dimension (hot,cold) 18 ports: 3/8 (6,7) & 1/2 (2,3)	1		
	49246	24 ports: 3/8 (7,11) & 1/2 (2,4)	1		
 MINIBLOC - PEX Press Radel R Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded valves for cold water Optional red valves caps included for hot water *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5650</u>	49306	30 ports: 3/8 (10,12) & 1/2 (2,6)	1		
	49366	36 ports: 3/8 (11,15) & 1/2 (3,7)	1		
 MINIBLOC - PEX Press Radel R Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded valves for cold water Optional red valves caps included for hot water *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5650</u>	49033	# of Outlets: Dimension 3 ports: 1/2	1		
	49043	4 ports: 1/2	1		
 MINIBLOC - PEX Press Radel R Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded valves for cold water Optional red valves caps included for hot water *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5650</u>	49063	6 ports: 1/2	1		
	49083	8 ports: 1/2	1		

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Dual Temperature MINIBLOC - PEX Press Radel R Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for hot and cold water *Supply connections sold separately Zero Lead DISCOUNT 2 model V5660		Dimension (hot,cold) - # of Outlets			
	49453	1/2 (2, 3) - 5	1		
	49473	1/2 (3, 4) - 7	1		
	49410	1/2 (4, 6) - 10	1		
 Viega PEX Press Port Adapter Plastic Connects distribution lines to the MANABLOC and MINIBLOC Zero Lead DISCOUNT 6 model V5613.1	49224	3/8 x 1/2	6		
	49234	1/2 x 1/2	6		
 Viega PEX Press Supply Adapter Plastic Connects PEX supply lines to MANABLOC and MINIBLOC Zero Lead DISCOUNT 6 model V5613.2	49414	3/4 x 1	5		
	49416	1 x 1	5	0.118	
 MANABLOC - PEX Crimp Zero Lead Brass Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water *Supply connections sold separately Zero Lead DISCOUNT 2 model V5043ZL		# of Outlets: Dimension (hot,cold)			
	41142	14 ports: 3/8 (6,8)	1	6.038	
	41143	14 ports: 1/2 (6,8)	1	6.233	
	41243	24 ports: 1/2 (9,15)	1	9.122	
	41303	30 ports: 1/2 (12,18)	1	10.942	
	41363	36 ports: 1/2 (14,22)	1	12.791	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Combination MANABLOC - PEX Crimp Zero Lead Brass Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5035ZL</u>		# of Outlets: Dimension (hot,cold)			
	41183	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	7.998	
	41246	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	8.897	
	41306	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	11.327	
	41366	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	13.231	
 MINIBLOC - PEX Crimp Zero Lead Brass Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded valves for cold water Optional red valve caps included for hot water * Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5031ZL</u>		# of Outlets: Dimension			
	41033	3 ports: 1/2	1	2.329	
	41043	4 ports: 1/2	1	2.479	
	41063	6 ports: 1/2	1	2.999	
	41083	8 ports: 1/2	1	4.014	
 Dual Temperature MINIBLOC - PEX Crimp Zero Lead Brass Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for hot and cold water * Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5066ZL</u>		Dimension (hot, cold) - # of Outlets			
	42063	1/2 (2, 3) - 5	1	2.819	
	42073	1/2 (3, 4) - 7	1	3.837	
	42003	1/2 (4, 6) - 10	1	4.587	
 PEX Crimp Port Adapter Zero Lead Brass Connects distribution lines to MANABLOC and MINIBLOC Zero Lead DISCOUNT 2 <u>model V5039ZL</u>		Crimp x MANABLOC Port			
	46624	3/8 x 1/2	6	0.085	
	46634	1/2 x 1/2	6	0.09	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 PEX Crimp Supply Adapter Zero Lead Brass Connects PEX supply lines to MANABLOC and MINIBLOC Zero Lead DISCOUNT 2 <u>model V5034ZL</u>	46414	Crimp x MANABLOC Supply 3/4 x 1	5	0.198	
	46416	1 x 1	5	0.155	
 MANABLOC - PEX Crimp PolyAlloy Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5030.5</u>	50142	# of Outlets: Dimension (hot,cold) 14 ports: 3/8 (6,8)	1	7.598	
	50143	14 ports: 1/2 (6,8)	1	5.415	
 Combination MANABLOC - PEX Crimp PolyAlloy Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5030.51</u>	50243	24 ports: 1/2 (9,15)	1	7.718	
	50303	30 ports: 1/2 (12,18)	1	9.668	
	50363	36 ports: 1/2 (14,22)	1	11.275	
	51618	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	6.328	
 Combination MANABLOC - PEX Crimp PolyAlloy Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters *Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5030.51</u>	50624	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	8.007	
	50630	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	9.833	
	50636	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	11.481	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 MINIBLOC - PEX Crimp PolyAlloy Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for cold water Optional red valve caps included for hot water * Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5031.5</u>		# of Outlets: Dimension			
	50033	3 ports: 1/2	1	2.119	
	50043	4 ports: 1/2	1	2.434	
	50063	6 ports: 1/2	1	3.579	
	50083	8 ports: 1/2	1	3.919	
 Dual Temperature MINIBLOC - PEX Crimp PolyAlloy Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for hot and cold water * Supply connections sold separately Zero Lead DISCOUNT 2 <u>model V5067</u>		Dimension (hot, cold) - # of Outlets			
	51063	1/2 (2, 3) - 5	1	2.523	
	51073	1/2 (3, 4) - 7	1	3.244	
	51003	1/2 (4, 6) - 10	1	4.005	
 PEX Crimp Port Adapter PolyAlloy Connects distribution lines to MANABLOC and MINIBLOC Zero Lead DISCOUNT 2 <u>model V5039.1</u>		Crimp x MANABLOC Port			
	51133	3/8 x 3/8	6	0.90	
	50023	3/8 x 1/2	6	0.04	
	51123	1/2 x 3/8	6	0.026	
	50133	1/2 x 1/2	6	0.04	
 PEX Crimp Supply Adapter PolyAlloy Connects PEX supply lines to MANABLOC and MINIBLOC Zero Lead DISCOUNT 2 <u>model V5213</u>		Crimp x MANABLOC Supply			
	50141	3/4 x 1	5	0.095	
	50151	1 x 1	5	0.10	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 MANABLOC - Compression Compression Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water *Supply connections sold separately Zero Lead DISCOUNT 2 model V5030		# of Outlets: Dimension (hot,cold)			
	36142	14 ports: 3/8 (6,8)	1	5.28	
	36182	18 ports: 3/8 (8,10)	1	6.201	
	36242	24 ports: 3/8 (9,15)	1	7.774	
	36302	30 ports: 3/8 (12,18)	1	9.117	
	36362	36 ports: 3/8 (14,22)	1	10.958	
	36144	14 ports: 1/2 (6,8)	1	5.578	
	36183	18 ports: 1/2 (8,10)	1	6.463	
	36243	24 ports: 1/2 (9,15)	1	8.158	
	36303	30 ports: 1/2 (12,18)	1	9.887	
	36363	36 ports: 1/2 (14,22)	1	11.537	
 Combination MANABLOC - Compression Compression Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters *Supply connections sold separately Zero Lead DISCOUNT 2 model V5030.2		# of Outlets: Dimension (hot,cold)			
	36624	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	7.918	
	36630	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	9.823	
	36636	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	11.397	
 MINIBLOC - Compression Compression Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for cold water Optional red valve caps included for hot water * Supply connections sold separately Zero Lead DISCOUNT 2 model V5031		# of Outlets: Dimension			
	36032	3 ports: 3/8	1	2.024	
	36042	4 ports: 3/8	1	2.334	
	36062	6 ports: 3/8	1	2.918	
	36082	8 ports: 3/8	1	3.549	
	36033	3 ports: 1/2	1	2.119	
	36043	4 ports: 1/2	1	2.149	
	36063	6 ports: 1/2	1	2.90	
	36083	8 ports: 1/2	1	3.829	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 MANABLOC/MINIBLOC - Compression Accessories For use with MANABLOC compression fittings Zero Lead Lock-In Nut <u>model V5036.24</u> Lock-In Insert DISCOUNT 2		CTS (OD)			
	36002	3/8 (1/2)	100	0.02	
	36003	1/2 (5/8)	100	0.04	
	36402	3/8 (1/2)	100	0.002	
	36403	1/2 (5/8)	100	0.002	
 Ferrules For use with PEX compression fittings and risers Zero Lead DISCOUNT 2 <u>model V5085</u>	53015	3/8 (1/2)	50	0.001	
	53020	1/2 (5/8)	100	0.001	
 Stainless Steel Compression Insert Stiffeners For use with MANABLOC compression fittings and risers Zero Lead DISCOUNT 2 <u>model V5086</u>	56110	3/8 (1/2)	50	0.029	
	56120	1/2 (5/8)	50	0.005	
 MANABLOC Wrench Use with Compression MANABLOC or MINIBLOC only DISCOUNT 5 <u>model V5036.23</u>	50631	3/8 & 1/2	1	0.575	
 MANABLOC Supply Adapter - Compression Zero Lead Brass Connects CTS-sized supply lines to MANABLOC and MINIBLOC Stiffener included for use with PEX tubing Zero Lead DISCOUNT 2 <u>model V5032ZL</u>	46346	CTS (OD) x MANABLOC Supply 3/4 (7/8) x 1	5	0.395	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 MANABLOC Supply Adapter - Male NPT Zero Lead Brass Connects F NPT supply lines to MANABLOC and MINIBLOC Zero Lead DISCOUNT 2 <u>model V5033ZL</u>	46646	M NPT x MANABLOC Supply 3/4 x 1	5	0.329	
	46656	1 x 1	5	0.399	
 MINIBLOC Supply Coupling PolyAlloy Connects two MINIBLOCs together DISCOUNT 2 <u>model V5039.52</u>	50355	MINIBLOC Supply x MINIBLOC Supply 1 x 1	10	0.201	
 Port Replacement Nut Zero Lead DISCOUNT 2 <u>model V5039.8</u>	53006		6	0.26	
 MANABLOC Cap - Port Zero Lead DISCOUNT 2 <u>model V5087</u>	36204	3/8	6	0.02	
	36205	1/2	6	0.046	
 MANABLOC Cap - Supply DISCOUNT 2 <u>model V5036.10</u>	53601	1	5	0.082	

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	MANABLOC Mounting Straps Pair of mounting straps with screws Pre-drilled to mount on 16" center studs DISCOUNT 2 <u>model V5038</u>	45716		1	0.681	
	MANABLOC Valve Stem Replacement Kit Includes red and blue valve, T-handle, and valve removal tool DISCOUNT 2 <u>model V5039.6</u>	50602		1	0.15	
	MANABLOC Valve Stem Replacement Kit 1/4 Turn Includes red and blue valve, T-handle, and valve removal tool DISCOUNT 2 <u>model 2870.91</u>	51602		1	0.15	
	MANABLOC T-Handle Replacement T-handle for MANABLOC or MINIBLOC valve DISCOUNT 2 <u>model V5039.7</u>	50601		1	0.04	
	MANABLOC Access Panel Can be mounted to open vertically or horizontally Plastic <u>model V5099</u> Metal DISCOUNT 2		Width x Length (max. # of Ports)			
		50718	14 x 18 x (14)	1	1.38	
		50726	14 x 26 x (16)	1	1.839	
		50730	14 x 30 x (24)	1	3.489	
		50739	14 x 39 x (36)	1	4.589	
		50839	14 x 39 x (36) Clear	1	4.999	
		50740	14 x 40 x (30) UL Listed	1	26.258	
		50748	14 x 48 x (36) UL Listed	1	31.641	



PureFlow PEX Press Fittings


First to bring PEX Press technology to North America



	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
PEX Press Fittings					
	Viega PEX Press Elbow Zero Lead Bronze				
	Zero Lead				
	DISCOUNT 6 <u>model 2816ZL</u>				
	Press x Press				
	93520	1/2	10	0.088	
	93540	3/4	10	0.152	
	93560	1	10	0.22	
	Viega PEX Press Elbow Bronze				
	* Available while supplies last				
	DISCOUNT 6 <u>model 2816NG</u>				
	Press x Press				
	83520	1/2	5	0.093	
	83540	3/4	5	0.161	
	83560	1	5	0.238	
	Viega PEX Press Elbow Radel R Smart Connect feature				
	Zero Lead				
	DISCOUNT 6 <u>model V5616</u>				
	Press				
	49210	3/8	25		
	49220	1/2	25	0.029	
	49240	3/4	25	0.045	
	Viega PEX Press Elbow - Male Zero Lead Bronze				
	Zero Lead				
	DISCOUNT 6 <u>model 2814ZL</u>				
	Press x M NPT				
	92520	1/2 x 1/2	10		
	92525	1/2 x 3/4	10	0.311	
	92540	3/4 x 3/4	10	0.295	
	Viega PEX Press Elbow - Male Bronze				
	* Available while supplies last				
	DISCOUNT 6 <u>model 2814NG</u>				
	Press x M NPT				
	82520	1/2 x 1/2	5	0.22	
	82525	1/2 x 3/4	5	0.339	
	82540	3/4 x 3/4	5	0.331	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Elbow - Drop Ear Zero Lead Bronze Zero Lead DISCOUNT 6 <u>model 2825.5ZL</u>		Press x F NPT			
	94505	3/8 x 1/2	10	0.22	
	94520	1/2 x 1/2	10	0.225	
	94535	3/4 x 1/2	10	0.251	
	94540	3/4 x 3/4	10	0.331	
 Viega PEX Press Elbow - Drop Ear Bronze * Available while supplies last DISCOUNT 6 <u>model 2825.5NG</u>		Press x F NPT			
	84505	3/8 x 1/2	5	0.229	
	84520	1/2 x 1/2	5	0.231	
	84535	3/4 x 1/2	5	0.256	
	84540	3/4 x 3/4	5	0.335	
 Viega PEX Press Elbow Zero Lead Bronze Zero Lead Copper Tubing (female) <u>model 2814.5ZL</u> Copper Fitting (male) Copper Fitting (male) or Tubing (female) DISCOUNT 6		Press x Copper			
	99308	1/2 x 3/4	10	0.322	
	99309	3/4 x 3/4	10	0.32	
	99310	1/2 x 1/2	10	0.179	
	99307	1/2 x 3/4 or 1/2	10	0.317	
	99311	3/4 x 3/4 or 1/2	10	0.315	
 Viega PEX Press Elbow Bronze * Available while supplies last Copper Tubing (female) <u>model 2814.5NG</u> Copper Fitting (male) Copper Fitting (male) or Tubing (female) DISCOUNT 6		Press x Copper			
	89308	1/2 x 3/4	5	0.346	
	89309	3/4 x 3/4	5	0.337	
	89310	1/2 x 1/2	5	0.187	
	89307	1/2 x 3/4 or 1/2	5	0.335	
	89311	3/4 x 3/4 or 1/2	5	0.326	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 Viega PEX Press Tee Zero Lead Bronze Dimensions listed as labeled, A x B x C Zero Lead DISCOUNT 6 <u>model 2818ZL</u>	Press x Press x Press			
	94020	1/2	10	0.104
	94021	1/2 x 3/8 x 3/8	10	0.101
	94022	1/2 x 1/2 x 3/4	10	0.194
	94040	3/4	10	0.178
	94032	3/4 x 1/2 x 1/2	10	0.174
	94034	3/4 x 1/2 x 3/4	10	0.179
	94036	3/4 x 3/4 x 1/2	10	0.185
	94060	1	10	0.296
	94037	1 x 1/2 x 1/2	10	0.282
	94039	1 x 1/2 x 1	10	0.233
	94038	1 x 3/4 x 1/2	10	0.287
	94052	1 x 3/4 x 3/4	10	0.216
	94053	1 x 3/4 x 1	10	0.242
	94050	1 x 1 x 1/2	10	0.216
	94056	1 x 1 x 3/4	10	0.262
	94070	1 1/4	5	0.716
	94071	1 1/4 x 1 x 3/4	5	0.527
	94073	1 1/4 x 1 x 1	5	0.569
	94072	1 1/4 x 1 1/4 x 3/4	5	0.547
	94074	1 1/4 x 1 1/4 x 1	5	0.588
	94080	1 1/2	5	0.932
	94081	1 1/2 x 1 x 3/4	5	0.627
	94082	1 1/2 x 1 x 1	5	0.74
	94083	1 1/2 x 1 1/2 x 3/4	5	0.681
	94084	1 1/2 x 1 1/2 x 1	5	0.767
	94085	1 1/2 x 1 1/2 x 1 1/4	5	0.862
	94090	2	1	1.741
	94091	2 x 1 1/2 x 1	5	1.697
	94092	2 x 1 1/2 x 1 1/4	5	1.737
	94093	2 x 1 1/2 x 1 1/2	5	1.741
 Viega PEX Press Tee Bronze Dimensions listed as labeled, A x B x C * Available while supplies last DISCOUNT 6 <u>model 2818NG</u>	Press x Press x Press			
	84020	1/2	5	0.113
	84021	1/2 x 3/8 x 3/8	5	0.106
	84022	1/2 x 1/2 x 3/4	5	0.198
	84040	3/4	5	0.19
	84032	3/4 x 1/2 x 1/2	5	0.179
	84034	3/4 x 1/2 x 3/4	5	0.179
	84036	3/4 x 3/4 x 1/2	5	0.187
	84060	1	5	0.339
	84037	1 x 1/2 x 1/2	5	0.289
	84039	1 x 1/2 x 1	5	0.352
	84038	1 x 3/4 x 1/2	5	0.293
	84052	1 x 3/4 x 3/4	5	0.245
	84053	1 x 3/4 x 1	5	0.35
	84050	1 x 1 x 1/2	5	0.254
	84056	1 x 1 x 3/4	5	0.291
	84070	1 1/4	5	0.703
	84071	1 1/4 x 1 x 3/4	5	0.529
	84073	1 1/4 x 1 x 1	5	0.593
	84072	1 1/4 x 1 1/4 x 3/4	5	0.549
	84074	1 1/4 x 1 1/4 x 1	5	0.602
	84080	1 1/2	5	0.86
	84081	1 1/2 x 1 x 3/4	5	0.617
	84082	1 1/2 x 1 x 1	5	0.738
	84083	1 1/2 x 1 1/2 x 3/4	5	0.674
	84084	1 1/2 x 1 1/2 x 1	5	0.767
	84085	1 1/2 x 1 1/2 x 1 1/4	5	0.884

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Viega PEX Press Tee Radel R Smart Connect feature Zero Lead DISCOUNT 6 <u>model V5618</u>		Press x Press x Press			
		49322	1/2 x 3/8 x 3/8	25		
		49332	1/2 x 1/2 x 3/8	25		
		49520	1/2 x 1/2 x 1/2	25	0.042	
		49334	1/2 x 1/2 x 3/4	25	0.052	
		49540	3/4 x 3/4 x 3/4	25	0.068	
		49433	3/4 x 1/2 x 1/2	25	0.052	
		49434	3/4 x 1/2 x 3/4	25	0.061	
		49443	3/4 x 3/4 x 1/2	25	0.059	
		49560	1 x 1 x 1	10	0.115	
		49533	1 x 1/2 x 1/2	10	0.068	
		49543	1 x 3/4 x 1/2	10	0.074	
		49535	1 x 1/2 x 1	10	0.113	
		49553	1 x 1 x 1/2	10	0.088	
		49544	1 x 3/4 x 3/4	10	0.084	
		49545	1 x 3/4 x 1	10	1.00	
		49554	1 x 1 x 3/4	10	0.102	
	Viega PEX Press Adapter - Male Zero Lead Bronze Zero Lead DISCOUNT 6 <u>model 2811ZL</u>		Press x M NPT			
		90506	3/8 x 1/2	10	0.101	
		90521	1/2 x 1/2	10	0.099	
		90526	1/2 x 3/4	10	0.152	
		90542	3/4 x 1/2	10	0.11	
		90541	3/4 x 3/4	10	0.159	
		90546	3/4 x 1	10	0.181	
		90562	3/4 x 1 1/4	2	0.485	
		90556	1 x 3/4	10	0.183	
		90561	1 x 1	10	0.289	
		90566	1 x 1 1/4	2	0.514	
		90571	1 1/4 x 1 1/4	2	0.551	
		90581	1 1/2 x 1 1/2	2	0.672	
		90591	2 x 2	5	1.095	
	Viega PEX Press Adapter - Male Bronze * Available while supplies last DISCOUNT 6 <u>model 2811NG</u>		Press x M NPT			
		80506	3/8 x 1/2	5	0.13	
		80521	1/2 x 1/2	5	0.117	
		80526	1/2 x 3/4	5	0.176	
		80542	3/4 x 1/2	5	0.11	
		80541	3/4 x 3/4	5	0.168	
		80546	3/4 x 1	5	0.324	
		80562	3/4 x 1 1/4	2	0.536	
		80556	1 x 3/4	5	0.209	
		80561	1 x 1	5	0.344	
		80566	1 x 1 1/4	2	0.555	
		80571	1 1/4 x 1 1/4	2	0.595	
		80581	1 1/2 x 1 1/2	2	0.716	
			Viega PEX Press Adapter - Female Zero Lead Bronze Zero Lead DISCOUNT 6 <u>model 2812ZL</u>		Press x F NPT	
91520	1/2 x 1/2			10	0.101	
91525	1/2 x 3/4			10	0.139	
91541	3/4 x 1/2			10	0.106	
91540	3/4 x 3/4			10	0.139	
91545	1 x 3/4			10	0.168	
91560	1 x 1			10	0.238	
91570	1 1/4 x 1 1/4			5	0.436	
91580	1 1/2 x 1 1/2			5	0.516	
91590	2 x 2			5	0.813	

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Viega PEX Press Adapter - Female Bronze * Available while supplies last DISCOUNT 6 <u>model 2812NG</u>	Press x F NPT				
		81520	1/2 x 1/2	5	0.106	
		81525	1/2 x 3/4	5	0.142	
		81541	3/4 x 1/2	1	0.128	
		81540	3/4 x 3/4	5	0.148	
		81545	1 x 3/4	5	0.172	
		81560	1 x 1	5	0.253	
	Viega PEX Press Adapter - ProPress Zero Lead Bronze Smart Connect feature Zero Lead DISCOUNT 6 <u>model 2813PZL</u>	Press x P				
		99620	1/2 x 1/2	10	0.075	
		99626	1/2 x 3/4	10	0.115	
		99630	3/4 x 1/2	10	0.077	
		99640	3/4 x 3/4	10	0.112	
		99645	1 x 3/4	10	0.136	
		99660	1 x 1	10	0.187	
		99665	1 1/4 x 1	5	0.231	
		99670	1 1/4 x 1 1/4	5	0.284	
		99675	1 1/2 x 1	5	0.276	
		99680	1 1/2 x 1 1/2	5	0.444	
		99685	2 x 1	5	0.465	
		99690	2 x 2	5	0.719	
	Viega PEX Press Adapter - ProPress Bronze Smart Connect feature * Available while supplies last DISCOUNT 6 <u>model 2813PNG</u>	Press x P				
		69620	1/2 x 1/2	5	0.079	
		69626	1/2 x 3/4	5	0.13	
		69630	3/4 x 1/2	5	0.081	
		69640	3/4 x 3/4	5	0.126	
		69660	1 x 1	5	0.202	
		69670	1 1/4 x 1 1/4	5	0.303	
		69680	1 1/2 x 1 1/2	5	0.515	
	Viega PEX Press Adapter - Copper Tubing Zero Lead Bronze Zero Lead DISCOUNT 6 <u>model 2813.5ZL</u>	Press x Copper (female)				
		92006	3/8 x 1/2	10	0.062	
		92021	1/2 x 1/2	10	0.064	
		92026	1/2 x 3/4	10	0.098	
		92036	3/4 x 1/2	10	0.066	
		92041	3/4 x 3/4	10	0.115	
		92045	3/4 x 1	10	0.172	
		92060	1 x 1	10	0.187	
		92070	1 1/4 x 1 1/4	5	0.331	
		92080	1 1/2 x 1 1/2	5	0.45	
		92090	2 x 2	5	0.609	
	Viega PEX Press Adapter - Copper Tubing Bronze * Available while supplies last DISCOUNT 6 <u>model 2813.5NG</u>	Press x Copper (female)				
		82006	3/8 x 1/2	5	0.064	
		82021	1/2 x 1/2	5	0.068	
		82026	1/2 x 3/4	5	0.104	
		82036	3/4 x 1/2	5	0.071	
		82041	3/4 x 3/4	5	0.12	
		82045	3/4 x 1	5	0.179	
		82060	1 x 1	5	0.196	
		82070	1 1/4 x 1 1/4	5	0.353	
		82080	1 1/2 x 1 1/2	5	0.488	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Adapter - Copper Fitting Zero Lead Bronze 2" fitting for use with solder fittings only Zero Lead DISCOUNT 6 <u>model 28131.ZL</u>		Press x Copper (male)			
	97520	1/2 x 1/2	10	0.066	
	97525	1/2 x 3/4	10	0.097	
	97535	3/4 x 1/2	10	0.079	
	97540	3/4 x 3/4	10	0.117	
	97545	3/4 x 1	10	0.154	
	97560	1 x 1	10	0.174	
	97570	1 1/4 x 1 1/4	5	0.344	
	97580	1 1/2 x 1 1/2	5	0.498	
	97590	2 x 2	5	0.696	
 Viega PEX Press Adapter - ProPress Fitting Zero Lead Bronze For use with ProPress fittings only Zero Lead DISCOUNT 6 <u>model 2813.3ZL</u>	97690	Press 2 x 2	5	0.736	
 Viega PEX Press Adapter - Copper Fitting Bronze * Available while supplies last DISCOUNT 6 <u>model 2813.1NG</u>		Press x Copper (male)			
	87520	1/2 x 1/2	5	0.075	
	87525	1/2 x 3/4	5	0.119	
	87535	3/4 x 1/2	5	0.082	
	87540	3/4 x 3/4	5	0.121	
	87545	3/4 x 1	5	0.165	
	87560	1 x 1	5	0.179	
	87570	1 1/4 x 1 1/4	5	0.364	
	87580	1 1/2 x 1 1/2	5	0.515	
 Viega PEX Press Adapter - PB Zero Lead Bronze Connects ViegaPEX to Polybutylene (PB) tubing * Ring not included for PB connection Zero Lead DISCOUNT 6 <u>model 2813.2ZL</u>	97820	Press x PB 1/2 x 1/2	10	0.051	
	97840	3/4 x 3/4	10	0.073	
 Viega PEX Press Adapter - PB Bronze Connects ViegaPEX to Polybutylene (PB) tubing * Ring not included for PB connection * Available while supplies last DISCOUNT 6 <u>model 2813.2NG</u>	87820	Press x PB 1/2 x 1/2	5	0.053	
	87840	3/4 x 3/4	5	0.076	

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Viega PEX Press Coupling Zero Lead Bronze Zero Lead DISCOUNT 6 <u>model 2815ZL</u>	Press x Press				
		93000	3/8	10	0.04	
		93005	1/2 x 3/8	10	0.048	
		93020	1/2	10	0.053	
		93050	1/2 x 3/4	10	0.068	
		93040	3/4	10	0.075	
		93055	3/4 x 1	10	0.115	
		93071	3/4 x 1 1/4	5	0.187	
		93072	3/4 x 1 1/2	5	0.234	
		93060	1	10	0.13	
		93073	1 x 1 1/2	5	0.24	
		93065	1 x 1 1/4	5	0.207	
		93070	1 1/4	5	0.26	
		93075	1 1/4 x 1 1/2	5	0.289	
		93080	1 1/2	5	0.313	
		93090	2	5	0.58	
		93091	2 x 1 1/2	5	0.491	
	Viega PEX Press Coupling Bronze * Available while supplies last DISCOUNT 6 <u>model 2815NG</u>	Press x Press				
		83000	3/8	5	0.042	
		83020	1/2	5	0.055	
		83050	1/2 x 3/4	5	0.072	
		83040	3/4	5	0.077	
		83055	3/4 x 1	5	0.119	
		83071	3/4 x 1 1/4	5	0.197	
		83072	3/4 x 1 1/2	5	0.246	
		83060	1	5	0.137	
		83065	1 x 1 1/4	5	0.216	
		83073	1 x 1 1/2	5	0.264	
		83070	1 1/4	5	0.281	
		83075	1 1/4 x 1 1/2	5	0.331	
		83080	1 1/2	5	0.345	
	Viega PEX Press Coupling Radel R Smart Connect feature Zero Lead DISCOUNT 6 <u>model V5615</u>	Press x Press				
		49402	3/8 x 3/8	25		
		49342	1/2 x 3/8	25		
		49403	1/2 x 1/2	25	0.027	
		49343	1/2 x 3/4	25	0.034	
		49404	3/4 x 3/4	25	0.04	
		49354	3/4 x 1	10	0.055	
		49405	1 x 1	10	0.068	
	Viega PEX Press Test Plug Zero Lead Bronze Zero Lead DISCOUNT 6 <u>model 2856ZL</u>	Press				
		95000	3/8	10	0.022	
		95121	1/2	10	0.035	
		95141	3/4	10	0.057	
		95161	1	10	0.108	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Test Plug Bronze * Available while supplies last DISCOUNT 6 <u>model 2856NG</u>		Press			
	85000	3/8	5	0.027	
	85121	1/2	5	0.036	
	85141	3/4	5	0.059	
	85161	1	5	0.11	
 Viega PEX Press Test Plug Radel R Smart Connect feature Zero Lead DISCOUNT 6 <u>model V5656</u>		Press			
	49722	3/8	25		
	49723	1/2	25	0.015	
	49744	3/4	25	0.021	
	49765	1	10	0.036	
 Viega PEX Press Fire Sprinkler Adapter - Female Zero Lead Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Zero Lead DISCOUNT 6 <u>model 2812.2ZL</u>	94632	Press x F NPT 3/4 x 1/2	1	0.22	
 Viega PEX Press Fire Sprinkler Adapter - Female Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only * Available while supplies last DISCOUNT 6 <u>model 2812.2NG</u>	84632	Press x F NPT 3/4 x 1/2	1	0.252	
 Viega PEX Press Fire Sprinkler Drop Ear Elbow and Angled Adapter Zero Lead Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Zero Lead DISCOUNT 6 <u>model 2814.2ZL</u>	94635	Press x F NPT 3/4 x 1/2	1	0.289	
	94646	3/4 x 3/4 x 1/2	1	0.309	
	94640	1 x 1/2	1	0.335	

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Viega PEX Press Fire Sprinkler Drop Ear Elbows and Angled Adapter Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only * Available while supplies last DISCOUNT 6 <u>model 2814.2NG</u>	84635	3/4 x 1/2	1	0.27	
		84646	3/4 x 3/4 x 1/2	1	0.377	
		84640	1 x 1/2	1	0.317	
			Press x F NPT			
	Viega PEX Press Fire Sprinkler Tee - H Zero Lead Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Mounts to horizontal surfaces Zero Lead DISCOUNT 6 <u>model 2818.2ZL</u>	94636	3/4 x 3/4 x 1/2	1	0.288	
		94638	1 x 3/4 x 1/2	1	0.348	
		94639	1 x 1 x 1/2	1	0.408	
			Press x Press x F NPT			
	Viega PEX Press Fire Sprinkler Tee - H Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Mounts to horizontal surfaces * Available while supplies last DISCOUNT 6 <u>model 2818.2NG</u>	84636	3/4 x 3/4 x 1/2	1	0.291	
		84638	1 x 3/4 x 1/2	1	0.359	
		84639	1 x 1 x 1/2	1	0.401	
			Press x Press x F NPT			
	Viega PEX Press Fire Sprinkler Tee - V Zero Lead Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Mounts to vertical surfaces Zero Lead DISCOUNT 6 <u>model 2818.3ZL</u>	94736	3/4 x 3/4 x 1/2	1	0.529	
		94738	1 x 3/4 x 1/2	1	0.602	
		94739	1 x 1 x 1/2	1	0.65	
			Press x Press x F NPT			
	Viega PEX Press Fire Sprinkler Tee - V Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Mounts to vertical surfaces * Available while supplies last DISCOUNT 6 <u>model 2818.3NG</u>	84736	3/4 x 3/4 x 1/2	1	0.403	
		84738	1 x 3/4 x 1/2	1	0.514	
		84739	1 x 1 x 1/2	1	0.536	
			Press x Press x F NPT			

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Lav Adapter Zero Lead Bronze Metal Nut Zero Lead DISCOUNT 6 <u>model 2891ZL</u>	97002	Press x Lav 3/8 x 1/2	1	0.165	
	97003	1/2 x 1/2	1	0.17	
 Viega PEX Press Lav Adapter Bronze Metal Nut * Sleeve NOT included * Available while supplies last DISCOUNT 6 <u>model 2891</u>	57002	Press x Lav 3/8 x 1/2	1	0.145	
	57003	1/2 x 1/2	1	0.145	
 Viega PEX Press Lav Adapter Radel R Smart Connect feature Zero Lead DISCOUNT 6 <u>model V5613.3</u>	49324	Press x Lav 3/8 x 1/2	1	0.055	
	49333	1/2 x 1/2	1	0.08	
	49344	3/4 x 3/4	1		
 Viega PEX Press Closet Adapter Zero Lead Bronze Plastic Nut Zero Lead DISCOUNT 6 <u>model 2890ZL</u>	97004	Press x Closet 3/8	1	0.088	
	97005	1/2	1	0.095	
 Viega PEX Press Closet Adapter Bronze Plastic Nut * Sleeve NOT included * Available while supplies last DISCOUNT 6 <u>model 2890</u>	57004	Press x Closet 3/8	1	0.069	
	57005	1/2	1	0.073	


	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Closet Adapter Radel R Smart Connect feature Zero Lead DISCOUNT 6 <u>model V5613.4</u>	49223	Press x Closet 3/8	1	0.072	
	49233	1/2	1		
 Viega PEX Press Sleeve Stainless Steel For use with Viega PEX Press fittings and tools only DISCOUNT 6 <u>model 2811.5</u>	61000	Press 3/8	100	0.006	
	61020	1/2	100	0.007	
	61040	3/4	100	0.01	
 Viega PEX Press Sleeve - Replacements Stainless Steel For use with Radel R PEX Press fittings only DISCOUNT 6 <u>model V5615.3</u>	49901	Press 3/8	10		
	49902	1/2	10		
	49903	3/4	10		
	49904	1	10		
 ProPress Manifold Copper Smart Connect feature Zero Lead DISCOUNT 8 <u>model 2845</u>	65801	P x P - # of Outlets 1 x 1/2 - 1	5	0.385	
	65803	1 x 1/2 - 3	1	0.714	
 Viega PEX Press Manifold - ProPress Copper Smart Connect feature * Sleeves NOT included * Available while supplies last DISCOUNT 6 <u>model 2835</u>	65901	P x Press - # of Outlets 3/4 x 1/2 - 1	1	0.261	
	65903	3/4 x 1/2 - 3	1	0.54	
	65902	3/4 x 3/4 - 1	1	0.265	
	65911	1 x 1/2 - 1	1	0.319	
	65913	1 x 1/2 - 3	1	0.663	
	65912	1 x 3/4 - 1	1	0.324	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Brazed Manifold - Header Copper * Sleeves NOT included Zero Lead DISCOUNT 6 <u>model 2836ZL</u>	95470	Header x Press - # of Outlets 1 1/4 x 1/2 - 24	1	6.498	
 Viega PEX Press Brazed Manifold - Header Copper * Sleeves NOT included * Available while supplies last DISCOUNT 6 <u>model 2836US</u>	65470	Header x Press - # of Outlets 1 1/4 x 1/2 - 24	1	6.248	
	65471	1 1/4 x 3/4 - 24	1	6.498	
	65481	1 1/2 x 3/4 - 24	1	8.098	
 Viega PEX Press Brazed Manifold - Male Copper * Sleeves NOT included Zero Lead DISCOUNT 6 <u>model 2833ZL</u>	95703	Inlet x Press - # of Outlets 1 x 1/2 - 3	1	0.57	
	95704	1 x 1/2 - 4	1	0.705	
	95705	1 x 1/2 - 5	1	1.10	
	95706	1 x 1/2 - 6	1	1.30	
	95708	1 x 1/2 - 8	1	1.27	
	95710	1 x 1/2 - 10	1	1.55	
	95712	1 x 1/2 - 12	1	1.809	
 Viega PEX Press Brazed Manifold - Male Copper * Sleeves NOT included * Available while supplies last DISCOUNT 6 <u>model 2833US</u>	65703	Inlet x Press - # of Outlets 1 x 1/2 - 3	1	0.635	
	65704	1 x 1/2 - 4	1	0.80	
	65705	1 x 1/2 - 5	1	1.00	
	65706	1 x 1/2 - 6	1	1.10	
	65708	1 x 1/2 - 8	1	1.40	
	65710	1 x 1/2 - 10	1	1.463	
	65712	1 x 1/2 - 12	1	1.728	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Brazed Manifold - Female Copper * Sleeves NOT included Zero Lead DISCOUNT 6 <u>model 2832ZL</u>		Inlet x Press - # of Outlets			
	95603	1 x 1/2 - 3	1	0.585	
	95604	1 x 1/2 - 4	1	0.725	
	95605	1 x 1/2 - 5	1	0.865	
	95606	1 x 1/2 - 6	1	0.995	
	95608	1 x 1/2 - 8	1	1.27	
	95610	1 x 1/2 - 10	1	1.899	
	95612	1 x 1/2 - 12	1	1.829	
 Viega PEX Press Brazed Manifold - Female Copper * Sleeves NOT included * Available while supplies last DISCOUNT 6 <u>model 2832US</u>		Inlet x Press - # of Outlets			
	65603	1 x 1/2 - 3	1	0.70	
	65604	1 x 1/2 - 4	1	0.80	
	65605	1 x 1/2 - 5	1	0.90	
	65606	1 x 1/2 - 6	1	0.912	
	65608	1 x 1/2 - 8	1	1.32	
	65610	1 x 1/2 - 10	1	1.70	
	65612	1 x 1/2 - 12	1	1.999	
 Viega PEX Press Manifold Radel R Smart Connect feature Zero Lead Flow Through <u>model V5636</u> Closed DISCOUNT 6		Inlet x Press - # of outlets			
	49152	3/4 x 1/2 - 2	10	0.198	
	49153	3/4 x 1/2 - 3	10	0.255	
	49054	3/4 x 1/2 - 4	10	0.318	
	49254	1 x 3/4 x 1/2 - 4	10	0.33	
	49256	1 x 1/2 - 6	10	0.455	
	49258	1 x 1/2 - 8	5	0.576	
	49004	3/4 x 1/2 - 4	10	0.30	
	49206	1 x 1/2 - 6	10	0.428	
 Viega PEX Press Tub Elb Copper * Sleeve NOT included Zero Lead DISCOUNT 6 <u>model 2820.0ZL</u>	92220	Press x Copper (Length) 1/2 x 1/2 (3 x 6)	25	0.235	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Tub Elbow Copper * Sleeve NOT included * Available while supplies last DISCOUNT 6 <u>model 2820.0US</u>	62220	Press x Copper (Length) 1/2 x 1/2 (3 x 6)	25	0.242	
 Viega PEX Press Stub-Out - Elbow Copper * Sleeve NOT included Zero Lead DISCOUNT 6 <u>model 2820.1ZL</u>	92405	Press x Copper (Length) 3/8 x 1/2 (3.5 x 8)	25	0.307	
	92420	1/2 x 1/2 (3.5 x 8)	25	0.295	
	92440	3/4 x 3/4 (3.5 x 8)	25	0.51	
 Viega PEX Press Stub-Out - Elbow Copper * Sleeve NOT included * Available while supplies last DISCOUNT 6 <u>model 2820.1US</u>	62405	Press x Copper (Length) 3/8 x 1/2 (3.5 x 8)	25	0.296	
	62420	1/2 x 1/2 (3.5 x 8)	25	0.30	
	62440	3/4 x 3/4 (3.5 x 8)	25	0.51	
 Viega PEX Press Copper Stub-Out - Straight Copper * Sleeve NOT included Zero Lead DISCOUNT 6 <u>model 2820.2ZL</u>	92608	Press x Copper (Length) 1/2 x 1/2 (8)	25	0.243	
	92615	1/2 x 1/2 (15)	25	0.399	
 Viega PEX Press Copper Stub-Out - Straight Copper * Sleeve NOT included * Available while supplies last DISCOUNT 6 <u>model 2820.2US</u>	62608	Press x Copper (Length) 1/2 x 1/2 (8)	25	0.232	
	62615	1/2 x 1/2 (15)	25	0.388	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 PEX Press Copper Tee Stub-Out Copper * Sleeves NOT included * Available while supplies last DISCOUNT 6 <u>model 2820.3US</u>	62300	Press x Press x Copper (Length) 1/2 x 1/2 x 1/2 (8)	25	0.55	
 Viega PEX Press Stop Valve Chrome plated Zero Lead Brass 1/4 Turn * Sleeve NOT included Zero Lead Straight Stop Valve - 1/4 Turn <u>model 2842.3ZL</u> Angle Stop Valve - 1/4 Turn DISCOUNT 6	93021	Press x CTS (OD) 3/8 x 1/4 (3/8)	10	0.30	
	93031	1/2 x 1/4 (3/8)	10	0.275	
	92515	3/8 x 1/4 (3/8)	10	0.30	
	92511	1/2 x 1/4 (3/8)	10	0.29	
 Viega PEX Press Ball Valve Zero Lead Brass * Sleeve NOT included Zero Lead DISCOUNT 6 <u>model 2842.2ZL</u>	93500	Press x Press 3/8 x 3/8	10	0.16	
	93510	1/2 x 1/2	10	0.27	
	93550	3/4 x 3/4	10	0.39	
 ProPress Copper Manifold Valve Zero Lead Brass 1/2" ProPress tool required * Sleeve NOT included Zero Lead DISCOUNT 6 <u>model 2842.1ZL</u>	94001	Press x Copper 1/2 x 1/2	10	0.29	


	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Press Washing Machine Outlet Box Zero Lead Brass Valves 1/4 Turn Valves with color coded handles * Sleeves NOT included Zero Lead DISCOUNT 6 <u>model 2872.1ZL</u>	57011	Press Valve 1/2	1	1.633	
 Viega PEX Press Ice Maker Outlet Box Zero Lead Brass Valve * Sleeve NOT Included Zero Lead DISCOUNT 6 <u>model 2872.0ZL</u>	97010	Press Valve 3/8	1	0.90	
	97000	1/2	1	0.89	
 Viega OX Box PEX Press Ice Maker Outlet Box Zero Lead Brass Valve * Sleeve NOT Included Zero Lead DISCOUNT 6 <u>model 2872.5ZL</u>	97110	Press Valves 3/8	1	1.105	
	97100	1/2	1	1.10	
 OX Box Frame Replacement for OX Box Ice Maker and Washing Machine DISCOUNT 2 <u>model V5035.2</u>	57102		1	0.105	
 OX Box Accessories Replacement mounting accessories Outlet Box Clip <u>model V5035.3</u> Outlet Box 18" Support Bar DISCOUNT 2	57103		1	0.275	
	57104		1	0.20	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
PEX Press Tools					
 PEX Press Tools Ratcheting Design Color Coded Handles DISCOUNT 6 <u>model 2882US</u>		Dimension (Handle Color)			
	50000	3/8 Green	1	3.446	
	50020	1/2 Yellow	1	3.184	
	50040	3/4 Blue	1	3.138	
	50060	1 Orange	1	4.549	
 PEX Press Tool Set Starter Set includes: 1/2" & 3/4" PEX Press tools and basic tubing cutter with three additional slots. Complete Set includes: 3/8", 1/2", 3/4" & 1" PEX Press tools. Heating Set includes: 3/8", 1/2", 5/8", 3/4" & 1" PEX Press tools, both FostaPEX prep tools and basic tubing cutter. PEX Press Hand Tool Case <u>model 2880.3</u> Starter PEX Tool Set Complete PEX Press Plumbing Tool Set Starter PEX Press Tool Set w/ 1/2 & 3/4 Prep Tool DISCOUNT 6					
	50003		1	6.733	
	56000	1/2 & 3/4	1	13.001	
	56010	3/8, 1/2, 3/4 & 1	1	22.709	
	56020	1/2 & 3/4	1	14.246	
 FostaPEX Tubing Bender Will not kink tubing Formers included for 1/2" - 1" FostaPEX DISCOUNT 6 <u>model 2889.0US</u>	56015	1/2, 3/4 & 1	1	17.995	
 FostaPEX Prep Tool Peels PE and aluminum layer from FostaPEX tubing Prep Tool <u>model 2858</u> Replacement Blade DISCOUNT 6					
	54030	1/2 & 3/4	1	1.15	
	54050	5/8 & 1	1	1.401	
	54075		2	0.013	



	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Compact Battery Press Tools Ridgid 210-B Tool Viega PEX Press connections 3/8" - 1-1/2" ProPress connections up to 1" * Not for use with 2" PEX Press Compact Press Tool Kit <u>model 2999.6</u> Compact Press Tool Kit w/o Press Jaws Compact Press Tool Battery Compact Press Tool Charger DISCOUNT 6		Press Jaws			
	57051	1/2, 3/4, 1	1	23.993	
	57057		1	15.995	
	57058		1	0.855	
	57059		1	1.999	
 Compact PEX Press Jaws For use in Compact Battery Press Tool (210B) DISCOUNT 6 <u>model 2884.7US</u>	56052	3/8	1	2.299	
	56053	1/2	1	2.299	
	56055	3/4	1	2.299	
	56056	1	1	2.579	
	56060	1 1/4	1	2.999	
	56061	1 1/2	1	2.769	
 Standard PEX Press Jaws For use in Standard Battery Press Tool (330B) DISCOUNT 6 <u>model 2899.7US</u>		Press Jaws			
	56073	1/2	1	3.799	
	56075	3/4	1	3.799	
	56076	1	1	3.899	
	56080	1 1/4	1	4.099	
	56081	1 1/2	1	4.299	
	56082	2		9.997	

PureFlow PEX Crimp Fittings

Most widely recognized fitting system in North America



	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
Viega PEX Crimp Fittings					
	Viega PEX Crimp Rings				
	Copper				
	For use with Viega PEX Crimp fittings and tools only				
	43600	3/8	100	0.011	
	43620	1/2	100	0.013	
	43640	3/4	100	0.017	
	43660	1	50	0.022	
	DISCOUNT 2				
	<u>model V5019.9</u>				
Crimp x Crimp					
	Viega PEX Crimp Elbow				
	Zero Lead Brass				
	46922	3/8	50	0.053	
	46933	1/2	50	0.045	
	46243	1/2 x 3/4	25	0.113	
	46944	3/4	25	0.085	
	46955	1	10	0.165	
	DISCOUNT 2				
	<u>model V5016ZL</u>				
Crimp x Crimp					
	Viega PEX Crimp Elbow				
	PolyAlloy				
	43210	3/8	50	0.007	
	43220	1/2	50	0.01	
	43240	3/4	25	0.021	
	43242	3/4 x 1/2	25	0.016	
	43260	1	10	0.046	
	DISCOUNT 3				
	<u>model V5216</u>				
Crimp x M NPT					
	Viega PEX Crimp Elbow - Male				
	Zero Lead Brass				
	46822	3/8 x 3/8	10	0.25	
	46232	1/2 x 3/8	10	0.132	
	46821	1/2 x 1/2	10	0.26	
	46245	3/4 x 3/4	10	0.249	
	DISCOUNT 2				
	<u>model V5014ZL</u>				
Crimp x F NPT					
	Viega PEX Crimp Elbow - Drop Ear				
	Zero Lead Brass				
	46233	1/2 x 1/2	10	0.193	
	46244	3/4 x 3/4	10	0.328	
	DISCOUNT 2				
	<u>model V5027ZL</u>				

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 NO PHOTO AVAILABLE	Viega Elbow - Dishwasher Zero Lead Brass Connects 3/8" PEX to 3/4" Hose supply connection Zero Lead DISCOUNT ② <u>model V5053</u>	46743	Hose x CTS (OD) 3/4 x 3/8 (1/2)	1		
	Viega PEX Crimp Elbow - Tubing Copper Zero Lead DISCOUNT ② <u>model V5021</u>	44305	Crimp x Copper (female) 3/8 x 1/2	50	0.048	
		44325 44345	1/2 x 1/2 3/4 x 3/4	50 25	0.048 0.102	
	Viega PEX Crimp Elbow - Fitting Copper Zero Lead DISCOUNT ② <u>model V5020</u>	44302	Crimp x Copper (male) 3/8 x 1/2	50	0.045	
		44320 44340	1/2 x 1/2 3/4 x 3/4	50 25	0.045 0.095	
	Viega PEX Crimp Tee Zero Lead Brass Dimensions listed as labeled, A x B x C Zero Lead DISCOUNT ② <u>model V5018ZL</u>	46500	Crimp x Crimp x Crimp 3/8	50	0.037	
		46520 46524 46540 46433 46435 46443 46445 46560 46544 46545 46553 46554	1/2 1/2 x 1/2 x 3/4 3/4 3/4 x 1/2 x 1/2 3/4 x 1/2 x 3/4 3/4 x 3/4 x 1/2 3/4 x 3/4 x 1 1 1 x 3/4 x 3/4 1 x 3/4 x 1 1 x 1 x 1/2 1 x 1 x 3/4	50 25 25 25 25 25 10 10 10 10 10 10	0.058 0.078 0.109 0.08 0.10 0.085 0.228 0.191 0.129 0.182 0.133 0.161	
	Viega PEX Crimp Tee PolyAlloy Dimensions listed as labeled, A x B x C Zero Lead DISCOUNT ③ <u>model V5218</u>	43520	Crimp x Crimp x Crimp 1/2	50	0.014	
		43334 43540 43433 43434 43443 43445 43560 43544 43545 43553 43554	1/2 x 1/2 x 3/4 3/4 3/4 x 1/2 x 1/2 3/4 x 1/2 x 3/4 3/4 x 3/4 x 1/2 3/4 x 3/4 x 1 1 1 x 3/4 x 3/4 1 x 3/4 x 1 1 x 1 x 1/2 1 x 1 x 3/4	25 25 25 25 25 10 10 10 10 10 10	0.019 0.029 0.021 0.025 0.023 0.038 0.059 0.047 0.054 0.043 0.046	

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Viega PEX Crimp Adapter - Male Zero Lead Brass Zero Lead DISCOUNT 2 <u>model V5011ZL</u>		Crimp x M NPT			
		46302	3/8 x 1/2	50	0.101	
		46321	1/2 x 1/2	50	0.104	
		46324	1/2 x 3/4	25	0.133	
		46342	3/4 x 1/2	25	0.104	
		46340	3/4 x 3/4	25	0.173	
		46446	3/4 x 1	10	0.273	
		46361	1 x 3/4	10	0.138	
		46366	1 x 1	10	0.234	
	Viega PEX Crimp Adapter - Female Zero Lead Brass Zero Lead DISCOUNT 2 <u>model V5012ZL</u>		Crimp x F NPT			
		46323	3/8 x 1/2	25	0.103	
		46333	1/2 x 1/2	25	0.089	
		46334	1/2 x 3/4	25	0.139	
		46344	3/4 x 3/4	25	0.143	
		46345	3/4 x 1	10	0.35	
		46355	1 x 1	10	0.359	
	Viega PEX Crimp Adapter - PB Zero Lead Brass Connects ViegaPEX to Polybutylene (PB) tubing Use PEX Crimp ring for PB connection Zero Lead DISCOUNT 2 <u>model V5017ZL</u>		Crimp x PB			
		46620	3/8 x 3/8	100	0.023	
		46630	1/2 x 1/2	100	0.031	
		46641	3/4 x 3/4	50	0.057	
		46650	1 x 1	10	0.081	
	Viega PEX Crimp Adapter - PE Zero Lead Brass Transitions from ViegaPEX to IPS sized Polyethylene pipe Use standard stainless steel hose clamp for PE connection Hose clamp not included Zero Lead DISCOUNT 2 <u>model V5047ZL</u>		Crimp x PE			
		46145	3/4 x 3/4	25	0.105	
		46156	1 x 1	10	0.161	
	Viega PEX Crimp Copper Adapter - Tubing Zero Lead Brass Zero Lead DISCOUNT 2 <u>model V5045ZL</u>		Crimp x Copper (female)			
		46635	1/2 x 1/2	50	0.038	
		46645	3/4 x 3/4	25	0.075	
		40655	1 x 1	10	0.108	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Crimp Copper Adapter - Fitting Zero Lead Brass Zero Lead DISCOUNT 2 <u>model V5046ZL</u>		Crimp x Copper (male)			
	46633	1/2 x 1/2	50	0.033	
	46644	3/4 x 3/4	25	0.065	
	60651	1 x 1	10	0.102	
 Viega PEX Crimp Copper Adapter - Tubing & Fitting Zero Lead Brass Zero Lead DISCOUNT 2 <u>model V5024ZL</u>		Crimp x Copper (female) or (male)			
	46621	3/8 x 1/4 or 3/8	50	0.026	
	46622	3/8 x 3/8 or 1/2	50	0.031	
	46631	1/2 x 1/4 or 3/8	50	0.034	
	46654	1 x 3/4 or 1	10	0.109	
 Viega PEX Crimp Coupling Zero Lead Brass Zero Lead DISCOUNT 2 <u>model V5015ZL</u>		Crimp x Crimp			
	46422	3/8	100	0.018	
	46432	1/2 x 3/8	100	0.024	
	46434	1/2	100	0.026	
	46441	3/4 x 1/2	50	0.04	
	46444	3/4	50	0.049	
	46454	1 x 3/4	10	0.068	
	46455	1	10	0.081	
 Viega PEX Crimp Coupling PolyAlloy Zero Lead DISCOUNT 3 <u>model V5215</u>		Crimp x Crimp			
	43402	3/8	50	0.004	
	43403	1/2	100	0.006	
	43332	3/8 x 1/2	50		
	43342	3/8 x 3/4	50	0.01	
	43343	1/2 x 3/4	50	0.001	
	43353	1/2 x 1	10	0.019	
	43404	3/4	50	0.012	
	43354	3/4 x 1	10	0.021	
	43355	1	10	0.024	
 Viega PEX Crimp Test Plug Polysulfone Zero Lead DISCOUNT 2 <u>model V5058</u>		Crimp			
	43702	3/8	100	0.004	
	43723	1/2	100	0.004	
	43744	3/4	50	0.012	
	43765	1	50	0.015	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Crimp Brazed Manifold Copper Zero Lead Closed <u>model V5035</u> Flow Through DISCOUNT 2		Inlet x Crimp - # of Outlets			
	44844	3/4 x 1/2 - 4	1	0.605	
	44846	3/4 x 1/2 - 6	1	0.835	
	44848	3/4 x 1/2 - 8	1	1.085	
	44840	3/4 x 1/2 - 10	1	1.305	
	44864	1 x 1/2 - 4	1	0.625	
	45844	3/4 x 1/2 - 4	1	0.62	
	45846	3/4 x 1/2 - 6	1	0.85	
	45848	3/4 x 1/2 - 8	1	1.065	
	45864	1 x 1/2 - 4	1	0.635	
 Viega PEX Crimp Manifold PolyAlloy Use Lock Clips (58075) for mounting *Mounting Hardware NOT Included Zero Lead Flow Through <u>model V5031.2</u> Closed DISCOUNT 2		Inlet x Crimp - # of outlets			
	65152	3/4 x 1/2 - 2	10	0.135	
	65153	3/4 x 1/2 - 3	10	0.197	
	65154	3/4 x 1/2 - 4	10	0.221	
	65254	1 x 3/4 x 1/2 - 4	10	0.14	
	65256	1 x 1/2 - 6	10	0.309	
	65258	1 x 1/2 - 8	5	0.396	
	65104	3/4 x 1/2 - 4	10	0.217	
	65206	1 x 1/2 - 6	10	0.302	
 Viega PEX Crimp Stub-Out - Elbow Copper Zero Lead w/o Attachment Plate <u>model V5070</u> w/ Attachment Plate DISCOUNT 2		Crimp x Copper (Length)			
	44208	3/8 x 1/2 (3.5 x 8)	50	0.235	
	44226	1/2 x 1/2 (3.5 x 6)	50	0.195	
	44228	1/2 x 1/2 (3.5 x 8)	50	0.235	
	44240	3/4 x 3/4 (3.5 x 8)	50	0.41	
	44209	3/8 x 1/2 (3.5 x 8)	25	0.286	
	44227	1/2 x 1/2 (3.5 x 6)	25	0.235	
	44229	1/2 x 1/2 (3.5 x 8)	25	0.277	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Crimp Ball Valve Zero Lead Brass 1/4 Turn Zero Lead 1/4 Turn - Brass <u>model V5037ZL</u> 1/4 Turn - Chrome DISCOUNT 2		Crimp x Crimp			
	46010	3/8 x 3/8	10	0.306	
	46031	1/2 x 1/2	10	0.278	
	46044	3/4 x 3/4	10	0.395	
	46060	1 x 1	10	1.23	
	46021	1/2 x 1/2	10	0.21	
 Viega PEX Crimp Valve PolyAlloy Zero Lead DISCOUNT 3 <u>model V5236</u>	43030	1/2 x 1/2	10	0.066	
	43040	3/4 x 3/4	10		
 Viega PEX Crimp Straight Stop Valve Chrome plated Zero Lead Brass 1/4 Turn Zero Lead DISCOUNT 2 <u>model V5026ZL</u>	46001	Crimp x CTS (OD) 3/8 x 1/4 (3/8)	1	0.321	
	46022	1/2 x 1/4 (3/8)	1	0.295	
 Viega PEX Crimp Angle Stop Valve Chrome plated Zero Lead Brass 1/4 Turn Zero Lead DISCOUNT 2 <u>model V5064ZL</u>	46002	Crimp x CTS (OD) 3/8 x 1/4 (3/8)	1	0.34	
	46025	1/2 x 1/4 (3/8)	1	0.33	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Crimp Straight Stop Lav/Closet Valve PolyAlloy Plastic Nut Zero Lead Lav <u>model V5036.30</u> Closet DISCOUNT 2		Crimp x Lav or Closet			
	43023	3/8 x 1/2	10	0.09	
	43031	1/2 x 1/2	10	0.09	
	43002	3/8 x 1/2	10	0.10	
	43003	1/2 x 1/2	10	0.103	
 Viega PEX Crimp Ice Maker Valve Kit Zero Lead Brass Zero Lead Straight Adapter <u>model V5051ZL</u> Tee DISCOUNT 2		Crimp x CTS (OD)			
	46301	3/8 x 1/8(1/4)	1	0.11	
	46322	1/2 x 1/8(1/4)	1	0.115	
	46503	3/8 x 1/8(1/4)	1	0.14	
	46521	1/2 x 1/8(1/4)	1	0.15	
 Ice Maker Tubing HDPE Cold water applications only Zero Lead DISCOUNT 1 <u>model V5052</u>	43100	in x ft 1/8 x 100	1	1.20	
 Viega PEX Crimp Ice Maker Box Zero Lead Brass Valve 1/4 Turn Valves Zero Lead DISCOUNT 2 <u>model V5073</u>	43700	Crimp Valve 3/8	1		
	43722	1/2	1	1.095	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Crimp Washing Machine Box Zero Lead Brass Valves 1/4 Turn Valves Zero Lead DISCOUNT 2 <u>model V5073.5</u>	43720	Crimp Valve 1/2	1		
 Viega PEX Crimp Lav Adapter Zero Lead Brass Plastic Nut Zero Lead DISCOUNT 2 <u>model V5075ZL</u>	46023	Crimp x Lav 3/8 x 1/2	1	0.065	
	46033	1/2 x 1/2	1	0.055	
 Viega PEX Crimp Lav Adapter Zero Lead Brass Brass Nut Zero Lead DISCOUNT 2 <u>model V5079ZL</u>	46024	Crimp x Lav 3/8 x 1/2	1	0.09	
	46034	1/2 x 1/2	1	0.09	
	46040	3/4 x 3/4	1	0.16	
 Viega PEX Crimp Lav Adapter Zero Lead Brass Compression Zero Lead DISCOUNT 2 <u>model V5077ZL</u>	46032	Crimp x CTS (OD) 3/8 x 1/4 (3/8)	1	0.12	
	46331	1/2 x 1/4 (3/8)	1	0.115	
 Viega PEX Crimp Lav Adapter PolyAlloy Plastic Nut Zero Lead DISCOUNT 3 <u>model V5263</u>	43323	Crimp x Lav 3/8 x 1/2	1	0.025	
	43333	1/2 x 1/2	1	0.025	
	43344	3/4 x 3/4	1	0.045	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Viega PEX Crimp Lav Elbow Copper Plastic Nut Zero Lead DISCOUNT ② <u>model V5076</u>	44201	Crimp x Lav 3/8 x 1/2	1	0.085	
 Viega PEX Crimp Lav Elbow PolyAlloy Plastic Nut Zero Lead DISCOUNT ③ <u>model V5255</u>	43232	Crimp x Lav 3/8 x 1/2	50	0.027	
	43233	1/2 x 1/2	50	0.029	
	43244	3/4 x 3/4	25	0.053	
 Viega PEX Crimp Closet Adapter Brass Plastic Nut Zero Lead DISCOUNT ② <u>model V5072ZL</u>	46223	Crimp x Closet 3/8 x 1/2	1	0.07	
	46234	1/2 x 1/2	1	0.065	
 Viega PEX Crimp Closet Adapter PolyAlloy Plastic Nut Zero Lead DISCOUNT ③ <u>model V5257</u>	43300	Crimp x Closet 3/8 x 1/2	1	0.036	
	43320	1/2 x 1/2	1	0.035	
 Viega PEX Crimp Closet Elbow Copper Plastic Nut Zero Lead DISCOUNT ② <u>model V5078</u>	44203	Crimp x Closet 3/8 x 1/2	1	0.10	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Replacement Cone Seal Replacement for Lav or Closet Adapters Zero Lead Closet Cone <u>model V5084</u> Lav Cone DISCOUNT 2					
	43820	1/2	100	0.005	
	43721	1/2	100	0.002	
	43740	3/4	100	0.004	
 Viega PEX Crimp Water Heater Swivel Connector Copper Zero Lead Brass Connection Zero Lead DISCOUNT 2 <u>model V5048ZL</u>	46764	Crimp x F NPT - (Length) 3/4 x 3/4 - (18)	25	0.57	
 PEX Crimp Tools PEX Crimp Hand Tools Soft-Touch Full Circle Crimp Tool <u>model V5082.5</u> Repair Kit for 41760 Repair Kit for 41700, 41720, 41724 & 41740 DISCOUNT 5	41700	3/8	1	3.404	
	41720	1/2	1	3.309	
	41724	1/2 & 3/4	1	4.253	
	41740	3/4	1	3.474	
	41760	1	1	5.067	
	41741	1	1	0.12	
	41701	3/8 - 3/4	1	0.115	
 PEX Crimp Hand Tools Soft-Touch Ratchet DISCOUNT 5 <u>model V5082.6</u>	41702	3/8	1	1.67	
	41721	1/2	1	1.645	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 PEX Crimp Hand Tools Compact Angled Color coded handles DISCOUNT 5 <u>model V5082.4</u>		Dimension (Handle Color)			
	41703	3/8 Green	1	2.389	
	41723	1/2 Yellow	1	2.442	
	41744	3/4 Blue	1	2.595	
 PEX Crimp Caliper DISCOUNT 5 <u>model V5054</u>	53507	3/8 & 1/2 & 3/4	1	0.12	
	53511	1	1	0.06	

PureFlow

PEX accessories



	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
Viega PEX Accessories					
 Lav Risers Compression ferrules included Lav nuts sold separately Zero Lead DISCOUNT 2 <u>model V5080</u>		CTS (OD) x Length			
	58112	1/4 (3/8) x 12	100	0.03	
	58115	1/4 (3/8) x 15	100	0.035	
	58120	1/4 (3/8) x 20	100	0.045	
	58130	1/4 (3/8) x 30	100	0.071	
	58136	1/4 (3/8) x 36	100	0.081	
 Closet Risers Compression ferrules included Closet nuts sold separately Zero Lead DISCOUNT 2 <u>model V5081</u>		CTS (OD) x Length			
	57112	1/4 (3/8) x 12	100	0.031	
	57115	1/4 (3/8) x 15	100	0.035	
	57120	1/4 (3/8) x 20	100	0.05	
	57130	1/4 (3/8) x 30	100	0.08	
	57136	1/4 (3/8) x 36	100	0.085	
 Riser Accessories - Lav Nut Zero Lead DISCOUNT 2 <u>model V5089</u>	33705	F NPT 1/2	100	0.017	
 Riser Accessories - Ballcock Nut Zero Lead DISCOUNT 2 <u>model V5089.1</u>	53017	F NPT 3/4	100	0.023	
 Ferrules For use with PEX compression fittings and risers Zero Lead DISCOUNT 2 <u>model V5085</u>		CTS (OD)			
	53000	1/8 (1/4)	100	0.001	
	53005	1/4 (3/8)	100	0.001	
	53015	3/8 (1/2)	50	0.001	
	53020	1/2 (5/8)	100	0.001	
	53040	3/4 (7/8)	100	0.003	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 Stainless Steel Compression Insert Stiffeners For use with MANABLOC compression fittings and risers Zero Lead DISCOUNT 2 <u>model V5086</u>		CTS (OD)			
	56100	1/4 (3/8)	100	0.001	
	56110	3/8 (1/2)	50	0.029	
	56120	1/2 (5/8)	50	0.005	
	56140	3/4 (7/8)	50	0.01	
 Plastic Escutcheon White Zero Lead Single <u>model V5088</u> Double DISCOUNT 2					
	53115	3/8	50	0.012	
	53120	1/2	50	0.012	
	53122	1/2 (for threaded connection)	50	0.01	
	53116	3/8	25	0.016	
	53121	1/2	25	0.016	
 Finishing Sleeves Sleeve is 3.5" long DISCOUNT 2 <u>model 2800.5US</u>	52500	3/8	10	0.05	
	52520	1/2	10	0.059	
 Decorative Sleeving 3' straight lengths DISCOUNT 2 <u>model V5098</u>	52600	3/8	50	0.125	
	52620	1/2	50	0.138	
 Colored Sleeving Fits 3/8" and 1/2" tubing Sleeve is 4.5" long DISCOUNT 2 <u>model 2852US</u>	54020	3/8 & 1/2 - Red	10	0.04	
	54520	3/8 & 1/2 - Blue	10	0.04	

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Drop Ear Bend Supports *Not for use with FostaPEX DISCOUNT ② <u>model 2850.1US</u>	50520	3/8 & 1/2	25	0.175	
	Snap-in Bend Supports Bend supports snap in on 2" centers *Not for use with FostaPEX Bend Support <u>model 2850.3US</u>	51021	1/2	100	0.08	
	Bracket	51022	1/2	50	0.541	
	DISCOUNT ②					
	Plastic Bend Supports *Not for use with FostaPEX DISCOUNT ② <u>model 2850.2US</u>	51000	3/8	25	0.048	
		51020	1/2	25	0.083	
		51040	5/8 & 3/4	25	0.155	
		51060	1	25	0.26	
		51070	1 1/4	5	0.44	
	Plastic Bend Supports for Slab *Not for use with FostaPEX DISCOUNT ④ <u>model 2851US</u>	15106	3/8	10	0.09	
		15107	1/2	10	0.115	
		15108	5/8 & 3/4	10	0.178	
		15111	1	1	0.83	
	Turn-Out Clamps Fits 3/8" tubing and 1/2" tubing with standard or stub-out elbows Trim tapered tip to use with 1/2" tubing *Not for use with FostaPEX DISCOUNT ② <u>model V5071</u>	52130	3/8 & 1/2	25	0.075	

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Full Clamps Nail provided with each clamp DISCOUNT ② model V5092	52220	1/2	100	0.013	
		52240	3/4	50	0.019	
	J-Clamp Tubing Fasteners Nail provided with each clamp DISCOUNT ② model 2860US	52000	3/8	100	0.006	
		52020	1/2	100	0.008	
		52040	3/4	100	0.013	
		52060	1	100	0.021	
	Economy PEX Tubing Clamps DISCOUNT ② model V5095	52100	1/4	100	0.002	
		52110	3/8	100	0.002	
		52120	1/2	100	0.003	
		52140	3/4	50	0.005	
	Snap Clips *Not for use with FostaPEX Single model 2862US Double DISCOUNT ②					
		58015	3/8	100	0.006	
		58020	1/2	100	0.011	
		58040	3/4	100	0.01	
		58060	1	50	0.014	
		58016	3/8	50	0.012	
		58021	1/2	50	0.012	
	Lock Clips For 5/8" ViegaPEX Barrier use 1/2" Lock Clip For 5/8" FostaPEX use 3/4" Lock Clip DISCOUNT ② model 2863US	58071	3/8	100	0.014	
		58072	1/2	100	0.013	
		58073	3/4	50	0.015	
		58074	1	50	0.025	
		58075	1 1/4	50	0.03	
		58076	1 1/2	25	0.04	
		58077	2	15		

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Rail Adapter for Lock Clip DISCOUNT 2 <u>model 2869US</u>	58080		20		
	Multi-Clip Mounting screw provided DISCOUNT 2 <u>model 2867US</u>	52006 52007	3/8 - 1 1/2 - 2	100 25	0.025	
	Multi-Clip with Strut Clamp DISCOUNT 2 <u>model 2867.1US</u>	52017	1/2 - 2	25		
	U-Channel Fastener 6.5' lengths Predrilled holes DISCOUNT 4 <u>model 2864US</u>	15310	in x ft 1/2 x 6 1/2	16	1.10	
	Suspension Clip Tubing Fasteners DISCOUNT 2 <u>model 2861US</u>	55020 55040 55060 55070 55080 55090	1/2 3/4 1 1 1/4 1 1/2 2	50 50 50 50 25 25	0.01 0.012 0.018 0.026 0.036	

		Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Tubing Clamp DISCOUNT 2 <u>model 2868US</u>	56090	2	25		
	Tubing Insulators Fits 1-3/8" hole DISCOUNT 2 <u>model V5094</u>	55100	3/8	50	0.018	
		55165	3/8 - 1	25	0.014	
		55120	1/2	50	0.019	
		55140	3/4	50	0.014	
		55160	1	50	0.04	
	Bundle Ties 14" Zip Tie <u>model V5097</u> Pipethon Strap DISCOUNT 2	43714		100	0.012	
		43701		20	0.06	
	Movable Metal Frame Uncoiler Maximum coil size for 3/8" and 1/2" tubing is 1000' Maximum coil size for 3/4" tubing is 500' Not designed for 1" or larger tubing *Not for use with FostaPEX DISCOUNT 5 <u>model V5061</u>	53509		1	70.98	
	Ratcheting Tubing Cutters Recommended for FostaPEX Tubing Cutters <u>model 2840</u> Replacement Blade for 53541 DISCOUNT 5		Maximum PEX Dimension			
		53541	1 1/4	1	1.15	
		53551	1 1/2	1	0.954	
		53561	2	1	1.874	
		53542		1	0.19	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
	Tubing Cutters				
		Maximum PEX Dimension			
	Basic - Up to 1" PEX <u>model 2889.2US</u>	21304	1	1	0.351
	Basic - Up to 1 1/2" PEX	21307	1 1/2	1	0.401
	Wheel Cutter - Up to 2" PEX	53641	2	1	1.789
	Replacement Blade for 21307	21317		1	0.08
	Replacement Blade for 53641	53642		1	0.01
DISCOUNT 5					

NOTES

PureFlow

NOTES

PureFlow

