



Art. No.: VHSCAT-ENDK-0906

## Vikan hygiene system®



### Contents

	Page
Bacteria know no borders .....	4 - 5
Table / equipment .....	6 - 16
Floor .....	17 - 24
Walls .....	25
Handles .....	26 - 28
Tools .....	29 - 34
Accessories .....	35 - 40
Vikan's focus on quality .....	41
Chemical resistance of the tools ....	41
Procedures for cleaning .....	41
Hygiene tools and their treatment ..	42

*The products have been organised according to applications and each group is organised in numerical order.*

*At the back of the catalogue you will find an index in numerical order.*



| Vikan A/S | Rævevej 1 | DK - 7800 Skive | Tlf. +45 9614 2600 |  
| Fax +45 9614 2655 | Email - vikan@vikan.com | www.vikan.com |





Key to symbols

**Article number**  
The article number must be followed by the colour code, e.g. 29154 Brush, red.

**Soft**  
Bristlestype.

**Medium**  
Bristlestype.

**Stiff**  
Bristlestype.

**Bristle length**  
Dimensions are stated in mm. The dimension is the visible filament length.

**Brush length**  
Dimension is stated in mm. The dimension states the length of the piece with bristles.

**Diameter of the hand grip**  
The dimensions stated are in mm, and indicate the diameter of the hand grip.

**Dimension**  
All dimensions are stated in mm. Dimensions are stated as height x width x length or diameter (Ø) x length.

**Weight**  
Weight is stated in kg. Product net weight is stated with 2 decimals.

**No. per carton**  
Number of products packed in outer package.

**Temperature**  
Temperatures stated are the temperatures tolerated by the products for cleaning. Temperatures are stated in Celcius (C) and Fahrenheit (F).

**Material**  
All materials are approved by FDA unless otherwise stated. The following abbreviations are used:  
STS - Stainless Steel  
ALU - Aluminium  
RF - Reinforced  
PP / PPN - Polypropylene  
PBT / PET - Polyester

Colour codes

**+2** If the ordered product is requested in green, the article number must be followed by 2.

**+3** If the ordered product is requested in blue, the article number must be followed by 3.

**+4** If the ordered product is requested in red, the article number must be followed by 4.

**+5** If the ordered product is requested in white, the article number must be followed by 5.

**+6** If the ordered product is requested in yellow, the article number must be followed by 6.

**+9** If the ordered product is requested in black, the article number must be followed by 9.



Optimal food safety with the Vikan hygiene system®

Customers and authorities are making ever-increasing demands on companies in the food sector being able to document conditions of importance to food safety. This certainly applies to hygiene.

Hygiene depends strongly on cleaning, which has to be much more than just efficient. It must also ensure that bacteria from one department are not moved to another department where they could spoil a finished product. These requirements are some of the reasons that we developed the Vikan hygiene system®.

This is the only programme within professional hygiene cleaning where efficiency, ergonomics, design and safety are integrated in the same product. Our development department has invested extensive resources in this task. All products in the Vikan hygiene system® are available in five colours. Some are available in six. This means that Vikan's colour coding system can be used to improve hygiene within the company. By dividing the company into a maximum of six colour zones, you can prevent tools being moved from one department to another, therefore avoid transferring bacteria from one department to another.

In this concrete manner, the Vikan hygiene system® provides employees, customers and authorities with ocular proof as regards visual quality control of hygiene. Now hygiene is not just measurable, but also visible with the naked eye.

In addition, there are cleaning tools for every conceivable purpose. The Vikan hygiene system® programme is the only complete range to cover all manual cleaning requirements. We call it Vikan Professional Cleaning Solutions because careful consideration has been given to every single detail throughout the entire process from development to the user application.

Choose cleaning tools from Vikan, and you will be assured of quality, long life and the best overall economy. All products are manufactured on the basis of raw materials complying with the U.S. Food and Drug Administration's strict quality requirements.

Vikan possesses ISO 9001 quality certification and ISO 14001 environmental certification.

Read more about the Vikan hygiene system® on our website [www.vikan.com](http://www.vikan.com) where you can also see how to introduce full colour coding control in your own company or department.

Yours sincerely

**Hans R. Holst,**  
Managing Director  
Vikan A/S



DS/EN ISO 9001  
Vikan A/S has a quality assurance system whose object is to ensure that Vikan A/S's products always comply with specifications.

DS/EN ISO 14001  
Vikan A/S has an environmental management system whose object is to ensure that Vikan A/S can guarantee our customers products made in an environmentally responsible manner.

Index

	Page		Page		Page
054025	Squeegee, 400 mm ..... 17	3199	Soft Floor Broom, 600 mm..... 19	5601	Shovel - Long handle, large blade... 29
054030	Replacement Blade, 400 mm..... 35	3587	Medium Hand Scrub Brush..... 6	5603	Shovel with drain holes ..... 29
054035	Replacement Blade, 400 mm..... 35	3883	Medium Hand Scrub Brush..... 7	5604	Shovel with drain holes ..... 29
055025	Squeegee, 500 mm ..... 17	3885	Hard Hand Scrub Brush..... 7	5610	Shovel - Short handle, small blade... 30
055030	Replacement Blade, 500 mm..... 35	3887	Medium Hand Scrub Brush..... 7	5611	Shovel - Long handle, small blade... 30
055035	Replacement Blade, 500 mm..... 35	3889	Hand Scrub Brush ..... 7	5620	Shovel - D grip, large deep blade.... 30
056025	Squeegee, 600 mm ..... 17	3892	Stiff Angled Hand Scrub..... 7	5621	Shovel - D grip, small deep blade.... 30
056030	Replacement Blade, 600 mm..... 35	3893	Resin Stiff Hand Scrub..... 7	5622	Shovel - D grip, standard blade..... 30
056035	Replacement Blade, 600 mm..... 35	4040	Barbeque-brush..... 7	5623	Shovel - D grip, large deep blade.... 30
057025	Squeegee, 700 mm ..... 17	4050	Hand Scraper ..... 8	5624	Shovel - D grip, small deep blade.... 30
057030	Replacement Blade, 700 mm..... 35	4055	Hand Scraper ..... 8	5625	Shovel - D grip, standard blade..... 31
057035	Replacement Blade, 700 mm..... 36	4167	Soft Hand Brush ..... 8	5626	Shovel - T grip, large deep blade .... 31
0600	Wall Bracket..... 36	4169	Stiff Hand Brush..... 8	5627	Shovel - T grip, small deep blade .... 31
0605	Wall Bracket..... 36	4180	Resin Stiff Churn Brush..... 8	5628	Shovel - T grip, standard blade ..... 31
0610	Wall Bracket..... 36	4183	Medium Churn Brush..... 8	5629	Shovel - T grip, large deep blade .... 31
0615	Wall Bracket..... 36	4184	Brush for Meatmincer..... 8	5630	Shovel - T grip, small deep blade .... 31
0620	Wall Bracket..... 36	4185	Stiff Churn Brush..... 9	5631	Shovel - T grip, standard blade ..... 31
0691	Small Hook ..... 36	4187	Medium Hand Brush ..... 9	5660	Dustpan..... 20 + 32
0692	Large Clip ..... 37	4188	Resin Stiff Churn Brush ..... 9	5670	Large Hand Scoop..... 32
0694	End Cap ..... 37	4189	Stiff Hand Brush..... 9	5672	Large Hand Shovel ..... 32
0696	Extra Large Clip ..... 37	4193	Soft Hand Brush ..... 9	5673	Small Hand Shovel..... 32
0698	Extra Large Clip ..... 37	4195	Narrow Hand Brush ..... 9	5675	Medium Hand Scoop..... 32
0700	Tap Coupling..... 37	4237	Dish Brush..... 9	5680	2 Litre Round Scoop..... 32
0701	Hose Coupling ..... 37	4287	Dish Brush..... 10	5685	1 Litre Round Scoop..... 32
0702	Hose..... 37	4551	Resin Stiff Bench Brush ..... 10	5686	Bucket 12 l ..... 33
0703	Automatic Watertight Coupling..... 38	4557	Resin Soft Bench Brush ..... 10	5687	Bucket lid..... 33
0704	Trigger Operated Water Gun ..... 38	4558	Resin Soft Bench Brush ..... 10	5690	Hygiene Fork..... 33
0705	Male / Female Coupling ..... 38	4559	Resin Stiff Bench Brush ..... 10	5691	Hygiene Rake..... 33
0706	Automatic Watertight Coupling..... 38	4582	Powder Brush ..... 10	6440	Nail Brush..... 15 + 40
0708	Hosenippel..... 38	4586	Soft Hand Brush ..... 10 + 19	7007	Mixer..... 33
0711	Dinga Water Gun ..... 38	4588	Medium Hand Brush..... 11 + 19	7009	Mixer..... 33
0712	Quick Coupling 1/2"..... 38	4767	Hand Squeegee..... 11	7010	Mixer..... 33
0715	Quick Coupling 3/4"..... 39	4769	One Piece Hand Squeegee..... 11	7011	Paddle Scraper Blade ..... 34
0716	Hose Coupling 3/4"..... 39	5051	Toilet Brush ..... 39	7012	Mixer..... 34
0717	Adapter fitting ..... 39	5345	Flexible Extension Handle..... 11	7013	Paddle Scraper Blade ..... 34
2910	Table & Floor Scraper..... 6 + 17	5350	Flexible Handle, STS ..... 11	7033	Meat Mincer Brush Head ..... 15
2912	Flexible Nylon Scraper..... 6 + 17	5352	Flexible Handle, nylon ..... 11	7035	Cylinder Head Brush ..... 15
2914	Broom, angle cut ..... 17	5354	Tube Cleaner for Flexible Handle .... 11	7037	Stiff Tank Brush..... 15 + 20
2915	Yard Broom, 300 mm..... 18	5356	Tube Cleaner for Flexible Handle ..... 12	7039	Medium Tank Brush ..... 15 + 20
2920	Yard Broom, 470 mm..... 18	5357	Brush Kit Sundae..... 12	7041	Stiff Scrubbing Brush ..... 20 + 25
2922	Resin Stiff Floor Broom, 470 mm .... 18	5358	Brush Kit Sundae..... 12	7043	Medium Scrubbing Brush ..... 21 + 25
2925	Telescopic Handle..... 26	5360	Drain Cleaning Brush ..... 12	7044	Stiff Scrubbing Brush ..... 21 + 25
2932	Extension Handle..... 26	5370	Medium Tube Cleaner ..... 12	7045	Resin Soft Floor Broom..... 21
2934	Mini Handle..... 6 + 26	5371	Soft External Tube Brush..... 12	7046	Resin Stiff Deck Scrub ..... 21
2935	Ergonomic Alu. Handle, 1300 mm .. 26	5374	Medium External Tube Brush ..... 12	7047	Hi-Low Brush..... 21
2936	Fibre Glass Handle, 1300 mm..... 26	5375	Medium Tube Cleaner ..... 13	7056	Waterfed Hand Brush..... 15
2937	Ergonomic Alu. Handle, 1500 mm .. 26	5376	Medium Tube Cleaner ..... 13	7056Q	Waterfed Hand Brush..... 15
2938	Fibre Glass Handle, 1500 mm..... 26	5378	Stiff Tube Cleaner..... 13	7060	Deck Scrub, 300 mm..... 21
2939	Stainless Steel Handle, 1500 mm.... 27	5379	Tube Cleaner..... 13	7061	Wall / Floor Brush, 300 mm..... 21 + 25
2972	Fibre Glass Handle, 1700 mm..... 27	538050	Medium Tube / Drain Cleaner.. 13 + 19	7062	Deck Scrub, 470 mm..... 22
2973	Waterfed Telescopic Handle..... 27	538063	Stiff Tube / Drain Cleaner..... 13 + 19	7063	Wall / Floor Brush, 470 mm..... 22 + 25
2973Q	Waterfed Telescopic Handle..... 27	538077	Medium Tube / Drain Cleaner.. 13 + 19	7066	Soft Floor Broom, 300 mm..... 22
2975	Telescopic Handle..... 27	538090	Medium Tube / Drain Cleaner.. 14 + 20	7067	Soft W'fed Angle Adj. Brush.... 16 + 25
2977	Telescopic Fibre Glass Handle..... 27	5380103	Stiff Tube / Drain Cleaner..... 14 + 20	7068	Medium Floor Broom, 300 mm ..... 22
2981	Aluminium Handle, 650 mm..... 27	5384	Soft Tube Cleaner ..... 14	7070	One Piece Squeegee, 400 mm ..... 22
2983	Stainless Steel Handle, 1000 mm.... 28	5385	Stiff Tube Cleaner..... 14	7071	One Piece Squeegee, 500 mm ..... 22
2991	Waterfed Alu. Handle, 1600 mm ..... 28	5395	Thermos Cleaner ..... 14	7072	One Piece Squeegee, 600 mm ..... 22
2991Q	Waterfed Alu. Handle, 1600 mm ..... 28	555030	Pastry Brush, 30 mm ..... 29	7073	One Piece Squeegee, 700 mm ..... 23
3087	Medium Utility Brush ..... 6	555050	Pastry Brush, 50 mm ..... 29	7074	Neoprene Squeegee, 600 mm ..... 23
3088	Soft Utility Brush ..... 6	555070	Pastry Brush, 70 mm ..... 29	7075	Replacement Blades..... 23
3089	Medium Utility Brush ..... 6	5500	Pad Holder..... 14 + 20 + 25	7076	One Piece Squeegee, 400 mm ..... 23
3104	Soft Lobby Broom..... 18	5510	Pad Holder..... 14	7077	One Piece Squeegee, 500 mm ..... 23
3174	Soft / Stiff Floor Broom, 400 mm.... 18	5523	Nylon pad, hard ..... 39	7080	Squeegee, 400 mm ..... 23
3178	Soft Floor Broom, 400 mm..... 18	5524	Nylon pad, medium..... 39	7082	Squeegee, 500 mm ..... 23
3179	Soft Floor Broom, 400 mm..... 18	5525	Nylon pad, soft ..... 39	7084	Squeegee, 600 mm ..... 24
3194	Soft / Stiff Floor Broom, 600 mm.... 19	5600	Shovel - Short handle, large blade .. 29	7086	Squeegee, 700 mm ..... 24

#### **Vikan A/S**

Rævevej 1  
7800 Skive  
Denmark  
Tel.: +45 9614 2600  
Fax: +45 9614 2655  
E-mail: vikan@vikan.com  
www.vikan.com

#### **NiTO A/S**

Postboks 263  
H.C. Ørstedsvvej 4  
6100 Haderslev  
Denmark  
Tel.: +45 7452 6363  
Fax: +45 7453 2220  
E-mail: nito@nito.dk  
www.nito.com

#### **Vikan UK Limited**

Unit 23, Ash  
Kembrey Park, Swindon  
Wiltshire SN2 8UN  
UK  
Tel.: +44 1793 41 11 30  
Fax: +44 1793 41 11 60  
E-mail: sales@vikan.co.uk  
www.vikan.co.uk

#### **Vikan France S.A.S.**

Parc d'Activités de Limonest  
SILIC 2 (Hall A)  
1, rue des Vergers  
69760 Limonest  
France  
Tel.: +33 4 72 52 05 40  
Fax: +33 4 72 52 05 49  
E-mail: vikan@vikan.fr  
www.vikan.fr

#### **Vikan GmbH**

Hagenauer Strasse 55  
65203 Wiesbaden  
Germany  
Tel.: +49 611-23869671  
Fax: +49 611-23869673  
E-mail: thenriksen@vikan.com  
www.vikan.de

#### **Vikan AB**

Box 10  
515 21 Viskafor  
Sweden  
Tel.: +46 33 22 20 00  
Fax: +46 33 22 20 20  
E-mail: vikan@vikan.se

#### **Vikan Swish AB**


Box 4 - Rosdalavägen 13  
360 71 Norrhult  
Sweden  
Tel.: +46 474 529 90  
Fax: +46 474 406 86  
E-mail: info@swish.se

#### **Kardell AB**

Trädgårdsvägen 3-7  
748 50 Tobo  
Sweden  
Tel.: +46 295 340 66  
Fax: +46 295 340 63  
E-mail: office@kardell.se  
www.kardell.se

#### **Vikan Estonia AS**

Kingu tn. 1  
48105 Poltsamaa  
Estonia  
Tel.: +372 77 62 460  
Fax: +372 77 62 461  
E-mail: karwent@hotmail.ee



# Bacteria know no borders

*One of the biggest challenges facing food companies is how to avoid bacterial degradation of the quality of the food. If there is cross-contamination, where bacteria spread from one place in production to another, the result can be tainting of foods already finished. It is therefore important to have a system which will ensure hygiene and food safety.*



## Use colours to optimise cleaning

Vikan has developed a clear and simple colour coding system which makes it easier to optimise the company's hygiene. All tools are available in five colours, some in six. By using coloured cleaning tools in specifically defined departments or production sections, users are able to understand very quickly where the tools should be used. Therefore it is much easier to avoid tools being moved from one colour zone to another.

## Fully colour-coded tools

This means that both filaments and the base are the same colour. The colour of each tool is clearer, minimising the possibility of error. In the event of accidents, traceability is extremely easy. The HACCP system considers cleaning to be a critical control point, and, in our experience, the HACCP system can be improved by optimum planning of cleaning. If the company already utilises the HACCP system, it is a good idea to supplement it with colour-coded cleaning tools.

## There are several advantages

- Focus is placed on cleaning as a critical control point.
- Cleaning is made more efficient and more economical.
- The risk of cross-contamination is minimised.


## Vikan Colour Coding Application

As an extra safety feature, we have developed a computer program for our distributors. The application enables them to create virtual layout of production rooms, which provides both an overview of the different colour zones of the company and also records the tools used in the different zones. The information is stored on the distributor's computer. Therefore the company responsible can easily change both cleaning methods and selection of tools if necessary. In this way, the documentation is right at hand, and print from the program can be stored directly in the HACCP folder.

Now cleaning zones, colour codes and how to position the selected cleaning tools have been specified. The



primary advantage of such a plan is minimisation of the risk of cross-contamination via dirty cleaning tools. In addition, the plan will ensure more efficient cleaning performance as employees always have the correct tool at hand. Finally, experience shows that the individual cleaning tool has a longer service life when being cleaned after use and placed on a wall bracket until the next time it is used. Altogether, major savings are involved by introducing colour control of cleaning in the production facilities.



Let our professional hygiene consultants review your production facilities. This will provide you with a clear and simple plan of cleaning and a review of the hygienic problems involved in connection with machines and equipment. On the basis of this review, you will receive our proposal for the correct cleaning tools. The result is a complete colour control with a plan of the production rooms and a specification of the cleaning tools to be used in each individual cleaning zone. If you wish, we will assist you with implementation of the plan and training of your employees in the tools and their use.

The Vikan hygiene system® will give you full control of hygiene and cleaning costs.



## Table / equipment



### Table & Floor Scraper

+2 +3 +4 +5 +6



2910



175 x 33 x 260



0,35



10



121°C  
250°F



PBT, STS

Suitable for removing stubborn debris from floors and other surfaces.



### Flexible Nylon Scraper

+5



2912



235 x 33 x 270



0,34



10



170°C  
338°F



Nylon

Suitable for removing stubborn debris from floors and other surfaces.



### Mini Handle

+2 +3 +4 +5 +6



2934



Ø32 x 165



0,05



20



121°C  
250°F



PP

Can be used with tube cleaners for cleaning of machines or squeegees for cleaning tables.



### Medium Utility Brush

+2 +3 +4 +5 +6



3087



23



33 x 40 x 255



0,06



20



121°C  
250°F



PP, PBT

A solid universal brush. Suitable for every task from dishwashing to cleaning of heavily soiled pots and pans. Also suitable for cleaning of machinery and equipment.



### Soft Utility Brush

+3



3088



26



36 x 45 x 250



0,06



20



121°C  
250°F



PP, PBT

Suitable for every task from dishwashing to cleaning of heavily soiled pots and pans. Split filaments do not fulfil the demands in the Hygiene charter.



### Medium Utility Brush

+2 +3 +4 +5 +6



3089



23



32 x 45 x 250



0,08



20



121°C  
250°F



PP, PBT

A solid universal brush. Suitable for every task from dishwashing to cleaning of heavily soiled pots and pans. Also suitable for cleaning of machinery and equipment.



### Medium Hand Scrub Brush

+2 +3 +4 +5 +6



3587



26



45 x 50 x 170



0,12



15



121°C  
250°F











PP, PBT

Small effective general purpose hand scrub. Suitable for cleaning tables, containers, buckets etc.



## Medium Hand Scrub Brush

+2 +3 +4 +5 +6









			
3883		44	Ø125x94
			
0,23	15	121°C 250°F	PP, PBT

Very suitable for cleaning of buckets and smaller containers. The shape of the brush facilitates putting more pressure on the brush during use.



## Stiff Hand Scrub Brush

+2 +3 +4 +5 +6









			
3885		44	Ø120x95
			
0,23	15	121°C 250°F	PP, PBT

Very suitable for cleaning of buckets and smaller containers. The shape of the brush facilitates putting more pressure on the brush during use.



## Medium Hand Scrub Brush

+2 +3 +4 +5 +6









			
3887		33	53x65x185
			
0,23	15	121°C 250°F	PP, PBT

Professional hand scrubbing brush for a wide range of cleaning tasks. Suitable for cleaning large containers, tables, machinery equipment.



## Stiff Scrub Brush

+2 +3 +4 +5 +6









			
3889		33	53x65x185
			
0,24	15	121°C 250°F	PP, PBT

Professional hand scrubbing brush for a wide range of cleaning tasks. Suitable for cleaning large containers, tables, machinery equipment.



## Stiff Angled Hand Scrub

+2 +3 +4 +5 +6









			
3892		33	60x70x200
			
0,33	15	121°C 250°F	PP, PBT

Very solid hand scrub brush. Suitable for stubborn dirt on rough surfaces e.g. small conveyor belts in the fishing industry or cutting blocks in butchery shops.



## Resin Stiff Hand Scrub

+2 +3 +4 +5 +6









			
3893		35	53x60x185
			
0,23	10	121°C 250°F	PP, PBT

This solid hand scrubbing brush removes stubborn dirt. The filaments are resin set and secured without the use of metal.



## Barbeque-brush

+5

			
4040		17	250x80x75
			
0,26	10	121°C 250°F	PP, Phosphor bronze

Suitable for cleaning barbecue grills, Phosphor bronze is not FDA approved.



## Table / equipment



**Vikan hygiene system®**



### Hand Scraper

+2 +3 +4 +5 +6



4050



240x80x90



0,11



20



100°C  
212°F



PP, STS

Suitable for removing stubborn debris on grills and frying pans.



### Hand Scraper

+2 +3 +4 +5 +6



4055



240x80x90



0,09



20



100°C  
212°F



PP, nylon

Suitable for removing stubborn dirt on tables in eg. kitchens and bakeries. Also suitable for removing burnt on foods from conveyor belts.



### Soft Hand Brush

+2 +3 +4 +5 +6



4167



50



70x65x325



0,29



6



121°C  
250°F



PP, PBT

The ergonomic grip makes the tool comfortable to work with. The spread angle gives a very large contact surface. Split filaments do not fulfil the demands in the Hygiene charter.



### Stiff Hand Brush

+2 +3 +4 +5 +6



4169



35



70x65x325



0,3



6



121°C  
250°F



PP, PBT

The ergonomic grip makes the tool comfortable to work with. The spread angle gives a very large contact surface as well as an ability to clean grooves and crevices.



### Resin Stiff Churn Brush

+2 +3 +4 +5 +6



4180



45



60x64x400



0,26



15



121°C  
250°F



PP, PBT

Suitable for cleaning of larger bowls and containers. The filaments are resin set and secured without the use of metal.



### Medium Churn Brush

+2 +3 +4 +5 +6



4183



33



50x43x410



0,22



15



121°C  
250°F



PP, PBT

The long handle makes the brush suitable for cleaning of machines, deep buckets, containers/tubs.



### Brush for Meatmincer

+3 +5



4184



40



60x11x500



0,17



12



121°C  
250°F











PP, PBT

With ergonomic grip. Suitable for cleaning slicing machines or quick cutters as well as other machines where it is necessary to protect your hand during cleaning.



## Stiff Churn Brush

+2 +3 +4 +5 +6









			
4185		33	50x43x410
			
0,22	15	121°C 250°F	PP, PBT

The long handle makes the brush suitable for cleaning of machines, deep buckets, containers/tubs.



## Medium Hand Brush

+2 +3 +4 +5 +6









			
4187		34	50x70x245
			
0,22	10	121°C 250°F	PP, PBT

For every-day cleaning in industries and institutional kitchens. Suitable for cleaning stubborn dirt on smooth surfaces, machinery and tables as wells as cleaning of buckets.



## Resin Stiff Churn Brush

+2 +3 +4 +5 +6









			
4188		45	60x70x250
			
0,22	10	121°C 250°F	PP, PBT

Suitable for general cleaning. The filaments are resin set and secured without the use of metal.



## Stiff Hand Brush

+2 +3 +4 +5 +6 +9









			
4189		34	50x70x245
			
0,21	10	121°C 250°F	PP, PBT

For every-day cleaning in industries and institutional kitchens. Suitable for cleaning stubborn dirt on smooth surfaces, machinery and tables as wells as cleaning of buckets.



## Soft Hand Brush

+2 +3 +4 +5 +6









			
4193		53	50x70x245
			
0,23	10	121°C 250°F	PP, PBT

For every-day cleaning in industries and institutional kitchens. Can hold a lot of water. Split filaments do not fulfil the demands in the Hygiene charter.



## Narrow Hand Brush

+2 +3 +4 +5 +6









			
4195		32	45x20x270
			
0,08	10	121°C 250°F	PBT

This brush is suitable for cleaning narrow places.



## Dish Brush

+2 +3 +4 +5 +6

			
4237		23	35x60x255
			
0,05	20	121°C 250°F	PP, PBT

Solid dish brush with scrubbing edge. Suitable for dish washing, cleaning of machines and equipment.



## Table / equipment



**Vikan hygiene system®**



### Dish Brush

+2 +3 +4 +5 +6



4287



25



33x24x255



0,05



20



121°C

250°F



PP, PBT

Dish brush, which is suitable for washing small pieces of equipment as well as machinery.



### Resin Stiff Bench Brush

+2 +3 +4 +5 +6



4551



45



60x40x248



0,17



12



121°C

250°F



PP, PBT

Removes larger particles from tables and other surfaces. The long filaments give this brush a long reach. The filaments are resin set and secured without the use of metal.



### Resin Soft Bench Brush

+2 +3 +4 +5 +6



4557



70



85x40x350



0,29



12



121°C

250°F



PP, PBT

Suitable for removing fine dust particles. The filaments are resin set and secured without the use of metal.



### Resin Soft Bench Brush

+2 +3 +4 +5 +6



4558



70



85x40x248



0,2



12



121°C

250°F



PP, PBT

Removes larger particles from tables and other surfaces. The filaments are resin set and secured without the use of metal.



### Resin Stiff Bench Brush

+2 +3 +4 +5 +6



4559



45



65x40x350



0,24



12



121°C

250°F



PP, PBT

Removes larger particles from tables and other surfaces. The filaments are resin set and secured without the use of metal.



### Powder Brush

+2 +3 +4 +5 +6



4582



60



310x32x95



0,26



10



121°C

250°F



PP, PBT

Suitable for sweeping fine particles eg. Flour.



### Soft Hand Brush

+2 +3 +4 +5 +6 +9



4586



50



350x110x45



0,18



15



121°C

250°F











PP, PBT

Professional hand brush. Suitable for sweeping fine particles on tables and equipment, eg flour. Can be used with dust pan 5660.



## Medium Hand Brush

+2 +3 +4 +5 +6







			
4588	50	350x110x45	
			
0,18	15	121°C 250°F	PP, PBT

Professional hand brush. Suitable for sweeping fine particles on tables and equipment, eg flour. Can be used with dust pan 5660.



## Hand Squeegee

+2 +3 +4 +5 +6







	
4767	225x40x240
	
0,16	20
	
100°C 212°F	PP, PBT, Sponge rubber

The hand squeegee can be used for removal of water and food remains from table surfaces in the food industry and commercial kitchens.



## One Piece Hand Squeegee







+2 +3 +4 +5 +6

	
4769	205x37x270
	
0,17	20
	
121°C 250°F	RF PP, Rubber

The ultra hygienic hand squeegee is particularly suited for removal of water from table surfaces and for emptying small containers.



## Flexible Extension Handle







	
5345	Ø15x1500
	
0,18	10
	
121°C 250°F	STS

For cleaning inside long curved tubes. The thread fits only 5354 and 5356. You can attach more flexible rods 5345 to have the desired length of handle.




## Flexible Handle, STS

+5







	
5350	Ø15x1500
	
0,21	10
	
121°C 250°F	STS, PP

For cleaning inside long curved tubes. The thread fits only 53543 and 53563.



## Flexible Handle, nylon

+5









	
5352	Ø15x1500
	
0,075	10
	
121°C 250°F	Nylon, PP

For cleaning inside long curved tubes. The thread fits only 53543 and 53563.



## Tube Cleaner for Flexible Handle

+2 +3 +4 +5 +6

			
5354	170	Ø12x190	
			
0,03	10	121°C 250°F	PBT, STS

Brush for flexible rod. Suitable for cleaning in dairies, wineries and the fishing industry.



## Table / equipment



**Vikan hygiene system®**



### Tube Cleaner for Flexible Handle

+2 +3 +4 +5 +6



5356



170



Ø60x205



0,05



12



121°C  
250°F



PBT, STS

Brush for flexible rod. Suitable for cleaning in dairies, wineries and the fishing industry.



### Brush Kit Sundae

+5



5357



0,29



1



121°C  
250°F



PBT, PPN,  
STS, ALU

Assortment of different brushes which can be used to clean the sundae machine.



### Brush Kit Sundae

+4



5358



0,38



1



121°C  
250°F



PBT, PPN,  
STS, ALU

Assortment of different brushes which can be used to clean the sundae machine.



### Drain Cleaning Brush

+3 +4 +9



5360



0,04



15



121°C  
250°F



STS, PBT,  
PP

Tube brush, suitable for cleaning holes in drains in eg. Hospitals.



### Medium Tube Cleaner

+2 +3 +4 +5 +6



5370



0,09



15



121°C  
250°F



STS, PP,  
PBT

Tube and bottle cleaner.



### Soft External Tube Brush

+3



5371



0,46



5



100°C  
212°F



PBT, STS,  
Nylon

Angle adjustable and flexible brush head that makes it possible to clean surfaces of different shapes and sizes.



### Medium External Tube Brush

+3



5374



0,34



5



100°C  
212°F



PBT, STS,  
Nylon

Angle adjustable and flexible brush head that makes it possible to clean surfaces of different shapes and sizes.



## Medium Tube Cleaner

+2 +3 +4 +5 +6



5375



150



Ø10x500



0,09



15




121°C  
250°F



STS, PP,  
PBT

Tube and bottle cleaner.



## Medium Tube Cleaner

+2 +3 +4 +5 +6



5376



110



Ø20x500



0,08



15




121°C  
250°F



STS, PP,  
PBT

Tube and bottle cleaner.



## Stiff Tube Cleaner

+2 +3 +4 +5 +6



5378



110



Ø40x500



0,11



15



121°C  
250°F



STS, PP,  
PBT

Tube and bottle cleaner.



## Medium Tube Cleaner

+2 +3 +4 +5 +6



5379



110



Ø50x500



0,11



15



121°C  
250°F



STS, PP,  
PBT

Tube and bottle cleaner.



## Medium Tube / Drain Cleaner

+2 +3 +4 +5 +6



538050



10



Ø50x140



0,1



15



121°C  
250°F



PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



## Stiff Tube / Drain Cleaner

+2 +3 +4 +5 +6



538063



11



Ø63x150



0,11



15



121°C  
250°F



PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



## Medium Tube / Drain Cleaner

+2 +3 +4 +5 +6 +9



538077



24



Ø77x155



0,13



15



121°C  
250°F



PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



**Vikan hygiene system®**

## Table / equipment











**Vikan hygiene system®**



### Medium Tube / Drain Cleaner

+2 +3 +4 +5 +6 +9









			
538090		30	160 x Ø90
			
0,14	12	121°C 250°F	PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



### Stiff Tube / Drain Cleaner

+2 +3 +4 +5 +6 +9









			
5380103		37	170 x Ø105
			
0,16	12	121°C 250°F	PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



### Soft Tube Cleaner

+3









			
5384		50	Ø270 x 180
			
2,65	1	121°C 250°F	PP, PBT

Large tube cleaners for cleaning of transport and ventilation pipes as well as Egron Towers. Extension handle 2932 is suitable for these brushes.



### Stiff Tube Cleaner

+3









			
5385		50	Ø270 x 180
			
2,65	1	121°C 250°F	PP, PBT

Large tube cleaners for cleaning of transport and ventilation pipes as well as Egron Towers. Extension handle 2932 is suitable for these brushes.



### Thermos Cleaner

+3 +4 +5







			
5395		20	350 x Ø82
			
0,1	10	121°C 250°F	PP, PBT

Effective for cleaning of flasks. With a splashguard.



### Pad Holder

+2 +3 +4 +5 +6







	
5500	120 x 95 x 230
	
0,2	100°C 212°F
	
	PP

With a locking system, which secures the pad. Attach one of the pads to the holder and you can clean both floors and walls.



### Pad Holder

+2 +3 +4 +5 +6









	
5510	80 x 95 x 230
	
0,23	100°C 212°F
	
	PP

With a locking system, which secures the pad. Attach one of the pads to the holder and use it for cleaning walls, tables and equipment.



## Nail Brush

+2 +3 +4 +5 +6 +9









			
6440	15	38x45x118	
			
0,08	25	121°C 250°F	PP, PBT

Very solid nail brush with a hole for hanging in Vikan's wall bracket system. The brush can be used for cleaning hands/arms as well as small tables/surfaces and containers.



## Meat Mincer Brush Head

+2 +3 +4 +5 +6









			
7033	30	480xØ90	
			
0,17	10	121°C 250°F	PP, ALU, PBT

For cleaning of meat mincers. Can also be used as a tube brush.



## Cylinder Head Brush

+2 +3 +4 +5 +6









			
7035	33	120xØ135	
			
0,29	8	121°C 250°F	PP, PBT

Excellent for cleaning of tanks and containers. Suitable for cleaning narrow places and tubes in machinery, e.g. in the fishing industry and in kitchens.



## Stiff Tank Brush

+2 +3 +4 +5 +6 +9









			
7037	40	95x135x210	
			
0,47	10	121°C 250°F	PP, PBT

Specially developed for cleaning of tanks and containers eg in dairies and wineries. Also suitable for cleaning inside tankers as well as floor cleaning.



## Medium Tank Brush

+2 +3 +4 +5 +6









			
7039	40	95x135x210	
			
0,4	10	100°C 212°F	PP, PPN

Specially developed for cleaning of tanks and containers eg in dairies and wineries. Also suitable for cleaning inside tankers as well as floor cleaning.



## Waterfed Hand Brush

+2 +3 +4 +5 +6









			
7056	25	55x45x350	
			
0,2	10	121°C 250°F	PP, PBT

Suitable for cleaning of boots prior to entering the production area and other cleaning jobs where large quantities of water for cleaning are required.



## Waterfed Hand Brush

+2 +3 +4 +5 +6

			
7056Q	25	55x45x350	
			
0,2	10	121°C 250°F	PP, PBT

With quick coupling. Suitable for cleaning of boots prior to entering the production area and other cleaning jobs where large quantities of water for cleaning are required.



Table / equipment



Soft W'fed Angle Adjustable Brush

+2 +3 +4 +5 +6



7067



147 x 70 x 190



0,4



4



121°C  
250°F



PP, PBT

The patented brush is adjustable in 4 angles, which ensures an ergonomically correct working posture. Split filaments do not fulfil the demands in the Hygiene charter.



## Squeegee, 400 mm

+2 +3 +4 +5 +6



054025



0,31



10



100°C  
212°F



115x55x400



RF PP,  
Sponge rubber

The revolving neck ensures quick and effective cleaning of areas that are difficult to access. Suitable for restricted areas. Rubber is not FDA approved.



## Squeegee, 500 mm

+2 +3 +4 +5 +6



055025



0,39



10



100°C  
212°F



115x55x500



RF PP,  
Sponge rubber

The revolving neck ensures quick and effective cleaning of areas that are difficult to access. Suitable for restricted areas. Rubber is not FDA approved.



## Squeegee, 600 mm

+2 +3 +4 +5 +6



056025



0,44



10



100°C  
212°F



115x55x600



RF PP,  
Sponge rubber

The revolving neck ensures quick and effective cleaning of areas that are difficult to access. Suitable for restricted areas. Rubber is not FDA approved.



## Squeegee, 700 mm

+2 +3 +4 +5 +6



057025



0,48



10



100°C  
212°F



115x55x700



RF PP,  
Sponge rubber

The revolving neck ensures quick and effective cleaning of areas that are difficult to access. Suitable for restricted areas. Rubber is not FDA approved.



## Table & Floor Scraper

+2 +3 +4 +5 +6



2910



0,35



10



121°C  
250°F



175x33x260



PBT, STS

Suitable for removing stubborn debris from floors and other surfaces.



## Flexible Nylon Scraper

+5



2912



0,34



10



170°C  
338°F



235x33x270



Nylon

Suitable for removing stubborn debris from floors and other surfaces.



## Broom, angle cut

+2 +3 +4 +5 +6



2914



0,45



10



121°C  
250°F



270x40x300



PP, PET

Excellent for floor cleaning in narrow spaces. Suitable for cleaning gulleys in slaughter houses. Suitable for cleaning in wet areas.



Vikan hygiene system®

# Floor



## Yard Broom, 300 mm

+2 +3 +4 +5 +6 +9



2915



109



177 x 69 x 300



177 x 69 x 300



0,79



8



121°C

250°F



PP, PET

Very solid broom. Excellent for use in the meat, fish and vegetable industries. Suitable for wet areas. The long, thick filaments facilitates sweeping large particles.



## Yard Broom, 470 mm

+2 +3 +4 +5 +6



2920



109



177 x 69 x 470



177 x 69 x 470



1,14



4



121°C

250°F



PP, PET

Very solid broom. Excellent for use in the meat, fish and vegetable industries. Suitable for wet areas. The long, thick filaments facilitates sweeping large particles.



## Resin Stiff Floor Broom, 470 mm

+2 +3 +4 +5 +6



2922



50



125 x 70 x 470



125 x 70 x 470



0,9



8



121°C

250°F



PP, PBT

Suitable for sweeping large quantities of dirt. Fits all Vikan hygiene handles. The filaments are resin set and secured without the use of metal.



## Soft Lobby Broom

+2 +3 +4 +5 +6



3104



75



179 x 34 x 235



179 x 34 x 235



0,28



10



121°C

250°F



PP, PBT

Excellent for floor cleaning in narrow spaces. Suitable for cleaning the gulleys in slaughter houses. Suitable for sweeping in damp or dry areas.



## Soft / Stiff Floor Broom, 400 mm

+2 +3 +4 +5 +6 +9



3174



58



130 x 46 x 400



130 x 46 x 400



0,49



10



121°C

250°F



PP, PBT

Two phase solid broom, where the front stiff filaments loosen stubborn particles and the soft rear filaments have the sweeping ability.



## Soft Floor Broom, 400 mm

+2 +3 +4 +5 +6



3178



58



130 x 46 x 400



130 x 46 x 400



0,55



10



100°C

212°F



PP, PPN

Suitable for bakeries as a flour broom as well as in chocolate powder factories. To be used in dry areas only. Split filaments do not fulfil the demands in the Hygiene charter.



## Soft Floor Broom, 400 mm

+2 +3 +4 +5 +6



3179



60



125 x 48 x 400



125 x 48 x 400



0,52



10



121°C

250°F



PP, PBT

Excellent for sweeping in restaurants, kitchens, entrance areas etc.





## Soft / Stiff Floor Broom, 600 mm

+2 +3 +4 +5 +6



3194



0,80



60



10



135x45x590



121°C

250°F



PP, PBT

Two phase solid broom, where the front stiff filaments loosen stubborn particles and the soft rear filaments have the sweeping ability.



## Soft Floor Broom, 600 mm

+2 +3 +4 +5 +6



3199



0,82



57



10



130x45x590



121°C

250°F



PP, PBT

Excellent for sweeping in restaurants, kitchens, entrance areas etc.



## Soft Hand Brush

+2 +3 +4 +5 +6 +9



4586



0,18



50



15



350x110x45



121°C

250°F



PP, PBT

Professional hand brush. Suitable for sweeping fine particles on tables and equipment, eg flour. Can be used with dust pan 5660.



## Medium Hand Brush

+2 +3 +4 +5 +6



4588



0,18



50



15



350x110x45



121°C

250°F



PP, PBT

Professional hand brush. Suitable for sweeping fine particles on tables and equipment, eg flour. Can be used with dust pan 5660.



## Medium Tube / Drain Cleaner

+2 +3 +4 +5 +6



538050



0,1



10



15



Ø50x140



121°C

250°F



PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



## Stiff Tube / Drain Cleaner

+2 +3 +4 +5 +6



538063



0,11



11



15



Ø63x150



121°C

250°F



PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



## Medium Tube / Drain Cleaner

+2 +3 +4 +5 +6 +9



538077



0,13



24



15



Ø77x155



121°C

250°F



PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.



Vikan hygiene system®

# Floor



## Medium Tube / Drain Cleaner

+2 +3 +4 +5 +6 +9

538090	30	Ø90 x 160	
0,14	12	121°C 250°F	PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.

## Stiff Tube / Drain Cleaner

+2 +3 +4 +5 +6 +9

5380103	37	Ø105 x 170	
0,16	12	121°C 250°F	PP, PBT

Tube cleaner is effective for cleaning of various kinds of tubes e.g. sorting machines in the fishing industry or meat mincers in a butchery shop.

## Pad Holder

+2 +3 +4 +5 +6

5500	120 x 95 x 230	
0,2	10	100°C 212°F

With a locking system, which secures the pad. Attach one of the pads to the holder and you can clean both floors and walls.

## Dustpan

+2 +3 +4 +5 +6 +9

5660	320 x 100 x 295	
0,29	10	100°C 212°F

A good and solid dust pan, which fits closely to the surface swept.

## Stiff Tank Brush

+2 +3 +4 +5 +6 +9

7037	40	95 x 135 x 210	
0,47	10	121°C 250°F	PP, PBT

Specially developed for cleaning of tanks and containers eg in dairies and wineries. Also suitable for cleaning inside tankers as well as floor cleaning.

## Medium Tank Brush

+2 +3 +4 +5 +6

7039	40	95 x 135 x 210	
0,4	10	100°C 212°F	PP, PPN

Specially developed for cleaning of tanks and containers eg in dairies and wineries. Also suitable for cleaning inside tankers as well as floor cleaning.

## Stiff Scrubbing Brush

+2 +3 +4 +5 +6

7041	25	100 x 65 x 270	
0,42	10	121°C 250°F	PP, PBT

Waterfed deck scrub suitable for all areas. Effective water distribution. Excellent for heavily soiled areas.



## Medium Scrubbing Brush

+2 +3 +4 +5 +6



7043



33



100x65x270



0,44



10



121°C  
250°F



PP, PBT

Waterfed deck scrub suitable for all areas. Effective water distribution. Excellent for heavily soiled areas.



## Stiff Scrubbing Brush

+2 +3 +4 +5 +6



7044



36



110x70x230



0,31



6



121°C  
250°F



PP, PBT

Specially developed for cleaning of smaller areas. Pressing the filaments hard towards the floor enables you to clean into corners and the area where wall and floor meet.



## Resin Soft Floor Broom

+2 +3 +4 +5 +6



7045



55



135x65x290



0,5



10



121°C  
250°F



PP, PBT

Suitable for sweeping dust and small particles. Fits all Vikan hygiene handles. The filaments are resin set and secured without the use of metal.



## Resin Stiff Deck Scrub

+2 +3 +4 +5 +6



7046



35



110x65x290



0,46



10



121°C  
250°F



PP, PBT

Fits all Vikan hygiene handles. The filaments are resin set and secured without the use of metal.



## Hi-Low Brush

+2 +3 +4 +5 +6



7047



45



110x145x245



0,51



4



121°C  
250°F



PP, PBT

The angle of the brush head makes cleaning under machines and equipment easier.



## Deck Scrub, 300 mm

+2 +3 +4 +5 +6 +9



7060



45



115x70x300



0,54



16




121°C  
250°F



PP, PBT

Very effective scrubber for floors. Suitable for floors with smaller joints.



## Wall / Floor Washing Brush, 300 mm

+2 +3 +4 +5 +6



7061



45



115x70x300



0,54



16



121°C  
250°F



PP, PBT

Very effective scrubber for both walls and floors. Suitable for floors with smaller joints.



**Vikan** hygiene system®

# Floor



## Deck Scrub, 470 mm

+2 +3 +4 +5 +6



7062



43



110x70x470



0,83



8



121°C  
250°F



PP, PBT

Wide brush for floor scrubbing. Very effective scrubber for both walls and floors. Suitable for floors with smaller joints.



## Wall / Floor Washing Brush, 470 mm

+2 +3 +4 +5 +6



7063



43



110x70x470



0,83



8



121°C  
250°F



PP, PBT

Very effective scrubber for both walls and floors. Suitable for floors with smaller joints.



## Soft Floor Broom, 300 mm

+2 +3 +4 +5 +6 +9



7066



59



127x69x300



0,7



8



100°C  
212°F



PP, PP

For sweeping in dry areas only. Split filaments do not fulfil the demands in the Hygiene charter.



## Medium Floor Broom, 300 mm

+2 +3 +4 +5 +6



7068



63



131x69x300



0,7



8



121°C  
250°F



PP, PBT

For sweeping medium particles in damp environment.



## One Piece Squeegee, 400 mm

+2 +3 +4 +5 +6



7070



15



95x40x400



0,28



15



121°C  
250°F



RF PP, Rubber

Ultra hygienic squeegee is particularly suited to moving large amount of dirt/debris on both wet and smooth floors. The single-blade design is extremely easy to clean.



## One Piece Squeegee, 500 mm

+2 +3 +4 +5 +6



7071



15



95x40x500



0,33



15



121°C  
250°F



RF PP, Rubber

Ultra hygienic squeegee is particularly suited to moving large amount of dirt/debris on both wet and smooth floors. The single-blade design is extremely easy to clean.



## One Piece Squeegee, 600 mm

+2 +3 +4 +5 +6



7072



15



95x40x600



0,4



15



121°C  
250°F



RF PP, Rubber

Ultra hygienic squeegee is particularly suited to moving large amount of dirt/debris on both wet and smooth floors. The single-blade design is extremely easy to clean.



## One Piece Squeegee, 700 mm

+2 +3 +4 +5 +6



7073



0,46



15



121°C  
250°F



95x40x700



RF PP,  
Rubber

Ultra hygienic squeegee is particularly suited to moving large amount of dirt/debris on both wet and smooth floors. The single-blade design is extremely easy to clean.



## Neoprene Squeegee, 600 mm

+5



7074



1,08



1



121°C  
250°F



70x113x600



STS, neoprene

Suitable for cleaning in slaughterhouses.



## Replacement Blades



7075



0,21



1



121°C  
250°F



40x5x600



Neoprene

Neoprene blade for 7074.



## One Piece Squeegee, 400 mm

+2 +3 +4 +5 +6



7076



0,29



15



121°C  
250°F



140x40x400



RF PP,  
Rubber

Ultra hygienic squeegee with revolving neck is particularly suited to moving large amount of dirt/debris on both wet and smooth floors. The single-blade design is extremely easy to clean.



## One Piece Squeegee, 500 mm

+2 +3 +4 +5 +6



7077



0,35



15



121°C  
250°F



140x40x500



RF PP,  
Rubber

Ultra hygienic squeegee with revolving neck is particularly suited to moving large amount of dirt/debris on both wet and smooth floors. The single-blade design is extremely easy to clean.



## Squeegee, 400 mm

+2 +3 +4 +5 +6



7080



0,28



12



100°C  
212°F



100x50x400



RF PP,  
Sponge rubber

Excellent for use in the food industry. When the rubber is worn out, the cassette can be easily replaced. Rubber is not FDA approved.



## Squeegee, 500 mm

+2 +3 +4 +5 +6 +9



7082



0,34



12



100°C  
212°F



100x50x500



RF PP,  
Sponge rubber

Excellent for use in the food industry. When the rubber is worn out, the cassette can be easily replaced. Rubber is not FDA approved.



**Vikan hygiene system**

Floor



Squeegee, 600 mm

+2 +3 +4 +5 +6



7084



0,4



12



100°C  
212°F



100x50x600



RF PP,  
Sponge rubber

Excellent for use in the food industry. When the rubber is worn out, the cassette can be easily replaced. Rubber is not FDA approved.



Squeegee, 700 mm

+2 +3 +4 +5 +6



7086



0,47



12



100°C  
212°F



100x50x700



RF PP,  
Sponge rubber

Excellent for use in the food industry. When the rubber is worn out, the cassette can be easily replaced. Rubber is not FDA approved.



## Pad Holder

+2 +3 +4 +5 +6



5500



0,2



10



100°C  
212°F



120x95x230



PP

With a locking system, which secures the pad. Attach one of the pads to the holder and you can clean both floors and walls.



## Stiff Scrubbing Brush

+2 +3 +4 +5 +6



7041



0,42



10



121°C  
250°F



100x65x270



PP, PBT

Waterfed deck scrub suitable for all areas. Effective water distribution. Excellent for heavily soiled areas.



## Medium Scrubbing Brush

+2 +3 +4 +5 +6



7043



0,44



10



121°C  
250°F



100x65x270



PP, PBT

Waterfed deck scrub suitable for all areas. Effective water distribution. Excellent for heavily soiled areas.



## Stiff Scrubbing Brush

+2 +3 +4 +5 +6



7044



0,31



6



121°C  
250°F



110x70x230



PP, PBT

Specially developed for cleaning of smaller areas. Pressing the filaments hard towards the floor enables you to clean into corners and the area where wall and floor meet.



## Wall / Floor Washing Brush, 300 mm

+2 +3 +4 +5 +6



7061



0,34



16



121°C  
250°F



115x70x300



PP, PBT

Very effective scrubber for both walls and floors. Suitable for floors with smaller joints.



## Wall / Floor Washing Brush, 470 mm

+2 +3 +4 +5 +6



7063



0,83



8



121°C  
250°F



110x70x470



PP, PBT

Very effective scrubber for both walls and floors. Suitable for floors with smaller joints.



## Soft W'fed Angle Adjustable Brush

+2 +3 +4 +5 +6



7067



0,4



4



121°C  
250°F



147x70x190




PP, PBT

The patented brush is adjustable in 4 angles, which ensures an ergonomically correct working posture. Split filaments do not fulfil the demands in the Hygiene charter.



# Handles



## Telescopic Handle

+5



2925



0,65



5



100°C  
212°F



Ø35 x 1300-1800



ALU, PP

Universal handle, which can be adjusted to the height of the user of the handle. It improves the working position of the user and reduces the risk of back problems.

## Extension Handle

+5



2932



0,3



4



100°C  
212°F



Ø32 x 1045



ALU, PP

Can be used with the large tube cleaners, 5384/5385 and other Vikan tube cleaners. To be used inside the tubes only. Decide your own length of the handle.

## Mini Handle

+2 +3 +4 +5 +6



2934



0,05



20



121°C  
250°F



Ø32 x 165



PP

Can be used with tube cleaners for cleaning of machines or squeegees for cleaning tables.

## Ergonomic Alu. Handle, 1300 mm

+2 +3 +4 +5 +6



2935



0,52



10



100°C  
212°F



Ø32 Ø42 x 1300



ALU, PP

Ergonomically correct handle with a comfortable grip, rounded top and hanger. Do not use these handles with acid and chlorine.

## Fibre Glass Handle, 1300 mm

+2 +3 +4 +5 +6



2936



0,51



10



100°C  
212°F



Ø32 Ø42 x 1300



Fiber Glass, PP

Ergonomically correct handle with a comfortable grip, rounded top and hanger.

## Ergonomic Alu. Handle, 1500 mm

+2 +3 +4 +5 +6 +9



2937



0,56



10



100°C  
212°F



Ø32 Ø42 x 1500



ALU, PP

Ergonomically correct handle with a comfortable grip, rounded top and hanger. Do not use these handles with acid and chlorine.

## Fibre Glass Handle, 1500 mm

+2 +3 +4 +5 +6



2938



0,55



10



100°C  
212°F



Ø32 Ø42 x 1500



Fiber Glass, PP

Ergonomically correct handle with a comfortable grip, rounded top and hanger.



## Stainless Steel Handle, 1500 mm

+2 +3 +4 +5 +6



2939



Ø32



Ø42 x 1500

Suitable for use in places where aluminium or glass fibre is not acceptable. Suitable for CIP (cleaning in place) cleaning fluids.



1,2



5



100°C  
212°F



STS, PP



## Fibre Glass Handle, 1700 mm

+2 +3 +4 +5 +6



2972



Ø32



Ø42 x 1700

Ergonomically correct handle with a comfortable grip, rounded top and hanger.



0,62



10



100°C  
212°F



Fiber Glass,  
PP



## Waterfed Telescopic Handle

+2 +3 +4 +5 +6



2973



Ø32



Ø35 x 1675-2780

Waterfed handle with hose connection. Ergonomically correct handle with comfortable grip, which prevents the user from getting cold hands. Max. pressure 6 bar and max 50°C.



1



2



100°C  
212°F



ALU, PP



## Waterfed Telescopic Handle

+2 +3 +4 +5 +6



2973Q



Ø32



Ø35 x 1675-2780

Waterfed handle with quick coupling. Ergonomically correct handle with comfortable grip, which prevents the user from getting cold hands. Max. pressure 6 bar and max 50°C.



1



2



100°C  
212°F



ALU, PP



## Telescopic Handle

+2 +3 +4 +5 +6 +9



2975



Ø32



Ø35 x 1675-2780

Ergonomically correct handle with comfortable grip, which helps to protect the user against getting cold hands and this leads to a better cleaning result.



0,93



2



100°C  
212°F



ALU, PP



## Telescopic Fibre Glass Handle



2977



Ø35



Ø40 x 2190-6000

The lightweight material makes the handle easy to use. Suitable with 53713/53743 for cleaning in high levels. The handle will not bend in use.



0,43



1,43



100°C  
212°F



Fiber Glass,  
PP



## Aluminium Handle, 650 mm

+2 +3 +4 +5 +6



2981



Ø31



Ø31 x 645

Ergonomically correct handle with comfortable grip, rounded top and hanger. Fits all Vikan products.



0,21



20



100°C  
212°F



ALU, PP



**Vikan**  
hygiene system®

# Handles



Vikan hygiene system®



## Stainless Steel Handle, 1000 mm

+2 +3 +4 +5 +6



2983



Ø31



Ø31 x 1000



0,76



5



100°C  
212°F



STS, PP

Ergonomically correct handle with comfortable grip, rounded top and hanger. Fits all Vikan products.



## Waterfed Alu. Handle, 1600 mm

+2 +3 +4 +5 +6



2991



Ø31



Ø31 x 1600



0,59



10



100°C  
212°F



ALU, PP

Waterfed handle with hose coupling. Ergonomically correct handle with comfortable grip, which prevents the user from getting cold hands. Max. pressure 6 bar and max 50°C.



## Waterfed Alu. Handle, 1600 mm

+2 +3 +4 +5 +6



2991 Q



Ø31



Ø31 x 1600



0,59



10



100°C  
212°F



ALU, PP

Waterfed handle with quick coupling. Ergonomically correct handle with comfortable grip, which prevents the user from getting cold hands. Max. pressure 6 bar and max 50°C.



## Pastry Brush, 30 mm

+3

+5



555030



185x10x30



0,02



10

121°C  
250°F

PP, PBT

Suitable for glazing eg. egg, milk and hot chocolate on bread and pastry. Can also be used as a duster in narrow places.



## Pastry Brush, 50 mm

+3

+5



555050



190x10x50



0,03



10

121°C  
250°F

PP, PBT

Suitable for glazing eg. egg, milk and hot chocolate on bread and pastry. Can also be used as a duster in narrow places.



## Pastry Brush, 70 mm

+3

+5



555070



195x10x70



0,05



10

121°C  
250°F

PP, PBT

Suitable for glazing eg. egg, milk and hot chocolate on bread and pastry. Can also be used as a duster in narrow places.



## Shovel - Short handle, large blade

+2

+3

+4

+5

+6



5600



1150x90x340



1,68



1

100°C  
212°F

PP

Short handle, large blade. An impact-proof shovel, which is suitable for use in connection with food products. Shovels are stable and very useful when working on/from the floor.



## Shovel - Long handle, large blade

+2

+3

+4

+5

+6

+9



5601



1300x90x340



1,84



1

100°C  
212°F

PP

Long handle, large blade. An impact-proof shovel, which is suitable for use in connection with food products. Shovels are stable and very useful when working on/from the floor.



## Shovel with drain holes

+2

+3

+4

+5

+6



5603



1150x90x340



1,56



1

100°C  
212°F

PP

Short handle, large blade. The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.



## Shovel with drain holes

+9



5604



1300x90x340



1,72



1

100°C  
212°F

PP

Long handle, large blade. The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.



# Tools



## Shovel - Short handle, small blade

+2 +3 +4 +5 +6



5610



1,56



1



100°C  
212°F



1150x75x270



PP

Short handle, small blade. An impact-proof shovel, which is suitable for use in connection with food products. Shovels are stable and very useful when working on/from the floor.



## Shovel - Long handle, small blade

+2 +3 +4 +5 +6



5611



1,72



1



100°C  
212°F



1300x75x270



PP

Long handle, small blade. An impact-proof shovel, which is suitable for use in connection with food products. Shovels are stable and very useful when working on/from the floor.



## Shovel - D grip, large deep blade

+2 +3 +4 +5 +6



5620



0,8



6



100°C  
212°F



1230x90x350



PP

D grip, long handle, large deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



## Shovel - D grip, small deep blade

+2 +3 +4 +5 +6



5621



1,5



6



100°C  
212°F



1240x85x275



PP

D grip, long handle, small deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



## Shovel - D grip, standard blade

+2 +3 +4 +5 +6



5622



1,4



6



100°C  
212°F



1240x50x270



PP

D grip, long handle, standard blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



## Shovel - D grip, large deep blade

+2 +3 +4 +5 +6



5623



1,6



5



100°C  
212°F



1040x90x350



PP

D grip, short handle, large deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



## Shovel - D grip, small deep blade

+2 +3 +4 +5 +6



5624



1,4



5



100°C  
212°F



1040x85x275



PP

D grip, short handle, small deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



**Shovel - D grip, standard blade**

+2 +3 +4 +5 +6



5625



1040x50x270



1,2



5

100°C  
212°F

PP

D grip, short handle, standard blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.

**Shovel - T grip, large deep blade**

+2 +3 +4 +5 +6



5626



1230x90x350



1,8



6

100°C  
212°F

PP

T grip, long handle, large deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.

**Shovel - T grip, small deep blade**

+2 +3 +4 +5 +6



5627



1240x85x275



1,5



6

100°C  
212°F

PP

T grip, long handle, small deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.

**Shovel - T grip, standard blade**

+2 +3 +4 +5 +6



5628



1240x50x270



1,4



6

100°C  
212°F

PP

T grip, long handle, standard blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.

**Shovel - T grip, large deep blade**

+2 +3 +4 +5 +6



5629



1040x90x350



1,6



5

100°C  
212°F

PP

T grip, short handle, large deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.

**Shovel - T grip, small deep blade**

+2 +3 +4 +5 +6



5630



1040x85x350



1,4



5

100°C  
212°F

PP

T grip, short handle, small deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.

**Shovel - T grip, standard blade**

+2 +3 +4 +5 +6



5631



1040x50x270



1,2



5

100°C  
212°F

PP

T grip, short handle, standard blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



# Tools



## Dustpan

+2 +3 +4 +5 +6 +9



5660



320 x 100 x 295



0,29



10



100°C  
212°F



PP

A good and solid dust pan, which fits closely to the surface swept.



## Large Hand Scoop

+2 +3 +4 +5 +6



5670



360 x 95 x 160



0,23



12



100°C  
212°F



PP

A good solid hand scoop with a scraping edge. Excellent general purpose shovel for use in all areas.



## Large Hand Shovel

+2 +3 +4 +5 +6



5672



550 x 85 x 275



0,6



10



100°C  
212°F



PP

Hand shovels are also excellent for transferring ingredients. The hand shovels have the same droplet-shaped design as the shovels, affording the same secure and comfortable grip.



## Small Hand Shovel

+2 +3 +4 +5 +6



5673



545 x 50 x 270



0,5



12



100°C  
212°F



PP

Hand shovels are also excellent for transferring ingredients. The hand shovels have the same droplet-shaped design as the shovels, affording the same secure and comfortable grip.



## Medium Hand Scoop

+2 +3 +4 +5 +6



5675



330 x 75 x 120



0,14



12



100°C  
212°F



PP

A good solid hand scoop with a scraping edge. Excellent general purpose shovel for use in all areas.



## 2 Litre Round Scoop

+2 +3 +4 +5 +6



5680



335 x 123 x 190



0,28



10



100°C  
212°F



PP

An excellent scoop with inside measurements. Suitable for kitchens, dairies and other areas where scoops are required.



## 1 Litre Round Scoop

+2 +3 +4 +5 +6



5685



335 x 85 x 180



0,22



12



100°C  
212°F



PP

An excellent scoop with inside measurements. Suitable for kitchens, dairies and other areas where scoops are required.



## Bucket 12 Litre

+2 +3 +4 +5 +6 +9



5686



325x312x318

A Vikan designed bucket with numerous features, including: bucket spout, unique pouring grip, handle made of stainless steel.



0,97



5

100°C  
212°F

PP



## Bucket lid

+2 +3 +4 +5 +6 +9



5687



373x25x310

The lid will protect the ingredients in bucket 5686.



0,22



20

100°C  
212°F

PP



## Hygiene Fork

+5



5690



1270x120x270

Ultra hygienic fork for use in the wine industry or in the food industry in general, eg. meat, poultry, fruit and vegetables.



1,45



1

100°C  
212°F

PP



## Hygiene Rake

+5



5691



156x200x200

Ultra hygienic rake for use in the wine industry or in the food industry in general, eg. meat, poultry, fruit and vegetables.




0,42



1

100°C  
212°F

PP



## Mixer

+5



7007



900x160x35

Small blade, short handle, heat resistant 170°C. Suitable for stirring in wok and large pots. We recommend that the mixer does not rest in the wok/pot.



0,73



1

170°C  
338°F

Nylon



## Mixer

+5



7009



1200x185x35

Large blade, long handle, heat resistant 170°C. Suitable for stirring in wok and large pots. We recommend that the mixer does not rest in the wok/pot.



0,97



1

170°C  
338°F

Nylon



## Mixer

+5



7010



1200x160x35

Small blade long handle. The blade has rounded corners, and one side straighter than the other, enabling you to stir very close to the walls of the pot or the container.



0,95



1

100°C  
212°F

PP





Paddle Scraper Blade



7011



0,115



20



121°C  
250°F



220x30x112



Nylon

The flexible blade makes it easier to clean curved surfaces. Suitable for emptying containers and pots.



Mixer

+5



7012



0,95



1



100°C  
212°F



1200x160x35



PP

Small blade with holes and a long handle. The holes allow the ingredients to pass through the stirrer blade and ease stirring.



Paddle Scraper Blade



7013



0,135



20



100°C  
212°F



220x30x112



PE

The flexible blade makes it easier to clean curved surfaces. Suitable for emptying containers and pots.



## Replacement Squeegee Blade, 400 mm



054030



0,09



20



100°C  
212°F



45 x 21 x 400



PP,  
Sponge rubber

Frequent cleaning prevents collection of bacteria between the 2 rubber strips. Can be used in both the 7080- and the 05-series of squeegees. Rubber is not FDA approved.



## Replacement Squeegee Blade, 400 mm



054035



0,09



20



100°C  
212°F



45 x 21 x 400



PP,  
Sponge rubber

Frequent cleaning prevents collection of bacteria between the 2 rubber strips. Can be used in both the 7080- and the 05-series of squeegees. Rubber is not FDA approved.



## Replacement Squeegee Blade, 500 mm



055030



0,12



20



100°C  
212°F



45 x 21 x 500



PP,  
Sponge rubber

Frequent cleaning prevents collection of bacteria between the 2 rubber strips. Can be used in both the 7080- and the 05-series of squeegees. Rubber is not FDA approved.



## Replacement Squeegee Blade, 500 mm



055035



0,12



20



100°C  
212°F



45 x 21 x 500



PP,  
Sponge rubber

Frequent cleaning prevents collection of bacteria between the 2 rubber strips. Can be used in both the 7080- and the 05-series of squeegees. Rubber is not FDA approved.



## Replacement Squeegee Blade, 600 mm



056030



0,13



20



100°C  
212°F



45 x 21 x 600



PP,  
Sponge rubber

Frequent cleaning prevents collection of bacteria between the 2 rubber strips. Can be used in both the 7080- and the 05-series of squeegees. Rubber is not FDA approved.



## Replacement Squeegee Blade, 600 mm



056035



0,13



20



100°C  
212°F



45 x 21 x 600



PP,  
Sponge rubber

Frequent cleaning prevents collection of bacteria between the 2 rubber strips. Can be used in both the 7080- and the 05-series of squeegees. Rubber is not FDA approved.



## Replacement Squeegee Blade, 700 mm



057030



0,17



20



100°C  
212°F



45 x 21 x 700



PP,  
Sponge rubber

Frequent cleaning prevents collection of bacteria between the 2 rubber strips. Can be used in both the 7080- and the 05-series of squeegees. Rubber is not FDA approved.



## Accessories



**Vikan hygiene system®**

### Replacement Squeegee Blade, 700 mm



057035



0,17



20



100°C  
212°F




45x21x700



PP,  
Sponge rubber

Frequent cleaning prevents collection of bacteria between the 2 rubber strips. Can be used in both the 7080- and the 05-series of squeegees. Rubber is not FDA approved.

### Wall Bracket



0600



1,31



1



100°C  
212°F



65x115x910



ALU, PP

Hang the brooms and brushes after use, to increase the durability of the cleaning tools. The wall bracket can be colour coded by the enclosed end caps in 6 colours.

### Wall Bracket



0605



0,63



1



100°C  
212°F



65x115x470



ALU, PP

Hang the brooms and brushes after use, to increase the durability of the cleaning tools. The wall bracket can be colour coded by the enclosed end caps in 6 colours.

### Wall Bracket



0610



0,32



1



100°C  
212°F



65x115x247



ALU, PP

Hang the brooms and brushes after use, to increase the durability of the cleaning tools. The wall bracket can be colour coded by the enclosed end caps in 6 colours.

### Wall Bracket

+2 +3 +4 +5 +6 +9



0615



0,21



1



100°C  
212°F



60x160x238



RF PP

A smooth, easy to clean surface without holes or crevices where debris can accumulate. Excellent for systematizing the cleaning equipment and implementing colour coding.

### Wall Bracket



0620



0,25



1



121°C  
250°F



375x30x65



STS

The wall bracket enables the bucket to be hung on the wall. The clean bucket can be placed bottom up, or bottom down as required.

### Small Hook



0691



0,02



30



100°C  
212°F



75x60x25



PP

The separate hooks make the use of the wall bracket more flexible. For use with 0600 + 0605 + 0610.



## Large Clip



0692



0,08



20



100°C  
212°F



112x86x25



PP

The separate clips make the use of the wall bracket more flexible. For use with 0600 + 0605 + 0610.



## End Cap



0694



0,02



10



100°C  
212°F



35x10x5



PP

Replacement end caps for 0600 + 0605 + 0610.



## Extra Large Clip



0696



0,05



20



100°C  
212°F



73x100x25



PP

The separate clips make the use of the wall bracket more flexible. For use with 0600 + 0605 + 0610.



## Extra Large Clip



0698



0,06



20



100°C  
212°F



73x100x25



PP

For direct wall hanging.



## Tap Coupling



0700



0,05



1



80°C  
176°F



Ø30 x 32



Chromium-plated brass

For 1/2" and 3/4" tap. Max pressure is 25 bar and 80°C.



## Hose Coupling



0701



0,08



1



80°C  
176°F



Ø30 x 42



Chromium-plated brass

1/2" hose coupling fits between 1/2" hose and quick coupling. Max pressure 25 bar and 80°C.



## Hose



0702



3,04



1



60°C  
140°F



1/2" x 15 m



PVC, Chromium-plated brass

15 meters reinforced PVC with 3 couplings, article no. 0700, 0701 and 0703. Can be cleaned at 60°C with a pressure of 8 bar.



## Accessories



**Vikan hygiene system®**



### Automatic Watertight Coupling



0703



0,13



1



80°C  
176°F



Ø30 x 67



Chromium-plates brass

1/2" hose coupling with stop when disconnected from quick coupling. Max pressure 25 bar and 80°C.



### Trigger Operated Water Gun



0704



0,42



1



40°C  
104°F



135 x 180 x 25



Polyoxy methylene

Fits hose, 0702, but can also be used with other hoses if you connect 0701 or 0716 on the hoses. Max pressure 4 bar and 60°C or max pressure 6 bar and 40°C.



### Male / Female Coupling



0705



0,14



1



80°C  
176°F



Ø33 x 43



Chromium-plates brass

To be used for connecting 2 1/2" hoses. Max. pressure is 25 bar and 80°C.



### Automatic Watertight Coupling



0706



0,2



1



80°C  
176°F



Ø30 x 60



Chromium-plates brass

Protects the hose from being bent or twisted during use. With automatic water stop. Max. pressure is 25 bar and 80°C.



### Hosenippel



0708



0,1



1



80°C  
176°F



Ø24 x 61



Chromium-plates brass

1/2" hose union fits 1/2" and 3/4" hose.



### Dinga Water Gun

+2 +3 +4 +5 +6



0711



0,88



1



60°C  
140°F



140 x 160 x 55



Brass, STS, rubber

The water gun reduces water consumption. Squeezing the trigger determines the jet pattern, which makes the water gun suitable for many cleaning applications.



### Quick Coupling 1/2"



0712



0,05



1



80°C  
176°F



Ø24 x 32



Chromium-plates brass

1/2" quick coupling between 0711 water gun and hose. Max pressure 25 bar and 80°C.



## Quick Coupling 3/4"



0715



0,1



10



80°C  
176°F



Ø27 x 35



Chromium-plates brass

3/4" Quick coupling between 0711 water gun and hose with hose coupling 0716. Max pressure 25 bar and 80°C.



## Hose Coupling 3/4"



0716



0,15



1



80°C  
176°F



Ø34 x 43



Chromium-plates brass

3/4" hose coupling fits on 3/4" hose. Max pressure 25 bar and 80°C.



## Adapter fitting



0717



0,03



1



80°C  
176°F



Ø30 x 22



Chromium-plates brass

Fits between Dinga Water Gun or handle and 3/4" coupling (0715). Max pressure 25 bar and 80°C.



## Toilet Brush

+3



5051



0,56



6



100°C  
212°F



700 x Ø180



PP, PBT

Strong and efficient toilet brush with extra bristles to clean the flushing rim and long, ergonomic handle. On the holder is a hanger for the toilet brush.



## Nylon pad, hard



5523



0,02



10



100°C  
212°F



23 x 125 x 245



Nylon

Suitable for cleaning stubborn dirt on textured surfaces.



## Nylon pad, medium



5524



0,02



10



100°C  
212°F



23 x 125 x 245



Nylon

Suitable for removing stubborn dirt on tiles and ceramics.



## Nylon pad, soft



5525



0,02



10



100°C  
212°F



23 x 125 x 245



Nylon

Suitable for removing greasy dirt on smooth surfaces.



**Vikan hygiene system®**

Accessories



Nail Brush

+2 +3 +4 +5 +6 +9



6440



15



38x45x118



0,08



25



121°C  
250°F



PP, PBT

Very solid nail brush with a hole for hanging in Vikan's wall bracket system. The brush can be used for cleaning hands/arms as well as small tables/surfaces and containers.



## Vikan's focus on quality

At Vikan we constantly focus on the quality of our products and how to continue to improve them. In 1992 we were certified according to ISO9001. Since then we have made ongoing quality improvements of not only products, but also workflow and documentation.

### How we perceive quality

At Vikan quality is more than just product appearance and properties. Not only our customers should be able to make heavy demands us. We also make heavy demands on ourselves. We see this as a precondition for being perceived as a serious supplier. We should be the first with new products, and we endeavour to be at the cutting edge of developments to such an extent that we can launch products our customers do not even realise they need. However, such products should solve an actual cleaning problem experienced by them. At the same time we guarantee our products to have been thoroughly tested before launching.

In order to ensure that the products fulfil our own expectations, we have established an internal test laboratory in Skive. In the laboratory we can perform the following analyses:

- Autoclave test
- Durability is tested
  - Strength of the base
  - Strength of the individual filaments
  - Strength of each bunch of filaments
- User application
- Chemical testing

### What we do to maintain our good quality

In order to live up to our own quality requirements, we have introduced 3 specifications.

1. Access control to the raw materials stock
2. Operator instruction
3. Packing instruction

The access control is a visual control of the raw materials with focus on colour, structure and surface. In addition, bases are tested as to homogeneity and dimensional requirements.

Before and during production, we also test how well filaments are secured to the brush. We have established a standard specifying 60 newton/bundle. Products not meeting this standard are rejected.

The packing instruction comprises all details about prepacking so that customers always experience uniform and safe packaging.



## Chemical resistance of the tools

The tools of the Vikan hygiene system® are made of materials which primarily meet the requirements of the FDA. In addition, the resistance to various cleaning chemicals is important when selecting materials. A complete overview of the chemical resistance of the plastic materials used can be downloaded from our website at [www.vikan.com](http://www.vikan.com).

## Procedures for cleaning of hygienic tools

1. Removal of all visible dirt and any foreign objects. When cleaning floor squeegees, we recommend removal of the cassette to enable individual cleaning of the parts. We recommend use of a Vikan brush with stiff filaments.
2. Clean the tool in a cleaning solution with a pH of approximately 9 or above. Use a Vikan brush with stiff filaments for this purpose or clean in a dishwasher. This solution and mechanical treatment will remove any deposits, fat and protein residues. Vikan products tolerate all approved alkaline cleaning agents (pH above 7).
3. Rinse with clean water.
4. If lime residues are formed on the tool after washing and use, these can be removed by washing in a cleaning solution with a pH of approximately 5 or less. Use a Vikan brush with stiff filaments or clean in a dishwasher. Vikan products tolerate all approved acidic cleaning agents (pH below 7).
5. Rinse the tool with clean water.
6. If required, tools can be disinfected after washing with an approved disinfectant. Vikan products tolerate all approved disinfectants.
7. Rinse with clean water to ensure the removal of any disinfectant residues on the tool before using it again for cleaning.
8. Please note!  
If required under special circumstances, Vikan tools can be sterilised by autoclaving (temp. exceeding 121°C). A few products do not tolerate autoclaving. Therefore check the temperature in the VHS catalogue.
9. Place the tool to dry on Vikan's wall bracket systems.





*Products which are hung up are more hygienic and last longer.*



*The brush has been used in a place where the filaments became stuck and were pulled out – the product should be replaced.*



*The filaments are tangled together because of long-term use – the product should be replaced.*



*The sponge rubber is wearing, becoming softer and starting to become porous. The product must be replaced when this occurs.*

## Hygiene tools and their treatment

Hygiene tools can be used in all places where the production requires a very high level of hygiene in all phases. The tools used in such places must be of a very special quality. And with such tools, you can specify the following requirements:

- a. They must be able to tolerate autoclaving at 121°C.
- b. They must be able to tolerate all approved cleaning agents.
- c. They must be made of materials which reduce the quantity of bacteria moved with the product.
- d. They must be easy to clean.
- e. They must dry quickly.
- f. They must be durable.
- g. They must promote a sound ergonomic work flow.
- h. They must be replaceable without major costs.

## The right choice of materials

Not all materials can be used in the food industry. Materials such as wood and animal hair cannot be used because they do not tolerate disinfecting. Micro-organisms can “hide” in these materials and be transported from one place to another, causing cross-contamination.

Even if the tools are made of synthetic material, you cannot be sure of the quality. By gauging the tools weight you can reveal whether plastic with air bubbles in the material was used. If this is the case, the tool can be practically impossible to clean after use. A single scratch in the surface opens up thousands of hiding places for micro-organisms.

The filaments must be securely fixed and be able to recover their shape. Polyester is a good choice. Tools are often exposed to high temperatures and caustic chemicals, and it is important that they tolerate these.

When you buy a Vikan hygiene system® product, you can be sure that all these factors have been taken into consideration.

## When is it time to replace the tools?

- a. When the filaments are so entangled that particles can adhere to them.
- b. When the filaments are so discoloured that after cleaning, they do not regain their original colour and it is difficult to see what is dirt and what's not.
- c. When the base is so damaged that bacteria can more easily adhere to it.
- d. When the handle is broken or cracked.
- e. When the filaments are worn or have been caught in something, increasing the risk of loose filaments.
- f. When the law specifies that the tools must be replaced after a suitable interval or if there may be a risk to our food.