



Janitorial Catalogue



Mops/Mopping



Perfect Yarn Socket Mop 200g (7oz)

+2 +3 +4 +6



SB40



0.21



10



100°C
212°F



Cotton, synthetic yarns

Vikan perfect yarn mops are manufactured from cotton and are very loosely spun. The yarn is then twisted together in three strands to produce a very absorbent yarn, ideal for picking up large quantities of liquid.



Perfect Yarn Socket Mop 250g (9oz)

+2 +3 +4 +6



SB41



0.26



10



100°C
212°F



Cotton, synthetic yarns

Vikan perfect yarn mops are manufactured from cotton and are very loosely spun. The yarn is then twisted together in three strands to produce a very absorbent yarn, ideal for picking up large quantities of liquid.



Perfect Yarn Socket Mop 300g (11oz)

+2 +3 +4 +6



SB42



0.31



10



100°C
212°F



Cotton, synthetic yarns

Vikan perfect yarn mops are manufactured from cotton and are very loosely spun. The yarn is then twisted together in three strands to produce a very absorbent yarn, ideal for picking up large quantities of liquid.



Twisted Yarn Socket Mop 200g (7oz)

+2 +3 +4 +6



SB43



0.45



10



100°C
212°F



Cotton, synthetic yarns

Vikan twisted yarn mops are manufactured from cotton and are more tightly spun, with more strands twisted together. Its denser construction gives it more abrasion resistance.



Twisted Yarn Socket Mop 250g (9oz)

+2 +3 +4 +6



SB44



0.21



10



100°C
212°F



Cotton, synthetic yarns

Vikan twisted yarn mops are manufactured from cotton and are more tightly spun, with more strands twisted together. Its denser construction gives it more abrasion resistance.



Twisted Yarn Socket Mop 300g (11oz)

+2 +3 +4 +6



SB45



0.31



10



100°C
212°F



Cotton, synthetic yarns

Vikan twisted yarn mops are manufactured from cotton and are more tightly spun, with more strands twisted together. Its denser construction gives it more abrasion resistance.



Hygiene Socket Mop No.12 200g (7oz)

+2 +3 +4 +6



SB51



0.21



20



90°C
194°F



Cotton, synthetic yarns

Vikan hygiene mops offer an efficient and hygienic low cost cleaning aid. Constructed from a unique blend of cotton and synthetic yarns, the Hygiene Mop lasts longer and performs better than traditional mops.

Hygiene Socket Mop No.14 250g (9oz)

+2 +3 +4 +6



SB52



0.25



15


90°C
194°F

Cotton, synthetic
yarns

Vikan hygiene mops offer an efficient and hygienic low cost cleaning aid. Constructed from a unique blend of cotton and synthetic yarns, the Hygiene Mop lasts longer and performs better than traditional mops.



Super Hygiene Socket Mop No.12 200g (7oz)

+2 +3 +4 +6



SB53



0.20



20


90°C
194°F

Cotton, synthetic
yarns

Fully colour coded. Contains an antibacterial ingredient that prevents the growth of most common bacteria including strains of e-coli, salmonella and listeria. These anti-microbial qualities are locked into the fibres and cannot be washed out.



Super Hygiene Socket Mop No.14 250g (9oz)

+2 +3 +4 +6



SB54



0.25



15


90°C
194°F

Cotton, synthetic
yarns

Fully colour coded. Contains an antibacterial ingredient that prevents the growth of most common bacteria including strains of e-coli, salmonella and listeria. These anti-microbial qualities are locked into the fibres and cannot be washed out.



Multi - Yarn Kentucky Mop 450g (16oz)

+2 +3 +4 +6



SB37



0.45



10


100°C
212°F

Cotton, synthetic
yarns

Multi yarn mop can be colour coded by removing easy tabs.



Multi - Yarn Kentucky Mop 450g (16oz)

+2 +3 +4 +6



SB38



0.45



10


100°C
212°F

Cotton, synthetic
yarns

Multi yarn mops consist of many ends of twine twisted together for a very hard wearing yarn with minimal linting.



Super Hygiene Kentucky Mop 450g (16oz)

+2 +3 +4 +6



SB35



0.45



10


90°C
194°F

Cotton, synthetic
yarns

Fully colour coded. Contains an antibacterial ingredient that prevents the growth of most common bacteria including strains of e-coli, salmonella and listeria. These anti-microbial qualities are locked into the fibres and cannot be washed out.



Hygiene Kentucky Mop 450g (16oz)

+2 +3 +4 +6



SB36



0.45



10


90°C
194°F

Cotton, synthetic
yarns

Vikan hygiene kentucky mops offer an efficient and hygienic low cost cleaning aid. Constructed from a unique blend of cotton and synthetic yarns, the Hygiene Mop lasts longer and performs better than traditional mops.



Mops/Mopping



Hygiene Kentucky Mop C/W Socket 350g (12oz)

+2 +3 +4 +6



SB60



0.35



10



90°C
194°F



Cotton, synthetic
yarns, PP

350g (12oz) Kentucky mop with fitting attached. Fully coloured yarn. Fits all Vikan handles.



Kentucky Mop Holder 225-720g (8-24oz)

+2 +3 +4 +6



KMKM10



0.10



1




90°C
194°F



ALU, PP

225-720g (8-24oz) Kentucky mop holder suitable for use with Kentucky Mops, SB37, SB38, SB35 and SB36. Can be used with all Vikan handles.



Kentucky Mop Holder C/W Aluminium Handle 1.5m (5')



SH10



0.40



1



90°C
194°F



ALU, Zinc Plated

1.5m (5') Aluminium handle complete with zinc plated Kentucky Mop Holder for use with all Vikan Kentucky mop heads. Handle available with green, blue, red, white and yellow hand grip.



Mop Base with Sponge Backing 550mm (22")

+3



KMKM31



0.60



1



100°C
212°F



ALU

550mm (22") Mop base for use with handle KMKH31 and For-Shaga mop FMS-500.



Aluminium Handle for use with KMKM31 1200x25mm (4'x1")

+3



KMKH31



0.30



1



100°C
212°F



ALU

1200x25mm (4'x1") Handle for use with mop base KMKM31 and For-Shaga mop FMS-500.



Disposable Mop on a Roll 5x100

+5



FMS500



5.00



5x100



40°C
104°F



Cellulose, PBT, and
Polyethylene

For-Shaga is a hygiene system formulated from ECO-Material and fits simply onto the aluminium mop base KMKM31 and handle KMKH31. The fibres attract dust during sweeping. Once used simply remove and dispose of the mop.

Sponge Mop Frame 240mm (9")**+3**

HD09

Each mop has its own integral wringer and does not require a mop bucket. It is ideal for use in smaller areas where there is a lot of excess water.



1.00



1

100°C
212°FALU, Mild Steel, Various
coatings

Sponge mop frame can be cleaned at 100°C.

**Sponge Mop Frame 360mm (14")****+3**

HD11

Each mop has its own integral wringer and does not require a mop bucket. It is ideal for use in smaller areas where there is a lot of excess water.



1.40



1

100°C
212°FALU, Mild Steel, Various
coatings

Sponge mop frame can be cleaned at 100°C.

**Cellulose Sponges for use with HD09 240mm (9")****+6**

HD10C

Sponge mop head for use with HD09. Cellulose sponges can be autoclaved at 100°C.



1.00



1x5

40°C
104°FCellulose sponge regenerated, water, Alkyl Dimethyl,
Benzyl, Ammonium Chloride Pigment**Cellulose Sponges for use with HD11 360mm (14")****+6**

HD12C

Sponge mop head for use with HD11. Cellulose sponges can be autoclaved at 100°C.



1.00



1x5

40°C
104°FCellulose sponge regenerated, water, Alkyl Dimethyl,
Benzyl, Ammonium Chloride Pigment**Hygiene Bucket 10 litre (2.2 gal)****+2 +3 +4 +5 +6 +9**

5686



325x312x318x

A Vikan designed bucket with a lot of features, such as: bucket spout designed so that liquids are channelled into one jet, unique pouring grip located 34mm from the bottom. The handle is made of stainless steel.



0.97



5

100°C
212°F

PP

**Lid for 5686****+2 +3 +4 +5 +6 +9**

5687



373x25x310

The lid will protect the ingredients in bucket 5686.



0.22



20

100°C
212°F

PP

**Wall Bracket for item 5686 and 5687**

0620



375x30x65

The wall bracket enables the bucket to be hung on the wall. The clean bucket can be placed bottom up, or bottom down as required.



0.25



1

121°C
250°F

STS



Buckets/Wringers



Economy Plastic Bucket 10 litre (2.2 gal)

+2 +3 +4 +5 +6

10 litre (2.2 gal) Economy plastic bucket.



MS06



0.20



1



80°C
176°F



PP



Plastic Mop Bucket c/w Strainer 16 litre (3.5 gal)

+2 +3 +4 +6

16 litre (3.5 gal) Plastic mop bucket c/w strainer.



MS35



1.00



1



70°C
158°F



PP



Lightweight Bucket with wheels 23 litre (5 gal)

+2 +3 +4 +6

23 litre (5 gal) Lightweight bucket complete with 75mm (3") castors.



KMKB03



3.00



1



70°C
158°F



PP



Wringer for KMKB03

+2 +3 +4 +6

Steel mop wringer, with colour coded end plates.



KMKW03



4.00



1



100°C
212°F



Steel, Zinc Plated, Nylon

For use with bucket KMKB03.



Lightweight Bucket on Wheels c/w Wringer 23 litre (5 gal)

+2 +3 +4 +6

23 litre (5 gal) Lightweight bucket complete with 75mm (3") castors and colour coded steel mop wringer.



KMKB/W03



7.80



1



100°C
212°F



PP, Steel, Zinc Plated, Nylon



Bucket on Wheels c/w Wringer 15 litre (3.3 gal)

+2 +3 +4 +6

15 litre (3.3 gal) Bucket, steel handle and 50mm (2") castors printed with a 'caution wet floor' message, together with a unique side press wringer. Bucket supplied with divide panel to separate clean and soiled cleaning solutions.



KMKB/W07



4.40



1



100°C
212°F



PP, Steel



Rectangular Bucket 12 litre (2.6 gal)

+3

12 litre (2.6 gal) Rectangular bucket.



WC22



0.60



1



70°C
158°F



PP

Rectangular Bucket 24 litre (5.2 gal)**+3**

WC23

24 litre (5.2 gal) Rectangular bucket 24 litre.



0.70



1

70°C
158°F

PP

**Castors for WC23**

WC24

Castors for WC23 Rectangular bucket.



0.52



1 x 4

70°C
158°F

PP

**Galvanised Mop Bucket c/w Strainer 9 litre (2 gal)**

MS05

9 litre (2 gal) Galvanised mop bucket c/w strainer.



1.60



1

100°C
212°F

Galvanised Steel

**Roller Bucket 10 litre (2.2 gal)**

KMB04

10 litre (2.2 gal) Galvanised steel roller operated bucket with handle and plastic rollers.



3.80



1

100°C
212°F

Galvanised Steel

**Galvanised Bucket on Wheels 27 litre (6 gal)**

KMB02

27 litre (6 gal) Heavy duty rolled steel galvanised mop bucket with handle, vinyl bumpers and 75mm (3") castors.



3.50



1

100°C
212°F

Galvanised Steel

For use with KMW01 or KMW02 wringers.

**Wringer with nylon pressure bars 225g - 450g (8-16oz mop size)**

KMW01

Heavy duty steel, gear operated mop wringer, zinc plated finish with nylon pressure bars.



3.40



1

100°C
212°F

Galvanised Steel, Nylon

For use with KMB02.

**Wringer with nylon pressure bars 450g - 680g (16 - 24oz mop size)**

KMW02

Heavy duty steel, gear operated mop wringer, zinc plated finish with nylon pressure bars.



3.50



1









































100°C
212°F

Galvanised Steel, Nylon

For use with KMB02.



Handles

	Ergonomic Aluminium Handle 1300mm (51")		<div>+2+3+4+5+6</div>				
	<div> 2935</div> <div> 0.56</div> <div> 10</div> <div> 100°C 212°F</div> <div> ALU, PP</div>	<div> Ø42x1300</div> <div> ALU, PP</div>	Ergonomically correct handle with a comfortable grip, rounded top and hanger. Not to be used with acid and chlorine.				
	Ergonomic Aluminium Handle 1500mm (60")		<div>+2+3+4+5+6+9</div>				
	<div> 2937</div> <div> 0.57</div> <div> 10</div> <div> 100°C 212°F</div> <div> ALU, PP</div>	<div> Ø42x1500</div> <div> ALU, PP</div>	Ergonomically correct handle with a comfortable grip, rounded top and hanger. Not to be used with acid and chlorine.				
	Telescopic Handle 1675 - 2780mm (66x109")		<div>+2+3+4+5+6+9</div>				
	<div> 2975</div> <div> 0.93</div> <div> 2</div> <div> 100°C 212°F</div> <div> ALU, PP</div>	<div> Ø35x1675-2780</div> <div> ALU, PP</div>	Ergonomically correct handle with comfortable grip, which helps protect the user against cold hands. This leads to a better cleaning result. Fits all Vikan products.				
	Aluminium Handle, 1245mm (50")		<div>+2+3+4+5+6+9</div>				
	<div> 2958</div> <div> 0.52</div> <div> 10</div> <div> 100°C 212°F</div> <div> ALU, PP</div>	<div> Ø42x1245</div> <div> ALU, PP</div>	Aluminium handle, 1245mm with coloured grip.				
	Aluminium Handle, 1500mm (60")		<div>+2+3+4+5+6+9</div>				
	<div> 2959</div> <div> 0.3</div> <div> 10</div> <div> 100°C 212°F</div> <div> ALU, PP</div>	<div> Ø42x1500</div> <div> ALU, PP</div>	Aluminium handle, 1500mm with coloured grip.				

Wall Bracket 238mm (9")

+2 +3 +4 +5 +6 +9



0615



60x160x238



0.27



1



100°C
212°F



RF, PP

A smooth, easy to clean surface without holes or cracks where dirt can accumulate. Excellent for systematizing the cleaning equipment and implementing colour coding.



Wall Bracket Stainless Steel 50mm (2")



0616



58x70x48



0.06



1



121°C
250°F



STS

Stainless steel wall bracket, The design ensures easy cleaning as the wall bracket is mounted with a distance to the wall.



Wall Bracket Stainless Steel 300mm (12")



0617



58x70x305



0.36



1



121°C
250°F



STS

Stainless steel wall bracket, The design ensures easy cleaning as the wall bracket is mounted with a distance to the wall.



Wall Bracket Stainless Steel 450mm (18")



0618



58x70x462



0.61



1



121°C
250°F



STS

Stainless steel wall bracket, The design ensures easy cleaning as the wall bracket is mounted with a distance to the wall.



Wall Bracket 100mm (20")



VHA



53x100



0.20




1x4



Nylon

Uniquely designed polystyrene replacement clips for use on the VHA50 and VHA90 wall bracket. Comes in a pack of four.



Wall Bracket 300mm (12")



VHA50



57x520



5.00



1



Nylon, Steel

An efficient and versatile hanging system with uniquely designed clips. This unit consists of a stainless steel rail that can be wall mounted and comes with three white polystyrene clips.



Wall Bracket 450mm (18")



VHA90



57x915



5.30



1



Nylon, Steel

An efficient and versatile hanging system with uniquely designed clips. This unit consists of a stainless steel rail that can be wall mounted and comes with five white polystyrene clips.



ErgoClean


The ErgoClean Range offers a complete range of colour coded cleaning tools designed to cope with specific tasks associated with cafes, restaurants and commercial kitchens. The brushes incorporate hard wearing polyester filaments, secured with stainless steel staples to meet the demands of good hygiene.

Suitable for cleaning at 100 °C and. Can be washed in a dishwasher



Dish Brush Stiff 275mm (10½")

+2 +3 +4 +5 +6




Vikan ErgoClean dish brush with ergonomic grip and squeegee is extra effective against stubborn dirt. The brush has stiff polyester filaments, is available in five colours and can be used where colour coding is required. Can be washed in a dishwasher.



Hand Scrub Stiff 170mm (6½")

+2 +3 +4 +5 +6




Efficient little scrubbing brush for everyday cleaning applications, it has a built-in hole for hanging. Can also be used for brushing furniture. Can be washed in a dishwasher.



Short Handled Stiff Churn Brush 250mm (9½")

+2 +3 +4 +5 +6




Vikan ErgoClean short handled brush for cleaning buckets and containers. The brush has polyester filaments, is available in five colours and can be used where colour coding is required. Can be washed in a dishwasher



Banister Brush Soft 295mm (11½")

+2 +3 +4 +5 +6




Vikan ErgoClean soft banister brush for sweeping up fine particles. The brush has polyester filaments, is available in five colours and can be used where colour coding is required. Can be washed in a dishwasher.



Banister Brush Medium 295mm (11½")

+2 +3 +4 +5 +6




Vikan ErgoClean banister brush with medium-stiff polyester filaments for sweeping up medium-sized particles. The brush is available in five colours and can be used where colour coding is required. Can be washed in a dishwasher.



Broom Soft 300mm (12")


+2 +3 +4 +5 +6



Vikan ErgoClean broom with soft polyester filaments is suitable for sweeping up small particles. It is available in five colours and can be used for colour coded cleaning. Can be washed in a dishwasher. Can be used together with all threaded Vikan handles. The base of all Vikan ErgoClean brooms is made of foamed polypropylene and is extremely sturdy.

Broom Soft 400mm (16")


+2 +3 +4 +5 +6



Vikan ErgoClean broom with soft polyester filaments is suitable for sweeping up small particles. It is available in five colours and can be used for colour coded cleaning. Can be washed in a dishwasher. Can be used together with all threaded Vikan handles. The base of all Vikan ErgoClean brooms is made of foamed polypropylene and is extremely sturdy.

**Broom Medium 300mm (12")**


+2 +3 +4 +5 +6



Vikan ErgoClean broom with medium stiff polyester filaments is suitable for sweeping up medium-sized particles. It is available in five colours and can be used for colour coded cleaning. Can be washed in a dishwasher. Can be used together with all threaded Vikan handles. The base of all Vikan ErgoClean brooms is made of foamed polypropylene and is extremely sturdy.

**Broom Medium 400mm (16")**


+2 +3 +4 +5 +6



Vikan ErgoClean broom with medium stiff polyester filaments is suitable for sweeping up medium-sized particles. It is available in five colours and can be used for colour coded cleaning. Can be washed in a dishwasher. Can be used together with all threaded Vikan handles. The base of all Vikan ErgoClean brooms is made of foamed polypropylene and is extremely sturdy.

**Deck Scrub Stiff 300mm (12")**


+2 +3 +4 +5 +6



Vikan ErgoClean deck scrub 30cm with polyester filaments is available in five colours. They can be used for colour coded cleaning. Can be washed in a dishwasher. Fits all Vikan handles with threads.

**Floor Squeegee 400mm (16")**


+2 +3 +4 +5 +6



Floor squeegee with double rubber edge for quick and effective use. Removes water and dirt from large smooth surfaces.

**Floor Squeegee 600mm (24")**


+2 +3 +4 +5 +6



Floor squeegee with double rubber edge for quick and effective use. Removes water and dirt from large smooth surfaces.

**Aluminium Handle 1500mm (60")**

+2 +3 +4 +5 +6 +9



Aluminium handle with colour coded grip.



Shovels



Shovel - D Grip, large deep blade

+2 +3 +4 +5 +6



5620



1230x90x350



1.99



6



100°C
212°F



PP

D grip, long handle, large deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - D Grip, small deep blade

+2 +3 +4 +5 +6



5621



1240x85x275



1.7



6



100°C
212°F



PP

D grip, long handle, small deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - D Grip, standard blade

+2 +3 +4 +5 +6



5622



1240x50x270



2



6



100°C
212°F



PP

D grip, long handle, standard blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - D Grip, large deep blade

+2 +3 +4 +5 +6



5623



1040x90x350



1.81



5



100°C
212°F



PP

D grip, short handle, large deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - D Grip, small deep blade

+2 +3 +4 +5 +6



5624



1040x85x275



1.4



5



100°C
212°F



PP

D grip, short handle, small deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - D Grip, standard blade

+2 +3 +4 +5 +6



5625



1040x50x270



1.2



5



100°C
212°F



PP

D grip, short handle, standard blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - T Grip, large deep blade

+2 +3 +4 +5 +6



5626



1030x90x350



1.8



5



100°C
212°F



PP

T grip, long handle, large deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.

Shovel - T Grip, small deep blade

+2 +3 +4 +5 +6



5627



1240x85x275



1.5



6



100°C
212°F



PP

T grip, long handle, small deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - T Grip, standard blade

+2 +3 +4 +5 +6



5628



1240x85x275



1.4



6



100°C
212°F



PP

T grip, long handle, standard blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - T Grip, large deep blade

+2 +3 +4 +5 +6



5629



1040x90x350



1.6



5



100°C
212°F



PP

T grip, short handle, large deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Shovel - T Grip, small deep blade

+2 +3 +4 +5 +6



5630



1040x85x350



1.4



5



100°C
212°F



PP

T grip, short handle, small deep blade. One-piece shovel suitable for use in connection with food products. Useful when working from container to conveyor belt.



Large Hand Shovel

+1 +2 +3 +4 +5 +6 +9



5672



550x85x275



0.6



1



100°C
212°F



PP

Hand shovels are also excellent for transferring ingredients. The hand shovels have the same droplet-shaped design as the shovels affording the same secure and comfortable grip.



Small Hand Shovel

+1 +2 +3 +4 +5 +6 +9



5673



545x50x270



0.5



12



100°C
212°F



PP

Hand shovels are also excellent for transferring ingredients. The hand shovels have the same droplet-shaped design as the shovels affording the same secure and comfortable grip.



Hand Scrapers



Hand Scraper 100mm (4")

+2 +3 +4 +5 +6



Suitable for removing stubborn debris on grills and frying pans.



Hand Scraper 100mm (4")

+2 +3 +4 +5 +6



Suitable for removing stubborn dirt on tables in e.g. kitchens and bakeries. Also suitable for removing burnt on foods from conveyor belts.



Hand Scraper 75mm (3")

+1 +2 +3 +4 +5 +6



The ergonomic design makes the hand scraper comfortable to work with. Manufactured from durable non stick FDA grade polypropylene.



Hand Scraper 100mm (4")

+1 +2 +3 +4 +5 +6



The ergonomic design makes the hand scraper comfortable to work with. Manufactured from durable non stick FDA grade polypropylene



Carbon Steel Scraper Black Handle 38mm (1½")

+9



Carbon steel hand scraper, with black hand grip.



Stainless Steel Scraper 75mm (3")

+2 +3 +4

+9



Stainless steel hand scraper with coloured hand grip.



Stainless Steel Scraper 25mm (1")

+2 +3 +4



Stainless steel hand scraper with coloured hand grip.



Stainless Steel Blade 107mm (4¼")

+3 +4



SK2



0.10



1



100°C
212°F



STS, PP

Stainless steel shoe knife with coloured hand grip.



Flexible Scraper 125x80mm (5"x3")

+5



HS30



0.20



1x2




100°C
212°F



STS, PP

Flexible stainless steel hand scraper.



Stainless Steel Floor Scraper 203mm (8")

+2 +3 +4 +5 +6



JFS01



0.60



1



100°C
212°F



STS

Stainless steel scraper blade, c/w holder and 1300mm aluminium handle with coloured hand grip.



Replacement Blade for JFS01 203mm (8")



JFS02



0.20



1



100°C
212°F



STS

Replacement blade for JFS01.



Aluminium Handle 1.2m (4')

+2 +3 +4 +5 +6



HS09



1.00



1



100°C
212°F



ALU, Zinc
Plated

Stainless steel floor scraper c/w holder and handle 1300mm with coloured hand grip.

Please order blade HS08 separately.



Stainless Steel Scraper Blade 203mm (8")



HS08



1.00



1x5



100°C
212°F



STS

Stainless steel scraper blade for HS09.





Adjustable Window Squeegee 35cm (13 3/4")

+9

Adjustable window squeegee. Complete with channel and rubber.



WC01



0.08



1



100°C
212°F



STS, Rubber



Adjustable Window Squeegee 45cm (17 3/4")

+9

Adjustable window squeegee. Complete with channel and rubber.



WC02



0.24



1



100°C
212°F



STS, Rubber



Stainless Steel Channel with Rubber 35cm (13 3/4")

Stainless steel channel with rubber.



WC03



0.09



1



100°C
212°F



STS, Rubber



Stainless Steel Channel with Rubber 45cm (17 3/4")

Stainless steel channel with rubber.



WC04



0.24




1



100°C
212°F



STS, Rubber



Replacement Rubber 35cm (13 3/4")

+9

Replacement rubber.



WC05



0.02




1



100°C
212°F



Rubber



Replacement Rubber 45cm (17 3/4")

+9

Replacement rubber.



WC06



0.03



1



100°C
212°F



Rubber



Holder for Washing Fur 35cm (13 3/4")

+9

Holder for washing fur WC15 and WC20.



WC10



0.10



1



70°C
158°F



PP

Holder for Washing Fur 45cm (17¾")**+9**

Holder for washing fur WC16 and WC20.



WC11



0.13



1

70°C
158°F

PP

**Regular Washing Fur 35cm (13¾")****+5**

Regular washing fur.



WC15



0.20



1

100°C
212°F

Cotton

**Regular Washing Fur 45cm (17¾")****+5**

Regular washing fur.



WC16



0.20



1

60°C
140°F

Polyester

**Deluxe Washing Fur 35cm (13¾")****+5**

Deluxe washing fur.



WC20



0.20



1

100°C
212°F

Cotton

**Deluxe Washing Fur 45cm (17¾")****+5**

Deluxe washing fur.



WC21



0.07



1

100°C
212°F

Polyester

**Rectangular Cleaners Bucket 12 litre (2.6 gal)****+3**

12 litre (2.6 gal) Blue window cleaners bucket.



WC22



0.60



1



PP

**Rectangular Cleaners Bucket 24 litre (5.2 gal)****+3**

24 litre (5.2 gal) Blue window cleaners bucket.



WC23



0.70



1




PP






Castors for WC23


Castors for WC23 window cleaners bucket.




WC24




0.52



1 set



70°C
158°F




PP




Aluminium Handle with Grey Grip 1000 - 1800mm (3'2" - 5'9")

2 Sectioned profiled aluminium handle with grey grip.


HH19B is needed for use with this handle HH12 with, either WC01 or WC02 window squeegees or WC10 and WC11 holders for washing fur.




HH12




0.32




10



80°C
176°F



ALU, PE, PVC




Ø25x1800




Telescopic Handle 1200 - 2200mm (3'9 - 7'2")

2 Sectioned profiled aluminium handle with grey grip


HH19B is needed for use with this handle HH16 with, either WC01 or WC02 window squeegees or WC10 and WC11 holders for washing fur.




HH16




0.01



1



80°C
176°F




ALU




Telescopic Fibre Glass Handle 2000 - 6000mm (6'5" -19'6")


For high up cleaning jobs. The handle will not bend in use. The lightweight material makes the handle easy to use. Fits all Vikan products.




2977




2.1




1



100°C
212°F



Fibre Glass, PP




Ø40x2190




End Cone Adaptor

+3


This item is required in order to use handles HH12 and HH16 with window cleaning squeegees and washing fur holders for use with either WC01 or WC02 and WC10 or WC11.




HH19B




0.01



1



80°C
176°F




ALU, PP




Connectors

+5


Adaptor for use with screw thread handle and click fit products.




2994



0.04



1



ALU, PP

Dish Cloth 406x305mm (15¾x12")**+4 +5**

Bleached cotton dish cloth. 100% cotton.



NCMS07



0.04



10

100°C
212°F

Cotton

**Dish Cloth****+2 +3 +4 +6**

Bleached cotton dish cloth with coloured stripes. 100% cotton.



NCFS07



0.04



10

100°C
212°F

Cotton

**Yellow Dusters 508x457mm (19¾x17¾")****+6**

Standard yellow dusters 100% cotton.



MS01



0.03



10

100°C
212°F

Cotton

**General Purpose Scourers 225x150mm (8¾x5¾")****+3 +4 +6**

Standard grade scouring pad.



MS24



0.40



5x10

80°C
175°F

Polyester, Acrylic

**General Purpose Green Scourers 225x150mm (8¾x5¾")****+2**

Standard grade scouring pad.



MS25



0.40



5x10

80°C
176°F

Polyester, Acrylic

**Twin Action Cellulose Scourer 150x90x38mm (6x3½x1¼")****+2****+6**

Heavy duty sponge scourer.




MS30



1.20



6x10

80°C
176°FPolythene Foam,
Acrylic**Pad Holder - Floor Model, 230mm (9")****+2 +3 +4 +5 +6**

With a locking system which secures the pad. Attach one of the pads to the holder and use it for cleaning walls, tables and equipment.



5500



120x95x230



0.22



10

121°C
250°F

PP



Scourers/Dustpan Sets



Pad Holder - Hand Model, 230mm (9")

+2 +3 +4 +5 +6



5510



80x95x230

With a locking system, which secures the pad. Attach one of the pads to the holder and use it for cleaning walls, tables and equipment.



0.23



10



121°C
250°F



PP



Nylon pad, hard 250x125x25mm (9¾x4¾x¾")

+9

Suitable for cleaning stubborn dirt on rough surfaces.



5523



23x125x245x



0.05




10



100°C
212°F



Nylon



Nylon pad, medium 250x125x25mm (9¾x4¾x¾")

+3

Suitable for removing stubborn dirt on tiles and ceramics.



5524



23x125x245x



0.02



10



100°C
212°F



Nylon



Nylon pad, soft 250x125x25mm (9¾x4¾x¾")

+5

Suitable for removing greasy dirt on smooth surfaces.



5525



23x125x245



0.02



10



100°C
212°F



Nylon



Long Handled Dustpan

+1 +2 +3 +4 +5 +6 +9

High capacity lobby pan big enough to take drinks cans and cups. Fully sealed to use with liquid waste. Rubber feet to reduce noise. Lid closes automatically or clicks open for ease of emptying. Made from engineering grade ABS polymer.



HS28



1.20



1



60°C
140°F



ABS



Dustpan Brush

+9

Classic long-handled lobby pan brush with long bristles ideal for use with item HS28.



HS34



0.40



1



60°C
140°F



ABS



Dustpan and Brush

+2 +3 +4 +5 +6 +9

High capacity lobby pan big enough to take drinks cans and cups. Fully sealed to use with liquid waste. Rubber feet to reduce noise made from engineering grade ABS polymer.



HS28 & HS34



1.60



1



60°C
140°F



ABS

Comes complete with HS34 dustpan brush.

Economy Dustpan

+2 +3 +4 +6



MS58

Economy dustpan c/w rubber edge and medium hand brush



0.20



1



60°C
146°F



PP, Rubber



Dustpan

+2 +3 +4 +5 +6



MS61

Lightweight enclosed dustpan, c/w medium ErgoClean hand brush.



0.30



1



60°C
146°F



PP



Dustpan

+2 +3 +4 +5 +6



MS62

Lightweight enclosed dustpan, c/w soft ErgoClean hand brush.



0.30



1



60°C
146°F



PP



Dustpan

+2 +3 +4 +5 +6



MS59

Lightweight enclosed dustpan, c/w medium hygiene hand brush.



0.30



1



60°C
146°F



PP



Dustpan

+2 +3 +4 +5 +6



MS60

Lightweight enclosed dustpan, c/w medium hygiene hand brush.



0.30



1



60°C
146°F



PP



Lightweight Dustpan

+2 +3 +4 +5 +6



MS55

Enclosed dustpan.



0.21



1



60°C
146°F



PP



Dustpan

+2 +3 +4 +5 +6 +9



5660



320x100x295

A good and solid dustpan which fits closely to the surface swept.



0.29



10



100°C
212°F



PP











Hand Brush



Hand Brush 295mm (11½")

+2 +3 +4 +5 +6









 45101	 50	 295x65x45	
 0.12	 5	 121°C 250°F	 PP, PBT

Vikan ErgoClean soft banister brush for sweeping up fine particles. The brush has polyester filaments, is available in five colours and can be used where colour coding is required. Can be washed in a dishwasher.



Hand Brush Medium 295mm (11½")

+2 +3 +4 +5 +6









 45111	 50	 295x65x45	
 0.12	 5	 121°C 250°F	 PP, PBT

Vikan ErgoClean banister brush with medium-stiff polyester filaments for sweeping up medium-sized particles. The brush is available in five colours and can be used where colour coding is required. Can be washed in a dishwasher.



Hand Brush Soft 350mm (13½")

+2 +3 +4 +5 +6 +9









 4586	 50	 350x110x45	
 0.19	 15	 121°C 250°F	 PP, PBT

Professional hand brush. Suitable for sweeping fine particles e.g. flour on tables and equipment. Can be used with dustpan 5660.



Hand Brush Medium 350mm (13½")

+2 +3 +4 +5 +6

 4588	 50	 350x10x45	
 0.18	 15	 121°C 250°F	 PP, PBT

Professional hand brush. Suitable for sweeping fine particles e.g. flour on tables and equipment. Can be used with dustpan 5660.

Toilet Brush**+5**

Toilet brush c/w holder in white.

**Wire Brush 298mm (11½")****+5**

Wire brush with stainless steel filaments and polypropylene stock.

**Pencil Brush****+3**

Pencil brush.

**Bottle Brush****+3**

Bottle brush in blue.

**Wool Duster Soft with a grey handle**

100% wool - the woollen duster is particularly soft and holds on to the dust. It is especially suited to delicate surfaces and is used in such places as museums for the dusting of valuable paintings.

**Chemicals**

We stock a limited range of chemicals. Details upon request.



Visit us at vikan.com

Vikan (UK) Limited

1 - 3 Avro Gate, Broadmoor Road
South Marston Park, Swindon
Wiltshire SN3 4AG, England

Tel: + 44 1793 71 67 60
Fax: + 44 1793 71 67 61

sales@vikan.co.uk

