

VitrA

Complementary Products



Contents

Product information	5-11
Practical solutions for aesthetic bathrooms	6-7
Functional solutions	8-9
Minimalist look, innovative interior design	10-11
Blue Life	12-13
Complementary products	14-69
Technical specifications	70-79





The Vitra PRO WC Complementary Products catalogue was prepared so that you, as our stakeholders and professional partners, can complete your product selection process with ease.

When using the Complementary Products catalogue, you can select the path and method that is most suitable for your project. It is possible to determine how the complementary products can be combined with which WC pans, bidets or washbasins by reviewing the compatibility table found at the end of the catalogue.

With the Vitra PRO Complementary Products catalogue, it is now easier to get detailed information about the most suitable products for your project based on the bathroom interiors dimensions, features, compatibility of the alternative series and collections, as well as having quick access to the technical specifications of the products. The criteria for your search are totally based on your personal priorities and requirements. To find the products that are most suitable for your projects, simply scan the icons.

In order to make your decision making process easier and to accelerate your design process, we have revised our icons. We recommend that you take a look at the icon legend before using the catalogue.

Visit the professional users section at our website **vitra.com.tr** where you will find all the information found in the Vitra Pro Complementary Products catalogue as well as more detailed data.

Icon guide




WATER SAVING



SENSOR


Product Information

Practical solutions for aesthetic bathrooms



Hygienic:

VitrA's concealed cistern is easy to clean as the pipe connection and interval tap are mounted inside the wall, so they are not exposed. The wall-hung WC pan is mounted at a certain level above the surface, therefore the area and surface underneath can easily be cleaned.



Noise-free:

The special tank fill apparatus located inside the concealed cistern operates noise-free and is covered with styrofoam to provide extra insulation.



400 kg Endurance (for wall-hung WC pan):

The concealed cistern and wall-hung WC pan together are designed to withstand weight up to 400 kg. As a result, in unforeseen situations and potential show of force it assures users safety and reliability.



Space Saver:

A larger bathroom environment is created with the space saving features of the cistern that is either in-wall or back wall concealed providing more living spaces.



Water saving:

The WC pan-cistern system, with its special tank structures and concealed cistern connectors, prohibit excessive use of water. The dual action 8 cm concealed cistern operates at 2,5/4 L and 3/6 L, resulting in 70% savings on water consumption.



Easy maintenance:

All of the products are guaranteed for 10 years and all repairs are covered under the guarantee. The easily dismantled control panels provides easy access to in-wall plumbing systems.




Practical and quick installation:

Installation of the concealed cistern is quick and easy because of its special components and schemes. This feature is especially advantageous for multiple installations.

Functional solutions

100% Dependability and Performance

The concealed cisterns are subject to dependability and performance tests at the Vitra Production Facilities and are offered to users under Vitra's quality and assurance.



Overflow Testing:

The overflow pipe located on the drainage device is the product's safety valve. The pipe's draining performance is tested according to the standards of water flow at impact pressure and the test is repeated at specified intervals.



Weight Testing – 400 kg Weight Test:

The cisterns that are used with the wall-hung WC pans are required not only to carry the weight of the user, but that of 400 kg. As a result, the concealed cisterns are mounted on specially designed walls at laboratories and are tested at specified intervals with a special testing device.



Leak Detection Testing:

All products at the Vitra Production Facilities are tested to detect leaks by placing them in cisterns filled with water.



Flow rate testing:

The amount of water used during flushing has to be at pre-set standards. If the cistern is not flushed at the required flow rate, the WC pan will not be cleaned properly. As a result, the products must pass a quality control test according to the flow rate (2 L/second) set by international standards. The test is periodically repeated.



Performance Test:

All products are subject to performance testing at the Vitra Production Facilities. The products are controlled to ensure that they operate flawlessly.



Longevity Test:

Products are periodically tested for longevity according to international standards. None of the components of the products can demonstrate a drop in performance after being consecutively tested 200,000 times.


Pneumatic flush system: air-pressure operated system

When the control panel button is pressed, the drainage device operates with the air hose that is hooked up behind the button. The Vitra 8 cm concealed cisterns do not have compressed rods found on other systems, so they can also be used on thick walls (especially in walls where the length of the rod is not sufficient). Additionally, since the rods do not have to be adjusted according to the thickness of the wall, it averts errors in installations as well as avoiding potential user issues.



- The rod at the back of the push button does not require calibration, so it is faster and easier to install.
- The dual flush pneumatic system offers two flow alternatives 2.5/4 L and 3/6 L.
- There are two buttons: one is for minimum and the other for maximum flushing. The cisterns are shipped from the factory with the following flushing settings: for 3.6 liter cisterns, minimum 3 liter and maximum 6 liter; and for the 2.5/4 liter cisterns, minimum 2.5 liter and maximum 4 liter.
- Excessive use of water can be regulated according to user needs with the water flow feature to save water.

Minimalist look, innovative interior design





1. Styrofoam Coating:

The bottom section of the cistern is completely coated with styrofoam which prevents the product from sweating and also provides sound insulation.



2. Filling Units: One of the most important components of the concealed cistern is the filling units, a system that fills the water in the cistern. As a result, to ensure safety and guaranteed performance, the units are subject to a longevity test to ensure a leak-free environment by operating them 200,000 times at VitrA's testing laboratories. Also, the units are equipped with filters that eliminate the risk of clogging to ensure durability and long term use.




3. Interval Tap: The interval tap is mounted to the plumbing from inside the body of the concealed cistern. If maintenance support is required, it is possible to block the water flow and easily replace the components needing repair.



4. Flushing Units: The most important component of the cistern is the flushing units, responsible for ensuring the flow of water from the cistern to the WC pan. Also, to validate that the performance and safety of the device meet sets standards, the units must pass a test to ensure that they do not leak and the longevity is tested by operating the devices 200,000 times.



5. Overflow Pipe: The overflow pipe, located in the flushing component, is assigned the task of maintaining the safety of the concealed cistern. If the cistern fills with excessive water, the pipe ensures that the surplus water is diverted to the WC pan to avoid overflowing.




6. Metal Pedestal: During installation, the metal pedestals ensure that the height and calibration of the product from the floor can be accomplished accurately.



7. Control Panel: The control panel is the component that operates the cistern. This component ensures that the in-wall cistern is easily accessible and at the same time, the components under the back wall cistern are concealed, providing an aesthetic ambience to bathroom interiors.



8. Panel Opening: The panel opening in the body of the cistern provides easy access to the product and has been designed with the optimum opening size to ensure that the components of the flushing units can be removed for maintenance purposes. The dimension of the opening is very important to attain proper maintenance support. A narrower component is more aesthetic; however, a wider component provides easy access when maintenance support is required.



Blue Life

For our blue planet...

A pledge to the future.

Key data in diverse fields indicate the world could be at a critical juncture in terms of sustainability. The future of our blue planet is at stake, and as a major producer in the consumer goods sector with a global audience, Vitra is strongly aware of its responsibilities. Conservation of natural resources has long been a basic principle of the brand. Blue Life is set of guidelines embraced by Vitra to protect and preserve the living world. Vitra upholds Blue Life as a production, design and management philosophy.

Production Certificates

ISO 9001 Quality Management
ISO 14001 Environment Management Standards
EN 16001 Energy Management Systems
OHSAS 18001 Standard Quality and Technique Consultancy Services

Production Certificates






Savings Values for Home Use

The water saving concealed cisterns are products of the Blue Life philosophy and they reflect our commitment to preserving nature and all natural resources.

All 8 cm concealed cisterns are equipped with inlet units: by adjusting the gauge, it is possible to operate the cistern with 2.5/4 L or 3/6 L flow performance.



Water saving rate for WC pans:





Complementary Products

Concealed cistern, standard installation set (8 cm)

Concealed cisterns



Code: 740-1850-XX

WC pan type: Wall-hung WC pans

Installation type:

Standard (built-in wall/brick wall)

Control type: Dual flush

Volume of water:

740-1850-01: 3/6 L

(adjustable to be used 2.5/4 L)

740-1850-02: 2.5/4 L

(adjustable to be used 3/6 L)



Working pressure: 0.5-10 bar

Weight (kg): 9.5

Compatible control panel:

740-XXXX control panels

With metal brackets.



Concealed cisterns

Code: 740-1800-XX

WC pan type: Wall-hung WC pans

Installation type:

Standard (built-in wall/brick wall)

Control type: Dual flush

Volume of water:

740-1800-01: 3/6 L

(adjustable to be used 2.5 L)

740-1800-02: 2.5/4 L

(adjustable to be used 3/6 L)

Working pressure: 0.5-10 bar



Weight (kg): 8

Compatible control panel:

740-XXXX control panels



Concealed cistern, standard installation set (8 cm)



Concealed cistern, standard installation set (8 cm)

Concealed cisterns



Code: 740-1700-01

WC pan type: Squatting pans

Installation type:

Standard (built-in wall/brick wall)

Control type: Dual flush


Volume of water: 3/6 L

Working pressure: 0.5-10 bar

Weight (kg): 4.5

Compatible control panel:

740-XXXX control panels



Concealed cisterns

Concealed cistern, standard installation set (8 cm)

Code: 740-1720-XX

WC pan type: Single WC pans

Installation type:

Standard (built-in wall/brick wall)

Control type: Dual flush

Volume of water:

740-1720-01: 3/6 L

(adjustable to be used 2.5/4 L)

740-1720-02: 2.5/4 L


(adjustable to be used 3/6 L)

Working pressure: 0.5-10 bar

Weight (kg): 4.7

Compatible control panel:

740-XXXX control panels



Concealed cistern, standard installation set (8 cm)

Concealed cisterns



Code: 740-1730-XX

WC pan type: Back-to wall WC pans

Installation type:

Standard (built-in wall/brick wall)

Control type: Dual flush

Volume of water:

740-1730-01: 3/6 L

(adjustable to be used 2.5/4 L)

740-1730-02: 2.5/4 L


(adjustable to be used 3/6 L)

Working pressure: 0.5-10 bar

Weight (kg): 4.5

Compatible control panel:

740-XXXX control panels



Concealed cisterns

Code: 740-5800-XX

WC pan type: Wall-hung WC pans

Installation type: Rapid

(front wall: light weight construction-
gypsumplate, back wall: brick)

Control type: Dual flush

Volume of water:

740-5800-01: 3/6 L

(adjustable to be used 2.5/4 L)

740-1800-02: 2.5/4 L

(adjustable to be used 3/6 L)

Working pressure: 0.5-10 bar



Weight (kg): 18

Compatible control panel:

740-XXXX control panels



Concealed cistern, rapid installation set (8 cm)





Code: 740-4800-XX

WC pan type: Wall-hung WC pans

Installation type: Rapid
(light weight construction walls-gypsumplate, coverage walls)

Control type: Dual flush

Volume of water:

740-4800-01: 3/6 L

(adjustable to be used 2.5/4 L)

740-4800-02: 2.5/4 L



(adjustable to be used 3/6 L)

Working pressure: 0.5-10 bar

Weight (kg): 20

Compatible control panel:

740-XXXX control panels



Concealed cisterns

Code: 740-5850-XX

WC pan type: Wall-hung WC pans

Installation type: Rapid

(light weight construction walls-gypsumplate, coverage walls)

Control type: Dual flush

Volume of water:

740-5850-01: 3/6 L

(adjustable to be used 2.5/4 L)

740-5850-02: 2.5/4 L

(adjustable to be used 3/6 L)

Working pressure: 0.5-10 bar

Weight (kg): 30


Compatible control panel:

740-XXXX control panels

Consist of 2 cisterns.



Concealed cistern, rapid installation set (8 cm)



Twin² control panel, (8 cm concealed cisterns)



Concealed cisterns

Code:

740-0100 White


740-0180 Chrome

740-0185 Matt chrome plated


740-0111 Matt black

Control type: Dual flush**Weight (kg):** 1**Material:** ABS plastic

Compatible with 740-XXXX-XX concealed cisterns.



Twin² glass control panel, (8 cm concealed cisterns)

**Code:**


740-0300 White

740-0301 Black

740-0302 Burgundy

Control type: Dual flush**Weight (kg):** 1**Material:** Glass, zamak

Compatible with 740-XXXX-XX concealed cisterns.



Concealed cisterns

Twin O control panel, (8 cm concealed cisterns)

Code:

740-0200 White

740-0280 Chrome

740-0285 Matt chrome plated


740-0211 Matt black

Control type: Dual flush

Weight (kg): 1

Material: ABS plastic

Compatible with 740-XXXX-XX concealed cisterns.



Concealed cisterns



Code:

701-1850 Front operated interruptable
703-1850 Front operated pneumatic
711-1850 Front operated dual flush (3/6 L)
712-1850 Electronic operated dual flush (3/6 L)
733-1850 Front operated dual flush (2.5/4 L)

WC pan type: Wall-hung WC pans

Installation type:

Standard (built-in wall/brick wall)


Working pressure: 0.5-10 bar

Weight (kg): 10.3

Compatible control panel:

701-1850: 701-XXXX control panels
703-1850: 703-XXXX control panels
711-1850: 711-XXXX control panels
712-1850: 712-XXXX control panels
733-1850: 711-XXXX control panels

With metal brackets.



712-1850

Concealed cisterns

Concealed cistern, standard installation set (12 cm)

Code:

701-1800 Front operated interruptable
703-1800 Front operated pneumatic
711-1800 Front operated dual flush (3/6 L)
712-1800 Electronic operated dual flush (3/6 L)
733-1800 Front operated dual flush (2.5/4 L)



WC pan type: Wall-hung WC pans

Installation type:


Standard (built-in wall/brick wall)

Working pressure: 0.5-10 bar

Weight (kg): 9.1

Compatible control panel:

701-1800: 701-XXXX control panels
703-1800: 703-XXXX control panels
711-1800: 711-XXXX control panels
712-1800: 712-XXXX control panels
733-1800: 711-XXXX control panels



712-1800

Concealed cistern, standard installation set (12 cm)

Concealed cisterns

**Code:**

701-1700 Front operated interruptable

703-1700 Front operated pneumatic

711-1700 Front operated dual flush (3/6 L)

WC pan type: Squatting pan**Installation type:**


Standard (built-in wall/brick wall)

Working pressure: 0.5-10 bar**Weight (kg):** 5**Compatible control panel:**

701-1700: 701-XXXX control panels

703-1700: 703-XXXX control panels

711-1700: 711-XXXX control panels



Concealed cisterns

Code:

701-1720 Front operated interruptable

703-1720 Front operated pneumatic

711-1720 Front operated dual flush (3/6 L)

712-1720 Electronic operated dual flush (3/6 L)

WC pan type: Single WC pans

Installation type:

Standard (built-in wall/brick wall)

Working pressure: 0.5-10 bar

Weight (kg): 4.7

Compatible control panel:

701-1720: 701-XXXX control panels



703-1720: 703-XXXX control panels

711-1720: 711-XXXX control panels

712-1720: 712-XXXX control panels



Concealed cistern, standard installation set (12 cm)



712-1720

Concealed cistern, standard installation set (12 cm)

Concealed cisterns



Code:

701-1730 Front operated interruptable
 703-1730 Front operated pneumatic
 711-1730 Front operated dual flush (3/6 L)
 712-1730 Electronic operated dual flush (3/6 L)
 733-1730 Front operated dual flush (2.5/4 L)

WC pan type: Back-to-wall WC pans

Installation type:

Standard (built-in wall/brick wall)

Working pressure: 0.5-10 bar

Weight (kg): 4.5

Compatible control panel:


701-1730: 701-XXXX control panels

703-1730: 703-XXXX control panels

711-1730: 711-XXXX control panels

712-1730: 712-XXXX control panels

733-1730: 711-XXXX control panels



712-1730

Concealed cisterns

Concealed cistern, standard installation set (12 cm)

Code:

701-1750 Front operated interruptable
 703-1750 Front operated pneumatic
 711-1750 Front operated dual flush (3/6 L)
 712-1750 Electronic operated dual flush (3/6 L)
 733-1750 Front operated dual flush (2.5/4 L)



WC pan type: Wall-hung WC pans

Installation type:

Standard (built-in wall/brick wall)


Working pressure: 0.5-10 bar

Weight (kg): 12

Compatible control panel:

701-1750: 701-XXXX control panels
 703-1750: 703-XXXX control panels
 711-1750: 711-XXXX control panels
 712-1750: 712-XXXX control panels
 733-1750: 711-XXXX control panels

Additional height adjustment to locate bottom of control panel 88 to 98 cm from the finished floor.



712-1750

Concealed cistern, rapid installation set (12 cm)

Concealed cisterns



Code:

701-5800 Front operated interruptable
 703-5800 Front operated pneumatic
 711-5800 Front operated dual flush (3/6 L)
 712-5800 Electronic operated dual flush (3/6 L)
 733-5800 Front operated dual flush (2.5/4 L)

WC pan type: Wall-hung WC pans

Installation type: Rapid

(front wall: light weight construction-
 gypsumplate, back wall: brick)

Working pressure: 0.5-10 bar

Weight (kg): 18

Compatible control panel:





701-5800: 701-XXXX control panels

703-5800: 703-XXXX control panels

711-5800: 711-XXXX control panels

712-5800: 712-XXXX control panels

733-5800: 711-XXXX control panels



712-5800

Concealed cisterns

Code:

701-4800 Front operated interruptable
703-4800 Front operated pneumatic,
single flush
711-4800 Front operated dual flush (3/6 L)
712-4800 Electronic operated dual flush (3/6 L)
733-4800 Front operated dual flush (2.5/4 L)

WC pan type: Wall-hung WC pans

Installation type: Rapid

(light weight construction walls, gypsumplate
coverage walls)

Working pressure: 0.5-10 bar


Weight (kg): 25

Compatible control panel:

701-4800: 701-XXXX control panels
703-4800: 703-XXXX control panels
711-4800: 711-XXXX control panels
712-4800: 712-XXXX control panels
733-4800: 711-XXXX control panels



Concealed cistern, rapid installation set (12 cm)



712-4800



Code:

701-5850 Front operated interruptable
703-5850 Front operated pneumatic
711-5850 Front operated dual flush (3/6 L)
712-5850 Electronic operated dual flush (3/6 L)
733-5850 Front operated dual flush (2.5/4 L)

WC pan type: Wall-hung WC pans

Installation type: Rapid

(light weight construction walls, gypsumplate coverage walls)

Working pressure: 0.5-10 bar

Weight (kg): 30

Compatible control panel:

701-5850: 701-XXXX control panels


703-5850: 703-XXXX control panels

711-5850: 711-XXXX control panels

712-5850: 712-XXXX control panels

733-5850: 711-XXXX control panels

Consisting of 2 concealed cisterns.



Concealed cisterns

Code:


701-1000 White

701-1080 Chrome

701-1085 Matt chrome plated

Control type: Single flush**Weight (kg):** 1**Material:** ABS plastic

Compatible with 701-XXXX concealed cisterns.



Control panel (front operated interruptable)



Control panel (front operated interruptable)

Code:



701-2000 White

701-2080 Chrome

701-2085 Matt chrome

Control type: Single flush**Weight (kg):** 1**Material:** ABS plastic

Compatible with 701-XXXX concealed cisterns.



Control panel (front operated pneumatic)

Concealed cisterns

**Code:**

703-1010 Matt chrome plated

703-1020 Chrome


703-1030 Satin chrome

Control type: Single flush


Weight (kg): 1

Material: Stainless steel

Compatible with 703-XXXX concealed cisterns.



Control panel (front operated dual flush)

**Code:**

711-4000 White

711-4080 Chrome


711-4085 Matt chrome plated

Control type: Dual flush

Weight (kg): 1

Material: ABS plastic

Compatible with 711-XXXX ve 733-XXXX concealed cisterns.



Concealed cisterns

Code:


711-5000 White

711-5080 Chrome


711-5085 Matt chrome plated

Control type: Dual flush**Weight (kg):** 1**Material:** ABS plastic

Compatible with 711-XXXX ve 733-XXXX
concealed cisterns.



Control panel (front operated dual flush)



Control panel (front operated dual flush)

Code:



711-1000 White

711-1080 Chrome


711-1085 Matt chrome plated

Control type: Dual flush**Weight (kg):** 1**Material:** ABS plastic

Compatible with 711-XXXX ve 733-XXXX
concealed cisterns.



Control panel (front operated dual flush)

**Code:**

711-2000 White

711-2080 Chrome


711-2085 Matt chrome plated

Control type: Dual flush

Weight (kg): 1

Material: ABS plastic

Compatible with 711-XXXX ve 733-XXXX concealed cisterns.



Control panel (electronic operated)

**Code:**

712-1000 White

712-1080 Chrome


712-1085 Matt chrome plated

Control type: Single flush

Weight (kg): 1

Material: ABS plastic

Compatible with 712-XXXX concealed cisterns.



Concealed cisterns

Code: 784-1850

WC pan type: Wall-hung WC pans

Installation type: Standard

Control type: Electronic operated

Volume of water: 3/6 L

Working pressure: 0.5-10 bar

Weight (kg): 11

Compatible control panel:



794-60XX control panels

Odour absorption system.


With metal brackets.



Concealed cistern, standard installation set (odourless)



Concealed cisterns



WC pan type: Wall-hung WC pans

Installation type: Standard

Control type: Electronic operated

Volume of water: 3/6 L


Working pressure: 0.5-10 bar

Weight (kg): 10

Compatible control panel:

794-60XX control panels

Odour absorption system.



Concealed cisterns

Code: 784-1720

WC pan type: Single WC pans

Installation type: Standard

Control type: Electronic operated

Volume of water: 3/6 L

Working pressure: 0.5-10 bar

Weight (kg): 5



Compatible control panel:

794-60XX control panels

Odour absorption system.



Concealed cistern, standard installation set (odourless)



Concealed cistern, standard installation set (odourless)

Concealed cisterns



Code: 784-1730

WC pan type: Back-to-wall WC pans

Installation type: Standard

Control type: Electronic operated

Volume of water: 3/6 L


Working pressure: 0.5-10 bar

Weight (kg): 5

Compatible control panel:

794-60XX control panels

Odour absorption system.



Concealed cisterns

Code: 784-1750

WC pan type: Wall-hung WC pans

Installation type: Standard

Control type: Electronic operated

Volume of water: 3/6 L

Working pressure: 0.5-10 bar

Weight (kg): 13

Compatible control panel:


794-60XX control panels



Odour absorption system.

Additional height adjustment to locate bottom of control panel 88 to 98 cm from the finished floor.

Concealed cistern, standard installation set (odourless)





Code: 784-5800

WC pan type: Wall-hung WC pans

Installation type: Rapid
(front wall: light weight construction-
gypsumplate, back wall: brick)

Control type: Electronic operated

Volume of water: 3/6 L


Working pressure: 0.5-10 bar

Weight (kg): 19

Compatible control panel:

794-60XX control panels

Odour absorption system.



Concealed cisterns

Code: 784-4800

WC pan type: Wall-hung WC pans

Installation type: Rapid

(light weight construction walls, gypsumplate coverage walls)

Control type: Electronic operated

Volume of water: 3/6 L

Working pressure: 0.5-10 bar

Weight (kg): 26



Compatible control panel:

794-60XX control panels

Odour absorption system.




Concealed cistern, rapid installation set



Concealed cisterns



Consisting of 2 concealed cisterns.



Concealed cisterns

Code:

794-6000 White


794-6085 Matt chrome plated

Control type: Electronic operated**Weight (kg):** 1**Material:** ABS plastic

With odour absorption system.

Compatible with 784-XXXX concealed cisterns.

Control panel, electronic operated (odourless)




Low level single flush plastic cistern

Plastic cisterns

Code:

785-4100 Single flush

785-4136 Dual flush (3/6 L)

Working type: Bottom inlet, included cistern mechanism.**Volume of water:** 6 L**Working pressure:** 0.5-10 bar**Compatible items:** Floor standing WC pans**Weight (kg):** 3.3**Material:** ABS, plastic

Plastic cisterns

Low level single flush plastic cistern

Code: 785-6100

Working type: Bottom inlet, included cistern mechanism.


Volume of water: 6 L

Working pressure: 0.5-10 bar

Compatible items: Floor standing WC pans

Weight (kg): 3.3

Material: PP, plastic



High level single flush plastic cistern

Plastic cisterns

Code: 785-4200

Working type: Side inlet, included cistern mechanism


Volume of water: 6 L

Working pressure: 0.5-10 bar

Compatible items: Squatting pans

Weight (kg): 3.11

Material: ABS, plastic



Plastic cisterns

Code: 785-6200

Working type: Side inlet

Volume of water: 6 L


Working pressure: 0.5-10 bar

Compatible items: Squatting pans

Weight (kg): 3.11

Material: PP, plastic

High level single flush plastic cistern



Pressurised concealed WC flusher

Flushers




Code: 310-1510

Compatible items: Wall-hung WC pans

Weight (kg): 3.2

Material: Chrome plated

3/4" clean water connection is needed.



Pressurised concealed WC flusher




Code: 310-3210

Compatible items: Wall-hung WC pans

Weight (kg): 1.5

Flush volume: 2/4 L

Material: Chrome plated



Flushers

Code: 310-1531


Compatible items: Single WC pans

Weight (kg): 1.8

Flush volume: 3/6 L

Material: Chrome plated

3/4" clean water connection is needed.



Pressurised exposed WC flusher



Pressurised concealed squatting pan flusher


Code: 310-1520

Compatible items: Back inlet squatting pans

Weight (kg): 3.6

Material: Chrome plated

3/4" clean water connection is needed.



Pressurised exposed squatting pan flusher

Flushers




Code: 310-1540

Compatible items: Top inlet squatting pans

Weight (kg): 0.7

Material: Chrome plated

3/4" clean water connection is needed.



Pressurised concealed urinal flusher




Code: 310-2510

Compatible items: Back inlet urinals

Weight (kg): 1.6

Material: Chrome



Flushers

Code:


310-2521

311-2521

Compatible items: Top inlet urinals**Weight (kg):** 0.7

310-2521: 2/4 L

311-2521: 1 L

Material: Chrome plated

Pressurised exposed urinal flusher



Pressurised exposed flusher

Code:


310-2531

311-2531

Compatible items: Top inlet urinals**Weight (kg):** 0.7**Flush volume:**

310-2531: 2/4 L

311-2531: 1 L

Material: Chrome plated

Pressurised exposed flusher

Flushers



Code:

310-2532

311-2532

Compatible items: Top inlet urinals


Weight (kg): 1.4

Flush volume:


310-2532: 2/4 L

311-2532: 1 L

Material: Chrome plated



Electronic concealed urinal flusher



Code:

310-2210

311-2210

310-2220

311-2220

Compatible items: Back inlet urinals

Weight (kg): 1.4

Flush volume:


310-2210: 2/4 L main supply

311-2210: 1 L main supply

310-2220: 2/4 L battery operated

311-2220: 1 L battery operated

Material: Stainless steel, chrome



Flushers

Code:

310-3010

310-3020


Weight (kg): 1.5

Flush volume: 2/4 L

Material: Matt chrome

310-3010: Main supply

310-3020: Battery operated



Electronic concealed urinal flusher



Electronic concealed urinal flusher

Code:

310-2111

310-2112

311-2113

Compatible items: Back inlet urinals

Weight (kg): 1.5


Flush volume: 2/4 L

Material: Stainless steel, main supply

310-2111: Matt chrome plated

310-2112: Chrome

311-2113: Satin chrome



Electronic concealed urinal flusher

Flushers



Code:

310-2121

310-2122

311-2123

Compatible items: Back inlet urinals

Weight (kg): 1.4


Flush volume: 2/4 L

Material: Stainless steel, battery operated

310-2121: Matt chrome plated

310-2122: Chrome

311-2123: Satin chrome



Electronic concealed urinal flusher



Code:

310-2131

310-2132

311-2133

Compatible items: Back inlet urinals

Weight (kg): 1.4


Flush volume: 2/4 L

Material: Stainless steel, main supply

310-2131: Matt chrome plated

310-2132: Chrome

311-2133: Satin chrome



Flushers

Code:

310-2141

310-2142

311-2143

Compatible items: Back inlet urinals

Weight (kg): 1.4


Flush volume: 2/4 L

Material: Stainless steel, battery operated

310-2141: Matt chrome plated

310-2142: Chrome

311-2143: Satin chrome



Electronic concealed urinal flusher



Pressurised concealed urinal flusher


Code: 310-3310

Compatible items: Back inlet urinals

Weight (kg): 1.5

Flush volume: 2/4 L

Material: Chrome



Electronic exposed urinal flusher

Flushers




Code: 310-2340

Compatible items: Top inlet urinals

Weight (kg): 1.3

Flush volume: 2/4 L

Material: Stainless steel chrome, battery operated



Urinal with integrated electronic flusher



Code:

4106BXX-5200 Battery operated

4106BXX-5291 Main supply

Weight (kg): 20.6

Material: Vitreous china


Color: 003 White

Color options:

003
White

003 White 095 Pergamon


Without mounting holes, back water inlet and back water outlet.



Special equipments


Adjustable mirror

Code: 320-1130
Weight (kg): 6.6



60 cm grab rail

Code: 320-3010
Weight (kg): 0.8
Material: Stainless steel




135° angled grab rail

Special equipments




Code: 320-3012
Weight (kg): 1.38
Material: Stainless steel



90° angled grab rail



Code: 320-3011
Weight (kg): 1.44
Material: Stainless steel





Special equipments

Code: 320-3014
Weight (kg): 2.72
Material: Stainless steel




Hinged arm grab rail



90° angled wall-floor grab rail

Code: 320-3013
Weight (kg): 2.33
Material: Stainless steel




Hinged shower seat without support leg

Special equipments




Code: 320-3015
Weight (kg): 4.9
Material: Stainless steel




Hinged shower seat with support leg



Code: 320-3016
Weight (kg): 5.49
Material: Stainless steel




Code: 320-1010
Weight (kg): 1.9
Material: Stainless steel



135° grab rail

Code: 320-1020
Weight (kg): 2.4
Material: Stainless steel



WC grab rail


Special equipments



Code: 320-1030

Weight (kg): 3.8

Material: Stainless steel




Hinged arm grab rail



Code: 320-1060

Weight (kg): 4.8

Material: Stainless steel




Special equipments

Toilet paper roll hook

Code: 320-1070

Weight (kg): 0.2

Material: Stainless steel




Hinged shower canvas seat

Code: 320-1080

Weight (kg): 4.6

Compatible items:

320-1090 Support leg (2.1 kg)





Hinged shower canvas seat with polyurethane cushion

Special equipments





Code: 320-1140
Weight (kg): 5.9
Compatible items:
320-1090 Support leg (2.1 kg)



Baby care unit



Code: 320-1100
Weight (kg): 7.3





Technical Specifications

Icon legend



Water Savings

Developed by Vitra, the WC pans with the special cistern structure, combined with the concealed cistern, have been certified as using the least amount of water according to EU standards and provide 2.5 / 4 L flow, which results in water savings of up to 70%.



Sensor

The sensor technology used with Vitra's concealed cistern systems enable users to operate the flusher system without having to touch the lever panel, offering hygiene conditions in open public area bathrooms. At the same time conserving water, according to the value set, the sensor can flush 3/6 L of water.

Toilet seats, bidet & urinal lids compatible with WC pans, bidet & urinals

	Product code	Polycarbonate	Duroplast				Nuvoplast		Polyester	Wooden
		Soft-closing	Soft-closing	Metal hinge	Plastic hinge		Plastic hinge	Metal hinge	Metal hinge	Metal hinge
FREEDOM	4402 4400		65-003-009 65-003-009							
ISTANBUL	4253	50-XXX-X09	66-003-X09							
	4254 4263 4264	50-XXX-X09	66-003-X09	51-XXX-001 51-XXX-001						
ESPACE	4201		40-003-009							
MOD	5353		58-003-009	58-003-001						
	5354 5540		58-003-009 58-003-009	58-003-001 58-003-001						
WATER JEWELS	4326		59-XXX-009	59-XXX-001						
	4328 4330		59-XXX-009 59-XXX-009	59-XXX-001 59-XXX-001						
T4	4464		76-003-009	76-003-001						
	4470 4465		76-003-009 76-003-009	76-003-001 76-003-001						
SHIFT	4395		64-003-009	64-003-001						
	4392 4393		64-003-009 64-003-009	64-003-001 64-003-001						
NUOVA	5032		56-003-009	32-003-001						
	5030 5038		56-003-009 56-003-009	32-003-001 32-003-001						
MATRIX	5138		41-003-009	30-003-001	61-003-001					
	5119		41-003-009	30-003-001						
	5139		41-003-009	30-003-001						
	5173		41-003-009	30-003-001						
	5140 5173		41-003-009 41-003-009	30-003-001 30-003-001						
RETRO	5159		74-003-009	74-003-001						
	5160		74-003-009	74-003-001						
	5216			43-003-001						
	5161		74-003-009	74-003-001						
	5168		74-003-009	74-003-001						
EURA	5210		74-003-009	74-003-001						
	6224		54-003-009	69-003-009						
	6924		54-003-009	69-003-009						
	6573		54-003-009	69-003-009						
	6270		54-003-009	69-003-009						
SUNRISE	5384		75-003-009	75-003-001						
	5385 5388		75-003-009 75-003-009	75-003-001 75-003-001						
FORM 500	5389		75-003-009	75-003-001						
	4300		73-003-009	73-003-001	53-003-001					
FORM 300	4303		73-003-009	73-003-001	53-003-001					
	4304		73-003-009	73-003-001	53-003-001					
S50	4305		73-003-009	73-003-001						
	5226		72-XXX-009	48-XXX-001						
	5238		72-XXX-009	48-XXX-001						
	5247		72-XXX-009	48-XXX-001						
	5248		72-XXX-009	48-XXX-001						
S20	5321		72-XXX-009	72-XXX-001						
	5318		72-XXX-009	72-XXX-001						
	5319		72-XXX-009	72-XXX-001						
	5332		72-XXX-009	72-XXX-001						
	5323		72-XXX-009	72-XXX-001						
	5320		72-XXX-009	72-XXX-001						
	5335		72-XXX-009	72-XXX-001						
	5336		72-XXX-009	72-XXX-001						
	5304		72-XXX-009	72-XXX-001						
	5424		72-XXX-009	72-XXX-001						
NORMUS	5427		72-XXX-009	72-XXX-001						
	5421		72-XXX-009	72-XXX-001						
	5505		77-XXX-009	77-XXX-001						
	5507		77-XXX-009	77-XXX-001						
	5506		77-XXX-009	77-XXX-001						
	5520		77-XXX-009	77-XXX-001						
	5517		77-XXX-009	77-XXX-001						
	5518		77-XXX-009	77-XXX-001						
	5516		77-XXX-009	77-XXX-001						
	5512		77-XXX-009	77-XXX-001						
ARKITEKT	5510		77-XXX-009	77-XXX-001						
	5511		77-XXX-009	77-XXX-001						
	5298		77-XXX-009	77-XXX-001						
	5296		77-XXX-009	77-XXX-001						
	5297		77-XXX-009	77-XXX-001						
	5293		77-XXX-009	77-XXX-001						
	6575		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	5110		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	5111		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	5213		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
SPECIAL NEED'S WC PANS	6858		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	6888		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	6855		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	6859		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	6860		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	5092		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	5091		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	6875		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	6611		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
	6623		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001
CHILD WC PANS	6441		05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001	
	6442		05-XXX-001	14-003-001	05-XXX-002	11-003-002	23-XXX-002	18-003-002	23-XXX-001	
	4125		54-003-009	69-003-009	08-003-001					
	6105		45-XXX-009	05-XXX-001	25-XXX-001	05-XXX-002				
	6540		45-XXX-009	05-XXX-001	25-XXX-001	05-XXX-002				
	4035		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002				
	6553		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002				
	5195		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	5196		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	6060		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
URINAL LIDS	5068		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	5069		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	5232		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	5178		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	5065		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	5074		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	5076		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002				
	5425		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	6995		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	6927-0075		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
BIDET LIDS	6927-0927		44-003-009	05-XXX-001	14-003-001	05-XXX-002				
	6624		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002				
	4074		72-XXX-009	05-XXX-001	14-003-001	05-XXX-002				
	5236		72-XXX-009	05-XXX-001	14-003-001	05-XXX-002				
	5112		45-XXX-009	05-XXX-001	14-003-001	05-XXX-002				
	5119		41-XXX-009	30-003-001	61-003-001	05-XXX-002				
	5298		77-XXX-009	77-XXX-001	61-003-001	05-XXX-002				
	5296		77-XXX-009	77-XXX-001	61-003-001	05-XXX-002				
	5297		77-XXX-009	77-XXX-001	61-003-001	05-XXX-002				
	5293		77-XXX-009	77-XXX-001	61-003-001	05-XXX-002				
URINAL LIDS	6047		77-XXX-009	77-XXX-001	61-003-001	05-XXX-002				
	6877		77-XXX-009	77-XXX-001	61-003-001	05-XXX-002				
BIDET LIDS	4017		77-XXX-009	77-XXX-001	61-003-001	05-XXX-002				
	5218		77-XXX-009	77-XXX-001	61-003-001	05-XXX-002				
BIDET LIDS	4255	49-XXX-X09	67-003-X09							
	4256	49-XXX-X09	67-003-X09							
BIDET LIDS	4255	49-XXX-X09	67-003-X09							
	4205		39-003-000							

Concealed cistern installation guide

	Product code		Suitable WC pans	APPLICATION WALLS				SUITABLE CONTROL PANELS					
				13.5 cm Prewall	13.5 cm Built-in wall	Pre-wall (gypsumplate coverage)	Light weight construction walls (gypsumplate coverage)	701-10XX 702-10XX	703-10XX	711-10XX 711-20XX 711-40XX 711-50XX	712-10XX	740-01XX 740-02XX 740-03XX	794-XXXX
STANDARD MOUNTING CONCEALED CISTERNS	701	1850	Wall-hung WC pans	X	X	-	-	X	Only suitable together with 703-0001	-	-	-	-
	703			X	X	-	-	-	X	-	-	-	-
	711			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	712			X	X	-	-	-	Only suitable together with 703-0001	-	X	-	-
	733			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	740			X	X	-	-	-	-	-	-	X	-
	784			X	X	-	-	-	-	-	-	-	X
	701	1800	Wall-hung WC pans	X	X	-	-	X	Only suitable together with 703-0001	-	-	-	-
	703			X	X	-	-	-	X	-	-	-	-
	711			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	712			X	X	-	-	-	Only suitable together with 703-0001	-	X	-	-
	733			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	740			X	X	-	-	-	-	-	-	X	-
	784			X	X	-	-	-	-	-	-	-	X
	701	1700	Squatting pans	X	X	-	-	X	Only suitable together with 703-0001	-	-	-	-
	703			X	X	-	-	-	X	-	-	-	-
	711			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	740			X	X	-	-	-	-	-	-	X	-
	701	1720	Single WC pans	X	X	-	-	X	Only suitable together with 703-0001	-	-	-	-
	703			X	X	-	-	-	X	-	-	-	-
	711			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	712			X	X	-	-	-	Only suitable together with 703-0001	-	X	-	-
	740			X	X	-	-	-	-	-	-	X	-
	784			X	X	-	-	-	-	-	-	-	X
	701	1730	Back-to-wall WC pans	X	X	-	-	X	Only suitable together with 703-0001	-	-	-	-
	703			X	X	-	-	-	X	-	-	-	-
	711			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	712			X	X	-	-	-	Only suitable together with 703-0001	-	X	-	-
	733			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	740			X	X	-	-	-	-	-	-	X	-
	784			X	X	-	-	-	-	-	-	-	X
	701	1750	Wall-hung WC-pans	X	X	-	-	X	Only suitable together with 703-0001	-	-	-	-
	703			X	X	-	-	-	X	-	-	-	-
	711			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	712			X	X	-	-	-	Only suitable together with 703-0001	-	X	-	-
	733			X	X	-	-	-	Only suitable together with 703-0001	X	-	-	-
	784			X	X	-	-	-	-	-	-	-	X
RAPID MOUNTING CONCEALED CISTERNS	701	4800	Wall-hung WC pans	-	-	-	X	X	Only suitable together with 703-0001	-	-	-	-
	703			-	-	-	X	-	X	-	-	-	-
	711			-	-	-	X	-	Only suitable together with 703-0001	X	-	-	-
	712			-	-	-	X	-	Only suitable together with 703-0001	-	X	-	-
	733			-	-	-	X	-	Only suitable together with 703-0001	X	-	-	-
	740			-	-	-	X	-	-	-	-	X	-
	784			-	-	-	X	-	-	-	-	-	X
	701	5800	Wall-hung WC pans	-	-	X	-	X	Only suitable together with 703-0001	-	-	-	-
	703			-	-	X	-	-	X	-	-	-	-
	711			-	-	X	-	-	Only suitable together with 703-0001	X	-	-	-
	712			-	-	X	-	-	Only suitable together with 703-0001	-	X	-	-
	733			-	-	X	-	-	Only suitable together with 703-0001	X	-	-	-
	740			-	-	X	-	-	-	-	-	X	-
	784			-	-	X	-	-	-	-	-	-	X
	701	5850	Wall-hung WC pan	-	-	-	X	X	Only suitable together with 703-0001	-	-	-	-
	703			-	-	-	X	-	X	-	-	-	-
	711			-	-	-	X	-	Only suitable together with 703-0001	X	-	-	-
	712			-	-	-	X	-	Only suitable together with 703-0001	-	X	-	-
	733			-	-	-	X	-	Only suitable together with 703-0001	X	-	-	-
	740			-	-	-	X	-	-	-	-	X	-
	784			-	-	-	X	-	-	-	-	-	X

X : indicates that it is suitable
 - : indicates that is not suitable

Concealed and plastic cistern compatible with WC pans

		CONCEALED CISTERN																		PLASTIC CISTERNS		
		2.5/4 L COMPATIBLE PRODUCTS									3/6 L COMPATIBLE PRODUCTS									Low level	High level	
		Product code	For back-to-wall WC pans 733-1730 740-1730-02	For single WC pans 740-1720-02	For wall-hung WC pans 733-1750	For wall-hung WC pans 733-1800 740-1800-02	For wall-hung WC pans 733-1850 740-1850-02	For wall-hung WC pans 733-5800 740-5800-02	For wall-hung WC pans 733-4800 740-4800-02	For wall-hung WC pans 733-5850 740-5850-02	For squatting pans 701-1700 703-1700 711-1700 740-1700-01	For single WC pans 701-1700 703-1700 711-1700 740-1700-01	For back-to-wall WC pans 701-1730 703-1730 711-1730 712-1730 740-1730-01 784-1730	For wall-hung WC pans 701-1750 703-1750 711-1750 712-1750 784-1750	For wall-hung WC pans 701-1800 703-1800 711-1800 712-1800 740-1800-01 784-1800	For wall-hung WC pans 701-1850 703-1850 711-1850 712-1850 740-1850-01 784-1850	For wall-hung WC pans 701-5800 703-5800 711-5800 712-5800 740-5800-01 784-5800	For wall-hung WC pans 701-4800 703-4800 711-4800 712-4800 740-4800-01 784-4800	For wall-hung WC pans 701-5850 703-5850 711-5850 712-5850 740-5850-01 784-5850			
FREEDOM	4402 4400											*		*		*		*				
ESPACE	4201												*	*		*	*	*	*			
MOD	5353 5354	*		*	*	*	*	*	*		*	*	*	*	*	*	*	*	*	*		
T4	4464 4465	*		*	*	*	*	*	*													
SHIFT	4393 4392	*		*	*	*	*	*	*		*	*	*	*	*	*	*	*	*	*		
NUOVA	5030 5038											*	*	*	*	*	*	*	*	*		
MATRIX	5138 5139 5119 5173				*	*	*	*	*		*	*	*	*	*	*	*	*	*	*		
WATER JEWELS	4326 4328										*	*	*	*	*	*	*	*	*	*		
RETRO	5160 5216			*	*	*	*	*	*			*	*	*	*	*	*	*	*	*	*	
EURA	6573 6270										*	*	*	*	*	*	*	*	*	*	*	
SUNRISE	5385 5384	*		*	*	*	*	*	*		*	*	*	*	*	*	*	*	*	*	*	
FORM 500	4304 4305										*	*	*	*	*	*	*	*	*	*	*	
FORM 300	5238 5247 5248										*	*	*	*	*	*	*	*	*	*	*	
S50	5335 5336 5318 5319 5323 5304 5320 5469	*										*	*	*	*	*	*	*	*	*	*	
S20	5505 5507 5506 5298 5520 5517 5518 5516 5296 5297	*	*	*	*	*	*	*	*			*	*	*	*	*	*	*	*	*	*	
NORMUS	6858 6888 5092 6859 6860 6855 5091														*	*	*	*	*	*	*	
ARKITEKT	6105 6107 6855 6540 6875 6060 6553 5425 6895									*	*	*	*	*	*	*	*	*	*	*	*	
SQUATTING PAN	6206LXXX-0054 6206LXXX-0053 6814LXXX-0054 6204LXXX-0054								*	*	*	*	*	*	*	*	*	*	*	*	*	
CHILD WC PANS	6047 6877									*	*	*	*	*	*	*	*	*	*	*	*	
SPECIAL NEEDS WC PANS	6624 4074 5126 5336 5112 5298 5296 5297			*	*	*	*	*	*		*	*	*	*	*	*	*	*	*	*	*	

Cistern mechanisms compatible with close-coupled WC's

	WC pan / Cistern	Cistern mechanism with side inlet			Cistern mechanism with bottom inlet			Pull-up 6 L	Others
		3/6 L	6 L	2.5/4 L	3/6 L	6 L	2.5/4 L		
WATER JEWELS	4330B003-0585/4331B003-0312			330-1620					
	(*) 4330B003-0585/4331B003-5451			330-1620					
	4330B003-0096/4331B003-0107						330-1610		
SHIFT	(*) 4330B003-0096/4331B003-5450						330-1610		
	(*) 4395B003-0585/4396B003-5294								311185
T4	(*) 4395B003-0096/4396B003-5294								311185
	(*) 4470B003-0096/4471B003-5294								311185
	(*) 4470B003-0585/4471B003-5294								311185
NUOVA	5032B003-0585/5033B003-0436	330-2020	330-1220	330-1420					
	5032B003-0096/5033B003-0445				330-2010	330-1210	330-1410	330-1510	
MATRIX	5140B003-0585/5141B003-0312								
	(*) 5140B003-0585/5141B003-5451			330-1620					
	5140B003-0096/5141B003-0107						330-1610		
RETRO	(*) 5140B003-0096/5141B003-5450						330-1610		
	5161B003-0585/5162B003-0312			330-1620					
	(*) 5161B003-0585/5162B003-5451			330-1620					
	5161B003-0096/5162B003-0107						330-1610		
	(*) 5161B003-0096/5162B003-5450	330-2020	330-1220	330-1420			330-1610		
EURA	5168B003-0313/5162B003-0312				330-2010	330-1210	330-1410	330-1510	
	5168B003-0313/5162B003-0107							330-6011	
	(*) 5210B003-5155								
	6224B003-0585/6414B003-0112	330-2020	330-1220	330-1420					
	6224B003-0096/6414B003-0107				330-2010	330-1210	330-1410	330-1510	
SUNRISE	6924B003-0313/6414B003-0112	330-2020	330-1220	330-1420					
	6924B003-0313/6414B003-0107				330-2010	330-1210	330-1410	330-1510	
	5388B003-0096/5390B003-0107								
	(*) 5388B003-0096/5390B003-5450						330-1610		
	5388B003-0585/5390B003-0312			330-1620					
FORM 500	(*) 5388B003-0585/5390B003-5451			330-1620					
	5388B003-0313/5390B003-0107						330-1610		
	(*) 5388B003-0313/5390B003-5450								
	5388B003-0313/5390B003-0312			330-1620					
	(*) 5388B003-0313/5390B003-5451	330-2020	330-1220	330-1420					
FORM 300	4300B003-0585/4301B003-0112								
	4300B003-0096/4301B003-0107	330-2020	330-1220	330-1420	330-2010	330-1210	330-1410	330-1510	
	4303B003-0075/4301B003-0112								
S50	4303B003-0075/4301B003-0107	330-2020	330-1220	330-1420	330-2010	330-1210	330-1410	330-1510	
	5226LXXX-0075/5227LXXX-0312								
	5226LXXX-0075/5227LXXX-0107				330-2010	330-1210	330-1410		
	5321LXXX-0075/5322LXXX-0107							330-1610	
	(*) 5321LXXX-0075/5322BXXX-5450							330-1610	
S20	5321LXXX-0075/5322LXXX-0312								
	(*) 5321LXXX-0075/5322BXXX-5451								
	5332LXXX-0096/5322LXXX-0107							330-1610	
	(*) 5332LXXX-0096/5322BXXX-5450							330-1610	
	5332LXXX-0585/5322LXXX-0312								
NORMUS	(*) 5332LXXX-0585/5322BXXX-5451								
	5427LXXX-0096/5428LXXX-0107							330-1610	
	(*) 5427LXXX-0096/5428BXXX-5450							330-1610	
	5427LXXX-0585/5428LXXX-0312								
	(*) 5427LXXX-0585/5428BXXX-5451								
ARKITEKT	5424LXXX-0075/5428LXXX-0107							330-1610	
	(*) 5424LXXX-0075/5428BXXX-5450							330-1610	
	5424LXXX-0075/5428LXXX-0312								
	(*) 5424LXXX-0075/5428BXXX-5451								
	5512LXXX-0096/5514LXXX-0107							330-1610	
S20	(*) 5512LXXX-0096/5514LXXX-5450							330-1610	
	5512LXXX-7200/5514LXXX-0312								
	(*) 5512LXXX-7200/5514LXXX-5451								
	5510LXXX-0075/5514LXXX-0107							330-1610	
	(*) 5510LXXX-0075/5514LXXX-5450							330-1610	
NORMUS	5510LXXX-0075/5514LXXX-0312								
	(*) 5510LXXX-0075/5514LXXX-5451								
	5511LXXX-0075/5514LXXX-0107							330-1610	
	(*) 5511LXXX-0075/5514LXXX-5450							330-1610	
	5511LXXX-0075/5514LXXX-0312								
S20	(*) 5511LXXX-0075/5514LXXX-5451								
	5293LXXX-0075/5422BXXX-0107								
	(*) 5293LXXX-0075/5422BXXX-5450							330-1610	
	5293LXXX-0075/5422BXXX-0312								
	(*) 5293LXXX-0075/5422BXXX-5451								
NORMUS	6575LXXX-0075/6656LXXX-0112	330-2020	330-1220	330-1420					
	6575LXXX-0075/6656LXXX-0107				330-2010	330-1210	330-1410	330-1510	
	5110LXXX-0075/6656LXXX-0621	330-2020	330-1220	330-1420					
	5110LXXX-0075/6656LXXX-0622				330-2010	330-1210	330-1410	330-1510	
	5213LXXX-0075/6656LXXX-0621	330-2020	330-1220	330-1420					
S20	5213LXXX-0075/6656LXXX-0622				330-2010	330-1210	330-1410	330-1510	
	5111LXXX-0075/6656LXXX-0621	330-2020	330-1220	330-1420					
	5111LXXX-0075/6656LXXX-0622				330-2010	330-1210	330-1410	330-1510	
	6442LXXX-0313/6211LXXX-0312	330-2020	330-1220	330-1420					
	6442LXXX-0313/6211LXXX-0107				330-2010	330-1210	330-1410	330-1510	
ARKITEKT	6441LXXX-0313/6211LXXX-0312	330-2020	330-1220	330-1420					
	6441LXXX-0313/6211LXXX-0107				330-2010	330-1210	330-1410	330-1510	
	6611LXXX-0075/6890LXXX-0110				330-2010	330-1210	330-1410	330-1510	
	6611LXXX-0075/6823LXXX-0111				330-2010	330-1210	330-1410	330-1510	
	6623LXXX-0838/4221LXXX-0112	330-2020	330-1220	330-1420					
S20	6623LXXX-0838/4221LXXX-0107				330-2010	330-1210	330-1410	330-1510	
	(*) 6623LXXX-0838/4232LXXX-5329				330-2010	330-1210	330-1410	330-1510	
	4035BXXX-0858/4221BXXX-0112	330-2020	330-1220	330-1420					
	4035BXXX-0859/4221BXXX-0107				330-2010	330-1210	330-1410	330-1510	
	(*) 5195B003-0075/5402B003-5332								
S20	(*) 5196B003-0075/5402B003-5332								
	(*) 5074B003-0075/5055B003-5219								
	(*) 5076B003-0075/5055B003-5219								
	(*) 5065B003-0101/5066B003-5280								
	(*) 5068B003-0075/5070B003-5320								
S20	(*) 5069B003-0075/5070B003-5320								
	(*) 5232B003-0075/5070B003-5320								
	(*) 5178B003-5255								
	6927BXXX-0075/6647BXXX-0107				330-2010	330-1210	330-1410	330-1510	
	6927BXXX-0075/6647BXXX-0112	330-2020	330-1220	330-1420					
SPECIAL NEED'S WC PANS	6927BXXX-0927/6647BXXX-0107				330-2010	330-1210	330-1410	330-1510	
	6927BXXX-0927/6647BXXX-0112	330-2020	330-1220	330-1420					
	6927BXXX-0927/6647BXXX-0107				330-2010	330-1210	330-1410	330-1510	

(*) Cistern mechanism is included.

Flushers compatible with WC pans, squatting pans and urinals

			FLUSHERS																
			For WC pans		For squatting pans		For urinals												
							2/4 L Flushing										1 L Flushing		
							310-1510	310-1531	310-1520	310-1540	310-2510	310-2521	310-253X	310-3310	310-21XX	310-22XX	310-23XX	310-3010	310-3020
WC PANS	ESPACE	4201																	
	T4	4464																	
		4465																	
	NUOVA	5030																	
		5038																	
	MATRIX	5138																	
		5139																	
		5173																	
	RETRO	5160																	
		5159																	
		5216																	
	EURA	6573																	
		6270																	
	FORM 500	4304																	
		4305																	
	FORM 300	5238																	
		5247																	
		5248																	
	S50	5335																	
		5336																	
		5323																	
		5318																	
		5319																	
		5320																	
	S20	5505																	
		5507																	
		5506																	
		5298																	
		5520																	
		5517																	
		5518																	
	5516																		
NORMUS	6858																		
	6888																		
	6859																		
	6860																		
	6855																		
ARKITEKT	5091																		
	5092																		
	6060																		
	6553																		
	6875																		
	6105																		
	6107																		
	4074																		
	6540																		
SPECIAL NEED'S WC PANS	6107																		
	6995																		
	5336																		
	5112																		
	6624																		
CHILD WC PANS	4074																		
	5126																		
	6047																		
6877																			
URINALS	MATRIX	5128B003-0199																	
	RETRO	5218B003-0199																	
		5218B003-6030																	
	S50	5330B003-0199																	
		5330B003-0198																	
	S20	5462B003-0198																	
		5462B003-0199																	
		5461B003-0199																	
	ARKITEKT	4283BXXX-0198																	
		4283BXXX-0199																	
4017BXXX-0309																			
4017BXXX-6034																			
6563BXXX-0198																			
6663BXXX-0199																			
6201BXXX-0199																			
6202BXXX-0198																			
SQUATTING PANS	6814LXXX-0054																		
	6204LXXX-0054																		
	6206LXXX-0053																		
	6206LXXX-0054																		

Special needs equipments compatible with sanitaryware products

	Product code	Special needs equipments					
		320-1010 320-2010 320-2011	320-1020 320-2020	320-1030 320-2030	320-1060 320-2060	320-1080 320-1140 320-2080	320-1130
WASHBASINS	5290BXXX-XXXX						
	5292BXXX-XXXX						
	5072B003-0001						
	6147BXXX-0001						
	6256BXXX-0041						
SHOWER TRAYS	4235LXXX-0578						
WC PANS	6927BXXX-0075 / 6647BXXX-0112						
	6927BXXX-0075 / 6647BXXX-0107						
	6927BXXX-0927 / 6647BXXX-0112						
	6927BXXX-0927 / 6647BXXX-0107						
	5065BXXX-0101 / 5066BXXX-5280						
	4074LXXX-0087						
	6624LXXX-0075						
	5126LXXX-0075						
	5336BXXX-0075						
	5112BXXX-0075						
	5293BXXX-0075/5422BXXX-0107						
	5421LXXX-0088						
	5298LXXX-0075						
	5296LXXX-0075						
5297LXXX-0075							

Modular plastic grab bars compatibility table

Product code	320-2101	320-2102	320-2103	320-2104	320-2105	320-2106	320-2107
320-2101	NOT COMPATIBLE				✓	✓	✓
320-2102	NOT COMPATIBLE				✓	✓	✓
320-2103	NOT COMPATIBLE				✓	✓	✓
320-2104	NOT COMPATIBLE				✓	✓	✓
320-2105	✓	✓	✓	✓	NOT COMPATIBLE		
320-2106	✓	✓	✓	✓	NOT COMPATIBLE		
320-2107	✓	✓	✓	✓	NOT COMPATIBLE		

Head Offices

VitrA Bathroom Group

Eczacıbaşı Yapı Gereçleri San. ve Tic. A.Ş.

Ali Kaya Sok. No:7

34394 Levent İstanbul / Turkey

T: +90 212 350 80 00

F: +90 212 350 85 80

www.vitra.com.tr

Sales Offices

TURKEY

Intema A.Ş.

Ali Kaya Sok. No:7

34394 Levent İstanbul / Turkey

T: +90 212 350 80 00

F: +90 212 350 85 80

CENTRAL EUROPE

Agrippinawerft 24

50678, Cologne / Germany

T: +49 (0) 221 / 27 73 68-0

F: +49 (0) 26 22 / 88 95-500

www.vitra-bad.de

UK&IRELAND

VitrA U.K. Limited

Park 34, Collett Way, Didcot

Oxon OX117 WB / U.K.

T: +44-1235 75 09 90

F: +44-1235 75 09 80

www.vitra.co.uk

USA&CANADA

VitrA USA Inc.

305 Shawnee North Drive

Suite 600 Suwane,

GA 30024 / USA

T: +1-770 904-6830

F: +1-770 904-6891

www.vitra-usa.com

RUSSIA&CIS

VitrA Russia

Taganskaya Str. 3,

TC "Tagansky Passazh", 3rd Floor

Moscow 109147 / RUSSIA

T: +7 495 640 44 14

F: +7 495 640 44 14

www.vitra-russia.ru

UAE

Representative Office

Jumeirah Business Centre 5

(JBC-5) Unit 1006

Jumeirah Lake Towers (JLT)

Dubai / UAE

T: +971-4457 24 76

T: +971-4457 24 67

BAHRAIN

Representative Office

P. O. Box 60091

Manama / Kingdom of BAHRAIN

T: +973 36 288 600

IRAQ

Representative Office

English Village Compound House

Gulan Street No:88

Erbil / IRAQ

T: +964 750 413 95 93

SAUDI ARABIA

Representative Office

P.O. BOX 2650

11461 Riyadh / SAUDI ARABIA

T: +966 536 955 435

LIBYA

Representative Office

Gergaresh Riad Hai Andulus

Tripoli / LIBYA

T: +218 21 477 05 15

F: +218 21 477 06 41

AZERBAIJAN & TURKMENISTAN

Representative Office

Fetelixan Xoyski N o: 86

Baku-Azerbaijan

T: +994 12 493 01 27

F: +994 12 598 32 72

Showrooms

SEPTEMBER 2011

Arklow Showroom

IDA Business Park Ballynattin
Arklow Co. Wicklow, IRELAND
T: (353-402) 26 514
F: (353-402) 91 355

Dublin Showroom

Unit N1, North Ring Business
Park Santry, Dublin, IRELAND
T: (353-1) 816 55 89
F: (353-1) 816 55 90

Cork Showroom

6 Lapps Quay, Cork, IRELAND
T: (353-0)21 - 4251434
F: (353-0)21 – 4273764

Atlanta Showroom

305 Shawnee North Drive
Suite 600 Suwanee GA
30024, USA
T: (1-770) 904 6173 - 904 6178
F: (1-770) 904 6891

Köln Showroom

Agrippinawerft 24
D-50678 Köln, Cologne, GERMANY
T: (49-221) 27 73 68-0
F: (49-2622) 88 95 500

Sofia Showroom

88, Bulgaria blvd.
1680 Sofia BULGARIA
T: (359-2) 854 83 05 - 06
F: (359-2) 854 83 09

Plovdiv Showroom

5.Dunav blvd.
4000 Plovdiv BULGARIA
T: (359) 32 511 608-9
F: (359) 32 511 620

Moscow Showroom

Taganskaya Str., 31
109147 Moscow, RUSSIA
T: (7-495) 967 65 06
F: (7-495) 967 65 06

Kazan Showroom

Dekabristov str, 83
420034 Kazan, RUSSIA
T: +7(843) 562-12-15
F: +7(843) 562-12-30

Serphukov Showroom

Borisovskoe Shosse, 111 RUSSIA
T: +7(496) 738 0607

Ekaterinburg Showroom

Krasnoarmeiskaya Str.,66
620026 Ekaterinburg, RUSSIA
T: +7(343) 357 30 48
+971-4457 24 67
F: +7(343) 357 30 48

VitrA