



SPRINKLER IRRIGATION

2007 PRODUCT CATALOG

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281
PHONE: (503) 692-5353 • FAX: (503) 692-5358
E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com



SPRINKLER IRRIGATION PRODUCTS 2007 CATALOG

EFFECTIVE: JUNE 1, 2007

**WADE'RAIN
P.O. BOX 23666
PORTLAND, OR 97281-3666**

**TEL: (503)692-5353
FAX: (503)692-5358**

**EMAIL: sales@waderain.com
WEBSITE: www.waderain.com**

SPRINKLER IRRIGATION PRODUCTS FEATURED IN THIS CATALOG

CONTENTS

- Handmove Pg. 1
- Mainline Pg. 11
- Valves Pg. 19
- Pump Access Pg. 33
- Tubing & Misc. Pg. 41
- Powerroll Pg. 53
- Parts Pg. 63
- Sprinkler-Big Gun Pg. 83
- Tape
- Pivot

PRESS-IN KNOB STYLE ALUMINUM LATERAL COUPLER SET

Complete set includes press-in coupler with 1" riser outlets, ring and latch with nuts and bolts. Fast-drain gaskets are standard in 3" and 4". Optional gaskets are available, see Parts Section. (2" supplied with M Gaskets).

Part Number	Size	List Price Ea.
1-2-1 P w/8-2SG	2"	\$ 26.48
1-3-1 P w/8-3SG	3"	29.48
1-4-1 P w/8-4USG	4"	38.56

Coupler only with Gasket

Part Number	Weight	Size	List Price Ea.
1-2-1 P	1.0 lbs	2"	\$ 20.30
1-3-1 P	1.4 lbs	3"	22.78
1-4-1 P	2.4 lbs	4"	29.55

WELD-ON KNOB STYLE ALUMINUM LATERAL COUPLER SET

Complete coupler set includes weld-on coupler with one-inch riser outlet, gasket and ring and latch with nuts and bolts. Fast drain gaskets are standard. Other gaskets are available, see Parts Section.

Part Number	Outlet	Size	List Price Ea.
1-3-1WO w/8-3SG	1"	3"	\$ 25.52
1-4-1WO w/8-4USG	1"	4"	32.84

Coupler only with Gasket

Part Number	Outlet	Size	Weight	List Price Ea.
1-3-1WO	1"	3"	1.2 lbs	\$ 19.34
1-4-1WO	1"	4"	1.8 lbs	23.83

Ring and Latch Assembly with Nut and Bolt

Ring and Latch Assembly for Automatic Lateral operation only (Hand Line)

Part Number	Weight	Size	List Price Ea.
8-2 SG	0.4 lbs	2"	\$ 6.18
8-3 SG	0.5 lbs	3"	6.70
8-4USG	0.9 lbs	4"	9.01

Ring and Latch Assembly for Positive Latch operation only (Solid Set & Fittings)

Part Number	Weight	Size	List Price Ea.
8-2 CX	0.4 lbs	2"	\$ 5.72
8-3 CX	0.5 lbs	3"	6.26
8-4UCX	0.9 lbs	4"	8.56



Standard End Plug with Positive Latch and Spring

Part Number	Weight	Size	List Price Ea.
5-2 CX	0.8 lbs.	2"	\$ 18.30
5-3 CX	1.3 lbs.	3"	19.28
5-4 CX	1.8 lbs.	4"	22.50

End Plugs for 3" and 4" Bolt-on Couplers

5-3 CS	1.3 lbs.	3"	18.82
5-4 CS	1.8 lbs.	4"	22.50

KNOB COUPLER FIELD TEES AND ELBOWS



Reversible Field Tees

Part Number	Weight	Size	List Price Ea.
2-2 MXFR	2.8 lbs.	2"	\$ 66.82
2-3 MXFR	3.8 lbs.	3"	77.27
2-4 MXFR	5.0 lbs.	4"	89.20



Reversible Field Elbows 90°

To order 45° elbows, add "45°" to part number.

Part Number	Weight	Size	45° List Price Ea.	90° List Price Ea.
3-2 MXFR	2.1 lbs.	2"	\$ 57.50	\$ 41.53
3-3 MXFR	2.8 lbs.	3"	69.09	53.13
3-4 MXFR	4.1 lbs.	4"	87.84	71.88

KNOB COUPLER FIELD REDUCERS, FABRICATED END TEES



Field Reducer Male x Female


Other sizes available upon request.

Part Number	Weight	Size	List Price Ea.
4-3-2 FC*	1.6 lbs.	3" M x 2" F	\$ 59.63
4-4-2 FC	2.8 lbs.	4" M x 2" F	62.19
4-4-3 FC*	2.3 lbs.	4" M x 3" F	72.99

*no outlet

Fabricated End Tees

In-Line Tees and other sizes available upon request.



Description	Wgt.	List Price Ea.	Description	Wgt.	List Price Ea.
① ② ③ 2Fx2Fx2M ...	2.6 lbs. ...	\$ 67.10	① ② ③ 4Fx4Fx4M ...	6.4 lbs. ...	\$ 82.96
2Fx2Fx3M ...	2.8 lbs. ...	68.38	4Fx4Fx5M ...	7.3 lbs. ...	91.25
3Fx3Fx3M ...	3.5 lbs. ...	73.30	4Fx4Fx6M ...	8.6 lbs. ...	144.24
3Fx3Fx4M ...	4.9 lbs. ...	75.08			

DOUBLE END FIELD FITTINGS FOR KNOB COUPLERS



Field Tees

One-inch outlet on field tee standard.

Part Number	Weight	Size	List Price Ea.
2-2 FC	2.1 lbs.	2"	\$ 75.11
2-3 FC	2.3 lbs.	3"	83.41
2-4 FC	4.2 lbs.	4"	107.44



Field Elbows 90°

To order 45° elbows, add — "45°" to part number.

Part Number	Weight	Size	45° List Price Ea.	90° List Price Ea.
3-2 FC	1.6 lbs.	2"	\$ 70.23	\$ 54.89
3-3 FC	2.6 lbs.	3"	88.64	72.67
3-4 FC	3.1 lbs.	4"	102.73	86.76




Reducing Couplers

One-inch outlet on field reducers standard through 5".
Other sizes available upon request.

Part Number	Weight	Size	List Price Ea.
4-3-2 C	2.1 lbs.	3" x 2"	\$ 51.93
4-4-2 C	2.3 lbs.	4" x 2"	56.48
4-4-3 C	2.6 lbs.	4" x 3"	63.64

BOLT-ON AND DOUBLE END COUPLERS



Bolt-On Lateral Coupler

Coupler includes Lateral Line Gasket and Chevron Gasket for bolt-on end and "C" series half clamp with nuts and bolts. One-inch riser outlet standard.

Part Number	Weight	Size	List Price Ea.
1-2-1 S	1.4 lbs.	2"	\$ 25.74
1-3-1 S	1.8 lbs.	3"	33.86
1-4-1 S	2.5 lbs.	4"	41.36

For larger sizes, see Mainline Section.



Double End Lateral Coupler

Coupler includes Lateral Line Gaskets and one-inch riser outlet.

Part Number	Weight	Size	List Price Ea.
1-2-1 C	1.5 lbs.	2"	\$ 27.96
1-3-1 C	1.9 lbs.	3"	37.50
1-4-1 C	2.3 lbs.	4"	45.46

For larger sizes, see Mainline Section.

PRESS-IN SHORT HOOK ALUMINUM COUPLERS W/STOPS

Complete set includes press-in coupler, ring and latch with nut, bolt and spacer washer. 3/4" riser outlet is standard. 1" riser outlet optional on 3" size only. Non-drain gasket is standard. Other gaskets available, see Parts Section.

NOTE: PHS couplers have internal stop. Use PSS couplers if internal stop is not required.



Part Number	Size	Outlet Size	List Price Ea
1-2-3/4 PHS w/8-2 HS	2"	3/4"	\$ 25.03
1-3-3/4 PHS w/8-3 HS	3"	3/4"	28.64
1-3-1 PHS w/8-3 HS	3"	1"	28.64

Coupler only with Gasket

Part Number	Weight	Size	List Price Ea.
1-2-3/4 PHS	1.0 lbs.	2"	\$ 19.92
1-3-3/4 PHS	1.6 lbs.	3"	22.71
1-3-1 PHS	1.6 lbs.	3"	22.71

NOTE: Recommended for solid-set application only. Use PSS coupler for handmove applications.

WELD-ON SHORT HOOK ALUMINUM COUPLERS W/STOPS

Complete set includes weld-on coupler, ring and latch with nut, bolt and spacer washer. 3/4" riser outlet is standard. 1" riser outlet optional on 3" size only. Non-drain gasket is standard. Other gaskets available, see Parts Section.

NOTE: WHS couplers have internal stop. Use WSS couplers if internal stop is not required.



Part Number	Size	Outlet Size	List Price Ea.
1-3-3/4 WHS w/8-3 HS	3"	3/4"	\$ 27.18
1-3-1 WHS w/8-3 HS	3"	1"	27.18

Coupler only with Gasket

Part Number	Weight	Size	List Price Ea.
1-3-3/4 WHS	1.6 lbs.	3"	\$ 21.25
1-3-1 WHS	1.6 lbs.	3"	21.25


NOTE: Recommended for solid-set application only. Use PSS coupler for handmove applications.

Ring and Latch Assembly with Nut and Bolt

Part Number (1/4" thick latch)	Weight	Size	List Price Ea.
8-2 HS	0.4 lbs.	2"	\$ 5.11
8-3 HS	0.5 lbs.	3"	5.93

SHORT HOOK COUPLER END PLUGS — Use 5-2 SS or 5-3 SS (See next page)

PRESS-IN SHORT HOOK ALUMINUM COUPLERS W/O STOPS



Complete set includes press-in PSS coupler without stop. Includes ring and latch with spring, nut and bolt. 1" riser outlet is optional on 3" size only. Non-drain gasket is standard.

Other gaskets are available, see Parts section.

NOTE: PSS couplers do NOT have internal stop. Use PHS coupler if internal stops are required.

Part Number	Outlet Size	Size	List Price Ea.
1-2-3/4 PSS w/8-2SS-SP	3/4"	2"	\$ 26.59
1-3-3/4 PSS w/8-3SS-SP	3/4"	3"	29.78
1-3-1 PSS w/8-3SS-SP	1"	3"	29.78

Coupler only with Gasket

Part Number	Weight	Size	List Price Ea.
1-2-3/4 PSS	1.0 lbs.	2"	\$ 20.03
1-3-3/4 PSS	1.4 lbs.	3"	22.64
1-3-1 PSS	1.4 lbs.	3"	22.64

WELD-ON SHORT HOOK ALUMINUM COUPLERS W/O STOPS



Complete set includes weld-on WSS coupler without stop. Includes ring and latch with spring, nut and bolt. 1" riser outlet is optional on 3" size only. Non-drain gasket is standard.

Other gaskets are available, see Parts section.

NOTE: WSS couplers do NOT have internal stop. Use WHS coupler if internal stops are required.

Part Number	Outlet Size	Size	List Price Ea.
1-3-3/4 WSS w/8-3SS-SP	3/4"	3"	\$ 28.30
1-3-1 WSS w/8-3SS-SP	1"	3"	28.30

Coupler only with Gasket

Part Number	Weight	Size	List Price Ea.
1-3-3/4 WSS	1.4 lbs.	3"	\$ 21.16
1-3-1 WSS	1.4 lbs.	3"	21.16

Ring and Latch Assembly with Nut and Bolt




Part Number	Weight	Size	List Price Ea.
No Spring (1/4" thick latch)			
8-2 SS	0.4 lbs.	2"	\$ 5.39
8-3 SS	0.5 lbs.	3"	6.11
With Spring (1/4" thick latch)			
8-2 SS-SP	0.4 lbs.	2"	\$ 6.56
8-3 SS-SP	0.5 lbs.	3"	7.14

Short Hook Coupler End Plug with Spring

Part Number	Weight	Size	List Price Ea.
5-2 SS	0.8 lbs.	2"	\$ 18.30
5-3 SS	1.3 lbs.	3"	19.26

LONG HOOK ALUMINUM COUPLER SETS

Complete set includes press-in coupler, ring and latch with nut, bolt and spacer washer. 1" riser outlet and fast-drain gasket standard on 3" and 4" size only. 3/4" outlet and slow-drain gasket standard on 2" size. Other gaskets available, see Parts Section.



Part Number	Size	List Price Ea.
1-2-3/4 PHL w/8-2 HL	2"	\$ 25.74
1-3-1 PHL w/8-3 HL	3"	29.60
1-4-1 PHL w/8-4UHL	4"	38.24

Coupler only with Gasket

Part Number	Weight	Size	List Price Ea.
1-2-3/4 PHL	1.0 lbs.	2"	\$ 19.89
1-3-1 PHL	1.8 lbs.	3"	23.01
1-4-1 PHL	2.5 lbs.	4"	29.55

**Ring & Latch with Nut, Bolt, Spacer Washer**

Part Number	Weight	Size	List Price Ea.
8-2 HL	0.6 lbs.	2"	\$ 5.85
8-3 HL	0.7 lbs.	3"	6.59
8-4 UHL	1.1 lbs.	4"	8.69

**Long Hook Coupler End Plug with Spring**


Part Number	Weight	Size	List Price Ea.
5-2 G	0.9 lbs.	2"	\$ 18.30
Note: For 3" size see 5-3 HU below			
5-4 G	2.1 lbs.	4"	22.50

**Universal Hook Style End Plug**

Part Number	Weight	Size	List Price Ea.
5-3 HU	1.4 lbs.	3"	\$ 18.86

WELD-ON UNIVERSAL HOOK STYLE COUPLER SET

RFR PAD



8-3RHUS

Complete set includes weld-on coupler with 3/4" riser outlet, gasket and assembled spring-loaded weld-on latch pad or ring & latch.

Non-drain chevron style gasket is standard.

Part Number	Size	List Price Ea.
-------------	------	----------------

RFR 300 W (Includes RFR PAD)	3"	\$ 22.13
------------------------------------	----	----------


RFR 300 W w/8-3RHUS	3"	23.19
---------------------------	----	-------

Coupler only with Gasket

RFR 300 WG	3"	\$ 17.39
------------------	----	----------

PRESS-IN UNIVERSAL HOOK STYLE COUPLER SET

RFR PAD



8-3RHUS

Complete set includes press-in coupler with 3/4" steel riser outlet, gasket and assembled spring-loaded weld-on latch pad or ring & latch.

Non-drain chevron style gasket is standard.


Part Number	Size	List Price Ea.
-------------	------	----------------

1-3-3/4 UP w/RFR PAD	3"	\$ 23.54
----------------------------	----	----------

1-3-3/4 UP w/8-3RHUS	3"	24.60
----------------------------	----	-------

Coupler only with Gasket

1-3-3/4 UP	3"	\$ 18.80
------------------	----	----------

Universal Male EndRFR PAD
w/Spring8-3RHUS
w/Spring

Part Number	Weight	Size	List Price Ea.
-------------	--------	------	----------------

RFR PAD (Weld-On)	0.6 lbs.	3"	\$ 4.74
-------------------------	----------	----	---------


8-3RHUS (Bolt-On R&L)	0.7 lbs.	3"	\$ 5.80
-----------------------------	----------	----	---------

End Plug see page 6

Gaskets see Parts Section

WELD-ON ALUMINUM DROP-LOCK COUPLER SETS

Complete coupler set includes weld-on coupler with 1" steel riser outlet, gasket and bolt-on male end. Non-drain chevron style gasket is standard.




Part Number	Outlet Size	Size	List Price Ea.
PLCR 300 W	1"	3"	\$ 19.15

Coupler only with Gasket

Part Number	Weight	Size	List Price Ea.
PLCR 300 WG	1.4 lbs.	3"	\$ 14.55

PRESS-IN ALUMINUM DROP-LOCK COUPLER SETS

Complete coupler set includes press-in coupler, gasket and bolt-on male end. 1" steel riser outlet and non-drain chevron style gaskets are standard.



Part Number	Weight	Size	List Price Ea.
PLCR 200	2.0 lbs.	2"	\$ 29.88
PLCR 300	3.0 lbs.	3"	22.03
PLCR 400	4.0 lbs.	4"	34.41

Coupler only with Gasket


PLCR 200 G	1.7 lbs.	2"	\$ 21.68
PLCR 300 G	2.6 lbs.	3"	17.43
PLCR 400 G	3.5 lbs.	4"	23.53

Drop-Lock Male End

Nut and bolt included.



Part Number	Weight	Size	List Price Ea.
PLML 200	0.3 lbs.	2"	\$ 8.19
PLML 300	0.4 lbs.	3"	4.61
PLML 400	0.5 lbs.	4"	10.88

Drop-Lock End Plug

Part Number	Weight	Size	List Price Ea.
1710-1	0.5 lbs.	2"	\$ 21.35
1711-1	0.8 lbs.	3"	16.71
1994-1	1.8 lbs.	4"	36.75


Gaskets see Parts Section

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com


HOOK COUPLER FIELD TEES, ELBOWS



Reversible Field Tees

For PHL Long Hook couplings and PHS Short Hook couplings.

Part Number	Weight	Size	List Price Ea.
2-2 MXFR-HS	2.8 lbs.	2"	\$ 66.82
2-3 MXFR-HS	3.8 lbs.	3"	77.27
2-4 MXFR-HS	5.1 lbs.	4"	89.21




Reversible Field Elbows 90°

For PHL Long Hook couplings and PHS Short Hook couplings.
To order 45° elbow, add "45°" to part number.

Part Number	Weight	Size	45° List Price Ea.	90° List Price Ea.
3-2 MXFR-HS	2.1 lbs.	2"	\$ 57.50	\$ 41.53
3-3 MXFR-HS	2.9 lbs.	3"	69.09	53.13
3-4 MXFR-HS	4.1 lbs.	4"	87.84	71.88

REDUCERS AND END TEES FOR SHORT HOOK COUPLERS




Short Hook Field Reducers — Male by Female

For PHS Short Hook couplings.
Other sizes available upon request.

Part Number	Weight	Size	List Price Ea.
4-3-2 FC-HS	2.2 lbs.	3M x 2F	\$ 59.66
4-4-3 FC-HS	3.3 lbs.	4M x 3F	72.96
4-4-2 FC-HS	2.3 lbs.	4M x 2F	75.80

Short Hook Fabricated End Tees

For PHS Short Hook couplings.
Other sizes available upon request.




Description	Weight	List Price Ea.
① ② ③		
2Fx2Fx2M-HS	2.7 lbs.	\$ 76.31
2Fx2Fx3M-HS	2.9 lbs.	77.84
3Fx3Fx3M-HS	4.1 lbs.	83.24


REDUCERS AND END TEES FOR LONG HOOK COUPLERS**Long Hook Field Reducers — Male by Female**

For PHL Long Hook couplers.

Other sizes available upon request.



Part Number	Weight	Size	List Price Ea.
4-3-2 FC-HL	2.4 lbs.	3M x 2F	\$ 59.66
4-4-3 FC-HL	3.4 lbs.	4M x 3F	72.96
4-5-4 FC-HL	4.3 lbs.	5M x 4F	89.09

**Long Hook Fabricated End Tees**


For use with PHL Long Hook couplers.

Other sizes available upon request.

Description	Weight	List Price Ea.
① ② ③		
2Fx2Fx2M-HL	2.6 lbs.	\$ 76.31
3Fx3Fx3M-HL	3.9 lbs.	83.24
3Fx3Fx4M-HL	5.8 lbs.	85.57
4Fx4Fx4M-HL	7.0 lbs.	91.42

CENTER RISER OUTLET WITH STABILIZER

Includes single 1" outlet Clamp set, "O" ring gasket, two nuts and bolts and stabilizer foot.




Part Number	Weight	Size	List Price Ea.
SCR 300	2.0 lbs.	3"	\$ 10.33
SCR 400	2.5 lbs.	4"	11.04


5" and larger, see Mainline Section.

ALUMINUM STABILIZER BAR FOR COUPLERS

Aluminum flat bar, 18" length, for mounting to coupler apron (nuts and bolts included)




Part Number	Weight	Size	List Price Ea.
9648	10 oz.	2"	\$ 5.68
9649	10 oz.	3"	5.68
9650	10 oz.	4"	5.68

**MAINLINE KNOB STYLE PRESS-IN ALUMINUM
COUPLER SET**

Standard coupler set includes MP series press-in coupler with Mainline Slow Drain Gasket, aluminum reinforcing band (5" & 6" only), ring and latch with nuts and bolts. Other gaskets available, see Parts Section. Optional HT series is rated for 150 PSI maximum operating pressure. (Double reinforcing bands standard on HT series only.)

Part Number	Size	List Price Ea.
1-4 MP 8-4UCX	4"	\$ 32.84
1-5 MP 8-5UDX	5"	43.35
1-6 MP 8-6UDX	6"	53.18
1-5 MP HT 8-5UDX.....	5"	52.79
1-6 MP HT 8-6UDX.....	6"	61.93


**Coupler only with Gasket and Reinforcing Band**

Part Number	Weight	Size	List Price Ea.
1-4 MP	2.4 lbs.	4"	\$ 24.32
1-5 MP	2.8 lbs.	5"	32.61
1-6 MP	3.4 lbs.	6"	39.66
1-5 MP HT	2.8 lbs.	5"	42.05
1-6 MP HT	3.4 lbs.	6"	48.41

**Ring and Latch with Nuts and Bolts for
Knob Series Mainline**

Part Number	Weight	Size	List Price Ea.
8-4UCX	1.0 lbs.	4"	\$ 8.52
8-5UDX	1.6 lbs.	5"	10.74
8-6UDX	1.8 lbs.	6"	13.52
8-7 SE	5.1 lbs.	7"	25.28
8-8 SF	5.9 lbs.	8"	30.63

Pressure Limit: 7" and 8" ring and latch listed above are limited to 75 psi maximum operating pressure. Use weld-on male ends for operating pressures between 75 psi and 125 psi on 7" and 8" Mainline fittings.

MAINLINE WELD-ON ALUMINUM COUPLER SETS**Knob Style Set**

Complete coupler set includes weld-on female coupler with Mainline Slow Drain gasket and bolt-on knob style ring and latch.

Part Number	Weight	List Price Ea.
-------------	--------	----------------

1-4-1 WO w/8-4UCX.....	2.8 lb.	\$ 32.33
------------------------	--------------	----------

1-5 WO w/8-5 UDX.....	3.2 lb.	38.24
-----------------------	--------------	-------

1-6 WO w/8-6 UDX.....	3.9 lb.	48.07
-----------------------	--------------	-------

Note: 4" size only has entrance apron and 1" outlet.

Weld-On Couplers Only (Rings & Latches-see above)


Part Number	Weight	List Price Ea.
-------------	--------	----------------

1-4-1 WO (1" Outlet)	1.8 lbs.	\$ 23.81
----------------------------	---------------	----------

1-5-1 WO (1" Outlet)	2.1 lbs.	52.50
----------------------------	---------------	-------

1-5 WO (No Outlet)	1.6 lbs.	27.50
--------------------------	---------------	-------

1-6 WO (No Outlet)	2.1 lbs.	34.55
--------------------------	---------------	-------




Complete coupler set includes coupler, Mainline Slow Drain Gasket, weld-on male end with latch, nut and bolt.

Description	Part No.	Weight	Size	List Price Ea.
-------------	----------	--------	------	----------------

Coupler Set	1-7 WO 8-7 WM	7"	\$ 75.00
-------------	---------------------	----------	----------

Coupler only	1-7 WO	2.9 lbs.	7"	48.30
--------------	--------------	---------------	----------	-------

Male end	8-7 WM	3.1 lbs.	7"	26.70
----------	--------------	---------------	----------	-------

Hook Style Set

Complete coupler set includes coupler, gasket, weld-on male end with hook, nut and bolt. This hook style coupler is designed to work with knob style systems. All field tees, elbows and reducers will work in line in a knob style system.

Description	Part No.	Weight	Size	List Price Ea.
-------------	----------	--------	------	----------------

Coupler Set	1-8 WO 8-8 WM	8"	\$ 87.78
-------------	---------------------	----------	----------

Coupler only	1-8 WO	4.4 lbs.	8"	54.77
--------------	--------------	---------------	----------	-------

Male end	8-8 WM	4.1 lbs.	8"	33.01
----------	--------------	---------------	----------	-------

Mainline End Plugs with Postive Latches


Part Number	Weight	Size	List Price Ea.
-------------	--------	------	----------------

5-4 CX	1.8 lbs.	4"	\$ 24.26
--------------	---------------	----------	----------

5-5 DX	2.3 lbs.	5"	31.53
--------------	---------------	----------	-------

5-6 DX	3.0 lbs.	6"	35.34
--------------	---------------	----------	-------



**High Pressure Mainline End Plugs**

Note: Cannot be inserted directly into double end tee valves.

Part Number	Weight	Size	List Price Ea.
*5-3 H	1.6 lbs.	3"	\$ 37.50
*5-4 H	2.5 lbs.	4"	41.53
*5-5 H	3.1 lbs.	5"	50.28
*5-6 H	3.8 lbs.	6"	57.10
5-7 H	7.6 lbs.	7"	72.33
5-8 H	10.5 lbs.	8"	87.22

* have Spring-Loaded Latches

**Double End Mainline Aluminum Couplers**

Use standard ring and latch or weld-on male ends, not included in price of coupler.

Part Number	Weight	Size	List Price Ea.
1-3 MC	2.0 lbs.	3"	\$ 31.02
1-4 MC	2.2 lbs.	4"	38.69
1-5 MC	3.2 lbs.	5"	50.17
1-6 MC	3.9 lbs.	6"	69.49
1-7 MC	5.8 lbs.	7"	83.92
1-8 MC	9.0 lbs.	8"	100.17

*8" Coupler has Hook Fitting

Double End Mainline Couplers with 1" Outlets

1-4-1C	2.3 lbs.	4"	45.46
1-5-1C	3.5 lbs.	5"	57.96
1-6-1C	4.1 lbs.	6"	77.61

MAINLINE KNOB COUPLER FIELD FITTINGS**Reversible Field Tees—Male by Female**

Part Number	Weight	Size	List Price Ea.
2-4 MXFR	5.0 lbs.	4"	\$ 89.21
2-5 MXFR	11.9 lbs.	5"	126.48
2-6 MXFR	14.0 lbs.	6"	157.73

Standard Field Tees—Female by Female by Female

Part Number	Weight	Size	List Price Ea.
2-4 FC	4.2 lbs.	4"	\$ 107.44
2-5 FC	6.6 lbs.	5"	134.09
2-6 FC	9.1 lbs.	6"	176.19

MAINLINE KNOB COUPLER FIELD FITTINGS (Cont.)**Reversible Field Elbows 90° — Male by Female**

To order 45° elbows, add "45°" to part number.



Part Number	Weight	Size	45° List Price Ea.	90° List Price Ea.
3-4 MXFR	4.1 lbs.	4"	\$ 88.30	\$ 71.88
3-5 MXFR	6.9 lbs.	5"	117.96	101.99
3-6 MXFR	9.1 lbs.	6"	140.68	124.72

**High Pressure Reversible Field Elbows 90°
— Male by Female**

Standard 5" and 6" elbow castings that have a 3-1/2" extension welded into the male end. This extension slides inside of the press neck on 5" and 6" mainline fittings and keeps the elbow from raising up under high pressure.

To order 45° elbows, add "45°" to part number.



Part Number	Weight	Size	45° List Price Ea.	90° List Price Ea.
3-5 MXFRHP	6.9 lbs.	5"	\$160.28	\$144.32
3-6 MXFRHP	9.1 lbs.	6"	194.83	178.86

Field Elbows 90° — Female by Female

To order 45° elbows, add "45°" to part number.

No 1" outlet on 45° elbow.



Part Number	Weight	Size	45° List Price Ea.	90° List Price Ea.
3-4 FC	3.1 lbs.	4"	\$ 102.73	\$ 86.76
3-5 FC	5.1 lbs.	5"	136.59	120.63
3-6 FC	7.5 lbs.	6"	168.47	152.50
3-7 FC (no 1" outlet)	8.0 lbs.	7"	206.99	191.02
3-8 FC (no 1" outlet)	11.0 lbs.	8"	244.49	228.52


MAINLINE KNOB COUPLER FIELD FITTINGS (Cont.)



Field Reducers— Male by Female

Other sizes available upon request.

Part Number	Weight	Size	List Price Ea.
4-5-3 FC (1" outlet)...	3.3 lbs.	5" M x 3" F	\$ 84.43
4-5-4 FC	2.8 lbs.	5" M x 4" F	89.21
4-6-4 FC (1" outlet)...	4.8 lbs.	6" M x 4" F	97.27
4-6-5 FC	4.9 lbs.	6" M x 5" F	109.77
4-7-6 FC	6.1 lbs.	7" M x 6" F	139.07
4-8-6 FC	7.5 lbs.	8" M x 6" F	182.57
4-8-7 FC	7.4 lbs.	8" M x 7" F	192.33




Field Reducers — Female by Female

Other sizes available upon request.

Part Number	Weight	Size	List Price Ea.
4-5-4 C	3.8 lbs.	5" x 4"	\$ 72.67
4-6-4 C (no 1" outlet)	4.2 lbs.	6" x 4"	117.10
4-6-5 C (no 1" outlet)	5.2 lbs.	6" x 5"	119.66
4-7-6 C (no 1" outlet)	5.6 lbs.	7" x 6"	156.36
4-8-7 C (no 1" outlet)	8.2 lbs.	8" x 7"	191.25

Fabricated End Tees

In-Line Tees and other sizes available upon request.



Description	Wgt.	List Price Ea.
① ② ③		
4Fx4Fx5M	7.3 lbs.	\$ 91.25
4Fx4Fx6M	8.6 lbs.	139.32
5Fx5Fx5M	7.3 lbs.	138.18
5Fx5Fx6M	7.7 lbs.	142.62
6Fx6Fx6M	8.8 lbs.	151.59
6Fx6Fx8M	14.5 lbs.	207.73
7Fx7Fx7M	12.5 lbs.	223.98
8Fx8Fx8M	19.0 lbs.	259.55



Bolt-On Repair Couplers

Coupler includes Gasket and Clamp with nuts and bolts.
One-inch riser outlet standard.

Part Number	Weight	Size	List Price Ea.
1-4-1 S	2.5 lbs.	4"	\$ 41.36
1-5-1 S	3.9 lbs.	5"	63.98
1-6-1 S	5.7 lbs.	6"	76.14

MAINLINE RING LOCK ALUMINUM COUPLERS (Cont.)

Complete coupler set includes weld-on coupler with Mainline Slow Drain Gasket, ring lock and weld-on male end. Other gaskets available.

Part Number	Size	List Price Ea.
1-6 R	6"	\$ 57.61
1-8 R	8"	70.14
1-10 R	10"	87.61

**Weld-On Female End Only with Gasket**

Part Number	Weight	Size	List Price Ea.
1-6 RF	2.4 lbs.	6"	\$ 25.97
1-8 RF	3.4 lbs.	8"	32.81
1-10 RF	4.1 lbs.	10"	41.27

**Weld-On Male End Only**

Part Number	Weight	Size	List Price Ea.
1-6 RM	1.3 lbs.	6"	\$ 17.22
1-8 RM	1.9 lbs.	8"	21.76
1-10 RM	2.6 lbs.	10"	27.09

**Ring Lock Only**

Part Number	Weight	Size	List Price Ea.
1-6 RL	2.2 lbs.	6"	\$ 14.42
1-8 RL	2.6 lbs.	8"	15.57
1-10 RL	3.3 lbs.	10"	19.25

For use with 6-8-10" ring lock couplers, tees, elbows, reducers and valves.

MAINLINE RING LOCK ALUMINUM FIELD FITTINGS**Ring Lock Field Elbow 90° — Male by Female**

45° elbows available on special order.


Part Number	Weight	Size	List Price Ea.
3-6 R	15.0 lbs.	6"	\$ 119.09
3-8 R	18.5 lbs.	8"	147.43
3-10 R	26.0 lbs.	10"	205.14

Ring Locks not included

**Ring Lock Reducers — Male by Female**

Part Number	Weight	Size	List Price Ea.
4-8-6R 8" to 6"	5.4 lbs.	8" x 6"	\$ 94.59
4-10-8R 10" to 8"	6.6 lbs.	10" x 8"	121.50

Ring Locks not included

**Ring Lock Fabricated Tees**

Part Number	Weight	Size	List Price Ea.
① ② ③ 6Fx6Fx6M-R	9.7 lbs.	6"	\$159.30
8Fx8Fx8M-R	11.5 lbs.	8"	196.73
10Fx10Fx10M-R	13.0 lbs.	10"	258.74

Ring Locks not included

**Ring Lock End Plugs**

Part Number	Weight	Size	List Price Ea.
5-6 R	1.9 lbs.	6"	\$ 68.36
5-8 R	2.8 lbs.	8"	81.10
5-10 R	3.2 lbs.	10"	117.56

Ring Locks not included

CENTER RISER OUTLET

Includes single 1" outlet Clamp set, "O" ring gasket and four nuts and bolts.

Part Number	Weight	Size	List Price Ea.
13-5	2.3 lbs.	5"	\$ 16.04
13-6	2.7 lbs.	6"	20.10
13-8	3.5 lbs.	8"	26.04

4" and smaller, see page 10 in Hand-Move/Solid-Set Section.

See Parts Section for Parts.

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

STANDARD 4"↑"P" SERIES ALUMINUM HYDRANT OUTWARD OPENING (↑)



4"↑ Hydrant with 3" Female Thread

For use with buried Mainline and threaded Male Riser. Inlet side is threaded standard female pipe size.

Part Number	Valve Size	Thread Size	Weight	List Price Ea.
7-4 PT	4"↑	3"F	3.2 lbs.	\$ 48.24
7-4 PF	4"↑	4"F	5.0 lbs.	55.40

4"↑ Press-In Hydrant

Hydrant may be pressed into 12 gauge or 14 gauge steel risers for welding into buried steel Mainline.



Part Number	Valve Size	Press Size	Weight	List Price Ea.
7-4 P	4"↑	4"	3.2 lbs.	\$ 39.09

Factory charge for pressing hydrant into riser \$ 6.15

Aluminum Thread Adapter

Adapter may be welded to 7-4 P, 7-4 PT, 7-4 U or 7-4 UT hydrant to convert hydrant to 4" female iron pipe thread on inlet side.



Part Number	Thread Size	Weight	List Price Ea.
7-4 FA	4" F	1.4 lbs.	\$ 28.52


Stamped Aluminum Saddle Valve Adapter



For 4" riser valves only.
Used in welding riser valves to aluminum mainline.

Part Number	Size	Weight	List Price Ea.
SVA 542	5"	.50 lbs.	\$ 7.02
SVA 642	6"	.50 lbs.	7.02
SVA 742	7"	.50 lbs.	7.02
SVA 842	8"	.50 lbs.	7.02
SVA 1042	10"	.50 lbs.	7.02

STANDARD 4"↑ ALUMINUM TEE VALVES OUTWARD OPENING (↑)



Press-In Series Mainline Tee Valves

For use with standard Knob Style Mainline Couplers. Includes aluminum reinforcing band and Mainline Slow Drain Gasket.

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-3-4 P (no Press Band)	3"	4"↑	4.10 lbs.	\$ 87.60
2-4-4 P (no Press Band)	4"	4"↑	5.10 lbs.	93.30
2-5-4 P	5"	4"↑	6.60 lbs.	104.32
2-6-4 P	6"	4"↑	7.80 lbs.	117.81



Male X Female Mainline Tee Valves

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-3-4 MXF-O (fabricated)	3"	4"↑	5.2 lbs.	\$ 111.23
2-4-4 MXF-O (fabricated)	4"	4"↑	7.0 lbs.	132.30
2-5-4 MXF-O (fabricated)	5"	4"↑	9.5 lbs.	161.90
2-6-4 MXF-O (cast)	6"	4"↑	11.5 lbs.	179.67

Weld-On Series Aluminum Mainline Tee Valves

For use with standard Mainline couplers. Includes Mainline Slow Drain Gasket. Refer to Parts Section for optional gaskets.



Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-7-4 WO	7"	4"↑	7.8 lbs.	\$141.90

Uses Knob Style 8-7WM Weld-On male end.
See Mainline coupler section.



2-8-4 WO	8"	4"↑	9.2 lbs.	\$165.26
----------------	----	-----	---------------	----------

Uses Hook Style 8-8WM Weld-On male end.
See Mainline coupler section.



2-10-4 WO	10"	4"↑	9.5 lbs.	\$194.42
-----------------	-----	-----	---------------	----------

See 1-10R Ringlock coupler in Mainline Section for male end and Ringlock Band.

**VALVE OPENERS FOR 4" ↑ "P" SERIES HYDRANTS AND TEES
KNOB STYLE LATERAL****OUTWARD OPENING (↑)**

Valve opener comes complete with locking lever, "L" gaskets at outlet, "F" gasket at base. Use with outward opening Mainline valves and Knob series lateral line.

**Valve Opening Elbows**

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
3-6-2 EH	4"↑	2"	8.8 lbs.	\$ 124.59
3-6-3 EH	4"↑	3"	8.6 lbs.	124.59
3-6-4 EH	4"↑	4"	9.4 lbs.	124.59
3-6-5 EH	4"↑	5"	10.2 lbs.	155.78
3-6-6 EH	4"↑	6"	11.3 lbs.	157.31

**Valve Opening Tees**

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
6-5-2 EH	4"↑	2"	9.0 lbs.	\$181.13
6-5-3 EH	4"↑	3"	9.0 lbs.	160.19
6-5-4 EH	4"↑	4"	10.8 lbs.	175.46
6-5-5 EH	4"↑	5"	12.0 lbs.	199.81

**VALVE OPENERS FOR 4" ↑ "P" SERIES HYDRANTS AND TEES
HOOK STYLE LATERAL****OUTWARD OPENING (↑)**

Valve openers come with locking lever, "L" gaskets at outlet, "F" gasket at base. For use with outward opening Mainline valves and Hook Style lateral.

**Valve Opening Elbows**

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
3-6-2 EHPH	4"↑	2"	9.0 lbs.	\$144.93
3-6-3 EHPH	4"↑	3"	9.2 lbs.	124.59
3-6-4 EHPH	4"↑	4"	9.3 lbs.	124.59

Valve Opening Tees

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
6-5-2 EHPH	4"↑	2"	10.4 lbs.	\$181.06
6-5-3 EHPH	4"↑	3"	10.4 lbs.	158.48
6-5-4 EHPH	4"↑	4"	10.6 lbs.	175.46



**RING LOCK 4"↑ ALUMINUM HYDRANT**
OUTWARD OPENING (↑)**4"↑ Ring Lock Hydrant with Female Thread**

Hydrant is for use with threaded male Riser.

Part Number	Valve Size	Thread Size	Weight	List Price Ea.
7-4 UT	4" ↑	3"F	3.5 lbs.	\$ 48.24
7-4 UF	4" ↑	4"F	4.2 lbs.	55.41

**4"↑ Ring Lock Press-In Hydrant**


Hydrant may be pressed into 12 gauge or 14 gauge steel risers for welding to steel Mainline.

Part Number	Valve Size	Press Size	Weight	List Price Ea.
7-4 U	4" ↑	4"	3.4 lbs.	\$ 39.09

**4"↑ Ring Lock Hydrant with Cast-On Saddle for Aluminum Pipe**

Hydrant designed for welding onto O. D. sized aluminum tubing in sizes shown.

Part Number	Valve Size	Tubing Size	Weight	List Price Ea.
7-4-6 US	4" ↑	6"	3.0 lbs.	\$ 41.00
7-4-8 US	4" ↑	8"	3.0 lbs.	41.00
7-4-10 US	4" ↑	10"	3.0 lbs.	41.00

**RING-LOCK TEE VALVES (Weld-On)**


Outward Opening (↑)

For use with Universal Type Valve Openers.

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-6-4 RU	6" ↑	4"	7.0 lbs.	\$ 110.71
2-8-4 RU	8" ↑	4"	8.9 lbs.	155.72
2-10-4 RU	10" ↑	4"	9.2 lbs.	174.08

Male Ends or Ring-Locks not included in pricing.

Refer to Mainline section for Ring-Locks.



RING-LOCK IN-LINE TEE VALVES

Male by Female Ring-Lock

For use with Universal Type Valve Openers .

Part Number	Line Size	Valve Size	Weight	List Price Ea.
2-6-4 MXF RU	6" ↑	4"	8.0 lbs	\$ 121.97
2-8-4 MXF RU	8" ↑	4"	9.5 lbs	180.34
2-10-4 MXF RU ..	10" ↑	4"	11.0 lbs	194.64

Ring-Locks not included in pricing.

Refer to Mainline section for Ring-Locks.

Valve Openers for Ringlock 4" Hydrants and Tees With Brass Valve Stem and Fork

For use with "Universal" style Hydrants and Tees.

"L" Gasket at outlet, "F" Gasket at base.


*Universal Locking Lever is attached to these fittings only.



3-6-3 U



6-5-3 U



3-6-3 UEH



6-5-3 UEH

Part Number	Valve Size	Lateral Size	Ship. Weight	List Price Ea.
-------------	------------	--------------	--------------	----------------

Valve Opening Elbows — Knob Style Lateral

3-6-2 U	4" ↑	2"	7.0 lbs.	\$ 116.43
*3-6-3 U	4" ↑	3"	7.1 lbs.	116.43
*3-6-4 U	4" ↑	4"	7.4 lbs.	116.43
3-6-5 U	4" ↑	5"	10.2 lbs.	135.91
3-6-6 U	4" ↑	6"	11.3 lbs.	177.63

Valve Opening Tees — Knob Style Lateral

6-5-2 U	4" ↑	2"	7.1 lbs.	\$ 171.58
6-5-3 U	4" ↑	3"	7.4 lbs.	145.46
6-5-4 U	4" ↑	4"	7.7 lbs.	175.46

Valve Opening Elbows — Hook Style Lateral

3-6-2 UEH	4" ↑	2"	7.1 lbs.	\$ 116.43
*3-6-3 UEH	4" ↑	3"	7.4 lbs.	116.43
3-6-4 UEH	4" ↑	4"	7.7 lbs.	116.43

Valve Opening Tees — Hook Style Lateral

6-5-2 UEH	4" ↑	2"	9.0 lbs.	\$ 171.58
6-5-3 UEH	4" ↑	3"	9.5 lbs.	145.46
6-5-4 UEH	4" ↑	4"	10.8 lbs.	175.40

Valve Openers for Ringlock 4" Hydrants and Tees With Crank Handle, Steel Valve Stem and Fork

For use with "Universal" style Hydrants and Tees.

"L" Gasket at outlet, "F" gasket at base.

3-6-3 US




Part Number	Valve Size	Lateral Size	Ship. Weight	List Price Ea.
-------------	------------	--------------	--------------	----------------

Valve Opening Elbows — Knob Style Lateral

3-6-2 US	4" ↑	2"	7.0 lbs.	\$ 103.33
* 3-6-3 US	4" ↑	3"	7.1 lbs.	103.33
* 3-6-4 US	4" ↑	4"	7.4 lbs.	103.33
3-6-5 US	4" ↑	5"	10.2 lbs.	123.74
3-6-6 US	4" ↑	6"	11.3 lbs.	160.58

*Universal Locking Lever is attached to these fittings only.

6-5-3 US



Valve Opening Tees — Knob Style Lateral

6-5-2 US	4" ↑	2"	7.1 lbs.	\$159.93
6-5-3 US	4" ↑	3"	7.4 lbs.	136.27
6-5-4 US	4" ↑	4"	7.7 lbs.	163.61

3-6-3 UEHS



Valve Opening Elbows — Hook Style Lateral

3-6-2 UEHS	4" ↑	2"	7.1 lbs.	\$ 103.33
* 3-6-3 UEHS	4" ↑	3"	7.4 lbs.	103.33
* 3-6-4 UEHS	4" ↑	4"	7.7 lbs.	103.33

*Universal Locking Lever is attached to these fittings only.

6-5-3 UEHS



Valve Opening Tees — Hook Style Lateral

6-5-2 UEHS	4" ↑	2"	9.0 lbs.	\$159.93
6-5-3 UEHS	4" ↑	3"	9.5 lbs.	134.00
6-5-4 UEHS	4" ↑	4"	10.8 lbs.	163.61

STANDARD 3" ↓ ALUMINUM TEE VALVES AND HYDRANTS INWARD OPENING (↓)



3" ↓ Hydrant with Female Thread

Part Number	Valve Size	Thread Size	Weight	List Price Ea.
7-3 D	3" ↓	3"F	4.6 lbs.	\$ 80.43

Standard 3" Tee Valves

Double Female Tees:

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-3-3 C	3" ↓	3"	5.4 lbs.	\$ 91.03
2-4-3 D	4" ↓	3"	5.5 lbs.	113.13




Male by Female Tees:

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-3-3MXF	3" ↓	3"	5.3 lbs.	\$ 92.13
2-4-3MXF	4" ↓	3"	6.1 lbs.	121.30



Use Knob style Ring and Latch. See Mainline coupler section

VALVE OPENERS FOR 3" ↓ HYDRANTS AND TEES INWARD OPENING (↓)




Valve opener comes complete with locking lever and gaskets. For use with inward opening Mainline valves and Knob series lateral line. "L" gasket at outlet, "F" gasket at base.

Valve Opening Elbows

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
3-4-2 E	3" ↓	2"	7.9 lbs.	\$ 112.42
3-4-3 E	3" ↓	3"	8.0 lbs.	112.42
3-4-4 E	3" ↓	4"	8.4 lbs.	143.14

Valve Opening Tees

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
6-3-2 E	3" ↓	2"	7.1 lbs.	\$153.41
6-3-3 E	3" ↓	3"	9.0 lbs.	168.41




**STANDARD 4" ↓ ALUMINUM TEE VALVES AND HYDRANTS
INWARD OPENING (↓)****4" ↓ Hydrant with Female Thread**

Part Number	Valve Size	Thread Size	Weight	List Price Ea.
7-4 D	4" ↓	4"F.....	6.8 lbs.....	\$ 118.07

**Standard 4" Tee Valves****Double Female Tees**

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-5-4 D	5"	4" ↓	8.9 lbs. ...	\$ 129.85
2-6-4 D	6"	4" ↓	11.7 lbs. ...	157.68

**Male by Female Tees**

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-5-4MXF.....	5"	4" ↓	10.1 lbs....	\$ 137.42
2-6-4MXF.....	6"	4" ↓	12.0 lbs....	160.65

Use Knob Style Ring and Latch. See Mainline coupler section.

**VALVE OPENERS FOR 4" ↓ HYDRANTS AND TEES
INWARD OPENING (↓)**

Valve Opener comes complete with locking lever and gaskets. For use with inward opening Mainline valves and Knob series lateral line. "L" gaskets at outlet, "F" gaskets at base.

Valve Opening Elbows

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
3-6-2 E	4" ↓	2".....	8.0 lbs.	\$ 124.51
3-6-3 E	4" ↓	3".....	9.0 lbs.	124.51
3-6-4 E	4" ↓	4".....	10.5 lbs.	124.51
3-6-5 E	4" ↓	5".....	9.5 lbs.	159.27
3-6-6 E	4" ↓	6".....	12.6 lbs.	159.27

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

**VALVE OPENERS FOR 4" ↓ HYDRANTS AND TEES (Cont.)
INWARD OPENING (↓)****Valve Opening Tees**

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
6-5-2 E	4" ↓	2"	11.4 lbs.	\$189.42
6-5-3 E	4" ↓	3"	11.7 lbs.	159.80
6-5-4 E	4" ↓	4"	11.7 lbs.	176.06
6-5-5 E	4" ↓	5"	12.0 lbs.	200.66

**Valve Opening Elbows and Tees for 4" Valves and
Hook Style Lateral**

Valve opener comes complete with locking lever and gaskets. For use with inward opening Mainline valves and Hook style laterals.

"L" gasket at outlet, "F" gasket at base.

Valve Opening Elbows

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
3-6-2 EPH	4" ↓	2"	8.0 lbs.	\$145.58
3-6-3 EPH	4" ↓	3"	9.0 lbs.	124.59
3-6-4 EPH	4" ↓	4"	10.5 lbs.	124.59

Valve Opening Tees

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
6-5-2 EPH	4" ↓	2"	11.4 lbs.	\$180.27
6-5-3 EPH	4" ↓	3"	11.7 lbs.	160.73
6-5-4 EPH	4" ↓	4"	11.7 lbs.	174.93

**6" ↓ ALUMINUM TEE VALVES AND HYDRANTS
INWARD OPENING (↓)****6" ↓ Hydrant with Female Thread**

Part Number	Valve Size	Thread Size	Weight	List Price Ea.
7-6 D	6" ↓	6"F	13.1 lbs.	\$155.39

**6" Tee Valves — Double End Female**

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-6-6 DS	6"	6" ↓	14.5 lbs.	\$242.59
2-7-6 DS	7"	6" ↓	15.5 lbs.	261.75
2-8-6 DS	8"	6" ↓	19.9 lbs.	269.41

**6" Tee Valve — Male X Female**

Part Number	Tubing Size	Valve Size	Weight	List Price Ea.
2-6-6 MXF	6"	6" ↓	15.0 lbs.	\$231.14

**VALVE OPENERS FOR 6" ↓ HYDRANTS AND TEES
INWARD OPENING (↓)**

"M" Gasket at outlet and base

**Valve Opening Elbows**

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
3-6-3 ES	6" ↓	3"	15.0 lbs.	\$ 220.22
3-6-4 ES	6" ↓	4"	15.4 lbs.	220.22
3-6-5 ES	6" ↓	5"	16.6 lbs.	220.22
3-6-6 ES	6" ↓	6"	16.8 lbs.	220.22
3-6-7 ES	6" ↓	7"	17.4 lbs.	264.32

**Valve Opening Tees**

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
6-6-5 ES	6" ↓	5"	11.9 lbs.	\$240.94
6-6-6 ES	6" ↓	6"	17.1 lbs.	240.94

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

3" FORMED STEEL HYDRANTS

OUTWARD OPENING (↑)

**Galvanized Hydrant Stub**

Part Number	Size	Style	Weight	List Price Ea.
7-3S	3"	Press	2.5 lbs.	\$ 35.99
7-3SF	3"	FIPT	4.2 lbs.	55.83

VALVE OPENERS FOR 3" HYDRANTS

OUTWARD OPENING (↑)

**Valve Opening Elbows and Tees - Knob Style**

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
-------------	------------	--------------	--------	----------------

Elbows:

3-4-2 EH	3" ↑	2"	6.4 lbs.	\$ 112.48
3-4-3 EH	3" ↑	3"	7.5 lbs.	112.48
3-4-4 EH	3" ↑	4"	8.0 lbs.	143.00

Tees:

6-3-2 EH	3" ↑	2"	7.7 lbs.	140.46
6-3-3 EH	3" ↑	3"	8.0 lbs.	140.46

**Valve Opening Elbow and Tees - Hook Style**

Part Number	Valve Size	Lateral Size	Weight	List Price Ea.
-------------	------------	--------------	--------	----------------

Elbows:

3-4-2 EHPH	3" ↑	2"	6.4 lbs.	\$ 141.09
3-4-3 EHPH	3" ↑	3"	7.5 lbs.	136.61

Tees:

6-3-2 EHPH	3" ↑	2"	6.8 lbs.	148.88
6-3-3 EHPH	3" ↑	3"	7.65 lbs.	148.88



**GALVANIZED STEEL SADDLE RISER VALVE ASSEMBLIES
WITH ALUMINUM HYDRANT**

For use with PVC Underground Pipe.
Complete with Gasket and Fasteners.

**Standard 4" Saddle Riser with 4" "P" Series
Hydrant Installed (36" Riser Height)***

Part Number	Saddle Size	Weight	List Price Ea.
7-436-5P	5"	22.5 lbs.	\$ 125.30
7-436-6P	6"	25.0 lbs.	125.25
7-436-8P	8"	27.0 lbs.	127.76
7-436-10P	10"	29.5 lbs.	137.22
7-436-12P	12"	31.8 lbs.	155.34

**Universal 4" Saddle Riser with 4" "U" Series
Hydrant Valve Installed (36" Riser Height)***


Part Number	Saddle Size	Weight	List Price Ea.
7-436-5U	5"	22.5 lbs.	\$ 125.30
7-436-6U	6"	25.0 lbs.	125.25
7-436-8U	8"	27.0 lbs.	127.76
7-436-10U	10"	29.5 lbs.	137.22
7-436-12U	12"	31.8 lbs.	155.34

Note: 6" pipe size uses 3-3/4" hole saw. 8" - 12" sizes use 4" hole saw.

* Other riser heights available, consult factory.

SADDLE OUTLETS (Clamp-On)**Epoxy Coated for PVC Pipe**

Saddles supplied with gaskets, fasteners and IPT threaded outlets.
125 PSI maximum pressure.



Part Number	Pipe Size	Outlet Size	Weight	List Price Ea.
-------------	-----------	-------------	--------	----------------

For "PT" and "UT" Series Hydrants (Hydrant not included)

SSE-TF-36	6"	3"	11.0 lbs.	\$ 84.72
SSE-TF-38	8"	3"	12.0 lbs.	93.15
SSE-TF-310	10"	3"	15.0 lbs.	108.50
SSE-TF-312	12"	3"	17.0 lbs.	121.84
SSE-TF-315	15"	3"	19.0 lbs.	147.34

For "PF" and "UF" Series Hydrants (Hydrant not included)

SSE-TF-46	6"	4"	12.0 lbs.	\$ 92.28
SSE-TF-48	8"	4"	13.0 lbs.	98.39
SSE-TF-410	10"	4"	16.0 lbs.	113.71
SSE-TF-412	12"	4"	18.0 lbs.	127.03
SSE-TF-415	15"	4"	20.0 lbs.	154.05

Note: 6" pipe size uses 3-3/4" hole saw. 8" - 15" sizes use 4" hole saw.

Parts for Saddle Valves**Gaskets, nuts and bolts**

Part Number	Pipe Size	List Price Ea.
3-3/4SG (Gasket)	6" only	\$4.42
4SG (Gasket)	8", 10", 12", 15"	4.82
PSF (Package of 10 nuts and bolts per saddle)		6.32

FOR IPS, PIP PVG, STEEL AND ALUMINUM TUBING

**COMPLETE LINE OF EPOXY AND GALVANIZED
UNDERGROUND FITTINGS AVAILABLE.
CALL FACTORY FOR INFORMATION.**

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358


E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

**Cast Aluminum Foot Valves**

Foot Valves have dresser type connection for use with O. D. tubing only. Complete assembly includes slotted strainer and safety ring and link for connection to suction tube.


Part Number	Weight	Size	List Price Ea.
9-13C	5.3 lbs.	3"	\$156.91
9-14C	8.9 lbs.	4"	196.00
9-15C	13.6 lbs.	5"	270.76
9-16C	13.4 lbs.	6"	313.56
9-18C (45°)	31.5 lbs.	8"	617.13

See Parts Section for Parts

**Cast Aluminum Foot Valves with Large Area Steel Strainer**

Complete Foot Valve assembly with large area steel strainer for connection to O. D. tubing. Includes dresser type connection with safety ring and link. 8" diameter Foot Valve will NOT fit this strainer series.

Part Number	Weight	Foot Valve Size	Strainer Length	List Price Ea.
9-43 3"	25.4 lbs.	3"	18"	\$263.88
9-43 4"	29.1 lbs.	4"	18"	300.14
9-43 5"	35.3 lbs.	5"	24"	384.18
9-43 6"	35.1 lbs.	6"	24"	428.48

**Bare Strainer Only**

All strainers have 8" diameter opening to accomodate 3" through 6" Foot Valve sizes. Strainers must be ordered with adapters for connection to iron pipe, O.D. tube or existing Foot Valves.
NOTE: 48" strainer has no bolt holes for adapter.

Part Number	Weight	Total Open Area	Length	List Price Ea.
9-40-18	17.0 lbs.	158 in ²	18"	\$117.41
9-40-24	19.0 lbs.	202 in ²	24"	138.95
9-40-48	28.0 lbs.	373 in ²	48"	184.55

Iron Pipe Strainer Adapter for 9-40 Strainer

Part Number	Weight	Female Thread Iron Pipe Size	List Price Ea.
9-40-1 3"	3.6 lbs.	3"	\$ 32.09
9-40-1 4"	4.0 lbs.	4"	34.88
9-40-1 5"	5.6 lbs.	5"	52.20
9-40-1 6"	8.5 lbs.	6"	65.16
9-40-1 8"(welded)*	10.3 lbs.	8"	78.60

*8" Adapter must be welded to Strainer rather than Bolted.


O. D. Tube Adapter for 9-40 Strainer

Part Number	Weight	O. D. Tube Size	List Price Ea.
9-40-2 3".....	3.1 lbs.	3"	\$ 27.27
9-40-2 4".....	3.1 lbs.	4"	28.59
9-40-2 5".....	3.0 lbs.	5"	30.66
9-40-2 6".....	3.0 lbs.	6"	35.73
9-40-2 8"(welded)	4.4 lbs.	8"	21.06

*Use to adapt bare tube only to strainer

Adapter for Connecting 9-40 Strainer to Foot Valve

8" Foot Valve will NOT fit in 9-40 strainer.



Part Number	Weight	Foot Valve Size	Diameter "A"	List Price Ea.
9-40-3 3".....	3.3 lbs.	3"	4-7/8"	\$ 24.38
9-40-3 4".....	3.5 lbs.	4"	5-7/8"	28.84
9-40-3 5".....	3.0 lbs.	5"	6-7/8"	33.30
9-40-3 6".....	3.0 lbs.	6"	6-7/8"	33.30

Bare Foot Valve for 9-40 Strainer

Assembly includes dresser type connection for O. D. tube plus safety ring and link.



Part Number	Weight	Size	List Price Ea.
9-40-4 3".....	4.8 lbs.	3"	\$ 122.09
9-40-4 4".....	7.9 lbs.	4"	153.89
9-40-4 5".....	12.3 lbs.	5"	211.93
9-40-4 6".....	12.1 lbs.	6"	256.23

See Parts Section.

**Cast Aluminum Diaphragm Priming Pump**

Priming Pump has approximate 100 cubic inch displacement per stroke. Fitted with 1" male thread for connection.

Part Number	Weight	Size	List Price Ea.
9-30	8.1 lbs.	1" inlet	\$ 117.55


See Parts Section for Parts

**Cast Aluminum Suction Elbows — 90°**

Suction elbow for dresser type connection includes gaskets, nuts and bolts. Elbows are limited to 30 PSI operating pressure. To order 45° elbows add "45°" to Part Number.

Part Number	Weight	Size	45° List Price Ea.	90° List Price Ea.
3-2C	4.0 lbs.	2"	\$129.03	\$ 113.08
3-3C	5.3 lbs.	3"	159.25	143.28
3-4C	7.1 lbs.	4"	171.61	155.65
3-5C	9.5 lbs.	5"	238.42	222.46
3-6C	11.5 lbs.	6"	260.33	244.36
3-8C	13.5 lbs.	8"	387.89	371.92
3-10C	19.4 lbs.	10"	669.97	654.00

See Parts Section for Parts

**Cast Aluminum Couplings for Dresser Type Connections**

For suction line and operating pressures to 30 PSI.

Part Number	Weight	Size	List Price Ea.
SFC-2	2.5 lbs.	2"	\$ 53.18
SFC-3	3.1 lbs.	3"	63.51
SFC-4	3.7 lbs.	4"	70.03
SFC-5	4.9 lbs.	5"	105.72
SFC-6	5.8 lbs.	6"	114.85
SFC-8	7.0 lbs.	8"	178.30
SFC-10	9.9 lbs.	10"	248.39

See Parts Section for Parts

Use SFC Ring Gaskets, Parts Section for Parts



Aluminum Foot Valve with Standard (45°) OD Tubing

Combining an attachment coupling, 1 45° elbow, a foot valve and a strainer, this aluminum foot valve fulfills every requirement. A half inch female pipe thread is provided for drainage. Made entirely of aluminum except for the bolts, rubber gaskets and valve flapper, this valve is light in weight yet sturdy and efficient.

Part Number	Weight	OD Tubing Size	List Price Ea.
9-SFV2.....	5.0 lbs.	2"	\$ 174.25
9-SFV3.....	7.5 lbs.	3"	222.70
9-SFV4.....	10.5 lbs.	4"	267.25
9-SFV5.....	15.5 lbs.	5"	362.85
9-SFV6.....	18.0 lbs.	6"	445.40
9-SFV8.....	31.5 lbs.	8"	631.40
9-SFV10	46.0 lbs.	10"	1075.50
		12"*	

* See 12" Vertical Companion Valve on next page



Aluminum Foot Valve with Standard (45°) Companion Flange

This foot valve matches the bolt pattern of a standard 125 pound cast iron companion flange or a schedule 80 PVC flange.

Part Number	Weight	Companion Flange Size	List Price Ea.
9-SFV2-CF	6.5 lbs.	2"	\$ 267.25
9-SFV3-CF	10.0 lbs.	3"	286.90
9-SFV4-CF	14.5 lbs.	4"	394.30
9-SFV5-CF	20.5 lbs.	5"	508.30
9-SFV6-CF	24.0 lbs.	6"	602.60
9-SFV8-CF	43.0 lbs.	8"	903.90
9-SFV10-CF	66.0 lbs.	10"	1304.75
		12"*	

* See 12" Vertical Companion Valve on next page



Aluminum Foot Valve with Standard (45°) Female Thread

This 45° foot valve attaches to a NPT thread end, hose, steel pipe or PVC

Part Number	Weight	Thread Size	List Price Ea.
9-SFV2FP	5.0 lbs.	2"	\$ 188.65
9-SFV3FP	8.0 lbs.	3"	247.60
9-SFV4FP	11.0 lbs.	4"	311.80
9-SFV5FP	16.0 lbs.	5"	480.75
9-SFV6FP	18.5 lbs.	6"	556.75
9-SFV8FP	32.5 lbs.	8"	741.45
9-SFV10FP	47.5 lbs.	10"	1193.40

**Aluminum Foot Valve with Vertical OD Tubing**

Especially suitable where the aluminum tubing used for suction is to be in a vertical position. However, this foot valve will also work where the tubing is at an angle or in the horizontal position.

Part Number	Weight	OD Tubing Size	List Price Ea.
9-SFVV3.....	7.0 lbs.	3"	\$ 227.95
9-SFVV4.....	11.5 lbs.	4"	271.15
9-SFVV5.....	17.0 lbs.	5"	417.90
9-SFVV6.....	21.0 lbs.	6"	487.30
9-SFVV8.....	35.0 lbs.	8"	665.50
9-SFVV10	51.0 lbs.	10"	1106.95
		12"*	

* See 12" Vertical Companion Valve below

**Aluminum Foot Valve with Vertical Companion Flange**

This foot valve matches the bolt pattern of a standard 125 pound cast iron companion flange or a schedule 80 PVC flange. The hump on the body must face up when it is used in a horizontal or near horizontal position.

Part Number	Weight	Companion Flange Size	List Price Ea.
9-SFVV2-CF.....	6.0 lbs.	2"	\$ 277.70
9-SFVV3-CF.....	8.0 lbs.	3"	298.70
9-SFVV4-CF.....	14.5 lbs.	4"	411.35
9-SFVV5-CF.....	21.0 lbs.	5"	552.80
9-SFVV6-CF.....	25.0 lbs.	6"	655.00
9-SFVV8-CF.....	35.0 lbs.	8"	939.25
9-SFVV10-CF...	64.0 lbs.	10"	1317.85
9-SFVV12-CF...	146.0 lbs.	12"	2716.95

**Aluminum Foot Valve with Vertical Female Thread**

This aluminum foot valve is for use on hose, pipe or plastic pipe. The durable rubber flapper seats on a machined aluminum surface and provides a tight seal which minimizes leakage. Unlike the old fashioned leather flapper it does not dry out or shrink when out of service. Ample space is provided for the flapper to fold back out of the liquid stream thus keeping friction loss to a minimum. The hump on the body must face up when it is used in a horizontal or near horizontal position.

Part Number	Weight	Thread Size	Maximum Outside Dia.	List Price Ea.
9-SFVV2FP	4.0 lbs.	2"	5.75"	\$ 162.44
9-SFVV3FP	5.5 lbs.	3"	7.00"	214.85
9-SFVV4FP	10.0 lbs.	4"	7.75"	279.05
9-SFVV5FP	16.0 lbs.	5"	9.50"	516.15
9-SFVV6FP	19.0 lbs.	6"	11.00"	596.05
9-SFVV8FP	33.0 lbs.	8"	14.50"	782.05
9-SFVV10FP	51.0 lbs.	10"	17.00"	1317.85


PUMP ADAPTERS

Threaded Pipe Size is listed *FIRST* in Part Number


Male Adapter

Male Adapter iron pipe thread by O.D. tubing size. Eccentric reduction for suction use.


Part No.: 11-1



Part No.: 11-2



Part No.: 11-3




Iron Pipe Size	Tube Size	Weight	List Price Each		
			11-1	11-2	11-3
1-1/2"	2"	2.0 lbs.	\$ 41.75	\$ 31.62	\$ 41.75
1-1/2"	3"	2.5 lbs.	86.01	67.07	86.01
1-1/2"	4"	3.0 lbs.	86.01	78.42	86.01
2"	2"	2.1 lbs.	37.93	31.62	37.93
2"	3"	3.0 lbs.	49.35	31.62	49.35
2"	4"	3.8 lbs.	103.73	97.42	103.73
2"	5"	4.3 lbs.	129.04	115.08	129.04
2"	6"	8.0 lbs.	132.81	118.90	132.81
2-1/2"	3"	3.2 lbs.	59.43	38.21	59.43
2-1/2"	4"	4.9 lbs.	113.87	107.49	113.87
2-1/2"	5"	5.1 lbs.	139.11	125.21	139.11
2-1/2"	6"	8.7 lbs.	144.21	131.53	144.21
3"	3"	3.8 lbs.	50.62	36.66	50.62
3"	4"	5.3 lbs.	70.83	44.25	70.83
3"	5"	6.0 lbs.	131.53	121.45	131.53
3"	6"	9.3 lbs.	145.48	132.81	145.48
4"	4"	6.3 lbs.	60.70	58.20	60.70
4"	5"	8.3 lbs.	78.42	72.11	78.42
4"	6"	11.3 lbs.	163.16	120.18	163.16
4"	7"	13.8 lbs.	179.61	132.58	179.61
4"	8"	16.0 lbs.	221.36	203.64	221.36
5"	5"	10.4 lbs.	93.60	88.55	93.60
5"	6"	11.4 lbs.	113.84	89.83	113.87
5"	7"	14.0 lbs.	206.19	192.28	206.19
5"	8"	16.0 lbs.	237.70	227.67	237.70
6"	6"	14.8 lbs.	98.70	96.15	98.70
6"	7"	13.6 lbs.	113.87	110.04	113.87
6"	8"	17.0 lbs.	237.81	179.61	237.81
6"	10"	11.4 lbs.	290.92	277.02	290.92
8"	8"	14.0 lbs.	196.04	183.43	196.04
8"	10"	16.0 lbs.	371.89	359.26	371.89
10"	10"	34.0 lbs.	294.74	280.79	294.74

PUMP ADAPTERS


Threaded Pipe Size is listed *FIRST* in Part Number

Female Adapter for Pump Use


For Standard Coupler
Part Number: 11-2 MXF



For Hook Coupler
Part Number: 11-2H MXF



For Ring-lock Coupler
Part Number: 11-2R MXF



Iron Pipe Size	Tube Size	Weight	11-2 MXF	11-2H MXF	11-2R MXF
1-1/2"	2"	2.0 lbs.	\$ 50.80	\$ 51.20	\$
1-1/2"	3"	2.5 lbs.	52.15	55.90	
1-1/2"	4"	3.0 lbs.	59.35	63.05	
2"	2"	2.1 lbs.	51.60	51.20	
2"	3"	3.0 lbs.	55.60	59.30	
2"	4"	3.8 lbs.	61.10	66.80	
2"	5"	4.3 lbs.	78.30		
2"	6"	8.0 lbs.	89.15		80.67
2-1/2"	3"	3.2 lbs.	62.60	66.27	
2-1/2"	4"	4.9 lbs.	72.10	77.82	
2-1/2"	5"	5.1 lbs.	89.30		
2-1/2"	6"	8.7 lbs.	100.15		91.57
3"	3"	3.8 lbs.	61.20	61.20	
3"	4"	5.3 lbs.	86.30	75.40	
3"	5"	6.0 lbs.	90.00		
3"	6"	9.3 lbs.	97.10		88.50
4"	4"	6.3 lbs.	71.80	77.52	
4"	5"	8.3 lbs.	98.30		
4"	6"	11.3 lbs.	105.30		96.72
4"	7"	13.8 lbs.	128.60		
4"	8"	16.0 lbs.		143.40	121.50
5"	5"	10.4 lbs.	83.17		
5"	6"	11.4 lbs.	113.30		104.70
5"	7"	14.0 lbs.	136.60		
5"	8"	16.0 lbs.		143.10	121.04
6"	6"	14.8 lbs.	107.60		99.02
6"	7"	13.6 lbs.	152.30		
6"	8"	17.0 lbs.		167.10	145.15
6"	10"	11.4 lbs.			153.60
8"	8"	14.0 lbs.		177.70	155.75
8"	10"	16.0 lbs.			213.80
10"	10"	34.0 lbs.			228.90

PRESSURE RELIEF VALVES



SEP 41
SEP 43
Pre-set at factory to release
at 80 PSI. Contact factory
for higher or lower setting.



SEP 4325 SP
Pre-set at factory to release
at 80 PSI. Contact factory
for higher or lower setting.

Part Number	Size	Weight	List Price Ea.
SEP 41	4" FPT	5.50 lbs.	\$124.24
*SEP 43	4" FPT	6.00 lbs.	133.43
SEP 43 SP	4" FPT	7.00 lbs.	139.85

*For settings 125 to 180 PSI.

SEP 4325	3" FPT	5.00 lbs.	115.61
SEP 4325SP	3" FPT	6.00 lbs.	126.50

Splash pan (SP) is optional.

Part Number	Description	List Price Ea.
203010	Red Spring for SEP 41 & SEP 4325	\$ 42.35
203023	Black Spring for SEP 43	47.42
202991	Fork Assy. for SEP 41 & SEP 4325	15.60
202992	Fork Assy. for SEP 43	17.17
202025	Black Bolt 5/8 x 8	3.28
Fits SEP 41, 43 & 4325		

AIR RELIEF VALVES



Part Number	Size	Weight	List Price Ea.
AV150.....	1-1/2".....	1.20 lb.	\$ 41.07
AV200.....	2".....	1.50 lb.	45.88
AV300.....	3".....	3.20 lb.	104.65

PARTS

Size	O Ring Part Number	List Price Ea.	Ball Part Number	List Price Ea.	Retainer Part Number	List Price Ea.
1-1/2"	AV-OR 150	\$1.59	AV-B 150	\$4.74	AV-BR 150	\$ 3.42
2"	AV-OR 200	1.75	AV-B 200	5.24	AV-BR 200	4.28
3"	AV-OR 300	1.81	AV-B 300	20.70	AV-BR 300	5.43



PRESSURE GAUGE (Air-filled)

Part Number	List Price Ea.
PSI 100	\$ 13.50
PSI 200	13.50

FUTURE TUBING PRICES

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

**Aluminum Tubing Risers with Zamac Fittings**

Part Number	Riser Length	Tubing Size	Fitting Size Male x Female	Weight	Pieces per Carton	List Price Ea.
9-8-6A	6"	1"	1" x 3/4"	0.50 lbs.	100	\$ 4.79
9-8-12A	12"	1"	1" x 3/4"	0.60 lbs.	50	6.00
9-8-18A	18"	1"	1" x 3/4"	0.70 lbs.	50	7.19
9-8-24A	24"	1"	1" x 3/4"	0.80 lbs.	50	8.79
9-8-30A	30"	1"	1" x 3/4"	0.92 lbs.	50	9.60
9-8-36A	36"	1"	1" x 3/4"	1.05 lbs.	50	10.76
9-8-48A	48"	1"	1" x 3/4"	1.30 lbs.	50	13.31
9-8-60A	60"	1"	1" x 3/4"	1.52 lbs.	50	15.87
9-8-72A	72"	1"	1" x 3/4"	1.65 lbs.	50	18.43

**Steel Tubing Risers with Zamac Fittings**

Part Number	Riser Length	Tubing Size	Fitting Size Male x Female	Weight	Pieces per Carton	List Price Ea.
9-4-6S	6"	3/4"	3/4" x 1/2"	0.5 lbs.	100	\$ 4.35
9-4-12S	12"	3/4"	3/4" x 1/2"	0.7 lbs.	75	5.26
9-4-18S	18"	3/4"	3/4" x 1/2"	1.0 lbs.	75	6.05
9-4-24S	24"	3/4"	3/4" x 1/2"	1.2 lbs.	75	6.99
9-6-6S	6"	3/4"	3/4" x 3/4"	0.5 lbs.	100	4.35
9-6-12S	12"	3/4"	3/4" x 3/4"	0.7 lbs.	75	5.26
9-6-18S	18"	3/4"	3/4" x 3/4"	1.0 lbs.	75	6.05
9-6-24S	24"	3/4"	3/4" x 3/4"	1.2 lbs.	75	6.99
9-8-6S	6"	1"	1" x 3/4"	0.62 lbs.	100	4.86
9-8-12S	12"	1"	1" x 3/4"	0.88 lbs.	50	5.80
9-8-18S	18"	1"	1" x 3/4"	1.10 lbs.	50	6.69
9-8-24S	24"	1"	1" x 3/4"	1.40 lbs.	50	7.60
9-8-30S	30"	1"	1" x 3/4"	1.60 lbs.	50	8.44
9-8-36S	36"	1"	1" x 3/4"	1.90 lbs.	50	9.33
9-8-48S	48"	1"	1" x 3/4"	2.40 lbs.	50	11.46
9-8-60S	60"	1"	1" x 3/4"	2.90 lbs.	50	13.14
9-8-72S	72"	1"	1" x 3/4"	3.40 lbs.	50	15.12

ZAMAC PIPE FITTINGS**Pipe Plugs**

Part Number	Weight per Hundred	Size	List Price Ea.
11500-1	5.8 lbs.	1/2"	\$ 1.28
11500-2	7.4 lbs.	3/4"	1.36
11500-3	12.4 lbs.	1"	1.46
11500-4	21.2 lbs.	1-1/4"	2.62

Bell Reducers

Part Number	Weight per Hundred	Size	List Price Ea.
11501-1	17.4 lbs.	3/4 x 1/2"	\$ 2.22
11501-2	22.0 lbs.	1" x 1/2"	2.42
11501-3	21.2 lbs.	1" x 3/4"	2.42
11501-4	41.0 lbs.	1-1/4" x 1"	4.12

Bushings

Part Number	Weight per Hundred	Size	List Price Ea.
11502-1	10.0 lbs.	3/4 x 1/2"	\$ 2.10
11502-2	21.6 lbs.	1" x 1/2"	2.62
11502-3	14.6 lbs.	1" x 3/4"	2.35
11502-4	25.0 lbs.	1-1/4" x 3/4"	3.68
11502-5	21.8 lbs.	1-1/4" x 1"	3.73

Couplings

Part Number	Weight per Hundred	Size	List Price Ea.
11503-1	11.0 lbs.	1/2"	\$ 2.07
11503-2	23.1 lbs.	3/4"	2.10
11503-4	21.4 lbs.	1"	2.52

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281**PHONE: (503) 692-5353 • FAX: (503) 692-5358****E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com**

MASTIC and PAINT**Mastic**

Part Number	Description	Size	List Price Ea.
9610	Epoxy Base (with Accelerator)	(1) gallon ea.	\$ 237.40
9610-1	Accelerator only	(1) gallon ea.	118.70
9610-2	Epoxy only	(1) gallon ea.	118.70

**Paint (Orange)**

Matches Wade'Rain manufactured items

Part Number	Size	List Price Ea.
9608	Gallon	\$ 57.29
9608-1	Quart	17.19

SPECIALTY ITEMS

Cone is marked in one-inch diameter increments.

Cast Aluminum Concentric Cone

Part Number	Size	List Price Ea.
4401	2" x 8"	\$ 32.39



(For fabrication) — aluminum

Cast Concentric Cone

Part Number	Weight	Size	List Price Ea.
DC 1004	1.25 lbs.	1" x 4"	\$ 20.66
DC 1006	2.50 lbs.	1 1/4" x 6"	40.26
* AWC 210	2.50 lbs.	2" x 10"	45.40


*(Stepped Style)



(For fabrication) — aluminum.

Cast Eccentric Cone


Part Number	Weight	Size	List Price Ea.
ESA 1503	1.25 lbs.	1 1/2" X 3"	\$ 32.52
ESA 1504	2.00 lbs.	1 1/2" X 4"	36.06
ESA 1505	2.75 lbs.	1 1/2" X 5"	52.09
ESA 2506	3.25 lbs.	2 1/2" x 6"	57.58
ESA 3008	5.25 lbs.	3" x 8"	81.58

ALUMINUM HALF NIPPLES

Threaded aluminum.

Half nipples—standard pipe size.

Part Number	Weight	Size	List Price Ea.
NA050	3.00 oz	1/2"	\$ 5.16
NA075	3.00 oz	3/4"	5.34
NA100	3.00 oz	1"	5.88
NA125	4.00 oz	1 1/4"	7.16
NA150	4.50 oz	1 1/2"	10.43
NA200	5.00 oz	2"	14.61
NA250	6.00 oz	2 1/2"	25.49
NA300	9.00 oz	3"	25.15
NA400	14.00 oz	4"	31.26
NA500	18.00 oz	5"	39.25
NA600	22.00 oz	6"	56.41
NA800	3.00 lbs	8"	92.72

ALUMINUM HALF COUPLERSThreaded aluminum half couplers
with female pipe threads.

Part Number	Weight	Size	List Price Ea.
HC050	4.00 oz	1/2"	\$ 5.16
HC075	4.00 oz	3/4"	5.34
HC100	5.00 oz	1"	5.88
HC125	7.00 oz	1 1/4"	7.16
HC150	8.00 oz	1 1/2"	10.43
HC200	1.00 lbs	2"	14.61
HC250	1.00 lbs	2 1/2"	25.49
HC300	1.40 lbs	3"	25.15
HC400	1.50 lbs	4"	41.23
HC500	1.50 lbs	5"	78.65
HC600	1.60 lbs	6"	111.96



Heavy duty cast aluminum construction.
(For fabrication).

Aluminum Welding Cone (Concentric)

Part Number	Approx. Weight	Nominal Size	List Price Ea.
WC 406	1.75 lbs	4" x 6"	\$ 22.86
WC 608	2.25 lbs	6" x 8"	30.96
WC 8010	4.00 lbs	8" x 10"	41.15
WC 1012	10" x 12"		60.64



Heavy duty cast aluminum construction (for fabrication).

Aluminum 90° Degree Welding Elbow

Part Number	Approx. Weight	Nominal Size	List Price Ea.
WE 9-3	1.50 lbs	3"	\$ 36.33
WE 9-4	1.74 lbs	4"	39.45
WE 9-5	2.25 lbs	5"	51.58
WE 9-6	4.00 lbs	6"	62.27
WE 9-8	6.00 lbs	8"	74.68
WE 9-10	9.50 lbs	10"	114.05



Heavy duty cast aluminum construction (for fabrication).

Aluminum 45° Degree Welding Elbow

Part Number	Approx. Weight	Nominal Size	List Price Ea.
WE 4-3	1.00 lbs	3"	\$ 21.52
WE 4-4	1.00 lbs	4"	22.33
WE 4-5	1.50 lbs	5"	31.39
WE 4-6	2.00 lbs	6"	37.95
WE 4-8	3.50 lbs	8"	46.50
WE 4-10	4.75 lbs	10"	67.91



Heavy duty cast aluminum pump flange. ID dimensions cast to accept aluminum tubing. Standard bolt circle.


Weld-on Aluminum Flange

Part Number	Approx. Weight	Nominal Size	List Price Ea.
APF 300	3.00 lbs	3"	\$ 49.02
APF 400	4.00 lbs	4"	51.23
APF 500	5.00 lbs	5"	54.92
APF 600	6.00 lbs	6"	60.40
APF 800	7.75 lbs	8"	76.80
APF 1000	12.00 lbs	10"	117.75
APF 1200	17.00 lbs	12"	181.56
APF 1400	20.00 lbs	14"	360.91



Heavy duty cast aluminum construction (for fabrication).


Part Number	Weight	Size	List Price Ea.
WT 333	1.50 lbs	3" x 3" x 3"	\$ 51.52
WT 444	2.00 lbs	4" x 4" x 4"	56.67
WT 555	2.50 lbs	5" x 5" x 5"	61.91
WT 666	3.00 lbs	6" x 6" x 6"	69.69
WT 888	5.75 lbs	8" x 8" x 8"	95.76
WT 101010	8.00 lbs	10" x 10" x 10"	115.01



Aluminum end plug cover fits coupler weld socket for fabricating end plugs.

Weld-on End Plug Cover


Part Number	Weight	Size	List Price Ea.
WEPC 600	1.50 lbs	6"	\$ 35.20
WEPC 700	2.25 lbs	7"	46.10
WEPC 800	2.50 lbs	8"	47.35
WEPC 1000	3.25 lbs	10"	54.32



Welds to aluminum tubing to accept steel latch.

Weld-on Latch Pocket


Part Number	Weight	Size	List Price Ea.
WLP 34	.20 lbs	3" & 4"	\$ 4.09
WLP 56	.25 lbs	5" & 6"	4.48



Welds to aluminum tubing to accommodate steel latch.

Weld-on Hook Bracket

Part Number	Weight	List Price Ea.
WHB	.30 lbs	\$ 4.72



Used for fabrication of elbows, tees, and other fittings.
Slotted flange allows Ringlock or Band and Latch connections.

Weld-on Band & Latch/Ringlock Male end

Part Number	Weight	Size	List Price Ea.
RFE0500-ME	2.50 lbs	5"	\$ 38.42
RFE0600-ME	3.25 lbs	6"	39.85

700 SERIES SOLID BASE

	<i>SIZE</i>	<i>PART NO.</i>	<i>PRICE</i>
Quantities more than 25 call for price.	1 1/4" NPT	700	\$ 68.80
	1 1/2" NPT	701	95.42
Shipping Wt. approximately 1 to 5 lbs.	2" NPT	702	116.50

800 SERIES SWIVEL BASE

	<i>SIZE</i>	<i>PART NO.</i>	<i>PRICE</i>
Quantities more than 25 call for price.	1 1/4" NPT	800	\$ 76.39
	1 1/2" NPT	801	108.26
Shipping Wt. approximately 2 to 6 lbs.	2" NPT	802	131.79



SOLID BASE PARTS

	VALVE SIZE 1 1/4"		VALVE SIZE 1 1/2"		VALVE SIZE 2"		VALVE SIZE 3"	
	PART NO.	PRICE	PART NO.	PRICE	PART NO.	PRICE	PART NO.	PRICE
Hex Nut*	7002	\$.10	7102	\$.16	7102	\$.16	7102	\$.16
Handwheel	7001	6.38	7101	7.39	7101	7.39	7301	26.45
Gland Nut**	7117	6.79	7117	6.79	7117	6.79	7317	10.88
Packing	7119	.65	7119	.65	7119	.65	7119	.65
Packing - 25 Pack	7119P	15.02	7119P	15.02	7119P	15.02	7119P	15.02
Ferrule**	7018	.62	7118	.75	7118	.75	7318	1.42
Bonnet	7020**	15.88	7120	21.86	7220	22.29		
Stem-Complete	7016	15.19	7116	18.76	7216	24.04	7316	70.77
Stem-Complete - 10 pk.	7016P	136.80	7116P	161.76	7216P	221.59		
Body	7021	20.11	7121	24.72	7221	37.84	7321	120.36
Seat Nut	7025	21.92	7125	24.02	7225	30.91	7325	75.04

SWIVEL BASE PARTS

Base Nut	8024	19.70	8124	25.13	8224	29.97	8324	67.75
O-Ring	8023	.68	8123	.86	8223	1.09	8323	3.16
O-Ring - 25 Pack	8023P	15.79	8123P	20.38	8223P	25.50	8323P	68.69
Sleeve	8022	12.65	8122	13.35	8222	17.37	8322	107.30




Rebuild Kit	7020K	48.51	7120K	53.69	7220K	56.57
Rebuild Kit - 10 Pack	7020KP	436.59	7120KP	483.21	7220KP	509.13

*Stainless Steel

**Solid Brass

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281**PHONE: (503) 692-5353 • FAX: (503) 692-5358****E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com**



SOLID BASE PARTS


STEM PARTS	<i>VALVE SIZE</i> <i>1 1/4"</i>		<i>VALVE SIZE</i> <i>1 1/2"</i>		<i>VALVE SIZE</i> <i>2"</i>		<i>VALVE SIZE</i> <i>3"</i>	
	<i>PART NO.</i>	<i>PRICE</i>	<i>PART NO.</i>	<i>PRICE</i>	<i>PART NO.</i>	<i>PRICE</i>	<i>PART NO.</i>	<i>PRICE</i>
Stem Only**	7005	\$ 9.57	7105	\$ 11.63	7205	\$ 15.18	7305	\$ 39.92
Nylon Washer***	7012	.46	7012	.46	7012	.46		
Leaf Washer**	7006	1.79	7106	2.38	7206	3.35	7306	10.77
Rubber Disc	7013	.96	7113	1.45	7213	2.24	7313	4.83
Rubber Disc - 25 Pack	7013P	22.37	7113P	34.22	7213P	52.63	7313P	104.83
Rubber Disc Kit	7013K	1.51	7113K	2.38	7213K	3.16	7313K	9.55
Rubber Disc Kit 2 Washers, 1 Disc, 1 Nut	7013KP	35.52	7113KP	56.57	7213KP	74.98	7313KP	226.50
Nylon Washer*** 25 Pack	7112	.46	7112	.46	7112	.46	7312*	.58
Stem Lock Nut*	7114	.85	7114	.85	7114	.85	7314	5.04

*Stainless Steel

**Solid Brass

***Nylatron

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281**PHONE: (503) 692-5353 • FAX: (503) 692-5358****E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com**



Powered by



70 SERIES HYDROSTATIC POWERROLL MOVER UNIT

Wade Rain Hydrostatic Mover complete with commercial quality overhead valve engine, dual rail mover frame with 14 foot wheel base and twin bearing design. Hydrostatic transmission prefilled at factory, no additional hydraulic fluid required. Motor and transmission pre-assembled.

Price does not include safety cover, riding stand, mover hub adapters or mover wheels. Mover axles are 4" diameter. Wheels for mover unit should be ordered with 4" wheel hubs.



WARNING:
SAFETY COVER
REQUIRED FOR
OPERATOR SAFETY

Part Number	Weight	List Price Ea.
70-57 6HP for 57" diameter wheel size	551 lbs.....	\$3,727.00
70-64 6HP for 64" diameter wheel size	567 lbs.....	\$3,727.00
70-76 6HP for 76" diameter wheel size	567 lbs.....	\$3,727.00
70-57-7HP... 7HP for 57" diameter wheel size	551 lbs.....	\$3,990.00
70-64-7HP... 7HP for 64" diameter wheel size	567 lbs.....	\$3,990.00
70-76-7HP... 7HP for 76" diameter wheel size	567 lbs.....	\$3,990.00

7 HP recommended for altitudes 5,000 feet or higher or for difficult crop or terrain uses. Actual engine is 9 HP overhead valve.



Plastic Safety Cover for 70 Series Mover

Part Number	Weight	List Price Ea.
70-404 (For units after s/n 12859)	25 lbs.	\$213.50

Order 70-404 for ALL NEW Mover Units

70-FC (For units prior to s/n 12859) 39 lbs. 251.00
Replaces units w/fiberglass safety covers. Includes new plastic cover, bolt-on hinge brackets, new style shift handle and linkage and retrofit tie-down kit. CANNOT BE SHIPPED UPS.

Retrofit Gear Guard



WARNING: Gear Guard should be installed on all Model 70 units to prevent serious injury which could result if the operator attempts to use the unit improperly without the yellow safety cover in place.


Part Number	Weight	List Price Ea.
70-555 Complete Gear Guard Set.....	3 lbs.	\$12.00

The Retrofit Gear Guard should be installed on all Model 70 Mover Units, regardless of age.




Riding Stand for 70 Series Mover

Part Number	Weight	List Price Ea.
70-RS	25 lbs.	\$ 170.75

48 Series Bolt-Together Lug-Type Powerroll Coupler

Complete coupler set includes male and female halves with fast draining gasket, automatic drain valve, two press bands and nuts, bolts and lock washers.

Part Number	Weight	Size	List Price Ea.
48-4PR	6.3 lbs.	4"	\$ 63.35
48-5PR	7.7 lbs.	5"	71.65
48-4PRM	Male half only	4"	21.10
48-4PRF	Female half only w/gasket ..	4"	35.00
48-5PRM	Male half only	5"	22.70
48-5PRF	Female half only w/gasket ..	5"	40.05


48 Series Band-Lock Lug-Type Powerroll Coupler

Complete coupler set includes male and female halves with fast draining gasket, band-lock, automatic drain valve and two press bands.

Part Number	Weight	Size	List Price Ea.
48-4FWTD	7.6 lbs.	4"	\$ 73.85
48-5FWTD	9.9 lbs.	5"	82.15

Band-Lock Only for 48 Series Coupler

Part Number	Weight	Size	List Price Ea.
48-4-2 (incl pin)	1.7 lbs.	4"	\$ 17.60
48-5-2 (incl pin)	2.3 lbs.	5"	22.00
48-4-3 Clip pin	0.2 lbs.	For 4" or 5"	3.55

Powerroll End Plug for 48 Series Coupler

Part Number	Weight	Size	List Price Ea.
49-4PRM Male end plug w/flush valve	4.1 lbs	4"	96.40
49-5PRM Male end plug w/flush valve	5.0 lbs	5"	96.40
49-4PRF Female end plug w/flush valve	4.6 lbs	4"	99.20
49-5PRF Female end plug w/flush valve	5.3 lbs	5"	99.20

See Parts Section for parts

48 SERIES LUG-TYPE FITTINGS

Powerroll End Adapter for 48 Series

Adapter used for telescope or hose connection on end of line.
For telescope adapter, standard female end must be one size smaller than Powerroll end.



Female End Adapter

Part Number	Powerroll Line Size	Adapter Size	Weight	List Price Ea.
48-4-3 PRF	4" Female ...	3" Female	2.6 lbs.	\$ 75.75
48-4-4 PRF	4" Female ...	4" Female	2.6 lbs.	97.15
48-5-4 PRF	5" Female ...	4" Female	3.3 lbs.	103.30



Male End Adapter (No Outlet)

Part Number	Powerroll Line Size	Adapter Size	Weight	List Price Ea.
48-4-3 PRM	4" Male	3" Female.....	2.0 lbs.	\$ 54.00
48-4-4 PRM	4" Male	4" Female.....	2.0 lbs.	84.65
48-5-4 PRM.....	5" Male	4" Female.....	2.6 lbs.	90.50




Female End Adapter-Hook Style

Part Number	Powerroll Line Size	Adapter Size	Weight	List Price Ea.
48-4-3 PRF-H...	4" Female ...	3" Female.....	2.6 lbs.	\$ 75.75
48-4-4 PRF-H...	4" Female ...	4" Female.....	2.6 lbs.	97.15
48-5-4 PRF-H...	5" Female ...	4" Female.....	3.3 lbs.	103.30



Male End Adapter-Hook Style (No Outlet)

Part Number	Powerroll Line Size	Adapter Size	Weight	List Price Ea.
48-4-3 PRM-H...	4" Male	3" Female.....	2.0 lbs.	\$ 54.00
48-4-4 PRM-H...	4" Male	4" Female.....	2.0 lbs.	84.65
48-5-4 PRM-H...	5" Male	4" Female.....	2.6 lbs.	90.50



In-line Powerroll Reducer— Female by Male

With Gasket and two 1" outlets

Part Number	Size	Weight	List Price Ea.
48-5-4R	5"F x 4"M	4.1 lbs.	\$ 97.05
48-4-5R	5"M x 4"F	3.8 lbs.	86.80




Center Feed — Male by Female

4" inlet is 45° from 1" Sprinkler outlet.

Part Number	Weight	Line Size	Inlet Size	List Price Ea.
2-4-4-48P.....	6.9 lbs.	4"	4" Knob	\$ 159.55
2-5-4-48P.....	9.3 lbs.	5"	4" Knob	183.78
2-4-4-48PHL.....	7.0 lbs.	4"	4" Hook	159.55
2-5-4-48PHL.....	9.8 lbs.	5"	4" Hook	183.70

58 Series Bolt-Together Tooth/Flange Powerroll Coupler


Complete coupler set includes male and female halves with fast draining gasket, automatic drain valve, two press bands and nuts, bolts and lock washers.



Part Number	Weight	Size	List Price Ea.
58-4PR	7.2 lbs.	4"	\$ 63.35
58-5PR	8.2 lbs.	5"	71.65
58-4PRM... Male half only	4"		21.10
58-4PRF... Female half only w/gasket ..	4"		35.00
58-5PRM... Male half only	5"		22.70
58-5PRF ... Female half only w/gasket ..	5"		40.05

58 Series Band-Lock Tooth/Flange Powerroll Coupler

Complete coupler set includes male and female halves with fast draining gasket, band-lock, automatic drain valve and two press bands.




Part Number	Weight	Size	List Price Ea.
58-4FWTD	9.2 lbs.	4"	\$ 73.85
58-5FWTD	10.2 lbs.	5"	82.15

**Band-Lock Only for 58 Series Coupler**

One size band-lock fits both 4" and 5" 58 Series Coupler.

Part Number	Weight	Size	List Price Ea.
58-4-2S	2.0 lbs.	4" and 5"	\$ 17.60
70-438-1	Wire Bail Only		3.15

**Powerroll End Plug for 58 Series Coupler**


One size End Plug fits both 4" and 5" 58 Series Coupler

Part Number	Weight	Size	List Price Ea.
59-5PRM Male end plug w/flush valve...	4.7 lbs.	4" and 5"	\$96.40
59-5PRF Female end plug w/flush valve...	5.3 lbs.	4" and 5"	99.20

See Parts Section for parts

58 SERIES TOOTH/FLANGE FITTINGS**Powerroll End Adapter for 58 Series**

Adapter used for telescope or hose connection on end of line.
To use for telescope adapter, standard female end must be one size smaller than Powerroll end.

**Female End Adapter**

Part Number	Powerroll Line Size	Adapter Size	Weight	List Price Ea.
58-4-3 PRF ...4" and 5"Female...3" Female.....			3.2 lbs. ...	\$ 75.75
58-5-4 PRF ...4" and 5"Female...4" Female.....			3.2 lbs. ...	103.30

Male End Adapter

Part Number	Powerroll Line Size	Adapter Size	Weight	List Price Ea.
58-4-3 PRM ...4" and 5"Male... 3" Female.....			2.7 lbs. ...	\$ 54.00
58-5-4 PRM ...4" and 5"Male... 4" Female.....			2.7 lbs. ...	90.50

Female End Adapter—Hook Style

Part Number	Powerroll Line Size	Adapter Size	Weight	List Price Ea.
58-4-3 PRF-H ...4" and 5" Female...3" Female.....			3.2 lbs. ...	\$ 72.75
58-5-4 PRF-H ...4" and 5" Female...4" Female.....			3.2 lbs. ...	103.30

Male End Adapter—Hook Style

Part Number	Powerroll Line Size	Adapter Size	Weight	List Price Ea.
58-4-3 PRM-H...4" and 5" Male...3" Female.....			2.7 lbs.	\$ 54.00
58-5-4 PRM-H...4" and 5" Male...4" Female.....			2.7 lbs.	90.50

**Center Feed — Male by Female**

Adapter will fit both 4" and 5" lines. 4" inlet is 45° from 1" Sprinkler Outlet

Part Number	Weight	Line Size	Inlet Size	List Price Ea.
2-5-4-58P.....	9.0 lbs.	5"	4" Knob	\$ 183.70
2-5-4-58PHL.....	9.1 lbs.	5"	4" Hook	183.70

Reducers:

58 Series 4" and 5" Couplers have identical gasket cavities and serrations.
No special reducer fittings required!

POWEROLL WHEELS**Complete Poweroll Wheels**

Prices include a set of 8 lugs for 46", 57" and 64" diameter wheels; and a set of 10 lugs for 76" diameter wheels. All wheels are double punched for an additional set of lugs. Wheels are shipped knocked down.



Part Number	Gauge	Hub Size	Wheel Diameter	Weight	List Price Ea.
27-4-46.....	18	4"	46"	34 lbs....	\$ 71.15
27-4-57.....	18	4"	57"	39 lbs....	\$ 73.50
27-4-64.....	18	4"	64"	44 lbs....	78.85
27-4-76.....	18	4"	76"	55 lbs....	101.00
27-5-46.....	18	5"	46"	35 lbs....	\$ 71.15
27-5-57.....	18	5"	57"	40 lbs....	73.50
27-5-64.....	18	5"	64"	45 lbs....	78.85
27-5-76.....	18	5"	76"	56 lbs....	101.00

Wheelsign Set (2) 70-752 includes two signs & fasteners \$ 39.35

**Poweroll Drain Valve**

18-1 spring loaded drain valve standard on Wade'Rain Poweroll.

Part Number	Weight	Size	Pieces Carton	List Price Ea.
18-1	0.4 lb.....	1"	100	\$ 7.50

See Parts Section for parts

**Poweroll Ring with "T" Handle for Telescoping Feed**

Part Number	Weight	Size	List Price Ea.
20-3-25.....	0.9 lb.....	3"	\$ 21.10
20-4-25.....	1.4 lb.....	4"	22.25
20-5-25.....	1.7 lb.....	5"	23.40
20-6-25.....	2.0 lb.....	6"	26.60

For "T" Handle only, see Parts section


**Poweroll Center Outlet for Quick Take-Down Poweroll**

Part Number	Weight	Outlet Size	Tubing Size	List Price Ea.
13-4 TD.....	2.2 lb.....	1"	4"	\$ 19.50
13-5 TD.....	2.5 lb.....	1"	5"	20.70

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

POWERROLL WHEEL COMPONENTS**Powerroll Wheel Rim**

Rim half only, double punched.

Part Number	Wheel Gauge	Diameter	Weight	List Price Ea.
27-46-1.....	18	46"	7.5 lbs.	\$ 20.05
27-57-1.....	18	57"	8.9 lbs.	23.95
27-64-1.....	18	64"	9.9 lbs.	27.25
27-76-1.....	18	76"	11.7 lbs.	32.35

Powerroll Wheel Spokes

3/8" diameter spokes for standard wheel. 16 spokes required for 46", 57", and 64" wheels. 20 spokes required for 76" wheels.

Part Number	Wheel Size	Hub Size	Pieces per Wheel	Overall Length	Weight	List Price Ea.
27-21-46	46"...4"		16	21"	0.6 lbs....	\$ 2.30
27-20 1/8-46 ...	46"...5"		16	20-1/8"	0.6 lbs....	2.30
27-26 7/8-57...	57"...4"or 5"		16	26-7/8"	0.8 lbs....	2.40
27-30 1/4-64...	64"...4"or 5"		16	30-1/4"	0.9 lbs....	2.70
27-37-76	76"...4"or 5"		20	37"	1.1 lbs....	3.00

**Powerroll Wheel Hub Clamps**

Hubs are punched for both 16 spoke and 20 spoke wheels. 4 clamps required per wheel.


Part Number	Pieces per Box	Weight	Size	List Price Ea.
27-4-4	120	1.1 lb.....	4"	\$ 3.95
27-5-5	100	1.3 lb.....	5"	4.10

**Powerroll Wheel Lugs**

(Made from heavy duty 12 ga. galvanized steel.)


Part Number	Weight	Pieces per Box	List Price Ea.
27-4-1 Bare Lug	.2 lb.....	500.....	\$ 1.15

Note: Requires two 3/8 x 1 CS w/nuts when used for double lugging.
See Parts Section.

**Powerroll Hub Adapter Set
for Mover Unit**


Complete set includes two adapters, two gaskets, four steel reinforcing bands and twelve 1/2" x 1" N.C. bolts.

Part Number	Weight	Size	List Price Ea.
70-11-4.....	15.0 lbs.....	4"	\$ 78.40
70-11-5.....	17.0 lbs.....	5"	84.80

**Powerroll Single Hub Adapter Only**


Single hub adapter. Includes one hub adapter, one gasket, two steel reinforcing bands and six 1/2" x 1" N.C. bolts.

Part Number	Weight	Size	List Price Ea.
70-11-4E.....	7.0 lbs.	4"	\$ 39.20
70-11-5E.....	8.0 lbs.	5"	42.40

**Powerroll Take-Down Hub Adapter Set**

Complete set includes two adapters, two gaskets and twelve 1/2" x 1" N.C. bolts. The adapter set has male-by-male aluminum couplers for the in-line connection. Available for both 48 Series and 58 Series couplers.

Part Number	Weight	Size	List Price Ea.
48-13-4 TD.....	22.0 lbs.	4"	\$ 117.70
48-13-5 TD.....	22.9 lbs.	5"	133.10
58-13-4 TD.....	20.1 lbs.	4"	117.70
58-13-5 TD.....	25.1 lbs.	5"	133.10

**Powerroll 6 Hole x 8 Hole Hub Adapter Set**


Complete set for use when retrofitting Powerroll movers in non-Wade'Rain lines. Includes two (2) 6 Hole x 8 Hole Adapters, two (2) Wade'Rain Powerroll Hub Adapter Gaskets and twelve (12) 1/2" x 1" N.C. Bolts.

Part Number	Weight	List Price Ea.
70-11-6X8	15.0 lbs.	\$ 96.60

**Reinforcing Bands Only**

Aluminum reinforcing bands are used for pressing aluminum Powerroll couplers. Steel reinforcing bands are used for pressing 4" steel hub adapters.

Part Number		List Price Ea.
28-4-1A.....	Aluminum..... 4"	\$ 2.38
1-5MP-1.....	Aluminum..... 5"	3.20
28-4-1S.....	Steel 4"	1.75

**Powerroll Hose Adapters**

Cast aluminum hose adapter includes adapter with swivel ring and latch.

Part Number	Weight	Size	List Price Ea.
49-6CX Knob Style	2.2 lbs.	4"	\$39.50
49-6G Hook Style	2.2 lbs.	4"	39.50

Hose clamps not included. Order clamps shown below.



T-Bolt
Clamp

Discharge Hose Clamps**Banding Clamps**

Stainless Steel Hose Clamps for use with discharge hose adapters. Two clamps required per end (for 4" I.D. hose)

Part Number	Description	List Price Ea.
49-6-3	TBC-425 4" Hose Clamp	\$ 10.15

**Powerroll Hose**

Angus "Armour Guard" or equivalent Hose in 4" inside diameter by 20 foot lengths.


Pre-assembled with Wade Rain cast aluminum hose ends with sleeve connection. This light-weight, 200 PSI working pressure hose, carries a 2-year warranty.

Part Number	Description	Weight	List Price Ea.
49-20-4CX...	Hose Assembly w/Knob Latch ...	25.0 lbs. ...	\$ 263.60
49-20-4G ...	Hose Assembly w/Hook Latch ...	25.0 lbs. ...	263.60

**Powerroll Hose (Bulk Hose) Plain End**

(Available in 100 foot lengths only)


Part Number	Description	Weight	List Price Ea.
49-100-200.....	"Armour Guard" or equivalent 200 PSI Discharge Hose	 88.0 lbs....	\$ 957.00
49-100-150.....	150 PSI Discharge Hose	 83.0 lbs....	\$ 855.00

Ratcheted Line Anchor Stabilizer Bar

Part Number	Tube Size	Wheel Size	Weight	List Price Ea.
22-4-57	4"	57" and 64"	28.6 lbs.....	\$ 137.70
22-4-76	4"	76"	29.8 lbs.....	149.75
22-5-57	5"	57" and 64"	31.3 lbs.....	137.70
22-5-76	5"	76"	32.1 lbs.....	149.75

Sprinkler Levelers

Part Number	Weight	Pieces per Carton	Size	List Price Ea.
L-75	2.5 lbs.	33	3/4"	\$ 12.25
SLE 1-12S	Leveler Elbow, 1" x 3/4" x 12" Galv. Steel			4.65
SLE 1-18A	Leveler Elbow, 1" x 3/4" x 18" Zamac			6.45
11505-1	1" x 6" Galvanized Nipple			2.50
11501-5	1" x 3/4" Reducing 90° Galvanized Elbow			2.80
11505-2	1" 90° Galvanized Elbow			2.80

**Nickel-Plated Drive Chain in Bulk Roll**

No. 2050 roller chain in convenient bulk form may be cut in any length to replace or repair drive chains on any model of Poweroll. Roll includes 10 spring clip Connecting Links.

Part Number	Weight	Length	List Price Ea.
70-5-100	52 lbs.	100 ft.	\$ 251.00

Connecting Links

Spring clip type.

Part Number	Description	List Price Ea.
70-6	#2050 Connecting Link	\$ 3.01
70-6-25	#2050 Connecting Link (pkg of 25).....	49.24
70-2050-OL.....	#2050 Offset Link(Full)	4.99
70-50-OL.....	#50 Offset Links (Half)	2.52
70-50-HL.....	#50 Half Link	2.52



WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

COUPLER RINGS AND MALE ENDS

Rings with Nuts and Bolts

Required for both single and double end couplers. Price includes Rings and zinc plated nuts and bolts. Latches are packaged and priced separately.


2" & 3" Aluminum



Part Number	Size	Weight	List Price Ea.
-------------	------	--------	----------------

2" and 3" Aluminum Rings supplied with 5/16" x 1-1/2" Carriage Bolt and Heavy Hex Nut.

4" Aluminum




8-2 RNB	2"	0.6 lb.	\$ 2.76
----------------	----	---------	---------

8-3 RNB	3"	0.7 lb.	3.30
----------------	----	---------	------

4" Aluminum Rings supplied with (1) 5/16" x 1" Carriage Bolt and Heavy Hex Nut and (1) 5/16" x 1-1/2" Carriage Bolt and Heavy Hex Nut.

5" & 6" Aluminum




8-4URNB	4"	0.8 lb.	\$ 5.59
----------------	----	---------	---------

5" and 6" Rings supplied with (2) 3/8" x 1-1/4" Carriage Bolts and Heavy Hex Nuts and (1) 3/8" x 1-3/4" Carriage Bolt and Heavy Hex Nut.

8-5URNB	5"	1.4 lb.	\$ 7.68
----------------	----	---------	---------

8-6URNB	6"	1.7 lb.	10.47
----------------	----	---------	-------

7" & 8" Steel




7" and 8" Rings supplied with (1) 1/2" x 1-3/4" Capscrew and Heavy Hex Nut and (2) 1/2" x 2" Capscrew and Heavy Hex Nut. 7" and 8" Rings are warranted to 75 PSI only. For higher pressures see Weld-On Male Ends located in the Mainline Section.

8-7SRNB	7"	4.5 lb.	\$ 15.15
----------------	----	---------	----------

8-8SRNB	8"	4.9 lb.	18.82
----------------	----	---------	-------

Weld-On Male Ends with Nuts and Bolts Only



7" & 8" Aluminum

Part Number	Size	Weight	List Price Ea.
-------------	------	--------	----------------

7" and 8" Aluminum

8-7 WMNB	7"	3.1 lbs.	\$ 18.36
-----------------	----	----------	----------

8-8 WMNB	8"	4.1 lbs.	18.69
-----------------	----	----------	-------

Swivel Rings with Nuts and Bolts

Required for Reversible Tees and Elbows, MXFR Series. Rings include zinc plated nuts and bolts. Latches packaged and priced separately.

2", 3" 4", 5" & 6" Aluminum



One piece Aluminum Swivel Rings:

Part Number	Size	List Price Ea.
-------------	------	----------------

8-2SR	2"	\$ 2.76
--------------	----	---------

8-3SR	3"	3.30
--------------	----	------

8-4SR	4"	5.59
--------------	----	------

Two piece Galvanized Steel Swivel Rings:

Part Number	Size	List Price Ea.
-------------	------	----------------


8-5SR	5"	\$ 8.78
--------------	----	---------

8-6SR	6"	10.48
--------------	----	-------


Order by pipe size.

**HOOK LATCH
IDENTIFICATION
SHEET**


Part Number: 8-10 F
Manganese Bronze Hook Latch
for 8" Fittings



Part Number: 8-10 SS
1/4" thick Steel Hook Latch for
SS Couplers and PHS End Plugs



Part Number: 8-10 HL
Steel Hook Latch for
PHL Couplers



Part Numbers: 8-10 HS 1/4" thick
Steel Hook Latch for PHS Couplers



Part Number: 8-10 G
Steel Hook Latch for
PHL End Plugs



Part Number: 8-10HU
Universal Hook for
UP and UW Couplers

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

COUPLER LATCHES, SPACERS AND HALF CLAMPS



For easy identification of Hook Latches, see full-size drawings on "Hook Latch Identification" page. (Previous page)

Hook Style Latches

Part Number	Description	Weight	Pieces per Carton	List Price Ea.
8-10 F	Manganese Bronze	1.2 lbs.	16	\$ 14.35
8-10 SS	Steel for PSS Couplers	0.1 lbs.	100	2.42
8-10 HL	Steel for PHL Couplers	0.5 lbs.	48	2.83
8-10 HS	Steel for PHS Couplers	0.4 lbs.	100	2.24
8-10 G	Steel for PHL End Plugs	0.3 lbs.	48	1.88

Spring Loaded Latch Assembly

For use with PSS Couplers and Universal "U" Series Hook Couplers



Part Number	Description	Weight	Pieces per Carton	List Price Ea.
8-10 HU	Latch for UP and UW Coupler	0.5 lbs.	100	\$ 2.24
*8-10 ST	Latch for PSS Coupler(obsolete)	0.2 lbs.	100	n/a
*8-10 HST	3/16" Steel Hook Latch(obsolete)	0.2 lbs.	100	n/a
8-10 SU	Spring for UP and UW Coupler	1.0 oz.	100	1.09
8-10 SP	Spring for PSS Coupler	1.0 oz.	100	1.26

SpacerWasher for Hook Latches

For use with obsolete 8-10ST and 8-10 HST hook latches

Part Number	Weight	List Price Ea.
8-10 HSW	.062 lbs.	\$ n/a
use 9401400260 1-1/4 OD X 5/16 ID Fender Washer (2 required)		.18

8-10 HSW (obsolete)

"C" Series Half Clamps for "S" Series Bolt-On Couplers


One clamp required per coupler.

8-2 C, 8-3 C, & 8-4 C require (2) 5/16" x 1" Carriage Bolts and Nuts

8-5 C & 8-6 C require (2) 5/16" x 1-1/2" Carriage Bolts and Nuts



Part Number	Weight	Size	List Price Ea.
8-2 C for 121S	0.25 lbs.	2"	\$ 1.74
8-3 C for 131S	0.30 lbs.	3"	1.81
8-4 C for 141S	0.40 lbs.	4"	2.24
8-5 C for 151S	1.00 lbs.	5"	4.34
8-6 C for 161S	1.00 lbs.	6"	6.09

COUPLER LATCHES**Knob Style Latches**

Part Number	Description	Tube Size	Hole Size	Weight	List Price Ea.
8-10 BX	Bronze Positive Style	5", 6"	3/8"	0.5 lb.	\$ 7.47
8-10 CX	Cast Aluminum Positive Style	2", 3", 4"	5/16"	0.25 lb.	\$ 2.97
8-10 DX	Cast Aluminum Positive Style	5", 6"	3/8"	0.3 lb.	\$ 3.02
8-10 SG	Cast Aluminum Speedmatic	2", 3", 4"	5/16"	0.3 lb.	\$ 3.42
8-10 SO	Cast Aluminum Positive Style	3", 4"	5/16"	0.3 lb.	\$ 3.42
8-10 E	Bronze Positive Style	7"	1/2"	0.4 lb.	\$ 8.43

Note: For 8' Aluminum Mainline couplers, see 8-10F Hook Style Latch.

Fasteners—Note: When ordering, Part Numbers correspond to the Unit Quantity Shown.

Special grade Carriage Bolts and Heavy Hex Nuts are for use with Wade'Rain Ring and Latch sets. All other fasteners are standard Grade 2. All fasteners are zinc plated for durability. All sizes are available in bulk packaging. Call for current prices on bulk quantities.



Part Number	Use	Description	Box Qty	List Price Each Piece
9401050260	Rings	5/16" x 1" Carriage Bolt	100	\$.10
9401060280	Rings	5/16" x 1-1/2" Carriage Bolt	100	.11
9401050480	Rings	3/8" x 1-1/4" Carriage Bolt	100	.13
9401060500	Rings	3/8" x 1-3/4" Carriage Bolt	100	.19
9401010870	Rings	1/2" x 1-1/2" CS	100	.25
9401010890	Rings	1/2" x 2" CS	100	.42
9401220110	2", 3", 4" Rings	5/16" Heavy Hex Nut	100	.05
9401220120	5" & 6" Rings	3/8" Heavy Hex Nut	100	.07
9401220140	7" & 8" Rings	1/2" Heavy Hex Nut	100	.13
9401010470	Wheels	3/8" x 1" Capscrew	100	.10
9401200120	Wheels	3/8" Auto Hex Nut	100	.04
9401010500	Powerroll Couplers	3/8" x 1-3/4" Capscrew	100	.14
9401400120	58 Series Couplers	3/8" Flat Washer	1	.04
9401410120	48 Series Couplers	3/8" Lock Washer	1	.04
11504-12	Wheels	3/8" Auto Hex Nut	4000	125.00/box
11504-13	Wheels	3/8" x 1" Capscrew	1200	98.00/box

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

GASKETS



Wade'Rain fittings feature controlled draining with a gasket designed for every irrigation use.

Correct gasket selection assures the degree of draining required for best coupler performance.

INTERCHANGEABLE GASKETS: Gaskets can be interchanged to control the degree of draining. For example, Mainline gaskets could be used in lateral line couplers to drain the line slowly in place of Fast Drain gaskets which are standard.

Only gaskets with cross sections 1, 2 or 3 are interchangeable.

Note: Do not substitute irrigation gaskets for Quicklock application.

Cross Section	Mostly Used On	Color	Key	Drainage	Sizes	Seal Pressure	Max. Working Pressure
#1	Lateral Line	Black	L	Normal Fast	3" thru 6"	3 to 4 psi	125#
#1	Mainline	Black	M	Normal Slow	2" thru 10"	2 to 3 psi	125#
#2	Flow Line	Black	MT	Very Slow	2" thru 6" 8" and 10"	0 psi	125#

Non Drain

#3	Powerroll	Black	F	Very Fast	3" thru 5"	5 to 6 psi	125#
#4	Bolt-on Lateral (Clamp-End) and 1-1/2" Solid Set	Black	J	Slow	1-1/2" thru 6"	1 to 2 psi	125#



#1 CROSS SECTION (L&M)

LATERAL LINE GASKETS

(Normal Fast)

Gasket No.	Size	Material	Weight	List Price Ea.
10-6-3L	3"	Molded Rubber	1.0 oz	\$ 1.90
10-6-4L	4"	Molded Rubber	1.5 oz	2.20
10-6-5L	5"	Molded Rubber	2.0 oz	2.70
10-6-6L	6"	Molded Rubber	3.0 oz	3.35

MAINLINE GASKETS

(Normal Slow)

Gasket No.	Size	Material	Weight	List Price Ea.
10-6-2M	2"	Molded Rubber	0.5 oz	\$ 1.85
10-6-3M	3"	Molded Rubber	1.0 oz	1.90
10-6-4M	4"	Molded Rubber	1.8 oz	2.20
10-6-5M	5"	Molded Rubber	2.0 oz	2.70
10-6-6M	6"	Molded Rubber	3.0 oz	3.40
10-6-7M	7"	Molded Rubber	3.8 oz	3.85
10-6-8M	8"	Molded Rubber	4.5 oz	4.25
10-6-10M	10"	Molded Rubber	5.5 oz	5.05



#2 CROSS SECTION (MT)

SOLID SET & FLOW LINE GASKETS

(Very Slow)

Gasket No.	Size	Material	Weight	List Price Ea.
10-6-2MT	2"	Molded Rubber	1.0 oz	\$ 2.10
10-6-3MT	3"	EPDM	1.5 oz	2.55
10-6-4MT	4"	Molded Rubber	2.0 oz	3.00
10-6-5MT	5"	Molded Rubber	2.5 oz	3.85
10-6-6MT	6"	Molded Rubber	3.0 oz	3.95
10-6-8MT	8"	Molded Rubber	4.5 oz	5.00
10-6-10MT	10"	Molded Rubber	5.5 oz	7.50

CHEVRON GASKETS

Part No.	Size	Weight	List Price Ea.
10-6-3U	3"	0.1 lbs	\$ 1.35

#3 CROSS SECTION (F)

LATERAL LINE & POWERROLL GASKETS

(Very Fast)

Gasket No.	Size	Material	Weight	List Price Ea.
10-6-3F	3"	Molded Rubber	1.0 oz	\$ 1.90
10-6-4F	4"	Molded Rubber	1.5 oz	2.10
*10-6-4/5F	4-1/2"	Molded Rubber	1.7 oz	2.25
10-6-5F	5"	Molded Rubber	2.0 oz	2.60

*Order for all 58 Series Couples



#4 CROSS SECTION (J)

BOLT-ON END COUPLER GASKETS

(Couplers having double bolt type clamp)

Replaces "O" Ring Gaskets

Gasket No.	Size	Material	Weight	List Price Ea.
10-6-2J	2"	Molded Rubber	1.0 oz	\$ 1.95
10-6-3J	3"	Molded Rubber	1.5 oz	2.00
10-6-4J	4"	Molded Rubber	2.0 oz	2.50
10-6-5J	5"	Molded Rubber	2.5 oz	2.80
10-6-6J	6"	Molded Rubber	3.0 oz	3.70

SOLID SET GASKETS

10-6-1J	1-1/2"	Molded Rubber	0.5 oz	\$ 1.50
---------	--------	---------------	--------	---------

POWERROLL HUB ADAPTER GASKET

Gasket No.	Size	Material	Weight	Price Ea.
50-28	4" & 5"	Reinforced Rubber	2.0 oz	\$ 2.80

DRESSER TYPE GASKETS

For use with Wade'Rain Foot Valves and Suction Elbows

Part No.	Size	Weight	List Price Ea.
10-6-3K	3"	0.1 lbs	\$ 6.80
10-6-4K	4"	0.2 lbs	7.70
10-6-5K	5"	0.25 lbs	8.00
10-6-6K	6"	0.4 lbs	9.80
10-6-8K	8"	0.5 lbs	13.00

VALVES AND MISCELLANEOUS**Foot Valve Parts****SAFETY RING AND LINK**

Part Number	Size	Weight	List Price Ea.
9-20-3	3"	0.8 lbs.	\$ 7.11
9-20-4	4"	0.8 lbs.	10.60
9-20-5	5"	1.0 lbs.	20.27
9-20-6	6"	1.1 lbs.	22.31
9-20 ...Safety Link, only ...	All	.3 lbs.	1.77

VALVE SCREEN

Part Number	Size	Weight	List Price Ea.
9-13-3	3"	0.5 lbs.	\$ 35.22
9-14-3	4"	1.0 lbs.	43.05
9-15-3	5"	1.5 lbs.	57.92
9-16-3	6"	1.5 lbs.	57.92

FLAPPER ASSEMBLY

Part Number	Size	Weight	List Price Ea.
10-9-1-3	3"	0.8 lbs.	\$ 18.28
10-9-1-4	4"	0.8 lbs.	24.37
10-9-1-6	5" & 6"	1.0 lbs.	45.62

**RUBBER FLAPPER**

Part Number	Size	Weight	List Price Ea.
10-9-2-3	3"	0.1 lbs.	\$ 7.18
10-9-2-4	4"	0.25 lbs.	10.02
10-9-2-6	5" & 6"	0.5 lbs.	18.28

HINGE SCREW

Part Number	Size	Weight	List Price Ea.
4227	All	1.0 oz.	\$ 1.76

**UPPER STEEL DISC**

Part Number	Size	List Price Ea.
10-9-3-3	3"	\$ 10.14
10-9-3-4	4"	15.56
10-9-3-5	5" & 6"	19.43

LOWER STEEL DISC

Part Number	Size	List Price Ea.
10-9-4-3	3"	\$ 7.02
10-9-4-4	4"	7.90
10-9-4-6	5" & 6"	8.78

**TOP CLAMP RINGS**

Part Number	Size	Weight	List Price Ea.
9-13-C1	3"	0.5 lbs.	\$ 10.93
9-14-C1	4"	0.7 lbs.	15.47
9-15-C1	5"	0.9 lbs.	17.05
9-16-C1	6"	1.1 lbs.	21.14
9-18-C1	8"	1.3 lbs.	34.36

**WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281****PHONE: (503) 692-5353 • FAX: (503) 692-5358****E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com**

**Parts for Cast Aluminum Coupling for
Dresser Type Connections**

Bolt, Nut & Washer	List Price Ea.
\$	1.93



Part Number	List Price Ea.
Flanges	
SFC-10F	\$ 70.96
SFC-2F	11.06
SFC-3F	14.75
SFC-4F	17.32
SFC-5F	27.84
SFC-6F	30.34
SFC-8F	47.84




Sleeve Casting	
SFC-10B	\$ 82.81
SFC-2B	15.52
SFC-3B	23.56
SFC-4B	26.78
SFC-5B	39.75
SFC-6B	42.98
SFC-8B	67.78




Ring Gasket	
SFC-10G	\$ 15.03
SFC-2G	2.25
SFC-3G	2.74
SFC-4G	3.59
SFC-5G	4.78
SFC-6G	4.78
SFC-8G	10.64

Parts for Center Riser Outlet

Part Number	Description	List Price Ea.
13-3B	Bottom	2.72
13-3T	Top	7.42
13-4B	Bottom	3.08
13-4T	Top	8.12
13-5B	Bottom	4.82
13-5T	Top	12.06
13-6B	Bottom	6.03
13-6T	Top	15.08
13-8B	Bottom	7.78
13-8T	Top	19.49
4506-1	O'Ring fits all sizes	.38
9401010470 ...	3/8 x 1 C S	.10
9401200120 ...	3/8 Auto Hex Nut	.04

VALVES AND MISCELLANEOUS**9-30 Diaphragm Pump Parts**

Part Number	Description	Required	Weight	List Price Ea.
9-30A	Body, top half	1	2.0 lbs.	\$ 37.51
9-30B	Body, lower half	1	2.0 lbs.	37.51
9-30-1	Handle	1	1.0 lbs.	18.97
9-30-2	Handle Support	1	0.5 lbs.	9.48
9-30-3	Rubber Diaphragm	1	0.4 lbs.	15.69
9-30-4	Steel Diaphragm	2	0.6 lbs.	4.76
9-30-5	Connecting Rod & Nut	1	0.3 lbs.	4.65
9-30-6	Handle Bracket Lock Nut	1	0.4 lbs.	3.14
9-30-8	Rubber Discharge Valve	1	0.1 lbs.	7.30
9-30-12	Ball Check Valve w/Ball	1	0.2 lbs.	9.05
9-30-13	3/4" Stainless Ball only	1	0.1 lbs.	6.52

5000 Series Big Gun Cart

Part Number	Description	List Price Ea.
13-4B	Clamp Bottom	\$ 3.62
6069-3	Center Tube (axle)	117.52
6074-7	Center Journal	46.33
6100	Main Tube, 4" inlet	206.40
6103	Main Tube, 3" inlet	224.82
6101	Brace	21.42
70-4	Tail Wheel Clamp (6 required)	4.48
8-4URNB	Ring Set 4"	5.59
8-3RNB	Ring Set 3"	3.30
8-10DX	Positive Latch (Knob Style)	3.02
8-10G	Hook Style Latch	1.88

For Big Gun Cart Wheels, refer to Powerroll section

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358



E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

Stands for Giant Sprinklers

15 Series Tripod Sprinkler Stands (Obsolete)

16 Series Tripod Sprinkler Stands

17 Series Tripod Sprinkler Stands



No.	Part Number	Description	Weight	List Price Ea.
1	15-5-2	 Tripod Bracket for 3" Riser Pipe	3.0 lbs.	\$ 41.14
2	15-5-3	 Tripod Cups (2 required)	0.7 lbs.	4.95
3	15-5-4	 Knob	0.5 lbs.	10.53
4	15-3-6A&B	... Pipe Clamp w/Bolt for 3" & 4" tubing	1.5 lbs.	47.59
5	15-5-6 A&B	.. Pipe Clamp w/Bolt for 5" & 6" tubing	1.6 lbs.	47.59
6	15-5-11	 3" Galvanized Coupling	3.0 lbs.	32.28
9	15-5-8	 3"x30" Aluminum Riser Pipe, TBE	6.5 lbs.	82.08
10	15-5-9	 3"x72" Aluminum Riser Pipe, TBE	16.0 lbs.	153.28
11	15-5-10	 Set of 5 Nuts & Bolts for each Tripod ...	0.2 lbs.	9.66
12	15-3-9	 Clevis (2 required)	0.1 lbs.	13.39
13	15-5-12	 Leg – 30"	2.0 lbs.	11.18
14	15-3-10	 Leg – 36"	2.4 lbs.	15.67
15	16-5-0	 Bolt Pack, includes 15-5-4 knob		29.62
16	16-5-11	 Leg with Pad		39.03
17	16-5-2A	 Riser Clamp		35.93
18	6057-4	 Base Shoe		34.94
19	6057-6	 Riser Assembly for 17-3 (3" inlet)		168.94
19	6057-20	 Riser Assembly for 17-4 (4" inlet)		168.94
20	6057-7	 Upper Leg		25.60
21	6057-8	 Leg Brace		21.32
22	6057-9	 Lower Leg		15.21
23	6081	 Half Clamp		2.87


For Gooseneck Elbow parts, see valve opener parts.

VALVES AND MISCELLANEOUS

Mainline Tee and Hydrant Parts

INWARD OPENING (↓)

"D" and "C" Series Valve assembly Parts



"D" Series:

Valve	Valve	Valve
2-4-3D	2-5-4D	2-6-6DS
2-4-3MXF	2-6-4D	2-7-6DS
7-3D	2-5-4MXF	2-8-6DS
	2-6-4MXF	7-6D
	7-4D	

"C" Series:

Valve	Valve	Valve
2-3-3C	2-5-4C	2-6-6CS
2-3-3MXF	2-6-4C	2-7-6CS
2-4-3C	7-4C	2-8-6CS
7-3C		7-6C

No.	Description	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
1	Valve Jam Nut	10-2-6AB	10-2-6AB	10-2-6C	10-2-6AB	10-2-6AB	10-2-6C
2	Upper Steel Disc	10-4-2A	10-4-2B	10-4-2C	10-4-2A	10-4-2B	10-2-2C
3	Valve Rubber	10-4-7A	10-4-7B	10-4-7C	10-2-7A	10-2-7B	10-2-7C
4	Lower Steel Disc	10-4-3A	10-4-3B	10-4-3C	10-2-3A	10-2-3B	10-2-3C
5	Spring Cap	10-2-8AB	10-2-8AB	10-2-8C	10-2-8AB	10-2-8AB	10-2-8C
6	Tee Valve Stem Screw	10-4-5A	10-4-5B	10-4-5C	10-2-5A	10-2-5B	10-2-5C
7	Hydrant Valve Stem Screw	10-4-5AAB	10-4-5AAB	10-4-5AC	10-2-5AB	10-2-5AB	10-2-5AC
8	Valve Spring	10-2-4A	10-2-4A	10-2-4C	10-2-4A	10-2-4A	10-2-4C
	Valve Tee Parts Set	10-4-1A	10-4-1B	10-4-1C	10-2-1A	10-2-1B	10-2-1C
	Valve Hydrant Parts Set	10-4-1AA	10-4-1AB	10-4-1AC	10-2-1AA	10-2-1AB	10-2-1AC

Part No.	List Price Ea.	Part No.	List Price Ea.	Part No.	List Price Ea.	Part No.	List Price Ea.
10-2-1A	\$ 22.38	10-2-4C	\$ 9.35	10-2-8C	\$ 3.39	10-4-3B	\$ 4.09
10-2-1AA	22.38	10-2-5A	8.23	10-4-1A	26.54	10-4-3C	5.09
10-2-1AB	26.30	10-2-5AB	8.23	10-4-1AA	23.71	10-4-5A	8.89
10-2-1AC	44.16	10-2-5AC	10.86	10-4-1AB	24.73	10-4-5AAB	10.71
10-2-1B	26.73	10-2-5B	8.23	10-4-1AC	35.35	10-4-5AC	15.47
10-2-1C	32.46	10-2-5C	10.86	10-4-1B	24.02	10-4-5B	10.71
10-2-2C	7.60	10-2-6AB	.25	10-4-1C	38.73	10-4-5C	15.47
10-2-3A	2.83	10-2-6C	.48	10-4-2A	3.80	10-4-7A	3.39
10-2-3B	2.83	10-2-7A	2.83	10-4-2B	3.92	10-4-7B	4.28
10-2-3C	7.96	10-2-7B	3.75	10-4-2C	4.09	10-4-7C	7.30
10-2-4A	6.22	10-2-7C	6.22	10-4-3A	4.09		
		10-2-8AB	2.83				

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

VALVES AND MISCELLANEOUS

"E" Series Valve Opener Parts ("E", "EPH" & "ES")

INWARD OPENING (↓)


Valve Actuating Assembly

This assembly fits any style Valve Opener or Gooseneck where bushing is threaded into casting. For repairs on older Elbows, refer to factory.

Size A (3/4" stem size): openers for 3" inward opening valves

Size B (1" stem size): openers for 4" inward opening valves

Size C (1-1/4" stem size): openers for 6" inward opening valves



Part Number	Description	List Price Ea.		
		A (2.8 lb.)	B (3.0 lb)	C (5.8 lb)
10-3-21	↓ Complete Assembly, less Handle and Nut	\$ 52.20	\$ 53.48	\$ 71.35
10-3-2	↓ Stem Top Nut	0.53	0.53	.58
10-3-3	↓ Handle	7.43	7.43	
10-3-23 ...	↓ "T-Handle			10.48
10-3-25 ...	↓ O-Ring (included with 10-3-26)	.94	.94	1.23
10-3-26 ...	↓ Stem Bushing	13.70	13.70	24.68
10-3-27 ...	↓ Brass Stem Screw	29.43	30.71	48.50
10-3-28 ...	↓ Stem Guide	9.07	9.07	11.17

When ordering, specify Part Number and Size (A, B, or C)

For example: "Part Number 10-3-27, Size A"

Locking Levers


For Mainline valve openers.



Part Number	Base Inlet Size	Weight	List Price Ea.
10-3-9A	3"	1.8 lbs	\$ 34.36
10-3-10A	4"	2.2 lbs	\$ 42.00
10-3-10AS	6"	3.0 lbs	\$ 50.02

Universal Locking Band


For locking 3" and 4" Valve Opening Elbows to 4" Hydrants



Part Number	Base Inlet Size	Weight	List Price Ea.
10-3-10U	4"	1.8 lbs	\$ 33.57

Part Number	Description	Weight	List Price Ea.
6056	Latch		\$ 2.47
6055	Wire Bail		3.14

VALVES AND MISCELLANEOUS




Stem Assemblies for Valve Openers

OUTWARD OPENING (↑) EH, UEH, U, EPH Fittings

Part Number	Description	Weight	List Price Ea.
10-3-23B ↑	Tee Handle	0.6 lbs.	\$ 5.97
10-3-2A ↑	Top Nut	0.3 lbs.	.54
10-3-27S ↑	Valve Stem with Fork	2.0 lbs.	21.32
For all fittings which screw outward to open			
10-3-25AB .. ↑	Gasket only	0.03 lbs.	.96
10-3-26SA .. ↑	Bushing with 10-3-25AB	0.7 lbs.	13.81
For use with 3" outward opening valve openers			
3/4" diameter threads			
10-3-26SB . ↑	Bushing with 10-3-25AB	0.9 lbs.	14.96
For use with 4" outward opening valve openers			
1" diameter threads			

Tee Valve and Hydrant Parts


OUTWARD OPENING (↑)



Part Number	Description	Weight	List Price Ea.
10-4-5S ↑	Valve Stem Screw (Plated Steel)	0.6 lbs.	\$ 5.94
10-4-5SB ... ↑	Valve Stem Screw (Brass)	0.6 lbs.	11.36
10-4-5S and 10-4-5SB are for all outward opening tee valves and hydrants			
10-4-5SS ... ↑	Valve Stem Screw, long handle	1.2 lbs.	12.99
For Powerroll End Plugs			
10-4-7AS ... ↑	3" Molded Rubber & Steel Valve Disc ..	0.7 lbs.	9.04
For 7-3S 3" hydrant			
10-4-7BS ... ↑	4" Molded Rubber & Steel Valve Disc ..	0.5 lbs.	7.08
For all 4" outward opening tee valves and hydrants			
10-5-29 ↑	Spider	0.5 lbs.	12.18
For all 4" outward opening tee valves and hydrants			
10-5-30 ↑	Stainless Steel Roll Pin for 10-5-29	0.11 lbs.	.88

Steel Valve Opening Parts

For US and UEHS Valve Openers






Part Number	Description	Weight	List Price Ea.
10-3-23ST	Steel Crank Handle for 3/4" Stem	1.20 lbs.	\$ 12.31
10-3-27ST	Steel Fork Stem – 3/4"	1.00 lb.	16.46
9401530050	Plated Steel Roll Pin	0.10 lb.	.37

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

70 SERIES HYDROSTATIC POWERROLL MOVER



Item	Part Number	Description	Weight	List Price Ea.
1	70-395	Main Frame	300.0 lbs.	\$1,498.65
2	70-396-14	Tail Wheel Axle	26.0 lbs.	103.95
3	70-396-15	Tail Wheel Bearing	4.0 lbs.	57.34
4	70-4	Tail Wheel Clamp	1.0 lbs.	4.48
5	70-5	Tail Wheel Chain (157 links plus attach)	7.2 lbs.	57.24
	70-6	Master Link	0.05 lbs.	3.01
7	70-6MT	6 HP Engine Package	140.0 lbs.	1,937.00
7	70-7MT	9 HP Engine Package	140.0 lbs.	2,202.80
8	70-402	Motor Base	22.7 lbs.	103.75
9	70-9-6	Engine 6 HP Manual Start, OHV	44.0 lbs.	529.10
9	70-9-7	Engine 9 HP Manual Start, OHV	45.0 lbs.	794.90
10	70-10	Flex Coupling, complete	1.0 lbs.	39.84
10	70-10-1	Flex Coupling, Rubber only	0.4 lbs.	10.63
11	70-11	Fan only	1.0 lbs.	23.65
	70PB	Parts Box		421.60
13*	70-488	Complete Shift Lever Assembly		49.90
13A	70-485	Linkage Weldment		7.81
13B	70-486	Shift Handle		12.55
13C	70-487	Base Bracket		14.58
13D	70-400-1	Clevis Rod		6.25
13E	70-400-2	Clevis		3.97
	70-7-1	Parts Bag with spring, N & B, pins		20.62
	70FC	Retrofit plastic engine cover to replace fiberglass covers		251.00
	70-747	Retrofit hinge kit only for cover conversion (included in 70-FC)		24.06
	70-113500	Retrofit cover tie-down kit		


*Shift lever parts for units SN# 12859 (pre 1981) are not available. Order 70-488 shift lever assembly to convert to new style.

** Engine Cover 70FC includes P/N 70-404, Conversion Hinges and P/N 70-488 Shift Lever Assembly for use on units with Serial Nos. prior to 12860.

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

70 SERIES HYDROSTATIC POWERROLL MOVER

•Shift Lever parts
70-399 used on units
S/N 12859 and lower.

Item	Part Number	Description	Weight	List Price Ea
14	70-12S	Hydrostatic Transmission	22.1 lbs	\$ 611.50
15	70-408	Fan Guard	2.2 lbs	19.43
16	70-14S	Reduction Unit	30.0 lbs	677.25
17	70-15	Pinion gear	1.4 lbs	62.92
18	70-411	Jack Shaft	5.5 lbs	62.92
	70-396-11	Jack Shaft Bushing	1.5 lbs	63.18
	70-412	Jack Shaft Bushing Assembly	5.0 lbs	81.93
21	70-24	Main Drive Pinion	3.0 lbs	68.39
22	70-396-1	Gear 45 Tooth (for 57" wheels)	17.9 lbs	172.81
22	70-396-2	Gear 60 Tooth (for 64" & 76" wheels)	32.2 lbs	207.14
	70-26PBR	Pulley Bracket Repair Kit (not shown)	0.81 lbs	26.42
24	70-30	Canvas Sock	0.62 lbs	7.81
25	70-402-7	McGill Bearing	1.0 lbs	37.55
	70-395-13	Main Drive Gear 82 Tooth		306.35
	70-395-22	Main Hub Assembly	122.0 lbs	393.91
	70-555	Gear Guard Set		12.08
	70-419	500 Bore Flex Coupling Flange		13.20
	70-419-2	750 Bore Flex Coupling Flange (std for model 70)		13.20
	80-544-49	1000 Bore Flex Coupling Flange		13.20
	70-389	Tail Wheel Chain Guard	2.5 lbs	22.92
	9401540230	Snap Ring (on Jack Shaft)		.57

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

POWEROLL ENGINE PARTS**Engine Identification**

Tecumseh engines are most easily identified by locating the model number on the placard located on the blower housing near the recoil starter. The pulley bracket sometimes covers the placard. Some older engines had the model number stamped into the blower housing.

Model	HP	Color	Dates	
H60	6	Orange	up to 1993	* Order both parts for complete air cleaner element for HM70/HM80
H70	7	Orange	up to 1993	
H60	6	Black or Red	1993-1999	** Order both parts for complete air cleaner element for OHH60
H70	7	Black or Red	1993- 1999	
HM70	7	Red and Black	99 and newer	
HM80	8	Red and Black	99 and newer	
OHH60	6	Red and Black	99 and newer	

Air Cleaner Parts

Part No.	Description	Model	Year	List Price Ea.
30727	Air filter element (paper)	H60/H70	Pre 93	\$ 7.50
31700	Air-filter element (foam)	H60/H70	93-98	13.10
33268*	Air filter element	H70/H80	99 & Up	15.14
35881*	Air filter element (foam ring only)	HM70/HM80	99 & Up	5.33
36046**	Air filter element	OHH60	99 & Up	10.18
36634**	Air filter foam pad	OHH60	99 & Up	7.12
31715	Air cleaner body	H60/H70	Up to 99	15.46
33269A	Air cleaner cover	HM70/HM80	99 & Up	11.48
37073	Air cleaner cover	OHH60	99 & Up	10.28

Recoil Starter Parts

Part No.	Description	Model	Year	List Price Ea.
590420A	Rewind Starter Assembly, 1-pawl	H60/H70	Pre 93	\$ 52.10
590732A	Rewind Starter Assembly, 2-pawl	H60/H70	93-98	60.32
590748A	Rewind Starter Assembly, 2-pawl	OHH60/HM70&80	99 & Up	76.32
31-250	Recoil Rope #5, 200ft. spool	All (Premium Braid Nylon)		53.50
590387	Starter Rope Handle	All		4.72

Carburetor Parts

Part No.	Description	Model	Year	List Price Ea.
632230	Carburetor	H60/H70	Pre 93	\$113.15
632230	Carburetor	H60	Up to 99	113.15
631793	Carburetor	H70	93 - 98	120.02
640262A	Carburetor	HM70/HM80	99 & Up	91.70
640340	Carburetor	OHH60	99 & Up	82.48
31840	Carburetor repair kit	H70	Up to 99	15.80
632235	Carburetor repair kit	H60	Up to 99	20.45
632760B	Carburetor repair kit	OHH60/HM70&80	99 & Up	20.45
31688A	Carburetor gasket (10 pack)	H60/H70	Up to 99	21.35

POWERROLL ENGINE PARTS**Fuel Tank Parts**

Part No.	Description	Model	Year	List Price Ea.
34186A	Fuel Tank	H60/H70	Up to 98	\$ 47.92
37048	Fuel Tank	OHH60	99 & Up	36.68
34156A	Fuel Tank	HM70/HM80	99 & Up	42.40
33032	Gas cap only (1 1/2" spout)	H60/H70	old	7.25
37845	Gas cap only (2" spout)	H60/H70	up to 93	5.88
37844	Gas cap only	H60/H70	93-98	5.72
37844	Gas cap only	OHH60/HM70&80	99 & Up	5.72
35857	Fuel cutoff valve, inline	All		13.55

Muffler Parts

Part No.	Description	Model	Year	List Price Ea.
32401	Muffler Assembly	H60/H70	pre 99	\$ 27.12
33756B	Muffler Assembly	HM70/HM80	99 & Up	57.50
37596	Muffler Assembly	OHH60	99 & Up	30.10

Gasket Sets

Part No.	Description	Model	Year	List Price Ea.
33235A	Gasket Set	H60	pre 93	\$ 22.75
33239A	Gasket Set	H70	pre 93	34.32

Ignition Parts

Part No.	Description	Model	Year	List Price Ea.
33636	Spark plug	H60/H70	Up to 99	\$ 6.88
33636	Spark plug	HM70/HM80	99 & Up	6.88
34645	Resistor spark plug (RN4C)	OHH60	99 & Up	6.97
70-482	Kill Switch w/boot	H60/H70	Up to 99	12.68

HYDROSTATIC TRANSMISSION PARTS**Transmission Parts**

Part No.	Description	List Price Ea.
70-990077	Expansion reservoir w/ cap	\$ 36.95
70-10351	Cap only for expansion reservoir	7.97
70-12-1	Gasket	1.25
70-105713	Output gear	33.96

**70-12S Hydrostatic Transmission****Specified Fluids:**

*SAE 20W Motor Oil or
*Automatic Transmission
Fluid (Do not mix oil types)

**70-14S Gearbox**

(see next page for parts)

Lubricant:


*90 W Gear Oil

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

70-14S GEARBOX ILLUSTRATED PARTS




Gear Box Parts

Ref #	Part No.	Description	List Price Ea	Ref #	Part No.	Description	List Price Ea
1	772063A	Cover assembly	\$ 249.45	48	774181	Axle (12-23/32" long)	\$ 104.40
2	780013	Needle bearing (2 req'd)	19.42	67	776093	Brake shaft	91.53
2A	780088	Needle bearing (1 req'd)	19.04	73	780089	Needle bearing (1 req'd)	21.95
3	770058A	Case assembly (Incl. 2 & 2A)	193.13	76	780090	Washer	1.82
5	778041	Output pinion	96.50	79	792144	Brake spring	1.76
6	778036	Output gear	47.00	85	792010	Pipe plug	1.75
13	778220	Bevel gear (2 teeth-steel)	40.46	87	788008	Oil seal (3 req'd)	7.27
14	778197	Bevel pinion (10 teeth-steel)	29.27	101	774028A	Differential carrier	69.25
15	778033A	Ring gear	136.97	102	774029A	Differential carrier	69.25
16	786027	Drive block	9.24	103	792020	Screw, 14-20 x 2-1/4"	1.82
17	786019	Drive pin	9.24	104	27513	Lockwasher, 1/4"	1.73
18	786017	Spacer	3.53	124	788044A	Case-to-cover gasket	5.45
25	792046	Screw, 1/4-20 x 1"	1.82	124A	788046	Gasket (same as 70-12-1)	4.80
26	792018	Snap ring	1.82	132	778037	Idler gear (30 teeth)	45.20
29	780001	Washer	1.82	136	782022A	L.H. housing & bushing (Incl 137)	141.70
31	780042	Thrust washer	3.63	137	780054	Bushing	9.10
31A	780107	Washer	3.63	138	782023A	R.H. housing & bushing (incl. 137)	141.28
39	786026	Dowel pin	2.00	180	-	Gear oil SAE 80W90	
47	774493	Axle (6-3/4" long)	37.65				

POWEROLL PARTS

Drain Valve Parts



Part Number	Description	Weight	List Price Ea.
#18-1 Drain Valve			
18-1-2	1" Sleeve	0.2 lbs	\$ 3.90
18-1-6	Rubber Gasket		.50
18-1-4	Spring		2.00
18-1-3	Spider	0.1 lbs	4.20
18-1-5	Dispersion Plate	0.1 lbs	.50
18-1-7	Lock Washer		.10
18-1-8	Nut		.10

#18-0-5 Drain Valve



18-0-5	Complete Drain	0.6 lbs	7.50
18-0-6	1" Rubber Spider	0.1 lbs	.85
18-0-5T	Drain Valve Top	0.3 lbs	3.70
18-0-5B	Drain Valve Bottom	0.3 lbs	3.60


Texas T-Handle for Telescoping Feed

Part Number	Description	Weight	List Price Ea.
20-3-25T	5/16" T-Handle	0.25 lbs	\$ 8.32
20-5-25T	3/8" T-Handle	0.25 lbs	8.45

Poweroll End Plug Parts

Part Number	Description	Weight	List Price Ea.
29-4SP	Splash Plate	0.2 lbs	\$ 5.49
10-4-5SS	Long Handle Stem Screw	1.2 lbs	12.99

L-75 Sprinkler Leveler Parts




Part No.	Description	No.	List Price Ea.
659	Repair Kit Consisting of following:		\$ 6.75
653	Spring Stop Washer	①	.37
654	Stainless Spring	②	.56
655	Rubber Washer	③	.11
656	Teflon Washer (2 req.)	④	.22
657	Hex Bearing	⑤	3.80
659-8	O-Ring	⑥	.11
658	Brass Retainer Washer	⑦	.74
659-10	Stainless Snap Ring	⑧	.62

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

POWERROLL PARTS**Ratcheted Line Anchor Stabilizer Bar****Stabilizer Leg**


Part Number	Tube Size	Wheel Size	Weight	List Price Ea.
22-4-16	4"	57" & 64"...	13.6 lbs.	\$ 67.77
22-4-17	4"	76"	14.8 lbs.	79.35
22-5-5	5"	57" & 64"...	14.3 lbs.	81.12
22-5-6	5"	76".....	15.1 lbs.	82.87

Pipe Clamps (Nuts and Bolts Not Included)

For each clamp order two (2) halves. Two clamp halves required for each leg.

Part Number	Tube Size	Weight	List Price Ea.
22-4-1 (Clamp Half)	4"	1.3 lbs.....	\$ 6.32
22-5-1 (Clamp Half))	5"	1.5 lbs.....	7.96

Use 3/8 x 1 Capscrew and 3/8 Hex Nut

**Ratchet Clamp**

One required for each leg (Nuts and Bolts not included)

Part Number	Tube Size	Weight	List Price Ea.
22-4-14.....	4"	4.1 lbs.....	\$ 53.78
22-5-3	5"	4.4 lbs.....	53.78

**Reinforcing Bands**

Part Number	Material	For Use With	Size	List Price Ea.
28-4-1A	Aluminum	48-4PR and 58-4PR	4"	\$ 2.38
1-5MP-1	Aluminum	Aluminum Couplers		
1-5MP-1	Aluminum	1-5MP, 48-5PR, 58-5PR ...	5"	3.20
1-6MP-1	Aluminum	and 2-5-4P Aluminum Couplers		
1-6MP-1	Aluminum	1-6MP and 2-6-4P	6"	4.36
1-6MP-1	Aluminum	Aluminum Couplers		
28-4-1S	Steel	4" Hub Adapter	4"	1.75

28 and 38 Series Parts

Part Number	Description	List Price Ea.
28-4-2TD	Spring Lock Bands for 38 Series Side Roll Couplers	\$ 14.64
28-4-3	3/8" x 1"-1/2" Special Studs for 28 Series Couplers.....	1.64

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

3/4" BRASS AGRICULTURAL SPRINKLERS**WR-33****WR-32****WR-35**

NOTE: All sprinklers are double nozzle, but are shipped with the removable spreader nozzle plug installed and no range nozzle. All nozzles are ordered separately.

**See performance data on following pages.*

Part Number	Description	Weight	Pieces Per Box	List Price Each
WR-33	Brass Impact Sprinkler	1.0 lb	30/60	\$ 16.25
WR-32	Brass Sprinkler w/Aluminum Arm	1.0 lb	30/60	17.10
WR-35	Part-circle Adjustable Brass Sprinkler	1.4 lb	20	34.80

NOZZLES

Part Number	Description	GPM at 50 PSI	Application Rate (40 x 60)	Pieces Per Box	List Price Each
WR-7/64	7/64" Range Nozzle	2.45		30	\$.40
WR-1/8	1/8" Range Nozzle	3.22		30	.40
WR-9/64	9/64" Range Nozzle	4.07	.16"/hr	30	.40
WR-5/32	5/32" Range Nozzle	4.98	.20"/hr	30	.40
WR-11/64	11/64" Range Nozzle	6.01	.24"/hr	30	.40
WR-3/16	3/16" Range Nozzle	7.16	.29"/hr	30	.40
WR-13/64	13/64" Range Nozzle	8.45	.34"/hr	30	.40
WR-7/32	7/32" Range Nozzle	9.90	.40"/hr	30	.40
SSN-3/32	3/32" Spreader Nozzle	3.22		30	.60
SSN-1/8	1/8" Spreader Nozzle	1.76		30	.60
SNP	Spreader Nozzle Plug (included with sprinkler)			50	.40
VANE	Stream Straightening Vane for Range Nozzle			100	.05

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

PERFORMANCE DATA**WR-33 BRASS IMPACT SPRINKLER****WR-33 SINGLE NOZZLE - 27 DEG. TRAJECTORY (NO VANE)**

	1/8"		9/64"		5/32"		11/64"		3/16"		13/64"		7/32"	
NOZ		DIA.		DIA.		DIA.		DIA.		DIA.		DIA.		DIA.
PSI	GPM	FT.	GPM	FT.	GPM	FT.	GPM	FT.	GPM	FT.	GPM	FT.	GPM	FT.
25	2.25	78	2.88	80	3.52	82	4.24	83	5.0	85	5.90	86	6.85	88
30	2.47	79	3.15	81	3.85	85	4.64	88	5.5	91	6.50	94	7.55	96
35	2.68	80	3.40	82	4.16	87	5.02	90	6.0	94	7.05	97	8.20	100
40	2.87	81	3.64	83	4.45	88	5.37	92	6.4	96	7.55	99	8.80	102
45	3.05	82	3.86	84	4.72	89	5.70	94	6.8	98	8.00	101	9.35	104
50	3.22	83	4.07	85	4.98	90	6.01	95	7.2	100	8.45	103	9.90	106
55	3.38	84	4.27	86	5.22	91	6.30	96	7.5	101	8.85	104	10.40	107
60	3.53	85	4.46	87	5.45	92	6.57	97	7.9	102	9.25	105	10.75	108
65	3.68	86	4.65	88	5.68	93	6.83	98	8.2	103	9.60	106	11.10	109
70	3.82	86	4.83	89	5.90	94	7.09	99	8.5	104	9.95	107	11.40	110
75	3.96	87	5.00	90	6.11	95	7.34	100	8.8	105	10.25	108	11.70	111
80	4.09	87	5.17	91	6.30	96	7.58	101	9.1	106	10.50	109	12.00	112

WR-33 DOUBLE NOZZLE - 27 DEG. TRAJECTORY (NO VANE)

	9/64"x 3/32"		5/32"x 3/32"		11/64"x 3/32"		3/16"x 3/32"		3/16"x 1/8"		13/64"x 1/8"		7/32"x 1/8"	
NOZ		DIA.		DIA.		DIA.		DIA.		DIA.		DIA.		DIA.
PSI	GPM	FT.	GPM	FT.	GPM	FT.	GPM	FT.	GPM	FT.	GPM	FT.	GPM	FT.
25	4.18	80	4.83	82	5.55	83	6.31	85	7.40	85	8.30	86	9.25	88
30	4.58	81	5.28	85	6.07	88	6.93	91	8.15	91	9.15	94	10.20	96
35	4.95	82	5.71	87	6.57	90	7.51	94	8.83	94	9.93	97	11.10	100
40	5.29	83	6.11	88	7.03	92	8.03	96	9.46	96	10.65	99	11.90	102
45	5.61	84	6.48	89	7.46	94	8.53	98	10.05	98	11.30	101	12.65	104
50	5.91	85	6.82	90	7.87	95	9.00	100	10.60	100	11.90	103	13.35	106
55	6.20	86	7.15	91	8.25	96	9.45	101	11.10	101	12.50	104	14.00	107
60	6.48	87	7.47	92	8.60	97	9.86	102	11.60	102	13.00	105	14.50	108
65	6.75	88	7.78	93	8.93	98	10.27	103	12.10	103	13.50	106	15.00	109
70	7.00	89	8.08	94	9.25	99	10.66	104	12.50	104	14.00	107	15.45	110
75	7.25	90	8.37	95	9.56	100	11.02	105	12.90	105	14.40	108	15.90	111
80	7.49	91	8.65	96	9.87	101	11.36	106	13.25	106	14.80	109	16.30	112

NOTE:

- * Optional straightening vane will increase diameters by 4-8% at pressures of 40 psi and above.
- * Highest point of stream is 8 ft. above nozzle with 1/8" nozzle at normal operating pressure.
- * Performance stated at base pressure.

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com

PERFORMANCE DATA**WR-32 BRASS IMPACT SPRINKLER**

*ALUMINUM ARM FOR LOW
GALLONAGE APPLICATIONS*

**WR-32 SINGLE NOZZLE - ALUMINUM ARM**

NOZ PSI	7/64"		1/8"		9/64"	
	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.
25	1.73	77	2.25	78	2.88	80
30	1.89	78	2.47	79	3.15	81
35	2.05	78	2.68	80	3.40	82
40	2.19	79	2.87	81	3.64	83
45	2.32	80	3.05	82	3.86	84
50	2.45	80	3.22	83	4.07	85
55	2.57	81	3.38	84	4.27	86
60	2.68	82	3.53	85	4.46	87
65	2.79	82	3.68	86	4.65	88
70	2.90	83	3.82	86	4.83	89
75	3.00	83	3.96	87	5.00	90
80	3.10	84	4.09	87	5.17	91

**WR-32 SINGLE NOZZLE - ALUMINUM ARM
WITH STRAIGHTENING VANE**

NOZ PSI	7/64"		1/8"		9/64"	
	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.
25	1.73	78	2.25	82	2.88	85
30	1.89	79	2.47	84	3.15	87
35	2.05	80	2.68	85	3.40	89
40	2.19	81	2.87	86	3.64	91
45	2.32	82	3.05	87	3.86	92
50	2.45	83	3.22	88	4.07	93
55	2.57	84	3.38	89	4.27	94
60	2.68	85	3.53	90	4.46	95
65	2.79	86	3.68	91	4.65	96
70	2.90	87	3.82	92	4.83	97
75	3.00	88	3.96	93	5.00	98
80	3.10	89	4.09	94	5.17	100

PERFORMANCE DATA**WR-35 ADJUSTABLE PART-CIRCLE
BRASS IMPACT SPRINKLER****WR-35 SINGLE NOZZLE - 25 DEG. TRAJECTORY (NO VANE)**

NOZ PSI	5/23"		11/64"		3/16"		13/64"		7/32"	
	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.
30	3.85	84	4.64	87	5.5	89	6.50	96	7.55	94
35	4.16	85	5.02	88	5.96	92	7.05	95	8.20	96
40	4.45	87	5.37	90	6.38	94	7.55	97	8.80	98
45	4.72	88	5.70	92	6.78	96	8.00	99	9.35	100
50	4.98	89	6.01	93	7.16	98	8.45	101	9.90	102
55	5.22	90	6.30	94	7.52	100	8.85	102	10.40	104
60	5.45	91	6.57	96	7.85	101	9.25	103	10.75	105
65	5.68	92	6.83	97	8.18	102	9.60	104	11.10	106
70	5.90	93	7.09	98	8.50	103	9.95	105	11.40	107

WR-35 DOUBLE NOZZLE - 25 DEG. TRAJECTORY (NO VANE)

NOZ PSI	9/64"x 3/32"		5/32"x 3/32"		11/64"x 3/32"		3/16"x 3/32"		3/16"x 1/8"		13/64"x 1/8"		7/32"x 1/8"	
	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.	GPM	DIA. FT.
30	4.58	80	5.28	84	6.07	87	6.93	89	8.15	89	9.15	93	10.20	94
35	4.95	81	5.71	85	6.57	88	7.51	92	8.83	92	9.93	95	11.10	96
40	5.29	82	6.11	87	7.03	90	8.03	94	9.46	94	10.65	97	11.90	98
45	5.61	83	6.48	88	7.46	92	8.53	96	10.05	96	11.30	99	12.65	100
50	5.91	84	6.82	89	7.87	93	9.00	98	10.60	98	11.90	101	13.35	102
55	6.20	85	7.15	90	8.25	94	9.45	100	11.10	100	12.50	102	14.00	104
60	6.48	86	7.47	91	8.60	96	9.86	101	11.60	101	13.00	103	14.50	105
65	6.75	87	7.78	92	8.93	97	10.27	102	12.10	102	13.50	104	15.00	106
70	7.00	88	8.08	93	9.25	98	10.66	103	12.50	103	14.00	105	15.45	107

NOTE:

- * Optional straightening vane will increase diameters by 4-8% at pressures of 40 psi and above.
- * Highest point of stream is 7 ft. above nozzle with 1/8" nozzle at normal operating pressure.
- * Performance stated at base pressure.

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281**PHONE: (503) 692-5353 • FAX: (503) 692-5358****E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com**

MODEL NO. 16 BIG GUN® SPRINKLER STAND

Female Sprinkler Adapters

16-3-2 16-3-2½ 16-3-3



Part Number	Description	Weight	List Price Ea.
16-3-2	3" x 2" Female Reducer	2.3 lbs.	\$ 25.83
16-3-2 1/2	3" x 2-1/2" Female Reducer	2.7 lbs.	25.83
16-3-3	3" Female Coupling	3.5 lbs.	25.83

Stand Assembly

Consists of 30" Aluminum riser with 3" male threads both ends and sliding tripod assembly. One leg clamps to the mainline pipe. The other two legs have 8" diameter lateral support pads.

The tripod stand may be connected to a 4" male 90° elbow adapter or to a valve opening gooseneck which connects directly to the Wade'Rain hydrant valve and tees.

Part Number	Description	Weight	List Price Ea.
16-30-4	Riser Pipe with adjustable Tripod stand for use with 3" & 4" Mainlines	18.4 lbs.	\$322.56
16-30-6	Riser Pipe with adjustable Tripod stand for use with 5" & 6" Mainlines	18.4 lbs.	322.56

See Parts Section for Parts

90° Elbow Adapters

Coupling end is male O.D. tubing, and riser end has 3" female iron pipe thread. Connects stand to most makes of surface mainlines and valve openers.

Part Number	Size	Description	Weight	List Price Ea.
16-3-13G	3" x 3"	For Hook Style Coupling	2.5 lbs.	\$ 73.58
16-5-13G	4" x 3"	For Hook Style Coupling	3.0 lbs.	87.73
16-3-13CX	3" x 3"	For Knob Style Coupling	2.5 lbs.	68.78
16-5-13DX	4" x 3"	For Knob Style Coupling	3.0 lbs.	82.01

Gooseneck Adapters

Connects stand to Wade'Rain Mainline tees or hydrants.

Part Number	Description	Weight	List Price Ea.
*15-5-1EH	↑ Gooseneck for 4" valves with 3" FIPT outlet... for 2-3-4 P thru 2-6-4 P and 7-4 P	8.3 lbs.	\$ 138.93
*15-3-1E	↓ Gooseneck for 3" valves with 3" FIPT outlet... for 2-3-3 C, 2-4-3 D, 2-3-3 MXF, 2-4-3 MXF, 7-3 D	7.3 lbs.	138.93
*15-5-1E	↓ Gooseneck for 4" valves with 4" FIPT outlet... for 2-5-4 D, 2-6-4 D, 2-5-4 MXF, 2-6-4 MXF, 7-4 D	8.3 lbs.	138.93

* When ordering, specify if for use with "EH" ↑ (Outward Opening) or "E" ↓ (Inward Opening) valve fitting.



16-5-13G




16-5-13DX



MODEL NO. 17 BIG GUN® SPRINKLER STAND

Tripod comes complete with riser, 2" female and 2-1/2" male threaded sprinkler adapter and 4" 90° inlet elbow.




Model No. 17 Big Gun® Sprinkler Stand recommended for use with Nelson 100 Series Big Gun® Sprinkler or equivalent.

Part Number	Riser Length	Description	Weight	List Price Ea.
17-3	30"	3" Inlet/Clamps 3 & 4" Dia. Mainline...	21 lbs....	\$ 406.02
17-4	30"	4" Inlet/Clamps 3 & 4" Dia. Mainline...	21 lbs....	406.02
17-5	30"	4" Inlet/Clamps 5 & 6" Dia. Mainline...	21 lbs....	419.89

Tripods with special riser heights are available upon request.

See Parts Section for Parts

BIG GUN CART ASSEMBLY

Big Gun® Cart Assembly recommended for use with Nelson 100 Series Big Gun® Sprinkler or equivalent.

Includes all steel welded main frame with 84" long, 4" diameter axle and two heavy duty galvanized Powerroll wheels. Clamp-on 4" diameter aluminum riser includes a sprinkler adaptor for 2" male or 2-1/2" female sprinkler. Available in 3" or 4" male inlet. Each cart is shipped with both knob style and hook style latches. *Optional Independent Bearing Kit allows each wheel to turn independently on axle for easier manual maneuvering in tight spaces.*

Part No.	Description	Weight	List Price
Low Profile 46" Wheel			
5046-3	3" male inlet w/46" wheels	107 lbs.	\$ 597.40
5046-4	4" male inlet w/46" wheels	115 lbs.	575.90
Standard Profile 57" Wheel			
5057-3	3" male inlet w/57" wheels	116 lbs.	\$ 602.10
5057-4	4" male inlet w/57" wheels	116 lbs.	580.60
Big Gun Cart Less Wheels and Options			
5000-3	3" male inlet without wheels	39 lbs.	\$ 455.10
5000-4	4" male inlet without wheels	39 lbs.	433.60
5000	Optional Independent Bearing Kit	30 lbs.	150.00



See Parts Section for Parts

WADE RAIN INC • P.O. BOX 23666 • PORTLAND, OREGON 97281

PHONE: (503) 692-5353 • FAX: (503) 692-5358

E-MAIL: sales@waderain.com • WEBSITE: www.waderain.com