

Sierra











Faucets and Shower Valves

Beauty and Quality

www.zurn.com

Zurn Sierra Faucets Beauty and Quality



Z7440

Z7440-STN





Quarter-Turn Heavy-Duty Ceramic Disc Cartridge

- · Large diameter, nickel-plated brass stem
- · One-piece Modular Cartridge
- · Heavy Duty Design
- · Quiet Operation
- · Resistant to Water Hammer
- · Limited Lifetime Warranty
- · Handles Harsh Water Conditions



Z74500

Z74500-STN



Z74600

Z74600-STN



Z74700

Z74700-STN

Available in Chrome and Satin


Temp-Gard III[®] Shower Valve

Features and Benefits





Z7302-SS-MT-STN



Easy Installation

· Protective finish frame furnished standard.

Easy to Service

- · Only front access is required.
- · Integral front access service supply stops.

Replaceable One-Piece Cartridge

Maximum Temperature Limit Stop

· Allows the end user to set maximum bathing temperature, eliminating the potential for scalding.

Rotating Handle For Safe Operation

 Handle rotates through cold before hot, even in reverse core installations, allowing the user to safely find the comfort zone.

Optional Integral Diverter

One Moving Internal Part Balances Pressure

1/2" NPT Female Threaded Connections Standard on Inlets and Outlets

- 1/2" female copper integral sweat connections available.
- · Also available in 1/2" PEX and 1/2" CPVC.

Back-to-Back Installation

 Temp-Gard III comes equipped with both standard and reverse core capability.
 Simply remove the cartridge and rotate 180° for reverse core installations.

Full Line of Options and Accessories

Tested and Conforms to ASSE-1016 and CSA B125-M89 Standards

Lever Handle Meets Requirements for ADA and ANSI A117.1





Zurn Industries, LLC Commercial Brass Operation 5900 Elwin Buchanan Drive, Sanford, NC, U.S.A. 27330 Phone: (800) 997-3876 Fax: (919) 775-3541 www.zurn.com

In Canada:

Zurn Industries Limited
3544 Nashua Drive, Mississauga, ON L4V 1L2
Phone: (905) 405-8272, Fax: (905) 405-1292

Form No. CF1084, 7/07