

CARLO GAVAZZI
Automation Components


CARLO GAVAZZI

Monitoring Controls Providing Unparalleled Application Solutions

Control



When Technology and Experience Exceed Your Expectations



The standard high-performance DIN-rail housings


Plug-in versions for maximum flexibility

The new compact DIN-rail mount housings require minimal panel space

Monitoring is **the art of knowledge**.

If the electrical parameters of the system are in control, everything runs correctly, reducing down time and maintenance costs. Our people at Carlo Gavazzi learned this fundamental lesson through our thirty years experience designing and manufacturing monitoring relays. The most sophisticated measuring techniques, together with the highest attention to make the unit really easy to set up, make Carlo Gavazzi Monitoring Relays the optimum solution wherever electrical parameters have to be measured.


The family is available with the same functions in **three different housings**: the standard DIN-rail, mount types, perfect for industrial panels, the Plug-in housing to allow fast and safe replacement (without rewiring), and the new Mini-D housings for DIN-rail mounting, which can be mounted in electrical panels as well as in smaller panels for special industrial or non-industrial applications.





Not all Applications are the Same... So We are Always Looking for New Solutions

Our way of developing products always starts from listening. We begin from the final application, meeting people to understand the critical issues. We design the products so that they fulfill or exceed the monitoring needs. The final result is outstanding performance.



A Guarantee of Reliability by our Specialized Manufacturing Centers

Our monitoring relays are manufactured in accordance to the latest and most reliable techniques and are 100% tested to assure that when the unit is mounted in the final application it will provide a real sense of confidence for the user.



Certified Quality

The **high quality** of production is guaranteed by the ISO9001 certification of our factory, as well as continuously testing and improving the production processes. CE tests, UL and CSA approvals, mean various independent bodies have tested and approved the units, a testament to the level of development and production of our products. Some of them are also provided with other specific and high demanding approvals, such as Germanischer Lloyd.



Specifications are subject to change without notice.

Monitoring Solutions for Water and Pump Applications



Your Automation Challenge

What happens if my pump runs dry? What if the phase sequence is not correct or one phase fails?



DWB01



DIB71



DPA51

Our Product Proposal

- **DPA01, PPA01, DPA51**: 3-Phase sequence and loss monitoring relays
- **DWB01, PWB01**: 3-Phase cos ϕ monitoring relays
- **DWB02, PWB02**: 3-Phase active power monitoring relays
- **DIB01, PIB01, DIB71**: Current relays

Our Solution


Since it very seldom happens that there is human surveillance of pumps, minor failures may occur as incorrect phase sequence cause major problems such as flooding. The **DPA01, PPA01** and **DPA51** detect for the correct phase sequence and phase loss along with the voltage regenerated by the pump's motor; this means that the maintenance department can easily and promptly be notified before a system failure occurs.

It is also possible to monitor the load of the pump, detecting if it is dry or blocked by some material just by monitoring its electrical values. The **DIB01, PIB01** or **DIB71** can be a solution to simply monitor for overloads. For dry running and overload protection, the **DWB01, PWB01, DWB02** and **PWB02** offer full protection.



To instantly view a data sheet and specify products, visit www.GavazziOnline.com

Monitoring Solutions for Energy Generation Applications



Your Automation Challenge

With an increased use of generators in many applications, it's absolutely necessary that the mains from the generator are of high quality to prevent damage to the connected load(s).



DPC02

DPC01


DUA52

Our Product Proposal

- **DPC01, PPC01**: 3-phase mains quality relay
- **DPC02**: 3-phase voltage and frequency monitoring relay
- **DUA52**: Battery level monitoring relay

Our Solution

Carlo Gavazzi's 3-phase monitoring relays, the **DPC01** and **PPC01**, can guarantee that the voltage level of all the phases (even the phase-neutral voltages) are correct. With the **DPC02** the user also knows if the speed of the generator (that is the frequency of the mains) is correct. If the generation system is used to sell energy to the electricity company, the **DPC02** can be used as an inter face relay to separate the generator from the mains if this is required. Finally, the **DUA52** can monitor the voltage level of the start-up battery.



Specifications are subject to change without notice.

Monitoring Solutions for: Material Handling Applications

Your Automation Challenge

All industrial applications where sophisticated mechanical machines are used to manufacture, package, mix, etc. Require high quality mains. A faulty system can cause poor product quality.



DPB01

DIA01

DIA53

Our Solution

Carlo Gavazzi's **DPB01**, **DPB71** or **PPB01** keep the mains fully monitored, thus preventing dangerous working situations. Furthermore, the most important amperages of the process can easily be monitored by means of the **DIA53** (with transistor output) or the **DIB01** (with relay output). These DIN rail mount devices with their built-in, 12mm current monitoring through-hole, are capable of measuring up to 100 Amps.

Our Product Proposal

- **DIA53** and **DIB01**: Over current relays
- **DIA01** and **PIA01**: Over current relays
- **DPB01** and **PPB01**, **DPB71**: 3-phase over and under voltage relays



To instantly view a data sheet and specify products, visit www.GavazziOnline.com

Packaging Applications

Your Automation Challenge

Industrial facilities using advanced technological machines to optimize the productivity level and the quality of the end product often need to monitor the quality of the mains.



DPB01

PPB01

DPB71

Our Solution

Using the **DPB01/PPB01** or the new **DPB71** (new mini DIN-rail mount housing) it is possible to monitor phase sequence-loss and over-under voltage of the mains to set up a window comparator system for the mains. It's also possible to set an on-delay alarm from 0.1 - 30 sec. to avoid nuisance tripping and stopping of the machine.

Our Product Proposal

- **DPB01**, **PPB01** or **DPB71**: 3-phase over and under voltage relays



Monitoring Solutions for: Elevator/Escalator Applications

Your Automation Challenge

For elevators, escalators and all people moving equipment, the direction of the motion must be 100% correct. Phase sequence relays are a fast, reliable and easy to maintain solution. Additionally with an overload, the motor temperature can damage and eventually destroy the motor itself.



Our Solution

In addition to phase sequence, the **DPA51** can detect the voltage regenerated by the motor in case of phase loss, which isn't always detected by less expensive units. This means that you'll reduce the risk that your motor won't overheat, burn up or cause danger to people. The **DTA01**, **DTA02**, **PTA01** and **PTA02** thermistor relays measure the temperature inside of the motor, allowing prompt disconnection in case of overheating.

Our Product Proposal

- **DPA51**: 3-phase sequence and phase loss with regenerated voltage detection
- **DTA01**: Thermistor relay for motor temperature protection
- **DAA51**: Multivoltage and multi-range ON delay timer



HVAC Applications

Your Automation Challenge

Correct direction means higher efficiency of the compressor (in some cases incorrect rotation means immediate break-down). Furthermore, starting more than one compressor at the same time can cause a high inrush current with several problems like EMC noise or low mains voltage.



Our Solution


A **DAA51** timer is the most flexible solution for the end user to set the delay times of the compressors. Our smallest multivoltage phase sequence and loss relay, the **DPA51**, prevents an incorrect rotation direction as well as from single phasing, while the **DPA53**, with an undervoltage setpoint, can let the compressor work at its best. Finally, **DAC51**, (the smallest star-delta timer on the market), helps reduce the required panel space.

Our Product Proposal

- **DPA51**: 3-Phase sequence and loss monitoring relay
- **DPA53**: 3-Phase sequence and loss monitoring relay with undervoltage detection
- **DAA01**, **PAA01**, **DAA51**: Delay on operate timers
- **DAC01**, **PAC01**, **DAC51**: Star-delta timers



The Easy Way to Find Your Solution



Typical Applications



Single Function

Correct motor rotation direction, ON/OFF current monitoring, motor overtemperature



Extended Functions

Monitoring mains quality, motor overload, generator speed, pump dry running



Full Function

Full mains monitoring, sophisticated current and voltage monitoring, full generator parameters



To instantly view a data sheet and specify products, visit www.GavazziOnline.com

Some Useful Information to Specify Your Part Number:

How to Determine the Complete Code of the Monitoring Relay You Need

A full part number listing is shown on the next page

If you need a current or voltage relay add...

The output -add the code:

C SPDT relay
D DPDT relay or
2xSPDT relays
S solid state

The power supply - add the code:

724 24 VDC
748 48 VDC
B48 24 & 48 VAC
B23 115 & 230 VAC

The range - add the code:

5MA 1, 2 & 5 mA AC/DC
50MA 10, 20 & 50 mA AC/DC
500MA 100, 200 & 500 mA AC/DC
5A 1, 2 & 5 A AC/DC
10A 10 A AC/DC
20A 20 A AC (DIA53 only)
50A 50 A AC (DIA53 only)
100A 100 A AC (DIA53, DIB01)
150MV 60 & 150 mV (DIB02, PIB02)
10V 1, 2, 5 & 10 V AC/DC
500V 20, 50, 200 & 500 V AC/DC
AVO combined ranges

Example: DIA53 S 724 100A

If you need a 3-phase voltage relay or a power relay add...

The output - add the code:

C SPDT relay
D DPDT relay or
2xSPDT relays

The power supply - add the code:

M44 208 to 480 VAC
M23 208 to 240 VAC
M48 380 to 480 VAC
M60 400 to 600 VAC
M69 600 to 690 VAC

The current range (power relays only) - add the code:

5A 5 AAC
10A 5 & 10AAC

Example: DPA53 C M48

If you need a frequency relay add...

The output - add the code:

C SPDT relay
D 2xSPDT relays

The power supply - add the code:

M24 24 to 240 VAC
B48 24 & 48 VAC
B23 115 & 230 VAC

Example: DFB01 C M24

If you need a motor temperature relay add...

The output - add the code:

C SPST relay
2xSPDT relays

The power supply - add the code:

724 24 VDC
024 24 VAC
115 115 VAC
230 230 VAC

Example: DTA01 C 115

Find more technical information visit
www.GavazziOnline.com

www.GavazziOnline.com is an information filled website which offers you the ability to download data sheets, specify products, check pricing and availability, track shipping and so much more:



Specifications are subject to change without notice.

Our Monitoring Relays Portfolio

Current

DIA01C7245A
DIA01C7485A
DIA01CB485A
DIA01CB235A
DIA53S72420A
DIA53S72420AF
DIA53S72450A
DIA53S72450AF
DIA53S724100A
DIA53S724100AF
DIB01C7245MA
DIB01C7485MA
DIB01CB485MA
DIB01CB235MA
DIB01C72450MA
DIB01C74850MA
DIB01CB4850MA
DIB01CB2350MA
DIB01C724500MA
DIB01C748500MA
DIB01CB48500MA
DIB01CB23500MA
DIB01C7245A
DIB01C7485A
DIB01CB485A
DIB01CB235A
DIB01C72410A
DIB01C74810A
DIB01CB4810A
DIB01CB2310A
DIB02C724150MV
DIB02C748150MV
DIB02CB48150MV
DIB02CB23150MV
DIB71CB235A
DIB71CB235MA
DIB01CM24100A
DIB71CB2350MA
DIB71CB23500MA
DIB71CB485A

DIB71CB485MA
DIB71CB4850MA
DIB71CB48500MA
DIC01D724AV0
DIC01D748AV0
DIC01DB48AV0
DIC01DB23AV0
PIA01C7245A
PIA01C7485A
PIA01CB485A
PIA01CB235A
PIA53S72420A
PIB01C7245MA
PIB01C7485MA
PIB01CB485MA
PIB01CB235MA
PIB01C72450MA
PIB01C74850MA
PIB01CB4850MA
PIB01CB2350MA
PIB01C724500MA
PIB01C748500MA
PIB01CB48500MA
PIB01CB23500MA
PIB01C7245A
PIB01C7485A
PIB01CB485A
PIB01CB235A
PIB01C72410A
PIB01C74810A
PIB01CB4810A
PIB01CB2310A
PIB02C724150MV
PIB02C748150MV
PIB02CB48150MV
PIB02CB23150MV
PIC01C724AV0
PIC01C748AV0
PIC01CB48AV0
PIC01CB23AV0

Voltage

DUA01C724500V
DUA01C748500V
DUA01CB48500V
DUA01CB23500V
DUA52C724
DUA52C748
DUA55CM44
DUB01C72410V
DUB01C74810V
DUB01CB4810V
DUB01CB2310V
DUB01C724500V
DUB01C748500V
DUB01CB48500V
DUB01CB23500V
DUB03CW24
DUB71CB4810V
DUB71CB2310V
DUB71CB48500V
DUB71CB23500V
DUB02CT23
DUC01D724500V
DUC01D748500V
DUC01DB48500V
DUC01DB23500V
PUA01C724500V
PUA01C748500V
PUA01CB48500V
PUA01CB23500V
PUB01C72410V
PUB01C74810V
PUB01CB4810V
PUB01CB2310V
PUB01C724500V
PUB01C748500V
PUB01CB48500V
PUB01CB23500V
PUB02CT23
PUB03CW24
PUC01C724500V
PUC01C748500V
PUC01CB48500V

3-phase

DPA01CM44
DPA01CM60
DPA01DM23
DPA01DM48
DPA02CM23
DPA02CM40
DPA51CM44
DPA53CM23
DPA53CM48
DPA55CM44
DPA71DM23
DPA71DM48
DPB01CM23
DPB01CM48
DPB02CM23
DPB02CM48
DPB71CM23
DPB71CM48
DPC01DM23
DPC01DM48
DPC01DM69
DPC01DM23400HZ
DPC01DM48400HZ
DPC01DM49400HZ
DPC01DM69400HZ
DPC02DM23
DPC02DM48
DPC02DM49
DPC02DM69
PPA01CM44
PPA01CM60
PPA01DM23
PPA01DM48
PPA02CM23
PPA02CM40
PPB01CM23
PPB01CM48
PPB02CM23
PPB02CM48
PPC01DM23
PPC01DM48
PPC01DM69

Power

DWA01CM235A
DWA01CM485A
DWB01CM2310A
DB01CM4810A
DWB01CM6910A
DWB02CM2310A
DWB02CM4810A
DWB02CM6910A
DWB03CM2310A
DWB03CM4810A
DWB03CM6910A
PWA01CM235A
PWA01CM485A
PWB01CM2310A
PWB01CM4810A
PWB01CM6910A
PWB02CM2310A
PWB02CM4810A
PWB02CM6910A
PWB03CM2310A
PWB03CM4810A

Frequency

DFB01CM24
DFC01DB48
DFC01DB23
PFB01CM24

Temperature

DTA01C024
DTA01C724
DTA01C115
DTA01C230
DTA02C024
DTA02C724
DTA02C115
DTA02C230
PTA01C024
PTA01C724
PTA01C115
PTA01C230
PTA02C024
PTA02C724
PTA02C115
PTA02C230




Accessories: Current Transformers, Shunts, Sockets



AC current transformers for 5, 20, 100, 500 AAC. Output voltage (0.4-4 Vp) is proportional to the measured current. To be used with: DUA01/PUA01, DIB02/PIB02, DIC01/PIC01, DWA01/PWA01, DWB01/PWB01, DWB02/PWB02.



3-phase transformers for 5, 20, 100 or 500 AAC. Output voltage (0.4-4 Vp) is proportional to the highest measured current. To be used with: DUA01/PUA01, DIB02/PIB02, DIC01/PIC01.



AC current metering transformer for 25, 50, 100, 250 or 500 AAC. Output current from the transformer is 0-20 mADC or 4-20 mADC in accordance with IEC 60381. Power supply ON is indicated by a green LED on the side of the housing. To be used with: DIB01/PIB01, DIC01/PIC01 or directly connected to a PLC.



AC current metering transformer with 3 knob selectable ranges. Output from the transformer is 4-20 mADC in accordance with IEC 60381. Power supply ON is indicated by a green LED. 12 mm hole for insulated current carrying wire makes it suitable for most applications. For mounting on DIN-rail or directly to a back panel with screws.



Cable/bus-bar type current transformers with DIN-rail/ bus-bar and panel mounting facilities. Rated primary current from 40A to 4,000A. To be used with: DIA01/PIA01, DIB01/PIB01, DWA01/PWA01, DWB01/PWB01, DWB02/PWB02.



Shunts for DC current in accordance with DIN-Standard. Ranges from 1A - 10,000A. To be used with: DIB02/ PIB02.



Socket for mounting on DIN-rail (DIN EN 0022).



1-phase transformers with DIN-rail and panel mounting facilities. Rated primary current from 1A to 250A. To be used with: DIA01/PIA01, DIB01/PIB01, DWA01/PWA01, DWB01/PWB01, DWB02/PWB02.



Specifications are subject to change without notice.

The Complete Product Package



Sense

Inductive Proximity Sensors
Tripleshield™ Capacitive Sensors
Photoelectric Sensors
Ultrasonic Sensors
Level Sensors
Limit Switches
Magnetic Switches



Switch

Solid State Relays
Contactors and Overloads
Manual Motor Starters
Motor Controllers
Electromechanical Relays
Pilot Devices
Cam Switches
Rotary Disconnects



Control

Energy Management
Digital Panel Meters
PID Controllers
Time Delay Relays
Current Monitoring Relays
Voltage Monitoring Relays
Three Phase Monitoring Relays
Signal Conditioners
Current Transformers
Enclosures



Safety

Safety Light Curtains
Safety Control Modules
Safety Interlock Switches
Safety Mat Systems
Safety Magnetic Sensors



Fieldbus

Dupline Field & Installation Bus
Building Automation Systems
Elevator Systems

A Global Force in Industrial Automation

CARLO GAVAZZI has a multitude of sales offices spanning North America (*not to mention our hundreds of distributors*). Therefore, we can be viewed as "your local automation resource" - assisting you every step of the way in finding the proper solution for your various application requirements. Naturally, our job is greatly simplified as we have such a vast range of solutions to offer you via our comprehensive *product package*.

Our worldwide sales offices make us an ideal business partner, *especially for manufacturers of exported machinery*, as our products are available locally and they are CE marked.

USA
CARLO GAVAZZI INC.
750 Hastings Lane
Buffalo Grove, IL 60089
Tel 847.465.6100
Fax 847.465.7373
Sales@CarloGavazzi.com

CANADA
CARLO GAVAZZI (CANADA) INC
2660 Meadowvale Boulevard
Mississauga, Ontario L5N 6M6
Tel 905.542.0979, Fax 905.542.2248
CARLO GAVAZZI (CANADA) LTÉE
3777 Boulevard du Tricentenaire
Montréal, Quebec H1B 5W3
Tel 514.644.2544, Fax 514.644.2808
Gavazzi@CarloGavazzi.com

Regional / Area Sales Office
District Sales Office

Argentina • Australia • Austria • Bahrain • Belgium • Bolivia • Bosnia • Brazil • Brunei • Bulgaria • Canada
Chile • China • Columbia • Croatia • Cyprus • Czech • Denmark • Dominican Republic • Egypt • Estonia
Finland • France • Germany • Greece • Hungary • Iceland • India • Indonesia • Iran • Ireland • Italy • Japan
Jordan • Kenya • Korea • Kuwait • Lebanon • Malaysia • Malta • Maroc • Mauritius • Mexico • Netherlands
New Zealand • Norway • Pakistan • Papua New Guinea • Paraguay • Peru • Philippines • Poland
Portugal • Qatar • Romania • Russia • Saudi Arabia • Serbia • Singapore • Slovakia • Slovenia • South Africa
Spain • Sultanate of Oman • Sweden • Switzerland • Syria • Taiwan • Thailand • Tunisie • Turkey
Ukraine • United Arab Emirates • United Kingdom • Uruguay • United States of America • Venezuela • Vietnam

Monitoring Controls Brochure 4/07

Your Authorized Distributor:

CARLO GAVAZZI
Automation Components

USA Phone: 847.465.6100 Fax: 800.222.2659

Canada Ontario: 905.542.0979 Quebec: 514.644.2544

Website www.GavazziOnline.com

Email Sales@CarloGavazzi.com

CARLO GAVAZZI

Visit our website for downloadable data sheets,
brochures & pricing: www.GavazziOnline.com